

I

(Veröffentlichungsbedürftige Rechtsakte, die in Anwendung des EG-Vertrags/Euratom-Vertrags erlassen wurden)

VERORDNUNGEN

VERORDNUNG (EG) Nr. 1272/2008 DES EUROPÄISCHEN PARLAMENTS UND DES RATES

vom 16. Dezember 2008

über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen, zur Änderung und Aufhebung der Richtlinien 67/548/EWG und 1999/45/EG und zur Änderung der Verordnung (EG) Nr. 1907/2006

(Text von Bedeutung für den EWR)

DAS EUROPÄISCHE PARLAMENT UND DER RAT DER EUROPÄISCHEN UNION —

gestützt auf den Vertrag zur Gründung der Europäischen Gemeinschaft, insbesondere auf Artikel 95,

auf Vorschlag der Kommission,

nach Stellungnahme des Europäischen Wirtschafts- und Sozialausschusses ⁽¹⁾,

gemäß dem Verfahren des Artikels 251 des Vertrags ⁽²⁾,

in Erwägung nachstehender Gründe:

- (1) Diese Verordnung soll ein hohes Schutzniveau für die menschliche Gesundheit und für die Umwelt sicherstellen sowie den freien Verkehr von chemischen Stoffen, Gemischen und bestimmten spezifischen Erzeugnissen gewährleisten und gleichzeitig Wettbewerbsfähigkeit und Innovation verbessern.
- (2) Der Binnenmarkt für Stoffe, Gemische und die betreffenden Erzeugnisse kann nur dann wirksam funktionieren, wenn die für diese geltenden Anforderungen in den einzelnen Mitgliedstaaten nicht wesentlich voneinander abweichen.
- (3) Bei der Angleichung der Rechtsvorschriften über die Kriterien für die Einstufung und Kennzeichnung von Stoffen und Gemischen sollte ein hohes Schutzniveau für die menschliche Gesundheit und die Umwelt sichergestellt werden, um das Ziel einer nachhaltigen Entwicklung zu erreichen.

- (4) Der Handel mit Stoffen und Gemischen wird nicht nur auf dem Binnenmarkt, sondern weltweit betrieben. Eine weltweite Harmonisierung von Vorschriften für Einstufung und Kennzeichnung sowie einheitliche Einstufungs- und Kennzeichnungsvorschriften für die Lieferung und Verwendung einerseits und für die Beförderung andererseits dürften daher den Unternehmen zugute kommen.
- (5) Zur Vereinfachung des Welthandels und gleichzeitig zum Schutz der menschlichen Gesundheit und der Umwelt wurden über einen Zeitraum von 12 Jahren im Rahmen der Vereinten Nationen (VN) mit großer Sorgfalt harmonisierte Kriterien für Einstufung und Kennzeichnung entwickelt, die zum Global Harmonisierten System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonised System of Classification and Labelling of Chemicals)(nachstehend als „GHS“ bezeichnet) geführt haben.
- (6) Diese Verordnung geht auf verschiedene Erklärungen zurück, in denen die Gemeinschaft ihre Absicht bekräftigt hat, zur weltweiten Harmonisierung der Kriterien für die Einstufung und Kennzeichnung beitragen zu wollen, und zwar nicht nur auf Ebene der VN, sondern auch durch die Aufnahme der international vereinbarten GHS-Kriterien in das Gemeinschaftsrecht.
- (7) Je mehr Länder in der ganzen Welt die GHS-Kriterien in ihr Rechtssystem übernehmen, desto größer ist der Nutzen für die Unternehmen. Die Gemeinschaft sollte in diesem Prozess eine Vorreiterrolle spielen, um andere Länder zu ermutigen, sich ihr anzuschließen, und so für die Industrie in der Gemeinschaft einen Wettbewerbsvorteil zu schaffen.
- (8) Daher ist es von wesentlicher Bedeutung, die Bestimmungen und die Kriterien für die Einstufung und Kennzeichnung von Stoffen, Gemischen und bestimmten spezifischen Erzeugnissen innerhalb der Gemeinschaft zu harmonisieren und dabei die Einstufungskriterien und Kennzeichnungsvorschriften des GHS zu berücksichtigen, jedoch auch auf der 40-jährigen Erfahrung aufzubauen, die mit der Durchführung des bestehenden Chemikalienrechts der Gemeinschaft erworben wurde, sowie das Schutzniveau

⁽¹⁾ ABL C 204 vom 9.8.2008, S. 47.

⁽²⁾ Stellungnahme des Europäischen Parlaments vom 3. September 2008 (noch nicht im Amtsblatt veröffentlicht).

aufrechtzuerhalten, das durch das System zur Harmonisierung von Einstufung und Kennzeichnung, durch die gemeinschaftlichen Gefahrenklassen, die noch nicht Bestandteil des GHS sind, sowie durch die derzeitigen Kennzeichnungs- und Verpackungsvorschriften erreicht wurde.

- (9) Diese Verordnung steht der uneingeschränkten und umfassenden Anwendung der gemeinschaftlichen Wettbewerbsregeln nicht entgegen.
- (10) Der Zweck dieser Verordnung ist es, zu bestimmen, welche Eigenschaften von Stoffen und Gemischen zu einer Einstufung als gefährlich führen sollten, damit die Gefahreneigenschaften von Stoffen und Gemischen korrekt ermittelt und ihre Gefahren entsprechend angegeben werden können. Zu solchen Eigenschaften sollten sowohl die physikalischen Gefahren als auch die Gefahren für die menschliche Gesundheit und die Umwelt, einschließlich der Gefahren für die Ozonschicht, gehören.
- (11) Diese Verordnung sollte grundsätzlich für alle Stoffe und Gemische gelten, die in der Gemeinschaft ausgeliefert werden, mit Ausnahme der Fälle, in denen andere gemeinschaftliche Rechtsvorschriften spezifischere Vorschriften für die Einstufung und Kennzeichnung vorsehen, wie beispielsweise die Richtlinie 76/768/EWG des Rates vom 27. Juli 1976 zur Angleichung der Rechtsvorschriften der Mitgliedstaaten über kosmetische Mittel ⁽¹⁾, die Richtlinie 82/471/EWG des Rates vom 30. Juni 1982 über bestimmte Erzeugnisse für die Tierernährung ⁽²⁾, die Richtlinie 88/388/EWG des Rates vom 22. Juni 1988 zur Angleichung der Rechtsvorschriften der Mitgliedstaaten über Aromen zur Verwendung in Lebensmitteln und über Ausgangsstoffe für ihre Herstellung ⁽³⁾, die Richtlinie 89/107/EWG des Rates vom 21. Dezember 1988 zur Angleichung der Rechtsvorschriften der Mitgliedstaaten über Zusatzstoffe, die in Lebensmitteln verwendet werden dürfen ⁽⁴⁾, die Richtlinie 90/385/EWG des Rates vom 20. Juni 1990 zur Angleichung der Rechtsvorschriften der Mitgliedstaaten über aktive implantierbare medizinische Geräte ⁽⁵⁾, die Richtlinie 93/42/EWG des Rates vom 14. Juni 1993 über Medizinprodukte ⁽⁶⁾, die Richtlinie 98/79/EG des Europäischen Parlaments und des Rates vom 27. Oktober 1998 über *In-vitro-Diagnostika* ⁽⁷⁾, die Entscheidung 1999/217/EG der Kommission vom 23. Februar 1999 über ein Verzeichnis der in oder auf Lebensmitteln verwendeten Aromastoffe, das gemäß Verordnung (EG) Nr. 2232/96 des Europäischen Parlaments und des Rates erstellt wurde ⁽⁸⁾, die Richtlinie 2001/82/EG des Europäischen Parlaments und des Rates vom 6. November 2001 zur Schaffung eines Gemeinschaftskodexes für Tierarzneimittel ⁽⁹⁾, die Richtlinie 2001/83/EG des Europäischen Parlaments und des Rates vom 6. November 2001 zur Schaffung eines Gemeinschaftskodexes für Humanarzneimittel ⁽¹⁰⁾, die Verordnung (EG)

Nr. 178/2002 des Europäischen Parlaments und des Rates vom 28. Januar 2002 zur Festlegung der allgemeinen Grundsätze und Anforderungen des Lebensmittelrechts, zur Errichtung der Europäischen Behörde für Lebensmittelsicherheit und zur Festlegung von Verfahren zur Lebensmittelsicherheit ⁽¹¹⁾ und die Verordnung (EG) Nr. 1831/2003 des Europäischen Parlaments und des Rates vom 22. September 2003 über Zusatzstoffe zur Verwendung in der Tierernährung ⁽¹²⁾, oder der Fälle, in denen Stoffe und Gemische im Eisenbahn-, Straßen-, Binnenschiffs-, See- und Luftverkehr befördert werden.

- (12) Die Terminologie und die Begriffsbestimmungen in dieser Verordnung sollten mit denen übereinstimmen, die in der Verordnung (EG) Nr. 1907/2006 des Europäischen Parlaments und des Rates vom 18. Dezember 2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe (REACH) ⁽¹³⁾ enthalten sind, mit jenen in den Vorschriften für die Beförderung und mit den auf Ebene der VN im GHS festgelegten Definitionen, damit eine größtmögliche Einheitlichkeit in der Anwendung des Chemikalienrechts in der Gemeinschaft im Zusammenhang mit dem Welthandel gewährleistet wird. Aus demselben Grund sollten die im GHS festgelegten Gefahrenklassen in dieser Verordnung aufgeführt werden.
- (13) Insbesondere ist es angezeigt, diejenigen Gefahrenklassen des GHS aufzunehmen, die besonders der Tatsache Rechnung tragen, dass die physikalischen Gefahren, die von Stoffen oder Gemischen ausgehen können, in gewissem Umfang von der Art ihrer Freisetzung abhängen.
- (14) Der in dieser Verordnung definierte Begriff „Gemisch“ sollte die gleiche Bedeutung wie der früher in den Gemeinschaftsvorschriften verwendete Begriff „Zubereitung“ haben.
- (15) Diese Verordnung sollte die Richtlinie 67/548/EWG des Rates vom 27. Juni 1967 zur Angleichung der Rechts- und Verwaltungsvorschriften für die Einstufung, Verpackung und Kennzeichnung gefährlicher Stoffe ⁽¹⁴⁾ sowie die Richtlinie 1999/45/EG des Europäischen Parlaments und des Rates vom 31. Mai 1999 zur Angleichung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten für die Einstufung, Verpackung und Kennzeichnung gefährlicher Zubereitungen ⁽¹⁵⁾ ersetzen. Sie sollte das derzeitige Schutzniveau für die menschliche Gesundheit und die Umwelt, das diese Richtlinien bieten, insgesamt erhalten. Daher sollten einige Gefahrenklassen, die in diesen Richtlinien erfasst werden, im GHS aber noch nicht enthalten sind, in dieser Verordnung beibehalten werden.
- (16) Die Zuständigkeit für die Ermittlung der Gefahreneigenschaften von Stoffen und Gemischen und die Entscheidung über ihre Einstufung sollte hauptsächlich bei den Herstellern, Importeuren und nachgeschalteten Anwendern der Stoffe und Gemische liegen, unabhängig davon, ob die Anforderungen der Verordnung (EG) Nr. 1907/2006 für sie

⁽¹⁾ ABl. L 262 vom 27.9.1976, S. 169.

⁽²⁾ ABl. L 213 vom 21.7.1982, S. 8.

⁽³⁾ ABl. L 184 vom 15.7.1988, S. 61.

⁽⁴⁾ ABl. L 40 vom 11.2.1989, S. 27.

⁽⁵⁾ ABl. L 189 vom 20.7.1990, S. 17.

⁽⁶⁾ ABl. L 169 vom 12.7.1993, S. 1.

⁽⁷⁾ ABl. L 331 vom 7.12.1998, S. 1.

⁽⁸⁾ ABl. L 84 vom 27.3.1999, S. 1.

⁽⁹⁾ ABl. L 311 vom 28.11.2001, S. 1.

⁽¹⁰⁾ ABl. L 311 vom 28.11.2001, S. 67.

⁽¹¹⁾ ABl. L 31 vom 1.2.2002, S. 1.

⁽¹²⁾ ABl. L 268 vom 18.10.2003, S. 29.

⁽¹³⁾ ABl. L 396 vom 30.12.2006, S. 1. Berichtigte Fassung im ABl. L 136 vom 29.5.2007, S. 3.

⁽¹⁴⁾ ABl. L 196 vom 16.8.1967, S. 1.

⁽¹⁵⁾ ABl. L 200 vom 30.7.1999, S. 1.

gelten oder nicht. Bei der Erfüllung ihrer Aufgaben in Bezug auf die Einstufung sollte es den nachgeschalteten Anwendern gestattet sein, die Einstufung eines Stoffes oder Gemisches zu verwenden, die von einem Akteur in der Lieferkette gemäß der vorliegenden Verordnung vorgenommen wurde, sofern sie die Zusammensetzung des Stoffes oder Gemisches nicht ändern. Die Zuständigkeit für die Einstufung von nicht in Verkehr gebrachten Stoffen, die der Registrierung oder Meldung nach der Verordnung (EG) Nr. 1907/2006 unterliegen, sollte hauptsächlich bei den Herstellern, Produzenten von Erzeugnissen und Importeuren liegen. Allerdings sollte es eine Möglichkeit für harmonisierte Einstufungen von Stoffen in Gefahrenklassen der höchsten Besorgnisstufe und im Einzelfall von anderen Stoffen geben, die von allen Herstellern, Importeuren und nachgeschalteten Anwendern von derartigen Stoffen und von Gemischen, die Stoffe dieser Art enthalten, angewendet werden.

- (17) In Fällen, in denen eine Harmonisierung der Einstufung eines Stoffes in Bezug auf eine spezielle Gefahrenklasse oder Differenzierung innerhalb einer Gefahrenklasse durch die Aufnahme oder die Überarbeitung eines Eintrags in Anhang VI Teil 3 dieser Verordnung beschlossen wurde, sollten die Hersteller, Importeure und nachgeschalteten Anwender diese harmonisierte Einstufung verwenden und nur in Bezug auf die verbleibenden, nichtharmonisierten Gefahrenklassen oder Differenzierungen eine eigenverantwortliche Einstufung vornehmen.
- (18) Damit sichergestellt ist, dass die Verbraucher über die Gefahren informiert werden, sollten die Lieferanten von Stoffen und Gemischen sicherstellen, dass diese gemäß dieser Verordnung vor dem Inverkehrbringen entsprechend ihrer Einstufung gekennzeichnet und verpackt werden. Bei der Erfüllung ihrer Aufgaben sollte es den nachgeschalteten Anwendern gestattet sein, die Einstufung eines Stoffes oder Gemisches zu verwenden, die von einem Akteur der Lieferkette gemäß dieser Verordnung vorgenommen wurde, sofern sie die Zusammensetzung des Stoffes oder Gemisches nicht ändern, und Händlern sollte es gestattet sein, die Einstufung eines Stoffes oder Gemisches zu verwenden, die von einem Akteur der Lieferkette gemäß dieser Verordnung vorgenommen wurde.
- (19) Damit sichergestellt ist, dass Informationen über gefährliche Stoffe vorliegen, wenn sie in Gemischen enthalten sind, die mindestens einen Stoff enthalten, der als gefährlich eingestuft wurde, sollten gegebenenfalls ergänzende Kennzeichnungsangaben gemacht werden.
- (20) Ein Hersteller, ein Importeur oder ein nachgeschalteter Anwender eines Stoffes oder Gemisches sollte zwar nicht dazu verpflichtet werden, für die Zwecke der Einstufung neue toxikologische oder ökotoxikologische Daten zu gewinnen, er sollte allerdings alle relevanten Informationen, die ihm über die Gefahreigenschaften des Stoffes oder Gemisches zur Verfügung stehen, ermitteln und sie hinsichtlich ihrer Qualität bewerten. Der Hersteller, der Importeur oder der nachgeschaltete Anwender sollte auch historische Humandaten etwa aus epidemiologischen Studien an exponierten Bevölkerungsgruppen, Daten über unbeabsichtigte und berufsbedingte Exposition und ihre Wirkungen und Daten aus klinischen Studien berücksichtigen. Diese Informationen sollten mit den Kriterien für die verschiedenen Gefahrenklassen und Differenzierungen verglichen werden, damit der Hersteller, der Importeur oder der nachgeschaltete Anwender entscheiden kann, ob der Stoff oder das Gemisch als gefährlich eingestuft werden sollte oder nicht.
- (21) Da die Einstufung eines Stoffes oder Gemisches auf der Grundlage verfügbarer Informationen erfolgen kann, sollten die für die Zwecke dieser Verordnung verwendeten verfügbaren Informationen vorzugsweise nach den Prüfmethoden gemäß der Verordnung (EG) Nr. 1907/2006, den beförderungsrechtlichen Vorschriften oder den internationalen Grundsätzen oder Verfahren für die Validierung von Informationen gewonnen worden sein, damit die Qualität und Vergleichbarkeit der Ergebnisse und die Übereinstimmung mit anderen Vorschriften auf internationaler oder gemeinschaftlicher Ebene sichergestellt sind. Die gleichen Prüfmethoden, Vorschriften, Grundsätze und Verfahren sollten angewendet werden, wenn der Hersteller, der Importeur oder der nachgeschaltete Anwender sich dafür entscheidet, neue Informationen zu gewinnen.
- (22) Zur einfacheren Ermittlung der Gefahreigenschaften von Gemischen sollten sich Hersteller, Importeure oder nachgeschaltete Anwender dabei auf die Daten für das Gemisch selbst, soweit verfügbar, stützen; ausgenommen hiervon sind Gemische mit karzinogenen, erbgutschädigenden oder reproduktionstoxischen Stoffen oder Fälle, in denen die Bioabbau- oder Bioakkumulationseigenschaften in der Gefahrenklasse „gewässergefährdend“ bewertet werden. Da die Gefahreigenschaften des Gemisches auf Basis des Gemisches selbst nicht hinreichend bewertet werden kann, sollten in diesen Fällen in der Regel die Daten für die einzelnen in dem Gemisch enthaltenen Stoffe als Grundlage für die Ermittlung der Gefahreigenschaften des Gemisches genutzt werden.
- (23) Sind ausreichende Informationen über ähnliche geprüfte Gemische, einschließlich relevanter Bestandteile der Gemische, verfügbar, so können die gefährlichen Eigenschaften eines ungeprüften Gemisches durch Anwendung bestimmter Regeln, der so genannten Übertragungsgrundsätze, bestimmt werden. Diese Regeln ermöglichen eine Beschreibung der mit dem Gemisch verbundenen Gefahren, ohne das Gemisch selbst zu prüfen, indem verfügbare Informationen über ähnliche geprüfte Gemische herangezogen werden. Stehen für das Gemisch selbst keine oder nur unzureichende Prüfdaten zur Verfügung, sollten Hersteller, Importeure und nachgeschaltete Anwender sich daher nach den Übertragungsgrundsätzen richten, damit eine angemessene Vergleichbarkeit der Einstufungsergebnisse für derartige Gemische sichergestellt ist.
- (24) In spezifischen Industriesektoren können Netze eingerichtet werden, um den Austausch von Daten zu vereinfachen und Fachwissen in Bezug auf die Bewertung von Informationen, Prüfdaten, Verfahren zur Ermittlung der Beweiskraft und Übertragungsgrundsätze gemeinsam zu nutzen. Diese Netze können Hersteller, Importeure und nachgeschaltete Anwender in diesen Sektoren und insbesondere kleiner und mittlerer Unternehmen (KMU) bei der Erfüllung ihrer Verpflichtungen nach dieser Verordnung unterstützen. Die Netze können auch zum Austausch von Informationen und bewährten Verfahrensweisen genutzt werden, um die Erfüllung der Meldepflichten zu vereinfachen. Lieferanten, die eine entsprechende Unterstützung in Anspruch nehmen, sollten weiterhin in vollem Umfang für die Erfüllung ihrer Aufgaben in Bezug auf die Einstufung, Verpackung und Kennzeichnung gemäß dieser Verordnung verantwortlich sein.

- (25) Der Tierschutz fällt in den Anwendungsbereich der Richtlinie 86/609/EWG des Rates vom 24. November 1986 zur Annäherung der Rechts- und Verwaltungsvorschriften der Mitgliedstaaten zum Schutz der für Versuche und andere wissenschaftliche Zwecke verwendeten Tiere ⁽¹⁾ und genießt hohe Priorität. Demnach sollte ein Hersteller, Importeur oder nachgeschalteter Anwender, der sich für die Gewinnung von Informationen für die Zwecke dieser Verordnung entscheidet, zunächst andere Möglichkeiten als Tierversuche im Sinne der Richtlinie 86/609/EWG in Erwägung ziehen. Für die Zwecke dieser Verordnung sollte es untersagt sein, Versuche an nichtmenschlichen Primaten durchzuführen.
- (26) Die Prüfmethode gemäß der Verordnung (EG) Nr. 440/2008 der Kommission vom 30. Mai 2008 zur Festlegung von Prüfmethode gemäß der Verordnung (EG) Nr. 1907/2006 des Europäischen Parlaments und des Rates zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe (REACH) ⁽²⁾ werden regelmäßig überprüft und verbessert, um die Zahl der Versuche mit Wirbeltieren und der Versuchstiere zu reduzieren. Das Europäische Zentrum zur Validierung alternativer Methoden (ECVAM) der Gemeinsamen Forschungsstelle der Kommission spielt eine entscheidende Rolle bei der wissenschaftlichen Bewertung und Validierung alternativer Prüfmethode.
- (27) Die Kriterien für die Einstufung und Kennzeichnung gemäß dieser Verordnung sollten der Förderung alternativer Methoden zur Beurteilung der Gefahreneigenschaften von Stoffen und Gemischen und der Verpflichtung, Informationen über intrinsische Eigenschaften durch andere Mittel als Tierversuche im Sinne der Richtlinie 86/609/EWG zu gewinnen — wie in der Verordnung (EG) Nr. 1907/2006 festgelegt —, weitestgehend Rechnung tragen. Künftige Kriterien sollten diesem Ziel und den entsprechenden Verpflichtungen gemäß der genannten Verordnung nicht im Wege stehen und sollten unter keinen Umständen zur Verwendung von Tierversuchen führen, wenn geeignete alternative Prüfmethode zum Zwecke der Einstufung und Kennzeichnung zur Verfügung stehen.
- (28) Es sollten zu Einstufungszwecken keine Daten durch Versuche am Menschen gewonnen werden. Verfügbare zuverlässige epidemiologische Daten und Erfahrungen über die Wirkungen von Stoffen und Gemischen beim Menschen (z. B. Daten über berufsbedingte Exposition und Daten aus Unfalldatenbanken) sollten herangezogen werden und können den Vorrang vor Daten erhalten, die aus tierexperimentellen Studien stammen, wenn sie Gefahren nachweisen, für die diese Studien keine Anhaltspunkte bieten. Die Ergebnisse aus tierexperimentellen Studien und aus Humandaten sollten gegeneinander abgewogen werden, und bei der Bewertung von Tier- und Humandaten sollte mit Hilfe einer Beurteilung durch Experten der bestmögliche Schutz der menschlichen Gesundheit sichergestellt werden.
- (29) Neue Informationen in Bezug auf physikalische Gefahren sollten immer erforderlich sein, es sei denn, die Daten sind bereits verfügbar, oder in dieser Verordnung ist eine Ausnahmeregelung vorgesehen.
- (30) Prüfungen, die ausschließlich für die Zwecke dieser Verordnung erfolgen, sollten an dem Stoff oder dem Gemisch in der Form bzw. den Formen oder dem Aggregatzustand bzw. den Aggregatzuständen durchgeführt werden, in der dem bzw. denen der Stoff oder das Gemisch in Verkehr gebracht und aller Voraussicht nach verwendet wird. Es sollte jedoch möglich sein, für die Zwecke dieser Verordnung die Ergebnisse von Prüfungen heranzuziehen, die zur Einhaltung anderer gesetzlicher Anforderungen, auch von Drittstaaten, vorgenommen wurden, auch wenn die Prüfungen nicht an dem Stoff oder Gemisch in der Form oder in den Formen des Stoffes oder Gemisches durchgeführt werden, die in Verkehr gebracht und aller Voraussicht nach verwendet wird.
- (31) Wenn Prüfungen durchgeführt werden, sollten sie den einschlägigen Anforderungen an den Schutz von Labortieren gemäß der Richtlinie 86/609/EWG genügen und im Falle ökotoxikologischer und toxikologischer Prüfungen der Guten Laborpraxis gemäß der Richtlinie 2004/10/EG des Europäischen Parlaments und des Rates vom 11. Februar 2004 zur Angleichung der Rechts- und Verwaltungsvorschriften für die Anwendung der Grundsätze der Guten Laborpraxis und zur Kontrolle ihrer Anwendung bei Versuchen mit chemischen Stoffen ⁽³⁾ entsprechen.
- (32) Die Kriterien für die Einstufung in verschiedene Gefahrenklassen und ihre jeweiligen Differenzierungen sollten in einem Anhang aufgestellt werden, der auch zusätzliche Vorschriften dazu enthalten sollte, in welchen Fällen diese Kriterien erfüllt sind.
- (33) Weil die Anwendung der Kriterien der verschiedenen Gefahrenklassen auf die Informationen nicht immer eindeutig und einfach ist, sollten Hersteller, Importeure und nachgeschaltete Anwender Verfahren zur Ermittlung der Beweiskraft mit Hilfe einer Beurteilung durch Experten nutzen, um zweckmäßige Ergebnisse zu erzielen.
- (34) Ein Hersteller, Importeur oder nachgeschalteter Anwender sollte einem Stoff spezifische Konzentrationsgrenzwerte für Stoffe zuordnen, die den Kriterien in dieser Verordnung entsprechen, vorausgesetzt, der Hersteller, Importeur oder nachgeschaltete Anwender kann die Grenzwerte begründen und setzt die Europäische Chemikalienagentur (nachstehend als „Agentur“ bezeichnet) hiervon in Kenntnis. Spezifische Konzentrationsgrenzwerte sollten jedoch nicht für harmonisierte Gefahrenklassen oder Differenzierungen für Stoffe festgelegt werden, die in den Harmonisierte Einstufung und Kennzeichnung — Tabellen im Anhang dieser Verordnung aufgeführt sind. Die Agentur sollte Leitlinien für die Festlegung der spezifischen Konzentrationsgrenzwerte vorgeben. Um Einheitlichkeit zu gewährleisten, sollten gegebenenfalls auch spezifische Konzentrationsgrenzwerte in Fällen harmonisierter Einstufungen aufgenommen werden. Spezifische Konzentrationsgrenzwerte sollten zum Zweck der Einstufung Vorrang vor anderen Konzentrationsgrenzwerten haben.
- (35) Die Hersteller, Importeure und nachgeschalteten Anwender sollten einem Stoff anhand der Kriterien gemäß dieser Verordnung Multiplikationsfaktoren („M-Faktoren“) für als akut gewässergefährdend, Kategorie 1, oder als chronisch gewässergefährdend, Kategorie 1, eingestufte Stoffe zuordnen. Die Agentur sollte Leitlinien für die Festlegung der Multiplikationsfaktoren vorgeben.

⁽¹⁾ ABl. L 358 vom 18.12.1986, S. 1.

⁽²⁾ ABl. L 142 vom 31.5.2008, S. 1.

⁽³⁾ ABl. L 50 vom 20.2.2004, S. 44.

- (36) Aus Gründen der Verhältnismäßigkeit und der Praktikabilität sollten allgemeine Berücksichtigungsgrenzwerte sowohl für identifizierte Verunreinigungen, Beimengungen und einzelne Stoffbestandteile als auch für in Gemischen enthaltene Stoffe festgelegt werden, und dabei sollte darauf hingewiesen werden, wenn Informationen dazu bei der Festlegung der Einstufung von Stoffen und Gemischen berücksichtigt werden sollten.
- (37) Damit eine angemessene Einstufung von Gemischen gewährleistet ist, sollten verfügbare Informationen über Synergismus- oder Antagonismuseffekte bei der Einstufung von Gemischen berücksichtigt werden.
- (38) Die Hersteller, Importeure und nachgeschalteten Anwender sollten ihre Einstufungen von Stoffen oder Gemischen, die sie in Verkehr bringen, neu bewerten, wenn ihnen bekannt wird, dass neue geeignete und zuverlässige wissenschaftliche oder technische Informationen vorliegen, die sich auf die Einstufungen auswirken können, oder wenn sie die Zusammensetzung ihrer Gemische ändern, damit die Einstufung auf aktuellen Informationen basiert, es sei denn, es gibt genügend Anhaltspunkte dafür, dass sich die Einstufung nicht ändern würde. Die Lieferanten sollten die Kennzeichnungsetiketten entsprechend aktualisieren.
- (39) Als gefährlich eingestufte Stoffe und Gemische sollten ihrer Einstufung gemäß gekennzeichnet und verpackt werden, damit ein angemessener Schutz sichergestellt ist und die Abnehmer wesentliche Informationen erhalten, indem sie auf die Gefahreneigenschaften eines Stoffes oder Gemisches aufmerksam gemacht werden.
- (40) Die beiden in dieser Verordnung vorgesehenen Instrumente, die zur Information über die Gefahren von Stoffen und Gemischen verwendet werden, sind Kennzeichnungsetiketten und die Sicherheitsdatenblätter gemäß der Verordnung (EG) Nr. 1907/2006. Von diesen beiden Instrumenten ist das Kennzeichnungsetikett das einzige Mittel zur Information der Verbraucher, jedoch kann es auch dazu dienen, Arbeitnehmer auf die umfassenderen Informationen über Stoffe oder Gemische aufmerksam zu machen, die in den Sicherheitsdatenblättern bereitgestellt werden. Da die Bestimmungen über Sicherheitsdatenblätter in der Verordnung (EG) Nr. 1907/2006 enthalten sind, die das Sicherheitsdatenblatt als wichtigstes Informationsmittel in der Stofflieferkette vorsieht, sollte von einer Aufnahme derselben Bestimmungen in die vorliegende Verordnung abgesehen werden.
- (41) Um sicherzustellen, dass die Verbraucher in geeigneter Weise und umfassend über die Gefahren und die sichere Verwendung von Chemikalien und Gemischen unterrichtet werden, sollte die Verwendung und Verbreitung von Internetseiten und kostenlosen Telefonnummern gefördert werden, insbesondere im Zusammenhang mit den Informationen auf spezifischen Arten von Verpackungen.
- (42) Ein weltweit in der Form der Kennzeichnung harmonisiertes Gefahrenkommunikationsinstrument käme Arbeitnehmern und Verbrauchern überall auf der Welt zugute. Daher sollten die in das Kennzeichnungsetikett aufzunehmenden Elemente in Übereinstimmung mit den Gefahrenpiktogrammen, Signalwörtern, Gefahrenhinweisen und Sicherheitshinweisen festgelegt werden, die im GHS die Kerninformation bilden. Die Angabe weiterer Informationen auf den Kennzeichnungsetiketten sollte auf ein Mindestmaß begrenzt werden und nicht die Hauptelemente in Frage stellen.
- (43) Es ist von wesentlicher Bedeutung, dass die in Verkehr gebrachten Stoffe und Gemische ordnungsgemäß identifiziert werden. Allerdings sollte die Agentur es den Unternehmen auf Antrag im Bedarfsfall gestatten, die chemische Identität bestimmter Stoffe so zu beschreiben, dass Betriebs- und Geschäftsgeheimnisse gewahrt bleiben. Lehnt die Agentur einen entsprechenden Antrag ab, so sollte nach dieser Verordnung ein Rechtsmittel möglich sein. Das Rechtsmittel sollte aufschiebende Wirkung haben, so dass die vertrauliche Information, auf die sich der Antrag bezieht, nicht auf dem Kennzeichnungsetikett erscheint, solange das Rechtsmittelverfahren anhängig ist.
- (44) Die Internationale Union für reine und angewandte Chemie (IUPAC) ist seit langem als Autorität im Bereich der chemischen Nomenklatur und Terminologie anerkannt. Stoffe durch ihre IUPAC-Bezeichnung zu identifizieren, ist eine weltweit übliche Praxis und bietet eine genormte Grundlage für die Kennzeichnung von Stoffen in einem internationalen und vielsprachigen Kontext. Daher ist es angezeigt, für die Zwecke dieser Verordnung diese Bezeichnungen zu verwenden.
- (45) Der Chemical Abstracts Service (CAS) unterhält ein System, nach dem Stoffe in das CAS-Register aufgenommen werden und eine eindeutige CAS-Nummer erhalten. Die CAS-Nummern werden weltweit in Nachschlagewerken, Datenbanken und in Gesetzgebungs- und Regulierungstexten verwendet, um Stoffe ohne die Mehrdeutigkeiten der chemischen Nomenklatur zu bezeichnen. Daher ist es angezeigt, für die Zwecke dieser Verordnung die CAS-Nummern zu verwenden.
- (46) Um die Angaben auf dem Kennzeichnungsetikett auf die wesentlichsten Informationen zu beschränken, sollten Prioritätsgrundsätze für die zweckmäßigsten Kennzeichnungselemente in jenen Fällen festgelegt werden, in denen Stoffe oder Gemische mehrere gefährliche Eigenschaften aufweisen.
- (47) Die Richtlinie 91/414/EWG des Rates vom 15. Juli 1991 über das Inverkehrbringen von Pflanzenschutzmitteln⁽¹⁾ sowie die Richtlinie 98/8/EG des Europäischen Parlaments und des Rates vom 16. Februar 1998 über das Inverkehrbringen von Biozid-Produkten⁽²⁾ sollten weiterhin uneingeschränkt auf die in ihren Geltungsbereich fallenden Produkte Anwendung finden.
- (48) Angaben wie „ungiftig“, „unschädlich“, „umweltfreundlich“, „ökologisch“ oder alle sonstigen Angaben, die auf das Nichtvorhandensein von Gefahreneigenschaften von Stoffen oder Gemischen hinweisen oder nicht mit deren Einstufung in Einklang stehen, sollten nicht auf dem Kennzeichnungsetikett oder der Verpackung eines gefährlichen Stoffes oder Gemische erscheinen.
- (49) Im Allgemeinen sollten Stoffe und Gemische, insbesondere jene, die an die breite Öffentlichkeit abgegeben werden, verpackt und mit den erforderlichen Kennzeichnungsangaben versehen sein. Der Austausch zweckdienlicher Angaben zwischen Fachleuten — auch für unverpackte Stoffe und Gemische — wird durch die Verordnung (EG)

(1) ABl. L 230 vom 19.8.1991, S. 1.

(2) ABl. L 123 vom 24.4.1998, S. 1.

- Nr. 1907/2006 gewährleistet. In Ausnahmefällen können Stoffe und Gemische jedoch auch unverpackt an die breite Öffentlichkeit abgegeben werden. Relevante Kennzeichnungsangaben sollten der breiten Öffentlichkeit gegebenenfalls auf andere Weise — z. B. auf Rechnungen — zur Kenntnis gebracht werden.
- (50) Es sind Vorschriften für das Anbringen des Kennzeichnungsetiketts und die Anordnung der Informationen auf diesem Schild erforderlich, damit sichergestellt werden kann, dass die Angaben auf dem Kennzeichnungsetikett leicht verständlich sind.
- (51) Diese Verordnung sollte allgemeine Verpackungsstandards festlegen, damit eine sichere Lieferung gefährlicher Stoffe und Gemische gewährleistet ist.
- (52) Die Ressourcen der Behörden sollten gezielt für die Stoffe eingesetzt werden, die am meisten Anlass zu Besorgnis in Bezug auf die Gesundheit und die Umwelt geben. Es sollte daher vorgesehen werden, dass die zuständigen Behörden und die Hersteller, Importeure oder nachgeschalteten Anwender der Agentur Vorschläge für eine harmonisierte Einstufung und Kennzeichnung von Stoffen unterbreiten können, die aufgrund ihrer Karzinogenität, Keimzellmutagenität oder Reproduktionstoxizität der Kategorien 1A, 1B oder 2, einer Sensibilisierung der Atemwege oder im Einzelfall aufgrund anderer Wirkungen eingestuft wurden. Die zuständigen Behörden der Mitgliedstaaten sollten ferner die Möglichkeit haben, harmonisierte Einstufungen und Kennzeichnungen für Wirkstoffe, die in Pflanzenschutzmitteln und Biozid-Produkten verwendet werden, vorzuschlagen. Die Agentur sollte zu einem Vorschlag eine Stellungnahme abgeben, aber die Beteiligten sollten Gelegenheit erhalten, Bemerkungen vorzubringen. Die Kommission sollte einen Entwurf eines Beschlusses über die endgültigen Einstufungs- und Kennzeichnungselemente vorlegen.
- (53) Damit die Arbeit und die Erfahrungen im Zusammenhang mit der Richtlinie 67/548/EWG, einschließlich der Einstufung und Kennzeichnung spezifischer in Anhang I der Richtlinie 67/548/EWG aufgeführter Stoffe, in vollem Umfang berücksichtigt werden, sollten alle bestehenden harmonisierten Einstufungen unter Verwendung der neuen Kriterien in neue harmonisierte Einstufungen umgewandelt werden. Außerdem sollten alle bestehenden harmonisierten Einstufungen unverändert in einen Anhang zu dieser Verordnung aufgenommen werden, da die Verordnung erst zu einem späteren Zeitpunkt anwendbar wird und die harmonisierten Einstufungen gemäß den Kriterien der Richtlinie 67/548/EWG für die Einstufung von Stoffen und Gemischen während der Übergangsphase wichtig sind. Dadurch, dass für alle künftigen Harmonisierungen von Einstufungen diese Verordnung gilt, dürften sich Unstimmigkeiten bei harmonisierten Einstufungen ein und desselben Stoffes gemäß den bestehenden und den neuen Kriterien vermeiden lassen.
- (54) Es sollten Vorschriften für ein Einstufungs- und Kennzeichnungsverzeichnis aufgestellt werden, um das effiziente Funktionieren des Binnenmarkts für Stoffe und Gemische zu verwirklichen und gleichzeitig ein hohes Schutzniveau für die menschliche Gesundheit und die Umwelt zu gewährleisten. Die Einstufung und Kennzeichnung eines in Verkehr gebrachten registrierten oder gefährlichen Stoffes sollte daher der Agentur zwecks Aufnahme in das Verzeichnis mitgeteilt werden.
- (55) Die Agentur sollte nach Möglichkeiten suchen, wie das Meldeverfahren weiter vereinfacht werden kann und dabei insbesondere den Bedürfnissen der KMU Rechnung tragen.
- (56) Verschiedene Hersteller und Importeure ein und desselben Stoffes sollten sich nach Kräften um eine Einigung auf eine einzige Einstufung bemühen, außer für Gefahrenklassen und Differenzierungen, in Bezug auf die für diesen Stoff eine harmonisierte Einstufung gilt.
- (57) Um einen harmonisierten Schutz der breiten Öffentlichkeit und insbesondere der Personen, die mit bestimmten Stoffen in Berührung kommen, sowie die ordnungsgemäße Anwendung anderer Gemeinschaftsvorschriften, die auf der Einstufung und Kennzeichnung beruhen, zu gewährleisten, sollten in einem Verzeichnis sowohl die von den Herstellern und Importeuren ein und desselben Stoffes nach Möglichkeit vereinbarte Einstufung gemäß dieser Verordnung als auch die Entscheidungen erfasst werden, die auf Gemeinschaftsebene zur Harmonisierung der Einstufung und Kennzeichnung bestimmter Stoffe getroffen werden.
- (58) Für die in das Einstufungs- und Kennzeichnungsverzeichnis aufgenommenen Informationen sollte ein gleiches Maß an Zugänglichkeit und Schutz gelten, wie es im Rahmen der Verordnung (EG) Nr. 1907/2006 gewährt wird, insbesondere hinsichtlich der Informationen, deren Offenlegung den gewerblichen Interessen der Betroffenen schaden könnte.
- (59) Die Mitgliedstaaten sollten die Behörde bzw. die Behörden benennen, die für die Vorschläge für harmonisierte Einstufungen und Kennzeichnungen zuständig ist/sind, sowie die Behörden, die für die Durchsetzung der in dieser Verordnung festgelegten Pflichten zuständig sind. Um die Einhaltung dieser Verordnung sicherzustellen, sollten die Mitgliedstaaten wirksame Maßnahmen zur Überwachung und Kontrolle treffen.
- (60) Es ist wichtig, dass Lieferanten und sonstige interessierte Kreise, insbesondere die KMU, hinsichtlich ihrer jeweiligen Aufgaben und Verpflichtungen im Rahmen dieser Verordnung beraten werden. Die im Rahmen der Verordnung (EG) Nr. 1907/2006 bereits eingerichteten nationalen Auskunftsstellen können als nationale Auskunftsstellen gemäß Artikel 44 der vorliegenden Verordnung fungieren.
- (61) Damit das durch diese Verordnung eingeführte System reibungslos funktionieren kann, ist eine gute Zusammenarbeit und Koordinierung zwischen den Mitgliedstaaten, der Agentur und der Kommission wichtig.
- (62) Zur Schaffung von Anlaufstellen für die Information über gefährliche Stoffe und Gemische sollten die Mitgliedstaaten — neben den für die Anwendung dieser Verordnung zuständigen Behörden und den für die Durchsetzung dieser Verordnung zuständigen Behörden — Stellen bestimmen, die für die Entgegennahme von Informationen in Bezug auf die Gesundheit und zur chemischen Identität, zu den Bestandteilen und der Art der Stoffe, einschließlich der Stoffe, für die gemäß dieser Verordnung eine alternative chemische Bezeichnung verwendet werden darf, zuständig sind.
- (63) Die zuständigen Stellen können, wenn sie von einem Mitgliedstaat darum ersucht werden, eine statistische Analyse vornehmen, um zu ermitteln, in welchen Fällen verbesserte Risikomanagementmaßnahmen erforderlich sein könnten.

- (64) Regelmäßige Berichte der Mitgliedstaaten und der Agentur über die Anwendung dieser Verordnung sollten ein unerlässliches Mittel für die Überwachung der Durchführung des Chemikalienrechts und für die Beobachtung von Entwicklungen in diesem Bereich darstellen. Schlussfolgerungen aus den Ergebnissen dieser Berichte sollten ein nützliches und praktisches Instrument zur Überprüfung der Verordnung und, soweit erforderlich, zur Formulierung von Änderungsvorschlägen sein.
- (65) Über das Forum für den Austausch von Informationen zur Durchsetzung, das Teil der durch die Verordnung (EG) Nr. 1907/2006 geschaffenen Agentur ist, sollten ebenfalls Informationen über die Durchsetzung dieser Verordnung ausgetauscht werden.
- (66) Um bei der Durchsetzung dieser Verordnung durch die Mitgliedstaaten Transparenz, Unparteilichkeit und Einheitlichkeit zu gewährleisten, ist es erforderlich, dass die Mitgliedstaaten ein geeignetes Sanktionssystem schaffen, in dessen Rahmen wirksame, verhältnismäßige und abschreckende Sanktionen für Verstöße gegen diese Verordnung verhängt werden können, da Verstöße Schäden für die menschliche Gesundheit und die Umwelt nach sich ziehen können.
- (67) Es sollte vorgeschrieben werden, dass bei der Werbung für Stoffe, die die Kriterien für die Einstufung gemäß dieser Verordnung erfüllen, auf die mit ihnen verbundenen Gefahren hingewiesen wird, um die Abnehmer von Stoffen, zu denen auch die Verbraucher gehören, zu schützen. Werbung für als gefährlich eingestufte Gemische, die es einem privaten Endverbraucher ermöglicht, einen Kaufvertrag abzuschließen, ohne vorher das Kennzeichnungsetikett zu sehen, sollte aus demselben Grund die Art der auf dem Kennzeichnungsetikett angegebenen Gefahr/Gefahren erwähnen.
- (68) Für Fälle, in denen ein Stoff oder ein Gemisch eine ernste Gefahr für die menschliche Gesundheit oder die Umwelt darstellt, auch wenn er bzw. es gemäß den Bestimmungen dieser Verordnung nicht als gefährlich eingestuft wurde, sollte eine Schutzklausel vorgesehen werden. Da Stoffe und Gemische weltweit gehandelt werden, besteht in einem solchen Fall gegebenenfalls Handlungsbedarf auf Ebene der VN.
- (69) Viele der den Unternehmen durch die Verordnung (EG) Nr. 1907/2006 auferlegten Verpflichtungen gelangen erst durch eine Einstufung zur Geltung; die vorliegende Verordnung sollte den Anwendungsbereich und die Wirkung der genannten Verordnung mit Ausnahme der Bestimmungen über Sicherheitsdatenblätter dennoch nicht verändern. Um dies zu gewährleisten, sollte die Verordnung (EG) Nr. 1907/2006 entsprechend geändert werden.
- (70) Der Beginn der Anwendung dieser Verordnung sollte schrittweise erfolgen, damit alle Betroffenen — Behörden, Unternehmen und Interessengruppen — ihre Ressourcen rechtzeitig zur Vorbereitung auf die neuen Pflichten konzentrieren können. Deswegen und weil die Einstufung von Gemischen von der Einstufung von Stoffen abhängt, sollten die Bestimmungen für die Einstufung von Gemischen erst nach der Neueinstufung aller Stoffe angewendet werden. Wenn Akteure sich dafür entscheiden, die Einstufungskriterien dieser Verordnung zu einem früheren Zeitpunkt auf freiwilliger Basis anzuwenden, sollte dies zulässig sein; um jedoch Verwirrung zu vermeiden, sollte die Kennzeichnung und die Verpackung in diesem Fall dieser Verordnung und nicht den Richtlinien 67/548/EWG oder 1999/45/EG entsprechen.
- (71) Um die Unternehmen nicht unnötig zu belasten, sollte vorgesehen werden, dass Stoffe und Gemische, die sich bereits in der Lieferkette befinden, wenn die Kennzeichnungsbestimmungen dieser Verordnung für sie wirksam werden, während eines bestimmten Zeitraums ohne vorherige Neukennzeichnung weiterhin in Verkehr gebracht werden dürfen.
- (72) Da die Ziele dieser Verordnung, nämlich die Vorschriften für Einstufung, Kennzeichnung und Verpackung zu harmonisieren, indem die Einstufung vorgeschrieben und eine harmonisierte Liste mit auf Gemeinschaftsebene eingestuften Stoffen sowie ein Einstufungs- und Kennzeichnungsverzeichnis aufgebaut werden, auf Ebene der Mitgliedstaaten nicht ausreichend verwirklicht werden können und daher besser auf Gemeinschaftsebene zu verwirklichen sind, kann die Gemeinschaft im Einklang mit dem in Artikel 5 des Vertrags niedergelegten Subsidiaritätsprinzip tätig werden. Entsprechend dem in demselben Artikel genannten Verhältnismäßigkeitsprinzip geht diese Verordnung nicht über das für die Erreichung dieser Ziele erforderliche Maß hinaus.
- (73) Diese Verordnung steht im Einklang mit den Grundrechten und Grundsätzen, die insbesondere in der Charta der Grundrechte der Europäischen Union ⁽¹⁾ anerkannt sind.
- (74) Diese Verordnung sollte zur Erfüllung des Strategischen Konzepts für ein internationales Chemikalienmanagement (SAICM), das am 6. Februar 2006 in Dubai beschlossen wurde, beitragen.
- (75) Vorbehaltlich der Entwicklungen auf Ebene der VN sollte die Einstufung und Kennzeichnung von persistenten, bioakkumulierbaren und toxischen Stoffen (PBT) und sehr persistenten und sehr bioakkumulierbaren Stoffen (vPvB) zu einem späteren Zeitpunkt in diese Verordnung aufgenommen werden.
- (76) Die zur Durchführung dieser Verordnung erforderlichen Maßnahmen sollten gemäß dem Beschluss 1999/468/EG des Rates vom 28. Juni 1999 zur Festlegung der Modalitäten für die Ausübung der der Kommission übertragenen Durchführungsbefugnisse ⁽²⁾ erlassen werden.
- (77) Insbesondere sollte die Kommission die Befugnis erhalten, diese Verordnung an den technischen und wissenschaftlichen Fortschritt anzupassen, wozu auch die Übernahme von auf Ebene der VN vorgenommenen Änderungen des GHS, insbesondere entsprechender VN-Änderungen in Bezug auf die Verwendung von Informationen über ähnliche Gemische, gehört. Bei derartigen Anpassungen an den technischen und wissenschaftlichen Fortschritt sollte der halbjährliche Arbeitsrhythmus auf Ebene der VN berücksichtigt werden. Außerdem sollte die Kommission die Befugnis erhalten, über die harmonisierte Einstufung und Kennzeichnung spezifischer Stoffe zu entscheiden. Da es sich hierbei um Maßnahmen von allgemeiner Tragweite handelt, die eine Änderung nicht wesentlicher Bestimmungen dieser Verordnung bewirken, sind diese Maßnahmen nach dem Regelungsverfahren mit Kontrolle des Artikels 5a des Beschlusses 1999/468/EG zu erlassen.

⁽¹⁾ ABl. C 364 vom 18.12.2000, S. 1.

⁽²⁾ ABl. L 184 vom 17.7.1999, S. 23.

- (78) Können aus Gründen äußerster Dringlichkeit die Fristen, die normalerweise im Rahmen des Regelungsverfahrens mit Kontrolle Anwendung finden, nicht eingehalten werden, so sollte die Kommission bei Anpassungen an den technischen Fortschritt die Möglichkeit haben, das Dringlichkeitsverfahren des Artikels 5a Absatz 6 des Beschlusses 1999/468/EG anzuwenden.
- (79) Die Kommission sollte auch für die Zwecke dieser Verordnung von dem Ausschuss unterstützt werden, der durch die Verordnung (EG) Nr. 1907/2006 eingesetzt wurde, damit ein einheitlicher Ansatz für die Aktualisierung des Chemikalienrechts gewährleistet ist —

HABEN FOLGENDE VERORDNUNG ERLASSEN:

TITEL I

ALLGEMEINES

Artikel 1

Zweck und Geltungsbereich

(1) Zweck dieser Verordnung ist es, ein hohes Schutzniveau für die menschliche Gesundheit und für die Umwelt sowie den freien Verkehr von in Artikel 4 Absatz 8 genannten Stoffen, Gemischen und Erzeugnissen durch folgende Maßnahmen zu gewährleisten:

- a) Harmonisierung der Kriterien für die Einstufung von Stoffen und Gemischen sowie der Vorschriften für die Kennzeichnung und Verpackung gefährlicher Stoffe und Gemische;
- b) Verpflichtung der
- i) Hersteller, Importeure und nachgeschalteten Anwender zur Einstufung von in Verkehr gebrachten Stoffen und Gemischen;
 - ii) Lieferanten eines Stoffes oder Gemisches zur Kennzeichnung und Verpackung von in Verkehr gebrachten Stoffen und Gemischen;
 - iii) Hersteller, Produzenten von Erzeugnissen und Importeure zur Einstufung von nicht in Verkehr gebrachten Stoffen, die der Registrierung oder Meldung nach der Verordnung (EG) Nr. 1907/2006 unterliegen;
- c) Verpflichtung der Hersteller und Importeure von Stoffen, der Agentur derartige Einstufungen und Kennzeichnungselemente zu melden, wenn diese der Agentur nicht im Rahmen einer Registrierung nach der Verordnung (EG) Nr. 1907/2006 vorgelegt wurden;
- d) Aufbau einer Liste von Stoffen mit ihren harmonisierten Einstufungen und Kennzeichnungselementen auf Gemeinschaftsebene in Anhang VI Teil 3;
- e) Aufbau eines Einstufungs- und Kennzeichnungsverzeichnisses für Stoffe, das aus allen Meldungen, Vorlagen, harmonisierten Einstufungen und Kennzeichnungselementen nach den Buchstaben c und d besteht.

(2) Diese Verordnung gilt nicht für

- a) radioaktive Stoffe und Gemische im Anwendungsbereich der Richtlinie 96/29/Euratom des Rates vom 13. Mai 1996 zur Festlegung der grundlegenden Sicherheitsnormen für den Schutz der Gesundheit der Arbeitskräfte und der Bevölkerung gegen die Gefahren durch ionisierende Strahlungen ⁽¹⁾;
- b) Stoffe und Gemische, die der zollamtlichen Überwachung unterliegen, sofern sie weder behandelt noch verarbeitet werden, und die sich in vorübergehender Verwahrung oder in Freizonen oder in Freilagern zur Wiederausfuhr oder im Transitverkehr befinden;
- c) nichtisolierte Zwischenprodukte;
- d) nicht in Verkehr gebrachte Stoffe und Gemische für wissenschaftliche Forschung und Entwicklung, sofern sie unter kontrollierten Bedingungen im Einklang mit den Arbeits- und Umweltschutzvorschriften der Gemeinschaft verwendet werden.

(3) Abfall im Sinne der Richtlinie 2006/12/EG des Europäischen Parlaments und des Rates vom 5. April 2006 über Abfälle ⁽²⁾ gilt nicht als Stoff noch Gemisch oder Erzeugnis im Sinne des Artikels 2 dieser Verordnung.

(4) Die Mitgliedstaaten dürfen in besonderen Fällen für bestimmte Stoffe oder Gemische Ausnahmen von dieser Verordnung zulassen, wenn dies im Interesse der Landesverteidigung erforderlich ist.

(5) Diese Verordnung gilt nicht für die folgenden für den Endverbraucher bestimmten Stoffe und Gemische in Form von Fertigerzeugnissen:

- a) Arzneimittel im Sinne der Richtlinie 2001/83/EG;
- b) Tierarzneimittel im Sinne der Richtlinie 2001/82/EG;
- c) kosmetische Mittel im Sinne der Richtlinie 76/768/EWG;
- d) Medizinprodukte und medizinische Geräte im Sinne der Richtlinien 90/385/EWG und 93/42/EWG, die invasiv oder unter Körperberührung verwendet werden, sowie im Sinne der Richtlinie 98/79/EG;
- e) Lebensmittel oder Futtermittel im Sinne der Verordnung (EG) Nr. 178/2002, einschließlich der Verwendung
 - i) als Lebensmittelzusatzstoff im Anwendungsbereich der Richtlinie 89/107/EWG;
 - ii) als Aromastoff in Lebensmitteln im Anwendungsbereich der Richtlinie 88/388/EWG und der Entscheidung 1999/217/EG;

⁽¹⁾ ABl. L 159 vom 29.6.1996, S. 1.

⁽²⁾ ABl. L 114 vom 27.4.2006, S. 9.

- iii) als Zusatzstoff für die Tierernährung im Anwendungsbereich der Verordnung (EG) Nr. 1831/2003;
- iv) in Tierfutter im Anwendungsbereich der Richtlinie 82/471/EWG.

(6) Mit Ausnahme von Artikel 33 gilt diese Verordnung nicht für die Beförderung gefährlicher Güter im Luft-, See-, Straßen-, Eisenbahn- oder Binnenschiffsverkehr.

Artikel 2

Begriffsbestimmungen

Für die Zwecke dieser Verordnung bezeichnet der Ausdruck:

1. „Gefahrenklasse“: Art der physikalischen Gefahr, der Gefahr für die menschliche Gesundheit oder der Gefahr für die Umwelt;
2. „Gefahrenkategorie“: die Untergliederung nach Kriterien innerhalb der einzelnen Gefahrenklassen zur Angabe der Schwere der Gefahr;
3. „Gefahrenpiktogramm“: eine grafische Darstellung, die aus einem Symbol sowie weiteren grafischen Elementen, wie etwa einer Umrandung, einem Hintergrundmuster oder einer Hintergrundfarbe, besteht und der Vermittlung einer bestimmten Information über die betreffende Gefahr dient;
4. „Signalwort“: ein Wort, das das Ausmaß der Gefahr angibt, um den Leser auf eine potenzielle Gefahr hinzuweisen; dabei wird zwischen folgenden zwei Gefahrenausmaßstufen unterschieden:
 - a) „Gefahr“: Signalwort für die schwerwiegenden Gefahrenkategorien;
 - b) „Achtung“: Signalwort für die mit weniger schwerwiegenden Gefahrenkategorien;
5. „Gefahrenhinweis“: Textaussage zu einer bestimmten Gefahrenklasse und Gefahrenkategorie, die die Art und gegebenenfalls den Schweregrad der von einem gefährlichen Stoff oder Gemisch ausgehenden Gefahr beschreibt;
6. „Sicherheitshinweis“: Textaussage, die eine (oder mehrere) empfohlene Maßnahme(n) beschreibt, um schädliche Wirkungen aufgrund der Exposition gegenüber einem gefährlichen Stoff oder Gemisch bei seiner Verwendung oder Beseitigung zu begrenzen oder zu vermeiden;
7. „Stoff“: chemisches Element und seine Verbindungen in natürlicher Form oder gewonnen durch ein Herstellungsverfahren, einschließlich der zur Wahrung seiner Stabilität notwendigen Zusatzstoffe und der durch das angewandte Verfahren bedingten Verunreinigungen, aber mit Ausnahme von Lösungsmitteln, die von dem Stoff ohne Beeinträchtigung seiner Stabilität und ohne Änderung seiner Zusammensetzung abgetrennt werden können;
8. „Gemisch“: Gemische oder Lösungen, die aus zwei oder mehr Stoffen bestehen;
9. „Erzeugnis“: Gegenstand, der bei der Herstellung eine spezifische Form, Oberfläche oder Gestalt erhält, die in größerem Maße als die chemische Zusammensetzung seine Funktion bestimmt;
10. „Produzent eines Erzeugnisses“: eine natürliche oder juristische Person, die ein Erzeugnis in der Gemeinschaft produziert oder zusammensetzt;
11. „Polymer“: Stoff, der aus Molekülen besteht, die durch eine Kette einer oder mehrerer Arten von Monomereinheiten gekennzeichnet sind. Diese Moleküle müssen innerhalb eines bestimmten Molekulargewichtsbereichs liegen, wobei die Unterschiede beim Molekulargewicht im Wesentlichen auf die Unterschiede in der Zahl der Monomereinheiten zurückzuführen sind. Ein Polymer enthält Folgendes:
 - a) eine einfache Gewichtsmehrheit von Molekülen mit mindestens drei Monomereinheiten, die zumindest mit einer weiteren Monomereinheit bzw. einem sonstigen Reaktanten eine kovalente Bindung eingegangen sind;
 - b) weniger als eine einfache Gewichtsmehrheit von Molekülen mit demselben Molekulargewicht.

Im Rahmen dieser Definition ist unter einer „Monomereinheit“ die gebundene Form eines Monomerstoffs in einem Polymer zu verstehen;
12. „Monomer“: ein Stoff, der unter den Bedingungen der für den jeweiligen Prozess verwendeten relevanten polymerbildenden Reaktion imstande ist, kovalente Bindungen mit einer Sequenz weiterer ähnlicher oder unähnlicher Moleküle einzugehen;
13. „Registrant“: Hersteller oder Importeur eines Stoffes oder Produzent oder Importeur eines Erzeugnisses, der ein Registrierungsdossier für einen Stoff gemäß der Verordnung (EG) Nr. 1907/2006 einreicht;
14. „Herstellung“: Produktion oder Extraktion von Stoffen im natürlichen Zustand;
15. „Hersteller“: natürliche oder juristische Person mit Sitz in der Gemeinschaft, die in der Gemeinschaft einen Stoff herstellt;
16. „Einfuhr“: physisches Verbringen in das Zollgebiet der Gemeinschaft;
17. „Importeur“: natürliche oder juristische Person mit Sitz in der Gemeinschaft, die für die Einfuhr verantwortlich ist;
18. „Inverkehrbringen“: entgeltliche oder unentgeltliche Abgabe an Dritte oder Bereitstellung für Dritte. Die Einfuhr gilt als Inverkehrbringen;

19. „nachgeschalteter Anwender“: natürliche oder juristische Person mit Sitz in der Gemeinschaft, die im Rahmen ihrer industriellen oder gewerblichen Tätigkeit einen Stoff als solchen oder in einem Gemisch verwendet, mit Ausnahme des Herstellers oder Importeurs. Händler oder Verbraucher sind keine nachgeschalteten Anwender. Ein aufgrund des Artikels 2 Absatz 7 Buchstabe c der Verordnung (EG) Nr. 1907/2006 ausgenommener Reimporteur gilt als nachgeschalteter Anwender;
20. „Händler“: natürliche oder juristische Person mit Sitz in der Gemeinschaft, die einen Stoff als solchen oder in einem Gemisch lediglich lagert und an Dritte in Verkehr bringt; darunter fallen auch Einzelhändler;
21. „Zwischenprodukt“: Stoff, der für die chemische Weiterverarbeitung hergestellt und hierbei verbraucht oder verwendet wird, um in einen anderen Stoff umgewandelt zu werden (nachstehend „Synthese“ genannt);
22. „nichtisoliertes Zwischenprodukt“: Zwischenprodukt, das während der Synthese nicht vorsätzlich aus dem Gerät, in dem die Synthese stattfindet, entfernt wird (außer für Stichprobenzwecke). Derartige Gerät umfasst Reaktionsbehälter und die dazugehörige Ausrüstung sowie jegliches Gerät, das der Stoff/die Stoffe in einem kontinuierlichen oder diskontinuierlichen Prozess durchläuft/durchlaufen, sowie Rohrleitungen zum Verbringen von einem Behälter in einen anderen für den nächsten Reaktionsschritt; nicht dazu gehören Tanks oder andere Behälter, in denen der Stoff/die Stoffe nach der Herstellung gelagert wird/werden;
23. „Agentur“: die durch die Verordnung (EG) Nr. 1907/2006 errichtete Europäische Chemikalienagentur;
24. „zuständige Behörde“: die zur Wahrnehmung der Aufgaben im Rahmen der vorliegenden Verordnung eingerichtete(n) Behörde(n) bzw. Stellen in den Mitgliedstaaten;
25. „Verwendung“: Verarbeiten, Formulieren, Verbrauchen, Lagern, Bereithalten, Behandeln, Abfüllen in Behältnisse, Umfüllen von einem Behältnis in ein anderes, Mischen, Herstellen eines Erzeugnisses oder jeder andere Gebrauch;
26. „Lieferant“: Hersteller, Importeur, nachgeschalteter Anwender oder Händler, der einen Stoff als solchen oder in einem Gemisch oder ein Gemisch in Verkehr bringt;
27. „Legierung“: ein metallisches, in makroskopischem Maßstab homogenes Material, das aus zwei oder mehr Elementen besteht, die so verbunden sind, dass sie durch mechanische Mittel nicht ohne weiteres getrennt werden können; Legierungen werden für die Zwecke dieser Verordnung als Gemische betrachtet;
28. „UN RTDG“: die Empfehlungen der Vereinten Nationen für die Beförderung gefährlicher Güter;
29. „Anmelder“: Hersteller oder Importeur oder Gruppe von Herstellern oder Importeuren, die der Agentur Meldung erstatten;
30. „wissenschaftliche Forschung und Entwicklung“: unter kontrollierten Bedingungen durchgeführte wissenschaftliche Versuche, Analysen oder Forschungsarbeiten mit chemischen Stoffen;
31. „Berücksichtigungsgrenzwert“: Schwellenwert für eingestufte Verunreinigungen, Beimengungen oder einzelne Stoff- oder Gemischbestandteile, bei dessen Überschreitung diese Verunreinigungen, Beimengungen oder Bestandteile bei der Ermittlung, ob der Stoff bzw. das Gemisch eingestuft werden muss, zu berücksichtigen sind;
32. „Konzentrationsgrenzwert“: Schwellenwert für eingestufte Verunreinigungen, Beimengungen oder einzelne Stoff- oder Gemischbestandteile, dessen Erreichen eine Einstufung des Stoffes bzw. Gemisches nach sich ziehen kann;
33. „Differenzierung“: Unterteilung einer Gefahrenklasse nach dem Expositionsweg oder der Art der Wirkungen;
34. „M-Faktor“: ein Multiplikationsfaktor. Er wird auf die Konzentration eines als akut gewässergefährdend, Kategorie 1, oder als chronisch gewässergefährdend, Kategorie 1, eingestuftes Stoffes angewandt und wird verwendet, damit anhand der Summiermethode die Einstufung eines Gemisches, in dem der Stoff vorhanden ist, vorgenommen werden kann;
35. „Versandstück“: das vollständige Ergebnis des Verpackungsvorgangs, bestehend aus der Verpackung und dem Inhalt;
36. „Verpackung“: ein oder mehrere Gefäß(e) und alle sonstigen Bestandteile oder Werkstoffe, die erforderlich sind, damit die Gefäße ihre Umschließungsfunktion und sonstige Sicherheitsfunktionen erfüllen können;
37. „Zwischenverpackung“: Verpackung, die sich zwischen einer Innenverpackung oder Erzeugnissen und einer Außenverpackung befindet.

Artikel 3

Gefährliche Stoffe und Gemische und Bezeichnung der Gefahrenklassen

Ein Stoff oder ein Gemisch, der bzw. das den in Anhang I Teile 2 bis 5 dargelegten Kriterien für physikalische Gefahren, Gesundheitsgefahren oder Umweltgefahren entspricht, ist gefährlich und wird entsprechend den Gefahrenklassen jenes Anhangs eingestuft.

Werden in Anhang I Gefahrenklassen nach dem Expositionsweg oder der Art der Wirkungen differenziert, so wird der Stoff oder das Gemisch entsprechend dieser Differenzierung eingestuft.

Artikel 4

Allgemeine Einstufungs-, Kennzeichnungs- und Verpackungspflichten

(1) Vor dem Inverkehrbringen stufen Hersteller, Importeure und nachgeschaltete Anwender Stoffe oder Gemische gemäß Titel II ein.

(2) Unbeschadet der Anforderungen des Absatzes 1 stufen Hersteller, Produzenten von Erzeugnissen und Importeure die nicht in Verkehr gebrachten Stoffe gemäß Titel II ein, wenn

- a) in Artikel 6, Artikel 7 Absatz 1 oder Absatz 5, Artikel 17 oder Artikel 18 der Verordnung (EG) Nr. 1907/2006 die Registrierung eines Stoffes vorgesehen ist;
- b) in Artikel 7 Absatz 2 oder Artikel 9 der Verordnung (EG) Nr. 1907/2006 eine Meldung vorgesehen ist.

(3) Unterliegt ein Stoff aufgrund eines Eintrags in Anhang VI Teil 3 der harmonisierten Einstufung und Kennzeichnung gemäß Titel V, so wird dieser Stoff entsprechend diesem Eintrag eingestuft, und es wird für die von diesem Eintrag erfassten Gefahrenklassen oder Differenzierungen keine Einstufung dieses Stoffes gemäß Titel II vorgenommen.

Fällt der Stoff jedoch auch unter eine oder mehrere Gefahrenklassen oder Differenzierungen, die nicht von einem Eintrag in Anhang VI Teil 3 erfasst sind, so wird eine Einstufung für diese Gefahrenklassen oder Differenzierungen gemäß Titel II vorgenommen.

(4) Ist ein Stoff oder ein Gemisch als gefährlich eingestuft, so gewährleisten die Lieferanten dieses Stoffes oder Gemisches, dass der Stoff oder das Gemisch vor seinem Inverkehrbringen gemäß den Titeln III und IV gekennzeichnet und verpackt wird.

(5) Bei der Erfüllung ihrer Aufgaben nach Absatz 4 können die Händler die Einstufung für einen Stoff oder ein Gemisch verwenden, die von einem Akteur der Lieferkette gemäß Titel II vorgenommen wurde.

(6) Bei der Erfüllung ihrer Aufgaben nach den Absätzen 1 und 4 können die nachgeschalteten Anwender die Einstufung für einen Stoff oder ein Gemisch verwenden, die von einem Akteur in der Lieferkette gemäß Titel II vorgenommen wurde, sofern sie die Zusammensetzung des Stoffes oder Gemisches nicht ändern.

(7) Ein in Anhang II Teil 2 genanntes Gemisch, das einen als gefährlich eingestuften Stoff enthält, wird nur dann in Verkehr gebracht, wenn es gemäß Titel III gekennzeichnet ist.

(8) Für die Zwecke dieser Verordnung werden die in Anhang I Abschnitt 2.1 genannten Erzeugnisse vor ihrem Inverkehrbringen gemäß den Vorschriften für Stoffe und Gemische eingestuft, gekennzeichnet und verpackt.

(9) Die Lieferanten in einer Lieferkette arbeiten zusammen, um die Einstufungs-, Kennzeichnungs- und Verpackungsanforderungen dieser Verordnung zu erfüllen.

(10) Stoffe und Gemische werden erst dann in Verkehr gebracht, wenn sie dieser Verordnung entsprechen.

TITEL II

GEFAHRENEINSTUFUNG

KAPITEL 1

Ermittlung und Prüfung von Informationen

Artikel 5

Ermittlung und Prüfung verfügbarer Informationen über Stoffe

(1) Um zu bestimmen, ob mit einem Stoff eine physikalische Gefahr, eine Gesundheitsgefahr oder eine Umweltgefahr gemäß Anhang I verbunden ist, ermitteln die Hersteller, Importeure und nachgeschalteten Anwender des Stoffes die relevanten verfügbaren Informationen, und zwar insbesondere:

- a) Daten, die anhand einer der in Artikel 8 Absatz 3 genannten Methoden gewonnen wurden;
- b) epidemiologische Daten und Erfahrungen über die Wirkungen beim Menschen, wie z. B. Daten über berufsbedingte Exposition und Daten aus Unfalldatenbanken;
- c) alle anderen Informationen, die gemäß Anhang XI Abschnitt 1 der Verordnung (EG) Nr. 1907/2006 gewonnen wurden;
- d) neue wissenschaftliche Informationen;
- e) alle anderen Informationen, die im Rahmen international anerkannter Programme zur Chemikaliensicherheit gewonnen wurden.

Die Informationen beziehen sich auf die Formen oder Aggregatzustände, in denen der Stoff in Verkehr gebracht und aller Voraussicht nach verwendet wird.

(2) Die Hersteller, Importeure und nachgeschalteten Anwender prüfen die in Absatz 1 genannten Informationen und vergewissern sich, dass sie für die Zwecke der Bewertung gemäß Kapitel 2 des vorliegenden Titels geeignet, zuverlässig und wissenschaftlich fundiert sind.

Artikel 6

Ermittlung und Prüfung verfügbarer Informationen über Gemische

(1) Um zu bestimmen, ob mit einem Gemisch eine physikalische Gefahr, eine Gesundheitsgefahr oder eine Umweltgefahr gemäß Anhang I verbunden ist, ermitteln Hersteller, Importeure und nachgeschaltete Anwender des Gemisches die relevanten verfügbaren Informationen über das Gemisch selbst oder die darin enthaltenen Stoffe, und zwar insbesondere

- a) Daten, die anhand einer der in Artikel 8 Absatz 3 genannten Methoden zu dem Gemisch selbst oder zu den darin enthaltenen Stoffen gewonnen wurden;

- b) epidemiologische Daten und Erfahrungen über die Wirkungen beim Menschen zu dem Gemisch selbst oder zu den darin enthaltenen Stoffen, wie z. B. Daten über berufsbedingte Exposition oder Daten aus Unfalldatenbanken;
- c) alle anderen Informationen, die gemäß Anhang XI Abschnitt 1 der Verordnung (EG) Nr. 1907/2006 zu dem Gemisch selbst oder zu den darin enthaltenen Stoffen gewonnen wurden;
- d) alle anderen Informationen, die im Rahmen international anerkannter Programme zur Chemikaliensicherheit über das Gemisch selbst oder zu den darin enthaltenen Stoffen gewonnen wurden.

Die Informationen beziehen sich auf die Formen oder Aggregatzustände, in denen das Gemisch in Verkehr gebracht und gegebenenfalls aller Voraussicht nach verwendet wird.

(2) Liegen die in Absatz 1 genannten Informationen für das Gemisch selbst vor und hat sich der Hersteller, der Importeur oder der nachgeschaltete Anwender davon überzeugt, dass die Informationen geeignet und zuverlässig und gegebenenfalls wissenschaftlich fundiert sind, so verwendet der Hersteller, der Importeur oder der nachgeschaltete Anwender diese Informationen vorbehaltlich der Absätze 3 und 4 für die Zwecke der Bewertung gemäß Kapitel 2 des vorliegenden Titels.

(3) Zur Bewertung von Gemischen gemäß Kapitel 2 des vorliegenden Titels in Bezug auf die in Anhang I Abschnitte 3.5.3.1, 3.6.3.1 und 3.7.3.1 genannten Gefahrenklassen „Karzinogenität“, „Keimzellmutagenität“ und „Reproduktionstoxizität“ verwenden der Hersteller, der Importeur oder der nachgeschaltete Anwender für die in dem Gemisch enthaltenen Stoffe ausschließlich die relevanten verfügbaren Informationen nach Absatz 1.

Außerdem werden in Fällen, in denen die verfügbaren Prüfdaten über das Gemisch selbst karzinogene, keimzellmutagene oder reproduktionstoxische Wirkungen nachweisen, die nicht aus den Informationen über die einzelnen Stoffe hervorgegangen sind, diese Daten ebenfalls berücksichtigt.

(4) Zur Bewertung von Gemischen gemäß Kapitel 2 des vorliegenden Titels in Bezug auf die Eigenschaften „Bioabbaubarkeit“ und „Bioakkumulierung“ innerhalb der in Anhang I Abschnitten 4.1.2.8 und 4.1.2.9 genannten Gefahrenklasse „gewässergefährdend“ verwenden der Hersteller, der Importeur oder der nachgeschaltete Anwender für die Stoffe in dem Gemisch ausschließlich die relevanten verfügbaren Informationen nach Absatz 1.

(5) Sind über das Gemisch selbst keine oder nur unzureichende Prüfdaten der in Absatz 1 genannten Art verfügbar, so verwendet der Hersteller, der Importeur oder der nachgeschaltete Anwender andere verfügbare Informationen über einzelne Stoffe und ähnliche geprüfte Gemische, die ebenfalls als für die Bestimmung der Gefahreneigenschaften des Gemisches relevant gelten können, sofern der Hersteller, der Importeur oder der nachgeschaltete Anwender sich von der Eignung und Zuverlässigkeit der Informationen für die Zwecke der Bewertung gemäß Artikel 9 Absatz 4 überzeugt hat.

Artikel 7

Tierversuche und Versuche am Menschen

(1) Werden für die Zwecke dieser Verordnung neue Prüfungen durchgeführt, so werden Tierversuche im Sinne der Richtlinie 86/609/EWG nur dann eingesetzt, wenn es keine Alternativen gibt, die eine angemessene Verlässlichkeit und Datenqualität bieten.

(2) Für die Zwecke dieser Verordnung dürfen keine Versuche an nichtmenschlichen Primaten durchgeführt werden.

(3) Für die Zwecke dieser Verordnung dürfen keine Versuche am Menschen durchgeführt werden. Daten aus anderen Quellen, wie klinischen Studien, können jedoch zum Zwecke dieser Verordnung verwendet werden.

Artikel 8

Gewinnung neuer Informationen für Stoffe und Gemische

(1) Um zu bestimmen, ob mit einem Stoff oder einem Gemisch eine Gesundheits- oder Umweltgefahr nach Anhang I der vorliegenden Verordnung verbunden ist, können der Hersteller, der Importeur oder der nachgeschaltete Anwender neue Prüfungen durchführen, sofern sie alle anderen Mittel zur Gewinnung von Informationen ausgeschöpft haben, wozu auch die Anwendung der Regeln des Anhangs XI Abschnitt 1 der Verordnung (EG) Nr. 1907/2006 gehört.

(2) Um zu bestimmen, ob mit einem Stoff oder einem Gemisch eine physikalische Gefahr nach Anhang I Teil 2 verbunden ist, führen der Hersteller, der Importeur oder der nachgeschaltete Anwender die in jenem Teil vorgeschriebenen Prüfungen durch, sofern nicht bereits geeignete und zuverlässige Informationen vorliegen.

(3) Die Prüfungen nach Absatz 1 werden gemäß einer der nachstehenden Methoden durchgeführt:

a) in Artikel 13 Absatz 3 der Verordnung (EG) Nr. 1907/2006 genannte Prüfmethode

oder

b) erprobte wissenschaftliche Grundsätze, die international anerkannt sind, oder Methoden, die anhand internationaler Verfahren validiert wurden.

(4) Führen der Hersteller, der Importeur oder der nachgeschaltete Anwender neue ökotoxikologische oder toxikologische Prüfungen und Analysen durch, so geschieht dies in Übereinstimmung mit Artikel 13 Absatz 4 der Verordnung (EG) Nr. 1907/2006.

(5) Erfolgen neue Prüfungen in Bezug auf physikalische Gefahren für die Zwecke dieser Verordnung, so sind diese spätestens ab 1. Januar 2014 im Einklang mit einem einschlägigen anerkannten Qualitätssicherungssystem oder von Laboratorien, die einen einschlägigen anerkannten Standard erfüllen, durchzuführen.

(6) Prüfungen, die für die Zwecke dieser Verordnung erfolgen, sind an dem Stoff oder dem Gemisch in der Form bzw. den Formen oder dem Aggregatzustand bzw. den Aggregatzuständen durchzuführen, in der dieser bzw. dieses in Verkehr gebracht und aller Voraussicht nach verwendet wird.

KAPITEL 2

Bewertung der Gefahreigenschaften und Entscheidung über die Einstufung

Artikel 9

Bewertung der Gefahreigenschaften für Stoffe und Gemische

(1) Die Hersteller, Importeure und nachgeschalteten Anwender eines Stoffes oder eines Gemisches bewerten die gemäß Kapitel 1 des vorliegenden Titels ermittelten Informationen, indem sie sie mit den Kriterien für die Einstufung in die einzelnen Gefahrenklassen oder Differenzierungen in Anhang I Teile 2, 3, 4 und 5 abgleichen, um festzustellen, welche Gefahren mit dem Stoff oder dem Gemisch verbunden sind.

(2) Bei der Bewertung von für einen Stoff oder ein Gemisch verfügbaren Prüfdaten, die sich aus anderen als den in Artikel 8 Absatz 3 genannten Prüfmethoden ergeben haben, vergleichen die Hersteller, Importeure und nachgeschalteten Anwender die verwendeten Prüfmethoden mit den in jenem Artikel genannten Methoden, um festzustellen, ob die Verwendung dieser Prüfmethoden die in Absatz 1 des vorliegenden Artikels genannte Bewertung berührt.

(3) Lassen sich die Kriterien nicht unmittelbar auf die verfügbaren ermittelten Informationen anwenden, führen die Hersteller, Importeure und nachgeschalteten Anwender eine Bewertung anhand der Ermittlung der Beweiskraft dieser Informationen mit Hilfe einer Beurteilung durch Experten gemäß Anhang I Abschnitt 1.1.1 der vorliegenden Verordnung und Anhang XI Abschnitt 1.2 der Verordnung (EG) Nr. 1907/2006 durch, indem sie alle verfügbaren Informationen, die für die Bestimmung der Gefahreigenschaften des Stoffes oder Gemisches relevant sind, gegeneinander abwägen.

(4) Sind nur die in Artikel 6 Absatz 5 genannten Informationen verfügbar, wenden die Hersteller, Importeure und nachgeschalteten Anwender für die Zwecke der Bewertung die in Anhang I Abschnitt 1.1.3 und in den einzelnen Abschnitten des Anhangs I Teile 3 und 4 genannten Übertragungsgrundsätze an.

Erlauben diese Informationen jedoch weder die Anwendung der Übertragungsgrundsätze noch die Anwendung der Grundsätze bezüglich einer Beurteilung durch Experten und der Ermittlung der Beweiskraft gemäß Anhang I, so bewerten die Hersteller, Importeure und nachgeschalteten Anwender die Informationen, indem sie die in den einzelnen Abschnitten des Anhangs I Teile 3 und 4 beschriebene(n) andere(n) Methode(n) anwenden.

(5) Bei der Bewertung der verfügbaren Informationen zu Einstufungszwecken beziehen sich die Hersteller, Importeure und nachgeschalteten Anwender auf die Formen oder

Aggregatzustände, in denen der Stoff oder das Gemisch in Verkehr gebracht und aller Voraussicht nach verwendet wird.

Artikel 10

Konzentrationsgrenzwerte und M-Faktoren für die Einstufung von Stoffen und Gemischen

(1) Spezifische Konzentrationsgrenzwerte und allgemeine Konzentrationsgrenzwerte sind einem Stoff zugeordnete Grenzwerte, die einen Schwellenwert festlegen, bei dem oder oberhalb dessen das Vorhandensein dieses Stoffes in einem anderen Stoff oder in einem Gemisch als identifizierte Verunreinigung, Beimengung oder einzelner Bestandteil zu einer Einstufung des Stoffes oder Gemisches als gefährlich führt.

Der Hersteller, der Importeur oder der nachgeschaltete Anwender legen spezifische Konzentrationsgrenzwerte fest, wenn geeignete und zuverlässige wissenschaftliche Informationen zeigen, dass die mit einem Stoff verbundene Gefahr eindeutig gegeben ist, wenn dieser Stoff in einer Konzentration vorhanden ist, die unter den für die einzelnen Gefahrenklassen in Anhang I Teil 2 festgelegten Konzentrationen oder unter den für die einzelnen Gefahrenklassen in Anhang I Teile 3, 4 und 5 festgelegten allgemeinen Konzentrationsgrenzwerten liegt.

Der Hersteller, der Importeur oder der nachgeschaltete Anwender kann in Ausnahmefällen spezifische Konzentrationsgrenzwerte festlegen, wenn ihnen geeignete, zuverlässige und schlüssige wissenschaftliche Informationen vorliegen, wonach eine mit einem als gefährlich eingestuften Stoff verbundene Gefahr in einer Konzentration, die über den für die entsprechende Gefahrenklasse in Anhang I Teil 2 festgelegten Konzentrationen oder über den für die entsprechende Gefahrenklasse in Anhang I Teile 3, 4 und 5 festgelegten allgemeinen Konzentrationsgrenzwerten liegt, eindeutig nicht gegeben ist.

(2) Die Hersteller, Importeure und nachgeschalteten Anwender legen M-Faktoren für als akut gewässergefährdend, Kategorie 1, oder als chronisch gewässergefährdend, Kategorie 1, eingestufte Stoffe fest.

(3) Unbeschadet des Absatzes 1 werden spezifische Konzentrationsgrenzwerte nicht für harmonisierte Gefahrenklassen oder Differenzierungen für Stoffe festgelegt, die in Anhang VI Teil 3 enthalten sind.

(4) Unbeschadet des Absatzes 2 werden M-Faktoren nicht für harmonisierte Gefahrenklassen oder Differenzierungen für Stoffe festgelegt, die in Anhang VI Teil 3 enthalten sind und für die in dem genannten Teil ein M-Faktor festgelegt wurde.

Ist in Anhang VI Teil 3 jedoch kein M-Faktor für als akut gewässergefährdend, Kategorie 1, oder als chronisch gewässergefährdend, Kategorie 1, eingestufte Stoffe festgelegt, so legen die Hersteller, Importeure oder nachgeschalteten Anwender anhand der für den betreffenden Stoff verfügbaren Daten einen M-Faktor fest. Wird ein Gemisch, das den betreffenden Stoff enthält, vom Hersteller, Importeur oder nachgeschalteten Anwender anhand der Summiermethode eingestuft, so wird dieser M-Faktor angewendet.

(5) Bei der Festlegung des spezifischen Konzentrationsgrenzwerts oder des M-Faktors berücksichtigen die Hersteller, Importeure und nachgeschalteten Anwender die spezifischen Konzentrationsgrenzwerte oder M-Faktoren für diesen Stoff, die in das Einstufungs- und Kennzeichnungsverzeichnis aufgenommen wurden.

(6) Spezifische Konzentrationsgrenzwerte gemäß Absatz 1 haben Vorrang vor den Konzentrationsgrenzwerten in den jeweiligen Abschnitten des Anhangs I Teil 2 oder den allgemeinen Konzentrationsgrenzwerten für die Einstufung in den jeweiligen Abschnitten des Anhangs I Teile 3, 4 und 5.

(7) Die Agentur stellt zur Anwendung der Absätze 1 und 2 weitere Leitlinien zur Verfügung.

Artikel 11

Berücksichtigungsgrenzwerte

(1) Enthält ein Stoff einen anderen, für sich genommen als gefährlich eingestuften Stoff in Form einer identifizierten Verunreinigung, Beimengung oder eines einzelnen Bestandteils, so wird dies für die Zwecke der Einstufung berücksichtigt, wenn die Konzentration der identifizierten Verunreinigung, Beimengung oder des einzelnen Bestandteils den geltenden Berücksichtigungsgrenzwert nach Absatz 3 erreicht oder übersteigt.

(2) Enthält ein Gemisch einen als gefährlich eingestuften Stoff entweder als Bestandteil oder in Form einer identifizierten Verunreinigung oder Beimengung, so wird diese Information für die Zwecke der Einstufung berücksichtigt, wenn die Konzentration dieses Stoffes den Berücksichtigungsgrenzwert nach Absatz 3 erreicht oder übersteigt.

(3) Der in den Absätzen 1 und 2 genannte Berücksichtigungsgrenzwert wird gemäß Anhang I Abschnitt 1.1.2.2 festgelegt.

Artikel 12

Eine weitere Bewertung erfordernde Sonderfälle

Werden im Zuge einer Bewertung nach Artikel 9 die nachstehenden Eigenschaften oder Wirkungen festgestellt, so berücksichtigen die Hersteller, Importeure und nachgeschalteten Anwender diese für die Zwecke der Einstufung,

- a) wenn anhand geeigneter und zuverlässiger Informationen nachgewiesen wird, dass die physikalischen Gefahren eines Stoffes oder eines Gemisches in der Praxis von den bei Prüfungen festgestellten Gefahren abweichen;
- b) wenn schlüssige wissenschaftliche Versuchsdaten zeigen, dass der Stoff oder das Gemisch nicht bioverfügbar ist und diese Daten auf ihre Eignung und Zuverlässigkeit geprüft wurden;
- c) wenn anhand geeigneter und zuverlässiger wissenschaftlicher Informationen nachgewiesen wird, dass potenzielle Synergismus- oder Antagonismuseffekte zwischen den Stoffen eines Gemisches auftreten, dessen Bewertung auf der Grundlage der Informationen über die in dem Gemisch enthaltenen Stoffe erfolgte.

Artikel 13

Entscheidung über die Einstufung von Stoffen und Gemischen

Ergibt sich aus der Bewertung nach den Artikeln 9 und 12, dass die Gefahreneigenschaften eines Stoffes oder Gemisches den Kriterien für die Einstufung in eine oder mehrere Gefahrenklassen oder Differenzierungen des Anhangs I Teile 2 bis 5 entsprechen, so stufen die Hersteller, Importeure und nachgeschalteten Anwender den Stoff oder das Gemisch in die betreffende/-n Gefahrenklasse/-n oder Differenzierungen ein und ordnen Folgendes zu:

- a) eine oder mehrere Gefahrenkategorien für jede relevante Gefahrenklasse oder Differenzierung;
- b) vorbehaltlich des Artikels 21 einen oder mehrere Gefahrenhinweise, die den einzelnen gemäß Buchstabe a zugeordneten Gefahrenkategorien entsprechen.

Artikel 14

Sondervorschriften für die Einstufung von Gemischen

(1) Die Einstufung eines Gemisches bleibt unverändert, wenn die Bewertung der Informationen auf einen der folgenden Fälle schließen lässt:

- a) dass die Stoffe in dem Gemisch langsam mit atmosphärischen Gasen, insbesondere Sauerstoff, Kohlendioxid und Wasserdampf, reagieren und weitere Stoffe in niedrigen Konzentrationen bilden;
- b) dass die Stoffe in dem Gemisch sehr langsam mit anderen Stoffen in dem Gemisch reagieren und weitere Stoffe in niedrigen Konzentrationen bilden;
- c) dass die Stoffe in dem Gemisch spontan polymerisieren können und Oligomere oder Polymere in niedrigen Konzentrationen bilden.

(2) Ein Gemisch muss nicht in Bezug auf seine explosiven, oxidierenden oder entzündbaren Eigenschaften gemäß Anhang I Teil 2 eingestuft werden, wenn eine der folgenden Voraussetzungen erfüllt ist:

- a) Keiner der Stoffe in dem Gemisch hat eine dieser Eigenschaften, und es ist aufgrund der Informationen, über die der Lieferant verfügt, unwahrscheinlich, dass das Gemisch solche Gefahren aufweist.
- b) Im Fall einer Änderung der Zusammensetzung eines Gemisches kann nach wissenschaftlicher Erkenntnis angenommen werden, dass eine Bewertung der Informationen über das Gemisch keine Änderung der Einstufung zur Folge hat.
- c) Wird ein Gemisch in Form einer Aerosolpackung in Verkehr gebracht, so entspricht es dem Artikel 8 Absatz 1 Buchstabe a der Richtlinie 75/324/EWG des Rates vom 20. Mai 1975 zur Angleichung der Rechtsvorschriften der Mitgliedstaaten über Aerosolpackungen ⁽¹⁾.

⁽¹⁾ ABl. L 147 vom 9.6.1975, S. 40.

*Artikel 15***Überprüfung der Einstufung von Stoffen und Gemischen**

(1) Die Hersteller, Importeure und nachgeschalteten Anwender ergreifen alle verfügbaren angemessenen Maßnahmen, um sich über neue wissenschaftliche oder technische Informationen zu informieren, die sich auf die Einstufung der Stoffe oder Gemische, die sie in Verkehr bringen, auswirken können. Werden einem Hersteller, Importeur oder nachgeschalteten Anwender derartige Informationen bekannt und betrachtet er diese als geeignet und zuverlässig, so führt der Hersteller, der Importeur oder der nachgeschaltete Anwender unverzüglich eine Neubewertung gemäß diesem Kapitel durch.

(2) Ändert der Hersteller, Importeur oder nachgeschaltete Anwender die Zusammensetzung eines Gemisches, das als gefährlich eingestuft worden ist, so führt der Hersteller, der Importeur oder der nachgeschaltete Anwender eine erneute Bewertung gemäß diesem Kapitel durch, wenn es sich um Änderungen folgender Art handelt:

- a) eine Änderung der ursprünglichen Konzentration eines oder mehrerer der gefährlichen Bestandteile in der Zusammensetzung in Konzentrationen, die den Grenzwerten des Anhangs I Teil 1 Tabelle 1.2 entsprechen oder darüber liegen;
- b) eine Änderung in der Zusammensetzung durch Ersetzen oder Hinzufügen eines oder mehrerer Bestandteile in Konzentrationen, die den Berücksichtigungsgrenzwerten nach Artikel 11 Absatz 3 entsprechen oder darüber liegen.

(3) Eine erneute Bewertung gemäß den Absätzen 1 und 2 ist nicht erforderlich, wenn sich wissenschaftlich stichhaltig begründen lässt, dass diese keine Änderung der Einstufung zur Folge hat.

(4) Die Hersteller, Importeure und nachgeschalteten Anwender passen die Einstufung des Stoffes oder Gemisches den Ergebnissen der erneuten Bewertung an; davon ausgenommen sind harmonisierte Gefahrenklassen oder Differenzierungen für Stoffe, die in Anhang VI Teil 3 enthalten sind.

(5) In Bezug auf die Absätze 1 bis 4 des vorliegenden Artikels gelten für den Fall, dass der betreffende Stoff oder das betreffende Gemisch unter die Richtlinie 91/414/EWG oder die Richtlinie 98/8/EG fällt, auch die Anforderungen dieser Richtlinien.

*Artikel 16***Einstufung von in das Einstufungs- und Kennzeichnungsverzeichnis aufgenommenen Stoffen**

(1) Hersteller und Importeure können einen Stoff abweichend von der bereits in das Einstufungs- und Kennzeichnungsverzeichnis aufgenommenen Einstufung einstufen, sofern sie der Agentur die Gründe für diese Einstufung zusammen mit der Meldung gemäß Artikel 40 vorlegen.

(2) Absatz 1 gilt nicht, wenn es sich bei der in das Einstufungs- und Kennzeichnungsverzeichnis aufgenommenen Einstufung um

eine harmonisierte Einstufung handelt, die in Anhang VI Teil 3 aufgenommen wurde.

TITEL III

GEFAHRENKOMMUNIKATION DURCH KENNZEICHNUNG

KAPITEL 1

Inhalt des Kennzeichnungsetiketts*Artikel 17***Allgemeine Vorschriften**

(1) Ein Stoff oder Gemisch, der bzw. das als gefährlich eingestuft und verpackt ist, trägt ein Kennzeichnungsetikett mit folgenden Elementen:

- a) Name, Anschrift und Telefonnummer des bzw. der Lieferanten;
- b) Nennmenge des Stoffes oder Gemisches in der Verpackung, die der breiten Öffentlichkeit zugänglich gemacht wird, sofern diese Menge nicht auf der Verpackung anderweitig angegeben ist;
- c) Produktidentifikatoren gemäß Artikel 18;
- d) wo zutreffend Gefahrenpiktogramme gemäß Artikel 19;
- e) wo zutreffend Signalwörter gemäß Artikel 20;
- f) wo zutreffend Gefahrenhinweise gemäß Artikel 21;
- g) wo zutreffend geeignete Sicherheitshinweise gemäß Artikel 22;
- h) wo zutreffend ein Abschnitt für ergänzende Informationen gemäß Artikel 25.

(2) Das Kennzeichnungsetikett wird in der/den Amtssprache(n) des Mitgliedstaats/der Mitgliedstaaten beschriftet, in dem der Stoff oder das Gemisch in Verkehr gebracht wird, es sei denn, der betreffende Mitgliedstaat oder die betreffenden Mitgliedstaaten bestimmen etwas anderes.

Lieferanten können mehr Sprachen auf ihren Kennzeichnungsetiketten verwenden, als von den Mitgliedstaaten verlangt wird, sofern dieselben Angaben in sämtlichen verwendeten Sprachen erscheinen.

*Artikel 18***Produktidentifikatoren**

(1) Das Kennzeichnungsetikett enthält Angaben, die die Identifizierung des Stoffes oder Gemisches ermöglichen (nachstehend als „Produktidentifikatoren“ bezeichnet).

Der zur Identifizierung des Stoffes oder Gemisches verwendete Begriff entspricht dem im Sicherheitsdatenblatt nach Artikel 31 der Verordnung (EG) Nr. 1907/2006 (nachstehend als „Sicherheitsdatenblatt“ bezeichnet) verwendeten Begriff unbeschadet des Artikels 17 Absatz 2 dieser Verordnung.

(2) Der Produktidentifikator für einen Stoff enthält mindestens folgende Angaben:

- a) falls der Stoff in Anhang VI Teil 3 aufgeführt ist: Namen und Identifikationsnummer, wie dort verwendet,
- b) falls der Stoff nicht in Anhang VI Teil 3, jedoch im Einstufungs- und Kennzeichnungsverzeichnis aufgeführt ist: Namen und Identifikationsnummer, wie dort verwendet,
- c) falls der Stoff weder in Anhang VI Teil 3 noch im Einstufungs- und Kennzeichnungsverzeichnis aufgeführt ist: die vom Chemical Abstracts Service ausgegebene Nummer (nachstehend als „CAS-Nummer“ bezeichnet), zusammen mit dem nach der Nomenklatur der Internationalen Union für reine und angewandte Chemie (nachstehend als „IUPAC-Nomenklatur“ bezeichnet), bestimmten Namen, oder die CAS-Nummer zusammen mit einer anderen internationalen chemischen Bezeichnung oder
- d) falls keine CAS-Nummer verfügbar ist: den in der IUPAC-Nomenklatur angegebenen Namen oder eine andere internationale chemische Bezeichnung.

Besteht der Name der IUPAC-Nomenklatur aus mehr als 100 Zeichen, darf ein anderer in Anhang VI Abschnitt 2.1.2 der Verordnung (EG) Nr. 1907/2006 genannter Name (allgemeine Bezeichnung, Handelsname, Abkürzung) verwendet werden, sofern die Meldung gemäß Artikel 40 sowohl den in der IUPAC-Nomenklatur aufgeführten Namen als auch den verwendeten anderen Namen beinhaltet.

(3) Der Produktidentifikator für ein Gemisch enthält mindestens folgende Angaben:

- a) den Handelsnamen oder die Bezeichnung des Gemisches und
- b) die Identität aller in dem Gemisch enthaltenen Stoffe, die zur Einstufung des Gemisches in Bezug auf die akute Toxizität, die Atzwirkung auf die Haut oder die Verursachung schwerer Augenschäden, die Keimzellmutagenität, Karzinogenität, Reproduktionstoxizität, die Sensibilisierung der Haut oder der Atemwege, die Zielorgan-Toxizität oder die Aspirationsgefahr beitragen.

Sind aufgrund dieser Vorschrift in dem in Buchstabe b genannten Fall mehrere chemische Bezeichnungen anzugeben, so reichen maximal vier aus, sofern die Art und die Schwere der Gefahren nicht mehr Bezeichnungen erfordert.

Die ausgewählten chemischen Bezeichnungen identifizieren jene Stoffe, von denen die hauptsächlichen Gesundheitsgefahren überwiegend ausgehen, die für die Einstufung und die Wahl der entsprechenden Gefahrenhinweise ausschlaggebend waren.

Artikel 19

Gefahrenpiktogramme

(1) Das Kennzeichnungsetikett enthält das/die relevanten Gefahrenpiktogramm(e) zur Vermittlung einer bestimmten Information über die betreffende Gefahr.

(2) Vorbehaltlich des Artikels 33 entsprechen Gefahrenpiktogramme den Anforderungen des Anhangs I Abschnitt 1.2.1 und des Anhangs V.

(3) Das den jeweiligen Einstufungen entsprechende Gefahrenpiktogramm ist in den Tabellen in Anhang I angegeben, in denen die für die einzelnen Gefahrenklassen erforderlichen Kennzeichnungselemente aufgeführt sind.

Artikel 20

Signalwörter

(1) Das Kennzeichnungsetikett enthält das relevante Signalwort entsprechend der Einstufung des gefährlichen Stoffes oder Gemisches.

(2) Welches Signalwort der jeweiligen Einstufung entspricht, ist in den Tabellen in Anhang I Teile 2 bis 5 angegeben, in denen die für die einzelnen Gefahrenklassen erforderlichen Kennzeichnungselemente aufgeführt sind.

(3) Wird das Signalwort „Gefahr“ auf dem Kennzeichnungsetikett verwendet, erscheint das Signalwort „Achtung“ dort nicht.

Artikel 21

Gefahrenhinweise

(1) Das Kennzeichnungsetikett enthält die relevanten Gefahrenhinweise entsprechend der Einstufung des gefährlichen Stoffes oder Gemisches.

(2) Welcher Gefahrenhinweis der jeweiligen Einstufung entspricht, ist in den Tabellen in Anhang I Teile 2 bis 5 angegeben, in denen die für die einzelnen Gefahrenklassen erforderlichen Kennzeichnungselemente aufgeführt sind.

(3) Ist ein Stoff in Anhang VI Teil 3 aufgeführt, wird auf dem Kennzeichnungsetikett der Gefahrenhinweis für jede einzelne von dem Eintrag in diesem Teil erfasste Einstufung zusammen mit den Gefahrenhinweisen nach Absatz 2 des vorliegenden Artikels für alle anderen nicht von diesem Eintrag erfassten Einstufungen verwendet.

(4) Die Gefahrenhinweise lauten wie in Anhang III angegeben.

Artikel 22

Sicherheitshinweise

(1) Das Kennzeichnungsetikett enthält die relevanten Sicherheitshinweise.

(2) Die Sicherheitshinweise werden aus den Sicherheitshinweisen in den Tabellen in Anhang I Teile 2 bis 5 ausgewählt, in denen die für die einzelnen Gefahrenklassen erforderlichen Kennzeichnungselemente aufgeführt sind.

(3) Die Sicherheitshinweise werden gemäß den in Anhang IV Teil 1 festgelegten Kriterien ausgewählt, wobei die Gefahrenhinweise und die beabsichtigte(n) oder ermittelte(n) Verwendung(en) des Stoffes oder Gemisches berücksichtigt werden.

(4) Die Sicherheitshinweise lauten wie in Anhang IV Teil 2 angegeben.

*Artikel 23***In besonderen Fällen geltende Ausnahmen von den Kennzeichnungsanforderungen**

Die besonderen Kennzeichnungsvorschriften in Anhang I Abschnitt 1.3 gelten für:

- a) ortsbewegliche Gasflaschen;
- b) Gasbehälter für Propan, Butan oder Flüssiggas;
- c) Aerosolpackungen und Behälter mit einer versiegelten Sprühhvorrichtung, die Stoffe oder Gemische enthalten, welche als aspirationsgefährlich eingestuft wurden;
- d) Metalle in kompakter Form, Legierungen, polymerhaltige Gemische, elastomerhaltige Gemische;
- e) explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff nach Anhang I Abschnitt 2.1, die in Verkehr gebracht werden, um eine praktische Wirkung durch Explosion oder eine pyrotechnische Wirkung hervorzurufen.

*Artikel 24***Antrag auf Verwendung einer alternativen chemischen Bezeichnung**

(1) Der Hersteller, Importeur oder nachgeschaltete Anwender eines Stoffes in einem Gemisch kann bei der Agentur die Verwendung einer alternativen chemischen Bezeichnung beantragen, die diesen Stoff in einem Gemisch entweder mit einem Namen bezeichnet, der die wichtigsten funktionellen chemischen Gruppen nennt, oder mit einer Ersatzbezeichnung, wenn der Stoff den Kriterien in Anhang I Teil 1 entspricht und er nachweisen kann, dass die Offenlegung der chemischen Identität dieses Stoffes auf dem Kennzeichnungsetikett oder dem Sicherheitsdatenblatt seine Betriebs- und Geschäftsgeheimnisse, insbesondere sein geistiges Eigentum, gefährden würde.

(2) Anträge nach Absatz 1 des vorliegenden Artikels werden in dem in Artikel 111 der Verordnung (EG) Nr. 1907/2006 genannten Format eingereicht, und gleichzeitig wird die entsprechende Gebühr entrichtet.

Die Höhe der Gebühr wird von der Kommission nach dem in Artikel 54 Absatz 2 der vorliegenden Verordnung genannten Verfahren festgelegt.

Für KMU wird eine ermäßigte Gebühr festgesetzt.

(3) Die Agentur kann von dem Hersteller, Importeur oder nachgeschalteten Anwender, der den Antrag stellt, weitere Informationen verlangen, falls sie für die Entscheidungsfindung erforderlich sind. Erhebt die Agentur innerhalb von sechs Wochen nach Antragstellung oder nach Eingang der verlangten weiteren Informationen keine Einwände, gilt die Verwendung des beantragten Namens als genehmigt.

(4) Lehnt die Agentur den Antrag ab, so gelangen die in Artikel 118 Absatz 3 der Verordnung (EG) Nr. 1907/2006 genannten Durchführungsbestimmungen zur Anwendung.

(5) Die Agentur unterrichtet die zuständigen Behörden über das Ergebnis der Behandlung von Anträgen gemäß Absatz 3 oder 4 und legt die vom Hersteller, Importeur oder nachgeschalteten Anwender übermittelten Informationen vor.

(6) Ergibt sich aus neuen Informationen, dass eine verwendete alternative chemische Bezeichnung nicht genügend Informationen enthält, damit die erforderlichen Gesundheits- und Sicherheitsvorkehrungen am Arbeitsplatz getroffen werden können und damit gewährleistet ist, dass die Risiken beim Umgang mit dem Gemisch beherrscht werden können, überprüft die Agentur ihre Entscheidung über die Verwendung dieser alternativen chemischen Bezeichnung. Die Agentur kann ihre Entscheidung zurückziehen oder durch eine Entscheidung ändern, in der angegeben wird, welche alternative chemische Bezeichnung verwendet werden darf. Zieht die Agentur ihre Entscheidung zurück oder ändert sie diese, so gelangen die in Artikel 118 Absatz 3 der Verordnung (EG) Nr. 1907/2006 genannten Durchführungsbestimmungen zur Anwendung.

(7) In Fällen, in denen die Verwendung der alternativen chemischen Bezeichnung genehmigt wurde, aber die Einstufung des Stoffes in einem Gemisch, für das die alternative chemische Bezeichnung verwendet wird, nicht mehr den Kriterien gemäß Anhang I Abschnitt 1.4.1 entspricht, verwendet der Lieferant dieses Stoffes in einem Gemisch auf dem Kennzeichnungsetikett und im Sicherheitsdatenblatt für den Stoff dessen Produktidentifikator nach Artikel 18 und nicht die alternative chemische Bezeichnung.

(8) Für Stoffe — als solche oder in einem Gemisch —, für die die Agentur eine Begründung nach Artikel 10 Buchstabe a Ziffer xi der Verordnung (EG) Nr. 1907/2006 betreffend Informationen nach Artikel 119 Absatz 2 Buchstabe f oder g der genannten Verordnung als stichhaltig akzeptiert hat, kann der Hersteller, Importeur oder nachgeschaltete Anwender auf dem Kennzeichnungsetikett und im Sicherheitsdatenblatt einen Namen verwenden, der über das Internet öffentlich zugänglich gemacht wird. Für die Stoffe in einem Gemisch, für die Artikel 119 Absatz 2 Buchstabe f oder g der genannten Verordnung nicht mehr gilt, kann der Hersteller, Importeur oder nachgeschaltete Anwender bei der Agentur die Verwendung einer alternativen chemischen Bezeichnung nach Absatz 1 des vorliegenden Artikels beantragen.

(9) Hat der Lieferant eines Gemisches vor dem 1. Juni 2015 gemäß Artikel 15 der Richtlinie 1999/45/EG nachgewiesen, dass die Offenlegung der chemischen Identität eines Stoffes in einem Gemisch seine Betriebs- oder Geschäftsgeheimnisse gefährden könnte, darf er den genehmigten Alternativnamen für die Zwecke dieser Verordnung weiterhin benutzen.

*Artikel 25***Ergänzende Informationen auf dem Kennzeichnungsetikett**

(1) Besitzt ein Stoff oder Gemisch, der bzw. das als gefährlich eingestuft ist, die in Anhang II Abschnitte 1.1 und 1.2 genannten physikalischen oder gesundheitsgefährdenden Eigenschaften, so werden entsprechende Hinweise in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufgenommen.

Die Hinweise lauten wie in Anhang II Abschnitte 1.1 und 1.2 sowie Anhang III Teil 2 angegeben.

Ist ein Stoff in Anhang VI Teil 3 aufgeführt, sind alle darin enthaltenen zusätzlichen Gefahrenhinweise für den Stoff in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufzunehmen.

(2) Fällt ein Stoff oder ein Gemisch, der bzw. das als gefährlich eingestuft ist, in den Anwendungsbereich der Richtlinie 91/414/EWG, so wird ein entsprechender Hinweis in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufgenommen.

Der Hinweis lautet wie in Anhang II Teil 4 sowie Anhang III Teil 3 der vorliegenden Verordnung angegeben.

(3) Der Lieferant kann — zusätzlich zu den in den Absätzen 1 und 2 genannten Informationen — weitere Informationen in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufnehmen, sofern sie die in Artikel 17 Absatz 1 Buchstaben a bis g genannten Kennzeichnungselemente nicht schwerer erkennbar machen, weitere Einzelheiten enthalten und den durch diese Elemente vermittelten Informationen nicht widersprechen oder diese fraglich erscheinen lassen.

(4) Angaben wie „ungiftig“, „unschädlich“, „umweltfreundlich“, „ökologisch“ oder alle sonstigen Hinweise, die auf das Nichtvorhandensein von Gefahreneigenschaften des Stoffes oder Gemisches hinweisen oder nicht mit der Einstufung des Stoffes oder Gemisches im Einklang stehen, dürfen nicht auf dem Kennzeichnungsetikett oder der Verpackung des Stoffes oder Gemisches erscheinen.

(5) Ist ein Stoff oder Gemisch gemäß Anhang I Teil 5 eingestuft,

- a) enthält das Kennzeichnungsetikett kein Gefahrenpiktogramm;
- b) werden die Signalwörter, Gefahrenhinweise und Sicherheitshinweise in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufgenommen.

(6) Enthält ein Gemisch einen als gefährlich eingestuften Stoff, so wird es gemäß Anhang II Teil 2 gekennzeichnet.

Die Hinweise lauten wie in Anhang III Teil 3 angegeben und werden in den Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett aufgenommen.

Das Kennzeichnungsetikett enthält auch den Produktidentifikator nach Artikel 18 sowie Namen, Anschrift und Telefonnummer des Lieferanten des betreffenden Gemisches.

Artikel 26

Rangfolgeregelung für Gefahrenpiktogramme

(1) Würde die Einstufung eines Stoffes oder Gemisches mehr als ein Gefahrenpiktogramm auf dem Kennzeichnungsetikett nach sich ziehen, wird folgende Rangfolgeregelung angewendet, um die Zahl der erforderlichen Gefahrenpiktogramme zu verringern:

- a) Muss mit dem Gefahrenpiktogramm „GHS01“ gekennzeichnet werden, so ist die Verwendung der Gefahrenpiktogramme „GHS02“ und „GHS03“ mit Ausnahme der Fälle, in denen mehr als eines dieser Gefahrenpiktogramme verbindlich ist, fakultativ.
- b) Muss mit dem Gefahrenpiktogramm „GHS06“ gekennzeichnet werden, so erscheint das Gefahrenpiktogramm „GHS07“ nicht.

c) Muss mit dem Gefahrenpiktogramm „GHS05“ gekennzeichnet werden, so erscheint das Gefahrenpiktogramm „GHS07“ nicht für Haut- oder Augenreizung.

d) Muss mit dem Gefahrenpiktogramm „GHS08“ für Sensibilisierung der Atemwege gekennzeichnet werden, so erscheint das Gefahrenpiktogramm „GHS07“ nicht für Sensibilisierung der Haut oder Haut- und Augenreizung.

(2) Würde die Einstufung eines Stoffes oder Gemisches mehr als ein Gefahrenpiktogramm für die gleiche Gefahrenklasse nach sich ziehen, enthält das Kennzeichnungsetikett für jede betroffene Gefahrenklasse das Gefahrenpiktogramm, das der schwerwiegendsten Gefahrenkategorie zugeordnet ist.

Bei Stoffen, die in Anhang VI Teil 3 aufgeführt sind und zugleich der Einstufung nach Titel II unterliegen, enthält das Kennzeichnungsetikett für jede betroffene Gefahrenklasse das Gefahrenpiktogramm, das der schwerwiegendsten Gefahrenkategorie zugeordnet ist.

Artikel 27

Rangfolgeregelung für Gefahrenhinweise

Ist ein Stoff oder Gemisch in mehreren Gefahrenklassen oder Differenzierungen einer Gefahrenklasse eingestuft, so erscheinen alle aufgrund dieser Einstufung erforderlichen Gefahrenhinweise auf dem Kennzeichnungsetikett, sofern keine eindeutige Doppelung vorliegt oder sie nicht eindeutig überflüssig sind.

Artikel 28

Rangfolgeregelung für Sicherheitshinweise

(1) Führt die Auswahl der Sicherheitshinweise dazu, dass bestimmte Sicherheitshinweise aufgrund des Stoffes, Gemisches oder seiner Verpackung eindeutig überflüssig oder unnötig sind, werden sie nicht in das Kennzeichnungsetikett aufgenommen.

(2) Wird der Stoff oder das Gemisch an die breite Öffentlichkeit abgegeben, trägt das Kennzeichnungsetikett einen Sicherheitshinweis zur Entsorgung des Stoffes oder Gemisches sowie zur Entsorgung der Verpackung, es sei denn, dies ist nach Artikel 22 nicht erforderlich.

In allen anderen Fällen ist kein Sicherheitshinweis zur Entsorgung erforderlich, sofern klar ist, dass die Entsorgung des Stoffes, des Gemisches oder der Verpackung keine Gefahr für die menschliche Gesundheit oder die Umwelt darstellt.

(3) Auf dem Kennzeichnungsetikett erscheinen nicht mehr als sechs Sicherheitshinweise, es sei denn, die Art und die Schwere der Gefahren machen eine größere Anzahl erforderlich.

Artikel 29

Ausnahmen von Kennzeichnungs- und Verpackungsvorschriften

(1) Ist die Verpackung eines Stoffes oder Gemisches entweder so gestaltet oder geformt oder aber so klein, dass es nicht möglich ist, die Anforderungen von Artikel 31 hinsichtlich eines Kennzeichnungsetiketts in der/den Amtssprache(n) des Mitglied-

staats, in dem der Stoff oder das Gemisch in Verkehr gebracht wird, zu erfüllen, so erfolgt die Anbringung der Kennzeichnungselemente nach Artikel 17 Absatz 2 Unterabsatz 1 gemäß Anhang I Abschnitt 1.5.1.

(2) Ist es nicht möglich, die Kennzeichnungsangaben vollständig in der in Absatz 1 festgelegten Weise anzubringen, so können diese Angaben gemäß Anhang I Abschnitt 1.5.2 reduziert werden.

(3) Wird ein gefährlicher Stoff oder ein gefährliches Gemisch, der bzw. das in Anhang II Teil 5 genannt ist, unverpackt an die breite Öffentlichkeit abgegeben, so ist ihm eine Kopie der Kennzeichnungselemente gemäß Artikel 17 beizufügen.

(4) Für bestimmte als gefährlich für die Umwelt eingestufte Gemische können nach dem in Artikel 53 genannten Verfahren Ausnahmen hinsichtlich bestimmter Vorschriften für die umweltbezogene Kennzeichnung oder spezielle Vorschriften in Bezug auf diese Kennzeichnung festgelegt werden, sofern nachgewiesen werden kann, dass die Auswirkungen auf die Umwelt verringert wurden. Derartige Ausnahmen bzw. spezielle Vorschriften sind in Anhang II Teil 2 festgelegt.

(5) Die Kommission kann die Agentur ersuchen, weitere Entwürfe für Ausnahmen von den Kennzeichnungs- und Verpackungsvorschriften auszuarbeiten und der Kommission vorzulegen.

Artikel 30

Aktualisierung der Informationen auf den Kennzeichnungsetiketten

(1) Der Lieferant sorgt dafür, dass das Kennzeichnungsetikett bei jeder Änderung der Einstufung oder Kennzeichnung des Stoffes oder Gemisches unverzüglich aktualisiert wird, wenn die neue Gefahr größer ist oder wenn neue zusätzliche Kennzeichnungselemente nach Artikel 25 erforderlich sind, wobei die Art der Änderung hinsichtlich des Schutzes der menschlichen Gesundheit und der Umwelt zu berücksichtigen ist. Die Lieferanten arbeiten gemäß Artikel 4 Absatz 9 zusammen, um die Kennzeichnung unverzüglich zu ändern.

(2) Sind andere als die in Absatz 1 genannten Änderungen der Kennzeichnung erforderlich, so gewährleistet der Lieferant, dass das Kennzeichnungsetikett binnen 18 Monaten aktualisiert wird.

(3) Der Lieferant eines unter die Richtlinie 91/414/EWG oder die Richtlinie 98/8/EG fallenden Stoffes oder Gemisches aktualisiert das Kennzeichnungsetikett gemäß diesen Richtlinien.

KAPITEL 2

Anbringung der Kennzeichnungsetiketten

Artikel 31

Allgemeine Vorschriften für die Anbringung der Kennzeichnungsetiketten

(1) Ein Kennzeichnungsetikett wird fest auf einer oder mehreren Flächen der Verpackung angebracht, die den Stoff oder das Gemisch unmittelbar enthält, und ist waagrecht lesbar, wenn die Verpackung in üblicher Weise abgestellt wird.

(2) Farbe und Aufmachung eines Kennzeichnungsetiketts sind so gestaltet, dass sich das Gefahrenpiktogramm deutlich abhebt.

(3) Die Kennzeichnungselemente nach Artikel 17 Absatz 1 werden deutlich lesbar und unverwischbar angebracht. Sie heben sich deutlich vom Untergrund ab, sind ausreichend dimensioniert und so angeordnet, dass sie leicht lesbar sind.

(4) Form, Farbe und Größe eines Gefahrenpiktogramms sowie die Abmessungen des Kennzeichnungsetiketts entsprechen Anhang I Abschnitt 1.2.1.

(5) Ein Kennzeichnungsetikett ist nicht erforderlich, wenn die Kennzeichnungselemente nach Artikel 17 Absatz 1 auf der Verpackung selbst deutlich dargestellt sind. In solchen Fällen gelten die Vorschriften dieses Kapitels für Kennzeichnungsetiketten für die auf der Verpackung angebrachten Informationen.

Artikel 32

Anordnung der Informationen auf dem Kennzeichnungsetikett

(1) Die Gefahrenpiktogramme, Signalwörter, Gefahrenhinweise und Sicherheitshinweise werden zusammen auf dem Kennzeichnungsetikett angeordnet.

(2) Der Lieferant kann über die Reihenfolge der Gefahrenhinweise auf dem Kennzeichnungsetikett entscheiden. Vorbehaltlich des Absatzes 4 werden jedoch alle Gefahrenhinweise auf dem Kennzeichnungsetikett nach Sprachen gruppiert.

Der Lieferant kann über die Reihenfolge der Sicherheitshinweise auf dem Kennzeichnungsetikett entscheiden. Vorbehaltlich des Absatzes 4 werden jedoch alle Sicherheitshinweise auf dem Kennzeichnungsetikett nach Sprachen gruppiert.

(3) Die in Absatz 2 genannten Gruppen von Gefahren- und Sicherheitshinweisen werden zusammen auf dem Kennzeichnungsetikett nach Sprachen angeordnet.

(4) Die ergänzenden Informationen werden in den in Artikel 25 genannten Abschnitt für ergänzende Informationen eingefügt und mit den anderen in Artikel 17 Absatz 1 Buchstaben a bis g genannten Kennzeichnungselementen angeordnet.

(5) Zusätzlich zu ihrer Verwendung in Gefahrenpiktogrammen können Farben auch in anderen Bereichen des Kennzeichnungsetiketts verwendet werden, um besondere Kennzeichnungsvorschriften zu erfüllen.

(6) Kennzeichnungselemente aufgrund der Vorschriften anderer Gemeinschaftsrechtsakte werden in dem in Artikel 25 genannten Abschnitt für ergänzende Informationen auf dem Kennzeichnungsetikett angeordnet.

Artikel 33

Besondere Vorschriften für die Kennzeichnung von äußerer Verpackung, innerer Verpackung und Einzelverpackung

(1) Besteht ein Versandstück aus einer äußeren und einer inneren Verpackung sowie einer Zwischenverpackung und entspricht die äußere Verpackung den Kennzeichnungsbestimmungen gemäß den Vorschriften für die Beförderung gefährlicher Güter, so werden die innere Verpackung und die Zwischenverpackung gemäß dieser Verordnung gekennzeichnet. Die äußere Verpackung kann ebenfalls gemäß dieser Verordnung gekennzeichnet werden. Betreffen das/die gemäß dieser Verordnung

erforderliche(n) Gefahrenpiktogramm(e) und die Vorschriften für die Beförderung gefährlicher Güter die gleiche Gefahr, braucht/brauchen das/die gemäß dieser Verordnung erforderliche(n) Gefahrenpiktogramm(e) nicht auf der äußeren Verpackung angebracht zu werden.

(2) Muss die äußere Verpackung eines Versandstücks nicht den Kennzeichnungsbestimmungen gemäß den Vorschriften für die Beförderung gefährlicher Güter entsprechen, so werden sowohl die äußere als auch alle inneren Verpackungen einschließlich aller Zwischenverpackungen gemäß dieser Verordnung gekennzeichnet. Ist jedoch die Kennzeichnung auf der inneren Verpackung oder der Zwischenverpackung trotz der äußeren Verpackung deutlich erkennbar, braucht die äußere Verpackung nicht gekennzeichnet zu werden.

(3) Im Falle einer Einzelverpackung, die den Kennzeichnungsbestimmungen gemäß den Vorschriften für die Beförderung gefährlicher Güter entspricht, wird diese sowohl gemäß dieser Verordnung als auch gemäß den Vorschriften für die Beförderung gefährlicher Güter gekennzeichnet. Betreffen das/die gemäß dieser Verordnung erforderliche(n) Gefahrenpiktogramm(e) und die Vorschriften für die Beförderung gefährlicher Güter die gleiche Gefahr, braucht/brauchen das/die gemäß dieser Verordnung erforderliche(n) Gefahrenpiktogramm(e) nicht angebracht zu werden.

Artikel 34

Bericht über die Information zur sicheren Verwendung von Chemikalien

(1) Bis 20. Januar 2012 führt die Agentur eine Studie über die Information der Öffentlichkeit über die sichere Verwendung von Stoffen und Gemischen und über den etwaigen Bedarf an zusätzlichen Informationen auf den Kennzeichnungsetiketten durch. Diese Studie wird in Konsultation mit den zuständigen Behörden und den interessierten Kreisen durchgeführt und stützt sich gegebenenfalls auf entsprechende bewährte Verfahren.

(2) Unbeschadet der Kennzeichnungsvorschriften dieses Titels legt die Kommission auf der Grundlage der in Absatz 1 genannten Studie dem Europäischen Parlament und dem Rat einen Bericht vor und unterbreitet, sofern begründet, einen Vorschlag für einen Rechtsakt zur Änderung dieser Verordnung.

TITEL IV

VERPACKUNG

Artikel 35

Verpackung

(1) Die Verpackung gefährlicher Stoffe oder Gemische entspricht folgenden Anforderungen:

- Die Verpackung ist so ausgelegt und beschaffen, dass der Inhalt nicht austreten kann, soweit keine anderen, spezifischeren Sicherheitseinrichtungen vorgeschrieben sind.
- Die Materialien von Verpackung und Verschlüssen dürfen nicht so beschaffen sein, dass sie vom Inhalt beschädigt werden oder mit diesem zu gefährlichen Verbindungen reagieren können.

c) Die Verpackungen und Verschlüsse sind in allen Teilen so fest und stark, dass sie sich nicht lockern und allen bei der Handhabung normalerweise auftretenden Belastungen und Verformungen zuverlässig standhalten.

d) Verpackungen mit Verschlüssen, welche nach Öffnung erneut verwendbar sind, sind so beschaffen, dass sie sich mehrfach neu verschließen lassen, ohne dass der Inhalt austreten kann.

(2) Verpackungen eines gefährlichen Stoffes oder Gemisches, der/das an die breite Öffentlichkeit abgegeben wird, haben weder eine Form oder ein Design, die/das die aktive Neugier von Kindern wecken oder anziehen oder die Verbraucher irreführen könnte, noch weisen sie eine ähnliche Aufmachung oder ein ähnliches Design auf, wie sie/es für Lebensmittel, Futtermittel, Arzneimittel oder Kosmetika verwendet wird, wodurch die Verbraucher irreführt werden könnten.

Verpackungen, die einen Stoff oder ein Gemisch gemäß den Kriterien in Anhang II Abschnitt 3.1.1 enthalten, werden mit kindergesicherten Verschlüssen gemäß Anhang II Abschnitte 3.1.2, 3.1.3 und 3.1.4.2 versehen.

Verpackungen, die einen Stoff oder ein Gemisch gemäß den Kriterien in Anhang II Abschnitt 3.2.1 enthalten, werden mit einem tastbaren Gefahrenhinweis gemäß Anhang II Abschnitt 3.2.2 versehen.

(3) Verpackungen von Stoffen und Gemischen gelten als den Anforderungen des Absatzes 1 Buchstaben a, b und c entsprechend, wenn sie den Anforderungen für die Beförderung gefährlicher Güter im Luft-, See-, Straßen-, Eisenbahn- oder Binnenschiffsverkehr genügen.

TITEL V

HARMONISIERUNG DER EINSTUFUNG UND KENNZEICHNUNG VON STOFFEN UND DAS EINSTUFUNGS- UND KENNZEICHNUNGSVERZEICHNIS

KAPITEL 1

Schaffung einer harmonisierten Einstufung und Kennzeichnung von Stoffen

Artikel 36

Harmonisierung der Einstufung und Kennzeichnung von Stoffen

(1) Ein Stoff, der den Kriterien nach Anhang I in folgenden Punkten entspricht, unterliegt in der Regel den Bestimmungen betreffend die harmonisierte Einstufung und Kennzeichnung nach Artikel 37:

- Sensibilisierung der Atemwege, Kategorie 1 (Anhang I Abschnitt 3.4),
- Keimzellmutagenität, Kategorien 1A, 1B oder 2 (Anhang I Abschnitt 3.5),
- Karzinogenität, Kategorien 1A, 1B oder 2 (Anhang I Abschnitt 3.6),
- Reproduktionstoxizität, Kategorien 1A, 1B oder 2 (Anhang I Abschnitt 3.7).

(2) Stoffe, bei denen es sich um Wirkstoffe im Sinne der Richtlinie 91/414/EWG oder der Richtlinie 98/8/EG handelt, unterliegen in der Regel den Bestimmungen betreffend die harmonisierte Einstufung und Kennzeichnung. Auf diese Stoffe finden die Verfahren nach Artikel 37 Absätze 1, 4, 5 und 6 Anwendung.

(3) Entspricht ein Stoff, der nicht unter Absatz 2 fällt, den Kriterien für andere als die in Absatz 1 genannten Gefahrenklassen oder Differenzierungen, kann eine harmonisierte Einstufung und Kennzeichnung gemäß Artikel 37 im Einzelfall in Anhang VI aufgenommen werden, wenn eine Begründung für die Notwendigkeit einer solchen Maßnahme auf Gemeinschaftsebene vorgelegt wird.

Artikel 37

Verfahren zur Harmonisierung der Einstufung und Kennzeichnung von Stoffen

(1) Eine zuständige Behörde kann der Agentur einen Vorschlag für eine harmonisierte Einstufung und Kennzeichnung von Stoffen und gegebenenfalls für spezifische Konzentrationsgrenzwerte oder M-Faktoren oder einen Vorschlag zu ihrer Überprüfung vorlegen.

Der Vorschlag entspricht dem in Anhang VI Teil 2 beschriebenen Format und enthält die in Anhang VI Teil 1 vorgesehenen relevanten Informationen.

(2) Ein Hersteller, Importeur oder nachgeschalteter Anwender eines Stoffes kann der Agentur einen Vorschlag für eine harmonisierte Einstufung und Kennzeichnung dieses Stoffes und gegebenenfalls für spezifische Konzentrationsgrenzwerte oder M-Faktoren vorlegen, sofern es für einen derartigen Stoff keinen Eintrag in Anhang VI Teil 3 im Zusammenhang mit der Gefahrenklasse oder der Differenzierung gibt, auf die sich dieser Vorschlag bezieht.

Der Vorschlag wird gemäß den einschlägigen Teilen von Anhang I Abschnitte 1, 2 und 3 der Verordnung (EG) Nr. 1907/2006 abgefasst und entspricht dem Format, das in Teil B des Stoffsicherheitsberichts von Abschnitt 7 des genannten Anhangs festgelegt ist. Er enthält die in Anhang VI Teil 1 der vorliegenden Verordnung vorgesehenen relevanten Informationen. Artikel 111 der Verordnung (EG) Nr. 1907/2006 findet Anwendung.

(3) Betrifft der Vorschlag des Herstellers, Importeurs oder nachgeschalteten Anwenders die harmonisierte Einstufung und Kennzeichnung eines Stoffes nach Artikel 36 Absatz 3, ist bei Einreichung die von der Kommission gemäß dem Regelungsverfahren des Artikels 54 Absatz 2 festgelegte Gebühr zu entrichten.

(4) Der gemäß Artikel 76 Absatz 1 Buchstabe c der Verordnung (EG) Nr. 1907/2006 eingesetzte Ausschuss für Risikobeurteilung der Agentur gibt zu Vorschlägen gemäß den Absätzen 1 oder 2 innerhalb von 18 Monaten nach Eingang des Vorschlags eine Stellungnahme ab und gibt den Beteiligten Gelegenheit, sich dazu zu äußern. Die Agentur leitet diese Stellungnahme sowie etwaige Bemerkungen an die Kommission weiter.

(5) Gelangt die Kommission zu der Auffassung, dass eine Harmonisierung der Einstufung und Kennzeichnung des betreffenden Stoffes angezeigt ist, unterbreitet sie unverzüglich einen Entwurf für eine Entscheidung über die Aufnahme dieses Stoffes zusammen mit den relevanten Einstufungs- und Kennzeichnungselementen in Anhang VI Teil 3 Tabelle 3.1 und gegebenenfalls den spezifischen Konzentrationsgrenzwerten oder M-Faktoren.

Bis zum 31. Mai 2015 erfolgt zu denselben Bedingungen ein entsprechender Eintrag in Anhang VI Teil 3 Tabelle 3.2.

Diese Maßnahme zur Änderung nicht wesentlicher Bestimmungen dieser Verordnung wird nach dem in Artikel 54 Absatz 3 genannten Regelungsverfahren mit Kontrolle erlassen. Aus Gründen äußerster Dringlichkeit kann die Kommission auf das in Artikel 54 Absatz 4 genannte Dringlichkeitsverfahren zurückgreifen.

(6) Hersteller, Importeure oder nachgeschaltete Anwender, denen neue Informationen vorliegen, die zu einer Änderung der harmonisierten Einstufung und Kennzeichnungselemente eines Stoffes in Anhang VI Teil 3 führen könnten, legen der zuständigen Behörde eines der Mitgliedstaaten, in denen der Stoff in Verkehr gebracht wird, einen Vorschlag nach Absatz 2 Unterabsatz 2 des vorliegenden Artikels vor.

Artikel 38

Inhalt von Stellungnahmen und Entscheidungen über die harmonisierte Einstufung und Kennzeichnung in Anhang VI Teil 3; Zugänglichkeit von Informationen

(1) Stellungnahmen gemäß Artikel 37 Absatz 4 und Entscheidungen gemäß Artikel 37 Absatz 5 enthalten für jeden Stoff mindestens folgende Angaben:

- a) die Identität des Stoffes gemäß Anhang VI Abschnitte 2.1 bis 2.3.4 der Verordnung (EG) Nr. 1907/2006;
- b) die Einstufung des Stoffes gemäß Artikel 36, einschließlich einer Begründung;
- c) gegebenenfalls die spezifischen Konzentrationsgrenzwerte oder M-Faktoren;
- d) die in Artikel 17 Absatz 1 Buchstaben d, e und f genannten Kennzeichnungselemente für den Stoff zusammen mit zusätzlichen Gefahrenhinweisen für den Stoff gemäß Artikel 25 Absatz 1;
- e) gegebenenfalls sonstige Parameter, die eine Beurteilung der Gesundheits- oder Umweltgefahr von Gemischen, die den betreffenden gefährlichen Stoff enthalten, oder von Stoffen ermöglichen, die solche gefährlichen Stoffe in Form von identifizierten Verunreinigungen, Beimengungen und einzelnen Bestandteilen enthalten.

(2) Wird eine Stellungnahme oder eine Entscheidung nach Artikel 37 Absätze 4 und 5 öffentlich zugänglich gemacht, so finden Artikel 118 Absatz 2 und Artikel 119 der Verordnung (EG) Nr. 1907/2006 Anwendung.

KAPITEL 2

Einstufungs- und Kennzeichnungsverzeichnis

Artikel 39

Anwendungsbereich

Dieses Kapitel gilt für

- a) Stoffe, die nach der Verordnung (EG) Nr. 1907/2006 registrierungspflichtig sind;
- b) Stoffe im Anwendungsbereich des Artikels 1 der vorliegenden Verordnung, die die Kriterien für die Einstufung als gefährlich erfüllen und die entweder als solche oder in einem Gemisch in einer Konzentration in Verkehr gebracht werden, die über den in dieser Verordnung oder gegebenenfalls den in der Richtlinie 1999/45/EG genannten Konzentrationsgrenzwerten liegt, was zur Einstufung des Gemisches als gefährlich führt.

Artikel 40

Meldepflicht gegenüber der Agentur

(1) Jeder Hersteller oder Importeur bzw. jede Gruppe von Herstellern oder Importeuren (nachstehend als „Anmelder“ bezeichnet), der/die einen in Artikel 39 genannten Stoff in Verkehr bringt, teilt der Agentur folgende Informationen zur Aufnahme in das Verzeichnis gemäß Artikel 42 mit:

- a) die Identität des Anmelders oder der Anmelder, der/die für das Inverkehrbringen des Stoffes oder der Stoffe gemäß Anhang VI Abschnitt 1 der Verordnung (EG) Nr. 1907/2006 verantwortlich ist/sind;
- b) die Identität des Stoffes oder der Stoffe gemäß Anhang VI Abschnitte 2.1 bis 2.3.4 der Verordnung (EG) Nr. 1907/2006;
- c) die Einstufung des Stoffes oder der Stoffe gemäß Artikel 13;
- d) im Fall der Einstufung eines Stoffes in einige, aber nicht in alle Gefahrenklassen oder Differenzierungen, einen Hinweis darauf, ob dies auf fehlende, nicht schlüssige oder schlüssige, aber für die Einstufung nicht ausreichende Daten zurückzuführen ist;
- e) gegebenenfalls spezifische Konzentrationsgrenzwerte oder M-Faktoren gemäß Artikel 10 dieser Verordnung zusammen mit einer Begründung unter Verwendung der relevanten Teile von Anhang I Abschnitte 1, 2 und 3 der Verordnung (EG) Nr. 1907/2006;
- f) die in Artikel 17 Absatz 1 Buchstaben d, e und f genannten Kennzeichnungselemente für den Stoff oder die Stoffe zusammen mit zusätzlichen Gefahrenhinweisen für den Stoff gemäß Artikel 25 Absatz 1.

Die in den Buchstaben a bis f genannten Informationen werden nicht gemeldet, wenn sie der Agentur als Teil einer Registrierung gemäß der Verordnung (EG) Nr. 1907/2006 übermittelt wurden oder wenn sie der betreffende Anmelder bereits gemeldet hat.

Der Anmelder legt diese Informationen in dem Format gemäß Artikel 111 der Verordnung (EG) Nr. 1907/2006 vor.

(2) Die in Absatz 1 aufgeführten Informationen werden von dem betreffenden Anmelder oder den betreffenden Anmeldern aktualisiert und der Agentur gemeldet, wenn im Anschluss an die Überprüfung nach Artikel 15 Absatz 1 entschieden wurde, die Einstufung und Kennzeichnung des Stoffes zu ändern.

(3) Stoffe, die ab dem 1. Dezember 2010 in Verkehr gebracht werden, werden gemäß Absatz 1 innerhalb eines Monats nach ihrem Inverkehrbringen gemeldet.

Stoffe, die vor dem 1. Dezember 2010 in Verkehr gebracht werden, können auch vor diesem Zeitpunkt gemäß Absatz 1 gemeldet werden.

Artikel 41

Einvernehmliche Einträge

Ergeben sich aus der Meldung gemäß Artikel 40 Absatz 1 für denselben Stoff unterschiedliche Einträge in dem in Artikel 42 genannten Verzeichnis, so bemühen sich die Anmelder und Registranten nach Kräften um eine Einigung über den Eintrag in das Verzeichnis. Die Anmelder setzen die Agentur davon in Kenntnis.

Artikel 42

Einstufungs- und Kennzeichnungsverzeichnis

(1) Die Agentur erstellt und unterhält ein Einstufungs- und Kennzeichnungsverzeichnis in Form einer Datenbank.

In das Verzeichnis werden die nach Artikel 40 Absatz 1 gemeldeten Informationen sowie die als Teil der Registrierungen gemäß der Verordnung (EG) Nr. 1907/2006 übermittelten Informationen aufgenommen.

Diejenigen Informationen in dem Verzeichnis, die den in Artikel 119 Absatz 1 der Verordnung (EG) Nr. 1907/2006 genannten Informationen entsprechen, sind öffentlich zugänglich. Zu den anderen im Verzeichnis vorhandenen Daten über einen Stoff gewährt die Agentur denjenigen Anmeldern und Registranten Zugang, die gemäß Artikel 29 Absatz 1 der Verordnung (EG) Nr. 1907/2006 Informationen über diesen Stoff vorgelegt haben. Dritten gewährt sie Zugang zu derartigen Informationen gemäß Artikel 118 der genannten Verordnung.

(2) Die Agentur aktualisiert das Verzeichnis, sobald sie aktualisierte Informationen gemäß Artikel 40 Absatz 2 oder Artikel 41 erhält.

(3) Zusätzlich zu den in Absatz 1 genannten Informationen nimmt die Agentur gegebenenfalls für jeden Eintrag folgende Informationen auf:

- a) ob es für diesen Eintrag eine harmonisierte Einstufung und Kennzeichnung auf Gemeinschaftsebene durch die Aufnahme in Anhang VI Teil 3 gibt;

- b) ob es sich bei diesem Eintrag um einen gemeinsamen Eintrag von Registranten für denselben Stoff nach Artikel 11 Absatz 1 der Verordnung (EG) Nr. 1907/2006 handelt;
- c) ob es sich um einen einvernehmlichen Eintrag von zwei oder mehr Anmeldern oder Registranten gemäß Artikel 41 handelt;
- d) ob der Eintrag von einem anderen Eintrag desselben Stoffes im Verzeichnis abweicht.

Die in Buchstabe a genannten Informationen werden aktualisiert, wenn eine Entscheidung gemäß Artikel 37 Absatz 5 getroffen wird.

TITEL VI

ZUSTÄNDIGE BEHÖRDEN UND DURCHSETZUNG

Artikel 43

Benennung der zuständigen Behörden und der für die Durchsetzung zuständigen Behörden und zwischenbehördliche Zusammenarbeit

Die Mitgliedstaaten benennen die zuständige Behörde oder die zuständigen Behörden, die für die Vorschläge für harmonisierte Einstufungen und Kennzeichnungen zuständig ist/sind, sowie die Behörden, die für die Durchsetzung der in dieser Verordnung festgelegten Verpflichtungen zuständig sind.

Die zuständigen Behörden und die für die Durchsetzung zuständigen Behörden arbeiten bei der Wahrnehmung ihrer Aufgaben nach dieser Verordnung zusammen und leisten den entsprechenden Behörden anderer Mitgliedstaaten jede notwendige und sachdienliche Unterstützung.

Artikel 44

Auskunftsstelle

Die Mitgliedstaaten richten nationale Auskunftsstellen ein, die die Hersteller, Importeure, Händler, nachgeschalteten Anwender und sonstige interessierte Kreise hinsichtlich ihrer jeweiligen Aufgaben und Verpflichtungen im Rahmen dieser Verordnung beraten.

Artikel 45

Benennung der mit der Entgegennahme der Informationen über die gesundheitliche Notversorgung beauftragten Stelle

(1) Die Mitgliedstaaten benennen eine oder mehrere Stellen, die dafür zuständig ist/sind, Informationen von Importeuren und nachgeschalteten Anwendern, die ein Gemisch in Verkehr bringen, entgegenzunehmen, die insbesondere für die Angabe vorbeugender und heilender Maßnahmen, vor allem in Notfällen, von Belang sind. Diese Informationen umfassen die chemische Zusammensetzung der in Verkehr gebrachten und aufgrund ihrer gesundheitlichen oder physikalischen Auswirkungen als gefährlich eingestuftem Gemische, einschließlich der chemischen Identität der Stoffe in den Gemischen, für die die Verwendung einer alternativen chemischen Bezeichnung gemäß Artikel 24 von der Agentur auf Antrag genehmigt wurde.

(2) Die benannten Stellen bieten jede Gewähr dafür, dass die erhaltenen Angaben vertraulich behandelt werden. Diese Angaben dürfen nur verwendet werden,

a) um Anfragen medizinischen Inhalts mit der Angabe von vorbeugenden und heilenden Maßnahmen, insbesondere in Notfällen, zu beantworten

und,

b) wenn sie von Mitgliedstaaten angefordert werden, um anhand einer statistischen Analyse den Bedarf an verbesserten Risikomanagementmaßnahmen zu ermitteln.

Die Informationen werden nicht für andere Zwecke verwendet.

(3) Die benannten Stellen erhalten von den für das Inverkehrbringen verantwortlichen Importeuren und nachgeschalteten Anwendern alle Informationen, die sie zur Erfüllung der ihnen übertragenen Aufgaben benötigen.

(4) Bis 20. Januar 2012 nimmt die Kommission eine Überprüfung vor, um die Möglichkeit einer Harmonisierung der Informationen nach Absatz 1, einschließlich der Festlegung eines Formats für die Übermittlung von Informationen durch die Importeure und nachgeschalteten Anwender an die benannten Stellen, zu beurteilen. Auf der Grundlage dieser Überprüfung und nach Konsultation einschlägiger Akteure wie der European Association of Poison Centres and Clinical Toxicologists (EAPCCT) kann die Kommission eine Verordnung erlassen, mit der dieser Verordnung ein Anhang hinzugefügt wird.

Diese Maßnahmen zur Änderung nicht wesentlicher Bestimmungen dieser Verordnung durch Ergänzung werden nach dem in Artikel 54 Absatz 3 genannten Regelungsverfahren mit Kontrolle erlassen.

Artikel 46

Durchsetzung und Berichterstattung

(1) Die Mitgliedstaaten treffen alle erforderlichen Maßnahmen, wozu auch der Betrieb eines amtlichen Kontrollsystems gehört, damit Stoffe und Gemische nur dann in Verkehr gelangen, wenn sie gemäß dieser Verordnung eingestuft, gekennzeichnet, gemeldet und verpackt werden.

(2) Die Mitgliedstaaten unterbreiten der Agentur alle fünf Jahre jeweils zum 1. Juli einen Bericht über die Ergebnisse der amtlichen Kontrollen und sonstigen Maßnahmen zur Durchsetzung. Der erste Bericht wird bis 20. Januar 2012 vorgelegt. Die Agentur stellt der Kommission diese Berichte zur Verfügung, die sie dann bei ihrem Bericht gemäß Artikel 117 der Verordnung (EG) Nr. 1907/2006 berücksichtigt.

(3) Das Forum nach Artikel 76 Absatz 1 Buchstabe f der Verordnung (EG) Nr. 1907/2006 nimmt die in Artikel 77 Absatz 4 Buchstaben a bis g der Verordnung (EG) Nr. 1907/2006 genannten Aufgaben in Bezug auf die Durchsetzung der vorliegenden Verordnung wahr.

Artikel 47

Sanktionen bei Verstößen

Die Mitgliedstaaten erlassen Sanktionen für die Nichteinhaltung dieser Verordnung und treffen alle für die Anwendung dieser Verordnung erforderlichen Maßnahmen. Die Sanktionen müssen wirksam, verhältnismäßig und abschreckend sein. Die Mitgliedstaaten teilen der Kommission die Vorschriften über Sanktionen bis 20. Juli 2010 mit und melden ihr spätere Änderungen unverzüglich.

TITEL VII

ALLGEMEINE UND SCHLUSSVORSCHRIFTEN

Artikel 48

Werbung

(1) Jegliche Werbung für einen als gefährlich eingestuften Stoff erfolgt unter Angabe der betreffenden Gefahrenklassen oder Gefahrenkategorien.

(2) Jegliche Werbung für als gefährlich eingestufte oder durch Artikel 25 Absatz 6 geregelte Gemische, die es einem privaten Endverbraucher ermöglicht, ohne vorherige Ansicht des Kennzeichnungsetiketts einen Kaufvertrag abzuschließen, muss die auf dem Kennzeichnungsetikett angegebene(n) Gefahreneigenschaft(en) nennen.

Unterabsatz 1 gilt unbeschadet der Richtlinie 97/7/EG des Europäischen Parlaments und des Rates vom 20. Mai 1997 über den Verbraucherschutz bei Vertragsabschlüssen im Fernabsatz⁽¹⁾.

Artikel 49

Pflicht zur Aufbewahrung von Informationen und Anforderung von Informationen

(1) Der Lieferant trägt sämtliche Informationen, die er für die Zwecke der Einstufung und Kennzeichnung gemäß dieser Verordnung herangezogen hat, zusammen und hält sie während eines Zeitraums von mindestens zehn Jahren nach seiner letzten Lieferung des Stoffes oder Gemisches zur Verfügung.

Der Lieferant bewahrt diese Informationen zusammen mit den Informationen auf, die nach Artikel 36 der Verordnung (EG) Nr. 1907/2006 erforderlich sind.

(2) Stellt ein Lieferant seine Geschäftstätigkeit ein oder überträgt er seine Tätigkeiten teilweise oder insgesamt einem Dritten, so ist derjenige, der für die Liquidation des Unternehmens des Lieferanten verantwortlich ist oder die Verantwortung für das Inverkehrbringen des betreffenden Stoffes oder Gemisches übernimmt, durch die Verpflichtung nach Absatz 1 anstelle des Lieferanten gebunden.

(3) Die zuständige Behörde oder die für die Durchsetzung zuständigen Behörden eines Mitgliedstaats, in dem ein Lieferant

niedergelassen ist, oder die Agentur können den Lieferanten auffordern, ihnen alle Informationen nach Absatz 1 Unterabsatz 1 vorzulegen.

Stehen diese Informationen der Agentur jedoch als Teil einer Registrierung nach der Verordnung (EG) Nr. 1907/2006 oder einer Meldung nach Artikel 40 der vorliegenden Verordnung bereits zur Verfügung, verwendet die Agentur diese Informationen, und die Behörde wendet sich an die Agentur.

Artikel 50

Aufgaben der Agentur

(1) Die Agentur erteilt den Mitgliedstaaten und den Organen der Gemeinschaft den bestmöglichen wissenschaftlichen und technischen Rat in Bezug auf Fragen zu chemischen Stoffen, die in ihren Aufgabenbereich fallen und mit denen sie gemäß dieser Verordnung befasst wird.

(2) Das Sekretariat der Agentur

a) stellt der Industrie gegebenenfalls technische und wissenschaftliche Leitlinien und Hilfsmittel für die Einhaltung der Verpflichtungen nach dieser Verordnung bereit;

b) stellt den zuständigen Behörden technische und wissenschaftliche Leitlinien zur Anwendung dieser Verordnung bereit und unterstützt die von den Mitgliedstaaten eingerichteten Auskunftstellen nach Artikel 44.

Artikel 51

Freier Warenverkehr

Die Mitgliedstaaten dürfen das Inverkehrbringen von Stoffen oder Gemischen im Sinne dieser Verordnung, die dieser Verordnung und gegebenenfalls gemeinschaftlichen Rechtsakten zur Durchführung dieser Verordnung entsprechen, nicht aus Gründen der Einstufung, Kennzeichnung oder Verpackung untersagen, beschränken oder behindern.

Artikel 52

Schutzklausel

(1) Hat ein Mitgliedstaat berechtigten Grund zur Annahme, dass ein Stoff oder ein Gemisch auch bei Übereinstimmung mit den Anforderungen dieser Verordnung aus Gründen der Einstufung, Kennzeichnung oder Verpackung eine ernsthafte Gefahr für die menschliche Gesundheit oder die Umwelt darstellt, so kann er geeignete vorläufige Maßnahmen treffen. Er unterrichtet hierüber unverzüglich die Kommission, die Agentur und die übrigen Mitgliedstaaten unter Angabe der Gründe für diese Entscheidung.

(2) Innerhalb von 60 Tagen nach Eingang der Informationen des Mitgliedstaats genehmigt die Kommission nach dem in Artikel 54 Absatz 2 genannten Regelungsverfahren die vorläufige Maßnahme für einen in der Entscheidung genannten Zeitraum oder fordert den Mitgliedstaat auf, die vorläufige Maßnahme aufzuheben.

⁽¹⁾ ABl. L 144 vom 4.6.1997, S. 19.

(3) Im Fall einer Genehmigung einer vorläufigen Maßnahme betreffend die Einstufung oder Kennzeichnung eines Stoffes im Sinne des Absatzes 2 unterbreitet die zuständige Behörde des betreffenden Mitgliedstaats der Agentur innerhalb von drei Monaten nach der Entscheidung der Kommission gemäß dem Verfahren nach Artikel 37 einen Vorschlag für eine harmonisierte Einstufung und Kennzeichnung.

Artikel 53

Anpassungen an den technischen und wissenschaftlichen Fortschritt

(1) Die Kommission kann Artikel 6 Absatz 5, Artikel 11 Absatz 3, Artikel 12, Artikel 14, Artikel 18 Absatz 3 Buchstabe b, Artikel 23, Artikel 25 bis 29 und Artikel 35 Absatz 2 Unterabsätze 2 und 3 sowie die Anhänge I bis VII an den technischen und wissenschaftlichen Fortschritt anpassen; dabei berücksichtigt sie gebührend die Weiterentwicklung des GHS, insbesondere alle Änderungen der VN in Verbindung mit der Verwendung von Informationen über ähnliche Gemische, und prüft die Entwicklungen in international anerkannten Programmen zur Chemikaliensicherheit und Daten aus Unfalldatenbanken. Diese Maßnahmen zur Änderung nicht wesentlicher Bestimmungen dieser Verordnung werden nach dem in Artikel 54 Absatz 3 genannten Regelungsverfahren mit Kontrolle erlassen. Aus Gründen äußerster Dringlichkeit kann die Kommission auf das in Artikel 54 Absatz 4 genannte Dringlichkeitsverfahren zurückgreifen.

(2) Die Mitgliedstaaten und die Kommission fördern in der Art und Weise, die ihrer Rolle in den entsprechenden Foren der VN entspricht, die Harmonisierung der Kriterien für die Einstufung und Kennzeichnung von Stoffen als persistente, bioakkumulierbare und toxische Stoffe (PBT) oder als sehr persistente und sehr bioakkumulierbare Stoffe (vPvB) auf der Ebene der VN.

Artikel 54

Ausschussverfahren

(1) Die Kommission wird von dem durch Artikel 133 der Verordnung (EG) Nr. 1907/2006 eingesetzten Ausschuss unterstützt.

(2) Wird auf diesen Absatz Bezug genommen, so gelten die Artikel 5 und 7 des Beschlusses 1999/468/EG unter Beachtung von dessen Artikel 8.

Der Zeitraum nach Artikel 5 Absatz 6 des Beschlusses 1999/468/EG wird auf drei Monate festgesetzt.

(3) Wird auf diesen Absatz Bezug genommen, so gelten Artikel 5a Absätze 1 bis 4 und Artikel 7 des Beschlusses 1999/468/EG unter Beachtung von dessen Artikel 8.

(4) Wird auf diesen Absatz Bezug genommen, so gelten Artikel 5a Absätze 1, 2, 4 und 6 sowie Artikel 7 des Beschlusses 1999/468/EG unter Beachtung von dessen Artikel 8.

Artikel 55

Änderung der Richtlinie 67/548/EWG

Die Richtlinie 67/548/EWG wird wie folgt geändert:

1. Artikel 1 Absatz 2 Unterabsatz 2 wird gestrichen.

2. Artikel 4 wird wie folgt geändert:

a) Absatz 3 erhält folgende Fassung:

„(3) Wurde ein Eintrag mit der harmonisierten Einstufung und Kennzeichnung für einen bestimmten Stoff in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (*) aufgenommen, wird der Stoff gemäß diesem Eintrag eingestuft, und die Absätze 1 und 2 gelten nicht für von diesem Eintrag erfasste Gefahrenkategorien.“

(*) ABl. L 353. vom 31.12.2008, S. 1“

b) Absatz 4 wird gestrichen.

3. Artikel 5 wird wie folgt geändert:

a) Absatz 1 Unterabsatz 2 wird gestrichen.

b) Absatz 2 erhält folgende Fassung:

„(2) Die in Absatz 1 Unterabsatz 1 genannten Maßnahmen gelten, bis der Stoff für die betreffenden Gefahrenkategorien in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 aufgenommen wurde oder bis gemäß dem Verfahren nach Artikel 37 der Verordnung (EG) Nr. 1272/2008 ein Beschluss über die Nichtaufnahme dieses Stoffes ergangen ist.“

4. Artikel 6 erhält folgende Fassung:

„Artikel 6

Pflicht zur Anstellung von Nachforschungen

Die Hersteller, Vertreiber und Einführer von Stoffen, für die noch kein Eintrag in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 aufgenommen wurde, die aber im EINECS aufgeführt sind, stellen Nachforschungen an, um sich die einschlägigen und zugänglichen Daten zu den Eigenschaften dieser Stoffe zu verschaffen. Anhand dieser Informationen verpacken sie diese Stoffe und kennzeichnen sie vorläufig gemäß den Artikeln 22 bis 25 der vorliegenden Richtlinie sowie den Kriterien des Anhangs VI der vorliegenden Richtlinie.“

5. Artikel 22 Absätze 3 und 4 werden gestrichen.

6. Artikel 23 Absatz 2 wird wie folgt geändert:

a) In Buchstabe a werden die Worte „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.

b) In Buchstabe c werden die Worte „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.

- c) In Buchstabe d werden die Worte „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
- d) In Buchstabe e werden die Worte „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
- e) In Buchstabe f werden die „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
7. Artikel 24 Absatz 4 Unterabsatz 2 wird gestrichen.
8. Artikel 28 wird gestrichen.
9. In Artikel 31 werden die Absätze 2 und 3 gestrichen.
10. Der folgende Artikel wird nach Artikel 32 eingefügt:
- „Artikel 32a
- Übergangsbestimmungen für die Kennzeichnung und Verpackung von Stoffen**
- Ab dem 1. Dezember 2010 finden die Artikel 22 bis 25 keine Anwendung auf Stoffe.“
11. Anhang I wird gestrichen.
- Artikel 56*
- Änderung der Richtlinie 1999/45/EWG**
- Die Richtlinie 1999/45/EG wird wie folgt geändert:
1. In Artikel 3 Absatz 2 erster Gedankenstrich werden die Worte „Anhang I der Richtlinie 67/548/EWG“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (*) ersetzt.
- _____
- (*) ABl. L 353. vom 31.12.2008, S. 1“.
2. Die Worte „Anhang I der Richtlinie 67/548/EWG“ werden an folgenden Stellen durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt:
- a) Artikel 3 Absatz 3,
- b) Artikel 10 Absatz 2 Nummern 2.3.1, 2.3.2, 2.3.3 sowie Nummer 2.4 erster Gedankenstrich,
- c) Anhang II Einleitung Buchstaben a und b sowie im letzten Absatz der Einleitung,
- d) Anhang II Teil A
- Nummer 1.1.1 Buchstaben a und b,
- Nummer 1.2 Buchstaben a und b,
- Nummer 2.1.1 Buchstaben a und b,
- Nummer 2.2 Buchstaben a und b,
- Nummer 2.3 Buchstaben a und b,
- Nummer 3.1.1 Buchstaben a und b,
- Nummer 3.3 Buchstaben a und b,
- Nummer 3.4 Buchstaben a und b,
- Nummer 4.1.1 Buchstaben a und b,
- Nummer 4.2.1 Buchstaben a und b,
- Nummer 5.1.1 Buchstaben a und b,
- Nummer 5.2.1 Buchstaben a und b,
- Nummer 5.3.1 Buchstaben a und b,
- Nummer 5.4.1 Buchstaben a und b,
- Nummer 6.1 Buchstaben a und b,
- Nummer 6.2 Buchstaben a und b,
- Nummer 7.1 Buchstaben a und b,
- Nummer 7.2 Buchstaben a und b,
- Nummer 8.1 Buchstaben a und b,
- Nummer 8.2 Buchstaben a und b,
- Nummer 9.1 Buchstaben a und b,
- Nummer 9.2 Buchstaben a und b,
- Nummer 9.3 Buchstaben a und b,
- Nummer 9.4 Buchstaben a und b,
- e) Anhang II Teil B Einleitung,
- f) Anhang III Einleitung Buchstaben a und b,
- g) Anhang III Teil A Abschnitt a „Aquatrische Umwelt“
- Nummer 1.1 Buchstaben a und b,
- Nummer 2.1 Buchstaben a und b,
- Nummer 3.1 Buchstaben a und b,
- Nummer 4.1 Buchstaben a und b,
- Nummer 5.1 Buchstaben a und b,
- Nummer 6.1 Buchstaben a und b,

- h) Anhang III Teil A Abschnitt b „Nichtaquatische Umwelt“ Nummer 1.1 Buchstaben a und b,
 - i) Anhang V Abschnitt A Nummern 3 und 4,
 - j) Anhang V Abschnitt B Nummer 9,
 - k) Anhang VI Teil A Nummer 2 dritte Spalte der Tabelle,
 - l) Anhang VI Teil B Nummer 1 Absatz 1 und Nummer 3 erste Spalte der Tabelle,
 - m) Anhang VIII Anlage 1 zweite Spalte der Tabelle,
 - n) Anhang VIII Anlage 2 zweite Spalte der Tabelle.
3. In Anhang VI Teil B Nummer 1 Absatz 3 erster Gedankenstrich und Absatz 5 werden die Worte „Anhang I“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
 4. In Anhang VI Teil B Nummer 4.2 letzter Absatz werden die Worte „Anhang I der Richtlinie 67/548/EWG“ durch die Worte „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.

Artikel 57

Änderung der Verordnung (EG) Nr. 1907/2006 ab dem Inkrafttreten der vorliegenden Verordnung

Die Verordnung (EG) Nr. 1907/2006 wird ab dem Inkrafttreten der vorliegenden Verordnung wie folgt geändert:

1. Artikel 14 Absatz 2 wird wie folgt geändert:
 - a) Buchstabe b wird durch folgende Buchstaben ersetzt:
 - „b) die spezifischen Konzentrationsgrenzwerte nach Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (*);
 - ba) bei als gewässergefährdend eingestuften Stoffen, wenn ein Multiplikationsfaktor (nachstehend ‚M-Faktor‘ genannt) in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 festgelegt wurde: der Berücksichtigungsgrenzwert in Tabelle 1.1 in Anhang I der genannten Verordnung nach Anpassung unter Verwendung der Berechnungsmethode gemäß Anhang I Abschnitt 4.1 der genannten Verordnung;
- _____
- (*) ABl. L 353. vom 31.12.2008, S. 1“.
- b) Buchstabe e wird durch folgende Buchstaben ersetzt:
 - „e) die spezifischen Konzentrationsgrenzwerte eines einvernehmlichen Eintrags in das Einstufungs- und Kennzeichnungsverzeichnis nach Artikel 42 der Verordnung (EG) Nr. 1272/2008;

- ea) bei als gewässergefährdend eingestuften Stoffen, wenn ein M-Faktor in einem einvernehmlichen Eintrag in das Einstufungs- und Kennzeichnungsverzeichnis nach Artikel 42 der Verordnung (EG) Nr. 1272/2008 festgelegt wurde: der Berücksichtigungsgrenzwert in Tabelle 1.1 in Anhang I der genannten Verordnung nach Anpassung unter Verwendung der Berechnungsmethode gemäß Anhang I Abschnitt 4.1 der genannten Verordnung;“.

2. Artikel 31 wird wie folgt geändert:

- a) Absatz 8 erhält folgende Fassung:

„(8) Das Sicherheitsdatenblatt wird auf Papier oder elektronisch kostenlos zur Verfügung gestellt, und zwar spätestens an dem Tag, an dem der Stoff oder das Gemisch erstmals geliefert wird.“

- b) Folgender Absatz wird angefügt:

„(10) Werden Stoffe vom Zeitpunkt des Inkrafttretens der Verordnung (EG) Nr. 1272/2008 bis zum 1. Dezember 2010 nach der genannten Verordnung eingestuft, kann diese Einstufung zusammen mit der Einstufung nach der Richtlinie 67/548/EWG im Sicherheitsdatenblatt eingefügt werden.“

Ab dem 1. Dezember 2010 bis zum 1. Juni 2015 enthalten die Sicherheitsdatenblätter für Stoffe die Einstufung sowohl nach der Richtlinie 67/548/EWG als auch nach der Verordnung (EG) Nr. 1272/2008.

Werden Gemische vom Zeitpunkt des Inkrafttretens der Verordnung (EG) Nr. 1272/2008 bis zum 1. Juni 2015 nach der genannten Verordnung eingestuft, kann diese Einstufung zusammen mit der Einstufung nach der Richtlinie 1999/45/EG im Sicherheitsdatenblatt eingefügt werden. Bis zum 1. Juni 2015 wird jedoch die Einstufung von Stoffen oder Gemischen, die nach der Verordnung (EG) Nr. 1272/2008 sowohl eingestuft als auch gekennzeichnet sind, im Sicherheitsdatenblatt zusammen mit der Einstufung nach der Richtlinie 67/548/EWG bzw. 1999/45/EG für den Stoff, das Gemisch und seine einzelnen Bestandteile angegeben.“

3. Artikel 56 Absatz 6 Buchstabe b erhält folgende Fassung:

- „b) bei allen anderen Stoffen, deren Konzentration unterhalb der niedrigsten Grenzwerte der Richtlinie 1999/45/EG oder des Anhangs VI Teil 3 der Verordnung (EG) Nr. 1272/2008 liegt, nach denen das Gemisch als gefährlich eingestuft wird.“

4. Artikel 59 Absätze 2 und 3 werden wie folgt geändert:

- a) Absatz 2 Satz 2 erhält folgende Fassung:

„Dieses Dossier kann gegebenenfalls auf den Verweis auf einen Eintrag in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 begrenzt werden.“

- b) Absatz 3 Satz 2 erhält folgende Fassung:
- „Dieses Dossier kann gegebenenfalls auf den Verweis auf einen Eintrag in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 begrenzt werden.“
5. In Artikel 76 Absatz 1 Buchstabe c wird der Ausdruck „Titel XI“ durch den Ausdruck „Titel V der Verordnung (EG) Nr. 1272/2008“ ersetzt.
6. Artikel 77 wird wie folgt geändert:
- a) Absatz 2 Buchstabe e Satz 1 erhält folgende Fassung:
- „e) Aufbau und Unterhaltung einer Datenbank/von Datenbanken mit Informationen zu allen registrierten Stoffen, mit dem Einstufungs- und Kennzeichnungsverzeichnis und mit der harmonisierten Einstufungs- und Kennzeichnungsliste gemäß der Verordnung (EG) Nr. 1272/2008.“
- b) In Absatz 3 Buchstabe a wird der Ausdruck „Titeln VI bis XI“ durch den Ausdruck „Titeln VI bis X“ ersetzt.
7. Titel XI wird gestrichen.
8. Anhang XV Abschnitte I und II werden wie folgt geändert:
- a) Abschnitt I wird wie folgt geändert:
- i) Der erste Gedankenstrich wird gestrichen.
- ii) Der zweite Gedankenstrich erhält folgende Fassung:
- „— Identifizierung von CMR-, PBT-, vPvB- oder ähnlich besorgniserregenden Stoffen gemäß Artikel 59;“.
- b) In Abschnitt II wird die Nummer 1 gestrichen.
9. In Anhang XVII wird die Tabelle wie folgt geändert:
- a) Die Spalte „Bezeichnung des Stoffes, der Stoffgruppen oder der Zubereitungen“ wird wie folgt geändert:
- i) Die Einträge 28, 29 und 30 erhalten folgende Fassung:
- „28. Stoffe in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008, die als karzinogene Stoffe der Kategorie 1A oder 1B (Tabelle 3.1) oder als karzinogene Stoffe der Kategorie 1 oder 2 (Tabelle 3.2) eingestuft und wie folgt aufgeführt sind:
- Karzinogene Stoffe: Kategorie 1A (Tabelle 3.1)/Kategorie 1 (Tabelle 3.2) in Anlage 1.
 - Karzinogene Stoffe: Kategorie 1B (Tabelle 3.1)/Kategorie 2 (Tabelle 3.2) in Anlage 2.
29. Stoffe in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008, die als keimzellmutagene Stoffe der Kategorie 1A oder 1B (Tabelle 3.1) oder als mutagene Stoffe der Kategorie 1 oder 2 (Tabelle 3.2) eingestuft und wie folgt aufgeführt sind:
- Mutagene Stoffe: Kategorie 1A (Tabelle 3.1)/Kategorie 1 (Tabelle 3.2) in Anlage 3.
 - Mutagene Stoffe: Kategorie 1B (Tabelle 3.1)/Kategorie 2 (Tabelle 3.2) in Anlage 4.
30. Stoffe in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008, die als reproduktionstoxische Stoffe der Kategorie 1A oder 1B (Tabelle 3.1) oder als reproduktionstoxische Stoffe der Kategorie 1 oder 2 (Tabelle 3.2) eingestuft und wie folgt aufgeführt sind:
- Reproduktionstoxische Stoffe: Kategorie 1A — Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung (Tabelle 3.1) oder Kategorie 1 mit R60 (Kann die Fortpflanzungsfähigkeit beeinträchtigen) oder R61 (Kann das Kind im Mutterleib schädigen) (Tabelle 3.2) in Anlage 5.
 - Reproduktionstoxische Stoffe: Kategorie 1B — Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung (Tabelle 3.1) oder Kategorie 2 mit R60 (Kann die Fortpflanzungsfähigkeit beeinträchtigen) oder R61 (Kann das Kind im Mutterleib schädigen) (Tabelle 3.2) in Anlage 6.“
- b) In der Spalte „Beschränkungsbedingungen“ erhält Eintrag 28 Nummer 1 erster Gedankenstrich folgende Fassung:
- „— die jeweiligen in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 festgelegten spezifischen Konzentrationsgrenzwerte oder“.
10. Anhang XVII Anlagen 1 bis 6 werden wie folgt geändert:
- a) Die Einleitung wird wie folgt geändert:
- i) In dem Abschnitt mit dem Titel „Stoffname“ wird der Ausdruck „Anhang I der Richtlinie 67/548/EWG“ durch den Ausdruck „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
- ii) In dem Abschnitt mit dem Titel „Indexnummer“ wird der Ausdruck „Anhang I der Richtlinie 67/548/EWG“ durch den Ausdruck „Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008“ ersetzt.
- iii) In dem Abschnitt mit dem Titel „Anmerkungen“ wird der Ausdruck „der Einleitung zum Anhang I der Richtlinie 67/548/EWG“ durch den Ausdruck „Anhang VI Teil 1 der Verordnung (EG) Nr. 1272/2008“ ersetzt.

iv) Anmerkung A erhält folgende Fassung:

„Anmerkung A:

Unbeschadet des Artikels 17 Absatz 2 der Verordnung (EG) Nr. 1272/2008 muss der Name des Stoffes auf dem Kennzeichnungsetikett unter einer der in Anhang VI Teil 3 der genannten Verordnung aufgeführten Bezeichnungen angegeben werden.

In einigen Fällen wird in diesem Teil eine allgemeine Beschreibung wie ‚Verbindungen des ...‘ oder ‚Salze der ...‘ verwendet. In diesem Fall hat der Lieferant, der einen solchen Stoff in Verkehr bringt, auf dem Kennzeichnungsetikett die korrekte Bezeichnung anzugeben; dabei ist Anhang VI Teil 1 Abschnitt 1.1.1.4 der Verordnung (EG) Nr. 1272/2008 gebührend zu berücksichtigen.

Ist ein Stoff in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 aufgeführt, werden im Einklang mit der genannten Verordnung auf dem Kennzeichnungsetikett die Kennzeichnungselemente für jede einzelne von dem Eintrag in diesem Teil erfasste Einstufung zusammen mit den geltenden Kennzeichnungselementen für alle anderen nicht von diesem Eintrag erfassten Einstufungen sowie alle anderen geltenden Kennzeichnungselemente nach Artikel 17 der genannten Verordnung verwendet.

Für Stoffe, die zu einer der Stoffgruppen in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 gehören, werden auf dem Kennzeichnungsetikett die Kennzeichnungselemente für jede einzelne von dem Eintrag in diesem Teil erfasste Einstufung zusammen mit den geltenden Kennzeichnungselementen für alle anderen nicht von diesem Eintrag erfassten Einstufungen sowie alle anderen geltenden Kennzeichnungselemente nach Artikel 17 der genannten Verordnung verwendet.

Für Stoffe, die zu mehreren Stoffgruppen in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 gehören, werden auf dem Kennzeichnungsetikett die Kennzeichnungselemente für jede einzelne von beiden Einträgen in diesem Teil erfasste Einstufung zusammen mit den geltenden Kennzeichnungselementen für alle anderen nicht von diesem Eintrag erfassten Einstufungen sowie alle anderen geltenden Kennzeichnungselemente nach Artikel 17 der genannten Verordnung verwendet. Sind in zwei Einträgen für dieselbe Gefahrenklasse oder Differenzierung verschiedene Einstufungen angegeben, so ist die strengere Einstufung zu verwenden.“

v) Anmerkung D erhält folgende Fassung:

„Anmerkung D:

Bestimmte Stoffe, die zu spontaner Polymerisierung oder Zersetzung neigen, werden

üblicherweise in einer stabilisierten Form in den Verkehr gebracht. In dieser Form werden sie auch in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 aufgeführt.

Allerdings gelangen diese Stoffe gelegentlich auch in nicht stabilisierter Form in den Verkehr. In diesem Fall muss der Lieferant, der einen solchen Stoff in den Verkehr bringt, auf dem Kennzeichnungsetikett den Namen des Stoffes und dahinter die Worte ‚nicht stabilisiert‘ angeben.“

vi) Anmerkung E wird gestrichen.

vii) Anmerkung H erhält folgende Fassung:

„Anmerkung H:

Die für diesen Stoff anzuwendende Einstufung und das entsprechende Kennzeichnungsetikett gelten für die in dem/den Gefahrenhinweis(en) im Zusammenhang mit der in der betreffenden Einstufung genannte(n) Gefahr(en). Die Anforderungen des Artikels 4 der Verordnung (EG) Nr. 1272/2008 an die Lieferanten dieses Stoffes gelten für alle übrigen Gefahrenklassen, -differenzierungen und -kategorien.

Das endgültige Kennzeichnungsetikett muss den Anforderungen des Anhangs I Abschnitt 1.2 der Verordnung (EG) Nr. 1272/2008 entsprechen.“

viii) Anmerkung K erhält folgende Fassung:

„Anmerkung K:

Die Einstufung als ‚karzinogen‘ oder ‚mutagen‘ ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 0,1 Gewichtsprozent 1,3-Butadien (EINECS-Nr. 203-450-8) enthält. Wird der Stoff nicht als karzinogen oder mutagen eingestuft, so gelten zumindest die Sicherheitshinweise (102)210-403. Diese Anmerkung gilt nur für bestimmte komplexe Ölderivate in Anhang VI der Verordnung (EG) Nr. 1272/2008.“

ix) Anmerkung S erhält folgende Fassung:

„Anmerkung S:

Für diesen Stoff ist gegebenenfalls kein Kennzeichnungsetikett gemäß Artikel 17 der Verordnung (EG) Nr. 1272/2008 erforderlich (siehe Anhang I Abschnitt 1.3 der genannten Verordnung).“

b) Der Titel der Anlage 1 erhält folgende Fassung:

„Nummer 28 — Karzinogene Stoffe: Kategorie 1A (Tabelle 3.1)/Kategorie 1 (Tabelle 3.2).“

c) Anlage 2 wird wie folgt geändert:

i) Der Titel erhält folgende Fassung: „Nummer 28 — Karzinogene Stoffe: Kategorie 1B (Tabelle 3.1)/Kategorie 2 (Tabelle 3.2).“

- ii) In den Einträgen mit den Indexnummern 024-017-00-8, 611-024-001, 611-029-00-9, 611-030-00-4 und 650-017-00-8 wird der Ausdruck „Anhang I der Richtlinie 67/548/EWG“ durch den Ausdruck „Anhang VI der Verordnung (EG) Nr. 1272/2008“ ersetzt.
- d) Der Titel der Anlage 3 erhält folgende Fassung:
„Nummer 29 — Mutagene Stoffe: Kategorie 1A (Tabelle 3.1)/Kategorie 1 (Tabelle 3.2)“.
- e) Der Titel der Anlage 4 erhält folgende Fassung:
„Nummer 29 — Mutagene Stoffe: Kategorie 1B (Tabelle 3.1)/Kategorie 2 (Tabelle 3.2)“.
- f) Der Titel der Anlage 5 erhält folgende Fassung:
„Nummer 30 — Reproduktionstoxische Stoffe: Kategorie 1A (Tabelle 3.1)/Kategorie 1 (Tabelle 3.2)“.
- g) Der Titel der Anlage 6 erhält folgende Fassung:
„Nummer 30 — Reproduktionstoxische Stoffe: Kategorie 1B (Tabelle 3.1)/Kategorie 2 (Tabelle 3.2)“.
11. Das Wort „Zubereitung“ bzw. „Zubereitungen“ im Sinne von Artikel 3 Absatz 2 der Verordnung (EG) Nr. 1907/2006 wird im gesamten Text durch das Wort „Gemisch“ bzw. „Gemische“ ersetzt.

Artikel 58

Änderung der Verordnung (EG) Nr. 1907/2006 ab dem 1. Dezember 2010

Die Verordnung (EG) Nr. 1907/2006 wird ab dem 1. Dezember 2010 wie folgt geändert:

1. In Artikel 14 erhält der Eingangssatz von Absatz 4 folgende Fassung:
- „(4) Kommt der Registrant im Anschluss an die Schritte a bis d des Absatzes 3 zu dem Schluss, dass der Stoff den Kriterien für eine der folgenden in Anhang I der Verordnung (EG) Nr. 1272/2008 dargelegten Gefahrenklassen oder -kategorien entspricht:
- a) Gefahrenklassen 2.1 bis 2.4, 2.6 und 2.7, 2.8 Typen A und B, 2.9, 2.10, 2.12, 2.13 Kategorien 1 und 2, 2.14 Kategorien 1 und 2, 2.15 Typen A bis F,
- b) Gefahrenklassen 3.1 bis 3.6, 3.7 Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung, 3.8 ausgenommen narkotisierende Wirkungen, 3.9 und 3.10,
- c) Gefahrenklasse 4.1,
- d) Gefahrenklasse 5.1,

oder dass der Stoff als PBT oder vPvB zu beurteilen ist, so umfasst die Stoffsicherheitsbeurteilung auch folgende zusätzliche Schritte:

2. Artikel 31 wird wie folgt geändert:
- a) Absatz 1 Buchstabe a erhält folgende Fassung:
„a) wenn der Stoff die Kriterien für die Einstufung als gefährlich gemäß der Verordnung (EG) Nr. 1272/2008 erfüllt oder wenn das Gemisch die Kriterien für die Einstufung als gefährlich gemäß der Richtlinie 1999/45/EG erfüllt oder“.
- b) Absatz 4 erhält folgende Fassung:
„(4) Sofern dies nicht von einem nachgeschalteten Anwender oder Händler verlangt wird, braucht das Sicherheitsdatenblatt nicht zur Verfügung gestellt zu werden, wenn gefährliche Stoffe im Sinne der Verordnung (EG) Nr. 1272/2008 oder gefährliche Gemische im Sinne der Richtlinie 1999/45/EG, die der breiten Öffentlichkeit angeboten oder verkauft werden, mit ausreichenden Informationen versehen sind, die es dem Anwender ermöglichen, die erforderlichen Maßnahmen für den Schutz der menschlichen Gesundheit, für die Sicherheit und für die Umwelt zu ergreifen.“
3. Artikel 40 Absatz 1 erhält folgende Fassung:
„(1) Die Agentur prüft alle Versuchsvorschläge, die in einer Registrierung oder in der Mitteilung eines nachgeschalteten Anwenders zur Vorlage der Informationen gemäß den Anhängen IX und X für einen Stoff enthalten sind. Vorrang ist den Registrierungen von Stoffen zu geben, die PBT-, vPvB-, sensibilisierende und/oder karzinogene, mutagene oder reproduktionstoxische (CMR-) Eigenschaften haben oder haben können, oder Stoffen in Mengen von mehr als 100 Tonnen pro Jahr in Verwendungen mit breit gestreuter, nicht klar abgegrenzter Exposition, sofern sie die Kriterien für eine der folgenden in Anhang I der Verordnung (EG) Nr. 1272/2008 dargelegten Gefahrenklassen oder -kategorien erfüllen:
- a) Gefahrenklassen 2.1 bis 2.4, 2.6 und 2.7, 2.8 Typen A und B, 2.9, 2.10, 2.12, 2.13 Kategorien 1 und 2, 2.14 Kategorien 1 und 2, 2.15 Typen A bis F,
- b) Gefahrenklassen 3.1 bis 3.6, 3.7 Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung, 3.8 ausgenommen narkotisierende Wirkungen, 3.9 und 3.10,
- c) Gefahrenklasse 4.1,
- d) Gefahrenklasse 5.1.“
4. Artikel 57 Buchstaben a, b und c erhalten folgende Fassung:
„a) Stoffe, die die Kriterien für die Einstufung in die Gefahrenklasse Karzinogenität der Kategorie 1A oder 1B gemäß Anhang I Abschnitt 3.6 der Verordnung (EG) Nr. 1272/2008 erfüllen;
- b) Stoffe, die die Kriterien für die Einstufung in die Gefahrenklasse Keimzellmutagenität der Kategorie 1A oder 1B gemäß Anhang I Abschnitt 3.5 der Verordnung (EG) Nr. 1272/2008 erfüllen;

- c) Stoffe, die wegen Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung die Kriterien für die Einstufung in die Gefahrenklasse Reproduktionstoxizität der Kategorie 1A oder 1B gemäß Anhang I Abschnitt 3.7 der Verordnung (EG) Nr. 1272/2008 erfüllen;“.
5. In Artikel 65 werden die Worte „Richtlinien 67/548/EWG“ durch die Worte „Richtlinie 67/548/EWG und der Verordnung (EG) Nr. 1272/2008 sowie der Richtlinie“ ersetzt.
6. Artikel 68 Absatz 2 erhält folgende Fassung:
- „(2) Für einen Stoff als solchen, in einem Gemisch oder in einem Erzeugnis, der die Kriterien für die Einstufung in die Gefahrenklassen Karzinogenität, Keimzellmutagenität oder Reproduktionstoxizität der Kategorie 1A oder 1B erfüllt und von Verbrauchern verwendet werden könnte und für den von der Kommission Beschränkungen der Verwendung durch Verbraucher vorgeschlagen werden, wird Anhang XVII nach dem in Artikel 133 Absatz 4 genannten Verfahren geändert. Die Artikel 69 bis 73 finden keine Anwendung.“
7. Artikel 119 wird wie folgt geändert:
- a) Absatz 1 Buchstabe a erhält folgende Fassung:
- „a) unbeschadet des Absatzes 2 Buchstaben f und g dieses Artikels die Bezeichnung laut IUPAC-Nomenklatur für die Stoffe, die die Kriterien einer der folgenden Gefahrenklassen oder -kategorien nach Anhang I der Verordnung (EG) Nr. 1272/2008 erfüllen:
- Gefahrenklassen 2.1 bis 2.4, 2.6 und 2.7, 2.8 Typen A und B, 2.9, 2.10, 2.12, 2.13 Kategorien 1 und 2, 2.14 Kategorien 1 und 2, 2.15 Typen A bis F;
 - Gefahrenklassen 3.1 bis 3.6, 3.7 Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung, 3.8 ausgenommen narkotisierende Wirkungen, 3.9 und 3.10;
 - Gefahrenklasse 4.1;
 - Gefahrenklasse 5.1.“
- b) Absatz 2 wird wie folgt geändert:
- i) Buchstabe f erhält folgende Fassung
- „f) vorbehaltlich des Artikels 24 der Verordnung (EG) Nr. 1272/2008 die Bezeichnung gemäß der IUPAC-Nomenklatur für die in Absatz 1 Buchstabe a des vorliegenden Artikels genannten Nicht-Phase-in-Stoffe für einen Zeitraum von sechs Jahren;“.
- ii) In Buchstabe g erhält der Eingangssatz folgende Fassung:
- „g) vorbehaltlich des Artikels 24 der Verordnung (EG) Nr. 1272/2008 die Bezeichnung
- gemäß der IUPAC-Nomenklatur für die in Absatz 1 Buchstabe a dieses Artikels genannten Stoffe, die ausschließlich für einen oder mehrere der folgenden Zwecke verwendet werden.“.
8. In Artikel 138 Absatz 1 erhält der Eingangsteil Satz 2 folgende Fassung:
- „Für Stoffe, die die Kriterien für die Einstufung in die Gefahrenklassen Karzinogenität, Keimzellmutagenität oder Reproduktionstoxizität der Kategorie 1A oder 1B gemäß der Verordnung (EG) Nr. 1272/2008 erfüllen, ist die Überprüfung jedoch bis zum 1. Juni 2014 vorzunehmen.“
9. Anhang III wird wie folgt geändert:
- a) Buchstabe a erhält folgende Fassung:
- „a) Stoffe, bei denen (beispielsweise durch Anwendung von (Q)SAR oder aufgrund anderer Erkenntnisse) vorhersehbar ist, dass sie die Kriterien für eine Einstufung in Kategorie 1A oder 1B der Gefahrenklassen Karzinogenität, Keimzellmutagenität oder Reproduktionstoxizität oder die Kriterien des Anhangs XIII wahrscheinlich erfüllen.“
- b) Buchstabe b Ziffer ii erhält folgende Fassung:
- „ii) bei denen (beispielsweise durch Anwendung von (Q)SAR oder aufgrund anderer Erkenntnisse) vorhersehbar ist, dass sie die Kriterien für eine Einstufung nach der Verordnung (EG) Nr. 1272/2008 für eine der Gefahrenklassen oder Differenzierungen in den Bereichen ‚Gesundheitsgefahren‘ oder ‚Umweltgefahren‘ wahrscheinlich erfüllen.“
10. In Anhang V Nummer 8 wird der Ausdruck „Richtlinie 67/548/EWG“ durch den Ausdruck „Verordnung (EG) Nr. 1272/2008“ ersetzt.
11. In Anhang VI erhalten die Abschnitte 4.1, 4.2 und 4.3 folgende Fassung:
- „4.1 Einstufung des Stoffes/der Stoffe in Gefahrenklassen nach den Titeln I und II der Verordnung (EG) Nr. 1272/2008 für alle Gefahrenklassen und -kategorien der genannten Verordnung.
- Zusätzlich werden für jeden Eintrag die Gründe angegeben, weshalb für eine bestimmte Gefahrenklasse oder Differenzierung einer Gefahrenklasse keine Einstufung vorgenommen wurde (fehlende, nicht schlüssige oder schlüssige, aber für die Einstufung nicht ausreichende Daten).
- 4.2. Kennzeichnung des Stoffes/der Stoffe nach Titel III der Verordnung (EG) Nr. 1272/2008.

4.3 Gegebenenfalls die nach Artikel 10 der Verordnung (EG) Nr. 1272/2008 und nach den Artikeln 4 bis 7 der Richtlinie 1999/45/EG ermittelten spezifischen Konzentrationsgrenzwerte.“

12. Anhang VIII wird wie folgt geändert:

a) In Spalte 2 erhält Nummer 8.4.2 zweiter Gedankenstrich folgende Fassung:

„— wenn der Stoff als karzinogen (Kategorie 1A oder 1B) oder keimzellmutagen (Kategorie 1A, 1B oder 2) bekannt ist.“

b) In Spalte 2 erhalten Nummer 8.7.1 Absätze 2 und 3 folgende Fassung:

„Hat ein Stoff bekanntermaßen beeinträchtigende Wirkungen auf die Fruchtbarkeit, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann die Fruchtbarkeit beeinträchtigen (H360F)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche in Bezug auf die Fruchtbarkeit erforderlich. Versuche zur Entwicklungstoxizität sind jedoch in Betracht zu ziehen.“

Ist ein Stoff bekanntermaßen Ursache für Entwicklungstoxizität, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann das ungeborene Kind schädigen (H360D)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche zur Entwicklungstoxizität erforderlich. Versuche zu den Wirkungen auf die Fruchtbarkeit sind jedoch in Betracht zu ziehen.“

13. Anhang IX Spalte 2 Nummer 8.7 Absätze 2 und 3 erhält folgende Fassung:

„Hat ein Stoff bekanntermaßen beeinträchtigende Wirkungen auf die Fruchtbarkeit, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann die Fruchtbarkeit beeinträchtigen (H360F)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche in Bezug auf Fruchtbarkeit erforderlich. Versuche zur Entwicklungstoxizität sind jedoch in Betracht zu ziehen.“

Ist ein Stoff bekanntermaßen Ursache für Entwicklungstoxizität, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann das ungeborene Kind schädigen (H360D)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche zur Entwicklungstoxizität erforderlich. Versuche zu den Wirkungen auf die Fruchtbarkeit sind jedoch in Betracht zu ziehen.“

14. Anhang X wird wie folgt geändert:

a) In Spalte 2 erhält Nummer 8.7 Absätze 2 und 3 folgende Fassung:

„Hat ein Stoff bekanntermaßen beeinträchtigende Wirkungen auf die Fruchtbarkeit, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann die Fruchtbarkeit beeinträchtigen (H360F)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche in Bezug auf Fruchtbarkeit erforderlich. Versuche zur Entwicklungstoxizität sind jedoch in Betracht zu ziehen.“

Ist ein Stoff bekanntermaßen Ursache für Entwicklungstoxizität, so dass die Kriterien für eine Einstufung als reproduktionstoxisch (Kategorie 1A oder 1B: Kann das ungeborene Kind schädigen (H360D)) erfüllt sind, und reichen die verfügbaren Daten für eine robuste Risikobewertung aus, so sind keine weiteren Versuche zur Entwicklungstoxizität erforderlich. Versuche zu den Wirkungen auf die Fruchtbarkeit sind jedoch in Betracht zu ziehen.“

b) In Spalte 2 erhält Nummer 8.9.1 Absatz 1 zweiter Gedankenstrich folgende Fassung:

„— wenn der Stoff als keimzellmutagen der Kategorie 2 eingestuft ist oder wenn Prüfungen mit wiederholter Verabreichung ergeben haben, dass der Stoff Hyperplasie und/oder präneoplastische Veränderungen hervorrufen kann.“

c) In Spalte 2 erhält Nummer 8.9.1 Absatz 2 folgende Fassung:

„Ist der Stoff als keimzellmutagen der Kategorien 1A oder 1B eingestuft, so ist normalerweise davon auszugehen, dass ein genotoxischer Mechanismus für die Karzinogenität wahrscheinlich ist. In diesen Fällen wird normalerweise keine Prüfung der Karzinogenität verlangt.“

15. Anhang XIII Nummer 1.3 zweiter und dritter Gedankenstrich erhalten folgende Fassung:

„— der Stoff als karzinogen (Kategorie 1A oder 1B), keimzellmutagen (Kategorie 1A oder 1B) oder reproduktionstoxisch (Kategorie 1A, 1B oder 2) eingestuft wird oder

— es andere Belege für chronische Toxizität gibt, die gemäß der Verordnung (EG) Nr. 1272/2008 eine -Einstufung der spezifischen Zielorgan-Toxizität (wiederholte Exposition), Kategorie 1 (oral, dermal, Inhalation von Gasen/Dämpfen, Inhalation von Staub/Nebel/Rauch) oder Kategorie 2 (oral, dermal, Inhalation von Gasen/Dämpfen, Inhalation von Staub/Nebel/Rauch) bedingen würden.“

16. In der Tabelle in Anhang XVII wird die Spalte „Bezeichnung des Stoffes, der Stoffgruppen oder der Gemische“ wie folgt geändert:

a) Eintrag 3 erhält folgende Fassung

„3. Flüssige Stoffe oder Gemische, die nach der Richtlinie 1999/45/EG als gefährlich gelten oder die Kriterien für eine der folgenden in Anhang I der Verordnung (EG) Nr. 1272/2008 dargelegten Gefahrenklassen oder -kategorien erfüllen:

- a) Gefahrenklassen 2.1 bis 2.4, 2.6 und 2.7, 2.8 Typen A und B, 2.9, 2.10, 2.12, 2.13 Kategorien 1 und 2, 2.14 Kategorien 1 und 2, 2.15 Typen A bis F;
- b) Gefahrenklassen 3.1 bis 3.6, 3.7 Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung, 3.8 ausgenommen narkotisierende Wirkungen, 3.9 und 3.10;
- c) Gefahrenklasse 4.1;
- d) Gefahrenklasse 5.1.“

b) Eintrag 40 erhält folgende Fassung:

„40. Stoffe, die als entzündbare Gase der Kategorien 1 oder 2, als entzündbare Flüssigkeiten der Kategorien 1, 2 oder 3, als entzündbare Feststoffe der Kategorie 1 oder 2, als Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln, der Kategorien 1, 2 oder 3, als selbstentzündliche (pyrophore) Flüssigkeiten der Kategorie 1 oder als selbstentzündliche (pyrophore) Feststoffe der Kategorie 1 eingestuft wurden, und zwar unabhängig davon, ob sie in Anhang VI Teil 3 dieser Verordnung aufgeführt sind.“

Artikel 59

Änderung der Verordnung (EG) Nr. 1907/2006 ab dem 1. Juni 2015

Die Verordnung (EG) Nr. 1907/2006 wird ab dem 1. Juni 2015 wie folgt geändert:

1. Artikel 14 Absatz 2 erhält folgende Fassung:

„(2) Eine Stoffsicherheitsbeurteilung nach Absatz 1 braucht nicht für einen Stoff durchgeführt zu werden, der Bestandteil eines Gemisches ist, wenn die Konzentration des Stoffes in dem Gemisch niedriger ist als

- a) der Berücksichtigungsgrenzwert nach Artikel 11 Absatz 3 der Verordnung (EG) Nr. 1272/2008;
- b) 0,1 Massenprozent (w/w), wenn der Stoff die Kriterien des Anhangs XIII der vorliegenden Verordnung erfüllt.“

2. Artikel 31 wird wie folgt geändert:

a) Absatz 1 Buchstabe a erhält folgende Fassung:

„a) wenn der Stoff oder das Gemisch die Kriterien für die Einstufung als gefährlich gemäß der Verordnung (EG) Nr. 1272/2008 erfüllt oder“.

b) Absatz 3 erhält folgende Fassung:

„(3) Der Lieferant stellt dem Abnehmer auf Verlangen ein Sicherheitsdatenblatt nach Anhang II zur Verfügung, wenn ein Gemisch die Kriterien für die Einstufung als gefährlich gemäß Titel I und II der Verordnung (EG) Nr. 1272/2008 zwar nicht erfüllt, aber

- a) bei nichtgasförmigen Gemischen in einer Einzelkonzentration von ≥ 1 Gewichtsprozent und bei gasförmigen Gemischen in einer Einzelkonzentration von $\geq 0,2$ Volumenprozent mindestens einen gesundheitsgefährdenden oder umweltgefährlichen Stoff enthält oder
- b) bei nichtgasförmigen Gemischen in einer Einzelkonzentration von $\geq 0,1$ Gewichtsprozent mindestens einen karzinogenen Stoff der Kategorie 2 enthält oder einen reproduktionstoxischen Stoff der Kategorie 1A, 1B oder 2, ein Hautallergen der Kategorie 1, ein Inhalationsallergen der Kategorie 1, einen Stoff, der Wirkungen auf oder über die Laktation hat, einen persistenten, bioakkumulierbaren und toxischen Stoff (PBT) gemäß den Kriterien nach Anhang XIII, einen sehr persistenten und sehr bioakkumulierbaren Stoff (vPvT) gemäß den Kriterien nach Anhang XIII oder einen Stoff, der aus anderen als den in Buchstabe a angeführten Gründen in die gemäß Artikel 59 Absatz 1 erstellte Liste aufgenommen wurde oder
- c) einen Stoff enthält, für den es gemeinschaftliche Grenzwerte für die Exposition am Arbeitsplatz gibt.“

c) Absatz 4 erhält folgende Fassung:

„(4) Sofern dies nicht von einem nachgeschalteten Anwender oder Händler verlangt wird, braucht das Sicherheitsdatenblatt nicht zur Verfügung gestellt zu werden, wenn gefährliche Stoffe oder Gemische, die der breiten Öffentlichkeit angeboten oder verkauft werden, mit ausreichenden Informationen versehen sind, die es dem Anwender ermöglichen, die erforderlichen Maßnahmen für den Schutz der menschlichen Gesundheit, für die Sicherheit und für die Umwelt zu ergreifen.“

3. Artikel 56 Absatz 6 Buchstabe b wird wie folgt geändert:

- „b) bei allen anderen Stoffen, deren Konzentration unterhalb der Werte nach Artikel 11 Absatz 3 der Verordnung (EG) Nr. 1272/2008 liegt, nach denen das Gemisch als gefährlich eingestuft wird.“

4. In Artikel 65 werden die Worte „sowie der Richtlinie 1999/45/EG“ gestrichen.

gelegten allgemeinen Konzentrationsgrenzwerte.“

5. Anhang II wird wie folgt geändert:

ii) Nummer 2 Buchstabe d erhält folgende Fassung:

a) Nummer 1.1 erhält folgende Fassung:

„d) Farben für Künstler gemäß der Verordnung (EG) Nr. 1272/2008“.

„1.1. Bezeichnung des Stoffes oder des Gemisches

Artikel 60

Die zur Identifizierung eines Stoffes verwendete Bezeichnung muss mit derjenigen auf dem Kennzeichnungsetikett gemäß Artikel 18 Absatz 2 der Verordnung (EG) Nr. 1272/2008 übereinstimmen.

Aufhebung

Die Richtlinie 67/548/EWG und die Richtlinie 1999/45/EG werden mit Wirkung vom 1. Juni 2015 aufgehoben.

Die zur Identifizierung eines Gemisches verwendete Bezeichnung muss mit derjenigen auf dem Kennzeichnungsetikett gemäß Artikel 18 Absatz 3 Buchstabe a der Verordnung (EG) Nr. 1272/2008 übereinstimmen.“

Artikel 61

Übergangsbestimmungen

b) Fußnote 1 zu Nummer 3.3 Buchstabe a erster Gedankenstrich wird gestrichen.

(1) Bis zum 1. Dezember 2010 werden Stoffe gemäß der Richtlinie 67/548/EWG eingestuft, gekennzeichnet und verpackt.

c) Nummer 3.6 erhält folgende Fassung:

Bis zum 1. Juni 2015 werden Gemische gemäß der Richtlinie 1999/45/EG eingestuft, gekennzeichnet und verpackt.

„3.6. Hat die Agentur nach Artikel 24 der Verordnung (EG) Nr. 1272/2008 zugestimmt, dass die chemische Identität von Stoffen auf dem Kennzeichnungsetikett und im Sicherheitsdatenblatt vertraulich behandelt werden kann, so sind unter Rubrik 3 zur Gewährleistung einer sicheren Handhabung ihre chemischen Eigenschaften zu beschreiben.

(2) Abweichend von Artikel 62 Unterabsatz 2 der vorliegenden Verordnung und ergänzend zu den Anforderungen des Absatzes 1 des vorliegenden Artikels können Stoffe und Gemische bereits vor dem 1. Dezember 2010 bzw. vor dem 1. Juni 2015 gemäß dieser Verordnung eingestuft, gekennzeichnet und verpackt werden. In diesem Fall finden die Kennzeichnungs- und Verpackungsvorschriften der Richtlinien 67/548/EWG und 1999/45/EG keine Anwendung.

Die auf dem Sicherheitsdatenblatt (auch für die Zwecke der Nummern 1.1, 3.2, 3.3 und 3.5) verwendete Bezeichnung muss dieselbe sein wie die auf dem Kennzeichnungsetikett verwendete, die nach dem Verfahren des Artikels 24 der Verordnung (EG) Nr. 1272/2008 festgelegt worden ist.“

(3) Vom 1. Dezember 2010 bis zum 1. Juni 2015 werden Stoffe sowohl gemäß der Richtlinie 67/548/EWG als auch gemäß dieser Verordnung eingestuft. Sie werden gemäß dieser Verordnung gekennzeichnet und verpackt.

6. Anhang VI Nummer 4.3 wird wie folgt geändert:

(4) Abweichend von Artikel 62 Unterabsatz 2 der vorliegenden Verordnung müssen bis zum 1. Dezember 2012 Stoffe, die gemäß der Richtlinie 67/548/EWG eingestuft, gekennzeichnet und verpackt und bereits vor dem 1. Dezember 2010 in Verkehr gebracht wurden, nicht erneut gemäß dieser Verordnung gekennzeichnet und verpackt werden.

„4.3. Gegebenenfalls die nach Artikel 10 der Verordnung (EG) Nr. 1272/2008 ermittelten spezifischen Konzentrationsgrenzwerte“.

7. Anhang XVII wird wie folgt geändert:

a) In der Spalte „Bezeichnung des Stoffes, der Stoffgruppen oder der Gemische“ wird in Eintrag 3 der Tabelle der Ausdruck „die nach der Richtlinie 1999/45/EG als gefährlich gelten oder“ gestrichen.

Abweichend von Artikel 62 Unterabsatz 2 der vorliegenden Verordnung müssen bis zum 1. Juni 2017 Stoffe, die gemäß der Richtlinie 1999/45/EG eingestuft, gekennzeichnet und verpackt und bereits vor dem 1. Juni 2015 in Verkehr gebracht wurden, nicht erneut gemäß dieser Verordnung gekennzeichnet und verpackt werden.

b) In der Spalte „Beschränkungsbedingungen“ der Tabelle wird Eintrag 28 wie folgt geändert:

i) Nummer 1 zweiter Gedankenstrich erhält folgende Fassung:

(5) Wurde ein Stoff oder ein Gemisch vor dem 1. Dezember 2010 bzw. vor dem 1. Juni 2015 gemäß der Richtlinie 67/548/EWG bzw. 1999/45/EG eingestuft, so können die Hersteller, Importeure und nachgeschalteten Anwender die Einstufung des Stoffes oder Gemisches unter Verwendung der Umwandlungstabelle in Anhang VII der vorliegenden Verordnung anpassen.

„— die jeweiligen in Anhang VI Teil 3 der Verordnung (EG) Nr. 1272/2008 fest-

(6) Bis zum 1. Dezember 2011 kann ein Mitgliedstaat alle bestehenden strengeren Einstufungen und Kennzeichnungen von Stoffen, die in Anhang VI Teil 3 der vorliegenden Verordnung aufgenommen wurden, beibehalten, sofern die betreffenden Einstufungs- und Kennzeichnungselemente der Kommission entsprechend der Schutzklausel in der Richtlinie 67/548/EWG vor dem 20. Januar 2009 mitgeteilt wurden und der betreffende Mitgliedstaat bis zum 1. Juni 2009 der Agentur einen diese Einstufungs- und Kennzeichnungselemente enthaltenden Vorschlag zur harmonisierten Einstufung und Kennzeichnung nach Artikel 37 Absatz 1 der vorliegenden Verordnung unterbreitet hat.

Dies setzt jedoch voraus, dass die Kommission nicht bereits vor dem 20. Januar 2009 eine Entscheidung über die vorgeschlagene Einstufung und Kennzeichnung nach der Schutzklausel der Richtlinie 67/548/EWG getroffen hat.

Wurde die nach Unterabsatz 1 vorgeschlagene harmonisierte Einstufung und Verpackung nicht oder in geänderter Form entsprechend Artikel 37 Absatz 5 in Anhang VI Teil 3 aufgenommen, so ist die Freistellung nach Unterabsatz 1 nicht mehr gültig.

Artikel 62

Inkrafttreten

Diese Verordnung tritt am zwanzigsten Tag nach ihrer Veröffentlichung im *Amtsblatt der Europäischen Union* in Kraft.

Die Titel II, III und IV gelten ab dem 1. Dezember 2010 in Bezug auf Stoffe und ab dem 1. Juni 2015 in Bezug auf Gemische.

Diese Verordnung ist in allen ihren Teilen verbindlich und gilt unmittelbar in jedem Mitgliedstaat.

Geschehen zu Straßburg am 16. Dezember 2008

Im Namen des Europäischen Parlaments

Der Präsident

H.-G. PÖTTERING

Im Namen des Rates

Der Präsident

B. LE MAIRE

ANHANG I

VORSCHRIFTEN FÜR DIE EINSTUFUNG UND KENNZEICHNUNG VON GEFÄHRLICHEN STOFFEN UND GEMISCHEN

Dieser Anhang beschreibt die Kriterien für die Einstufung in Gefahrenklassen und in ihre Differenzierungen und enthält zusätzliche Vorschriften darüber, wie diese Kriterien erfüllt werden können.

1. TEIL 1: ALLGEMEINE GRUNDSÄTZE FÜR DIE EINSTUFUNG UND KENNZEICHNUNG

1.0. **Begriffsbestimmungen**

Gas: Stoff, der

- i) bei 50 °C einen Dampfdruck von mehr als 300 kPa (absolut) hat oder
- ii) bei 20 °C und einem Standarddruck von 101,3 kPa vollständig gasförmig ist;

Flüssigkeit: Stoff oder Gemisch,

- i) der/das bei 50 °C einen Dampfdruck von weniger als 300 kPa (3 bar) hat,
- ii) bei 20 °C und einem Standarddruck von 101,3 kPa nicht vollständig gasförmig ist und
- iii) einen Schmelzpunkt oder Schmelzbeginn von 20 °C oder weniger bei einem Standarddruck von 101,3 kPa hat;

Feststoff: Stoff oder Gemisch, der/das nicht der Begriffsbestimmung für Flüssigkeit oder Gas entspricht.

1.1. **Einstufung von Stoffen und Gemischen**1.1.0. **Zusammenarbeit zur Erfüllung der Anforderungen dieser Verordnung**

Die Lieferanten in einer Lieferkette arbeiten zusammen, um die in dieser Verordnung bestimmten Einstufungs-, Kennzeichnungs- und Verpackungsanforderungen zu erfüllen.

Die Lieferanten in einem Wirtschaftssektor können zusammenarbeiten, um die Übergangsbestimmungen nach Artikel 61 für in Verkehr gebrachte Stoffe und Gemische zu erfüllen.

Die Lieferanten in einem Wirtschaftssektor können durch Bildung eines Netzes oder durch andere Mittel zusammenarbeiten, um Daten und Fachwissen bei der Einstufung von Stoffen und Gemischen gemäß Titel II dieser Verordnung auszutauschen. Dabei müssen die Lieferanten in einem Wirtschaftssektor die Grundlage, auf der die Einstufungsentscheidungen getroffen werden, vollständig dokumentieren, und den zuständigen Behörden und — auf Antrag — den einschlägigen Durchsetzungsbehörden die Dokumentation, zusammen mit den Daten und Informationen, auf denen die Einstufungen beruhen, zur Verfügung stellen. Arbeiten Lieferanten in einem Wirtschaftssektor in dieser Weise zusammen, so bleibt jedoch jeder Lieferant uneingeschränkt haftbar für die Einstufung, Kennzeichnung und Verpackung der Stoffe und Gemische, die er in Verkehr bringt, sowie für die Erfüllung aller anderen Anforderungen nach dieser Verordnung.

Das Netz kann ferner für den Austausch von Informationen und bewährten Verfahren genutzt werden, um die Erfüllung der Meldepflichten zu vereinfachen.

1.1.1. **Aufgabe und Anwendung der Beurteilung durch Experten und der Ermittlung der Beweiskraft**

1.1.1.1. Lassen sich die Einstufungskriterien nicht unmittelbar auf die verfügbaren ermittelten Informationen anwenden oder sind nur die Informationen gemäß Artikel 6 Absatz 5 verfügbar, so ist gemäß Artikel 9 Absatz 3 bzw. Absatz 4 die Beweiskraft der Daten mit Hilfe der Beurteilung durch Experten zu ermitteln.

1.1.1.2. Bei der Einstufung von Gemischen kann eine Beurteilung durch Experten in mehreren Bereichen herangezogen werden, damit gewährleistet ist, dass bestehende Informationen für möglichst viele Gemische im Hinblick auf den Schutz der menschlichen Gesundheit und der Umwelt verwendet werden können. Eine Beurteilung durch Experten kann auch bei der Auslegung von Daten für die Gefahreinstufung von Stoffen erforderlich sein, insbesondere wenn eine Ermittlung der Beweiskraft erforderlich ist.

- 1.1.1.3. Die Ermittlung der Beweiskraft bedeutet, dass alle verfügbaren Informationen, die für die Gefahrenbestimmung relevant sind, im Zusammenhang betrachtet werden, beispielsweise die Ergebnisse von geeigneten *In-vitro*-Tests, einschlägige Tierversuchsdaten, Informationen aus der Anwendung des Kategorienkonzepts (Gruppierung, Übertragung), Ergebnisse von (Q)SAR-Verfahren und Erfahrungen beim Menschen wie Daten über berufsbedingte Exposition, Daten aus Unfalldatenbanken, epidemiologische und klinische Studien sowie gut dokumentierte Fallberichte und Beobachtungen. Die Qualität und Schlüssigkeit der Daten erhält eine angemessene Gewichtung. Informationen über Stoffe oder Gemische, die mit dem einzustufenden Stoff oder Gemisch verwandt sind, sind in der Regel ebenso als geeignet zu betrachten wie Studienergebnisse über den Wirkungsort, den Wirkungsmechanismus oder die Wirkungsweise. Sowohl positive als auch negative Befunde sind in einer Ermittlung der Beweiskraft zusammen zu berücksichtigen.
- 1.1.1.4. Bei der Einstufung nach Gesundheitsgefahren (Teil 3) begründen nachgewiesene gefährliche Wirkungen, die in angemessenen tierexperimentellen Studien oder anhand von Erfahrungen beim Menschen festgestellt wurden und die mit den Einstufungskriterien übereinstimmen, in der Regel eine Einstufung. Falls Nachweise sowohl vom Menschen als auch vom Tier vorliegen und sich die Ergebnisse widersprechen, sind die Nachweise aus beiden Quellen zur Entscheidung der Einstufungsfrage auf ihre Qualität und Verlässlichkeit zu prüfen. In der Regel haben geeignete, verlässliche und repräsentative Daten vom Menschen (einschließlich epidemiologischer Untersuchungen, wissenschaftlich valider Fallstudien gemäß diesem Anhang oder statistisch gestützter Erfahrungen) Vorrang vor anderen Daten. Epidemiologische Studien weisen jedoch auch bei guter Konzeption und Durchführung unter Umständen nicht genug Probanden auf, um zwar relativ seltene, doch relevante Wirkungen aufzeigen oder potenzielle Störfaktoren („confounding“) verzerrende Faktoren bewerten zu können. Daher werden positive Befunde aus ordnungsgemäß durchgeführten Studien am Tier nicht unbedingt durch das Fehlen positiver Erfahrungen beim Menschen widerlegt, aber sie erfordern, dass die Daten vom Menschen und vom Tier auf ihre Zuverlässigkeit, Qualität und statistische Aussagekraft geprüft werden.
- 1.1.1.5. Bei der Einstufung nach Gesundheitsgefahren (Teil 3) sind der Expositionsweg, mechanistische Daten und Stoffwechselstudien für die Bestimmung der Relevanz einer Wirkung beim Menschen von Belang. Lassen solche Informationen die Relevanz für den Menschen zweifelhaft erscheinen, kann eine schwächere Einstufung begründet sein, sofern sich die Zuverlässigkeit und Qualität der Daten bestätigen. Liegen wissenschaftliche Nachweise dafür vor, dass der Wirkungsmechanismus oder die Wirkungsweise nicht für Menschen relevant ist, sollte der Stoff oder das Gemisch nicht eingestuft werden.
- 1.1.2. **Spezifische Konzentrationsgrenzwerte, Multiplikationsfaktoren und allgemeine Berücksichtigungsgrenzwerte**
- 1.1.2.1. Die spezifischen Konzentrationsgrenzwerte oder die Multiplikationsfaktoren werden gemäß Artikel 10 angewendet.
- 1.1.2.2. *Berücksichtigungsgrenzwerte*
- 1.1.2.2.1. Berücksichtigungsgrenzwerte geben an, wann das Vorhandensein eines Stoffs für die Zwecke der Einstufung eines Stoffes oder eines Gemisches berücksichtigt werden muss, der/das diesen gefährlichen Stoff enthält, sei es als identifizierte Verunreinigung, als Beimengung oder als einzelner Bestandteil (siehe Artikel 11).
- 1.1.2.2.2. Die Berücksichtigungsgrenzwerte gemäß Artikel 11 sind folgende:
- a) Für Gesundheits- und Umweltgefahren gemäß den Teilen 3, 4 und 5 dieses Anhangs:
 - i) für Stoffe, bei denen ein spezifischer Konzentrationsgrenzwert für die entsprechende Gefahrenklasse oder Differenzierung entweder in Anhang VI Teil 3 oder in dem Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde und bei denen die Gefahrenklasse oder Differenzierung in Tabelle 1.1 angegeben ist, der niedrigere Wert des spezifischen Konzentrationsgrenzwerts und des entsprechenden allgemeinen Berücksichtigungsgrenzwerts in Tabelle 1.1; oder
 - ii) für Stoffe, bei denen ein spezifischer Konzentrationsgrenzwert für die entsprechende Gefahrenklasse oder Differenzierung entweder in Anhang VI Teil 3 oder in dem Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde und bei denen die Gefahrenklasse oder Differenzierung nicht in Tabelle 1.1 angegeben ist, der spezifische Konzentrationsgrenzwert, der entweder in Anhang VI Teil 3 oder im Einstufungs- und Kennzeichnungsverzeichnis festgelegt ist; oder
 - iii) für Stoffe, bei denen kein spezifischer Konzentrationsgrenzwert für die entsprechende Gefahrenklasse oder Differenzierung entweder in Anhang VI Teil 3 oder in dem Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde und bei denen die Gefahrenklasse oder Differenzierung in Tabelle 1.1 angegeben ist, der in dieser Tabelle angegebene entsprechende allgemeine Berücksichtigungsgrenzwert; oder
 - iv) für Stoffe, bei denen kein spezifischer Konzentrationsgrenzwert für die entsprechende Gefahrenklasse oder Differenzierung entweder in Anhang VI Teil 3 oder in dem Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde und bei denen die Gefahrenklasse oder Differenzierung nicht in Tabelle 1.1 angegeben ist, der allgemeine Konzentrationsgrenzwert für die Einstufung in die entsprechenden Abschnitte von Teil 3, 4 und 5 dieses Anhangs.

- b) Für Gewässergefährdung gemäß Abschnitt 4.1 dieses Anhangs:
- i) bei Stoffen, bei denen ein M-Faktor für die entsprechende Gefahrenkategorie entweder in Anhang VI Teil 3 oder im Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde, der allgemeine Berücksichtigungsgrenzwert in Tabelle 1.1 nach Anpassung unter Verwendung der Berechnungsmethode gemäß Abschnitt 4.1 dieses Anhangs; oder
 - ii) bei Stoffen, bei denen kein M-Faktor für die entsprechende Gefahrenkategorie entweder in Anhang VI Teil 3 oder im Einstufungs- und Kennzeichnungsverzeichnis gemäß Artikel 42 festgelegt wurde, der entsprechende allgemeine Berücksichtigungsgrenzwert in Tabelle 1.1.

Tabelle 1.1

Allgemeine Berücksichtigungsgrenzwerte

Gefahrenklassen	Allgemeine Berücksichtigungsgrenzwerte
Akute Toxizität:	
— Kategorien 1 – 3	0,1 %
— Kategorie 4	1 %
Ätz-/Reizwirkung auf die schwere Augenschädigung/Augenreizung	1 % ⁽¹⁾
gewässergefährdend	
— akut gewässergefährdend der Kategorie 1	0,1 % ⁽³⁾
— chronisch gewässergefährdend der Kategorie 1	0,1 % ⁽³⁾
— chronisch gewässergefährdend der Kategorien 2 – 4	1 %

⁽¹⁾ Oder gegebenenfalls < 1 % (siehe Punkt 3.2.3.3.1).
⁽²⁾ Oder gegebenenfalls < 1 % (siehe Punkt 3.3.3.3.1).
⁽³⁾ Oder gegebenenfalls < 0,1 % (siehe Punkt 4.1.3.1).

Hinweis:

Die allgemeinen Berücksichtigungsgrenzwerte werden in Gewichtsprozenten angegeben, nur bei gasförmigen Gemischen werden sie in Volumenprozenten ausgedrückt.

1.1.3. Übertragungsgrundsätze für die Einstufung von Gemischen, wenn keine Prüfdaten für das komplette Gemisch vorliegen („bridging“)

Wurde das Gemisch selbst nicht auf seine Gefahreigenschaften geprüft, liegen jedoch ausreichende Daten über ähnliche geprüfte Gemische und einzelne gefährliche Bestandteile vor, um die Gefahren des Gemisches hinreichend zu beschreiben, dann sind diese Daten gemäß den folgenden in Artikel 9 Absatz 4 genannten Übertragungsvorschriften für jede einzelne Gefahrenklasse der Teile 3 und 4 dieses Anhangs zu verwenden, vorbehaltlich etwaiger Sonderbestimmungen für Gemische in jeder einzelnen Gefahrenklasse.

1.1.3.1. Verdünnung

Wird ein Gemisch mit einem Stoff (Verdünnungsmittel) versetzt, der in eine vergleichbare oder eine niedrigere Gefahrenkategorie eingestuft wurde als der am wenigsten gefährliche Bestandteil des Ausgangsgemisches, und ist nicht davon auszugehen, dass das Verdünnungsmittel die Einstufung eines anderen Bestandteils beeinflusst, ist auf eine der folgenden Arten zu verfahren:

- Das neue Gemisch ist als ebenso gefährlich wie das Ausgangsgemisch einzustufen.
- Es ist das Verfahren anzuwenden, das in den einzelnen Abschnitten von Teil 3 sowie in Teil 4 zur Einstufung von Gemischen beschrieben ist, wenn Daten für alle oder nur für manche Bestandteile des Gemisches vorliegen.
- Bei akuter Toxizität ist das Verfahren zur Einstufung von Gemischen aufgrund der Gemischbestandteile (Additivitätsformel) anzuwenden.

1.1.3.2. *Chargenanalogie*

Es kann davon ausgegangen werden, dass die Gefahrenkategorie einer Produktionscharge eines Gemisches im Wesentlichen der einer anderen Produktionscharge desselben Handelsprodukts entspricht, das vom selben Lieferanten oder unter seiner Kontrolle erzeugt wurde, sofern kein Anlass zu der Annahme besteht, dass sich bedingt durch eine relevante Veränderung die Einstufung der Charge geändert hat. In letzterem Fall ist eine Neubewertung erforderlich.

1.1.3.3. *Konzentrierung hochgefährlicher Gemische*

Für die Einstufung von in den Kapiteln 3.1, 3.2, 3.3, 3.8, 3.9, 3.10 und 4.1 behandelten Gemischen gilt: Wenn ein Gemisch in die höchste Gefahrenkategorie oder –unterkategorie eingestuft wurde und die Konzentration der unter diese Kategorie oder Unterkategorie fallenden Bestandteile des Gemisches erhöht wird, ist das neue Gemisch ohne zusätzliche Prüfung in diese Kategorie oder Unterkategorie einzustufen.

1.1.3.4. *Interpolation innerhalb einer Toxizitätskategorie*

Für die Einstufung von in den Kapiteln 3.1, 3.2, 3.3, 3.8, 3.9, 3.10 und 4.1 behandelten Gemischen gilt: Wenn drei Gemische mit identischen gefährlichen Bestandteilen vorliegen, bei denen Gemisch A und Gemisch B derselben Gefahrenkategorie angehören und Gemisch C dieselben aktiven gefährlichen Bestandteile aufweist, deren Konzentrationen zwischen den Konzentrationen der gefährlichen Bestandteile in den Gemischen A und B liegen, ist anzunehmen, dass das Gemisch C in dieselbe Gefahrenkategorie wie die Gemische A und B fällt.

1.1.3.5. *Im Wesentlichen ähnliche Gemische*

Es wird folgender Fall angenommen:

- a) Es liegen zwei Gemische mit je zwei Bestandteilen vor:
 - i) A + B
 - ii) C + B
- b) Die Konzentration des Bestandteils B ist in beiden Gemischen im Wesentlichen dieselbe.
- c) Die Konzentration des Bestandteils A in Gemisch i entspricht der des Bestandteils C in Gemisch ii.
- d) Für A und C sind die Gefahrendaten verfügbar, die im Wesentlichen gleich sind, d. h. sie fallen unter dieselbe Gefahrenkategorie und es wird nicht erwartet, dass sie sich auf die Einstufung von B auswirken.

Wurde Gemisch i anhand von Prüfdaten bereits in eine bestimmte Gefahrenklasse eingestuft, ist das Gemisch ii derselben Gefahrenkategorie zuzuordnen.

1.1.3.6. *Überprüfung der Einstufung bei veränderter Zusammensetzung eines Gemisches*

Es werden folgende Veränderungen der ursprünglichen Konzentration zwecks Anwendung von Artikel 15 Absatz 2 Buchstabe a festgelegt:

Tabelle 1.2

Übertragungsgrundsätze für Veränderungen der Gemischzusammensetzung

Bereich der ursprünglichen Konzentration des Bestandteils	zulässige Veränderung der ursprünglichen Konzentration des Bestandteils
$\leq 2,5 \%$	$\pm 30 \%$
$2,5 < C \leq 10 \%$	$\pm 20 \%$
$10 < C \leq 25 \%$	$\pm 10 \%$
$25 < C \leq 100 \%$	$\pm 5 \%$

1.1.3.7. *Aerosole*

Für die Einstufung von in den Kapiteln 3.1, 3.2, 3.3, 3.4, 3.8 und 3.9 behandelten Gemischen gilt, dass ein Gemisch in Form eines Aerosols in dieselbe Gefahrenkategorie wie die nichtaerosole Form des Gemisches einzustufen ist, sofern das zugefügte Treibgas sich beim Sprühen nicht auf die gefährlichen Eigenschaften des Gemisches auswirkt und wissenschaftliche Nachweise verfügbar sind, die belegen, dass die aerosole Form nicht gefährlicher ist als die nichtaerosole Form.

1.2. **Kennzeichnung**1.2.1. **Abmessungen und Aufmachung der Kennzeichnungselemente**

1.2.1.1. Die Gefahrenpiktogramme gemäß Anhang V müssen ein schwarzes Symbol auf weißem Hintergrund in einem roten Rahmen tragen, der so breit ist, dass er deutlich sichtbar ist.

1.2.1.2. Die Gefahrenpiktogramme müssen die Gestalt eines auf der Spitze stehenden Quadrats aufweisen. Jedes Gefahrenpiktogramm muss mindestens ein Fünfzehntel der Fläche des harmonisierten Kennzeichnungsetiketts einnehmen und die Mindestfläche muss 1 cm² betragen.

1.2.1.3. Kennzeichnungsetikette müssen folgende Abmessungen aufweisen:

Tabelle 1.3

Abmessungen der Kennzeichnungsetiketten

Fassungsvermögen der Verpackung	Abmessungen (in mm)
bis 3 l	wenn möglich mindestens 52 × 74
über 3 l bis höchstens 50 l	mindestens 74 × 105
über 50 l bis höchstens 500 l	mindestens 105 × 148
größer als 500 l	mindestens 148 × 210

1.3. **In Sonderfällen geltende Ausnahmen von den Kennzeichnungsvorschriften**

Gemäß Artikel 25 gelten folgende Ausnahmen:

1.3.1. **Ortsbewegliche Gasflaschen**

Bei ortsbeweglichen Gasflaschen mit einem Fassungsraum von ≤ 150 l ist eine der folgenden Möglichkeiten zulässig:

- a) Format und Abmessungen entsprechen den Bestimmungen der aktuellen Ausgabe der Norm ISO 7225 über Warnaufkleber für Gasflaschen. In diesem Fall kann das Kennzeichnungsetikett den generischen Namen bzw. die Industrie- oder Handelsbezeichnung des Stoffes oder Gemisches tragen, vorausgesetzt, dass die gefährlichen Bestandteile des Gemisches auf der Gasflasche eindeutig und dauerhaft angegeben sind.
- b) Die in Artikel 17 genannten Informationen werden dauerhaft auf einer Informationsplakette oder auf einem Kennzeichnungsetikett angegeben, die auf der Gasflasche befestigt sind.

1.3.2. **Gasbehälter für Propan, Butan oder Flüssiggas (LPG)**

1.3.2.1. Werden Propan, Butan und Flüssiggas oder ein diese Stoffe enthaltendes Gemisch, das nach den Kriterien dieses Anhangs eingestuft ist, in geschlossenen nachfüllbaren Flaschen oder in nicht nachfüllbaren Kartuschen gemäß EN 417 als Brenngase, die nur zur Verbrennung freigesetzt werden, in den Verkehr gebracht (aktuelle Ausgabe von EN 417 über „Metallische Einwegkartuschen für Flüssiggas, mit oder ohne Entnahmeventil, zum Betrieb von tragbaren Geräten — Herstellung, Prüfung und Kennzeichnung“), dürfen diese Flaschen oder Kartuschen nur mit dem entsprechenden Piktogramm und den Gefahren- und Sicherheitshinweisen für Entzündbarkeit gekennzeichnet werden.

1.3.2.2. Auf dem Kennzeichnungsetikett sind keine Informationen über die Wirkungen auf die menschliche Gesundheit und die Umwelt erforderlich. Vielmehr muss der Lieferant den nachgeschalteten Anwendern oder Händlern die Informationen über die Wirkungen auf die menschliche Gesundheit und die Umwelt im Sicherheitsdatenblatt bekanntgeben.

1.3.2.3. Den Verbrauchern sind ausreichende Informationen an die Hand zu geben, so dass sie alle erforderlichen Maßnahmen zum Schutz ihrer Gesundheit und Sicherheit ergreifen können.

1.3.3. ***Aerosolpackungen und Behälter mit einer versiegelten Sprühvorrichtung, die Stoffe oder Gemische enthalten, welche als Aspirationsgefahr eingestuft wurden***

Im Hinblick auf die Anwendung von Abschnitt 3.10.4 müssen Stoffe oder Gemische, die nach den Kriterien der Abschnitte 3.10.2 und 3.10.3 eingestuft wurden, nicht in Bezug auf diese Gefahr gekennzeichnet werden, wenn sie in Aerosolpackungen oder in Behältern mit einer versiegelten Sprühvorrichtung in Verkehr gebracht werden.

1.3.4. ***Metalle in kompakter Form, Legierungen, polymerhaltige Gemische, elastomerhaltige Gemische***

1.3.4.1. Metalle in kompakter Form, Legierungen, polymerhaltige Gemische und elastomerhaltige Gemische erfordern — obwohl sie nach den Kriterien dieses Anhangs als gefährlich eingestuft wurden — kein Kennzeichnungsetikett nach diesem Anhang, wenn mit ihnen in der Form, in der sie in Verkehr gebracht werden, keine Gefahr für die menschliche Gesundheit bei Einatmen, Verschlucken oder Hautkontakt und keine Gewässergefährdung verbunden ist.

1.3.4.2. Vielmehr muss der Lieferant den nachgeschalteten Anwendern oder Händlern die Informationen im Sicherheitsdatenblatt bekanntgeben.

1.3.5. ***Explosive Stoffe/Gemische, die zur Erzeugung einer Explosionswirkung oder pyrotechnischen Wirkung in Verkehr gebracht werden***

Die in Kapitel 2.1. aufgeführten explosiven Stoffe/Gemische und Erzeugnisse, die zur Erzeugung einer Explosionswirkung oder einer pyrotechnischen Wirkung in Verkehr gebracht werden, sind ausschließlich gemäß den Vorschriften für explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoffen zu kennzeichnen und zu verpacken.

1.4. ***Antrag auf Verwendung einer alternativen chemischen Bezeichnung***

1.4.1. ***Einem Antrag auf Verwendung einer alternativen chemischen Bezeichnung nach Artikel 24 kann nur dann entsprochen werden, wenn:***

- I) für den betreffenden Stoff kein gemeinschaftlicher Grenzwert für die Exposition am Arbeitsplatz festgelegt wurde und
- II) der Hersteller, Importeur oder nachgeschaltete Anwender nachweisen kann, dass die Verwendung der alternativen chemischen Bezeichnung die Anforderung erfüllt, ausreichend Informationen bereitzustellen, damit die erforderlichen Gesundheits- und Sicherheitsvorkehrungen am Arbeitsplatz getroffen werden können, sowie die Anforderung, dass durch Handhabung des Gemischs entstehende Gefahren kontrolliert werden können und
- III) der Stoff in eine oder mehrere der folgenden Gefahrenkategorien eingestuft ist:
 - a) eine der in Teil 2 dieses Anhangs aufgeführten Gefahrenkategorien;
 - b) akute Toxizität der Kategorie 4;
 - c) Ätz-/Reizwirkung auf die Haut der Kategorie 2;
 - d) schwere Augenschädigung/Augenreizung der Kategorie 2;
 - e) spezifische Zielorgan-Toxizität — einmalige Exposition — der Kategorie 2 oder 3;
 - f) spezifische Zielorgan-Toxizität — wiederholte Exposition — der Kategorie 2;
 - g) gewässergefährdend — chronisch — der Kategorie 3 oder 4.

1.4.2. ***Wahl der chemischen Bezeichnung(en) für Gemische, die für die Duftstoff- oder Parfümindustrie vorgesehen sind***

Bei Stoffen, die in der Natur vorkommen, kann eine chemische Bezeichnung bzw. können chemische Bezeichnungen der Art „ätherisches Öl aus ...“ oder „Extrakt aus ...“ anstatt der chemischen Bezeichnungen der Komponenten dieses ätherischen Öls oder Extrakts gemäß Artikel 18 Absatz 3 Buchstabe b verwendet werden.

- 1.5. **Ausnahmen von den Kennzeichnungs- und Verpackungsvorschriften**
- 1.5.1. **Ausnahmen von Artikel 31 [(Artikel 29 Absatz 1)]**
- 1.5.1.1. Gilt Artikel 29 Absatz 1, so können die Kennzeichnungselemente nach Artikel 17 folgendermaßen bereitgestellt werden:
- a) auf Faltetiketten oder
 - b) auf Anhängeetiketten oder
 - c) auf einer äußeren Verpackung.
- 1.5.1.2. Das Kennzeichnungsetikett auf einer inneren Verpackung muss mindestens Gefahrenpiktogramme, den in Artikel 18 genannten Produktidentifikator sowie Name und Telefonnummer des Lieferanten des Stoffes oder Gemischs enthalten.
- 1.5.2. **Ausnahmen von Artikel 17 [(Artikel 29 Absatz 2)]**
- 1.5.2.1. *Kennzeichnung von Verpackungen bei einem Inhalt von nicht mehr als 125 ml*
- 1.5.2.1.1. Die Gefahrenhinweise und die Sicherheitshinweise in Bezug auf die nachstehend aufgeführten Gefahrenkategorien müssen die nach Artikel 17 vorgeschriebenen Kennzeichnungselemente nicht aufweisen, sofern
- a) die Verpackung nicht mehr als 125 ml enthält und
 - b) der Stoff oder das Gemisch in eine oder mehrere der folgenden Gefahrenkategorien eingestuft ist:
 - 1) oxidierende Gase der Kategorie 1;
 - 2) Gase unter Druck;
 - 3) entzündbare Flüssigkeiten der Kategorien 2 oder 3;
 - 4) entzündbare Feststoffe der Kategorien 1 oder 2;
 - 5) selbstzersetzliche Stoffe oder Gemische der Typen C bis F;
 - 6) selbsterhitzungsfähige Stoffe oder Gemische der Kategorie 2;
 - 7) Stoffe und Gemische, die in Berührung mit Wasser entzündbare Gase der Kategorien 1, 2 oder 3 entwickeln;
 - 8) oxidierende Flüssigkeiten der Kategorien 2 oder 3;
 - 9) oxidierende Feststoffe der Kategorien 2 oder 3;
 - 10) organische Peroxide der Typen C bis F;
 - 11) akute Toxizität der Kategorie 4, sofern die Stoffe oder Gemische nicht an die breite Öffentlichkeit abgegeben werden;
 - 12) hautreizend der Kategorie 2;
 - 13) augenreizend der Kategorie 2;
 - 14) spezifische Zielorgan-Toxizität — einmalige Exposition — der Kategorien 2 und 3, sofern die Stoffe oder Gemische nicht an die breite Öffentlichkeit abgegeben werden;
 - 15) spezifische Zielorgan-Toxizität — wiederholte Exposition — der Kategorie 2, sofern die Stoffe oder Gemische nicht an die breite Öffentlichkeit abgegeben werden;

- 16) gewässergefährdend — akut — der Kategorie 1;
- 17) gewässergefährdend — chronisch — der Kategorien 1 oder 2.

Die Ausnahmen von der Kennzeichnung kleiner Packungen von Aerosolen als entzündbare Stoffe nach der Richtlinie 75/324/EWG gelten für Aerosolpackungen.

1.5.2.1.2 Die Sicherheitshinweise in Bezug auf die nachstehend aufgeführten Gefahrenkategorien müssen die nach Artikel 17 vorgeschriebenen Kennzeichnungselemente nicht aufweisen, sofern

- a) die Verpackung nicht mehr als 125 ml enthält und
- b) der Stoff oder das Gemisch in eine oder mehrere der folgenden Gefahrenkategorien eingestuft ist:
 - 1) entzündbare Gase der Kategorie 2;
 - 2) Reproduktionstoxizität — Wirkungen auf/über Laktation;
 - 3) gewässergefährdend — chronisch — der Kategorie 3 oder 4.

1.5.2.1.3 Die Gefahrenpiktogramme, die Gefahrenhinweise und die Sicherheitshinweise in Bezug auf die nachstehend aufgeführten Gefahrenkategorien müssen die nach Artikel 17 vorgeschriebenen Kennzeichnungselemente nicht aufweisen, sofern

- a) die Verpackung nicht mehr als 125 ml enthält und
- b) der Stoff oder das Gemisch in eine oder mehrere der folgenden Gefahrenkategorien eingestuft ist:
 - 1) korrosiv gegenüber Metallen.

1.5.2.2 *Kennzeichnung von auflösbaren Verpackungen für den einmaligen Gebrauch*

Auflösbare Verpackungen für den einmaligen Gebrauch müssen die nach Artikel 17 vorgeschriebenen Kennzeichnungselemente nicht aufweisen, sofern

- a) jede auflösbare Verpackung nicht mehr als 125 ml enthält;
- b) der Inhalt der auflösbaren Verpackung ausschließlich in eine oder mehrere der unter 1.5.2.1.1 Buchstabe b genannten Gefahrenkategorien eingestuft ist und
- c) die auflösbare Verpackung in einer äußeren Verpackung enthalten ist, die den Anforderungen nach Artikel 17 vollständig entspricht.

1.5.2.3 Abschnitt 1.5.2.2 findet keine Anwendung auf Stoffe oder Gemische, die in den Anwendungsbereich der Richtlinien 91/414/EWG oder 98/8/EG fallen.

2. TEIL 2: PHYSIKALISCHE GEFAHREN

2.1. **Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff**

2.1.1. **Begriffsbestimmungen**

2.1.1.1. Zur Klasse der explosiven Stoffe/Gemische und Erzeugnisse mit Explosivstoff gehören

- a) explosive Stoffe und Gemische,
- b) Erzeugnisse mit Explosivstoff, ausgenommen Vorrichtungen, die explosive Stoffe oder Gemische in solcher Menge oder von solcher Art enthalten, dass ihre unbeabsichtigte oder zufällige Entzündung oder Zündung außerhalb der Vorrichtung keine Wirkung durch Splitter, Spreng- und Wurfstücke, Feuer, Rauch, Wärme oder starken Schall entfaltet, und
- c) Stoffe, Gemische und Erzeugnisse, die nicht unter den Buchstaben a und b genannt sind, jedoch hergestellt werden, um eine praktische Wirkung durch Explosion oder eine pyrotechnische Wirkung hervorzurufen.

2.1.1.2. Für die Zwecke dieser Verordnung gelten folgende Begriffsbestimmungen:

Explosive Stoffe/Gemische: feste oder flüssige Stoffe oder Stoffgemische, die durch chemische Reaktion Gase solcher Temperatur, solchen Drucks und solcher Geschwindigkeit entwickeln können, dass hierdurch in der Umgebung Zerstörungen eintreten. Dazu gehören auch pyrotechnische Stoffe, selbst wenn sie kein Gas entwickeln.

Pyrotechnische Stoffe/Gemische: Stoffe oder Stoffgemische, mit denen eine Wirkung in Form von Wärme, Licht, Schall, Gas, Nebel oder Rauch oder einer Kombination dieser Wirkungen als Folge nicht detonativer, selbstunterhaltender, exothermer chemischer Reaktionen erzielt werden soll.

Instabile explosive Stoffe/Gemische: explosive Stoffe/Gemische, die thermisch instabil und/oder zu empfindlich für eine normale Handhabung, Beförderung und Verwendung sind.

Erzeugnisse mit Explosivstoff: Erzeugnisse, die einen oder mehrere explosive Stoffe bzw. ein oder mehrere explosive Gemische enthalten.

Pyrotechnische Erzeugnisse: Erzeugnisse, die einen oder mehrere pyrotechnische Stoffe bzw. ein oder mehrere pyrotechnische Gemische enthalten.

Stoffe, Gemische oder Erzeugnisse mit beabsichtigter Explosionswirkung oder pyrotechnischer Wirkung: Stoffe, Gemische oder Erzeugnisse, die eigens zu dem Zweck hergestellt werden, eine praktische Wirkung durch Explosion oder eine pyrotechnische Wirkung hervorzurufen.

2.1.2. **Einstufungskriterien**

2.1.2.1. Für die Einstufung der Stoffe, Gemische und Erzeugnisse dieser Klasse als instabile explosive Stoffe ist das Ablaufschema in Abbildung 2.1.2 maßgeblich. Die Prüfmethode werden in Teil 1 des *Handbuchs über Prüfungen und Kriterien der UN-Empfehlungen für die Beförderung gefährlicher Güter* beschrieben.

2.1.2.2. Stoffe, Gemische und Erzeugnisse dieser Klasse, die nicht als instabile explosive Stoffe eingestuft werden, sind je nachdem, welche Art von Gefahr sie darstellen, einer der folgenden sechs Unterklassen zuzuordnen:

- a) Unterklasse 1.1: Stoffe, Gemische und Erzeugnisse, die massenexplosionsfähig sind. (Eine Massenexplosion ist eine Explosion, die nahezu die gesamte vorhandene Menge praktisch gleichzeitig erfasst.)
- b) Unterklasse 1.2: Stoffe, Gemische und Erzeugnisse, die die Gefahr der Bildung von Splintern, Spreng- und Wurfstücken aufweisen, aber nicht massenexplosionsfähig sind.
- c) Unterklasse 1.3: Stoffe, Gemische und Erzeugnisse, die eine Brandgefahr sowie eine geringe Gefahr entweder durch Luftdruck oder durch Splitter, Spreng- und Wurfstücke bzw. durch beides aufweisen, aber nicht massenexplosionsfähig sind,
 - i) bei deren Verbrennung beträchtliche Strahlungswärme entsteht oder
 - ii) die nacheinander so abbrennen, dass eine geringe Luftdruckwirkung oder Splitter-, Sprengstück- oder Wurfstückwirkung bzw. beide Wirkungen entstehen.

- d) Unterklasse 1.4: Stoffe, Gemische und Erzeugnisse, die keine erhebliche Gefahr darstellen:
- Stoffe, Gemische und Erzeugnisse, die im Falle der Entzündung oder Zündung nur eine geringe Gefahr darstellen. Die Auswirkungen bleiben im Wesentlichen auf die Verpackung beschränkt, und es ist nicht zu erwarten, dass Sprengstücke mit größeren Abmessungen oder größerer Reichweite entstehen. Ein von außen einwirkendes Feuer darf keine praktisch gleichzeitige Explosion des nahezu gesamten Inhalts der Verpackung zur Folge haben.
- e) Unterklasse 1.5: Sehr unempfindliche massenexplosionsfähige Stoffe/Gemische:
- Stoffe und Gemische, die zwar massenexplosionsfähig, aber so unempfindlich sind, dass die Wahrscheinlichkeit einer Zündung oder des Übergangs eines Brandes zu einer Detonation unter normalen Bedingungen sehr gering ist.
- f) Unterklasse 1.6: Extrem unempfindliche Erzeugnisse, die nicht massenexplosionsfähig sind:
- Erzeugnisse, die nur extrem unempfindliche detonierende Stoffe oder Gemische enthalten und eine zu vernachlässigende Wahrscheinlichkeit einer unbeabsichtigten Zündung oder Fortpflanzung aufweisen.

2.1.2.3. Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff, die nicht als instabil eingestuft sind, sind anhand der Ergebnisse der Prüfungen nach Tabelle 2.1.1 in eine der sechs in Absatz 2.1.2.2 des vorliegenden Anhangs genannten Unterklassen einzustufen, die auf den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil I Prüfserien 2 bis 8, beruhen:

Tabelle 2.1.1

Kriterien für explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff

Kategorie	Kriterien
Instabile explosive Stoffe/Gemische oder explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1 bis 1.6	Bei explosiven Stoffen/Gemischen und Erzeugnissen mit beabsichtigter Explosionswirkung oder pyrotechnischer Wirkung der Unterklassen 1.1 bis 1.6 sind folgende Prüfserien durchzuführen: <i>Explosionsfähigkeit:</i> Prüfungen nach der UN-Prüfserie 2 (Abschnitt 12 der <i>UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien</i>). Für Explosivzwecke bestimmte Stoffe ⁽¹⁾ unterliegen nicht der UN-Prüfserie 2. <i>Empfindlichkeit:</i> Prüfungen nach der UN-Prüfserie 3 (Abschnitt 13 der <i>UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien</i>). <i>Thermische Stabilität:</i> Prüfungen nach der UN-Prüfserie 3c (Unterabschnitt 13.6.1 der <i>UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien</i>). Für eine Einordnung in die korrekte Unterklasse sind weitere Prüfungen erforderlich.

⁽¹⁾ Dazu gehören Stoffe, Gemische und Erzeugnisse, die hergestellt worden sind, um eine praktische Wirkung durch Explosion oder eine pyrotechnische Wirkung hervorzurufen.

2.1.2.4 Explosive Stoffe/Gemische oder Erzeugnisse mit Explosivstoff, die unverpackt sind oder die in eine andere als die Originalverpackung oder eine dieser ähnelnde Verpackung umgepackt werden, müssen erneut geprüft werden.

2.1.3. **Gefahrenkommunikation**

Bei Stoffen, Gemischen oder Erzeugnissen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.1.2 zu verwenden.

HINWEIS zu Tabelle 2.1.2: Explosive Stoffe/Gemische oder Erzeugnisse mit Explosivstoff, die unverpackt sind oder die in eine andere als die Originalverpackung oder eine dieser ähnlichen Verpackung umgepackt werden, müssen alle folgenden Kennzeichnungselemente tragen:

- a) das Piktogramm mit der explodierenden Bombe,
- b) das Signalwort „Gefahr“ und
- c) den Gefahrenhinweis „Explosiv, Gefahr der Massenexplosion“.

Entspricht die Gefahr jedoch nachgewiesenermaßen einer der Gefahrenkategorien von Tabelle 2.1.2, ist das/der entsprechende Symbol, Signalwort und/oder Gefahrenhinweis zuzuordnen.

Tabelle 2.1.2

Kennzeichnungselemente für explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff

Einstufung	Instabil, explosiv	Unterklasse 1.1:	Unterklasse 1.2:	Unterklasse 1.3:	Unterklasse 1.4:	Unterklasse 1.5:	Unterklasse 1.6:
GHS-Piktogramm							
Signalwort	Gefahr	Gefahr	Gefahr	Gefahr	Achtung	Gefahr	Kein Signalwort
Gefahrenhinweis	H200: Instabil, explosiv	H201: Explosiv; Gefahr der Massenexplosion	H202: Explosiv; große Gefahr durch Splitter, Spreng- und Wurfstücke	H203: Explosiv; Gefahr durch Feuer, Luftdruck oder Splitter, Spreng- und Wurfstücke	H204: Gefahr durch Feuer oder Splitter, Spreng- und Wurfstücke	H205: Gefahr der Massenexplosion bei Feuer	Kein Gefahrenhinweis
Sicherheitshinweise — Prävention	P201 P202 P281	P210 P230 P240 P250 P280	P210 P230 P240 P250 P280	P210 P230 P240 P250 P280	P210 P240 P250 P280	P210 P230 P240 P250 P280	Kein Sicherheitshinweis
Sicherheitshinweise Reaktion	P372 P373 P380	P370+P380 P372 P373	P370+P380 P372 P373	P370+P380 P372 P373	P370+P380 P372 P373	P370+P380 P372 P373	Kein Sicherheitshinweis
Sicherheitshinweise — Lagerung	P401	P401	P401	P401	P401	P401	Kein Sicherheitshinweis
Sicherheitshinweise Entsorgung	P501	P501	P501	P501	P501	P501	Kein Sicherheitshinweis

2.1.4. **Zusätzliche Hinweise für die Einstufung**

- 2.1.4.1. Die Einstufung von Stoffen, Gemischen und Erzeugnissen in die Gefahrenklasse der explosiven Stoffe/Gemische und Erzeugnisse mit Explosivstoff und die anschließende Einordnung in einer Unterklasse ist ein sehr komplexes Verfahren in drei Schritten. Dabei ist auf Teil I der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Bezug zu nehmen.

Als erstes muss festgestellt werden, ob der Stoff oder das Gemisch explosive Wirkungen hat (Prüfserie 1). Danach erfolgt das Aufnahmeverfahren (Prüfserien 2 bis 4) und als dritter Schritt die Einordnung in eine Gefahrenunterklasse (Prüfserien 5 bis 7). Die Beurteilung, ob ein Stoff oder Gemisch, der/das für eine Einstufung als „Ammoniumnitratemulsion, -suspension oder -gel, Zwischenprodukt für die Herstellung von Sprengstoffen, (ANE)“ in Betracht kommt, hinreichend unempfindlich ist, um als oxidierende Flüssigkeit (Abschnitt 2.13) oder als oxidierender Feststoff (Abschnitt 2.14) eingeordnet zu werden, erfolgt auf der Grundlage von Prüfungen im Rahmen der Prüfserie 8.


Explosive Stoffe und Gemische, die mit Wasser oder Alkohol befeuchtet oder mit anderen Stoffen verdünnt in Verkehr gebracht werden, um ihre explosiven Eigenschaften zu unterdrücken, können je nach ihren physikalischen Eigenschaften hinsichtlich der Einstufung anders behandelt und anderen Gefahrenklassen zugeordnet werden (siehe auch Anhang II Kapitel 1.1.).

Bestimmte physikalische Gefahren (die durch explosive Eigenschaften bedingt sind) werden durch Verdünnung, wie im Fall desensibilisierter explosiver Stoffe/Gemische, durch Hinzufügen zu einem Gemisch oder Erzeugnis, durch Verpackung oder weitere Faktoren beeinflusst.

Das Einstufungsverfahren ist gemäß der nachstehenden Entscheidungslogik festgelegt (siehe Abbildungen 2.1.1 bis 2.1.4).

Abbildung 2.1.1


Fließdiagramm für das gesamte Verfahren zur Einstufung eines Stoffes, Gemisches oder Erzeugnisses in die Gefahrenklasse der explosiven Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Klasse 1 für die Beförderung)



(*) siehe UN-Empfehlungen für die Beförderung gefährlicher Güter, Modellvorschriften, 15. überarb. Ausgabe, Unterabschnitt 2.1.2.

Abbildung 2.1.2

Verfahren zur vorläufigen Aufnahme eines Stoffes, Gemisches oder Erzeugnisses in die Gefahrenklasse der explosiven Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Klasse 1 für die Beförderung)



(*) Zu Einstufungszwecken mit Prüfserie 2 beginnen.

Abbildung 2.1.3

Verfahren für die Zuordnung zu einer Unterklasse der Klasse explosiver Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Klasse 1 für die Beförderung)





Abbildung 2.1.4

Verfahren zur Einstufung von Ammoniumnitratemulsionen, -suspensionen oder -gels



2.1.4.2. *Screeningverfahren*

Explosive Eigenschaften sind verknüpft mit dem Vorhandensein von bestimmten chemischen Gruppen im Molekül, die bei einer Reaktion einen sehr raschen Temperatur- oder Druckanstieg bewirken können. Zweck des Screeningverfahrens ist es festzustellen, ob derartige reaktive Gruppen und das Potenzial für eine rasche Energiefreisetzung vorhanden sind. Wird anhand des Screeningverfahrens erkannt, dass der Stoff oder das Gemisch möglicherweise explosiv ist, muss das Aufnahmeverfahren (siehe Abschnitt 10.3 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*) durchgeführt werden.


Hinweis:

Beträgt die exotherme Zersetzungsenergie des organischen Materials weniger als 800 J/g, braucht weder die Detonationsweiterleitung nach Prüfmethode 1 a noch die Empfindlichkeit gegen Detonationsstoß nach Prüfmethode 2 a geprüft zu werden.

2.1.4.3. Ein Stoff oder Gemisch ist nicht als explosiv einzustufen, wenn:

- a) in dem Molekül keine chemischen Gruppen vorhanden sind, die auf mögliche explosive Eigenschaften hinweisen. Beispiele für Gruppen, die Anhaltspunkte für explosive Eigenschaften geben können, sind in Anhang 6 Tabelle A6.1 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, aufgeführt sind, oder
- b) der Stoff chemische Gruppen mit Sauerstoffatomen enthält, die auf explosive Eigenschaften hinweisen, die errechnete Sauerstoffbilanz aber kleiner als - 200 ist.

Die Sauerstoffbilanz der chemischen Reaktion berechnet sich wie folgt:



unter Verwendung folgender Formel:

$$\text{Sauerstoffbilanz} = - 1\,600 [2x + (y/2) - z] / \text{Molekulargewicht};$$

- c) der organische Stoff oder ein homogenes Gemisch organischer Stoffe chemische Gruppen enthält, die auf explosive Eigenschaften hinweisen, die exotherme Zersetzungsenergie aber kleiner als 500 J/g ist und die exotherme Zersetzung unterhalb von 500 °C einsetzt. Die Energie, die bei der exothermen Zersetzung freigesetzt wird, kann mit einem geeigneten kalorimetrischen Verfahren bestimmt werden; oder
- d) bei Gemischen aus anorganischen oxidierenden Stoffen und organischen Materialien die Konzentration des anorganischen oxidierenden Stoffes:
 - unter einem Massenanteil von 15 % liegt, falls der oxidierende Stoff den Kategorien 1 oder 2 zugeordnet ist,
 - unter einem Massenanteil von 30 % liegt, falls der oxidierende Stoff der Kategorie 3 zugeordnet ist.

2.1.4.4. Bei Gemischen, die irgendeinen bekanntermaßen explosiven Stoff enthalten, ist das Aufnahmeverfahren durchzuführen.

2.2. **Entzündbare Gase**2.2.1. **Begriffsbestimmung**

Entzündbare Gase: Gase oder Gasgemische, die in Luft bei 20 °C und einem Standarddruck von 101,3 kPa einen Explosionsbereich haben.

2.2.2. **Einstufungskriterien**

2.2.2.1. Ein entzündbares Gas ist nach Tabelle 2.2.1 in diese Klasse einzustufen:

Tabelle 2.2.1

Kriterien für entzündbare Gase

Kategorie	Kriterien
1	Gase, die bei 20 °C und einem Standarddruck von 101,3 kPa: a) entzündbar sind, wenn sie im Gemisch mit Luft mit einem Volumenanteil von 13 % oder weniger vorliegen oder b) in Luft einen Explosionsbereich von mindestens 12 Prozentpunkten haben, unabhängig von der unteren Explosionsgrenze.
2	Nicht in Kategorie 1 fallende Gase, die im Gemisch mit Luft bei 20 °C und einem Standarddruck von 101,3 kPa einen Explosionsbereich haben.

Hinweis:


Zur Einstufung von Aerosolen siehe Kapitel 2.3.

2.2.3. Gefahrenkommunikation

Bei Stoffen und Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.2.2 zu verwenden.

Tabelle 2.2.2

Kennzeichnungselemente für entzündbare Gase

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		Kein Piktogramm
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H220: Extrem entzündbares Gas	H221: Entzündbare Gase
Sicherheitshinweise — Prävention	P210	P210
Sicherheitshinweise — Reaktion	P377 P381	P377 P381
Sicherheitshinweise — Lagerung	P403	P403
Sicherheitshinweise — Entsorgung		

2.2.4. Zusätzliche Hinweise für die Einstufung

- 2.2.4.1. Die Entzündbarkeit ist durch Prüfungen zu bestimmen oder, sofern bei Gemischen genügend Daten vorliegen, durch Berechnung nach den von der ISO verabschiedeten Verfahren (vgl. ISO 10156 in der aktuellen Ausgabe, Gases and gas mixtures — Determination of fire potential and oxidising ability for the selection of cylinder valve outlet). Reicht die Datenlage für die Anwendung dieser Verfahren nicht aus, kann das Prüfverfahren nach EN 1839 in der aktuellen Ausgabe (Bestimmung der Explosionsgrenzen von Gasen und Dämpfen) angewandt werden.

2.3. Entzündbare Aerosole

2.3.1. Begriffsbestimmungen:

Aerosole, d. h. Aerosolpackungen: alle nicht nachfüllbaren Behälter aus Metall, Glas oder Kunststoff, einschließlich des darin enthaltenen verdichteten, verflüssigten oder unter Druck gelösten Gases mit oder ohne Flüssigkeit, Paste oder Pulver, die mit einer Entnahmevorrichtung versehen sind, die es ermöglicht, ihren Inhalt in Form von in Gas suspendierten festen oder flüssigen Partikeln als Schaum, Paste, Pulver oder in flüssigem oder gasförmigem Zustand austreten zu lassen.

2.3.2. **Einstufungskriterien**

2.3.2.1. Aerosole kommen für eine Einstufung als entzündbar gemäß Abschnitt 2.3.2.2 in Betracht, sobald sie einen beliebigen Bestandteil enthalten, der anhand der in diesem Teil enthaltenen Kriterien als entzündbar eingestuft wurde, d. h.:

- Flüssigkeiten mit einem Flammpunkt von ≤ 93 °C, zu denen auch entzündbare Flüssigkeiten gemäß Kapitel 2.6 zählen;
- entzündbare Gase (siehe Kapitel 2.2);
- entzündbare Feststoffe (siehe Kapitel 2.7).


Hinweis:

Pyrophore, selbsterhitzungsfähige oder mit Wasser reagierende Stoffe und Gemische gehören nicht zu den entzündbaren Bestandteilen, weil sie nie als Aerosolbestandteile verwendet werden.

2.3.2.2. Ein entzündbares Aerosol ist in eine der beiden Kategorien dieser Klasse einzustufen, und zwar anhand seiner Bestandteile, seiner chemischen Verbrennungswärme und gegebenenfalls anhand der Ergebnisse des Schaumtests (bei Schaumaerosolen) sowie des Flammstrahl- und des Fasztests (bei Sprühaerosolen) gemäß Abbildung 2.3.1 und Teil III Abschnitte 31.4, 31.5 und 31.6 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*:

Abbildung 2.3.1

Abbildung 2.3.1 a: entzündbare Aerosole



Für Sprühaerosole siehe Abbildung der Entscheidungslogik 2.3.1 b).

Für Schaumaerosole siehe Abbildung der Entscheidungslogik 2.3.1 c).

Abbildung 2.3.1 b: Sprühaerosole





Abbildung 2.3.1 c: Schaumaerosole





2.3.3. Gefahrenkommunikation

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.3.2 zu verwenden.

Tabelle 2.3.2

Kennzeichnungselemente für entzündbare Aerosole

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H222: Extrem entzündbares Aerosol	H223: Entzündbares Aerosol
Sicherheitshinweise — Prävention	P210 P211 P251	P210 P211 P251
Sicherheitshinweise — Reaktion		
Sicherheitshinweise — Lagerung	P410 + P412	P410 + P412
Sicherheitshinweise — Entsorgung		

2.3.4. **Zusätzliche Hinweise für die Einstufung**

- 2.3.4.1. Die chemische Verbrennungswärme (ΔH_c) in Kilojoule pro Gramm (kJ/g) ist das Produkt der theoretischen Verbrennungswärme (ΔH_{comb}) und der Verbrennungseffizienz, die gewöhnlich unter 1,0 liegt (eine typische Verbrennungseffizienz ist 0,95 oder 95 %).

Bei einer zusammengesetzten Aerosolformulierung entspricht die chemische Verbrennungswärme der Summe der gewichteten Verbrennungswärmen ihrer Einzelbestandteile:

$$\Delta H_{c(\text{product})} = \sum_1^n [w_i \% \times \Delta H_{c(i)}]$$

wobei gilt:

ΔH_c = chemische Verbrennungswärme (kJ/g)

w_i % = Massenanteil von Bestandteil i des Produkts

$\Delta H_{c(i)}$ = spezifische Verbrennungswärme (kJ/g) von Bestandteil i des Produkts

Die chemische Verbrennungswärme kann der Literatur entnommen, berechnet oder durch Prüfungen ermittelt werden (siehe ASTM D 240 in der aktuellen Ausgabe — „Standard Test Methods for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter“; EN/ISO 13943 in der aktuellen Ausgabe, 86.1 bis 86.3 — Brandsicherheit — Terminologie; NFPA 30B in der aktuellen Ausgabe — „Code for the Manufacture and Storage of Aerosol Products“).

2.4. **Oxidierende Gase**

2.4.1. **Begriffsbestimmung:**

Oxidierende Gase: alle Gase oder Gasgemische, die im Allgemeinen durch Lieferung von Sauerstoff die Verbrennung anderer Materialien eher verursachen oder begünstigen können als Luft.

2.4.2. **Einstufungskriterien**

- 2.4.2.1. Ein oxidierendes Gas ist nach Tabelle 2.4.1 in die einzige Kategorie dieser Klasse einzustufen.

Tabelle 2.4.1

Kriterien für oxidierende Gase

Kategorie	Kriterien
1	Alle Gase, die im Allgemeinen durch Lieferung von Sauerstoff die Verbrennung anderer Materialien eher verursachen oder begünstigen können als Luft.

Hinweis:


„Alle Gase, die die Verbrennung anderer Materialien eher verursachen oder begünstigen als Luft“: reine Gase oder Gasgemische mit einer Oxidationskraft von mehr als 23,5 %, wie mithilfe der in ISO 10156 (aktuelle Ausgabe) oder ISO 10156-2 (aktuelle Ausgabe) festgelegten Methode bestimmt.

2.4.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.4.2 zu verwenden.

Tabelle 2.4.2

Kennzeichnungselemente für oxidierende Gase

Einstufung	Kategorie 1
GHS-Piktogramm	

Einstufung	Kategorie 1
Signalwort	Gefahr
Gefahrenhinweis	H270: Kann Brand verursachen oder verstärken; Oxidationsmittel
Sicherheitshinweise — Prävention	P220 P244
Sicherheitshinweise — Reaktion	P370 + P376
Sicherheitshinweise — Lagerung	P403
Sicherheitshinweise — Entsorgung	

2.4.4. **Zusätzliche Hinweise für die Einstufung**

Zur Einstufung eines oxidierenden Gases sind die Prüfungen oder Berechnungsverfahren nach ISO 10156 in der aktuellen Ausgabe „Gases and gas mixtures — Determination of fire potential and oxidising ability for the selection of cylinder valve outlet“ und ISO 10156-2 in der aktuellen Ausgabe „Gasflaschen — Gase und Gasgemische — Teil 2: Bestimmung des Oxidationsvermögens von giftigen und korrosiven Gasen und Gasgemischen“ durchzuführen.

2.5. **Gase unter Druck**

2.5.1. **Begriffsbestimmung**

2.5.1.1. *Gase unter Druck*: Gase, die in einem Behältnis unter einem Druck von 200 kPa (Überdruck) oder mehr enthalten sind oder die verflüssigt oder verflüssigt und tiefgekühlt sind.

Dazu gehören verdichtete, verflüssigte, gelöste und tiefgekühlt verflüssigte Gase.

2.5.1.2. Die kritische Temperatur ist die Temperatur, oberhalb derer ein reines Gas sich unabhängig vom Druck nicht mehr verflüssigen lässt.

2.5.2. **Einstufungskriterien**

Gase sind, je nach ihrem Aggregatzustand in verpacktem Zustand, anhand der Tabelle 2.5.1 in eine von vier Gruppen einzustufen.

Table 2.5.1

Kriterien für Gase unter Druck




Gruppe	Kriterien
verdichtetes Gas	Ein Gas, das in verpacktem Zustand unter Druck bei 50 °C vollständig gasförmig ist, einschließlich aller Gase mit einer kritischen Temperatur $\leq - 50$ °C.
verflüssigtes Gas	Ein Gas, das in verpacktem Zustand unter Druck bei Temperaturen über - 50 °C teilweise flüssig ist. Es wird unterschieden zwischen: i) unter hohem Druck verflüssigtem Gas: ein Gas, dessen kritische Temperatur zwischen - 50 °C and + 65 °C liegt, und ii) unter geringem Druck verflüssigtem Gas: ein Gas, dessen kritische Temperatur über + 65 °C liegt.
Tiefgekühlt verflüssigtes Gas	Ein Gas, das in verpacktem Zustand aufgrund seiner niedrigen Temperatur teilweise verflüssigt wird.
gelöstes Gas	Ein Gas, das in verpacktem Zustand unter Druck in einem flüssigen Lösemittel gelöst wird.

2.5.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.5.2 zu verwenden.

Tabelle 2.5.2

Kennzeichnungselemente für Gase unter Druck

Einstufung	verdichtetes Gas	verflüssigtes Gas	Tiefgekühlt verflüssigtes Gas	gelöstes Gas
GHS-Piktogramm				
Signalwort	Achtung	Achtung	Achtung	Achtung
Gefahrenhinweis	H280: Enthält Gas unter Druck; kann bei Erwärmung explodieren	H280: Enthält Gas unter Druck; kann bei Erwärmung explodieren	H281: Enthält tiefgekühltes Gas; kann Kälteverbrennungen oder Verletzungen verursachen	H280: Enthält Gas unter Druck; kann bei Erwärmung explodieren
Sicherheitshinweise — Prävention			P282	
Sicherheitshinweise — Reaktion			P336 P315	
Sicherheitshinweise — Lagerung	P410 + P403	P410 + P403	P403	P410 + P403
Sicherheitshinweise — Entsorgung				

2.5.4. **Zusätzliche Hinweise für die Einstufung**

Für diese Gruppe von Gasen müssen folgende Informationen bekannt sein:

- der Dampfdruck bei 50 °C,
- der Aggregatzustand bei 20 °C und Standarddruck,
- die kritische Temperatur.

Die Daten können der Literatur entnommen, berechnet oder durch Prüfung ermittelt werden. Der Großteil der reinen Gase ist bereits in den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Modellvorschriften*, eingestuft.

2.6. **Entzündbare Flüssigkeiten**2.6.1. **Begriffsbestimmung**

Entzündbare Flüssigkeiten: Flüssigkeiten mit einem Flammpunkt von maximal 60 °C.

2.6.2. **Einstufungskriterien**

- 2.6.2.1. Eine entzündbare Flüssigkeit ist nach Tabelle 2.6.1 in eine der drei Kategorien dieser Klasse einzustufen.

Tabelle 2.6.1

Kriterien für entzündbare Flüssigkeiten

Kategorie	Kriterien
1	Flammpunkt < 23 °C und Siedebeginn ≤ 35 °C
2	Flammpunkt < 23 °C und Siedebeginn > 35 °C
3	Flammpunkt ≥ 23 °C und ≤ 60 °C ⁽¹⁾




⁽¹⁾ Für die Zwecke dieser Verordnung können Gasöle, Diesel und leichte Heizöle, die einen Flammpunkt zwischen 55 °C und 75 °C haben, als zur Kategorie 3 gehörend gelten.

2.6.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.6.2 zu verwenden.

Tabelle 2.6.2

Kennzeichnungselemente für entzündbare Flüssigkeiten

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
GHS-Piktogramm			
Signalwort	Gefahr	Gefahr	Achtung
Gefahrenhinweis	H224: Flüssigkeit und Dampf extrem entzündbar	H225: Flüssigkeit und Dampf leicht entzündbar	H226: Flüssigkeit und Dampf entzündbar
Sicherheitshinweise — Prävention	P210 P233 P240 P241 P242 P243 P280	P210 P233 P240 P241 P242 P243 P280	P210 P233 P240 P241 P242 P243 P280
Sicherheitshinweise — Reaktion	P303 + P361 + P353 P370 + P378	P303 + P361 + P353 P370 + P378	P303 + P361 + P353 P370 + P378
Sicherheitshinweise — Lagerung	P403 + P235	P403 + P235	P403 + P235
Sicherheitshinweise — Entsorgung	P501	P501	P501

2.6.4. **Zusätzliche Hinweise für die Einstufung**

- 2.6.4.1. Zur Einstufung entzündbarer Flüssigkeiten sind Daten über den Flammpunkt und den Siedebeginn erforderlich. Sie können durch Prüfung ermittelt, der Literatur entnommen oder berechnet werden. Sind keine Daten verfügbar, müssen der Flammpunkt und der Siedebeginn durch Prüfung ermittelt werden. Für die Ermittlung des Flammpunktes muss eine Methode angewandt werden, bei der ein geschlossener Tiegel verwendet wird.

- 2.6.4.2. Bei Gemischen ⁽¹⁾, die bekannte entzündbare Flüssigkeiten in festgelegten Konzentrationen enthalten, muss der Flammpunkt nicht experimentell bestimmt werden, selbst wenn sie nichtflüchtige Bestandteile wie Polymere oder Additive enthalten, falls der nach der in Abschnitt 2.6.4.3 genannten Methode berechnete Flammpunkt des Gemisches mindestens 5 °C ⁽²⁾ über dem relevanten Einstufungskriterium liegt und sofern:
- die Zusammensetzung des Gemisches genau bekannt ist (wenn die Zusammensetzung eine festgelegte Bandbreite aufweist, ist jene Zusammensetzung mit dem niedrigsten berechneten Flammpunkt für die Bewertung heranzuziehen);
 - die untere Explosionsgrenze jedes Bestandteils bekannt ist (werden diese Daten auf andere Temperaturen als in den Prüfbedingungen extrapoliert, ist eine geeignete Korrelation zu verwenden), und auch die Methode zur Berechnung der unteren Explosionsgrenze;
 - die Temperaturabhängigkeit des Sättigungsdampfdrucks und des Aktivitätskoeffizienten für jeden in dem Gemisch vorkommenden Bestandteil bekannt ist;
 - die Flüssigphase homogen ist.
- 2.6.4.3. Eine geeignete Methode wird in Gmeling und Rasmussen (Ind. Eng. Fundament, 21, 186, (1982)) beschrieben. Bei einem Gemisch, das nichtflüchtige Bestandteile enthält, wird der Flammpunkt anhand der flüchtigen Bestandteile errechnet. Dabei wird davon ausgegangen, dass ein nichtflüchtiger Bestandteil den Partialdruck der Lösemittel nur geringfügig senkt und der berechnete Flammpunkt nur knapp unter dem Messwert liegt.
- 2.6.4.4. Mögliche Prüfverfahren zur Bestimmung des Flammpunkts von entzündbaren Flüssigkeiten sind in der Tabelle 2.6.3. aufgeführt.

Tabelle 2.6.3

Methoden zur Bestimmung des Flammpunkts von entzündbaren Flüssigkeiten

Europäische Normen:	EN ISO 1516 in der aktuellen Ausgabe Flammpunktbestimmung — Ja/Nein-Verfahren — Gleichgewichtsverfahren mit geschlossenem Tiegel
	EN ISO 1523 in der aktuellen Ausgabe Bestimmung des Flammpunktes — Gleichgewichtsverfahren mit geschlossenem Tiegel
	EN ISO 2719 in der aktuellen Ausgabe Bestimmung des Flammpunktes — Verfahren nach Pensky-Martens mit geschlossenem Tiegel
	EN ISO 3679 in der aktuellen Ausgabe Bestimmung des Flammpunktes — Schnelles Gleichgewichtsverfahren mit geschlossenem Tiegel
	EN ISO 3680 in der aktuellen Ausgabe Bestimmung des Flammpunktes — Ja/Nein-Verfahren — Schnelles Gleichgewichtsverfahren mit geschlossenem Tiegel
	EN ISO 13736 in der aktuellen Ausgabe Mineralölprodukte und Flüssigkeiten — Bestimmung des Flammpunktes — Verfahren mit geschlossenem Tiegel nach Abel
<i>Einzelstaatliche Normen:</i>	
Association française de normalisation (AFNOR):	NF M07-036 in der aktuellen Ausgabe Bestimmung des Flammpunktes — geschlossener Tiegel nach Abel-Pensky (identisch mit DIN 51755)
British Standards Institute	BS 2000 Part 170 in der aktuellen Ausgabe (identisch mit EN ISO 13736)
Deutsches Institut für Normung e. V.	DIN 51755 (Flammpunkte unter 65 °C) in der aktuellen Ausgabe Prüfung von Mineralölen und anderen brennbaren Flüssigkeiten; Bestimmung des Flammpunktes im geschlossenen Tiegel, nach Abel-Pensky (identisch mit NF M07-036)

⁽¹⁾ Bislang ist die Berechnungsmethode für Gemische validiert, die bis zu sechs flüchtige Bestandteile enthalten. Zu diesen Bestandteilen können entzündbare Flüssigkeiten wie Kohlenwasserstoffe, Ether, Alkohole, Ester (außer Acrylate) und Wasser gehören. Die Methode wurde allerdings noch nicht für Gemische validiert, die halogenierte schwefelhaltige und/oder phosphorhaltige Bestandteile sowie reaktive Acrylate enthalten.

⁽²⁾ Wenn der berechnete Flammpunkt weniger als 5 °C über dem relevanten Einstufungskriterium liegt, darf diese Berechnungsmethode nicht angewandt werden. In einem solchen Fall ist der Flammpunkt experimentell zu ermitteln.

2.6.4.5. Flüssigkeiten mit einem Flammpunkt über 35 °C müssen nicht in die Kategorie 3 eingestuft werden, wenn die Prüfung L.2 auf selbstunterhaltende Verbrennung nach den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Abschnitt 32, negativ ausgefallen ist.

2.7. Entzündbare Feststoffe

2.7.1. Begriffsbestimmung

2.7.1.1. *Entzündbarer Feststoff*: Feststoff, der leicht brennbar ist oder durch Reibung Brand verursachen oder fördern kann.

Leicht brennbare Feststoffe: pulverförmige, körnige oder pastöse Stoffe oder Gemische, die gefährlich sind, wenn sie durch kurzen Kontakt mit einer Zündquelle wie einem brennenden Streichholz leicht entzündet werden können und die Flammen sich rasch ausbreiten.

2.7.2. Einstufungskriterien

2.7.2.1. Pulverförmige, körnige oder pastöse Stoffe oder Gemische (ausgenommen Metallpulver oder Pulver von Metalllegierungen — siehe Abschnitt 2.7.2.2) sind als leicht brennbare Feststoffe einzustufen, wenn bei einem oder mehreren Prüfdurchläufen nach der Prüfmethode gemäß den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 33.2.1, die Abbrandzeit kürzer als 45 Sekunden ist oder die Abbrandgeschwindigkeit mehr als 2,2 mm/s beträgt.

2.7.2.2. Metallpulver oder Pulver von Metalllegierungen sind als entzündbare Feststoffe einzustufen, wenn sie entzündet werden können und die Reaktion sich in 10 Minuten oder weniger über die gesamte Länge der Proben ausbreitet.

2.7.2.3. Ein entzündbarer Feststoff ist anhand der Methode N.1 gemäß den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Unterabschnitt 33.2.1, nach Tabelle 2.7.1 in eine der beiden Kategorien dieser Klasse einzustufen:

Tabelle 2.7.1

Kriterien für entzündbare Feststoffe

Kategorie	Kriterien
1	Prüfung der Abbrandgeschwindigkeit Andere Stoffe und Gemische als Metallpulver: a) befeuchtete Zone hält Brand nicht auf und b) Abbrandzeit < 45 Sekunden oder Abbrandgeschwindigkeit > 2,2 mm/s Metallpulver: Abbrandzeit ≤ 5 Minuten
2	Prüfung der Abbrandgeschwindigkeit Andere Stoffe und Gemische als Metallpulver: a) befeuchtete Zone hält Brand für mindestens 4 Minuten auf und b) Abbrandzeit < 45 Sekunden oder Abbrandgeschwindigkeit > 2,2 mm/s Metallpulver: Abbrandzeit > 5 Minuten und ≤ 10 Minuten

Hinweis:



Der Stoff oder das Gemisch wird in der physikalischen Form geprüft, in der er/es vorliegt. Wenn z. B. zu Lieferungs- oder Transportzwecken eine Chemikalie in einer anderen physikalischen Form vorliegt als in der geprüften und in einem solchen Fall davon auszugehen ist, dass bei einer Einstufungsprüfung die Ergebnisse wahrscheinlich wesentlich abweichen werden, muss der Stoff auch in der neuen Form geprüft werden.

2.7.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.7.2 zu verwenden.

Tabelle 2.7.2

Kennzeichnungselemente für entzündbare Feststoffe

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H228: Entzündbarer Feststoff	H228: Entzündbarer Feststoff
Sicherheitshinweise — Prävention	P210 P240 P241 P280	P210 P240 P241 P280
Sicherheitshinweise — Reaktion	P370 + P378	P370 + P378
Sicherheitshinweise — Lagerung		
Sicherheitshinweise — Entsorgung		

2.8. **Selbsterzetzliche Stoffe und Gemische**2.8.1. **Begriffsbestimmung**

2.8.1.1. *Selbsterzetzliche Stoffe oder Gemische*: thermisch instabile, flüssige oder feste Stoffe oder Gemische, die sich auch ohne Beteiligung von Sauerstoff (Luft) stark exotherm zersetzen können. Diese Definition schließt Stoffe oder Gemische aus, die nach diesem Teil des Anhangs als explosive Stoffe/Gemische, als organische Peroxide oder als oxidierend eingestuft wurden.

2.8.1.2. Selbstzeretzliche Stoffe oder Gemische werden als Stoffe oder Gemische mit explosiven Eigenschaften angesehen, wenn die Formulierungen im Laborversuch leicht detonieren, schnell deflagrieren oder bei Erhitzen unter Einschluss heftig reagieren.

2.8.2. **Einstufungskriterien**

2.8.2.1. Alle selbstzeretzlichen Stoffe oder Gemische sind für eine Einstufung in diese Klasse in Betracht zu ziehen, es sei denn:

- a) es handelt sich um explosive Stoffe/Gemische gemäß den Kriterien von Kapitel 2.1,
- b) es handelt sich um oxidierende Flüssigkeiten oder Feststoffe gemäß den Kriterien der Kapitel 2.13 oder 2.14, mit der Ausnahme, dass Gemische oxidierender Stoffe, die 5 % oder mehr brennbare organische Stoffe enthalten, entsprechend dem in Abschnitt 2.8.2.2 beschriebenen Verfahren als selbstzeretzliche Stoffe einzustufen sind,
- c) es handelt sich um organische Peroxide gemäß den Kriterien von Kapitel 2.15,
- d) ihre Zersetzungswärme ist geringer als 300 J/g, oder
- e) ihre Temperatur der selbstbeschleunigenden Zersetzung (SADT) ist bei einem 50-kg-Versandstück größer als 75 °C ⁽¹⁾.

⁽¹⁾ Siehe Handbuch über Prüfungen und Kriterien der Vereinten Nationen, Abschnitte 28.1, 28.2, 28.3 und Tabelle 28.3.

- 2.8.2.2. Gemische aus oxidierenden Stoffen, die die Kriterien für die Einstufung als oxidierende Stoffe erfüllen, in denen 5 % oder mehr brennbare organische Stoffe enthalten sind und die die obigen Kriterien nach den Buchstaben a, c, d oder e in Abschnitt 2.8.2.1 nicht erfüllen, werden dem Verfahren für die Einstufung als selbstzersetzlicher Stoff unterzogen.

Weist ein solches Gemisch die Eigenschaften eines selbstzersetzlichen Stoffes der Typen B bis F (siehe Abschnitt 2.8.2.3) auf, ist es als selbstzersetzlicher Stoff einzustufen.

Wird die Prüfung in der verpackten Form durchgeführt und die Verpackung dann verändert, ist eine weitere Prüfung vorzunehmen, falls davon auszugehen ist, dass die Veränderung der Verpackung das Prüfergebnis beeinflusst.

- 2.8.2.3. Selbstzersetzliche Stoffe und Gemische sind anhand folgender Grundsätze in eine der sieben Kategorien „Typ A bis Typ G“ dieser Klasse einzustufen:

- a) Alle selbstzersetzlichen Stoffe oder Gemische, die in der Verpackung detonieren oder schnell deflagrieren können, gelten als selbstzersetzliche Stoffe des TYP A.
- b) Alle selbstzersetzlichen Stoffe oder Gemische, die explosive Eigenschaften haben und in der Verpackung weder detonieren noch schnell deflagrieren, aber in dieser Verpackung zur thermischen Explosion neigen, gelten als selbstzersetzliche Stoffe des TYP B.
- c) Alle selbstzersetzlichen Stoffe oder Gemische, die explosive Eigenschaften haben, aber in der Verpackung weder detonieren noch schnell deflagrieren oder thermisch explodieren können, gelten als selbstzersetzliche Stoffe des TYP C.
- d) Alle selbstzersetzlichen Stoffe oder Gemische, die im Laborversuch
 - i) teilweise detonieren, nicht schnell deflagrieren und bei Erhitzen unter Einschluss keine heftige Wirkung zeigen oder
 - ii) überhaupt nicht detonieren, langsam deflagrieren und bei Erhitzen unter Einschluss keine heftige Wirkung zeigen oder
 - iii) überhaupt nicht detonieren oder deflagrieren und bei Erhitzen unter Einschluss eine mittlere Wirkung zeigen,gelten als selbstzersetzliche Stoffe des TYP D.
- e) Alle selbstzersetzlichen Stoffe oder Gemische, die im Laborversuch nicht detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss geringe oder keine Wirkung zeigen, gelten als selbstzersetzliche Stoffe des TYP E.
- f) Alle selbstzersetzlichen Stoffe oder Gemische, die im Laborversuch im kavitierten Zustand nicht detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss nur geringe oder keine Wirkung sowie nur eine geringe oder keine explosive Kraft zeigen, gelten als selbstzersetzliche Stoffe des TYP F.
- g) Alle selbstzersetzlichen Stoffe oder Gemische, die im Laborversuch im kavitierten Zustand nicht detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss keinerlei Wirkung und auch keine explosive Kraft zeigen, gelten als selbstzersetzliche Stoffe des TYP G, vorausgesetzt sie sind thermisch stabil (Temperatur der selbstbeschleunigenden Zersetzung für ein 50-kg-Versandstück liegt bei 60 °C bis 75 °C) und im Fall flüssiger Gemische wird ein Verdünnungsmittel mit einem Siedepunkt von mindestens 150 °C zur Desensibilisierung verwendet. Ist das Gemisch thermisch instabil oder wird ein Verdünnungsmittel mit einem Siedepunkt unter 150 °C zur Desensibilisierung verwendet, gilt das Gemisch als selbstzersetzlicher Stoff des TYP F.

Wird die Prüfung in der verpackten Form durchgeführt und die Verpackung dann verändert, ist eine weitere Prüfung vorzunehmen, falls davon auszugehen ist, dass die Veränderung der Verpackung das Prüfergebnis beeinflusst.

- 2.8.2.4. *Kriterien für die Temperaturkontrolle*






Für selbstzersetzliche Stoffe mit einer Temperatur der selbstbeschleunigenden Zersetzung (SADT) von 55 °C oder weniger ist eine Temperaturkontrolle erforderlich. Die Prüfverfahren zur SADT-Bestimmung und die Ableitung von Kontroll- und Notfalltemperaturen sind in den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil II Abschnitt 28, angegeben. Die ausgewählte Prüfung ist so durchzuführen, dass sie sowohl für die Größe als auch für das Material der Verpackung repräsentativ ist.

2.8.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.8.1 zu verwenden.

Tabelle 2.8.1

Kennzeichnungselemente für selbstzersetzliche Stoffe und Gemische

Einstufung	Typ A	Typ B	Typen C & D	Typen E & F	Typ G
GHS-Piktogramm		 			Dieser Gefahrenkategorie sind keine Kennzeichnungselemente zugeordnet.
Signalwort	Gefahr	Gefahr	Gefahr	Achtung	
Gefahrenhinweis	H240: Erwärmung kann Explosion verursachen	H241: Erwärmung kann Brand oder Explosion verursachen	H242: Erwärmung kann Brand verursachen	H242: Erwärmung kann Brand verursachen	
Sicherheitshinweise — Prävention	P210 P220 P234 P280	P210 P220 P234 P280	P210 P220 P234 P280	P210 P220 P234 P280	
Sicherheitshinweise — Reaktion	P370 + P378 P370 + P380 + P375	P370 + P378 P370 + P380 + P375	P370 + P378	P370 + P378	
Sicherheitshinweise — Lagerung	P403 + P235 P411 P420	P403 + P235 P411 P420	P403 + P235 P411 P420	P403 + P235 P411 P420	
Sicherheitshinweise — Entsorgung	P501	P501	P501	P501	

Dem Typ G sind zwar keine Elemente der Gefahrenkommunikation zugewiesen, doch kommt er für Eigenschaften in Frage, die unter andere Gefahrenklassen fallen.

2.8.4. **Zusätzliche Hinweise für die Einstufung**


2.8.4.1. Die einstufigsrelevanten Eigenschaften selbstzersetzlicher Stoffe oder Gemische sind experimentell zu bestimmen. Die Einstufung eines selbstzersetzlichen Stoffes oder Gemisches ist anhand der Prüfserien A bis H gemäß den *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil II, vorzunehmen. Das Einstufungsverfahren ist in Abbildung 2.8.1 dargestellt.

2.8.4.2. Die Einstufungsverfahren für selbstzersetzliche Stoffe und Gemische entfallen,

- wenn im Molekül keine chemischen Gruppen vorhanden sind, die auf explosive oder selbstzersetzliche Eigenschaften hinweisen. Beispiele für solche Gruppen sind in Anhang 6 Tabellen A6.1 und A6.2 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, aufgeführt, oder
- wenn bei einem reinen organischen Stoff oder einem homogenen Gemisch aus organischen Stoffen die geschätzte SADT bei einem 50-kg-Versandstück höher als 75 °C oder die exotherme Zersetzungsenergie geringer als 300 J/g ist. Die Onset-Temperatur (Beginn der Exothermie) und die Zersetzungsenergie können mit einem geeigneten kalorimetrischen Verfahren bestimmt werden (siehe *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil II Unterabschnitt 20.3.3.3).

Abbildung 2.8.1

Selbstersetzliche Stoffe und Gemische



2.9. Pyrophore Flüssigkeiten

2.9.1. Begriffsbestimmung

Pyrophore Flüssigkeiten: flüssige Stoffe oder Gemische, die schon in kleinen Mengen dazu neigen, sich in Berührung mit Luft innerhalb von fünf Minuten zu entzünden.

2.9.2. Einstufungskriterien

- 2.9.2.1. Eine pyrophore Flüssigkeit ist anhand der Prüfung N.3 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 33.3.1.5, nach der Tabelle 2.9.1 in eine einzige Kategorie dieser Klasse einzustufen:

Tabelle 2.9.1

Kriterien für pyrophore Flüssigkeiten


Kategorie	Kriterien
1	In Berührung mit Luft entzündet sich die Flüssigkeit innerhalb von 5 Minuten, wenn sie auf ein inertes Trägermaterial aufgetragen wird, oder sie entzündet oder verkohlt ein Filterpapier innerhalb von 5 Minuten.

2.9.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.9.2 zu verwenden.

Tabelle 2.9.2

Kennzeichnungselemente für pyrophore Flüssigkeiten

Einstufung	Kategorie 1
GHS-Piktogramm	
Signalwort	Gefahr
Gefahrenhinweis	H250: Entzündet sich in Berührung mit Luft von selbst
Sicherheitshinweise — Prävention	P210 P222 P280
Sicherheitshinweise — Reaktion	P302 + P334 P370 + P378
Sicherheitshinweise — Lagerung	P422
Sicherheitshinweise — Entsorgung	

2.9.4. **Zusätzliche Hinweise für die Einstufung**

- 2.9.4.1. Das Einstufungsverfahren für pyrophore Flüssigkeiten braucht nicht angewandt zu werden, wenn die Erfahrung bei der Herstellung oder Handhabung zeigt, dass sich der Stoff oder das Gemisch in Berührung mit Luft und bei normalen Temperaturen nicht von selbst entzündet (d. h. von diesem Stoff ist bekannt, dass er bei Raumtemperatur über längere Zeiträume (Tage) hinweg stabil ist).

2.10. **Pyrophore Feststoffe**2.10.1. **Begriffsbestimmung**

Pyrophore Feststoffe: feste Stoffe oder Gemische, die schon in kleinen Mengen dazu neigen, sich in Berührung mit Luft bereits innerhalb von fünf Minuten zu entzünden.

2.10.2. **Einstufungskriterien**

- 2.10.2.1. Ein pyrophorer Feststoff ist anhand der Prüfung N.2 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 33.3.1.4, nach Tabelle 2.10.1 in die einzige Kategorie dieser Klasse einzustufen:

Tabelle 2.10.1

Kriterien für pyrophore Feststoffe

Kategorie	Kriterien
1	Der Feststoff entzündet sich in Berührung mit Luft innerhalb von fünf Minuten.

Hinweis:


Der Stoff oder das Gemisch wird in der physikalischen Form geprüft, in der er/es vorliegt. Wenn z. B. zu Lieferungs- oder Transportzwecken eine Chemikalie in einer anderen physikalischen Form vorliegt als in der geprüften und in einem solchen Fall davon auszugehen ist, dass bei einer Einstufungsprüfung die Ergebnisse wahrscheinlich wesentlich abweichen, muss der Stoff auch in der neuen Form geprüft werden.

2.10.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.10.2 zu verwenden.

Tabelle 2.10.2

Kennzeichnungselemente für pyrophore Feststoffe

Einstufung	Kategorie 1
GHS-Piktogramm	
Signalwort	Gefahr
Gefahrenhinweis	H250: Entzündet sich in Berührung mit Luft von selbst
Sicherheitshinweise — Prävention	P210 P222 P280
Sicherheitshinweise — Reaktion	P335 + P334 P370 + P378
Sicherheitshinweise — Lagerung	P422
Sicherheitshinweise — Entsorgung	

2.10.4. **Zusätzliche Hinweise für die Einstufung**

- 2.10.4.1. Das Einstufungsverfahren für pyrophore Feststoffe braucht nicht angewandt zu werden, wenn die Erfahrung bei der Herstellung oder Handhabung zeigt, dass sich der Stoff in Berührung mit Luft und bei normalen Temperaturen nicht von selbst entzündet (d. h. von diesem Stoff ist bekannt, dass er bei Raumtemperatur über längere Zeiträume (Tage) hinweg stabil ist).

2.11. **Selbsterhitzungsfähige Stoffe und Gemische**

2.11.1. **Begriffsbestimmung**

- 2.11.1.1. *Selbsterhitzungsfähige Stoffe oder Gemische:* flüssige oder feste Stoffe oder Gemische, die keine pyrophoren Flüssigkeiten oder Feststoffe sind und die dazu neigen, sich in Berührung mit Luft ohne Energiezufuhr selbst zu erhitzen; derartige Stoffe oder Gemische unterscheiden sich von pyrophoren Flüssigkeiten oder Feststoffen darin, dass sie sich nur in großen Mengen (mehrere Kilogramm) und nach einem längeren Zeitraum (Stunden oder Tage) entzünden.

- 2.11.1.2. Die Selbsterhitzung von Stoffen oder Gemischen, die zur Selbstentzündung führt, wird durch Reaktion des Stoffes oder Gemisches mit dem Luftsauerstoff und durch die Tatsache verursacht, dass die entwickelte Wärme nicht schnell genug nach außen abgeführt wird. Die Selbstentzündung tritt ein, wenn die Menge der entstandenen Wärme größer ist als die der abgeführten und die Selbstentzündungstemperatur erreicht ist.
- 2.11.2. **Einstufungskriterien**
- 2.11.2.1. Stoffe oder Gemische sind als selbsterhitzungsfähige Stoffe oder Gemische dieser Klasse einzustufen, wenn die Prüfungen gemäß dem Prüfverfahren in Teil III Unterabschnitt 33.3.1.6 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Folgendes ergeben:
- Das Ergebnis der Prüfung mit einer kubischen Probe von 25 mm Kantenlänge ist bei 140 °C positiv
 - Das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 140 °C positiv und das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 120 °C Versuchstemperatur negativ und der Stoff oder das Gemisch wird in Verpackungen mit einem Volumen von mehr als 3 m³ verpackt.
 - Das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 140 °C positiv und das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 100 °C negativ und der Stoff oder das Gemisch wird in Verpackungen mit einem Volumen von mehr als 450 Liter verpackt.
 - Das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 140 °C positiv und das Ergebnis der Prüfung mit einer kubischen Probe von 100 mm Kantenlänge ist bei 100 °C positiv.
- 2.11.2.2. Selbsterhitzungsfähige Stoffe oder Gemische sind in eine der beiden Kategorien dieser Klasse einzustufen, sofern bei einer Prüfung nach dem Prüfverfahren N.4 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 33.3.1.6, das Ergebnis den Kriterien nach Tabelle 2.11.1 entspricht.

Tabelle 2.11.1

Kriterien für selbsterhitzungsfähige Stoffe und Gemische

Kategorie	Kriterien
1	Das Ergebnis der Prüfung mit einer kubischen Probe von 25 mm Kantenlänge ist bei 140 °C positiv.
2	<ol style="list-style-type: none"> In einer kubischen Probe mit 100 mm Kantenlänge ist das Ergebnis bei 140 °C positiv und in einer kubischen Probe mit 25 mm Kantenlänge ist das Ergebnis bei 140 °C negativ und der Stoff oder das Gemisch wird in Verpackungen mit einem Volumen von mehr als 3 m³ verpackt, oder in einer kubischen Probe mit 100 mm Kantenlänge ist das Ergebnis bei 140 °C positiv und in einer kubischen Probe mit 25 mm Kantenlänge ist das Ergebnis bei 140 °C negativ, in einer kubischen Probe mit 100 mm Kantenlänge ist das Ergebnis bei 120 °C positiv und der Stoff oder das Gemisch wird in Verpackungen mit einem Volumen von mehr als 450 Liter verpackt, oder in einer kubischen Probe mit 100 mm Kantenlänge ist das Ergebnis bei 140 °C positiv und in einer kubischen Probe mit 25 mm Kantenlänge ist das Ergebnis bei 140 °C negativ und in einer kubischen Probe mit 100 mm Kantenlänge ist das Ergebnis bei 100 °C positiv.

Hinweis:

Der Stoff oder das Gemisch wird in der physikalischen Form geprüft, in der er/es vorliegt. Wenn z. B. zu Lieferungs- oder Transportzwecken eine Chemikalie in einer anderen physikalischen Form vorliegt als in der geprüften und in einem solchen Fall davon auszugehen ist, dass bei einer Einstufungsprüfung die Ergebnisse wahrscheinlich wesentlich abweichen werden, muss der Stoff auch in der neuen Form geprüft werden.

2.11.2.3. Stoffe und Gemische mit einer Selbstentzündungstemperatur von mehr als 50 °C für ein Volumen von 27 m³ sind nicht als selbsterhitzungsfähig einzustufen.



2.11.2.4. Stoffe und Gemische mit einer Selbstentzündungstemperatur von mehr als 50 °C für ein Volumen von 450 Litern sind nicht der Kategorie 1 dieser Klasse zuzuordnen.

2.11.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.11.2 zu verwenden.

Tabelle 2.11.2

Selbsterhitzungsfähige Stoffe und Gemische

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H251: Selbsterhitzungsfähig, kann in Brand geraten;	H252: In großen Mengen selbsterhitzungsfähig, kann in Brand geraten;
Sicherheitshinweise — Prävention	P235 + P410 P280	P235 + P410 P280
Sicherheitshinweise — Reaktion		
Sicherheitshinweise — Lagerung	P407 P413 P420	P407 P413 P420
Sicherheitshinweise — Entsorgung		

2.11.4. **Zusätzliche Hinweise für die Einstufung**


2.11.4.1. Eine ausführliche Darstellung der Entscheidungslogik für die Einstufung und die Prüfungen zur Feststellung der verschiedenen Kategorien ist Abbildung 2.11.1 zu entnehmen.

2.11.4.2. Das Einstufungsverfahren für selbsterhitzungsfähige Stoffe oder Gemische braucht nicht angewandt zu werden, wenn sich die Ergebnisse eines Screeningtests sinnvoll mit der Einstufungsprüfung korrelieren lassen und eine angemessene Sicherheitsmarge besteht. Beispiele für Screeningtests sind:

- a) Grewer-Ofen-Test (VDI-Richtlinien 2263, Blatt 1, 1990, Untersuchungsmethoden zur Ermittlung von sicherheitstechnischen Kenngrößen von Stäuben) mit einer Onset-Temperatur (Beginn der Exothermie), die 80 K über der Referenztemperatur für ein Volumen von 1 l liegt,
- b) Schüttgut-Screeningtest (Gibson, N. Harper, D. J. Rogers, R.: Evaluation of the fire and explosion risks in drying powders, Plant Operations Progress, 4 (3), 181-189, 1985) mit einer Onset-Temperatur (Beginn der Exothermie), die 60 K über der Referenztemperatur für ein Volumen von 1 l liegt.

Abbildung 2.11.1.

Selbsterhitzungsfähige Stoffe und Gemische

2.12. **Stoffe und Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln**2.12.1. **Begriffsbestimmung**

Stoffe oder Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln: feste oder flüssige Stoffe oder Gemische, die dazu neigen, sich durch Reaktion mit Wasser spontan zu entzünden oder in gefährlichen Mengen entzündbare Gase zu entwickeln.

2.12.2. **Einstufungskriterien**

- 2.12.2.1. Stoffe oder Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln, sind anhand der Prüfung N.5 der UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien, Teil III Unterabschnitt 33.4.1.4, nach Tabelle 2.12.1 in eine der drei Kategorien dieser Klasse einzustufen:

Tabelle 2.12.1

Kriterien für Stoffe oder Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln

Kategorie	Kriterien
1	Alle Stoffe oder Gemische, die bei Raumtemperatur heftig mit Wasser reagieren, wobei das entwickelte Gas im Allgemeinen dazu neigt, sich spontan zu entzünden, oder die bei Raumtemperatur leicht mit Wasser reagieren, wobei die Entwicklungsrate des entzündbaren Gases mindestens 10 Liter pro Kilogramm des zu prüfenden Stoffes innerhalb einer Minute beträgt
2	Alle Stoffe oder Gemische, die bei Raumtemperatur leicht mit Wasser reagieren, wobei die maximale Entwicklungsrate des entzündbaren Gases mindestens 20 Liter pro Kilogramm des zu prüfenden Stoffes pro Stunde beträgt, und die die Kriterien für Kategorie 1 nicht erfüllen
3	Alle Stoffe oder Gemische, die bei Raumtemperatur langsam mit Wasser reagieren, wobei die maximale Entwicklungsrate des entzündbaren Gases mindestens 1 Liter pro Kilogramm des zu prüfenden Stoffes pro Stunde beträgt, und die die Kriterien für die Kategorien 1 und 2 nicht erfüllen

Hinweis:

Der Stoff oder das Gemisch wird in der physikalischen Form geprüft, in der er/es vorliegt. Muss ein Stoff beispielsweise zum Zwecke der Lieferung oder der Beförderung in einer anderen physikalischen Form vorgelegt werden als der, in der er geprüft wurde und von der angenommen wird, dass sie seine Leistung in einem Einstufungstest wesentlich ändern wird, so muss der Stoff auch in der neuen Form geprüft werden.




- 2.12.2.2. Ein Stoff oder Gemisch ist dann als Stoff oder Gemisch, der/das in Berührung mit Wasser entzündbare Gase entwickelt, einzustufen wenn es bei irgendeinem Schritt des Prüfverfahrens zur spontanen Entzündung kommt.

2.12.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.12.2 zu verwenden.

Tabelle 2.12.2

Kennzeichnungselemente für Stoffe oder Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
GHS-Piktogramm			
Signalwort	Gefahr	Gefahr	Achtung
Gefahrenhinweis	H260: In Berührung mit Wasser entstehen entzündbare Gase, die sich spontan entzünden können	H261: In Berührung mit Wasser entstehen entzündbare Gase	H261: In Berührung mit Wasser entstehen entzündbare Gase
Sicherheitshinweise — Prävention	P223 P231 + P232 P280	P223 P231 + P232 P280	P231 + P232 P280
Sicherheitshinweise — Reaktion	P335 + P334 P370 + P378	P335 + P334 P370 + P378	P370 + P378
Sicherheitshinweise — Lagerung	P402 + P404	P402 + P404	P402 + P404

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
Sicherheitshinweise — Entsorgung	P501	P501	P501

2.12.4. **Zusätzliche Hinweise für die Einstufung**

2.12.4.1. Das Einstufungsverfahren für diese Klasse braucht nicht angewandt zu werden,

- wenn in der chemischen Struktur des Stoffes oder Gemisches keine Metalle oder Halbmetalle enthalten sind oder
- wenn die Erfahrung bei der Herstellung oder Handhabung zeigt, dass der Stoff oder das Gemisch nicht mit Wasser reagiert, so z. B. weil der Stoff mit Wasser hergestellt oder mit Wasser gewaschen wird, oder
- wenn der Stoff oder das Gemisch bekanntermaßen in Wasser löslich ist und ein stabiles Gemisch bildet.

2.13. **Oxidierende Flüssigkeiten**

2.13.1. **Begriffsbestimmung**

Oxidierende Flüssigkeiten: flüssige Stoffe oder Gemische, die, obwohl selbst nicht notwendigerweise brennbar, im Allgemeinen durch die Abgabe von Sauerstoff einen Brand anderer Materialien verursachen oder unterstützen können.

2.13.2. **Einstufungskriterien**

2.13.2.1. Eine oxidierende Flüssigkeit ist anhand der Prüfung O.2 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 34.4.2, nach der Tabelle 2.13.1 in eine der drei Kategorien dieser Klasse einzustufen:

Tabelle 2.13.1

Kriterien für oxidierende Flüssigkeiten




Kategorie	Kriterien
1	Alle Stoffe oder Gemische, die sich in einem Gemisch mit Cellulose von 1:1 (Masseverhältnis) selbst entzünden, oder eine geringere durchschnittliche Druckanstiegszeit aufweisen als ein Gemisch 50 %iger Perchlorsäure/Cellulose von 1:1 (Masseverhältnis).
2	Alle Stoffe oder Gemische, die in einem Gemisch mit Cellulose von 1:1 (Masseverhältnis) eine geringere oder gleiche durchschnittliche Druckanstiegszeit aufweisen wie ein Gemisch aus 40 %igem Natriumchlorat in wässriger Lösung und Cellulose von 1:1 (Masseverhältnis), und die die Kriterien für Kategorie 1 nicht erfüllen.
3	Alle Stoffe oder Gemische, die in einem Gemisch mit Cellulose von 1:1 (Masseverhältnis) eine geringere oder gleiche durchschnittliche Druckanstiegszeit aufweisen wie ein Gemisch aus 65 %iger Salpetersäure in wässriger Lösung und Cellulose von 1:1 (Masseverhältnis), und die die Kriterien für die Kategorien 1 und 2 nicht erfüllen.

2.13.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.13.2 zu verwenden.

Tabelle 2.13.2

Kennzeichnungselemente für oxidierende Flüssigkeiten

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
GHS-Piktogramm			

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
Signalwort	Gefahr	Gefahr	Achtung
Gefahrenhinweis	Kann Brand oder Explosion verursachen; starkes Oxidationsmittel	H272: Kann Brand verstärken; Oxidationsmittel	H272: Kann Brand verstärken; Oxidationsmittel
Sicherheitshinweise — Prävention	P210 P220 P221 P280 P283	P210 P220 P221 P280	P210 P220 P221 P280
Sicherheitshinweise — Reaktion	P306 + P360 P371 + P380 + P375 P370 + P378	P370 + P378	P370 + P378
Sicherheitshinweise — Lagerung			
Sicherheitshinweise — Entsorgung	P501	P501	P501

2.1.3.4. **Zusätzliche Hinweise für die Einstufung**

2.1.3.4.1. Bei organischen Stoffen oder Gemischen ist das Einstufungsverfahren für diese Klasse nicht anzuwenden, wenn

- a) der Stoff oder das Gemisch keinen Sauerstoff, kein Fluor oder Chlor enthält oder
- b) der Stoff oder das Gemisch zwar Sauerstoff, Fluor oder Chlor enthält, diese Elemente aber chemisch nur an Kohlenstoff oder Wasserstoff gebunden sind.

2.1.3.4.2. Bei anorganischen Stoffen oder Gemischen, die keine Sauerstoff- oder Halogenatome enthalten, ist das Einstufungsverfahren für diese Klasse nicht anzuwenden.

2.1.3.4.3. Im Fall von Abweichungen zwischen Prüfergebnissen und der Erfahrung bei der Handhabung und Verwendung von Stoffen und Gemischen, die zeigt, dass sie oxidierend wirken, haben die Bewertungen aufgrund bekannter Erfahrungswerte Vorrang vor den Prüfergebnissen

2.1.3.4.4. Falls Stoffe oder Gemische aufgrund chemischer Reaktionen einen (zu hohen oder zu niedrigen) Druckanstieg erzeugen, der nicht auf die oxidierenden Eigenschaften des Stoffes oder Gemisches zurückzuführen ist, ist es erforderlich, die Prüfung nach Teil III Unterabschnitt 34.4.2 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, mit einem inerten Stoff wie beispielsweise Kieselgur (Diatomit) anstatt mit Cellulose zu wiederholen, um die Art der Reaktion festzustellen und ein ggf. falsch positives Ergebnis zu überprüfen.

2.14. **Oxidierende Feststoffe**

2.14.1. **Begriffsbestimmung**

Oxidierende Feststoffe: feste Stoffe oder Gemische, die, obwohl selbst nicht notwendigerweise brennbar, aber im Allgemeinen durch Abgabe von Sauerstoff einen Brand anderer Materialien verursachen oder unterstützen können.

2.14.2. **Einstufungskriterien**

2.14.2.1. Ein oxidierender Feststoff ist anhand der Prüfung O.1 der *UN-Empfehlungen für die Beförderung gefährlicher Güter, Handbuch über Prüfungen und Kriterien*, Teil III Unterabschnitt 34.4.1, nach der Tabelle 2.14.1 in eine der drei Kategorien dieser Klasse einzustufen:

Tabelle 2.14.1

Kriterien für oxidierende Feststoffe

Kategorie	Kriterien
1	Alle Stoffe oder Gemische, die in einem Gemisch mit Cellulose von 4:1 oder 1:1 (Masseverhältnis) eine geringere durchschnittliche Brenndauer aufweisen als die durchschnittliche Brenndauer eines Gemisches Kaliumbromat/Cellulose von 3:2 (Masseverhältnis).
2	Alle Stoffe oder Gemische, die in einem Gemisch mit Cellulose von 4:1 oder 1:1 (Masseverhältnis) eine gleiche oder geringere durchschnittliche Brenndauer aufweisen als die durchschnittliche Brenndauer eines Gemisches Kaliumbromat/Cellulose von 2:3 (Masseverhältnis) und die die Kriterien für Kategorie 1 nicht erfüllen.
3	Alle Stoffe oder Gemische, die in einem Gemisch mit Cellulose von 4:1 oder 1:1 (Masseverhältnis) eine gleiche oder geringere durchschnittliche Brenndauer aufweisen als die durchschnittliche Brenndauer eines Gemisches Kaliumbromat/Cellulose von 3:7 (Masseverhältnis) und die die Kriterien für die Kategorien 1 und 2 nicht erfüllen.

Anmerkung 1:

Manche oxidierende Feststoffe weisen unter bestimmten Bedingungen (wenn sie in großen Mengen gelagert werden) auch eine Explosionsgefahr auf. Einige Arten von Ammoniumnitrat können unter extremen Bedingungen explosionsfähig werden und diese Gefahr kann mit dem Detonationstest (BC-Code, Anhang 3 Prüfung 5) bewertet werden. Zweckmäßige Informationen sind im Sicherheitsdatenblatt anzugeben.

Anmerkung 2:




Der Stoff oder das Gemisch wird in der physikalischen Form geprüft, in der er/es vorliegt. Wenn z. B. zu Lieferungs- oder Transportzwecken eine Chemikalie in einer anderen physikalischen Form vorliegt als in der geprüften und in einem solchen Fall davon auszugehen ist, dass bei einer Einstufungsprüfung die Ergebnisse wahrscheinlich wesentlich abweichen werden, muss der Stoff auch in der neuen Form geprüft werden.

2.14.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.14.2 zu verwenden.

Tabelle 2.14.2

Kennzeichnungselemente für oxidierende Feststoffe

	Kategorie 1	Kategorie 2	Kategorie 3
GHS-Piktogramm			
Signalwort	Gefahr	Gefahr	Achtung
Gefahrenhinweis	H271: Kann Brand oder Explosion verursachen; starkes Oxidationsmittel	H272: Kann Brand verstärken; Oxidationsmittel	H272: Kann Brand verstärken; Oxidationsmittel
Sicherheitshinweise — Prävention	P210 P220 P221 P280 P283	P210 P220 P221 P280	P210 P220 P221 P280
Sicherheitshinweise — Reaktion	P306 + P360 P371 + P380 + P375 P370 + P378	P370 + P378	P370 + P378
Sicherheitshinweise — Lagerung			

	Kategorie 1	Kategorie 2	Kategorie 3
Sicherheitshinweise — Entsorgung	P501	P501	P501

2.14.4. **Zusätzliche Hinweise für die Einstufung**

- 2.14.4.1. Bei organischen Stoffen oder Gemischen ist das Einstufungsverfahren für diese Klasse nicht anzuwenden, wenn
- der Stoff oder das Gemisch keinen Sauerstoff, kein Fluor oder Chlor enthält oder
 - der Stoff oder das Gemisch zwar Sauerstoff, Fluor oder Chlor enthält, diese Elemente aber chemisch nur an Kohlenstoff oder Wasserstoff gebunden sind.
- 2.14.4.2. Bei anorganischen Stoffen oder Gemischen, die keine Sauerstoff- oder Halogenatome enthalten, ist das Einstufungsverfahren für diese Klasse nicht anzuwenden.
- 2.14.4.3. Im Fall von Abweichungen von Prüfergebnissen und der Erfahrung bei der Handhabung und Verwendung von Stoffen und Gemischen, die zeigt, dass die Stoffe und Gemische oxidierend wirken, haben die Bewertungen aufgrund bekannter Erfahrungswerte Vorrang vor den Prüfergebnissen.

2.15. **Organische Peroxide**

2.15.1. **Begriffsbestimmung**

- 2.15.1.1. Organische Peroxide: flüssige oder feste organische Stoffe, die die bivalente Struktur -O-O- enthalten und als Wasserstoffperoxid-Derivate gelten können, bei denen eines der Wasserstoffatome oder beide durch organische Radikale ersetzt wurden. Der Begriff organische Peroxide umfasst auch Gemische (Formulierungen) mit mindestens einem organischen Peroxid. Organische Peroxide sind thermisch instabile Stoffe oder Gemische, die einer selbstbeschleunigenden exothermen Zersetzung unterliegen können. Ferner können sie eine oder mehrere der folgenden Eigenschaften aufweisen:

- zu explosiver Zersetzung neigen,
- schnell brennen,
- schlag- oder reibempfindlich sein,
- mit anderen Stoffen gefährlich reagieren.

- 2.15.1.2. Ein organisches Peroxid wird als Stoff oder Gemisch mit explosiven Eigenschaften angesehen, wenn das Gemisch (die Formulierung) im Laborversuch dazu neigt, zu detonieren, schnell zu deflagrieren oder bei Erhitzen unter Einschluss eine heftige Wirkung zu zeigen.

2.15.2. **Einstufungskriterien**

- 2.15.2.1. Alle organischen Peroxide sind dieser Klasse zuzuordnen, außer:

- sie enthalten nicht mehr als 1,0 % Aktivsauerstoff und höchstens 1,0 % Wasserstoffperoxid, oder
- sie enthalten nicht mehr als 0,5 % Aktivsauerstoff und mehr als 1,0 % jedoch höchstens 7,0 % Wasserstoffperoxid.

Hinweis:

Der Aktivsauerstoffgehalt (%) eines Gemisches eines organischen Peroxids ergibt sich aus der folgenden Formel:

$$16 \times \sum_i^n \left(\frac{n_i \times c_i}{m_i} \right)$$

wobei gilt:

- n_i = Anzahl der Peroxidgruppen pro Molekül des organischen Peroxids i
 c_i = Konzentration (in Massenprozent) des organischen Peroxids i
 m_i = molekulare Masse des organischen Peroxids i

2.15.2.2. Organische Peroxide sind anhand folgender Grundsätze in eine der sieben Kategorien „Typ A bis Typ G“ dieser Klasse einzustufen:

- a) Alle organischen Peroxide, die in der Verpackung detonieren oder schnell deflagrieren können, gelten als organische Peroxide des TYPS A.
- b) Alle organischen Peroxide, die explosive Eigenschaften haben und in der Verpackung weder detonieren noch schnell deflagrieren, aber in dieser Verpackung zur thermischen Explosion neigen, gelten als organische Peroxide des TYPS B.
- c) Alle organischen Peroxide, die explosive Eigenschaften haben, aber in der Verpackung weder detonieren noch schnell deflagrieren oder thermisch explodieren können, gelten als organische Peroxide des TYPS C.
- d) Alle organischen Peroxide, die im Laborversuch
 - i) teilweise detonieren, nicht schnell deflagrieren und bei Erhitzen unter Einschluss keine heftige Wirkung zeigen oder
 - ii) überhaupt nicht detonieren, langsam deflagrieren und bei Erhitzen unter Einschluss keine heftige Wirkung zeigen oder
 - iii) überhaupt nicht detonieren oder deflagrieren und bei Erhitzen unter Einschluss eine mittlere Wirkung zeigen,gelten als organische Peroxide des TYPS D.
- e) Alle organischen Peroxide, die im Laborversuch nicht detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss geringe oder keine Wirkung zeigen, gelten als organische Peroxide des TYPS E.
- f) Alle organischen Peroxide, die im Laborversuch nicht im kavitierten Zustand detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss nur geringe oder keine Wirkung sowie eine geringe oder keine explosive Kraft zeigen, gelten als organische Peroxide des TYPS F.
- g) Alle organischen Peroxide, die im Laborversuch nicht im kavitierten Zustand detonieren, überhaupt nicht deflagrieren und bei Erhitzen unter Einschluss keinerlei Wirkung und auch keine explosive Kraft zeigen, gelten als organische Peroxide des TYPS G, vorausgesetzt sie sind thermisch stabil (d. h. die Temperatur der selbstbeschleunigenden Zersetzung für ein 50-kg-Versandstück liegt bei 60 °C oder mehr ⁽¹⁾) und im Fall flüssiger Gemische wird ein Verdünnungsmittel mit einem Siedepunkt von mindestens 150 °C zur Desensibilisierung verwendet. Ist das Gemisch thermisch instabil oder wird ein Verdünnungsmittel mit einem Siedepunkt unter 150 °C zur Desensibilisierung verwendet, gilt das Gemisch als organisches Peroxid des TYPS F.

Wird die Prüfung in der verpackten Form durchgeführt und die Verpackung dann verändert, ist eine weitere Prüfung vorzunehmen, falls davon auszugehen ist, dass die Veränderung der Verpackung das Prüfergebnis beeinflusst.

2.15.2.3. *Kriterien für die Temperaturkontrolle*

Für folgende organische Peroxide ist eine Temperaturkontrolle erforderlich:

- a) organische Peroxide der Typen B und C mit einer SADT von ≤ 50 °C,
- b) organische Peroxide des Typs D, die bei Erhitzen unter Einschluss eine mittlere Wirkung zeigen ⁽²⁾ und deren SADT ≤ 50 °C ist oder die bei Erhitzen unter Einschluss geringe oder keine Wirkung zeigen und deren SADT ≤ 45 °C ist, und
- c) organische Peroxide der Typen E und F mit einer SADT von ≤ 45 °C.

⁽¹⁾ Siehe Handbuch über Prüfungen und Kriterien der Vereinten Nationen, Abschnitte 28.1, 28.2, 28.3 und Tabelle 28.3.

⁽²⁾ Wie in der Prüferie E des Handbuchs für Prüfungen und Kriterien, Teil II, festgelegt.






Die Prüfverfahren zur SADT-Bestimmung und die Ableitung von Kontroll- und Notfalltemperaturen sind in den *UN-Empfehlungen über die Beförderung gefährlicher Güter, Handbuch für Prüfungen und Kriterien*, Teil II Abschnitt 28, angegeben. Die ausgewählte Prüfung ist so durchzuführen, dass sie sowohl für die Größe als auch für das Material der Verpackung repräsentativ ist.

2.15.3. **Gefahrenkommunikation**

Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.15.1 zu verwenden.

Tabelle 2.15.1

Kennzeichnungselemente für organische Peroxide

Einstufung	Typ A	Typ B	Typen C & D	Typen E & F	Typ G
GHS-Piktogramm		 			Dieser Gefahrenkategorie sind keine Kennzeichnungselemente zugeordnet.
Signalwort	Gefahr	Gefahr	Gefahr	Achtung	
Gefahrenhinweis	H240: Erwärmung kann Explosion verursachen	H241: Erwärmung kann Brand oder Explosion verursachen	H242: Erwärmung kann Brand verursachen	H242: Erwärmung kann Brand verursachen	
Sicherheitshinweise — Prävention	P210 P220 P234 P280	P210 P220 P234 P280	P210 P220 P234 P280	P210 P220 P234 P280	
Sicherheitshinweise — Reaktion					
Sicherheitshinweise — Lagerung	P411 + P235 P410 P420	P411 + P235 P410 P420	P411 + P235 P410 P420	P411 + P235 P410 P420	
Sicherheitshinweise — Entsorgung	P501	P501	P501	P501	

Dem Typ G sind zwar keine Elemente der Gefahrenkommunikation zugewiesen, doch kommt er für Eigenschaften in Frage, die unter andere Gefahrenklassen fallen.


2.15.4. **Zusätzliche Hinweise für die Einstufung**

2.15.4.1. Organische Peroxide werden definitionsgemäß aufgrund ihrer chemischen Struktur und ihres Gehalts an Aktivsauerstoff und an Wasserstoffperoxid eingestuft (siehe Abschnitt 2.15.2.1). Die Eigenschaften organischer Peroxide, die für ihre Einstufung benötigt werden, sind mit Versuchen zu bestimmen. Die Einstufung organischer Peroxide ist anhand der Prüfserien A bis H der *UN-Empfehlungen über die Beförderung gefährlicher Güter, Handbuch für Prüfungen und Kriterien*, Teil II, vorzunehmen. Das Einstufungsverfahren ist in Abbildung 2.15.1 dargestellt.

2.15.4.2. Gemische aus bereits eingestuften organischen Peroxiden können als derselbe Typ organisches Peroxid eingestuft werden wie ihr gefährlichster Bestandteil. Da zwei stabile Bestandteile jedoch ein thermisch instabileres Gemisch bilden können, ist die Temperatur der selbstbeschleunigenden Zersetzung (SADT) des Gemisches zu bestimmen.

Hinweis: Die Summe der einzelnen Bestandteile kann gefährlicher sein als die Einzelbestandteile.

Abbildung 2.15.1

2.16. **Korrosiv gegenüber Metallen**2.16.1. **Begriffsbestimmung**

Gegenüber Metallen korrosive Stoffe oder Gemische: Stoffe oder Gemische, die auf Metalle chemisch einwirken und sie beschädigen oder sogar zerstören.

2.16.2. **Einstufungskriterien**

- 2.16.2.1. Stoffe oder Gemische, die gegenüber Metallen korrosiv sind, oder Gemische sind anhand der Prüfung der UN-Empfehlungen über die Beförderung gefährlicher Güter, Handbuch für Prüfungen und Kriterien, Teil III Abschnitt 37 Unterabschnitt 37.4, nach der Tabelle 2.16.1 in eine einzige Kategorie dieser Klasse einzustufen:

Tabelle 2.16.1

Kriterien für Stoffe und Gemische, die gegenüber Metallen korrosiv sind

Kategorie	Kriterien
1	Bei Prüfung an beiden Werkstoffen übersteigt bei einer Prüftemperatur von 55 °C die Korrosionsrate auf Stahl- oder Aluminiumoberflächen 6,25 mm pro Jahr.

Hinweis:


Ergibt bereits die erste Prüfung an Stahl oder an Aluminium, dass der geprüfte Stoff oder das geprüfte Gemisch korrodierend wirkt, ist keine weitere Prüfung an dem anderen Metall erforderlich.

2.16.3. **Gefahrenkommunikation**

Bei Stoffen und Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 2.16.2 zu verwenden.

Tabelle 2.16.2

Kennzeichnungselemente für Stoffe und Gemische, die gegenüber Metallen korrosiv sind

Einstufung	Kategorie 1
GHS-Piktogramm	
Signalwort	Achtung
Gefahrenhinweis	H290: Kann gegenüber Metallen korrosiv sein
Sicherheitshinweise — Prävention	P234
Sicherheitshinweise — Reaktion	P390
Sicherheitshinweise — Lagerung	P406
Sicherheitshinweise — Entsorgung	

2.16.4. **Zusätzliche Hinweise für die Einstufung**

2.16.4.1. Die Korrosionsrate kann nach dem Prüfverfahren der *UN-Empfehlungen über die Beförderung gefährlicher Güter, Handbuch für Prüfungen und Kriterien*, Teil III Unterabschnitt 37.4, gemessen werden. Die Versuchsproben müssen aus folgendem Material bestehen:

- a) zur Prüfung von Stahl aus den Stahltypen
 - S235JR+CR (1.0037 bzw. St 37-2),
 - S275J2G3+CR (1.0144 bzw. St 44-3), ISO 3574 in der aktuellen Ausgabe, Unified Numbering System (UNS) G 10200 oder SAE 1020;
- b) zur Prüfung von Aluminium aus den unbeschichteten Typen 7075-T6 oder AZ5GU-T6.

3. TEIL 3: GESUNDHEITSGEFAHREN

3.1. **Akute Toxizität**3.1.1. **Begriffsbestimmung**

3.1.1.1. Akute Toxizität: jene schädliche Wirkungen, die auftreten, wenn ein Stoff oder Gemisch in einer Einzeldosis oder innerhalb von 24 Stunden in mehreren Dosen oral oder dermal verabreicht oder 4 Stunden lang eingeatmet wird.

3.1.1.2. Die Gefahrenklasse akute Toxizität wird differenziert nach:

- akuter oraler Toxizität,
- akuter dermaler Toxizität,
- akuter inhalativer Toxizität.

3.1.2. **Kriterien für die Einstufung von Stoffen als akut toxisch**

3.1.2.1. Stoffe können nach ihrer akuten Toxizität bei oraler, dermaler oder inhalativer Exposition gemäß den numerischen Kriterien von Tabelle 3.1.1 einer von vier Gefahrenkategorien zugeordnet werden. Die akute Toxizität wird als LD₅₀-Wert (oral, dermal), als LC₅₀-Wert (inhalativ) oder als Schätzwert Akuter Toxizität (acute toxicity estimates — ATE) ausgedrückt. Im Anschluss an Tabelle 3.1.1 finden sich genauere Erläuterungen.

Tabelle 3.1.1

Gefahrenkategorien der akuten Toxizität und Schätzwerte Akuter Toxizität (ATE) zur Festlegung der betreffenden Kategorien

Expositionsweg	Kategorie 1	Kategorie 2	Kategorie 3	Kategorie 4
oral (mg/kg Körpergewicht) siehe Hinweis a	ATE ≤ 5	5 < ATE ≤ 50	50 < ATE ≤ 300	300 < ATE ≤ 2 000
dermal (mg/kg Körpergewicht) siehe Hinweis a	ATE ≤ 50	50 < ATE ≤ 200	200 < ATE ≤ 1 000	1 000 < ATE ≤ 2 000
Gase (ppmV ⁽¹⁾) siehe: Hinweis a Hinweis b	ATE ≤ 100	100 < ATE ≤ 500	500 < ATE ≤ 2 500	2 500 < ATE ≤ 20 000
Dämpfe (mg/l) siehe: Hinweis a Hinweis b Hinweis c	ATE ≤ 0,5	0,5 < ATE ≤ 2,0	2,0 < ATE ≤ 10,0	10,0 < ATE ≤ 20,0
Stäube und Nebel (mg/l) siehe: Hinweis a Hinweis b	ATE ≤ 0,05	0,05 < ATE ≤ 0,5	0,5 < ATE ≤ 1,0	1,0 < ATE ≤ 5,0

⁽¹⁾ Die Konzentration von Gasen wird in Teilen je Million und Volumen (ppmV) ausgedrückt.

Hinweise zu Tabelle 3.1.1:

- a) Den Schätzwert Akuter Toxizität (ATE) zur Einstufung eines Stoffes oder Bestandteils eines Gemisches erhält man durch Verwendung:
- der LD₅₀/LC₅₀-Werte, falls verfügbar,

- des entsprechenden Umrechnungswerts aus Tabelle 3.1.2, der sich auf die Ergebnisse einer Dosisbereichsprüfung bezieht, oder
 - des entsprechenden Umrechnungswerts aus Tabelle 3.1.2, der sich auf eine Einstufungskategorie bezieht.
- b) Die in der Tabelle angegebenen allgemeinen Konzentrationsgrenzwerte zurbei Inhalationstoxizität beruhen auf einer vierstündigen Exposition. Vorliegende Daten über die Inhalationstoxizität, die aus einer einstündigen Exposition gewonnen wurden, lassen sich umrechnen, indem man sie bei Gasen und Dämpfen durch den Faktor 2, bei Stäuben und Nebeln durch den Faktor 4 teilt.
- c) Bei manchen Stoffen oder Gemischen besteht die Prüfatmosfera nicht nur aus einem Dampf, sondern aus einer Mischung aus flüssigen und gasförmigen Phasen. Bei anderen Stoffen oder Gemischen kann die Prüfatmosfera aus einem nahezu gasförmigen Dampf bestehen. In diesen Fällen wird wie folgt nach ppmV-Werten eingestuft: Kategorie 1 (100 ppmV), Kategorie 2 (500 ppmV), Kategorie 3 (2 500 ppmV), Kategorie 4 (20 000 ppmV).

Die Begriffe „Staub“, „Nebel“ und „Dampf“ sind wie folgt definiert:

- Staub: in einem Gas (in der Regel in Luft) schwebende feste Teilchen eines Stoffes oder Gemisches;
- Nebel: in einem Gas (in der Regel in Luft) schwebende flüssige Tröpfchen eines Stoffes oder Gemisches;
- Dampf: die gasförmige Phase eines Stoffes oder Gemisches, die aus der flüssigen oder festen Phase hervorgegangen ist.

Staub entsteht normalerweise durch mechanische Vorgänge. Nebel bildet sich in der Regel durch Kondensation übersättigter Dämpfe oder durch physikalische Scherung von Flüssigkeiten. Stäube und Nebel weisen normalerweise Teilchengrößen zwischen knapp 1 und rund 100 µm auf.

3.1.2.2. *Besondere Hinweise für die Einstufung von Stoffen als akut toxisch*

- 3.1.2.2.1 Die bevorzugte Tierart für Prüfungen zur Beurteilung der akuten Toxizität bei oraler und inhalativer Exposition ist die Ratte, bei der Beurteilung der akuten dermalen Toxizität ist es die Ratte oder das Kaninchen. Liegen von mehreren Tierarten Versuchsdaten zur akuten Toxizität vor, dann ist mittels wissenschaftlichen Sachverständigen der angemessenste LD₅₀-Wert aus den gültigen, ordnungsgemäß durchgeführten Prüfungen auszuwählen.

3.1.2.3. *Besondere Hinweise für die Einstufung von Stoffen als akut inhalationstoxisch*

- 3.1.2.3.1 Die Maßeinheit für die Inhalationstoxizität hängt von der Form des eingeatmeten Materials ab. Bei Staub und Nebel lauten die Werte auf mg/l, bei Gasen auf ppmV. Um die Schwierigkeiten bei der Prüfung von Dämpfen zu berücksichtigen, die manchmal aus Gemischen von flüssigen und gasförmigen Phasen bestehen können, sind die Tabellenwerte als mg/l angegeben. Bei den Dämpfen, die der gasförmigen Phase näher sind, beruht die Einstufung dagegen auf ppmV.

- 3.1.2.3.2 Bei der Einstufung der Inhalationstoxizität ist es besonders wichtig, in den Kategorien hoher Toxizität für Staub und Nebel aussagekräftige Werte zu verwenden. Eingeatmete Teilchen mit einem Massenmedianwert des aerodynamischen Durchmessers (MMAD) zwischen einem und vier Mikrometern deponieren in sämtlichen Bereichen der Atemwege einer Ratte. Solche Partikelgrößenverteilungen entsprechen einer Maximaldosis von etwa 2 mg/l. Damit die Ergebnisse der Tierversuche auf die Exposition von Menschen übertragen werden können, sollten Staub und Nebel idealerweise in diesem Bereich an Ratten getestet werden.

- 3.1.2.3.3 Zusätzlich zur Einstufung der Inhalationstoxizität ist der Stoff oder das Gemisch auch als „Ätzend für die Atemwege“ zu kennzeichnen, wenn die Datenlage darauf hindeutet, dass der Wirkungsmechanismus in einer Ätzwirkung besteht (siehe Anmerkung 1 in 3.1.4.1). Die Ätzwirkung auf die Atemwege ist analog zur Ätzwirkung auf die Haut definiert als Gewebeerstörung der Atemwege nach einer einmaligen und zeitlich begrenzten Exposition; dazu gehört auch die Zerstörung der Schleimhaut. Die Bewertung der Ätzwirkung kann auf einer Beurteilung durch Experten beispielsweise auf folgenden Nachweisen beruhen: Erfahrungen bei Mensch und Tier, vorhandene (*in vitro*) Daten, pH-Wert, Informationen zu ähnlichen Stoffen oder andere aussagekräftige Daten.


3.1.3. **Kriterien zur Einstufung von Gemischen als akut toxisch**

- 3.1.3.1. Die in Abschnitt 3.1.2 aufgeführten Kriterien für die Einstufung von Stoffen nach ihrer akuten Toxizität beruhen auf (in Versuchen gewonnenen oder abgeleiteten) Daten zur letalen Dosis. Bei Gemischen müssen Informationen gewonnen oder abgeleitet werden, die es ermöglichen, die Kriterien zwecks Einstufung auf das Gemisch anzuwenden. Die Einstufung nach der akuten Toxizität erfolgt in einem mehrstufigen Verfahren und hängt davon ab, wie umfangreich die verfügbaren Informationen zu dem Gemisch selbst und seinen Bestandteilen sind. Das Flussdiagramm in Abbildung 3.1.1 zeigt die einzelnen Schritte des Verfahrens.

- 3.1.3.2. Bei der akuten Toxizität ist jeder Expositionsweg zur Einstufung von Gemischen einzeln zu betrachten, erforderlich ist allerdings nur ein Expositionsweg, sofern dieser bei allen Bestandteilen befolgt (abgeleitet oder geprüft) wird. Wenn akute Toxizität für mehr als einen Expositionsweg festgestellt wird, wird die strengere Gefahrenkategorie zur Einstufung verwendet. Alle verfügbaren Informationen sind zu berücksichtigen und alle relevanten Expositionswegen sind für die Gefahrenkommunikation zu ermitteln.
- 3.1.3.3. Um alle verfügbaren Daten zur Einstufung der Gefahren von Gemischen zu nutzen, wurden bestimmte Annahmen getroffen, die gegebenenfalls im mehrstufigen Verfahren angewandt werden:
- Als „relevante Bestandteile“ eines Gemisches gelten jene, die in Konzentrationen von 1 % (in Gewichtsprozent (w/w) bei Feststoffen, Flüssigkeiten, Stäuben, Nebeln und Dämpfen; in Volumenprozent (v/v) bei Gasen) oder mehr vorliegen, sofern kein Anlass zu der Annahme besteht, dass ein in einer Konzentration von weniger als 1 % enthaltener Bestandteil dennoch für die Einstufung des Gemisches aufgrund seiner akuten Toxizität relevant ist. (siehe Tabelle 1.1)
 - Wird ein eingestuftes Gemisch als Bestandteil eines anderen Gemisches verwendet, kann die tatsächliche oder abgeleitete Schätzung Akuter Toxizität (ATE) dieses Gemisches verwendet werden, wenn die Einstufung des neuen Gemisches anhand der Formeln von Abschnitt 3.1.3.6.1 und Abschnitt 3.1.3.6.2.3 berechnet wird.

Abbildung 3.1.1

Mehrstufiges Verfahren zur Einstufung von Gemischen bezüglich ihrer akuten Toxizität



- 3.1.3.4. *Einstufung von Gemischen, bei denen Daten zur akuten Toxizität für das komplette Gemisch vorliegen*
- 3.1.3.4.1. Wurde das Gemisch selbst auf seine akute Toxizität geprüft, wird es nach denselben Kriterien wie Stoffe gemäß Tabelle 3.1.1 eingestuft. Liegen keine Prüfdaten für das Gemisch vor, sind die nachstehenden Verfahren anzuwenden.
- 3.1.3.5. *Einstufung von Gemischen, bei denen keine Daten zur akuten Toxizität für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 3.1.3.5.1. Wurde das Gemisch selbst nicht auf seine akute Toxizität geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.

3.1.3.5.2. Wird ein Gemisch mit Wasser oder einem anderen völlig ungiftigen Bestandteil versetzt, kann die Toxizität des Gemisches aus den Prüfdaten des unverdünnten Gemisches errechnet werden.

3.1.3.6. *Einstufung von Gemischen auf Basis ihrer Bestandteile (Additivitätsformel)*

3.1.3.6.1. Für alle Bestandteile sind Daten verfügbar

Damit eine genaue Einstufung des Gemisches gewährleistet und die Berechnung nur einmal für alle Systeme, Sektoren und Kategorien erforderlich ist, sind die Schätzwerte Akuter Toxizität (ATE) der Bestandteile wie folgt zu berücksichtigen:

- a) Bestandteile mit einer bekannten akuten Toxizität, die unter eine der Kategorien akuter Toxizität von Tabelle 3.1.1 fallen, sind einzubeziehen;
- b) Bestandteile, bei denen man keine akute Toxizität annimmt (z. B. Wasser, Zucker), bleiben unberücksichtigt;
- c) Bestandteile, bei denen ein oraler Limit-Test keine akute Toxizität bei 2 000 mg/kg Körpergewicht ergibt, bleiben unberücksichtigt.

Bestandteile, die unter diesen Absatz fallen, gelten als Bestandteile mit bekannten Schätzwerten Akuter Toxizität (ATE).

Die ATE des Gemisches wird für die orale, die dermale oder die inhalative Toxizität nach folgender Formel aus den ATE-Werten aller relevanten Bestandteile errechnet:

$$\frac{100}{ATE_{\text{mix}}} = \sum_n \frac{C_i}{ATE_i}$$

wobei gilt:

- C_i = Konzentration von Bestandteil i (% w/w oder % v/v)
 i = der einzelne Bestandteil von 1 bis n
 n = die Anzahl der Bestandteile
 ATE_i = Schätzwert Akuter Toxizität von Bestandteil i

3.1.3.6.2. *Einstufung von Gemischen, wenn nicht für alle Bestandteile Daten verfügbar sind*

3.1.3.6.2.1 Ist für einen Einzelbestandteil des Gemisches kein ATE verfügbar, lässt sich jedoch aus verfügbaren Informationen der nachstehend aufgeführten Art ein abgeleiteter Umrechnungswert wie die Werte nach Tabelle 3.1.2 gewinnen, darf die Formel von Abschnitt 3.1.3.6.1 angewandt werden.

Dazu gehört die Bewertung folgender Aspekte:

- a) Extrapolierung zwischen den Schätzwerten Akuter Toxizität für die orale, dermale und inhalative Toxizität (¹). Für eine solche Bewertung können geeignete pharmakodynamische und pharmakokinetische Daten erforderlich sein;
- b) Erfahrungen beim Menschen, die auf toxische Wirkungen hindeuten, aber keine Daten zur letalen Dosis ergeben;
- c) Befunde aus anderen verfügbaren Toxizitätsprüfungen, die auf akut toxische Wirkungen hindeuten, aber nicht unbedingt Daten zur letalen Dosis ergeben; oder
- d) Daten von strukturell nah verwandten Stoffen unter Verwendung von Struktur-Wirkungs-Beziehungen.

(¹) Bei Bestandteilen, für die Schätzwerte akuter Toxizität für andere als den relevantesten Expositionsweg vorliegen, können die Werte des verfügbaren Expositionswegs auf den relevantesten Expositionsweg extrapoliert werden. Daten für die dermale und die inhalative Exposition sind nicht in jedem Fall erforderlich. Sollten allerdings für bestimmte Bestandteile auch akuter Toxizität für die dermale und die inhalative Exposition vorgeschrieben sein, dürfen nur die Werte des erforderlichen Expositionswegs in die Formel eingesetzt werden.

Dieses Vorgehen erfordert in der Regel umfangreiche ergänzende technische Informationen und einen gut ausgebildeten erfahrenen Experten (zur Beurteilung durch Experten siehe Abschnitt 1.1.1), um die akute Toxizität zuverlässig abzuschätzen. Liegen solche Informationen nicht vor, ist nach Abschnitt 3.1.3.6.2.3 weiter zu verfahren.

- 3.1.3.6.2.2 Falls in einem Gemisch ein Bestandteil, für den keinerlei verwertbare Informationen vorliegen, in einer Konzentration von 1 % oder mehr verwendet wird, gilt der Schluss, dass sich dem Gemisch kein endgültiger Schätzwert Akuter Toxizität zuordnen lässt. In diesem Fall muss das Gemisch ausschließlich anhand der bekannten Bestandteile eingestuft werden und den zusätzlichen Hinweis tragen, dass x Prozent des Gemisches aus einem oder mehreren Bestandteilen von unbekannter Toxizität bestehen.
- 3.1.3.6.2.3 Beträgt die Gesamtkonzentration der Bestandteile unbekannter akuter Toxizität < 10 %, ist die Formel von Abschnitt 3.1.3.6.1 anzuwenden. Beträgt die Gesamtkonzentration der Bestandteile unbekannter akuter Toxizität > 10 %, ist die Formel unter Abschnitt 3.1.3.6.1 zu korrigieren und wie folgt an den Gesamtprozentsatz unbekannter Bestandteile anzupassen:

$$\frac{100 - \left(\sum C_{\text{unbekannt falls } > 10 \%} \right)}{ATE_{\text{mix}}} = \sum \frac{C_i}{n ATE_i}$$

Tabelle 3.1.2

Umrechnungswerte der im Versuch ermittelten akuten Toxizitätsbereiche (oder der Gefahrenkategorien akuter Toxizität) zur Einstufung je nach Expositionsweg

Expositionsweg	Einstufungskategorie oder im Versuch ermittelter Bereich der ATE	Umrechnungswert der akuten Toxizität (siehe Hinweis 1)
oral (mg/kg Körpergewicht)	0 < Kategorie 1 ≤ 5	0,5
	5 < Kategorie 2 ≤ 50	5
	50 < Kategorie 3 ≤ 300	100
	300 < Kategorie 4 ≤ 2 000	500
dermal (mg/kg Körpergewicht)	0 < Kategorie 1 ≤ 50	5
	50 < Kategorie 2 ≤ 200	50
	200 < Kategorie 3 ≤ 1 000	300
	1 000 < Kategorie 4 ≤ 2 000	1 100
Gase (ppmV)	0 < Kategorie 1 ≤ 100	10
	100 < Kategorie 2 ≤ 500	100
	500 < Kategorie 3 ≤ 2 500	700
	2 500 < Kategorie 4 ≤ 20 000	4 500
Dämpfe (mg/l)	0 < Kategorie 1 ≤ 0,5	0,05
	0,5 < Kategorie 2 ≤ 2,0	0,5
	2,0 < Kategorie 3 ≤ 10,0	3
	10,0 < Kategorie 4 ≤ 20,0	11
Stäube/Nebel (mg/l)	0 < Kategorie 1 ≤ 0,05	0,005
	0,05 < Kategorie 2 ≤ 0,5	0,05
	0,5 < Kategorie 3 ≤ 1,0	0,5
	1,0 < Kategorie 4 ≤ 5,0	1,5

Hinweis 1:





Diese Werte sind für die Berechnung der ATE zur Einstufung eines Gemisches aufgrund seiner Bestandteile gedacht und stellen keine Prüfergebnisse dar.

3.1.4. **Gefahrenkommunikation**

- 3.1.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.1.3 zu verwenden.

Tabelle 3.1.3

Kennzeichnungselemente für die akute Toxizität

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3	Kategorie 4
GHS-Piktogramm				
Signalwort	Gefahr	Gefahr	Gefahr	Achtung
Gefahrenhinweis: — oral	H300: Lebensgefahr bei Verschlucken	H300: Lebensgefahr bei Verschlucken	H301: Giftig bei Ver- schlucken	H302: Gesundheitsschäd- lich bei Verschluc- ken
— dermal	H310: Lebens- gefahr bei Haut- kontakt	H310: Lebens- gefahr bei Haut- kontakt	H311: Giftig bei Hautkontakt	H312: Gesund- heitsschädlich bei Hautkontakt
— inhalativ (s. Hinweis 1)	H330: Lebens- gefahr bei Einat- men	H330: Lebens- gefahr bei Einat- men	H331: Giftig bei Einatmen	H332: Gesund- heitsschädlich bei Einatmen
Sicherheitshinweise — Prävention (oral)	P264 P270	P264 P270	P264 P270	P264 P270
Sicherheitshinweise — Reaktion (oral)	P301 + P310 P321 P330	P301 + P310 P321 P330	P301 + P310 P321 P330	P301 + P312 P330
Sicherheitshinweise — Lagerung (oral)	P405	P405	P405	
Sicherheitshinweise — Entsorgung (oral)	P501	P501	P501	P501
Sicherheitshinweise — Prävention (dermal)	P262 P264 P270 P280	P262 P264 P270 P280	P280	P280
Sicherheitshinweise — Reaktion (dermal)	P302 + P350 P310 P322 P361 P363	P302 + P350 P310 P322 P361 P363	P302 + P352 P312 P322 P361 P363	P302 + P352 P312 P322 P363
Sicherheitshinweise — Lagerung (dermal)	P405	P405	P405	
Sicherheitshinweise — Entsorgung (dermal)	P501	P501	P501	P501
Sicherheitshinweise — Prävention (inhalativ)	P260 P271 P284	P260 P271 P284	P261 P271	P261 P271
Sicherheitshinweise — Reaktion (inhalativ)	P304 + P340 P310 P320	P304 + P340 P310 P320	P304 + P340 P311 P321	P304 + P340 P312
Sicherheitshinweise — Lagerung (inhalativ)	P403 + P233 P405	P403 + P233 P405	P403 + P233 P405	
Sicherheitshinweise — Entsorgung (inhalativ)	P501	P501	P501	

Hinweis 1:

Zusätzlich zur Einstufung der Inhalationstoxizität ist der Stoff oder das Gemisch auch mit EUH071: „Wirkt ätzend auf die Atemwege“ zu kennzeichnen, wenn die Daten darauf hindeuten, dass die Toxizität auf einer Ätzwirkung beruht (Genauerer dazu unter Abschnitt 3.1.2.3.3). Neben dem entsprechenden Piktogramm für akute Toxizität kann auch ein Piktogramm für Ätzwirkung (für Haut und Augen genutzt) zusammen mit dem Hinweis „Wirkt ätzend auf die Atemwege“ hinzugefügt werden.

Hinweis 2:

Falls in einem Gemisch ein Bestandteil, für den keinerlei verwertbare Informationen vorliegen, in einer Konzentration von 1 % oder mehr verwendet wird, muss das Gemisch folgenden zusätzlichen Hinweis tragen: „x Prozent des Gemisches bestehen aus einem oder mehreren Bestandteilen von unbekannter Toxizität“ (Genauerer dazu unter Abschnitt 3.1.3.6.2.2).

3.2. Ätz-/Reizwirkung auf die Haut**3.2.1. Begriffsbestimmung**

- 3.2.1.1. *Ätzwirkung auf die Haut:* das Erzeugen einer irreversiblen Hautschädigung, d. h. einer offensichtlichen, durch die Epidermis bis in die Dermis reichenden Nekrose durch Applikation einer Prüfsubstanz für eine Dauer von bis zu 4 Stunden. Reaktionen auf Ätzwirkungen sind durch Geschwüre, Blutungen, blutige Verschorfungen und am Ende des Beobachtungszeitraums von 14 Tagen als Verfärbung durch Ausbleichen der Haut, komplett haarlose Bereiche und Narben gekennzeichnet. Zur Beurteilung unklarer Schädigungen sind histopathologische Untersuchungen zu berücksichtigen.

Reizwirkung auf die Haut (Hautreizung): das Erzeugen einer reversiblen Hautschädigung durch Applikation einer Prüfsubstanz für eine Dauer von bis zu 4 Stunden.

3.2.2. Einstufungskriterien für Stoffe

- 3.2.2.1. Vor Prüfbeginn müssen mehrere Faktoren zur Bestimmung der Ätz- und Reizwirkung eines Stoffes betrachtet werden. Feststoffe (Pulver) können nach Anfeuchten oder in Berührung mit feuchter Haut oder Schleimhaut ätzend oder reizend werden. Erfahrungen beim Menschen und Daten vom Tier aus einmaliger oder wiederholter Exposition stellen erste Anhaltspunkte für die Analyse dar, weil sie direkte Aussagen über Wirkungen auf die Haut ergeben. Auch *In-vitro*-Alternativen, die validiert und akzeptiert worden sind, können für Entscheidungen über die Einstufung zu Hilfe genommen werden (siehe Artikel 5). In einigen Fällen können die über strukturell verwandte Verbindungen vorliegenden Informationen herangezogen werden, um über eine Einstufung zu entscheiden.
- 3.2.2.2. Genauso können Stoffe und/oder Gemische mit extremen pH-Werten von ≤ 2 und $\geq 11,5$, ein Indiz für das Potenzial sein, Wirkungen an der Haut zu erzeugen, insbesondere wenn die Pufferkapazität bekannt ist, obwohl hier keine sichere Korrelation besteht. In der Regel geht man bei solchen Stoffen davon aus, dass sie ausgeprägte Wirkungen auf die Haut haben. Wird der Stoff aufgrund der sauren/alkalischen Reserve⁽¹⁾ trotz des niedrigen oder hohen pH-Werts für nicht ätzend gehalten, so ist dies durch weitere Prüfungen zu bestätigen, vorzugsweise durch eine geeignete validierte *in vitro*-Prüfung.
- 3.2.2.3. Bei einem Stoff, der bei dermalen Exposition hoch toxisch ist, ist eine Studie zur Ermittlung der Ätz-/Reizwirkung auf die Haut nicht durchführbar, weil die zu verabreichende Prüfstoffmenge die toxische Dosis erheblich überschreiten und damit zum Tod der Tiere führen würde. Beobachtet man in akuten Toxizitätsstudien eine Ätz-/Reizwirkung auf die Haut bis zur Grenzdosis, dann erübrigt sich eine weitere Prüfung, sofern die verwendeten Verdünnungen und geprüften Tierarten gleichwertig sind.
- 3.2.2.4. Zur Entscheidung, ob eine *In-vivo*-Prüfung auf Reizwirkung auf die Haut erforderlich ist, sind alle oben genannten Informationen, die für einen Stoff verfügbar sind, heranzuziehen.
- Obgleich sich auch aus der Bewertung einzelner, auf einer Stufe liegender Parameter (siehe Abschnitt 3.2.2.5) Informationen gewinnen lassen (so gelten z. B. Alkalihydroxide mit extremem pH-Wert als ätzend für die Haut), empfiehlt es sich doch, die vorliegenden Informationen in ihrer Gesamtheit zu berücksichtigen und dabei eine umfassende Ermittlung der Beweiskraft der Daten vorzunehmen. Dies gilt vor allem dann, wenn Informationen zu manchen, aber nicht allen Parametern verfügbar sind. Ganz allgemein ist an erster Stelle bestehenden Erfahrungen beim Menschen, dann Ergebnissen aus Tierversuchen und schließlich sonstigen Informationsquellen Beachtung zu schenken; dies ist jedoch von Fall zu Fall zu entscheiden.
- 3.2.2.5. Für die Bewertung der Datenausgangslage ist gegebenenfalls ein mehrstufiges Verfahren zu beachten, wobei zu bedenken ist, dass in manchen Fällen nicht alle Elemente relevant sein können.

⁽¹⁾ Hinweis: Beispielsweise in Young JR, How MJ, Walker AP und Worth WMH. (1988): *Classification as corrosive or irritant to skin of preparations containing acidic or alkaline substances without testing on animals. Toxic in Vitro* 2, 19-26.

3.2.2.6. Ätzwirkung

3.2.2.6.1 Ein Stoff wird aufgrund der Ergebnisse von Tierversuchen als ätzend eingestuft. Ein Stoff gilt als ätzend, wenn er nach einer Exposition von höchstens 4 Stunden bei mindestens einem getesteten Tier das Hautgewebe zerstört, d. h. eine deutliche, bis in die Dermis reichende Nekrose der Epidermis verursacht hat. Reaktionen auf Ätzwirkungen sind durch Geschwüre, Blutungen, blutige Verschorfungen und am Ende des Beobachtungszeitraums von 14 Tagen durch Verfärbung aufgrund des Ausbleichens der Haut sowie komplett haarlose Bereiche und Narben gekennzeichnet. Zur Beurteilung unklarer Schädigungen sind histopathologische Untersuchungen zu berücksichtigen.

3.2.2.6.2 Die Kategorie hautätzend gliedert sich in drei Unterkategorien: Unterkategorie 1A: Nach höchstens dreiminütiger Einwirkungszeit und einer Beobachtungszeit von höchstens einer Stunde ist eine Ätzwirkung festzustellen. Unterkategorie 1B: Nach einer Einwirkungszeit zwischen drei Minuten und einer Stunde und einer Beobachtungszeit von höchstens 14 Tagen ist eine Ätzwirkung festzustellen. Unterkategorie 1C: Nach einer Einwirkungszeit zwischen einer und vier Stunden und einer Beobachtungszeit von bis zu 14 Tagen ist eine Ätzwirkung festzustellen.

3.2.2.6.3 Den Erfahrungen beim Menschen sind wie unter Abschnitt 3.2.2.1.1.1.2, 1 und Abschnitt 3.2.2.4 sowie unter Teil 1 Abschnitt 1.3 und 1.1.1.3 und 4 beschrieben zu berücksichtigen.

Tabelle 3.2.1

Die Kategorie hautätzend und ihre Unterkategorien

	Unterkategorien	ätzend bei ≥ 1 von 3 Tieren	
		Exposition	Nachbeobachtung
Kategorie 1: hautätzend	1A	≤ 3 Minuten	≤ 1 Stunde
	1B	> 3 Minuten — ≤ 1 Stunde	≤ 14 Tage
	1C	> 1 Stunde — ≤ 4 Stunden	≤ 14 Tage

3.2.2.7. Reizwirkung

3.2.2.7.1 Die Tabelle 3.2.2 enthält nur eine einzige Kategorie (Kategorie 2) für die Reizwirkung, die auf den Ergebnissen von Tierversuchen beruht. Die Verwendung von Humandaten wird in den Abschnitten 3.2.2.1 und 3.2.2.4 sowie in Teil 1 Abschnitte 1.1.1.2., 1.1.1.3 und 1.1.1.4 erörtert. Das Hauptkriterium für die Kategorie *hautreizend* besteht darin, dass bei mindestens zwei von drei getesteten Tieren ein Mittelwert von $> 2,3$ — $< 4,0$ auftritt.

Tabelle 3.2.2

Kategorie der Hautreizung

Kategorie	Kriterien
hautreizend (Kategorie 2)	<p>(1) Mittelwert von $\geq 2,3$ — $\leq 4,0$ für die Rötung/Schorfbildung oder für das Auftreten von Ödemen bei mindestens 2 von 3 getesteten Tieren nach dem Grad der Reizung bei 24, 48 und 72 Stunden nach Entfernen des Pflasters, oder bei verzögerter Reaktion nach dem Grad der Reizung an 3 aufeinanderfolgenden Tagen nach Einsetzen der Hautreaktion, oder</p> <p>(2) Entzündung, die bei mindestens 2 Tieren bis zum Ende des Beobachtungszeitraums (in der Regel 14 Tage) andauert, wobei insbesondere (begrenzter) Haarausfall, Hyperkeratose, Hyperplasie und Schuppenbildung zu berücksichtigen sind, oder</p> <p>(3) Manchmal können die Reaktionen der Tiere ausgesprochen unterschiedlich ausfallen, so dass ein einzelnes Tier zwar eine eindeutig positive, aber doch schwächere Reaktion auf die chemische Exposition zeigt, als in den vorstehenden Kriterien beschrieben.</p>

3.2.2.8. Anmerkungen zu Reaktionen der Tiere bei Prüfungen auf Hautreizung

3.2.2.8.1. Tiere können bei der Prüfung auf Hautreizung ebenso unterschiedlich reagieren wie bei der Prüfung auf Ätzwirkung. Das wichtigste Kriterium für die Einstufung eines Stoffes als hautreizend ist gemäß Abschnitt 3.2.2.7.1 der auf mindestens zwei von drei getesteten Tieren bezogene Mittelwert der Ergebnisse aus Rötung/Schorfbildung oder Ödembildung. Ein eigenes Kriterium für die Hautreizung deckt jene Fälle ab, in denen eine nennenswerte Reizungsreaktion auftritt, der als Kriterium für einen positiven Befund dienende Mittelwert allerdings nicht erreicht wird. Ein Prüfstoff könnte beispielsweise als reizend eingestuft werden, wenn mindestens eines von drei getesteten Tieren während der gesamten Prüfung einen stark erhöhten Mittelwert aufweist, einschließlich Schäden, die am Ende des normalerweise 14 Tage dauernden Beobachtungszeitraums noch immer anhalten. Auch andere Reaktionen könnten diesem Kriterium entsprechen. Es sollte allerdings geklärt werden, ob diese Reaktionen eine Folge der stofflichen Exposition sind.

3.2.2.8.2. Die Reversibilität von Hautschädigungen ist ein weiterer Faktor bei der Beurteilung von Reizungsreaktionen. Hält die Entzündung bei zwei oder mehr Versuchstieren bis zum Ende des Beobachtungszeitraums an, dann gilt ein Material (unter Berücksichtigung von Haarausfall in einem begrenzten Bereich, Hyperkeratose, Hyperplasie und Schuppenbildung) als hautreizend.

3.2.3. **Einstufungskriterien für Gemische**

3.2.3.1. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

3.2.3.1.1 Gemische werden nach denselben Kriterien wie Stoffe eingestuft, wobei die Beurteilungsstrategien zur Gewinnung von Daten für die jeweilige Gefahrenklasse zu berücksichtigen ist.

3.2.3.1.2 Anders als bei anderen Gefahrenklassen gibt es alternative Prüfverfahren für die hautätzende Wirkung von Stoffen und Gemischen, die ein genaues Einstufungsergebnis ermöglichen und zudem einfach und relativ kostengünstig durchzuführen sind. Zur Prüfung eines Gemisches sollten die einstufigen Personen eine mehrstufige Strategie zur Ermittlung der Beweiskraft der Daten einsetzen, wie in den Kriterien für die Einstufung von Stoffen nach ihrer hautreizenden und -ätzenden Wirkung beschrieben (siehe Abschnitt 3.2.2.5), damit zum einen eine angemessene Einstufung gewährleistet ist und zum anderen unnötige Tierversuche vermieden werden. Ein Gemisch gilt dann als ätzend für die Haut (hautätzend der Kategorie 1), wenn es einen pH-Wert von höchstens 2 bzw. von mindestens 11,5 hat. Wird der Stoff oder das Gemisch unter Berücksichtigung der sauren/alkalischen Reserve trotz des niedrigen oder hohen pH-Werts für nicht hautätzend gehalten, so ist dies durch weitere Prüfungen zu bestätigen, vorzugsweise durch eine geeignete validierte In-vitro-Prüfung.

3.2.3.2. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze.*

3.2.3.2.1 Wurde nicht das Gemisch selbst auf seine Gefahr der Ätz-/Reizwirkung auf die Haut geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.

3.2.3.3. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*

3.2.3.3.1 Um alle verfügbaren Daten zur Einstufung von Gemischen hinsichtlich ihrer Gefahr der Ätz-/Reizwirkung auf die Haut zu nutzen, wurde folgende Annahme getroffen, die gegebenenfalls über ein mehrstufiges Verfahren angewandt wird:

Annahme: Als „relevante Bestandteile“ eines Gemisches gelten jene, die in Konzentrationen von 1 % (in Gewichtsprozent (w/w) bei Feststoffen, Flüssigkeiten, Stäuben, Nebeln und Dämpfen, in Volumenprozent (v/v) bei Gasen) oder mehr vorliegen, sofern (z. B. bei hautätzenden Bestandteilen) kein Anlass zu der Annahme besteht, dass ein in einer Konzentration von weniger als 1 % enthaltener Bestandteil dennoch für die Einstufung des Gemisches hinsichtlich seiner Ätz-/Reizwirkung auf die Haut relevant ist.

3.2.3.3.2 Generell beruht die Vorgehensweise bei der Einstufung von Gemischen als hautreizend oder -ätzend, wenn zwar Daten über die Bestandteile, nicht aber über das Gemisch insgesamt vorliegen, auf dem Additivitätsprinzip, so dass jeder hautätzende oder -reizende Bestandteil proportional zu seiner Stärke und Konzentration zu den hautreizenden oder -ätzenden Gesamteigenschaften des Gemisches beiträgt. Auf hautätzende Bestandteile wird ein Gewichtungsfaktor von 10 angewandt, wenn ihre Konzentration zwar unter dem allgemeinen Konzentrationsgrenzwert für die Einstufung in die Kategorie 1 liegt, da sie stärker zur Einstufung des Gemisches als hautreizend beitragen. Das Gemisch wird als hautätzend oder -reizend eingestuft, wenn die Summe der Konzentrationen solcher Bestandteile einen Konzentrationsgrenzwert überschreitet.

3.2.3.3.3 Tabelle 3.2.3 enthält die allgemeinen Konzentrationsgrenzwerte, nach denen ein Gemisch als hautreizend oder -ätzend zu gelten hat.

3.2.3.3.4.1 Besondere Vorsicht ist bei der Einstufung bestimmter Arten von Gemischen geboten, die Stoffe wie Säuren und Basen, anorganische Salze, Aldehyde, Phenole und Tenside enthalten. Hier lässt sich die in Abschnitt 3.2.3.3.1 und 3.2.3.3.2 erläuterte Vorgehensweise unter Umständen nicht anwenden, da viele dieser Stoffe bereits in Konzentrationen von < 1 % hautätzend oder -reizend wirken.

3.2.3.3.4.2 Bei Gemischen, die starke Säuren oder Basen enthalten, ist der pH-Wert als Einstufungskriterium zu verwenden (siehe Abschnitt 3.2.3.1.2), da der pH-Wert ein besserer Indikator für die Ätzwirkung ist als die Konzentrationsgrenzwerte der Tabelle 3.2.3.

3.2.3.3.4.3 Bei einem Gemisch mit hautreizenden oder -ätzenden Bestandteilen, das sich nicht mit Hilfe des Additivitätsprinzips (Tabelle 3.2.3) einstufen lässt, weil seine chemischen Eigenschaften diese Methode nicht zulassen, wird wie folgt verfahren: Es ist als hautätzend der Kategorien 1A, 1B oder 1C einzustufen, wenn es > 1 % eines Bestandteils enthält, der in Kategorie 1A, 1B oder 1C eingestuft ist, oder es ist in Kategorie 2 einzustufen, wenn es > 3 % eines hautreizenden Bestandteils enthält. Die Einstufung von Gemischen mit Bestandteilen, auf die die Vorgehensweise nach Tabelle 3.2.3 nicht anwendbar ist, ist in Tabelle 3.2.4 zusammengefasst.

- 3.2.3.3.5 Manchmal können zuverlässige Daten zeigen, dass die Ätz- oder Reizwirkung eines Bestandteils auf die Haut auch bei Überschreitung der allgemeinen Konzentrationsgrenzwerte der Tabellen 3.2.3 und 3.2.4 nicht erkennbar ist. Dann ist das Gemisch anhand dieser Daten einzustufen (siehe auch Artikel 10 und 11). In anderen Fällen, in denen man davon ausgeht, dass die Ätz- oder Reizwirkung eines Bestandteils auf die Haut nicht erkennbar ist, wenn dessen Konzentration die allgemeinen Konzentrationsgrenzwerte der Tabellen 3.2.3 und 3.2.4 überschreitet, ist eine Prüfung des Gemisches in Erwägung zu ziehen. In diesen Fällen ist das mehrstufige Verfahren zur Ermittlung der Beweiskraft gemäß Abschnitt 3.2.2.5 anzuwenden.
- 3.2.3.3.6 Stellt sich die Datenlage derart dar, dass einer oder mehrere Bestandteile bei einer Konzentration von < 1 % (hautätzend) oder < 3 % (hautreizend) eine hautätzende oder -reizende Wirkung haben, ist das Gemisch entsprechend einzustufen.

Tabelle 3.2.3

Allgemeine Konzentrationsgrenzwerte für hautätzend oder -reizend eingestufte (Kategorie 1 oder 2) Bestandteile, die zur Einstufung eines Gemisches als hautätzend/-reizend führen

Summe der Bestandteile, die eingestuft sind als:	Konzentration, die zu folgender Einstufung des Gemisches führt:	
	hautätzend	hautreizend
	Kategorie 1 (siehe Hinweis unten)	Kategorie 2
hautätzend (Kategorien 1A, 1B, 1C)	≥ 5 %	≥ 1 % aber < 5 %
hautreizend (Kategorie 2)		≥ 10 %
(10 x hautätzend der Kategorien 1A, 1B, 1C) + hautreizend (Kategorie 2)		≥ 10 %

Hinweis:

Die Summe aller Bestandteile eines Gemisches, die jeweils als hautätzend der Kategorie 1A, 1B oder 1C eingestuft sind, muss > 5 % sein, damit auch das Gemisch als hautätzend der Kategorie 1A, 1B oder 1C einzustufen ist. Ist die Summe der hautätzenden Bestandteile der Kategorie 1A < 5 %, die Summe der Bestandteile der Kategorien 1A + 1B jedoch > 5 %, so ist das Gemisch als hautätzend der Kategorie 1B einzustufen. Analog dazu gilt: Ist die Summe der hautätzenden Bestandteile der Kategorien 1A + 1B < 5 %, die Summe der Bestandteile der Kategorien 1A + 1B + 1C jedoch > 5 %, so ist das Gemisch als hautätzend der Kategorie 1C einzustufen.

Tabelle 3.2.4

Allgemeine Konzentrationsgrenzwerte der Bestandteile eines Gemisches, auf die das Additivitätsprinzip nicht anwendbar ist, die zur Einstufung des Gemisches als hautätzend/-reizend führt

Bestandteil:	Konzentration:	Gemisch eingestuft als: hautätzend/-reizend
sauer mit pH-Wert ≤ 2	≥ 1 %	Kategorie 1
basisch mit pH-Wert ≥ 11,5	≥ 1 %	Kategorie 1
weitere hautätzende Bestandteile (Kategorien 1A, 1B, 1C), auf die das Additivitätsprinzip nicht anwendbar ist	≥ 1 %	Kategorie 1
weitere hautreizende Bestandteile (Kategorie 2), auf die das Additivitätsprinzip nicht anwendbar ist, einschließlich Säuren und Basen	≥ 3 %	Kategorie 2

3.2.4. **Gefahrenkommunikation**

- 3.2.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.2.5 zu verwenden.

Tabelle 3.2.5

Kennzeichnungselemente für hautreizende/-ätzende Wirkung

Einstufung	Kategorie 1A, 1B, 1C	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H314: Verursacht schwere Verätzungen der Haut und schwere Augenschäden	H315: Verursacht Hautreizungen
Sicherheitshinweise — Prävention	P260 P264 P280	P264 P280
Sicherheitshinweise — Reaktion	P301 + P330 + P331 P303 + P361 + P353 P363 P304 + P340 P310 P321 P305 + P351 + P338	P302 + P352 P321 P332 + P313 P362
Sicherheitshinweise — Lagerung	P405	
Sicherheitshinweise — Entsorgung	P501	

3.3. Schwere Augenschädigung/ Augenreizung**3.3.1. Begriffsbestimmungen**

3.3.1.1. *Schwere Augenschädigung*: das Erzeugen von Gewebeschäden im Auge oder eine schwerwiegende Verschlechterung des Sehvermögens nach Applikation eines Prüfstoffes auf die Oberfläche des Auges, die innerhalb von 21 Tagen nach Applikation nicht vollständig reversibel sind.

Augenreizung: das Erzeugen von Veränderungen am Auge nach Applikation eines Prüfstoffes auf die Oberfläche des Auges, die innerhalb von 21 Tagen nach der Applikation vollständig reversibel sind.

3.3.2. Einstufungskriterien für Stoffe

3.3.2.1. Das Einstufungssystem für Stoffe umfasst ein mehrstufiges Prüf- und Bewertungsschema, das bereits bestehende Informationen über schwere Augenschäden und über Augenreizungen (samt Daten über frühere Erfahrungen beim Menschen oder aus dem Tierversuch) unter Einbeziehung von Struktur-Wirkungs-Beziehungen ((Q)SAR) und den Ergebnissen validierter *In-vitro*-Prüfungen kombiniert, um unnötige Tierversuche zu vermeiden.

3.3.2.2. Bevor eine *In-vivo*-Prüfung auf schwere Augenschädigung/Augenreizung durchgeführt wird, sind alle bestehenden Informationen zu einem Stoff zu bewerten. Die Frage, ob ein Stoff schwere (d. h. irreversible) Augenschäden verursacht, lässt sich häufig anhand vorliegender Daten vorab entscheiden. Kann ein Stoff anhand dieser Daten eingestuft werden, ist keine Prüfung erforderlich.

3.3.2.3. Vor Prüfbeginn müssen mehrere Faktoren zur Bestimmung des Potenzials der schweren Augenschädigung/Augenreizung durch einen Stoff betrachtet werden. Alle Daten über Erfahrungen beim Menschen und aus Tierversuchen stellen erste Anhaltspunkte für die Analyse dar, da sie Aussagen über Wirkungen mit unmittelbarer Relevanz für das Auge ergeben. In einigen Fällen können die über strukturell verwandte Verbindungen vorliegenden Informationen für eine Entscheidung über die Einstufung ausreichen. Genauso können Stoffe mit extremen pH-Werten von ≤ 2 und $\geq 11,5$ schwere Augenschäden verursachen, insbesondere wenn sie mit einer hohen Pufferkapazität einhergehen. Bei solchen Stoffen geht man von relevanten Wirkungen am Auge aus. Vor der Betrachtung einer schweren Augenschädigung/Augenreizung ist

der Stoff im Hinblick auf seine mögliche hautätzende Wirkung zu beurteilen, um die Prüfung von hautätzenden Stoffen auf lokale Wirkungen am Auge zu vermeiden. Bei hautätzenden Stoffen ist davon auszugehen, dass sie auch schwere Schäden am Auge hervorrufen (Kategorie 1), und bei hautreizenden Stoffen kann davon ausgegangen werden, dass sie Augenreizungen hervorrufen (Kategorie 2). Auch In-vitro-Alternativen, die validiert und akzeptiert worden sind, können für Entscheidungen über die Einstufung zu Hilfe genommen werden (siehe Artikel 5).

- 3.3.2.4. Für die Entscheidung, ob eine In-vivo-Prüfung auf Augenreizung erforderlich ist, sind alle oben genannten Informationen, die für einen Stoff verfügbar sind, heranzuziehen. Obgleich sich auch aus der Bewertung einzelner auf einer Stufe liegender Parameter Informationen gewinnen lassen (so gelten z. B. Alkalihydroxide mit extremem pH-Wert als lokal ätzend), sind bei der umfassenden Ermittlung der Beweiskraft der Daten die vorliegenden Informationen in ihrer Gesamtheit zu berücksichtigen, vor allem dann, wenn Informationen nur für einige, nicht aber für alle Parameter vorliegen. Ganz allgemein ist an erster Stelle dem Urteil von Experten unter Berücksichtigung der Erfahrungen beim Menschen Beachtung zu schenken, dann den Ergebnissen von Hautreizungsprüfungen und schließlich ordnungsgemäß validierten Alternativverfahren. Tierversuche mit ätzenden Stoffen oder Gemischen sind weitestgehend zu vermeiden.
- 3.3.2.5. Für die Bewertung der Datenausgangslage ist gegebenenfalls ein mehrstufiges Verfahren zu beachten, wobei zu bedenken ist, dass in manchen Fällen nicht alle Elemente relevant sein müssen.
- 3.3.2.6. *Irreversible Wirkungen am Auge/schwere Augenschäden (Kategorie 1)*
- 3.3.2.6.1 Wenn Stoffe ein Potenzial auf eine schwere Augenschädigung aufweisen, werden sie in die Kategorie 1 (irreversible Wirkungen am Auge) eingestuft. Ihre Einstufung in diese Gefahrenkategorie erfolgt aufgrund der Ergebnisse von Tierversuchen entsprechend den Kriterien von Tabelle 3.3.1. Diese Beobachtungen umfassen Tiere mit Hornhautschäden des Grades 4 und andere schwere, zu einem beliebigen Zeitpunkt während des Versuchs beobachtete Reaktionen (z. B. Hornhautzerstörung) sowie Tiere mit dauerhafte Hornhauttrübung, Verfärbung der Hornhaut durch einen Farbstoff, Anhaften, Pannus und Beeinträchtigungen der Funktion der Regenbogenhaut oder andere Wirkungen, die das Sehvermögen beeinträchtigen. In diesem Zusammenhang gelten jene Verletzungen als irreversibel, die sich in einem Beobachtungszeitraum von in der Regel 21 Tagen nicht vollständig zurückbilden. Stoffe werden auch dann in Kategorie 1 eingestuft, wenn sie die bei einem Draize-Test an Kaninchen festgestellten Kriterien einer Hornhauttrübung des Grades > 3 oder einer Iritis des Grades > 1,5 erfüllen, womit berücksichtigt wird, dass solch schwere Verletzungen in einer Beobachtungszeit von 21 Tagen normalerweise nicht reversibel sind.

Tabelle 3.3.1

Kategorie für irreversible Wirkungen am Auge

Kategorien	Kriterien
irreversible Wirkungen am Auge (Kategorie 1)	<p>Erzeugt ein auf das Auge eines Tieres aufgebracht Stoff:</p> <ul style="list-style-type: none"> — mindestens bei einem Tier Wirkungen an der Horn-, Regenbogen- oder Bindehaut, bei denen nicht mit einer Rückbildung zu rechnen ist oder die sich in einer Beobachtungszeit von normalerweise 21 Tagen nicht vollständig zurückgebildet haben, und/oder — bei mindestens 2 von 3 Versuchstieren eine positive Reaktion in Form: <ul style="list-style-type: none"> — einer Hornhauttrübung des Grades ≥ 3 und/oder — einer Regenbogenhautentzündung des Grades $> 1,5$, <p>Mittelwerte berechnet nach Befundung nach 24, 48 und 72 Stunden nach Einbringen des Prüfmaterials.</p>

- 3.3.2.6.2 Erfahrungen beim Menschen sind wie unter Abschnitt 3.3.2.1 und 3.3.2.4 sowie in Teil 1 Abschnitte 1.1.1.3 und 1.1.1.4 beschrieben zu berücksichtigen.
- 3.3.2.7. *Reversible Wirkungen am Auge (Kategorie 2)*
- 3.3.2.7.1 Stoffe, die reversible Augenreizungen verursachen können, werden in Kategorie 2 (augenreizend) eingestuft.

Tabelle 3.3.2

Kategorie für reversible Wirkungen am Auge

Kategorien	Kriterien
augenreizend (Kategorie 2)	<p>Erzeugt ein auf das Auge eines Tieres aufgebracht Stoff:</p> <ul style="list-style-type: none"> — bei mindestens 2 von 3 Versuchstieren eine positive Reaktion in Form: <ul style="list-style-type: none"> — einer Hornhauttrübung des Grades ≥ 1 und/oder — einer Regenbogenhautentzündung des Grades ≥ 1 und/oder — einer Bindehautrötung des Grades ≥ 2 und/oder — eines Bindehautschwellung (Chemosis) des Grades ≥ 2, — Mittelwerte berechnet nach Befundung nach 24, 48 und 72 Stunden nach Einbringen des Prüfmaterials und bei vollständiger Rückbildung innerhalb einer Beobachtungszeit von 21 Tagen.

3.3.2.7.2 Bei Stoffen, bei denen die Reaktionen der Versuchstiere ausgesprochen unterschiedlich ausfallen, ist dies bei der Festlegung der Einstufung zu berücksichtigen.

3.3.3. **Einstufungskriterien für Gemische**

3.3.3.1. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

3.3.3.1.1 Gemische werden nach denselben Kriterien wie Stoffe eingestuft, wobei die Beurteilungsstrategien zur Gewinnung von Daten für die jeweilige Gefahrenklasse zu berücksichtigen ist.

3.3.3.1.2 Anders als bei anderen Gefahrenklassen gibt es alternative Prüfverfahren für die hautätzende Wirkung bestimmter Arten von Gemischen, die ein genaues Einstufungsergebnis ermöglichen und zudem einfach und relativ kostengünstig durchzuführen sind. Zur Prüfung eines Gemisches sollten die für die Einstufung zuständigen Personen eine mehrstufige Strategie zur Ermittlung der Beweiskraft der Daten einsetzen, wie in den Kriterien für die Einstufung von Stoffen nach ihrer hautätzenden Wirkung und ihrer schweren Augenschädigung und Augenreizung beschrieben, damit zum einen eine angemessene Einstufung gewährleistet ist und zum anderen unnötige Tierversuche vermieden werden. Ein Gemisch gilt dann als schwere Augenschäden verursachend (Kategorie 1), wenn es einen pH-Wert von $< 2,0$ bzw. von $> 11,5$ hat. Geht man aufgrund der sauren/alkalischen Reserve trotz des hohen oder niedrigen pH-Werts davon aus, dass das Gemisch nicht das Potenzial hat, schwere Augenschäden zu verursachen, so ist dies durch weitere Prüfungen zu bestätigen, vorzugsweise durch eine geeignete validierte *in vitro* Prüfung.

3.3.3.2. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*

3.3.3.2.1 Wurde nicht das Gemisch selbst auf seine hautätzende Wirkung oder sein Potenzial für schwere Augenschädigung/Augenreizung geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.

3.3.3.3. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*

3.3.3.3.1 Um alle verfügbaren Daten zur Einstufung von Gemischen aufgrund ihrer augen-reizenden/schwer augenschädigenden Eigenschaften zu nutzen, wurde folgende Annahme getroffen, die gegebenenfalls im Rahmen des mehrstufigen Verfahrens angewandt wird:

Annahme: Als „relevante Bestandteile“ eines Gemisches gelten jene, die in Konzentrationen von 1 % (in Gewichtsprozent (w/w) bei Feststoffen, Flüssigkeiten, Stäuben, Nebeln und Dämpfen; in Volumenprozent (v/v) bei Gasen) oder mehr vorliegen, sofern (z. B. bei ätzenden Bestandteilen) kein Anlass zu der Annahme besteht, dass ein in einer Konzentration von weniger als 1 % enthaltener Bestandteil dennoch für die Einstufung des Gemisches aufgrund der Augenreizung/schweren Augenschädigung relevant ist.

3.3.3.3.2 Generell beruht die Vorgehensweise bei der Einstufung von Gemischen als augenreizend oder schwer augenschädigend, wenn zwar Daten über die Bestandteile, nicht aber zum Gemisch insgesamt vorliegen, auf dem Additivitätsprinzip, so dass jeder reizende oder ätzende Bestandteil proportional zu seiner Stärke und Konzentration zu den reizenden oder ätzenden Gesamteigenschaften des Gemisches beiträgt. Auf ätzende Bestandteile wird ein Gewichtungsfaktor von 10 angewandt, wenn ihre Konzentration zwar unter dem allgemeinen Konzentrationsgrenzwert für die Einstufung in die Kategorie 1 liegt, da sie stärker zur Einstufung des Gemisches als reizend beitragen. Das Gemisch wird als schwer augenschädigend oder als augenreizend eingestuft, wenn die Summe der Konzentrationen solcher Bestandteile einen Konzentrationsgrenzwert überschreitet.

- 3.3.3.3.3 Tabelle 3.3.3 enthält die allgemeinen Konzentrationsgrenzwerte, nach denen ein Gemisch als augenreizend oder schwer augenschädigend einzustufen ist.
- 3.3.3.3.4 Besondere Vorsicht ist bei der Einstufung bestimmter Gemische geboten, die Stoffe wie Säuren und Basen, anorganische Salze, Aldehyde, Phenole und Tenside enthalten. Hier lässt sich die in Abschnitt 3.3.3.3.1 und 3.3.3.3.2 erläuterte Verfahrensweise nicht anwenden, da viele dieser Stoffe bereits bei Konzentrationen von < 1 % ätzend oder reizend wirken. Bei Gemischen, die starke Säuren oder Basen enthalten, ist der pH-Wert als Einstufungskriterium zu verwenden (siehe Abschnitt 3.3.2.3), da der pH-Wert ein besserer Indikator für eine schwere Augenschädigung ist als die allgemeinen Konzentrationsgrenzwerte der Tabelle 3.3.3. Bei einem Gemisch mit ätzenden oder reizenden Bestandteilen, das sich nicht mit Hilfe des Additivitätsprinzips (Tabelle 3.3.3) einstufen lässt, weil seine chemischen Eigenschaften diese Methode nicht zulassen, wird wie folgt verfahren: Es ist aufgrund seiner Wirkungen am Auge in Kategorie 1 einzustufen, wenn es > 1 % eines ätzenden Bestandteils enthält, und es ist in Kategorie 2 einzustufen, wenn es > 3 % eines reizenden Bestandteils enthält. Die Einstufung von Gemischen mit Bestandteilen, auf die die Vorgehensweise nach Tabelle 3.3.3 nicht anwendbar ist, ist in Tabelle 3.3.4 zusammengefasst.
- 3.3.3.3.5 Manchmal können zuverlässige Daten zeigen, dass die reversiblen/irreversiblen Wirkungen am Auge durch einen Bestandteil auch bei Überschreitung der allgemeinen Konzentrationsgrenzwerte der Tabellen 3.3.3 und 3.3.4 nicht erkennbar sind. Dann ist das Gemisch anhand dieser Daten einzustufen. In anderen Fällen, in denen man davon ausgeht, dass die Ätz- oder Reizwirkung auf die Haut oder die reversiblen/irreversiblen Wirkungen am Auge durch einen Bestandteil nicht erkennbar sind, wenn dessen Konzentration die allgemeinen Konzentrationsgrenzwerte der Tabellen 3.3.3 und 3.3.4 überschreitet, ist eine Prüfung des Gemisches in Erwägung zu ziehen. Dann ist eine mehrstufige Strategie zur Ermittlung der Beweiskraft der Daten anzuwenden.
- 3.3.3.3.6 Zeigt die Datenlage, dass ein oder mehrere Bestandteile bei einer Konzentration von < 1 % (ätzend) oder < 3 % (reizend) eine ätzende oder reizende Wirkung haben können, ist das Gemisch entsprechend einzustufen.

Tabelle 3.3.3

Allgemeine Konzentrationsgrenzwerte der Bestandteile eines Gemisches, die als hautätzend der Kategorie 1 und/oder in Kategorie 1 oder 2 für ihre Wirkungen am Auge eingestuft wurden, die zur Einstufung des Gemisches aufgrund seiner Wirkungen am Auge (Kategorien 1 oder 2) führen

Summe der Bestandteile, die eingestuft sind als:	Konzentration, die zu folgender Einstufung des Gemisches führt:	
	irreversible Wirkungen am Auge	reversible Wirkungen am Auge
	Kategorie 1	Kategorie 2
Wirkungen am Auge der Kategorie 1 oder hautätzend der Kategorie 1A, 1B oder 1C	≥ 3 %	≥ 1 % aber < 3 %
Wirkungen am Auge der Kategorie 2		≥ 10 %
(10 × Wirkungen am Auge der Kategorie 1) + Wirkungen am Auge der Kategorie 2		≥ 10 %
hautätzend der Kategorien 1A, 1B, 1C + Wirkungen am Auge der Kategorie 1	≥ 3 %	≥ 1 % aber < 3 %
10 × (hautätzend der Kategorien 1A, 1B, 1C + Wirkungen am Auge der Kategorie 1) + Wirkungen am Auge der Kategorie 2		≥ 10 %

Tabelle 3.3.4

Allgemeine Konzentrationsgrenzwerte der Bestandteile eines Gemisches, auf das das Additivitätsprinzip nicht anwendbar ist, die zur Einstufung des Gemisches als gefährlich für die Augen führen

Bestandteil	Konzentration	Gemisch aufgrund seiner Wirkungen am Auge eingestuft in
sauer mit pH-Wert ≤ 2	≥ 1 %	Kategorie 1
basisch mit pH-Wert ≥ 11,5	≥ 1 %	Kategorie 1
andere ätzende Bestandteile (Kategorie 1), auf die das Additivitätsprinzip nicht anwendbar ist	≥ 1 %	Kategorie 1



Bestandteil	Konzentration	Gemisch aufgrund seiner Wirkungen am Auge eingestuft in
andere reizende Bestandteile (Kategorie 2), auf die das Additivitätsprinzip nicht anwendbar ist, einschließlich Säuren und Basen	≥ 3 %	Kategorie 2

3.3.4. **Gefahrenkommunikation**

- 3.3.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.3.5 zu verwenden.

Tabelle 3.3.5

Kennzeichnungselemente für schwere Augenschädigung/Augenreizung

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H318: Verursacht schwere Augenschäden	H319: Verursacht schwere Augenreizung
Sicherheitshinweise — Prävention	P280	P264 P280
Sicherheitshinweise — Reaktion	P305 + P351 + P338 P310	P305 + P351 + P338 P337 + P313
Sicherheitshinweise — Lagerung		
Sicherheitshinweise — Entsorgung		

3.4. **Sensibilisierung der Atemwege oder der Haut**

3.4.1. **Begriffsbestimmungen und allgemeine Erwägungen**

- 3.4.1.1. *Inhalationsallergen*: ein Stoff, der bei Einatmen eine Überempfindlichkeit der Atemwege verursacht.
- 3.4.1.2. *Hautallergen*: ein Stoff, der bei Hautkontakt eine allergische Reaktion auslöst.
- 3.4.1.3. Für die Zwecke vorliegenden Abschnitts wird die Sensibilisierung in zwei Phasen unterteilt: In der ersten Phase (Induktion) entwickelt sich nach Exposition gegenüber einem Allergen ein spezielles immunologisches Gedächtnis. Die zweite Phase besteht in der Auslösung einer zell- oder antikörpervermittelten allergischen Reaktion bei Exposition eines sensibilisierten Individuums gegenüber einem Allergen (Auslösephase).
- 3.4.1.4. Wie die Hautsensibilisierung zeigt auch die Sensibilisierung der Atemwege das gleiche Muster einer Induktion gefolgt von Auslösephasen. Auch bei der Hautsensibilisierung ist eine Induktionsphase erforderlich, in der das Immunsystem erst lernt zu reagieren; klinische Symptome können dann auftreten, wenn eine weitere Exposition ausreicht, um eine sichtbare Reaktion des Epithels hervorzurufen (Auslösephase). Prädiktive Tests folgen daher normalerweise diesem Muster mit einer Induktionsphase, wobei die spätere Allergieantwort mit einer standardisierten Auslösephase erfasst wird, die üblicherweise aus einem Epikutantest (Patchtest) besteht. Der lokale Lymphknotentest ist insofern eine Ausnahme, als mit ihm die Induktionsreaktion direkt gemessen wird. Nachweise für eine Hautsensibilisierung beim Menschen werden in der Regel über einen diagnostischen Epikutantest bewertet.
- 3.4.1.5. Sowohl bei der Haut- als auch bei der Atemwegssensibilisierung erfolgt die Auslösung bereits bei einer niedrigeren Exposition als die Induktion. Vorschriften zur Warnung sensibilisierter Personen vor einem besonderen Allergen in einem Gemisch sind in Abschnitt 3.4.4 zu finden.

- 3.4.1.6. Die Gefahrenklasse der Sensibilisierung von Atemwegen oder Haut gliedert sich in:
- Sensibilisierung der Atemwege,
 - Sensibilisierung der Haut.

3.4.2. **Einstufungskriterien für Stoffe**

3.4.2.1. *Inhalationsallergene*

Stoffe sind nach den Kriterien von Tabelle 3.4.1 als Inhalationsallergene (Kategorie 1) einzustufen:

Tabelle 3.4.1

Gefahrenkategorie für Inhalationsallergene

Kategorie	Kriterien
Kategorie 1	Stoffe sind nach folgenden Kriterien als Inhalationsallergene (Kategorie 1) einzustufen: a) aufgrund von Nachweisen beim Menschen, dass der Stoff eine spezifische Überempfindlichkeit der Atemwege verursachen kann, und/oder b) aufgrund positiver Befunde aus einem geeigneten Tierversuch.

3.4.2.1.1 Erfahrungen beim Menschen

3.4.2.1.1.1 Nachweise dafür, dass ein Stoff eine spezifische Überempfindlichkeit der Atemwege hervorrufen kann, ergeben sich in der Regel aus Erfahrungen beim Menschen. Die Überempfindlichkeit äußert sich dabei üblicherweise als Asthma, jedoch können auch andere Überempfindlichkeitsreaktionen wie Rhinitis/Konjunktivitis und Alveolitis auftreten. Hierbei handelt es sich um klinische Erscheinungsbilder einer allergischen Reaktion. Der Nachweis eines immunologischen Mechanismus ist hier nicht erforderlich.

3.4.2.1.1.2 Bei der Bewertung der Erfahrungen beim Menschen ist für eine Entscheidung über die Einstufung zusätzlich zu den fallbezogenen Nachweisen Folgendes zu berücksichtigen:

- a) der Umfang der exponierten Bevölkerungsgruppe,
- b) das Ausmaß der Exposition.

Die Verwendung von Humandaten wird in den Abschnitten 1.1.1.2, 1.1.1.3 und 1.1.1.4 behandelt.

3.4.2.1.1.3 Die oben genannten Nachweise können sein:

- a) die Krankengeschichte und Daten aus geeigneten Lungenfunktionsprüfungen im Zusammenhang mit der Exposition gegenüber diesem Stoff, gestützt durch weitere Nachweise wie:
 - i) immunologische Untersuchungen *in vivo* (z. B. Prick-Test),
 - ii) immunologische Untersuchungen *in vitro* (z. B. serologische Tests),
 - iii) Studien, die andere spezifische Überempfindlichkeitsreaktionen anzeigen können, bei denen aber keine immunologischen Wirkmechanismen nachgewiesen wurden (z. B. wiederholte geringfügige Reizung, pharmakologisch vermittelte Wirkungen),
 - iv) Ähnlichkeit mit der chemischen Struktur von Stoffen, die bekanntermaßen Atemwegsüberempfindlichkeit hervorrufen;
- b) Daten aus einem oder mehreren positiven bronchialen Provokationstests, die mit dem Stoff gemäß anerkannter Leitlinien für die Bestimmung spezifischer Überempfindlichkeitsreaktionen durchgeführt wurden.

3.4.2.1.1.4 Die Bewertung muss die medizinische und die berufliche Vorgeschichte des Patienten berücksichtigen, um einen Zusammenhang zwischen der Exposition gegenüber einem bestimmten Stoff und der Entstehung einer Überempfindlichkeit der Atemwege herleiten zu können. In Betracht zu ziehen sind hierbei weitere ins Gewicht fallende Faktoren, sowohl aus dem häuslichen Bereich als auch vom Arbeitsplatz, Beginn und Verlauf der Krankheit, die familiäre Vorgeschichte und die Krankengeschichte des betroffenen Patienten. Die Krankengeschichte muss auch Aufschluss über andere allergische Erkrankungen oder Atemwegsbeschwerden von Kindheit an sowie die Rauchgewohnheiten geben.

3.4.2.1.1.5 Positive bronchiale Provokationstests werden allein schon als ausreichende Nachweise für eine Einstufung betrachtet. In der Praxis werden allerdings viele Befunde der vorgenannten Untersuchungen bereits vorliegen.

3.4.2.1.2 Tierstudien

3.4.2.1.2.1 Zu den Daten aus geeigneten Tierstudien ⁽¹⁾, die als Hinweis darauf gewertet werden können, dass ein Stoff bei Einatmen Sensibilisierungen beim Menschen ⁽²⁾ hervorrufen kann, gehören beispielsweise:

- i) Bestimmung des Immunglobulin E (IgE) und anderer spezifischer immunologischer Parameter an Mäusen,
- ii) spezifische Lungenreaktionen bei Meerschweinchen.

3.4.2.2. Hautallergene

3.4.2.2.1 Stoffe sind nach den Kriterien von Tabelle 3.4.2 als Hautallergene (Kategorie 1) einzustufen:

Tabelle 3.4.2

Gefahrenkategorie für Hautallergene

Kategorie	Kriterien
Kategorie 1	Stoffe sind nach folgenden Kriterien als Hautallergene (Kategorie 1) einzustufen: i) aufgrund von Nachweisen beim Menschen, dass der Stoff bei einer erheblichen Anzahl von Personen eine Sensibilisierung durch Hautkontakt verursachen kann oder ii) aufgrund positiver Befunde aus einem geeigneten Tierversuch (siehe dazu die spezifischen Kriterien in Abschnitt 3.4.2.2.4.1).

3.4.2.2.2 Besondere Erwägungen

3.4.2.2.2.1 Zur Einstufung eines Stoffes als Hautallergen müssen Nachweise einen oder mehrere der folgenden Aspekte einschließen:

- a) positive Daten aus Epikutantests, in der Regel aus mehr als einer dermatologischen Klinik;
- b) epidemiologische Untersuchungen, die zeigen, dass der Stoff eine allergische Kontaktdermatitis verursacht; besonders aufmerksam sind Fälle zu betrachten, in denen ein hoher Anteil der Exponierten charakteristische Symptome zeigt, selbst wenn die Zahl der Fälle insgesamt klein ist;
- c) positive Daten aus geeigneten Tierstudien;
- d) positive Daten aus experimentellen Studien an menschlichen Probanden (siehe Artikel 7.2);
- e) gut dokumentierte Fälle von allergischer Kontaktdermatitis, in der Regel aus mehr als einer dermatologischen Klinik.

Die Verwendung von Humandaten wird in den Abschnitten 1.1.1.3, 1.1.1.4 und 1.1.1.5 behandelt.

3.4.2.2.2.2 Positive Befunde bei Mensch oder Tier rechtfertigen in der Regel eine Einstufung. Nachweise aus Studien an Tieren (s. Abschnitt 3.4.2.2.4) sind generell weit zuverlässiger als aus der Exposition von Menschen gewonnene Nachweise. Falls Nachweise aus beiden Quellen verfügbar sind und die Ergebnisse einander widersprechen, müssen allerdings Qualität und Zuverlässigkeit der Nachweise aus beiden Quellen bewertet werden, um die Frage der Einstufung von Fall zu Fall beantworten zu können. Normalerweise werden Erfahrungen beim Menschen nicht aus kontrollierten Versuchen mit Freiwilligen zu Einstufungszwecken erhalten, sondern vielmehr im Rahmen einer Risikobewertung zur Bestätigung negativer Tierversuche gewonnen. Positive Daten über eine Hautsensibilisierung beim Menschen stammen daher gewöhnlich aus Fall-Kontroll-Studien oder anderen weniger klar definierten Untersuchungen. Derartige Befunde müssen deshalb sorgfältig bewertet werden, weil die Häufigkeit der Fälle neben den intrinsischen Stoffeigenschaften auch Faktoren wie die Exposition, Bioverfügbarkeit, individuelle Prädisposition und die ergriffenen Vorsichtsmaßnahmen widerspiegelt. Negative Erfahrungen beim Menschen können normalerweise keine positiven Befunde aus Tierstudien widerlegen.

⁽¹⁾ Zum heutigen Zeitpunkt ist noch kein etabliertes Tiermodell für die Prüfung der Überempfindlichkeit der Atemwege verfügbar.

⁽²⁾ Über welche Mechanismen ein Stoff Asthmasymptome hervorrufen, ist noch nicht vollständig bekannt. Zu Präventionszwecken gelten diese Stoffe jedoch als Atemwegsallergene. Lässt sich anhand der Datenlage allerdings nachweisen, dass diese Stoffe nur bei Personen mit bronchialer Überempfindlichkeit Asthmasymptome durch Reizung erzeugen, sollten sie nicht als Atemwegsallergene betrachtet werden.

3.4.2.2.3 Trifft keine der vorstehenden Bedingungen zu, erübrigt sich eine Einstufung des Stoffes als Hautallergen. Allerdings kann eine Kombination von zwei oder mehreren der unten aufgeführten Indikatoren auf eine Hautsensibilisierung zu einer anderen Entscheidung führen, was von Fall zu Fall zu prüfen ist:

- a) isoliert auftretende Fälle allergischer Kontaktdermatitis;
- b) epidemiologische Untersuchungen von begrenzter Aussagekraft, weil beispielsweise Zufall oder Störfaktoren („bias“, „confounding“) nicht mit hinreichender Zuverlässigkeit vollständig ausgeschlossen worden sind;
- c) Daten aus Tierversuchen, die nach geltenden Standards durchgeführt wurden und deren Ergebnisse die in Abschnitt 3.4.2.2.4.1 angegebenen Kriterien für einen positiven Befund zwar nicht erfüllen, sich jedoch diesen so weit nähern, dass sie als positiver Hinweis gelten können;
- d) durch andere als Standardverfahren gewonnene positive Befunde;
- e) positive Ergebnisse von strukturell eng verwandten Analoga.

3.4.2.2.3 Immunologische Kontakturtikaria

3.4.2.2.3.1 Einige Stoffe, die die Kriterien für die Einstufung als Inhalationsallergene erfüllen, können außerdem immunologische Kontakturtikaria verursachen. Hier ist zu erwägen, ob diese Stoffe auch als Hautallergene einzustufen sind und ob Informationen über Kontakturtikaria auf dem Kennzeichnungsetikett oder im Sicherheitsdatenblatt zusammen mit einer entsprechenden Warnung anzugeben sind.

3.4.2.2.3.2 Bei Stoffen, die Anzeichen einer immunologischen Kontakturtikaria hervorrufen, jedoch nicht den Kriterien für Inhalationsallergene genügen, ist zu prüfen, ob sie als Hautallergen eingestuft werden sollten. Es ist noch kein anerkanntes Tiermodell verfügbar, um Stoffe zu erkennen, die immunologische Kontakturtikaria hervorrufen. Die Einstufung erfolgt deshalb in der Regel aufgrund von Erfahrungen beim Menschen, die denen bei der Hautsensibilisierung ähneln.

3.4.2.2.4 Tierstudien

3.4.2.2.4.1 Bei der Anwendung einer Adjuvans-Prüfmethode für die Sensibilisierung der Haut an Meerschweinchen gilt eine Reaktion bei mindestens 30 % der Versuchstiere als positiver Befund. Bei einem Test ohne Adjuvans an Meerschweinchen gilt eine Reaktion bei mindestens 15 % der Versuchstiere als positiver Befund. Es sind die Prüfverfahren für die Hautsensibilisierung entsprechend der Verordnung (EG) Nr. 440/2008 zu verwenden, die nach Artikel 13 Absatz 2 der Verordnung (EG) Nr. 1907/2006 erlassen wurde („Prüfmethodenverordnung“), bzw. andere Methoden, sofern sie ordnungsgemäß validiert sind und eine wissenschaftliche Begründung angegeben wird.

3.4.3. **Einstufungskriterien für Gemische**

3.4.3.1. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

3.4.3.1.1 Liegen für das Gemisch zuverlässige und qualitativ hochwertige Daten aus Erfahrungen beim Menschen oder aus geeigneten Studien an Versuchstieren vor, wie bei den Kriterien für Stoffe beschrieben, dann kann das Gemisch durch Ermittlung der Beweiskraft dieser Daten eingestuft werden. Bei der Bewertung der Daten zu Gemischen muss man sich sorgfältig vergewissern, dass die Ergebnisse in Bezug auf die Expositionshöhen schlüssig sind.

3.4.3.2. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*

3.4.3.2.1 Wurde nicht das Gemisch selbst auf seine sensibilisierenden Eigenschaften geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.

3.4.3.3. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*

3.4.3.3.1 Das Gemisch ist als Inhalations- oder Hautallergen einzustufen, wenn mindestens einer seiner Bestandteile als Inhalations- oder Hautallergen eingestuft worden ist und dessen Konzentration den jeweiligen allgemeinen Konzentrationsgrenzwert für Feststoffe/Flüssigkeiten und Gase gemäß Tabelle 3.4.3 erreicht oder übersteigt.

3.4.3.3.2. Einige Stoffe, die als Allergene eingestuft sind, können bei einzelnen Personen, die gegenüber dem Stoff oder Gemisch bereits sensibilisiert sind, eine Reaktion hervorrufen, wenn sie in einem Gemisch in Mengen enthalten sind, die unter den in Tabelle 3.4.1 festgelegten Konzentrationen liegen (siehe Hinweis 1 zu Tabelle 3.4.3).

Tabelle 3.4.3

Allgemeine Konzentrationsgrenzwerte der entweder als Haut- oder als Inhalationsallergene eingestuft Bestandteile eines Gemisches, die zur Einstufung des Gemisches führen

Bestandteil eingestuft als:	Konzentration, die zu folgender Einstufung des Gemisches führt:		
	hautsensibilisierend	sensibilisierend für die Atemwege	
	alle Aggregatzustände	fest/flüssig	gasförmig
hautsensibilisierend	≥ 0,1 % (Hinweis 1)	—	—
	≥ 1,0 % (Hinweis 2)	—	—
sensibilisierend für die Atemwege	—	≥ 0,1 % (Hinweis 1)	≥ 0,1 % (Hinweis 1)
	—	≥ 1,0 % (Hinweis 3)	≥ 0,2 % (Hinweis 3)

Hinweis 1:

Diese Konzentration wird allgemein für die Anwendung der besonderen Kennzeichnungsvorschriften gemäß Anhang II Abschnitt 2.8 eingesetzt, um bereits sensibilisierte Personen zu schützen. Enthält das Gemisch einen Bestandteil, der diese Konzentration überschreitet, ist ein Sicherheitsdatenblatt erforderlich.

Hinweis 2:

Dieser Konzentrationsgrenzwert führt zur Einstufung eines Gemisches als hautsensibilisierend.

Hinweis 3:



Dieser Konzentrationsgrenzwert führt zur Einstufung eines Gemisches als sensibilisierend für die Atemwege.

3.4.4. **Gefahrenkommunikation**

- 3.4.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.4.4 zu verwenden.

Tabelle 3.4.4

Kennzeichnungselemente für die Sensibilisierung der Haut oder der Atemwege

Einstufung	Sensibilisierung der Atemwege	Sensibilisierung der Haut
	Kategorie 1	Kategorie 1
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H334: Kann bei Einatmen Allergie, asthmaartige Symptome oder Atembeschwerden verursachen	H317: Kann allergische Hautreaktionen verursachen
Sicherheitshinweise — Prävention	P261 P285	P261 P272 P280

Einstufung	Sensibilisierung der Atemwege	Sensibilisierung der Haut
	Kategorie 1	Kategorie 1
Sicherheitshinweise — Reaktion	P304 + P341 P342+ P311	P302 + P352 P333 + P313 P321 P363
Sicherheitshinweise — Lagerung		
Sicherheitshinweise — Entsorgung	P501	P501

3.5. Keimzellmutagenität

3.5.1. Begriffsbestimmungen und allgemeine Erwägungen

3.5.1.1. *Mutation*: eine dauerhafte Veränderung von Menge oder Struktur des genetischen Materials einer Zelle. Der Begriff *Mutation* gilt sowohl für vererbare genetische Veränderungen, die sich im Phänotyp ausdrücken können, als auch für die zugrunde liegenden DNA-Veränderungen, sofern sie bekannt sind (einschließlich spezifischer Basenpaar-Veränderungen und chromosomaler Translokationen). Die Begriffe *mutagen/keimzellmutagen* und *Mutagen* werden bei Stoffen verwendet, die zu einer gesteigerten Mutationshäufigkeit in Populationen von Zellen und/oder Organismen führen.

3.5.1.2. Die allgemeineren Begriffe *genotoxisch* und *Genotoxizität* werden bei Stoffen oder Prozessen verwendet, die die Struktur, den Informationsgehalt oder Segregation von DNA verändern, darunter auch solche, die durch die Störung normaler Replikationsabläufe DNA-Schäden verursachen oder die die DNA-Replikation auf nichtphysiologische Weise (vorübergehend) verändern. Die Ergebnisse von Genotoxizitätsprüfungen dienen in der Regel als Indikatoren für mutagene Wirkungen.

3.5.2. Einstufungskriterien für Stoffe

3.5.2.1. Diese Gefahrenklasse betrifft hauptsächlich Stoffe, die Mutationen in den Keimzellen von Menschen auslösen können, die an die Nachkommen weitergegeben werden können. Bei der Einstufung von Stoffen und Gemischen in dieser Gefahrenklasse finden jedoch auch die Ergebnisse von Mutagenitäts- oder Genotoxizitätsprüfungen Berücksichtigung, die *in vitro* und an Soma- und Keimzellen von Säugern *in vivo* durchgeführt werden.

3.5.2.2. Für die Zwecke der Einstufung aufgrund der Keimzellmutagenität werden die Stoffe einer der beiden Kategorien gemäß Tabelle 3.5.1 zugeordnet.

Tabelle 3.5.1

Gefahrenkategorien für Keimzell-Mutagene

Kategorien	Kriterien
KATEGORIE 1:	Stoffe, die bekanntermaßen vererbare Mutationen verursachen oder die so angesehen werden sollten, als wenn sie vererbare Mutationen an menschlichen Keimzellen auslösen Stoffe, die bekanntermaßen vererbare Mutationen in Keimzellen von Menschen verursachen
Kategorie 1A:	Die Einstufung in die Kategorie 1A beruht auf positiven Befunden aus epidemiologischen Studien an Menschen. Stoffe, die so angesehen werden sollten, als wenn sie vererbare Mutationen an menschlichen Keimzellen auslösen

Kategorien	Kriterien
Kategorie 1B:	Die Einstufung in Kategorie 1B beruht auf: <ul style="list-style-type: none"> — positiven Befunden von <i>In-vivo</i>-Prüfungen auf vererbare Keimzellmutagenität bei Säugern oder — positiven Befunden von <i>In-vivo</i> Mutagenitätsprüfungen an Somazellen von Säugern in Verbindung mit Hinweisen darauf, dass der Stoff das Potenzial hat, an Keimzellen Mutationen zu verursachen. Diese unterstützenden Nachweise können sich beispielsweise aus <i>in vivo</i> Mutagenitäts-/Genotoxizitäts-Prüfungen an Keimzellen ergeben oder aus dem Aufzeigen der Fähigkeit des Stoffes oder seines/er Metaboliten mit dem genetischen Material von der Keimzellen zu interagieren, oder — positiven Befunden von Prüfungen, die mutagene Wirkungen an Keimzellen von Menschen zeigen, allerdings ohne Nachweis der Weitergabe an die Nachkommen; dazu gehört beispielsweise eine Zunahme der Aneuploidierate in Spermien exponierter Personen.
KATEGORIE 2:	Stoffe, die für Menschen bedenklich sind, weil sie möglicherweise vererbare Mutationen in Keimzellen von Menschen auslösen können Einstufungen in Kategorie 2 beruhen auf: <ul style="list-style-type: none"> — positiven Befunden bei Versuchen an Säugern und/oder in manchen Fällen aus <i>In-vitro</i>-Versuchen, die erhalten wurden aus: <ul style="list-style-type: none"> — <i>In-vivo</i>-Mutagenitätsprüfungen an Somazellen von Säugern oder — anderen <i>In-vivo</i>-Genotoxizitätsprüfungen an Somazellen, die durch positive Befunde aus <i>In-vitro</i> Mutagenitäts-Prüfungen gestützt werden. Hinweis: Stoffe mit positiven Befunden aus <i>In-vitro</i> Mutagenitäts-Prüfungen bei Säugern, die zudem eine chemische Struktur-Wirkungs-Beziehung zu bekannten Keimzellmutagenen aufweisen, sind auf eine Einstufung als keimzellmutagen der Kategorie 2 zu prüfen.

3.5.2.3. Besondere Erwägungen für die Einstufung von Stoffen als Keimzellmutagene

3.5.2.3.1 Zum Zwecke der Einstufung werden die Prüfergebnisse von Versuchen zur Ermittlung der mutagenen und/oder genotoxischen Wirkungen in den Keim- und/oder Somazellen von exponierten Tieren berücksichtigt. Mutagene und/oder genotoxische Wirkungen, die mittels *in vitro* Prüfungen ermittelt wurden, sind ebenfalls zu berücksichtigen.

3.5.2.3.2 Das System ist gefahrenbasiert und sieht vor, dass Stoffe anhand ihrer intrinsischen Fähigkeit zur Erzeugung von Mutationen in Keimzellen eingestuft werden. Daher ist dieses Schema auch nicht für die (quantitative) Risikobewertung von Stoffen gedacht.

3.5.2.3.3 Die Einstufung nach vererbaren Wirkungen auf menschliche Keimzellen erfolgt anhand ordnungsgemäß durchgeführter und ausreichend validierter Versuche, vorzugsweise wie sie in der Verordnung (EG) Nr. 440/2008, die nach Artikel 13 Absatz 3 der Verordnung (EG) Nr. 1907/2006 erlassen wurde („Prüfmethodenverordnung“) beschrieben sind, wie die in den folgenden Absätzen aufgeführten Versuche. Die Versuchsergebnisse sind mit Hilfe einer Beurteilung durch Experten vorzunehmen und alle verfügbaren Daten sind einer ihrer Ermittlung der Beweiskraft zu unterziehen, um zu einer Einstufung zu gelangen.

3.5.2.3.4 *In-vivo*-Prüfungen auf vererbare Keimzell-Mutagenität wie etwa:

- Dominant-Letal-Test an Nagern
- Assay zur vererbaren Translokation an Mäusen

3.5.2.3.5 *In-vivo*-Mutagenitätsprüfungen an Somazellen wie etwa:

- Chromosomenaberrationstest am Knochenmark von Säugetieren
- Maus-Fellfleckenest
- Erythrozyten-Mikrokerneltest an Säugetieren

3.5.2.3.6 Mutagenitäts-/Genotoxizitätsprüfungen an Keimzellen wie etwa:

- a) Mutagenitätsprüfungen:
- Spermatogonien-Chromosomenaberrationstest an Säugetieren
 - Spermiden-Mikrokern-Assay

- b) Genotoxizitätsprüfungen:
- Schwesterchromatid-Austausch-Test an Spermatozoen
 - Test auf außerplanmäßige DNA-Synthese (UDS) an Testikelzellen
- 3.5.2.3.7 Genotoxizitätsprüfungen an Somazellen wie etwa:
- *In-vivo*-Test auf außerplanmäßige DNA-Synthese (UDS) an Leberzellen
 - Schwesterchromatid-Austausch-Test (SCE) am Knochenmark von Säugetieren
- 3.5.2.3.8 *In-vitro*-Mutagenitätstests wie etwa:
- *In-vitro*-Chromosomenaberrationstest an Säugetieren
 - *In-vitro*-Genmutationstest an Säugetierzellen
 - Rückmutationstests an Bakterien
- 3.5.2.3.9 Die Einstufung einzelner Stoffe erfolgt mit Hilfe einer Beurteilung durch Experten auf der Grundlage der Beweiskraft sämtlicher verfügbaren Daten (siehe Abschnitt 1.1.1). Wird ein einzelner ordnungsgemäß durchgeführter Versuch zur Einstufung herangezogen, muss dieser klare und eindeutig positive Befunde ergeben. Wenn neue, ordnungsgemäß validierte Testverfahren verfügbar werden, dann können sie auch zur Beurteilung der Beweiskraft sämtlicher Daten herangezogen werden. Auch die Relevanz des in der Studie verwendeten Expositionswegs des Stoffes im Vergleich zum wahrscheinlichsten Expositionsweg beim Menschen ist zu berücksichtigen.
- 3.5.3. **Einstufungskriterien für Gemische**
- 3.5.3.1. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*
- 3.5.3.1.1 Gemische werden als mutagen eingestuft, wenn mindestens ein Bestandteil als Mutagen der Kategorie 1A, der Kategorie 1B oder der Kategorie 2 eingestuft worden ist und seine Konzentration die entsprechenden allgemeinen Konzentrationsgrenzwert für Kategorie 1A, Kategorie 1B oder Kategorie 2 gemäß Tabelle 3.5.2 erreicht oder übersteigt.

Tabelle 3.5.2

Allgemeine Konzentrationsgrenzwerte von als keimzellmutagen eingestuften Bestandteilen eines Gemisches, die zur Einstufung des Gemisches führen

Bestandteil eingestuft als:	Konzentrationsgrenzwerte, die zur Einstufung des Gemisches in folgende Kategorie führen:		
	Mutagen der Kategorie 1A	Mutagen der Kategorie 1B	Mutagen der Kategorie 2
Mutagen der Kategorie 1A	≥ 0,1 %	—	—
Mutagen der Kategorie 1B	—	≥ 0,1 %	—
Mutagen der Kategorie 2	—	—	≥ 1,0 %

Hinweis:



Die Konzentrationsgrenzwerte der vorstehenden Tabelle gelten für Feststoffe und Flüssigkeiten (in w/w) sowie für Gase (in v/v).

- 3.5.3.2. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*
- 3.5.3.2.1 Die Einstufung von Gemischen beruht auf den verfügbaren Testdaten für die einzelnen Bestandteile des Gemisches, wobei Konzentrationsgrenzwerte für Bestandteile gelten, die als Keimzell-Mutagene eingestuft sind, Konzentrationsgrenzwerte sind. Im Einzelfall können Versuchsdaten für Gemische zur Einstufung herangezogen werden, wenn sie auf Wirkungen hinweisen, die bei einer Beurteilung der einzelnen Bestandteile nicht zu erkennen waren. In solchen Fällen ist nachzuweisen, dass die Versuchsergebnisse für das Gemisch insgesamt schlüssig sind, wobei die eingesetzten Dosen und weitere Faktoren wie Expositionsdauer, weitere Beobachtungen, Empfindlichkeit und statistische Analyse des jeweiligen Keimzellmutagenitätssprüfsystems zu berücksichtigen sind. Es sind geeignete Unterlagen zur Begründung der Einstufung aufzubewahren und auf Verlangen zur Überprüfung vorzulegen.

- 3.5.3.3. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 3.5.3.3.1. Wurde das Gemisch selbst nicht auf seine Keimzellmutagenität geprüft, liegen jedoch (vorbehaltlich des Abschnittes 3.5.3.2.1) ausreichende Daten über seine Einzelbestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.
- 3.5.4. **Gefahrenkommunikation**
- 3.5.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.5.3 zu verwenden.

Tabelle 3.5.3

Kennzeichnungselemente für Keimzellmutagenität

Einstufung	Kategorie 1A oder Kategorie 1B	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H340: Kann genetische Defekte verursachen (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)	H341: Kann vermutlich genetische Defekte verursachen (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)
Sicherheitshinweise — Prävention	P201 P202 P281	P201 P202 P281
Sicherheitshinweise — Reaktion	P308 + P313	P308 + P313
Sicherheitshinweise — Lagerung	P405	P405
Sicherheitshinweise — Entsorgung	P501	P501

3.5.5 **Zusätzliche Erwägungen für die Einstufung**

Es ist zunehmend anerkannt, dass die durch chemische Stoffe ausgelöste Karzinogenese beim Menschen und beim Tier zu genetischen Veränderungen beispielsweise von Protoonkogenen und/oder Tumorsuppressorgenen von Somazellen führt. Daher kann der *In-vivo*-Nachweis von keimzellmutagenen Eigenschaften eines Stoffes bei Soma- und/oder Keimzellen von Säugetieren Auswirkungen auf die potenzielle Einstufung dieser Stoffe als karzinogen haben (siehe auch Karzinogenität, Kapitel 3.6, Abschnitt 3.6.2.2.6).

3.6. **Karzinogenität**3.6.1. **Begriffsbestimmung**

- 3.6.1.1. Ein Stoff oder ein Gemisch, der/das Krebs erzeugen oder die Krebshäufigkeit erhöhen kann, wird als karzinogen angesehen. Bei Stoffen, die in ordnungsgemäß durchgeführten Tierstudien gutartige und bösartige Tumore induziert haben, ist ebenfalls von der Annahme auszugehen, dass die Exposition eines Menschen gegenüber dem Stoff wahrscheinlich Krebs erzeugen kann, sofern nicht eindeutige Nachweise dafür vorliegen, dass der Mechanismus der Tumorbildung beim Menschen nicht von Bedeutung ist.

3.6.2. **Einstufungskriterien für Stoffe**

- 3.6.2.1. Zur Einstufung nach ihrer karzinogenen Wirkung werden Stoffe anhand der Aussagekraft der Nachweise und zusätzlicher Erwägungen (Beweiskraft der Daten) einer von zwei Kategorien zugeordnet. In manchen Fällen kann auch eine Einstufung nach dem jeweiligen Expositionsweg gerechtfertigt sein, sofern schlüssig nachgewiesen werden kann, dass bei keinem anderen Expositionsweg Gefahren bestehen.

Tabelle 3.6.1

Gefahrenkategorien für karzinogene Stoffe

Kategorien	Kriterien
KATEGORIE 1:	Bekanntermaßen oder wahrscheinlich beim Menschen karzinogen Ein Stoff wird anhand epidemiologischer und/oder Tierversuchsdaten als karzinogen der Kategorie 1 eingestuft. Die Einstufung eines Stoffes kann weiter wie folgt differenziert werden:
Kategorie 1A:	Kategorie 1A für Stoffe, die bekanntermaßen beim Menschen karzinogen sind; die Einstufung erfolgt überwiegend aufgrund von Nachweisen beim Menschen;
Kategorie 1B	Kategorie 1B, für Stoffe, die wahrscheinlich beim Menschen karzinogen sind; die Einstufung erfolgt überwiegend aufgrund von Nachweisen bei Tieren. Die Einstufung in Kategorie 1A und 1B beruht auf der Aussagekraft der Nachweise in Verbindung mit zusätzlichen Hinweisen (siehe Abschnitt 3.6.2.2). Diese Nachweise können entweder: <ul style="list-style-type: none"> — aus epidemiologischen Studien, die einen ursächlichen Zusammenhang zwischen der Exposition von Menschen gegenüber einem Stoff und der Entwicklung von Krebs herstellen (bekanntes Humankarzinogen), oder — aus Tierversuchen stammen, deren Beweiskraft ausreicht ⁽¹⁾, eine karzinogene Wirkung beim Tier (wahrscheinliches Humankarzinogen) nachzuweisen. Darüber hinaus kann es im Einzelfall aufgrund einer wissenschaftlichen Beurteilung gerechtfertigt sein, eine Entscheidung über die wahrscheinliche karzinogene Wirkung beim Menschen auf Untersuchungen zu stützen, die nur begrenzte Nachweise auf eine karzinogene Wirkung beim Menschen in Verbindung mit begrenzten Nachweisen bei Versuchstieren ergaben.
KATEGORIE 2	Verdacht auf karzinogene Wirkung beim Menschen Die Einstufung eines Stoffes in Kategorie 2 erfolgt aufgrund von Nachweisen aus Studien an Mensch und/oder Tier, die jedoch nicht hinreichend genug für eine Einstufung des Stoffes in Kategorie 1A oder 1B sind, anhand der Aussagekraft der Nachweise und zusätzlicher Hinweise (siehe Abschnitt 3.6.2.2). Solche Nachweise können entweder aus Studien beim Menschen, die einen Verdacht auf karzinogene Wirkung ⁽¹⁾ begründen, oder aus Tierstudien, die einen Verdacht auf karzinogene Wirkungen ergeben, stammen.

⁽¹⁾ Hinweis: siehe 3.6.2.2.4.

3.6.2.2. Besondere Erwägungen für die Einstufung von Stoffen als karzinogen

3.6.2.2.1 Die Einstufung als karzinogen erfolgt aufgrund von Nachweisen, die in zuverlässigen und anerkannten Untersuchungen gewonnen wurden, und betrifft Stoffe mit der intrinsischen Eigenschaft, Krebs zu erzeugen. Die Bewertung muss auf allen vorhandenen Daten beruhen, darunter von Experten begutachtete veröffentlichte Studien und auf zusätzlichen anerkannten Daten.

3.6.2.2.2 Die Einstufung eines Stoffes als karzinogen ist ein Vorgang, der zwei miteinander in Zusammenhang stehende Prozesse beinhaltet: die Bewertung der Stärke der Beweiskraft der Nachweise und die Berücksichtigung aller anderen maßgeblichen Informationen, die für die Einstufung von Stoffen mit möglicher karzinogener Wirkung beim Menschen nach Gefahrenkategorien von Bedeutung sind.

3.6.2.2.3 Die Bewertung der Stärke der Beweiskraft der Nachweise umfasst die quantitative Auswertung der aufgetretenen Tumore in epidemiologischen und tierexperimentellen Studien und die Bestimmung ihrer statistischen Signifikanz. Ausreichende Nachweise beim Menschen lassen einen ursächlichen Zusammenhang zwischen der Exposition und der Entwicklung von Krebs erkennen, während ausreichende Nachweise beim Tier einen ursächlichen Zusammenhang zwischen dem Stoff und einer erhöhten Tumorfrequenz zeigen. Ein Verdacht auf karzinogene Wirkung beim Menschen liegt bei einem positiven Zusammenhang von Exposition und Krebs vor, ein ursächlicher Zusammenhang ist jedoch nicht klar erwiesen. Ein Verdacht auf karzinogene Wirkung besteht, wenn tierexperimentelle Studien zwar auf eine karzinogene Wirkung hindeuten, die Beweiskraft der Daten jedoch nicht als ausreichend erachtet wird. Die Begriffe „ausreichender Nachweis“ und „Verdacht“ werden hier gemäß ihrer Begriffsbestimmung durch die Internationale Agentur für Krebsforschung (IARC) verwendet, die wie folgt lautet:

a) Karzinogenität beim Menschen

Die relevanten Nachweise auf Karzinogenität aus Erfahrungen beim Menschen führen zur Einstufung in eine der folgenden Kategorien:

- Ausreichender Nachweis auf Karzinogenität: Es wurde ein ursächlicher Zusammenhang zwischen der Exposition gegenüber einem Stoff und Krebs beim Menschen nachgewiesen. D. h. in Untersuchungen, bei denen Zufall und Störfaktoren („bias“, „confounding“) mit hinreichender Zuverlässigkeit ausgeschlossen werden können, wurde ein positiver Zusammenhang zwischen der Exposition und Krebs beobachtet.

- Verdacht auf Karzinogenität: Es wurde ein positiver Zusammenhang zwischen der Exposition gegenüber einem Stoff und Krebs beobachtet, für den ein ursächlicher Zusammenhang als glaubwürdig betrachtet wird, jedoch Zufall und Störfaktoren („bias“, „confounding“) nicht mit hinreichender Zuverlässigkeit ausgeschlossen werden können.

b) Karzinogenität bei Versuchstieren

Die Karzinogenität bei Versuchstieren kann anhand konventioneller tierexperimenteller Studien, tierexperimenteller Studien an genetisch veränderten Tieren und anderen *In-vivo*-Studien, die sich auf eine oder mehrere kritische Phasen der Karzinogenese konzentrieren, beurteilt werden. In Ermangelung von Daten aus konventionellen chronischen Tierstudien oder aus anderen Tierstudien mit Neoplasie als Endpunkt sollten durchgängig positive Ergebnisse in verschiedenen Modellen, die sich auf mehrere Phasen im mehrstufigen Prozess der Karzinogenese beziehen, bei der Bewertung des nachgewiesenen Grads der Karzinogenität bei Versuchstieren berücksichtigt werden. Die für eine Karzinogenität bei Versuchstieren relevanten Nachweise werden in eine der folgenden Kategorien eingestuft:

- Ausreichender Nachweis auf Karzinogenität: Es wurde ein ursächlicher Zusammenhang zwischen einem Stoff und der erhöhten Häufigkeit bösartiger Neoplasmen oder einer geeigneten Kombination von gutartigen und bösartigen Neoplasmen a) bei zwei oder mehreren Arten von Tierspezies oder b) in zwei oder mehreren in verschiedenen Zeiträumen oder in verschiedenen Laboratorien oder unter verschiedenen Protokollen durchgeführten unabhängigen Studien an einer Spezies nachgewiesen. Eine erhöhte Tumorfrequenz bei beiden Geschlechtern einer einzigen Spezies in einer ordnungsgemäß durchgeführten Untersuchung, die idealerweise nach den Grundsätzen der Guten Laborpraxis durchgeführt wurde, kann ebenso einen ausreichenden Nachweis liefern. Es ist möglich, dass eine einzige Untersuchung an einer Art und an einem Geschlecht ausreichende Nachweise für Karzinogenität liefert, wenn bösartige Neoplasmen in ungewöhnlichem Ausmaß in Bezug auf Häufigkeit, Ort, Art des Tumors oder Alter bei Einsetzen auftreten oder wenn zahlreiche Tumore an verschiedenen Orten gefunden werden.
- Verdacht auf Karzinogenität: Die Daten weisen auf eine karzinogene Wirkung hin, sind aber im Hinblick auf eine definitive Beurteilung zu begrenzt, beispielsweise weil a) der Nachweis für Karzinogenität auf einen einzigen Versuch beschränkt ist; b) es ungeklärte Fragen in Bezug auf die Angemessenheit der Konzeption, Durchführung oder Auslegung der Untersuchungen gibt; c) der Stoff nur die Häufigkeit von gutartigen Neoplasmen oder Läsionen mit ungewissem neoplastischem Potenzial erhöht; oder d) der Nachweis für Karzinogenität auf Untersuchungen begrenzt ist, die nur eine krebspromovierende Wirkung in einer begrenzten Reihe von Geweben und Organen nachweisen.

3.6.2.2.4 Zusätzliche Erwägungen (im Rahmen des Konzepts der Ermittlung der Beweiskraft der Daten (s. Abschnitt 1.1.1): Neben der Bewertung der Stärke der Beweiskraft der Studien zu karzinogenen Wirkungen sind einige weitere Faktoren zu berücksichtigen, die einen Einfluss darauf haben, dass von einem Stoff eine Gefahr einer karzinogenen Wirkung für den Menschen ausgeht. Alle Faktoren, die diese Bestimmung beeinflussen, hier zu behandeln, würden zu weit führen, aber auf einige der wichtigsten wird an dieser Stelle eingegangen.

3.6.2.2.5 Die Betrachtung dieser Faktoren kann den Grad der Besorgnis bezüglich der karzinogenen Wirkung beim Menschen erhöhen oder vermindern. Die relative Gewichtung, die jedem einzelnen Faktor zukommt, hängt davon ab, wie umfangreich und wie schlüssig die Nachweise jeweils sind. In der Regel müssen Informationen, die den Grad der Besorgnis abschwächen, umfangreicher sein als Informationen, ihn verstärken. Zusätzliche Erwägungen sind erforderlich bei der Bewertung der Tumorbefunde und anderer Faktoren in einer Fall-zu-Fall-Betrachtung.

3.6.2.2.6 Einige wichtige Faktoren, die bei der Bewertung des Grads der Besorgnis berücksichtigt werden können, sind:

- a) Tumortyp und Hintergrundinzidenz,
- b) Auftreten an mehreren Zielorganen,
- c) Progression von Schädigungen zur Malignität,
- d) verkürzte Tumorlatenz,
- e) eine Wirkung liegt nur für ein Geschlecht oder für beide Geschlechter vor,
- f) eine Wirkung liegt nur für eine oder für mehrere Tierarten vor,

- g) strukturelle Ähnlichkeit mit einem Stoff/mehreren Stoffen, bei dem/denen fundierte Nachweise für eine karzinogene Wirkung vorliegen,
- h) Expositionswege,
- i) Vergleich von Aufnahme, Verteilung, Stoffwechsel und Ausscheidung zwischen Versuchstieren und Menschen,
- j) Die Möglichkeit eines beeinflussenden Effektes einer übermäßigen Toxizität in den Versuchsdosierungen
- k) Wirkungsweise und ihre Relevanz beim Menschen, beispielsweise Zytotoxizität mit Stimulierung des (Zell-)Wachstums, Mitogenese, Immunsuppression, Mutagenität.

Mutagenität: Es ist unstrittig, dass Ereignisse am genetischen Material eine wichtige Rolle während des gesamten Prozesses der Krebsentstehung spielen. *In vivo* Nachweise mutagener Wirkungen können daher einen Anhaltspunkt für das karzinogene Potenzial eines Stoffes darstellen.

3.6.2.2.7 Ein Stoff, der nicht auf seine karzinogene Wirkung geprüft worden ist, kann unter bestimmten Umständen in Kategorie 1A, Kategorie 1B oder Kategorie 2 eingestuft werden, wenn Tumordaten von einem strukturell verwandten Stoff vorliegen, die durch die Betrachtung weiterer wichtiger Faktoren deutlich gestützt werden, wie der Bildung gemeinsamer bedeutender Metaboliten, beispielsweise bei Farbstoffen aus Benzidin-Kongeneren.

3.6.2.2.8 Bei der Einstufung ist zu berücksichtigen, ob der Stoff auf bestimmten Expositionswegen resorbiert wird oder nicht, ob es bei den geprüften Expositionswegen nur zur lokalen Tumorbildung am Applikationsort kommt und ob bei geeigneten Prüfungen anderer wichtiger Expositionswegen die karzinogene Wirkung ausbleibt.

3.6.2.2.9 Es ist besonders wichtig, dass bei der Einstufung alle Daten berücksichtigt werden, das heißt, auch alles was über die physikalisch-chemischen, toxikokinetischen und toxikodynamischen Eigenschaften des Stoffes bekannt ist, ebenso relevante Informationen von chemischen Analoga, beispielsweise über Struktur-Wirkungs-Beziehungen.

3.6.3. **Einstufungskriterien für Gemische**

3.6.3.1. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*

3.6.3.1.1 Das Gemisch wird als karzinogen eingestuft, wenn mindestens ein Bestandteil als Karzinogen der Kategorie 1A, der Kategorie 1B oder der Kategorie 2 eingestuft worden ist und seine Konzentration den jeweiligen allgemeinen Konzentrationsgrenzwert für Kategorie 1A, Kategorie 1B oder Kategorie 2 gemäß Tabelle 3.6.2 erreicht oder übersteigt.

Tabelle 3.6.2

Allgemeine Konzentrationsgrenzwerte von als karzinogen eingestuften Bestandteilen eines Gemisches, die zur Einstufung des Gemisches führen

Bestandteil eingestuft als:	Allgemeine Konzentrationsgrenzwerte, die zu einer Einstufung des Gemisches in folgende Kategorie führen:		
	karzinogen der Kategorie 1A	karzinogen der Kategorie 1B	karzinogen der Kategorie 2
karzinogen der Kategorie 1A	≥ 0,1 %	—	—
karzinogen der Kategorie 1B	—	≥ 0,1 %	—
karzinogen der Kategorie 2	—	—	≥ 1,0 % [Hinweis 1]

Hinweis:

Die Konzentrationsgrenzwerte der vorstehenden Tabelle gelten für Feststoffe und Flüssigkeiten (in w/w) sowie für Gase (in v/v).



Hinweis 1:

Liegt in einem Gemisch ein Stoff, der als karzinogen der Kategorie 2 eingestuft wurde, als Bestandteil mit einer Konzentration von ≥ 0,1 % vor, so wird auf Anforderung ein Sicherheitsdatenblatt für das Gemisch vorgelegt.

- 3.6.3.2. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*
- 3.6.3.2.1. Die Einstufung von Gemischen beruht auf den verfügbaren Testdaten für die einzelnen Bestandteile des Gemisches, wobei Konzentrationsgrenzwerte für die Bestandteile gelten, die als karzinogen eingestuft sind. Im Einzelfall können Versuchsdaten für Gemische zur Einstufung herangezogen werden, wenn sie auf Wirkungen hinweisen, die bei einer Beurteilung der einzelnen Bestandteile nicht zu erkennen waren. In solchen Fällen ist nachzuweisen, dass die Versuchsergebnisse für das Gemisch insgesamt schlüssig sind wobei die eingesetzten Dosen und weitere Faktoren wie Expositionsdauer, weitere Beobachtungen, Empfindlichkeit und statistische Analyse der Prüfsysteme für karzinogene Wirkungen zu berücksichtigen sind. Es sind geeignete Unterlagen zur Begründung der Einstufung aufzubewahren und auf Verlangen zur Überprüfung vorzulegen.
- 3.6.3.3. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 3.6.3.3.1. Wurde das Gemisch selbst nicht auf seine karzinogene Wirkung geprüft, liegen jedoch (vorbehaltlich des Abschnittes 3.6.3.2.1) ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der geltenden Übertragungsvorschriften des Abschnitts 1.1.3 zu verwenden.
- 3.6.4. **Gefahrenkommunikation**
- 3.6.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.6.3 zu verwenden.

Tabelle 3.6.3

Kennzeichnungselemente für karzinogene Wirkungen

Einstufung	Kategorien 1A oder Kategorie 1B	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung
Gefahrenhinweis	H350: Kann Krebs erzeugen (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)	H351: Kann vermutlich Krebs erzeugen (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)
Sicherheitshinweise — Prävention	P201 P202 P281	P201 P202 P281
Sicherheitshinweise — Reaktion	P308 + P313	P308 + P313
Sicherheitshinweise — Lagerung	P405	P405
Sicherheitshinweise — Entsorgung	P501	P501

- 3.7. **Reproduktionstoxizität**
- 3.7.1. **Begriffsbestimmungen und allgemeine Erwägungen**
- 3.7.1.1. *Reproduktionstoxizität*: Beeinträchtigungen von Sexualfunktion und Fruchtbarkeit bei Mann und Frau sowie Entwicklungstoxizität bei den Nachkommen. Die nachstehenden Begriffsbestimmungen gehen mit gewissen Anpassungen auf die Arbeitsdefinitionen zurück, die im EHC-Dokument Nr. 225 (Environmental Health Criteria: Umweltgesundheitskriterien) des Internationalen Programms für Chemikaliensicherheit (IPCS — International Programme on Chemical Safety) mit dem Titel „Principles for Evaluating Health Risks to Reproduction Associated with Exposure to Chemicals“ vereinbart worden sind. Für die Zwecke der Einstufung wird die bekannte Verursachung genetisch bedingter, an die Nachkommen vererbbarer Folgen in Abschnitt 3.5 „Keimzellmutagenität“ behandelt, weil es nach dem vorliegenden Einstufungssystem als zweckmäßiger gilt, derartige Wirkungen in einer eigenen Gefahrenklasse als Keimzellmutagenität zu erfassen.

Bei diesem Einstufungssystem wird die Reproduktionstoxizität folgendermaßen unterteilt:

- a) Beeinträchtigung von Sexualfunktion und Fruchtbarkeit,
- b) Entwicklungsschäden bei den Nachkommen.

Einige reproduktionstoxische Wirkungen lassen sich nicht klar der Beeinträchtigung von Sexualfunktion und Fruchtbarkeit oder der Entwicklungstoxizität zuordnen. Stoffe mit diesen Wirkungen bzw. Gemische, die solche Stoffe enthalten, werden trotzdem als reproduktionstoxisch eingestuft.

3.7.1.2. Für die Zwecke der Einstufung wird die Gefahrenklasse Reproduktionstoxizität unterteilt in:

- Beeinträchtigung
 - der Sexualfunktion und Fruchtbarkeit oder
 - der Entwicklung;
- Wirkungen auf oder über die Laktation.

3.7.1.3 *Beeinträchtigung von Sexualfunktion und Fruchtbarkeit*

Jede Wirkung eines Stoffes, die die Sexualfunktion und die Fruchtbarkeit stören kann. Dazu gehören unter anderem Veränderungen der weiblichen und männlichen Fortpflanzungsorgane, Störungen des Eintritts in die Pubertät, der Gametenbildung und des Gametentransports, der Regelmäßigkeit des Reproduktionszyklus, des Sexualverhaltens, der Fruchtbarkeit, der Geburt, der Schwangerschaft sowie vorzeitiges reproduktives Altern oder Änderungen anderer Funktionen, die von der Unversehrtheit der Fortpflanzungssysteme abhängen.

3.7.1.4 *Beeinträchtigung der Entwicklung von Nachkommen*

Der Begriff Entwicklungstoxizität umfasst im weitesten Sinne jede Beeinträchtigung der normalen Entwicklung des Konzeptus vor und nach der Geburt aufgrund einer Exposition eines der Elternteile vor der Empfängnis oder aufgrund der Exposition der Nachkommen im Laufe ihrer vorgeburtlichen Entwicklung oder nach der Geburt bis zur Erlangung der Geschlechtsreife. Man kann jedoch davon ausgehen, dass die Einstufung der Entwicklungstoxizität hauptsächlich dazu dient, dass man schwangere Frauen sowie fortpflanzungsfähige Frauen und Männer mit einem entsprechenden Hinweis warnen kann. Aus pragmatischen Einstufungsgründen bezeichnet die Entwicklungstoxizität daher im Wesentlichen die Beeinträchtigungen während der Schwangerschaft oder infolge einer Exposition eines Elternteils. Diese Wirkungen können jederzeit im Leben eines Organismus auftreten. Zu den wichtigsten Erscheinungsformen der Entwicklungstoxizität gehören 1) der Tod des in der Entwicklung befindlichen Organismus, 2) Missbildungen, 3) Wachstumsstörungen und 4) funktionelle Störungen..

3.7.1.5. Beeinträchtigungen der Laktation oder über die Laktation gehören auch zur Reproduktionstoxizität, obgleich sie zu Einstufungszwecken gesondert behandelt werden (siehe Tabelle 3.7.1 b)). Grund dafür ist, dass man in der Lage sein wollte, Stoffe aufgrund der Beeinträchtigung der Laktation separat einzustufen, so dass man stillende Mütter mit einem besonderen Hinweis vor dieser Wirkung warnen kann.

3.7.2. ***Einstufungskriterien für Stoffe***

3.7.2.1. *Gefahrenkategorien*

3.7.2.1.1 Um Stoffe bezüglich ihrer Reproduktionstoxizität einzustufen, werden sie einer von zwei Kategorien zugeordnet. In jeder Kategorie werden die Auswirkungen auf die Sexualfunktion und Fruchtbarkeit sowie auf die Entwicklung getrennt betrachtet. Zudem werden die Wirkungen auf/über die Laktation einer eigenen Gefahrenkategorie zugeordnet.

Tabelle 3.7.1 a)

Gefahrenkategorien für reproduktionstoxische Stoffe

Kategorien	Kriterien
KATEGORIE 1	Bekanntermaßen oder wahrscheinlich reproduktionstoxischer Stoff Stoffe werden dann als reproduktionstoxisch der Kategorie 1 eingestuft, wenn sie beim Menschen bekanntermaßen die Sexualfunktion und Fruchtbarkeit oder die Entwicklung beeinträchtigen oder wenn Befunde aus Tierstudien, möglichst ergänzt durch weitere Informationen, vorliegen, die die deutliche Annahme erlauben, dass der Stoff die Fähigkeit hat, die menschliche Fortpflanzung beeinträchtigen zu können. Die Einstufung eines Stoffes wird weiter danach differenziert, ob die Einstufung überwiegend aufgrund von Befunden beim Menschen (Kategorie 1A) oder bei Tieren (Kategorie 1B) erfolgt.
Kategorie 1A	Bekanntermaßen reproduktionstoxischer Stoff Die Einstufung eines Stoffes in die Kategorie 1A beruht weitgehend auf Befunden vom Menschen.
Kategorie 1B	Wahrscheinlich reproduktionstoxischer Stoff Die Einstufung eines Stoffes in die Kategorie 1B beruht weitgehend auf Daten aus Tierstudien. Solche Daten müssen deutliche Nachweise für eine Beeinträchtigung der Sexualfunktion und Fruchtbarkeit sowie der Entwicklung bei Fehlen anderer toxischer Wirkungen ergeben; falls sie zusammen mit anderen toxischen Wirkungen auftreten, darf die Beeinträchtigung der Fortpflanzung nicht als sekundäre unspezifische Folge anderer toxischer Wirkungen gelten. Liegen jedoch Informationen zum Wirkmechanismus vor, die die Relevanz der Wirkungen beim Menschen in Frage stellen, kann die Einstufung in Kategorie 2 geeigneter erscheinen.
KATEGORIE 2	Vermutlich reproduktionstoxischer Stoff Stoffe werden dann als reproduktionstoxisch der Kategorie 2 eingestuft, wenn (eventuell durch weitere Informationen ergänzte) Befunde beim Menschen oder bei Versuchstieren vorliegen, die eine Beeinträchtigung der Sexualfunktion und Fruchtbarkeit oder der Entwicklung nachweisen, diese Nachweise aber nicht stichhaltig genug für eine Einstufung des Stoffes in Kategorie 1 sind. Falls Mängel der Studie die Stichhaltigkeit der Nachweise mindern, könnte eine Einstufung in die Kategorie 2 geeigneter sein. Solche Wirkungen müssen bei Fehlen anderer toxischer Wirkungen beobachtet worden sein; treten sie aber zusammen mit anderen toxischen Wirkungen auf, darf die Beeinträchtigung der Fortpflanzung nicht als sekundäre unspezifische Folge anderer toxischer Wirkungen gelten.

Tabelle 3.7.1 b)

Gefahrenkategorie für Wirkungen auf die Laktation

WIRKUNGEN AUF ODER ÜBER DIE LAKTATION
Wirkungen auf oder über die Laktation werden einer eigenen Gefahrenkategorie ohne weitere Unterteilung zugeordnet. Es ist unstrittig, dass es für viele Stoffe keine Informationen über ihr Potenzial zur Schädigung der Nachkommen über die Laktation gibt. Stoffe, die von Frauen aufgenommen werden und nachweislich auf die Laktation wirken oder die (einschließlich ihrer Stoffwechselprodukte) in solchen Mengen in der Muttermilch enthalten sein können, dass sie für die Gesundheit eines gestillten Kindes bedenklich sind, müssen eine Einstufung und Kennzeichnung erhalten, aus der diese für gestillte Säuglinge gefährliche Eigenschaft hervorgeht. Diese Einstufung kann auf folgender Grundlage erfolgen:
a) Befunde beim Menschen, die auf eine Gefahr für Säuglinge während der Stillzeit hinweisen, und/oder
b) Ergebnisse tierexperimenteller Studien über eine oder zwei Generationen, die deutliche Nachweise für eine Schädigung der Nachkommen infolge Aufnahme des Stoffes über die Muttermilch oder für eine Verschlechterung der Milchqualität ergeben, und/oder
c) Absorptions-, Stoffwechsel-, Verteilungs- und Ausscheidungsstudien, die nahelegen, dass der Stoff in möglicherweise toxischen Mengen in der Muttermilch vorhanden ist.

3.7.2.2. *Einstufungsgrundlage*

- 3.7.2.2.1 Die Einstufung erfolgt auf der Grundlage der oben aufgeführten geeigneten Kriterien und einer Ermittlung der Beweiskraft der Daten (siehe Abschnitt 1.1.1). Die Einstufung als reproduktionstoxisch ist für Stoffe gedacht, die eine intrinsische spezifische Eigenschaft zur Beeinträchtigung der Fortpflanzung besitzen; sie ist jedoch nicht zulässig für Stoffe, bei denen diese Wirkung lediglich als unspezifische sekundäre Folge anderer toxischer Wirkungen auftritt.

Die Einstufung eines Stoffes richtet sich nach den Gefahrenkategorien in folgender Reihenfolge: Kategorie 1A, Kategorie 1B, Kategorie 2 und die Zusatzkategorie für Wirkungen auf/über Laktation. Wenn ein Stoff die Kriterien für eine Einstufung in beide der Hauptkategorien erfüllt (beispielsweise Kategorie 1B aufgrund der Auswirkungen auf die Sexualfunktion und die Fruchtbarkeit und Kategorie 2 aufgrund von Entwicklungsschäden), dann werden beide Gefahrendifferenzierungen in den jeweiligen Gefahrenhinweisen erwähnt. Die Einstufung in der Zusatzkategorie für Wirkungen auf/über Laktation wird unabhängig von der Einstufung in Kategorie 1A, Kategorie 1B oder Kategorie 2 berücksichtigt.

- 3.7.2.2.2 Bei der Bewertung der toxischen Wirkungen auf die Entwicklung der Nachkommen ist unbedingt der mögliche Einfluss der maternalen Toxizität zu beachten (siehe Abschnitt 3.7.2.4).
- 3.7.2.2.3 Damit Befunde beim Menschen als Hauptgrundlage für eine Einstufung in die Kategorie 1A dienen können, muss eine Beeinträchtigung der Fortpflanzung beim Menschen hinreichend belegt sein. Zur Einstufung herangezogene Nachweise stammen im Idealfall aus ordnungsgemäß durchgeführten epidemiologischen Studien, in denen die Verwendung geeigneter Kontrollen, eine ausgewogene Bewertung und eine gebührende Berücksichtigung systematischer Fehler und der Störfaktoren („bias“, „confounding“) gewährleistet waren. Weniger fundierte Daten aus Humanstudien sind durch geeignete Daten aus Studien an Versuchstieren zu ergänzen und eine Einstufung in Kategorie 1B ist zu erwägen.
- 3.7.2.3. *Ermittlung der Beweiskraft der Daten*
- 3.7.2.3.1 Die Einstufung als reproduktionstoxisch erfolgt auf der Grundlage einer Ermittlung der Beweiskraft sämtlicher Daten (siehe Abschnitt 1.1.1). Dies bedeutet, dass alle verfügbaren, für die Bestimmung der Reproduktionstoxizität relevanten Informationen zusammen betrachtet werden, wie beispielsweise epidemiologische Studien und Fallberichte, spezielle Reproduktionsstudien in Verbindung mit den Ergebnissen von Untersuchungen der subchronischen und chronischen Wirkung und spezieller Studien an Tieren, aus denen relevante Informationen über die Toxizität für die Fortpflanzungsorgane und damit zusammenhängende endokrine Organe gewonnen werden. Dazu kann auch die Beurteilung von Stoffen gehören, die mit dem untersuchten Stoff chemisch verwandt sind, insbesondere wenn die Informationslage zu diesem Stoff dürftig ist. Die Gewichtung der verfügbaren Nachweise wird von Faktoren beeinflusst wie der Qualität der Studien, der Stimmigkeit ihrer Ergebnisse, der Art und Stärke der Wirkungen, dem Nachweis von maternaler Toxizität in tiereperimentellen Studien, der statistischen Signifikanz von Unterschieden in den Wirkungen zwischen den Gruppen, der Zahl der betroffenen Endpunkte, der Relevanz des Verabreichungswegs beim Menschen und der Vermeidung von systematischen Fehlern. Sowohl positive als auch negative Befunde werden bei der Ermittlung der Beweiskraft der Daten zusammengetragen. Eine einzige positiv ausgefallene Studie, die nach soliden wissenschaftlichen Grundsätzen durchgeführt wurde und statistisch oder biologisch signifikant positive Befunde erbrachte, kann eine Einstufung begründen (siehe auch Abschnitt 3.7.2.3).
- 3.7.2.3.2 Toxikokinetische Studien an Tieren und Menschen, die Ergebnisse von Studien über Wirkort und Wirkungsmechanismus/-weise können den Grad der Besorgnis auf eine reproduktionstoxische Wirkung beim Menschen verstärken oder abschwächen. Lässt sich schlüssig nachweisen, dass der/die eindeutig festgestellte Wirkungsmechanismus/-weise für den Menschen nicht relevant ist, oder sind die toxikokinetischen Unterschiede so ausgeprägt, dass die Gefahreneigenschaft mit Sicherheit nicht beim Menschen zum Tragen kommt, dann sollte ein Stoff, der die Fortpflanzung bei Versuchstieren beeinträchtigt, nicht eingestuft werden.
- 3.7.2.3.3 Falls bei manchen Studien zur Reproduktionstoxizität an Versuchstieren lediglich Wirkungen festgestellt werden, deren toxikologische Bedeutung für gering oder minimal gehalten wird, kann eine Einstufung auch unterbleiben. Zu solchen Wirkungen gehören beispielsweise geringfügige Veränderungen bei Spermienparametern oder der Inzidenz von Spontandefekten beim Fötus, geringfügige Veränderungen des Anteils gewöhnlicher Fötusvariationen, wie sie bei Skelettuntersuchungen beobachtet werden, oder der Fötengewichte oder geringfügige Unterschiede bei der Beurteilung der postnatalen Entwicklung.
- 3.7.2.3.4 Im Idealfall ist der eindeutige Nachweis einer spezifischen Reproduktionstoxizität mit Daten aus Tierstudien zu erbringen, falls keine anderen systemischen toxischen Wirkungen auftreten. Tritt die Entwicklungstoxizität jedoch zusammen mit anderen toxischen Wirkungen am Muttertier auf, ist der potenzielle Einfluss der allgemeinen schädlichen Wirkungen so umfassend wie möglich zu beurteilen. Dabei sollte man bei der Ermittlung der Beweiskraft der Daten vorzugsweise zunächst die schädlichen Wirkungen auf den Embryo/Fötus betrachten und dann gemeinsam mit allen anderen Faktoren, die Einfluss auf diese Wirkungen haben, die maternale Toxizität bewerten. Generell dürfen Entwicklungsstörungen, die bei maternal toxischen Dosen beobachtet werden, nicht automatisch unberücksichtigt bleiben. Darüber ist von Fall zu Fall zu entscheiden, je nachdem ob ein ursächlicher Zusammenhang nachzuweisen ist oder widerlegt wird.
- 3.7.2.3.5 Sind geeignete Informationen verfügbar, ist es wichtig festzustellen, ob die Entwicklungstoxizität durch einen spezifischen maternal vermittelten Mechanismus oder durch einen unspezifischen sekundären Mechanismus wie Stress des Muttertiers und Störung der Homöostase bedingt ist. Generell ist es nicht zulässig, festgestellte Wirkungen am Embryo/Fötus aufgrund einer beobachteten maternalen Toxizität unberücksichtigt zu lassen, außer wenn sich eindeutig zeigen lässt, dass es sich dabei um unspezifische sekundäre Wirkungen handelt. Dies ist vor allem dann nicht zulässig, wenn die Wirkungen auf die Nachkommen relevant sind, zum Beispiel bei irreversiblen Wirkungen wie Missbildungen. In manchen Situationen kann man davon ausgehen, dass die Reproduktionstoxizität eine sekundäre Folge der maternalen Toxizität darstellt, und diese Wirkungen unberücksichtigt lassen, wenn der Stoff so toxisch ist, dass das Wohlergehen der Muttertiere leidet und es zu schwerer Entkräftung kommt, sie ihren Wurf nicht stillen können, dem Zustand höchster Erschöpfung unterliegen oder sterben.

3.7.2.4. *Maternale Toxizität*

- 3.7.2.4.1 Die Entwicklung der Nachkommen während der Trächtigkeit und im Laufe der frühen postnatalen Stadien kann durch toxische Wirkungen bei den Muttertieren entweder über unspezifische stressbedingte Mechanismen und eine Störung der Homöostase bei den Muttertieren oder über spezifische maternal vermittelte Mechanismen beeinflusst werden. Bei der Interpretation der Befunde im Hinblick auf die Entscheidung über eine Einstufung ist es wichtig, den möglichen Einfluss der maternalen Toxizität zu berücksichtigen. Hierbei handelt es sich um eine komplexe Fragestellung, da Unklarheiten über den Zusammenhang zwischen der maternalen Toxizität und der Entwicklungstoxizität bestehen. Alle verfügbaren Studien sind einer Beurteilung durch Experten und einer Ermittlung der Beweiskraft der Daten zu unterziehen, um zu bestimmen, welchen Einfluss die maternale Toxizität auf die Einstufung entwicklungs-schädigender Wirkungen hatte. Zunächst sind die schädlichen Wirkungen auf den Embryo/Foetus und dann die maternale Toxizität sowie alle anderen Faktoren, die einen Einfluss auf diese Wirkungen gehabt haben können, zu beurteilen, um zu einer Entscheidung über die Einstufung zu gelangen.
- 3.7.2.4.2 Aufgrund pragmatischer Beobachtungen kann die maternale Toxizität — je nach ihrer Schwere — über unspezifische sekundäre Mechanismen die Entwicklung beeinflussen und beispielsweise vermindertes Fötusgewicht, verzögerte Knochenbildung und möglicherweise Resorptionen sowie bestimmte Missbildungen in einigen Stämmen mancher Tierarten hervorrufen. In den wenigen Studien, in denen der Zusammenhang zwischen Entwicklungsstörungen und allgemeiner maternaler Toxizität untersucht wurde, konnte jedoch kein genereller schlüssiger reproduzierbarer Zusammenhang nachgewiesen werden. Entwicklungsschäden gelten, selbst wenn sie bei Vorliegen einer maternalen Toxizität auftreten, als Nachweis für die Entwicklungstoxizität, es sei denn, es kann im den Einzelfall eindeutig nachgewiesen werden, dass die Entwicklungsschäden eine sekundäre Folge der maternalen Toxizität sind. Zudem ist eine Einstufung zu erwägen, wenn sich bei den Nachkommen eine relevante toxische Wirkung (z. B. irreversible Folgen wie strukturelle Missbildungen, embryonale/fötale Letalität, relevante postnatale funktionelle Defekte) zeigt.
- 3.7.2.4.3 Bei Stoffen, die nur bei maternaler Toxizität zu Entwicklungsschäden führen, ist nicht automatisch von einer Einstufung abzusehen, selbst wenn ein spezifischer, maternal vermittelter Mechanismus nachgewiesen ist. In diesem Fall kann eine Einstufung in Kategorie 2 geeigneter erscheinen als in Kategorie 1. Ist ein Stoff allerdings so toxisch, dass er den Tod oder eine schwere Entkräftung der Muttertiere zur Folge hat oder dass sie dem Zustand höchster Erschöpfung unterliegen oder nicht mehr in der Lage sind, ihren Wurf zu stillen, ist mit gutem Grund anzunehmen, dass die Entwicklungstoxizität lediglich eine sekundäre Folge der maternalen Toxizität ist, und die Entwicklungsschäden können in Bezug auf ihre Relevanz abgewertet werden. Geringfügige Veränderungen in der Entwicklung, bei nur schwacher Abnahme des Körpergewichts beim Fötus/Jungtier oder nur wenig verzögerter Knochenbildung, führen nicht unbedingt zu einer Einstufung, wenn sie in Verbindung mit maternaler Toxizität auftreten.
- 3.7.2.4.4 Nachstehend sind einige der Endpunkte aufgeführt, die zur Bewertung der maternalen Effekte herangezogen werden. Etwaige verfügbare Daten zu diesen Endpunkten müssen im Hinblick auf ihre statistische oder biologische Signifikanz und die Dosis-Wirkungs-Beziehung bewertet werden.

Maternale Mortalität:

Eine erhöhte Sterblichkeit bei den behandelten Muttertieren gegenüber der Kontrollgruppe gilt als Nachweis für maternale Toxizität, wenn diese Zunahme in Abhängigkeit von der Dosis auftritt und auf die systemische Toxizität des Prüfstoffes zurückgeführt werden kann. Eine maternale Mortalität von mehr als 10 % gilt als überhöht und die Daten für diese Dosisgruppe sind in der Regel nicht für eine weitere Bewertung in Betracht zu ziehen.

Paarungsindex

(Anzahl der Tiere mit Vaginalpfropf oder Spermien/Anzahl der verpaarten Tiere x 100) ⁽¹⁾

Fertilitätsindex

(Anzahl der Tiere mit Implantationen/Anzahl der Paarungen x 100)

Dauer der Trächtigkeit

(falls der Wurf ausgetragen werden kann)

Körpergewicht/Veränderung des Körpergewichts:

Die Betrachtung der Veränderung des Körpergewichts und/oder des angepassten (korrigierten) Körpergewichts des Muttertiers ist in die Bewertung der maternalen Toxizität einzubeziehen, sofern entsprechende Daten verfügbar sind. Die Berechnung der angepassten (korrigierten) mittleren Körpergewichtsveränderung des Muttertiers, die der Differenz zwischen dem Anfangs- und Endgewicht abzüglich des Gebärmutterge-

⁽¹⁾ Natürlich können Paarungsindex und Fruchtbarkeitsindex auch durch die Männchen beeinflusst werden.

wichts bei Trächtigkeit (oder alternativ dazu der Summe der Fötengewichte) entspricht, kann anzeigen, ob es sich um eine maternale oder intrauterine Wirkung handelt. Beim Kaninchen ist der Körpergewichtszuwachs unter Umständen kein zuverlässiger Indikator für die maternale Toxizität, weil Körpergewichtsschwankungen während der Trächtigkeit üblich sind.

Futter- und Wasserverbrauch (sofern relevant): Die Beobachtung eines signifikanten Rückgangs des durchschnittlichen Futter- oder Wasserverbrauchs bei behandelten Muttertieren gegenüber der Kontrollgruppe ist bei der Bewertung der maternalen Toxizität nützlich, vor allem wenn der Prüfstoff über das Futter oder das Trinkwasser verabreicht wird. Veränderungen beim Futter- oder Wasserverbrauch müssen in Verbindung mit dem Körpergewicht des Muttertiers bewertet werden, wenn ermittelt werden soll, ob maternale Toxizität der Grund für die beobachteten Wirkungen ist oder ganz einfach eine geschmackliche Veränderung von Futter oder Wasser durch den Prüfstoff.

Klinische Bewertungen (einschließlich klinischer Anzeichen, Marker, Studien zur Hämatologie oder klinischen Chemie): Auch die Beobachtung einer erhöhten Häufigkeit von signifikanten klinischen Anzeichen von Toxizität bei behandelten Muttertieren gegenüber der Kontrollgruppe ist bei der Bewertung der maternalen Toxizität hilfreich. Soll dies als Grundlage für die Beurteilung der maternalen Toxizität dienen, sind die Art, die Häufigkeit, Schwere und Dauer der klinischen Anzeichen in der Studie festzuhalten. Zu den klinischen Anzeichen einer Intoxikation der Muttertiere gehören: Koma, Erschöpfung, Hyperaktivität, Verlust des Gleichgewichtsreflexes, Ataxie oder Atemnot.

Post-mortem-Daten: Ist aus post mortem gewonnenen Befunden eine erhöhte Häufigkeit und/oder Schwere adverser Wirkungen festzustellen, kann dies auf maternale Toxizität hindeuten. Dazu können makroskopische oder mikroskopische pathologische Befunde oder Organgewichtsdaten einschließlich des absoluten Organgewichts, des Gewichtsverhältnisses Organ/Körper oder Organ/Hirn gehören. Die Beobachtung einer signifikanten Veränderung des Durchschnittsgewichts vermuteter Zielorgane von behandelten Muttertieren gegenüber der Kontrollgruppe kann als Nachweis für maternale Toxizität gewertet werden, wenn dies durch histopathologische Befunde an den betroffenen Organen gestützt wird.

3.7.2.5. Tierversuchs- und Prüfdaten

3.7.2.5.1 Es sind eine ganze Reihe international akzeptierter Versuchsmethoden verfügbar; sie umfassen Methoden für die Prüfung auf Entwicklungstoxizität (z. B. OECD-Prüfungsleitlinie 414) sowie Methoden für toxikologische Untersuchungen über eine oder zwei Generationen (z. B. OECD-Leitlinien 415 und 416).

3.7.2.5.2 Auch die Ergebnisse von Screeningtests (z. B. OECD-Leitlinien 421 — Screeningtest zur Prüfung der Reproduktions-/Entwicklungstoxizität und 422 — Toxizitätsstudie mit kombinierter oraler Verabreichung mit Screeningtest zur Prüfung der Reproduktions-/Entwicklungstoxizität) können zur Begründung einer Einstufung dienen, obwohl unstrittig ist, dass diese Nachweise weniger zuverlässig sind als durch umfassende Studien gewonnene Nachweise.

3.7.2.5.3 In kurz- oder langfristigen Toxizitätsstudien mit wiederholter Verabreichung festgestellte schädliche Wirkungen oder Veränderungen, die die Fortpflanzungsfunktion wahrscheinlich beeinträchtigen und die trotz Fehlens einer relevanten allgemeinen Toxizität auftreten, können als Einstufungsgrundlage dienen (so zum Beispiel histopathologische Veränderungen an den Gonaden).

3.7.2.5.4 Nachweise, die aus *In-vitro*-Assays oder Versuchen an anderen Tieren als Säugern und mit Hilfe der Struktur-Wirkungs-Beziehung (SAR) aus analogen Stoffen gewonnen wurden, können zur Einstufung beitragen. In allen derartigen Fällen sind die Daten von Experten im Hinblick auf ihre Aussagekraft zu beurteilen. Ungeeignete Daten dürfen keinesfalls als gewichtiges Argument für eine Einstufung dienen.

3.7.2.5.5 Bei Tierstudien sind vorzugsweise geeignete Verabreichungswege zu wählen, die sich an dem beim Menschen möglichen Expositionsweg orientieren. In der Praxis werden Studien zur Reproduktionstoxizität jedoch üblicherweise mit oraler Verabreichung durchgeführt; solche Studien eignen sich in der Regel durchaus für die Bewertung der Gefahreigenschaften eines Stoffes in Bezug auf die Reproduktionstoxizität. Lässt sich jedoch schlüssig nachweisen, dass der/die eindeutig festgestellte Wirkungsmechanismus/-weise für den Menschen nicht relevant ist, oder wenn die toxikokinetischen Unterschiede so ausgeprägt sind, dass die Gefahreigenschaft mit Sicherheit nicht beim Menschen zum Tragen kommt, dann braucht ein Stoff, der die Fortpflanzung bei Versuchstieren beeinträchtigt, nicht eingestuft zu werden.

3.7.2.5.6 Studien mit Verabreichungswegen wie intravenöse oder intraperitoneale Injektion, die dazu führen, dass die Fortpflanzungsorgane unrealistisch hohen Dosen des Prüfstoffes ausgesetzt werden, oder die auch in Form von Reizung lokale Schäden an den Fortpflanzungsorganen verursachen können, sind mit äußerster Vorsicht zu interpretieren und stellen in der Regel keine alleinige Grundlage für die Einstufung dar.

- 3.7.2.5.7 Es herrscht allgemein Einigkeit über den Begriff der Grenzdosis, oberhalb deren die Erzeugung einer schädlichen Wirkung nicht mehr als zur Einstufung führendes Kriterium betrachtet wird, nicht jedoch über die Höhe einer konkreten Dosis als Grenzdosis in die Kriterien. In manchen Leitlinien für Prüfverfahren ist aber eine Grenzdosis angegeben, in anderen wiederum ist die Grenzdosis mit dem Hinweis versehen, dass höhere Dosen erforderlich sein können, wenn die vorhergesagte Exposition beim Menschen so hoch ist, dass ein angemessener Abstand zur Expositionshöhe nicht erreicht wird. Auch kann sich die Festlegung einer bestimmten Grenzdosis aufgrund toxikokinetischer Unterschiede zwischen den Arten in jenen Fällen als ungeeignet erweisen, in denen Menschen empfindlicher sind als das Tiermodell.
- 3.7.2.5.8 Grundsätzlich führen Beeinträchtigungen der Fortpflanzung, die nur bei sehr hohen Dosierungen in Tierversuchen auftreten (beispielsweise bei Dosierungen, die zum Zustand höchster Erschöpfung, starker Appetitlosigkeit, erhöhter Mortalität führen), normalerweise nicht zur Einstufung, sofern nicht andere Informationen verfügbar sind, wie etwa toxikokinetische Untersuchungen, die darauf hindeuten, dass Menschen empfindlicher als Tiere reagieren, so dass eine Einstufung angebracht erscheint. Weitere Anleitungen für diesen Bereich finden sich im Abschnitt über maternale Toxizität (3.7.2.4).
- 3.7.2.5.9 Die Festlegung der tatsächlichen „Grenzdosis“ wird jedoch davon abhängen, mit welchem Prüfverfahren die Prüfergebnisse erzielt wurden, z. B. wird in der OECD-Prüfungsleitlinie für Toxizitätsstudien mit wiederholter oraler Verabreichung ein oberer Dosisgrenzwert von 1000 mg/kg empfohlen, sofern die erwartete Reaktion beim Menschen nicht eine höhere Dosierung erfordert.
- 3.7.3. **Einstufungskriterien für Gemische**
- 3.7.3.1. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*
- 3.7.3.1.1 Das Gemisch wird als reproduktionstoxisch eingestuft, wenn mindestens ein Bestandteil als reproduktionstoxisch der Kategorie 1A, der Kategorie 1B oder der Kategorie 2 eingestuft worden ist und seine Konzentration den jeweiligen allgemeinen Konzentrationsgrenzwert für Kategorie 1A, Kategorie 1B und Kategorie 2 gemäß Tabelle 3.7.2 erreicht oder übersteigt.
- 3.7.3.1.2 Das Gemisch wird aufgrund seiner Wirkungen auf oder über die Laktation eingestuft, wenn mindestens ein Bestandteil aufgrund seiner Wirkungen auf oder über die Laktation eingestuft worden ist und seine Konzentration den allgemeinen Konzentrationsgrenzwert für die Zusatzkategorie der Wirkungen auf oder über die Laktation gemäß Tabelle 3.7.2 erreicht oder diesen übersteigt.

Tabelle 3.7.2

Allgemeine Konzentrationsgrenzwerte von entweder als reproduktionstoxisch oder aufgrund ihrer Wirkungen auf oder über die Laktation eingestuftem Bestandteilen eines Gemisches, die zur Einstufung des Gemisches führen

Bestandteil eingestuft als:	Allgemeine Konzentrationsgrenzwerte, die zu einer Einstufung des Gemisches in folgende Kategorie führen:			
	Kategorie 1A reproduktionstoxisch	Kategorie 1B reproduktionstoxisch	Kategorie 2 reproduktionstoxisch	Zusatzkategorie für Wirkungen auf/über Laktation
Kategorie 1A reproduktionstoxisch	≥ 0,3 % [Hinweis 1]			
1B Kategorie 1B reproduktionstoxisch		≥ 0,3 % [Hinweis 1]		
2 Kategorie 2 reproduktionstoxisch			≥ 3,0 % [Hinweis 1]	
Zusatzkategorie für Wirkungen auf/über Laktation				≥ 3,0 % [Hinweis 1]

Hinweis:

Die Konzentrationsgrenzwerte der vorstehenden Tabelle gelten für Feststoffe und Flüssigkeiten (in w/w) sowie für Gase (in v/v).

Hinweis 1:

Enthält das Gemisch einen reproduktionstoxischen Stoff der Kategorie 1 oder der Kategorie 2 oder einen aufgrund seiner Wirkungen auf oder über die Laktation eingestuftem Stoff als Bestandteil in einer Konzentration von über 0,1 %, so wird auf Anforderung ein Sicherheitsdatenblatt für das Gemisch vorgelegt.

3.7.3.2. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

3.7.3.2.1 Die Einstufung von Gemischen beruht auf den verfügbaren Testdaten für die einzelnen Bestandteile des Gemisches, wobei Konzentrationsgrenzwerte für die Bestandteile des Gemisches gelten. Versuchsdaten für Gemische sind im Einzelfall zur Einstufung heranzuziehen, wenn sie Wirkungen nachweisen, die eine Beurteilung der einzelnen Bestandteile nicht erkennen ließ. In solchen Fällen ist nachzuweisen, dass die Versuchsergebnisse für das Gemisch insgesamt schlüssig sind, wobei die Dosis und weitere Faktoren wie Dauer, Beobachtungen, Empfindlichkeit und statistische Analyse der Testsysteme zur Reproduktionstoxizität zu berücksichtigen sind. Es sind geeignete Unterlagen zur Begründung der Einstufung aufzubewahren und auf Verlangen zur Überprüfung vorzulegen.

3.7.3.3. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*



3.7.3.3.1. Vorbehaltlich des Abschnittes 3.7.3.2.1 gilt: Wurde das Gemisch selbst nicht auf seine Reproduktionstoxizität geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsgrundsätze des Abschnitts 1.1.3 zu verwenden.

3.7.4. **Gefahrenkommunikation**

3.7.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.7.3 zu verwenden.

Tabelle 3.7.3

Kennzeichnungselemente für Reproduktionstoxizität

Einstufung	Kategorie 1A oder Kategorie 1B	Kategorie 2	Zusatzkategorie für Wirkungen auf/über Laktation
GHS-Piktogramm			Kein Piktogramm
Signalwort	Gefahr	Achtung	Kein Signalwort
Gefahrenhinweis	H360: Kann die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen (sofern bekannt, konkrete Wirkung angeben, sofern angeben) (Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht)	H361: Kann vermutlich die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen (sofern bekannt, konkrete Wirkung angeben, sofern angeben) (Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht)	H362: Kann Säuglinge über die Muttermilch schädigen
Sicherheitshinweise — Prävention	P201 P202 P281	P201 P202 P281	P201 P260 P263 P264 P270
Sicherheitshinweise — Reaktion	P308 + P313	P308 + P313	P308 + P313
Sicherheitshinweise — Lagerung	P405	P405	
Sicherheitshinweise — Entsorgung	P501	P501	

3.8. Spezifische Zielorgan-Toxizität (einmalige Exposition)

3.8.1. *Begriffsbestimmungen und allgemeine Erwägungen*

3.8.1.1. *Spezifische Zielorgan-Toxizität (einmalige Exposition)*: die spezifische nichtletale Zielorgan-Toxizität nach einmaliger Exposition gegenüber einem Stoff oder Gemisch. Dazu gehören alle eindeutigen Auswirkungen auf die Gesundheit, die Körperfunktionen beeinträchtigen können, unabhängig davon, ob sie reversibel oder irreversibel sind, unmittelbar und/oder verzögert auftreten, sofern sie nicht ausdrücklich in den Abschnitten 3.1 bis 3.7 und 3.10 behandelt werden (siehe dazu auch Abschnitt 3.8.1.6).

3.8.1.2. Eine Einstufung bedeutet, dass der Stoff oder das Gemisch eine spezifische Zielorgan-Toxizität besitzt und damit die Gesundheit von exponierten Personen beeinträchtigt werden kann.

3.8.1.3. Zu diesen durch einmalige Exposition verursachten schädlichen Auswirkungen auf die Gesundheit gehören konsistente und erkennbare toxische Wirkungen beim Menschen oder — für die menschliche Gesundheit relevante — toxikologisch eindeutige Veränderungen bei Versuchstieren, die die Funktion oder Morphologie eines Gewebes/Organs beeinträchtigt oder ernstzunehmende Veränderungen der Biochemie oder Hämatologie des Organismus hervorgerufen haben.

3.8.1.4. Bei der Beurteilung sind nicht nur eindeutige Veränderungen in einem einzigen Organ oder biologischen System zu berücksichtigen, sondern auch allgemeine Veränderungen geringerer Schwere in mehreren Organen.

3.8.1.5. Eine spezifische Zielorgan-Toxizität kann über sämtliche beim Menschen relevanten Expositionswege auftreten, d. h. hauptsächlich oral, dermal oder nach Inhalation.

3.8.1.6. Die Einstufung aufgrund einer spezifischen Zielorgan-Toxizität nach wiederholter Exposition erfolgt wie in Abschnitt 3.9 (Spezifische Zielorgan-Toxizität — wiederholte Exposition) beschrieben und ist daher nicht Gegenstand des Abschnitts 3.8. Weitere nachstehend aufgeführte spezifische Toxizitätswirkungen werden getrennt beurteilt und fallen daher nicht unter diesen Abschnitt:

- a) akute Toxizität (Abschnitt 3.1);
- b) Ätz-/Reizwirkung auf die Haut (Abschnitt 3.2);
- c) schwere Augenschädigung/Augenreizung Abschnitt 3.3);
- d) Sensibilisierung der Atemwege oder der Haut (Abschnitt 3.4);
- e) Keimzellmutagenität (Abschnitt 3.5);
- f) Karzinogenität (Abschnitt 3.6);
- g) Reproduktionstoxizität (Abschnitt 3.7) und
- h) Aspirationsgefahr (Abschnitt 3.10).

3.8.1.7. Die Gefahrenklasse „Spezifische Zielorgan-Toxizität (einmalige Exposition)“ wird wie folgt differenziert:

- spezifische Zielorgan-Toxizität (einmalige Exposition), Kategorien 1 und 2;
- spezifische Zielorgan-Toxizität (einmalige Exposition), Kategorie 3.

Siehe dazu Tabelle 3.8.1.

Tabelle 3.8.1

Kategorien der spezifischen Zielorgan-Toxizität bei einmaliger Exposition

Kategorien	Kriterien
Kategorie 1	<p>Stoffe, die beim Menschen eindeutig toxisch wirken oder von denen auf der Grundlage von Befunden aus tierexperimentellen Studien anzunehmen ist, dass sie beim Menschen nach einmaliger Exposition eindeutigtoxisch wirken können.</p> <p>Als zielorgantoxisch (einmalige Exposition) der Kategorie 1 werden Stoffe auf folgender Grundlage eingestuft:</p> <p>a) zuverlässige und hochwertige Nachweise beim Menschen, aus Fallstudien oder aus epidemiologischen Studien oder</p> <p>b) Beobachtungen eindeutiger und/oder schwerer toxischer Wirkungen aus geeigneten tierexperimentellen Studien, die für die menschliche Gesundheit relevant sind, bei generell niedrigen Expositionskonzentrationen. Leitwerte für Dosis-/Konzentrationsrichtwerte, die im Rahmen der Ermittlung der Beweiskraft zu verwenden sind, sind in Abschnitt 3.8.2.1.9 angegeben.</p>
Kategorie 2	<p>Stoffe, von denen auf der Grundlage von Befunden aus tierexperimentellen Studien angenommen werden kann, dass sie sich bei einmaliger Exposition schädlich auf die menschliche Gesundheit auswirken können.</p> <p>Als zielorgantoxisch (einmalige Exposition) der Kategorie 2 werden Stoffe auf der Grundlage von Beobachtungen im Rahmen geeigneter tierexperimenteller Studien eingestuft, bei denen es zu eindeutigen toxischen Wirkungen mit Relevanz für die menschliche Gesundheit bei allgemein moderaten Expositionskonzentrationen kam. Richtwerte für Dosis/Konzentration als Hilfe für die Einstufung werden in Abschnitt 3.8.2.1.9 angegeben.</p> <p>In Ausnahmefällen können auch Erfahrungen beim Menschen für eine Einstufung in die Kategorie 2 verwendet werden (siehe Abschnitt 3.8.2.1.9).</p>
Kategorie 3	<p>Reversible Wirkungen auf Zielorgane</p> <p>Unter diese Kategorie fallen nur narkotisierende Wirkungen und Atemwegsreizungen. Dabei handelt es sich um Wirkungen auf Zielorgane, bei denen ein Stoff die obigen Kriterien für eine Einstufung in die Kategorien 1 oder 2 nicht erfüllt. Dieses sind Wirkungen, die die menschlichen Körperfunktionen nach der Exposition vorübergehend beeinträchtigen und von denen sich der Mensch in einem angemessenen Zeitraum erholt, ohne dass eine nennenswerte strukturelle oder funktionelle Beeinträchtigung zurückbleibt. Stoffe mit diesen Wirkungen werden gemäß Abschnitt 3.8.2.2 gesondert eingestuft.</p>

Hinweis: Es ist zu versuchen, das Hauptzielorgan der toxischen Wirkung zu ermitteln und eine entsprechende Einstufung vorzunehmen, etwa als Hepatotoxin oder Neurotoxin. Die Daten sind sorgfältig zu bewerten und es sind möglichst keine Nebenwirkungen einzubeziehen (Hepatotoxine können sekundäre Wirkungen im Nerven- oder Verdauungssystem hervorrufen).

3.8.2. Einstufungskriterien für Stoffe**3.8.2.1. Stoffe der Kategorie 1 und der Kategorie 2**

3.8.2.1.1 Stoffe werden jeweils nach ihren unmittelbaren oder verzögerten Wirkungen eingestuft, und zwar mit Hilfe des Urteils von Experten (siehe Abschnitt 1.1.1.) auf der Grundlage einer Gewichtung aller verfügbaren Nachweise, wobei auch die empfohlenen Leitwerte (siehe Abschnitt 3.8.2.1.9) herangezogen werden. Danach werden die Stoffe je nach Art und Schwere der beobachteten Wirkung/-en der Kategorie 1 oder 2 zugeordnet (siehe Tabelle 3.8.1).

3.8.2.1.2. Der/die relevante/-n Expositionsweg/-e sind zu ermitteln, über den/die der eingestufte Stoff Gesundheitschäden hervorruft (siehe Abschnitt 3.8.1.5.).

3.8.2.1.3 Für die Einstufung ist eine Beurteilung durch Experten (siehe Abschnitt 1.1.1) auf der Grundlage einer Ermittlung der Beweiskraft aller verfügbaren Daten sowie der nachstehenden Kriterien maßgeblich.

3.8.2.1.4 Der Nachweis spezifischer zielorgantoxischer Wirkungen, die eine Einstufung erforderlich machen, erfolgt durch eine Ermittlung der Beweiskraft aller Daten (siehe Abschnitt 1.1.1), einschließlich von Fallstudien sowie epidemiologischer Daten und Tierstudien.

3.8.2.1.5 Die für die Bewertung der spezifischen Zielorgan-Toxizität erforderlichen Informationen stammen entweder von einmaligen Expositionen beim Menschen, beispielsweise häuslicher Exposition, Exposition am Arbeitsplatz oder in der Umwelt, oder aus tierexperimentellen Studien. Standardtierversuche an Ratten oder Mäusen, anhand derer sich die toxischen Wirkungen auf die Zielgewebe/-organe ermitteln lassen, sind akute Toxizitätsstudien, die klinische Beobachtungen sowie detaillierte makroskopische und mikroskopische Untersuchungen umfassen können. Auch Daten aus Studien zur akuten Toxizität an anderen Tierarten können relevante Informationen erbringen.

- 3.8.2.1.6 In Ausnahmefällen ist es aufgrund der Beurteilung durch Experten angezeigt, bestimmte Stoffe, bei denen es Nachweise für eine spezifische Zielorgan-Toxizität beim Menschen gibt, in die Kategorie 2 einzustufen:
- wenn die Erfahrungen beim Menschen nicht hinreichend beweiskräftig für eine Einstufung in die Kategorie 1 sind, und/oder
 - aufgrund von Art und Schwere der Wirkungen.
- Dosen/Konzentrationswerte beim Menschen sind normalerweise bei der Einstufung nicht zu berücksichtigen und alle verfügbaren Befunde aus Tierstudien müssen mit der Einstufung in die Kategorie 2 vereinbar sein. Mit anderen Worten: Sind zu dem Stoff auch Tierversuchsdaten verfügbar, die eine Einstufung in die Kategorie 1 rechtfertigen, ist der Stoff in die Kategorie 1 einzustufen.
- 3.8.2.1.7 Wirkungen, die als Argument für eine Einstufung in die Kategorien 1 und 2 gelten
- 3.8.2.1.7.1 Für eine Einstufung sprechen Befunde, die eine einmalige Exposition gegenüber dem Stoff mit einer übereinstimmenden und identifizierbaren toxischen Wirkung in Zusammenhang bringen.
- 3.8.2.1.7.2 Erfahrungen beim Menschen sowie zum Beispiel Fallstudien beschränken sich üblicherweise auf Berichte über gesundheitsschädliche Wirkungen mit häufig unklaren Expositionsbedingungen und bieten unter Umständen nicht die wissenschaftlichen Einzelheiten, die aus ordnungsgemäß durchgeführten Tierstudien erschlossen werden können.
- 3.8.2.1.7.3 Befunde aus geeigneten Tierstudien können in Form klinischer Beobachtungen sowie makroskopischer und mikroskopischer pathologischer Untersuchungen weitaus mehr Details erbringen, so dass häufig Gefahren erkennbar werden, die zwar nicht lebensbedrohlich sind, jedoch auf eine funktionelle Störung hindeuten. Daher müssen sämtliche verfügbaren Befunde und ihre Relevanz für die menschliche Gesundheit im Einstufungsprozess berücksichtigt werden; dazu gehören unter anderem folgende Wirkungen bei Mensch und/oder Tier:
- Morbidität nach einmaliger Exposition;
 - eindeutige funktionelle Veränderungen, die mehr als nur vorübergehend in Respirationstrakt, zentralen oder peripheren Nervensystem, in anderen Organen oder Organsystemen, einschließlich von Anzeichen einer Depression des zentralen Nervensystems und Wirkungen auf Sinnesorgane (beispielsweise Seh-, Hör- und Geruchsvermögen) auftreten;
 - alle übereinstimmenden und eindeutigen Veränderungen von klinisch-chemischen, hämatologischen oder Harnparameter;
 - eindeutige Organschäden, die bei der Autopsie festgestellt und/oder anschließend bei der mikroskopischen Untersuchung erkannt oder bestätigt werden;
 - Multifokale oder diffuse Nekrosen, Fibrosen oder Granulome in lebenswichtigen Organen mit Regenerationsvermögen;
 - morphologische Veränderungen, die möglicherweise reversibel sind, aber eindeutig auf eine ausgeprägte organische Funktionsstörung hinweisen;
 - Anhaltspunkte für ein relevantes Absterben von Zellen (einschließlich Zelldegeneration und Reduzierung der Zellzahl) in lebenswichtigen Organen, die nicht zur Regeneration fähig sind.
- 3.8.2.1.8 Wirkungen, die nicht als Argument für eine Einstufung in die Kategorien 1 und 2 gelten
- Es ist zu erwähnen, dass auch Wirkungen auftreten können, die eine Einstufung nicht rechtfertigen. Dabei handelt es sich unter anderem um folgende Wirkungen bei Mensch und/oder Tier:
- klinische Beobachtungen oder geringfügige Veränderungen der Gewichtszunahme, Nahrungs- oder Wasseraufnahme, die zwar toxikologisch bedeutsam sein können, jedoch als solche nicht auf eine „eindeutige“ Toxizität hindeuten;
 - geringfügige Veränderungen von klinisch-chemischen, hämatologischen oder Harnparametern und/oder vorübergehende Wirkungen von unklarer oder minimaler toxikologischer Bedeutung;
 - Organgewichtsveränderungen ohne Anzeichen einer organischen Funktionsstörung;
 - adaptive Reaktionen, die nicht als toxikologisch relevant gelten;
 - substanzinduzierte tierartspezifische Toxizitätsmechanismen, für die mit hinreichender Sicherheit nachgewiesen wurde, dass sie für die menschliche Gesundheit nicht relevant sind, begründen keine Einstufung.

- 3.8.2.1.9 Richtwerte als Einstufungshilfe bei Kategorie 1 und 2 auf der Grundlage von Befunden aus tierexperimentellen Studien
- 3.8.2.1.9.1 Als Hilfe bei der Entscheidung, ob und nach welchem Schweregrad (Kategorie 1 oder Kategorie 2) ein Stoff einzustufen ist, werden Dosis-/Konzentrations-„Richtwerte“ zur Berücksichtigung der Dosis/Konzentration festgelegt, bei der eindeutige Auswirkungen auf die Gesundheit festgestellt wurden. Hauptargument für solche Richtwerte ist, dass alle Stoffe potenziell toxisch sind und dass es eine bestimmte Dosis/Konzentration geben muss, oberhalb derer eine gewisse toxische Wirkung unstrittig ist.
- 3.8.2.1.9.2 Werden also bei Tierstudien eindeutige toxische Wirkungen beobachtet, die zu einer Einstufung führen, dann ergibt ein Vergleich der Dosis/Konzentration, bei der diese Wirkungen auftraten, mit den vorgeschlagenen Richtwerten, nützliche Informationen, die dabei helfen können zu beurteilen, ob eine Einstufung erforderlich ist (da die toxischen Wirkungen eine Folge der gefährlichen Eigenschaft/-en und der Dosis/Konzentration sind).
- 3.8.2.1.9.3 Die Richtwertbereiche (C) für die Einzeldosis-Exposition mit eindeutiger nichtletaler toxischer Wirkung entsprechen denjenigen für Prüfungen zur akuten Toxizität (siehe Tabelle 3.8.2).

Tabelle 3.8.2

Richtwertbereiche nach Einzeldosis-Exposition

Expositionsweg	Maßeinheiten	Kategorie 1	Leitwertbereiche für:	
			Kategorie 2	Kategorie 3
oral (Ratte)	mg/kg Körpergewicht	$C \leq 300$	$2\ 000 \geq C > 300$	Es gelten keine Richtwerte ^b
dermal (Ratte oder Kaninchen)	mg/kg Körpergewicht	$C \leq 1\ 000$	$2\ 000 \geq C > 1\ 000$	
inhalativ (Ratte) Gas	ppmV/4h	$C \leq 2\ 500$	$20\ 000 \geq C > 2\ 500$	
inhalativ (Ratte) Dampf	mg/l/4h	$C \leq 10$	$20 \geq C > 10$	
inhalativ (Ratte) Staub/Nebel/Rauch	mg/l/4h	$C \leq 1,0$	$5,0 \geq C > 1,0$	

Hinweis:

- a) Die in der Tabelle 3.8.2 genannten Richtwerte und -bereiche sind lediglich Anhaltspunkte, d. h. sie sind für die Ermittlung der Beweiskraft zu verwenden und dienen als Entscheidungshilfe bei der Einstufung. Sie sind nicht als streng abgrenzende Werte gedacht.
- b) Für Stoffe der Kategorie 3 werden keine Richtwerte angegeben, da die Einstufung hier überwiegend auf Erfahrungen beim Menschen beruht. Falls Tierversuchsdaten verfügbar sind, sind diese in der Ermittlung der Beweiskraft zu berücksichtigen.

3.8.2.1.10 Sonstige Erwägungen

- 3.8.2.1.10.1 Ist ein Stoff lediglich anhand tierexperimenteller Daten charakterisiert (dies ist typisch für neue Stoffe, gilt jedoch auch für zahlreiche Altstoffe), werden im Einstufungsverfahren zur Ermittlung der Beweiskraft unter anderem die Richtwerte für die Dosis/Konzentration herangezogen.
- 3.8.2.1.10.2 Stehen fundierte Erfahrungen beim Menschen zur Verfügung, die eine spezifische Zielorgan-Toxizitätswirkung belegen, welche zuverlässig einer einmaligen Exposition gegenüber einem Stoff zugeschrieben werden kann, ist der Stoff in der Regel einzustufen. Positive Erfahrungen beim Menschen, unabhängig von der wahrscheinlichen Dosis, sind gegenüber tierexperimentellen Daten höherrangig. Wird ein Stoff nicht eingestuft, weil die beobachtete spezifische Zielorgan-Toxizität als beim Menschen nicht relevant oder eindeutig angesehen wurde, so ist dieser Stoff in der Regel dann doch einzustufen, falls zu einem späteren Zeitpunkt Daten über Fallstudien verfügbar werden, die eine spezifische Zielorgan-Toxizität zeigen.

3.8.2.1.10.3 Ein Stoff, der nicht auf seine spezifische Zielorgan-Toxizität geprüft wurde, kann gegebenenfalls anhand folgender Elemente eingestuft werden: Daten aus einer gesicherten Struktur-Wirkungs-Betrachtung und einer auf der Beurteilung durch Experten basierenden Extrapolation zu einem strukturell verwandten, bereits eingestuften Analogon sowie unter Berücksichtigung weiterer wichtiger Faktoren wie der Bildung gemeinsamer bedeutsamer Metaboliten.

3.8.2.1.10.4 Die Sättigungsdampfkonzentration ist, wenn dies angezeigt ist, als zusätzliches Element zum Gesundheitsschutz heranzuziehen.

3.8.2.2. *Stoffe der Kategorie 3: reversible Wirkungen auf Zielorgane*

3.8.2.2.1 Kriterien für die Reizung der Atemwege

Für die Einstufung von Stoffen in die Kategorie 3 aufgrund einer Reizung der Atemwege sind folgende Kriterien maßgeblich:

- a) Atemwegsreizende Wirkungen (gekennzeichnet durch örtlich begrenzte Rötungen, Ödeme, Juckreiz und/oder Schmerzen), die zu einer funktionellen Beeinträchtigung führen, die mit Symptomen wie Husten, Schmerzen, Atemnot und allgemeinen Atembeschwerden einhergehen. Die Beurteilung beruht hauptsächlich auf Humandaten.
- b) Subjektive Beobachtungen beim Menschen können durch Quantifizierung einer eindeutigen Atemwegsreizung gestützt werden (beispielsweise Messung von elektrophysiologischen Reaktionen, von Biomarkern einer Entzündungsreaktion in nasaler oder Bronchi-alveolärer Lavage).
- c) Die am Menschen beobachteten Symptome müssen auch typischen Symptomen in der exponierten Population entsprechen und dürfen keine isolierte idiosynkratische Reaktion sein und nicht nur bei Individuen mit überempfindlichen Atemwegen auftreten. Vage Berichte von lediglich einer „Reizung“ bleiben unberücksichtigt, da mit diesem Begriff gewöhnlich vielfältige Sinneseindrücke wie Geruch, unangenehmer Geschmack, Kribbeln und Trockenheit beschrieben werden, die nicht für die Einstufung aufgrund einer Reizung der Atemwege relevant sind.
- d) Es gibt derzeit keine validierten Tierversuchsmodelle zur Erfassung einer Atemwegsreizung; nützliche Informationen können aber aus den Prüfungen auf Inhalationstoxizität nach einmaliger und wiederholter Exposition gewonnen werden. Beispielsweise können Tierversuche nützliche Informationen im Zusammenhang mit klinischen Vergiftungserscheinungen (Dyspnoe, Rhinitis usw.) und histopathologischen Untersuchungen (z. B. Hyperämie, Ödem, geringe Entzündung, verdickte Schleimschicht) liefern. Solche tierexperimentellen Studien können im Rahmen der Ermittlung der Beweiskraft herangezogen werden.
- e) Diese spezielle Einstufung erfolgt nur dann, wenn keine schwerwiegenderen Wirkungen auf Organe, darunter auch auf das Respirationssystem, beobachtet werden.

3.8.2.2.2 Kriterien für narkotisierende Wirkungen

Für die Einstufung von Stoffen in die Kategorie 3 aufgrund ihrer narkotisierenden Wirkung sind folgende Kriterien maßgeblich:

- a) Depression des zentralen Nervensystems einschließlich narkotisierender Wirkungen beim Menschen wie beispielsweise Schläfrigkeit, Narkosewirkung, verminderte Aufmerksamkeit, Reflexverlust, Koordinationschwäche und Schwindel. Diese Wirkungen können sich auch als schwere Kopfschmerzen oder Übelkeit äußern und zu vermindertem Urteilsvermögen, Benommenheit, Reizbarkeit, Müdigkeit, Gedächtnisstörungen, Wahrnehmungs- und Koordinierungsschwächen sowie zu Reaktionsverzögerung oder Schläfrigkeit führen.
- b) Zu den in tierexperimentellen Studien beobachteten narkotisierenden Wirkungen gehören auch Lethargie, Koordinationsmangel, Verlust des Stellreflexes und Ataxie. Sind diese Wirkungen nicht vorübergehender Art, dann ist davon auszugehen, dass sie zu einer Einstufung als spezifisch zielorgantoxisch (einmalige Exposition) der Kategorie 1 oder 2 führen.

3.8.3. **Einstufungskriterien für Gemische**

3.8.3.1. Gemische werden entweder anhand der Kriterien für Stoffe eingestuft oder wie nachstehend beschrieben. Wie Stoffe sind auch Gemische aufgrund ihrer spezifischen Zielorgan-Toxizität nach einmaliger Exposition einzustufen.

3.8.3.2. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

3.8.3.2.1 Liegen für das Gemisch zuverlässige und gesicherte Befunde aus Erfahrungen beim Menschen oder aus geeigneten Tierstudien vor, wie bei den Kriterien für Stoffe beschrieben, dann ist das Gemisch mit Hilfe einer Ermittlung der Beweiskraft dieser Daten einzustufen (siehe Abschnitt 1.1.1.4.). Bei der Bewertung von Daten zu Gemischen ist sicherzustellen, dass die Ergebnisse nicht aufgrund von Dosis, Dauer, Beobachtung oder Analyse ihre Schlüssigkeit verlieren.

- 3.8.3.3. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 3.8.3.3.1 Wurde das Gemisch selbst nicht auf seine spezifische Zielorgan-Toxizität geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsgrundsätze des Abschnitts 1.1.3 zu verwenden.
- 3.8.3.4. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*
- 3.8.3.4.1 Gibt es keine zuverlässigen Nachweise oder Prüfdaten für das spezifische Gemisch selbst und können die Übertragungsgrundsätze nicht für seine Einstufung verwendet werden, dann beruht die Einstufung des Gemisches auf der Einstufung seiner Bestandteile. In diesem Fall ist das Gemisch als spezifisch zielorgantoxisch (unter Angabe des Organs) nach einmaliger Exposition, einzustufen, wenn mindestens ein Bestandteil als spezifisch zielorgantoxisch der Kategorie 1 oder der Kategorie 2 eingestuft wurde und den entsprechenden allgemeinen Konzentrationsgrenzwert für die Kategorie 1 bzw. die Kategorie 2 gemäß Tabelle 3.8.3 erreicht oder übersteigt.
- 3.8.3.4.2 Diese allgemeinen Konzentrationsgrenzwerte und anschließenden Einstufungen sind entsprechend auf bei einmaliger Verabreichung spezifisch zielorgantoxische Stoffe anzuwenden.
- 3.8.3.4.3 Gemische sind jeweils aufgrund ihrer Toxizität bei einmaliger Verabreichung und/oder bei wiederholter Verabreichung einzustufen.

Tabelle 3.8.3

Allgemeine Konzentrationsgrenzwerte von als spezifisch zielorgantoxisch eingestuftem Bestandteilen eines Gemisches, die zu einer Einstufung des Gemisches in Kategorie 1 oder Kategorie 2 führen

Bestandteil eingestuft als:	Allgemeine Konzentrationsgrenzwerte, die zu einer Einstufung des Gemisches in folgende Kategorie führen:	
	Kategorie 1	Kategorie 2
Kategorie 1 spezifisch zielorgantoxisch	Konzentration $\geq 10\%$	$1,0\% \leq$ Konzentration $< 10\%$
Kategorie 2 spezifisch zielorgantoxisch		Konzentration $\geq 10\%$ [(Hinweis 1)]




Hinweis 1:

Enthält das Gemisch einen Bestandteil, der als spezifisch zielorgantoxisch der Kategorie 2 eingestuft wurde, in einer Konzentration von $\geq 1,0\%$, so wird auf Anforderung ein Sicherheitsdatenblatt für das Gemisch vorgelegt.

- 3.8.3.4.4 Wenn Giftstoffe, die mehr als ein Organsystem angreifen, kombiniert werden, ist darauf zu achten, dass eine Potenzierung oder Synergismen berücksichtigt werden, denn manche Stoffe können bereits bei einer Konzentration von $< 1\%$ eine Zielorgan-Toxizität bewirken, wenn von anderen Bestandteilen des Gemisches bekannt ist, dass sie seine toxische Wirkung potenzieren.
- 3.8.3.4.5 Bei der Extrapolierung der Toxizität eines Gemisches, das einen oder mehrere Bestandteile der Kategorie 3 enthält, ist Vorsicht geboten. Hier ist ein allgemeiner Konzentrationsgrenzwert von 20% zweckmäßig; trotzdem ist zu bedenken, dass dieser Konzentrationsgrenzwert höher oder niedriger sein kann, je nachdem welche/-r Bestandteil/-e der Kategorie 3 enthalten ist/sind, und dass manche Wirkungen, wie die Atemwegsreizung, unterhalb einer bestimmten Konzentration ausbleiben können, während wiederum andere, wie narkotisierende Wirkungen, auch unterhalb dieses 20% -Werts auftreten können. Hier ist eine Beurteilung durch Experten anzustellen.
- 3.8.4. **Gefahrenkommunikation**
- 3.8.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.8.4 zu verwenden.

Tabelle 3.8.4

Kennzeichnungselemente für die spezifische Zielorgan-Toxizität bei einmaliger Exposition

Einstufung	Kategorie 1	Kategorie 2	Kategorie 3
GHS-Piktogramm			
Signalwort	Gefahr	Achtung	Achtung
Gefahrenhinweis	H370: Schädigt die Organe (oder alle betroffenen Organe nennen, sofern bekannt) (Expositionsweg angeben, sofern schlüssig nachgewiesen ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)	H371: Kann die Organe schädigen (oder alle betroffenen Organe nennen, sofern bekannt) (Expositionsweg angeben, sofern schlüssig nachgewiesen ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)	H335: Kann die Atemwege reizen oder H336: Kann Schläfrigkeit und Benommenheit verursachen
Sicherheitshinweise — Prävention	P260 P264 P270	P260 P264 P270	P261 P271
Sicherheitshinweise — Reaktion	P307 + P311 P321	P309 + P311	P304 + P340 P312
Sicherheitshinweise — Lagerung	P405	P405	P403 + P233 P405
Sicherheitshinweise — Entsorgung	P501	P501	P501

3.9. Spezifische Zielorgan-Toxizität (wiederholte Exposition)**3.9.1. Begriffsbestimmungen und allgemeine Erwägungen**

- 3.9.1.1. *Zielorgan-Toxizität (wiederholte Exposition):* die spezifische Zielorgan-Toxizität nach wiederholter Exposition gegenüber einem Stoff oder einem Gemisch. Dazu gehören alle eindeutigen Auswirkungen auf die Gesundheit, die Körperfunktionen beeinträchtigen können, unabhängig davon, ob sie reversibel oder irreversibel sind, unmittelbar und/oder verzögert auftreten. Nicht eingeschlossen sind jedoch andere spezifische toxische Wirkungen, die eigens in den Abschnitten 3.1 bis 3.8 und 3.10 behandelt werden.
- 3.9.1.2. Eine Einstufung aufgrund der Zielorgan-Toxizität (wiederholte Exposition) bedeutet, dass ein Stoff toxisch auf ein spezifisches Zielorgan wirkt und damit die Gesundheit von exponierten Personen beeinträchtigen kann.
- 3.9.1.3. Zu diesen schädlichen Auswirkungen auf die Gesundheit gehören konsistente und erkennbare toxische Wirkungen beim Menschen oder — für die menschliche Gesundheit relevante — toxikologisch eindeutige Veränderungen bei Versuchstieren, die die Funktion oder Morphologie eines Gewebes/Organs beeinträchtigt oder ernstzunehmende Veränderungen der Biochemie oder Hämatologie des Organismus hervorgerufen haben.
- 3.9.1.4. Bei der Beurteilung sind nicht nur eindeutige Veränderungen in einem einzigen Organ oder biologischen System zu berücksichtigen, sondern auch generalisierte Veränderungen geringerer Schwere in mehreren Organen.
- 3.9.1.5. Eine spezifische Zielorgan-Toxizität kann über sämtliche beim Menschen relevanten Expositionswege auftreten, d. h. hauptsächlich oral, dermal oder durch Inhalation.
- 3.9.1.6. Nichtletale toxische Wirkungen, die nach einer einmaligen Exposition beobachtet werden, werden eingestuft wie in Abschnitt 3.8 (Spezifische Zielorgan-Toxizität — einmalige Exposition) beschrieben und daher in Abschnitt 3.9 nicht behandelt.

3.9.2. **Einstufungskriterien für Stoffe**

- 3.9.2.1. Die Einstufung von Stoffen als spezifisch zielorgantoxisch nach wiederholter Exposition erfolgt mit Hilfe der Beurteilung durch Experten auf der Grundlage der Ermittlung der Beweiskraft aller verfügbaren Daten, einschließlich der Verwendung empfohlener Richtwerte, die die Expositionsdauer und die Dosis/Konzentration berücksichtigen, die der/den Wirkung/-en zugrunde liegen (siehe Abschnitt 3.9.2.9); derartige Stoffe werden je nach Art und Schwere der beobachteten Wirkung/-en einer von zwei Kategorien zugeordnet (Tabelle 3.9.1).

Table 3.9.1

Kategorien für die spezifische Zielorgan-Toxizität bei wiederholter Exposition

Kategorien	Kriterien
Kategorie 1	<p>Stoffe, die beim Menschen eindeutig toxisch wirken oder von denen auf der Grundlage von Befunden aus tierexperimentellen Studien anzunehmen ist, dass sie beim Menschen nach wiederholter Exposition eindeutig toxisch wirken können.</p> <p>Als zielorgantoxisch (wiederholte Exposition) der Kategorie 1 werden Stoffe auf folgender Grundlage eingestuft:</p> <ul style="list-style-type: none"> — zuverlässige und hochwertige Nachweise aus Fallstudien oder aus epidemiologischen Studien oder — Beobachtung aus geeigneten tierexperimentellen Studien von eindeutigen und/oder schwerwiegenden toxischen Wirkungen, die für die menschliche Gesundheit relevant sind, bei generell moderaten Expositionskonzentrationen. Richtwerte für Dosis/Konzentration zur Verwendung in der Ermittlung der Beweiskraft werden in Abschnitt 3.9.2.9 angegeben.
Kategorie 2	<p>Stoffe, von denen auf der Grundlage von Befunden aus tierexperimentellen Studien angenommen werden kann, dass sie sich bei wiederholter Exposition schädlich auf die menschliche Gesundheit auswirken können.</p> <p>Als zielorgantoxisch (wiederholte Exposition) der Kategorie 2 werden Stoffe auf der Grundlage von Beobachtungen im Rahmen geeigneter tierexperimenteller Studien eingestuft, bei denen es zu eindeutigen toxischen Wirkungen mit Relevanz für die menschliche Gesundheit bei allgemein moderaten Expositionskonzentrationen kam. Leitwerte für Dosis/Konzentration als Hilfe für die Einstufung werden in Abschnitt 3.9.2.9 angegeben.</p> <p>In Ausnahmefällen können auch Erfahrungen beim Menschen für eine Einstufung in die Kategorie 2 verwendet werden (siehe Abschnitt 3.9.2.6).</p>

Hinweis:

Es ist zu versuchen, das Hauptzielorgan der toxischen Wirkung zu ermitteln und eine entsprechende Einstufung vorzunehmen, beispielsweise als Hepatotoxin, Neurotoxin. Die Daten sind sorgfältig zu bewerten und es sind möglichst keine sekundären Wirkungen einzubeziehen (Hepatotoxine können sekundäre Wirkungen im Nerven- oder Verdauungssystem hervorrufen).

- 3.9.2.2. Der/die relevante/-n Expositionsweg/-e ist/sind zu ermitteln, über den/die der eingestufte Stoff Gesundheitsschäden hervorruft.
- 3.9.2.3. Für die Einstufung ist eine Beurteilung durch Experten (siehe Abschnitt 1.1.1) auf der Grundlage einer Ermittlung der Beweiskraft aller verfügbaren Daten einschließlich der nachstehenden Richtlinien maßgeblich.
- 3.9.2.4. Eine Ermittlung der Beweiskraft aller Daten (siehe Abschnitt 1.1.1), einschließlich von „Fallstudien“ epidemiologischen und tierexperimentellen Studien, ist anzuwenden, um spezifisch zielorgantoxische Wirkungen, die eine Einstufung erfordern, zu begründen. Auf diese Weise wird der beträchtliche Bestand an Toxizitätsdaten aus industrieller Exposition genutzt, die im Laufe der Zeit erarbeitet wurde. Die Bewertung hat auf der Grundlage aller verfügbaren Daten zu erfolgen, einschließlich von Experten begutachtete veröffentlichte Studien und auf zusätzlichen anerkannten Daten.
- 3.9.2.5. Die für die Bewertung der spezifischen Zielorgan-Toxizität erforderlichen Informationen stammen entweder von wiederholter Exposition beim Menschen, beispielsweise häuslicher Exposition, Exposition am Arbeitsplatz oder in der Umwelt, oder aus tierexperimentellen Studien. Standardtierversuche an Ratten oder Mäusen, anhand derer sich die toxischen Wirkungen auf die Zielgewebe/-organe ermitteln lassen, sind 28-Tage-, 90-Tage- oder chronische Studien (bis zu 2 Jahren), die hämatologische, klinisch-chemische und detaillierte makroskopische und mikroskopische Untersuchungen umfassen. Falls verfügbar, sind auch Daten aus Studien mit wiederholter Verabreichung an anderen Tierarten zu verwenden wie beispielsweise Untersuchungen zur karzinogenen Wirkung, zur Neurotoxizität oder Reproduktionstoxizität, können ebenfalls Nachweise für die spezifische Zielorgan-Toxizität erbringen, die bei der Beurteilung der Einstufung verwendet werden könnten.

- 3.9.2.6. In Ausnahmefällen ist es aufgrund der Beurteilung durch Experten angezeigt, bestimmte Stoffe, bei denen es Nachweise auf eine spezifische Zielorgan-Toxizität beim Menschen gibt, in die Kategorie 2 einzustufen:
- wenn die Humanbefunde nicht hinreichend beweiskräftig für eine Einstufung in die Kategorie 1 sind und/oder
 - aufgrund von Art und Schwere der Wirkungen.
- Dosen/Konzentrationswerte beim Menschen sind bei der Einstufung nicht zu berücksichtigen und alle verfügbaren Befunde aus Tierstudien müssen mit der Einstufung in die Kategorie 2 vereinbar sein. Mit anderen Worten: Sind zu dem Stoff auch Tierversuchsdaten verfügbar, die eine Einstufung in die Kategorie 1 rechtfertigen, ist der Stoff in die Kategorie 1 einzustufen.
- 3.9.2.7. *Wirkungen, die als Argument für eine Einstufung aufgrund der spezifischen Zielorgan-Toxizität nach wiederholter Exposition gelten*
- 3.9.2.7.1 Für eine Einstufung sprechen zuverlässige Befunde, die eine wiederholte Exposition gegenüber dem Stoff mit einer übereinstimmenden und identifizierbaren toxischen Wirkung in Zusammenhang bringen.
- 3.9.2.7.2 Erfahrungen beim Menschen wie Fallstudien beschränken sich üblicherweise auf Berichte über gesundheitsschädliche Wirkungen mit häufig unklaren Expositionsbedingungen und bieten unter Umständen nicht die wissenschaftlichen Einzelheiten, die aus ordnungsgemäß durchgeführten tierexperimentellen Studien erhalten werden.
- 3.9.2.7.3 Befunde aus geeigneten tierexperimentellen Studien können in Form klinischer Beobachtungen und hämatologischer, klinisch-chemischer sowie makroskopischer und mikroskopischer pathologischer Untersuchungen weitaus mehr Details erbringen, so dass häufig Gefahren erkennbar werden, die zwar nicht lebensbedrohlich sind, jedoch auf eine funktionelle Störung hindeuten. Daher werden sämtliche verfügbaren Befunde mit Relevanz für die menschliche Gesundheit im Einstufungsprozess berücksichtigt; dazu gehören unter anderem folgende toxische Wirkungen bei Mensch und/oder Tier:
- Morbidität oder Mortalität aufgrund wiederholter oder länger anhaltender Exposition: Morbidität oder Mortalität können die Folge wiederholter Exposition auch gegenüber relativ niedrigen Dosen/Konzentrationen aufgrund der Bioakkumulation des Stoffes oder seiner Metabolite und/oder aufgrund der Überlastung des Entgiftungsprozesses durch die wiederholte Exposition gegenüber dem Stoff oder dessen Metaboliten sein;
 - eindeutige funktionelle Veränderungen des zentralen oder peripheren Nervensystems oder anderer Organsysteme, einschließlich von Anzeichen einer Depression des Zentralnervensystems und Wirkungen auf Sinnesorgane (beispielsweise Seh-, Hör- und Geruchsvermögen);
 - alle übereinstimmenden und eindeutigen Veränderungen von klinisch-chemischen, hämatologischen oder Harnparametern;
 - eindeutige Organschäden, die bei der Autopsie festgestellt und/oder anschließend bei der mikroskopischen Untersuchung erkannt oder bestätigt werden;
 - multifokale oder diffuse Nekrosen, Fibrosen oder Granulome in lebenswichtigen Organen mit Regenerationsvermögen;
 - morphologische Veränderungen, die möglicherweise reversibel sind, aber eindeutig eine ausgeprägte organische Funktionsstörung belegen (beispielsweise ausgeprägte Fetteinlagerungen in der Leber);
 - Nachweise für ein relevantes Absterben von Zellen (einschließlich Zelldegeneration und Reduzierung der Zellzahl) in lebenswichtigen Organen, die nicht zur Regeneration fähig sind.
- 3.9.2.8. *Wirkungen, die nicht als Argument für eine Einstufung aufgrund der spezifischen Zielorgan-Toxizität nach wiederholter Exposition gelten*
- 3.9.2.8.1 Es ist zu erwähnen, dass bei Mensch und/oder Tier auch Wirkungen festgestellt werden können, die eine Einstufung nicht rechtfertigen. Dabei handelt es sich unter anderem um folgende Wirkungen:
- klinische Beobachtungen oder geringfügige Veränderungen der Gewichtszunahme, Nahrungs- oder Wasseraufnahme, die zwar toxikologisch bedeutsam sein können, jedoch als solche nicht auf „eindeutige“ Toxizität hindeuten,
 - geringfügige Veränderungen von klinisch-chemischen, hämatologischen oder Harnparametern und/oder vorübergehende Wirkungen von unklarer oder minimaler toxikologischer Bedeutung,
 - Organgewichtsveränderungen ohne Anzeichen einer organischen Funktionsstörung,

- d) adaptive Reaktionen, die nicht als toxikologisch relevant gelten,
- e) substanzinduzierte tierartspezifische Toxizitätsmechanismen, für die mit hinreichender Sicherheit nachgewiesen wurde, dass sie für die menschliche Gesundheit nicht relevant sind, begründen keine Einstufung.

3.9.2.9. *Richtwerte als Einstufungshilfe auf der Grundlage von Befunden aus tierexperimentellen Studien*

3.9.2.9.1 Steht bei tierexperimentellen Studien allein die Beobachtung von Wirkungen im Mittelpunkt, ohne dass die Dauer der experimentellen Exposition und die Dosis/Konzentration angegeben werden, wird ein wesentlicher Grundsatz der Toxikologie außer Acht gelassen, nämlich dass alle Stoffe potenziell toxisch sind und dass die Toxizität eine Funktion von Dosis/Konzentration und Expositionsdauer ist. Bei den meisten Tierstudien wird in den Prüfleitlinien ein oberer Dosisgrenzwert verwendet.

3.9.2.9.2 Als Hilfe bei der Entscheidung, ob und nach welchem Schweregrad (Kategorie 1 oder Kategorie 2) ein Stoff einzustufen ist, werden Dosis-/Konzentrations-„Richtwerte“ zur Berücksichtigung der Dosis/Konzentration bestimmt, bei der eindeutige Auswirkungen auf die Gesundheit festgestellt wurden. Hauptargument für die Festlegung solcher Richtwerte ist, dass alle Stoffe potenziell toxisch sind und dass es eine bestimmte Dosis/Konzentration geben muss, oberhalb derer eine gewisse toxische Wirkung unstrittig ist. Außerdem sind tierexperimentelle Studien mit wiederholter Exposition auf eine Toxizitätswirkung bei der höchsten verwendeten Dosis ausgelegt, um das Prüfziel zu optimieren, weshalb die meisten Studien zumindest bei dieser Höchstdosierung toxische Wirkungen zeigen. Daher sind nicht nur die verursachten Wirkungen zu bewerten, sondern auch, bei welcher Dosis/Konzentration sie erzeugt wurden und wie relevant sie für den Menschen sind.

3.9.2.9.3 Werden also bei Tierstudien eindeutige toxische Wirkungen beobachtet, die zu einer Einstufung führen, dann kann ein Vergleich der Expositionsdauer im Experiment und der Dosis/Konzentration, bei der diese Wirkungen auftraten, mit den vorgeschlagenen Richtwerten nützliche Informationen ergeben, die dabei helfen können zu beurteilen, ob eine Einstufung erforderlich ist (da die toxischen Wirkungen eine Folge der gefährlichen Eigenschaft/-en und auch der Expositionsdauer und der Dosis/Konzentration sind).

3.9.2.9.4 Die Entscheidung, ob ein Stoff überhaupt eingestuft wird, kann durch die Bezugnahme auf die Dosis-/Konzentrations-Richtwerte, bei denen oder unterhalb deren eine eindeutige toxische Wirkung beobachtet wurde, beeinflusst werden.

3.9.2.9.5 Die Richtwerte beziehen sich auf Wirkungen, die bei einer herkömmlichen 90tägigen Toxizitätsstudie an Ratten festgestellt wurden. Sie können als Grundlage für die Extrapolation gleichwertiger Richtwerte für Toxizitätsstudien von längerer oder kürzerer Dauer verwendet werden, wobei eine der Haberschen Regel für Inhalation vergleichbare Extrapolation von Dosis/Expositionsdauer angewandt wird, die im Wesentlichen aussagt, dass sich die wirksame Dosis direkt proportional zur Expositionskonzentration und zur Expositionsdauer verhält. Die Beurteilung hat von Fall zu Fall zu erfolgen, beispielsweise für eine 28tägige Studie würden die nachstehenden Werte um den Faktor 3 erhöht.

3.9.2.9.6 Eine Einstufung in die Kategorie 1 findet somit dann statt, wenn im Rahmen einer 90tägigen tierexperimentellen Studie mit wiederholter Exposition bei den oder unterhalb der Richtwerte (C) gemäß Tabelle 3.9.2 eindeutige toxische Wirkungen festgestellt werden.

Tabelle 3.9.2

Richtwerte als Hilfe für die Einstufung in die Kategorie 1

Expositionsweg	Maßeinheiten	Richtwerte (Dosis/Konzentration)
oral (Ratte)	mg/kg Körpergewicht/Tag	C ≤ 10
dermal (Ratte oder Kaninchen)	mg/kg Körpergewicht/Tag	C ≤ 20
inhalativ (Ratte) Gas	ppmV/6h/Tag	C ≤ 50
inhalativ (Ratte) Dampf	mg/Liter/6h/Tag	C ≤ 0,2
inhalativ (Ratte) Staub/Nebel/Rauch	mg/Liter/6h/Tag	C ≤ 0,02

3.9.2.9.7 Eine Einstufung in die Kategorie 2 findet dann statt, wenn im Rahmen einer 90tägigen tierexperimentellen Studie mit wiederholter Exposition in den oder unterhalb der Richtwertbereiche gemäß Tabelle 3.9.3 eindeutige toxische Wirkungen festgestellt werden.

Tabelle 3.9.3

Richtwerte als Hilfe für die Einstufung in die Kategorie 2

Expositionsweg	Maßeinheiten	Richtwertbereiche: (Dosis/Konzentration)
oral (Ratte)	mg/kg Körpergewicht/Tag	10 < C ≤ 100
dermal (Ratte oder Kaninchen)	mg/kg Körpergewicht/Tag	20 < C ≤ 200
inhalativ (Ratte) Gas	ppmV/6h/Tag	50 < C ≤ 250
inhalativ (Ratte) Dampf	mg/Liter/6h/Tag	0,2 < C ≤ 1,0
inhalativ (Ratte) Staub/Nebel/Rauch	mg/Liter/6h/Tag	0,02 < C ≤ 0,2

- 3.9.2.9.8 Die in den Abschnitten 3.9.2.9.6 und 3.9.2.9.7 genannten Richtwerte und -bereiche sind lediglich Anhaltspunkte, d. h. sie sind für die Ermittlung der Beweiskraft zu verwenden und dienen als Entscheidungshilfe bei der Einstufung. Sie sind nicht als strenge Grenzwerte gedacht.
- 3.9.2.9.9 Es ist also durchaus möglich, dass ein spezifisches Toxizitätsprofil in Tierstudien mit wiederholter Verabreichung bei einer Dosis/Konzentration unterhalb des Richtwertes auftritt (beispielsweise < 100 mg/kg Körpergewicht/Tag auf dem oralen Expositionsweg), aufgrund der Art der Wirkung (beispielsweise Nephrotoxizität, nur bei männlichen Ratten eines bestimmten Stamms mit bekannter Empfänglichkeit für diese Wirkung festzustellen) jedoch entschieden wird, keine Einstufung vorzunehmen. Umgekehrt kann ein spezifisches in Tierstudien festgestelltes Toxizitätsprofil oberhalb eines Richtwertes (beispielsweise ≥ 100 mg/kg Körpergewicht/Tag auf oralem Weg) zusammen mit ergänzenden Informationen aus anderen Quellen (beispielsweise andere Studien mit Langzeitverabreichung oder Erfahrungen beim Menschen) in Anbetracht der ermittelten Beweiskraft die Schlussfolgerung nahelegen, dass eine Einstufung aus Gründen der Vorsorge angezeigt ist.
- 3.9.2.10. *Sonstige Erwägungen*
- 3.9.2.10.1 Ist ein Stoff lediglich anhand tierexperimenteller Daten beschrieben (dies ist typisch für neue Stoffe, gilt jedoch auch für zahlreiche Altstoffe), werden im Einstufungsverfahren zur Ermittlung der Beweiskraft unter anderem die Richtwerte für die Dosis/Konzentration herangezogen.
- 3.9.2.10.2 Stehen fundierte Erfahrungen beim Menschen zur Verfügung, die eine spezifische Zielorgan-Toxizität belegen, welche zuverlässig einer wiederholten oder längeren Exposition gegenüber einem Stoff zugeschrieben werden kann, ist der Stoff in der Regel einzustufen. Positive Erfahrungen beim Menschen, unabhängig von der wahrscheinlichen Dosis, haben vor tierexperimentellen Daten Vorrang. Wird ein Stoff nicht eingestuft, weil bei oder unterhalb dem Dosis-/Konzentrations-Richtwert für Tierversuche keine spezifische Zielorgan-Toxizität festgestellt wurde, so ist dieser Stoff in der Regel dann einzustufen, falls zu einem späteren Zeitpunkt Fallstudien verfügbar werden, die eine spezifische Zielorgan-Toxizität zeigen.
- 3.9.2.10.3 Ein Stoff, der nicht auf seine spezifische Zielorgan-Toxizität geprüft wurde, kann gegebenenfalls anhand folgender Elemente eingestuft werden: Daten aus einer gesicherten Struktur-Wirkungs-Betrachtung und einer auf der Beurteilung durch Experten basierenden Extrapolation zu einem strukturell verwandten, bereits eingestuften Analogon sowie unter Berücksichtigung weiterer wichtiger Faktoren wie der Bildung gemeinsamer relevanter Metaboliten.
- 3.9.2.10.4 Die Sättigungsdampfkonzentration ist, wenn dies angezeigt ist, als zusätzliches Element zum besonderen Schutz von Gesundheit und Sicherheit heranzuziehen.
- 3.9.3. ***Einstufungskriterien für Gemische***
- 3.9.3.1. Gemische werden entweder anhand der Kriterien für Stoffe eingestuft oder wie nachstehend beschrieben. Wie Stoffe sind auch Gemische aufgrund ihrer spezifischen Zielorgan-Toxizität nach wiederholter Exposition einzustufen.
- 3.9.3.2. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*
- 3.9.3.2.1 Liegen für das Gemisch zuverlässige und gesicherte Befunde aus Erfahrungen beim Menschen oder aus geeigneten tierexperimentellen Studien vor (siehe Abschnitt 1.1.1.4.), wie bei den Kriterien für Stoffe beschrieben, dann ist das Gemisch mit Hilfe einer Ermittlung der Beweiskraft dieser Daten einzustufen. Bei der Bewertung von Daten zu Gemischen muss man sich sorgfältig vergewissern, dass die Ergebnisse nicht aufgrund von Dosis, Dauer, Beobachtung oder Analyse ihre Beweiskraft verlieren.

- 3.9.3.3. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 3.9.3.3.1 Wurde das Gemisch selbst nicht auf seine spezifische Zielorgan-Toxizität geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsgrundsätze des Abschnitts 1.1.3 zu verwenden.
- 3.9.3.4. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*
- 3.9.3.4.1 Gibt es keine zuverlässigen Nachweise oder Prüfdaten für das spezifische Gemisch selbst und können die Übertragungsgrundsätze nicht für seine Einstufung verwendet werden, dann beruht die Einstufung des Gemisches auf der Einstufung seiner Bestandteile. In diesem Fall ist das Gemisch als spezifisch zielorgantoxisch (unter Angabe des Organs) nach einmaliger Exposition, wiederholter Exposition oder beidem einzustufen, wenn mindestens ein Bestandteil als spezifisch zielorgantoxisch der Kategorie 1 oder der Kategorie 2 eingestuft wurde und den entsprechenden allgemeinen Konzentrationsgrenzwert für die Kategorie 1 bzw. die Kategorie 2 gemäß Tabelle 3.9.4 erreicht oder übersteigt.

Tabelle 3.9.4

Allgemeine Konzentrationsgrenzwerte von als spezifisch zielorgantoxisch eingestuften Bestandteilen eines Gemisches, die zu einer Einstufung des Gemisches führen

Bestandteil eingestuft als:	Allgemeine Konzentrationsgrenzwerte, die zu einer Einstufung des Gemisches in folgende Kategorie führen:	
	Kategorie 1	Kategorie 2
Kategorie 1 spezifisch zielorgantoxisch	Konzentration $\geq 10\%$	$1,0\% \leq$ Konzentration $< 10\%$
Kategorie 2 spezifisch zielorgantoxisch		Konzentration $\geq 10\%$ [(Hinweis 1)]



Hinweis 1

Enthält das Gemisch einen Bestandteil, der als spezifisch zielorgantoxisch der Kategorie 2 eingestuft wurde, in einer Konzentration von \geq über 1,0 %, so wird auf Anforderung ein Sicherheitsdatenblatt für das Gemisch vorgelegt.

- 3.9.3.4.2 Diese allgemeinen Konzentrationsgrenzwerte zur Einstufung gelten für zielorgantoxische Stoffe bei wiederholter Exposition.
- 3.9.3.4.3. Gemische sind jeweils aufgrund ihrer Toxizität bei einmaliger Verabreichung und/oder bei wiederholter Verabreichung einzustufen.
- 3.9.3.4.4. Wenn Giftstoffe, die mehr als ein Organsystem angreifen, kombiniert werden, ist darauf zu achten, dass eine Potenzierung oder Synergismen berücksichtigt werden, denn manche Stoffe können bereits bei einer Konzentration von $< 1\%$ eine Zielorgan-Toxizität bewirken, wenn von anderen Bestandteilen des Gemisches bekannt ist, dass sie seine toxische Wirkung potenzieren.
- 3.9.4. **Gefahrenkommunikation**
- 3.9.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungsbestandteile gemäß Tabelle 3.9.5 zu verwenden.

Tabelle 3.9.5

Kennzeichnungselemente für die spezifische Zielorgan-Toxizität bei wiederholter Exposition

Einstufung	Kategorie 1	Kategorie 2
GHS-Piktogramm		
Signalwort	Gefahr	Achtung

Einstufung	Kategorie 1	Kategorie 2
Gefahrenhinweis	H372: Schädigt die Organe (alle betroffenen Organe nennen, sofern bekannt) bei längerer oder wiederholter Exposition (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)	H373: Kann die Organe schädigen (alle betroffenen Organe nennen, sofern bekannt) bei längerer oder wiederholter Exposition (Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht)
Sicherheitshinweise — Prävention	P260 P264 P270	P260
Sicherheitshinweise — Reaktion	P314	P314
Sicherheitshinweise — Lagerung		
Sicherheitshinweise — Entsorgung	P501	P501

3.10. Aspirationsgefahr

3.10.1. Begriffsbestimmungen und allgemeine Erwägungen

3.10.1.1. Diese Kriterien beschreiben die Einstufung von Stoffen oder Gemischen, die beim Menschen aspirations-toxisch wirken können.

3.10.1.2. *Aspiration*: das Eindringen eines flüssigen oder festen Stoffes oder Gemisches direkt über die Mund- oder Nasenhöhle oder indirekt durch Erbrechen in die Luftröhre und den unteren Atemtrakt.

3.10.1.3. Die Aspirationstoxizität führt zu schwerwiegenden akuten Wirkungen, etwa durch Chemikalien hervorgerufene Pneumonie, Lungenschädigungen unterschiedlicher Schwere oder Tod durch Aspiration.

3.10.1.4. Die Aspiration setzt mit dem Einatmen während eines Atemzugs ein, wobei sich der Fremdkörper oder -stoff an der Schnittstelle des oberen Atemtrakts und des Verdauungstrakts im Rachen-Kehlkopf-Raum befindet.

3.10.1.5. Die Aspiration eines Stoffes oder Gemisches kann bei Erbrechen nach Aufnahme durch Verschlucken erfolgen. Dies wirkt sich auf die Kennzeichnung aus, insbesondere wenn aufgrund akuter Toxizität ein Sicherheitshinweis empfohlen wird, nach Verschlucken Erbrechen herbeizuführen. Stellt der Stoff/das Gemisch jedoch auch eine Gefahr durch Aspiration dar, muss von der Empfehlung, Erbrechen herbeizuführen, abgesehen werden.

3.10.1.6. Besondere Erwägungen

3.10.1.6.1 Bei Auswertung der medizinischen Fachliteratur zur Aspiration von Chemikalien ergab sich, dass einige Kohlenwasserstoffe (Erdöl-Destillationsprodukte) und bestimmte chlorierte Kohlenwasserstoffe erwiesenermaßen eine Aspirationsgefahr für den Menschen darstellen.

3.10.1.6.2 Die Einstufungskriterien beziehen sich auf die kinematische Viskosität. Die Umrechnung von dynamischer in kinematische Viskosität ist wie folgt anzustellen:

$$\frac{\text{dynamische Viskosität (mPa s)}}{\text{Dichte (g/cm}^3\text{)}} = \text{Kinematische Viskosität (mm}^2\text{/s)}$$

3.10.1.6.3 Einstufung von Aerosolen/Nebeln

Stoffe oder Gemische (Produkte) in Form von Aerosolen und Nebeln werden in der Regel in Druckbehältern, Sprühpistolen oder Sprühpumpen abgegeben. Ausschlaggebend für die Einstufung dieser Produkte ist, ob sich die Produktpartikel im Mund aneinanderlagern und dann aspiriert werden können. Ist der Nebel oder das Aerosol aus einem Druckbehälter fein, kommt es nicht zu einer Aneinanderlagerung der Partikel. Wird das Produkt jedoch in einem Strahl aus einem Druckbehälter abgegeben, können sich die Partikel aneinanderlagern und dann aspiriert werden. Normalerweise sind die Partikel des durch Sprühpistolen und Sprühpumpen erzeugten Nebels groß, so dass eine Aneinanderlagerung und anschließende Aspiration möglich ist. Lässt sich der Pumpmechanismus entfernen und kann der Inhalt verschluckt werden so ist eine Einstufung des in dem Produkt enthaltenen Stoffes oder Gemisches in Betracht zu ziehen.

3.10.2. **Einstufungskriterien für Stoffe**

Tabelle 3.10.1

Gefahrenkategorie der Aspirationsgefahr

Kategorien	Kriterien
Kategorie 1	Stoffe, die bekanntlich eine Aspirationsgefahr für den Menschen darstellen oder als solche anzusehen sind. Ein Stoff wird in die Kategorie 1 eingestuft: a) auf der Grundlage zuverlässiger und hochwertiger Erfahrungen beim Menschen oder b) wenn es sich um einen Kohlenwasserstoff mit einer bei 40 °C gemessenen kinematischen Viskosität von maximal 20,5 mm ² /s handelt.

Hinweis:

Zu den Stoffen der Kategorie 1 gehören unter anderem bestimmte Kohlenwasserstoffe, Terpentin und Pinienöl.

3.10.3. **Einstufungskriterien für Gemische**3.10.3.1. *Einstufung von Gemischen, bei denen Daten für das komplette Gemisch vorliegen*

In die Kategorie 1 wird ein Gemisch auf der Grundlage zuverlässiger und hochwertiger Erfahrungen beim Menschen eingestuft.

3.10.3.2. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*

3.10.3.2.1 Wurde das Gemisch selbst nicht auf seine Aspirationsgefahr geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsgrundsätze des Abschnitts 1.1.3 zu verwenden. Wird der für das Verdünnungsprinzip geltende Übertragungsgrundsatz angewandt, muss die Konzentration des/der aspirationstoxischen Stoffe/s mindestens 10 % betragen.

3.10.3.3. *Einstufung von Gemischen, wenn Daten für alle oder nur für manche Bestandteile des Gemisches vorliegen*3.10.3.3.1 **Kategorie 1**

3.10.3.3.1.1 Ein Gemisch, das insgesamt mindestens 10 % eines Stoffes oder von Stoffen enthält, der/die in die Kategorie 1 eingestuft wurde/-n, und das eine bei 40 °C gemessene kinematische Viskosität von maximal 20,5 mm²/s aufweist, ist in die Kategorie 1 einzustufen.


3.10.3.3.1.2 Im Fall eines Gemisches, das aus zwei oder mehr nicht vermischten Schichten besteht, von denen eine aus mindestens 10 % eines Stoffes oder von Stoffen besteht, der/die in die Kategorie 1 eingestuft wurde/-n, und eine bei 40 °C gemessene kinematische Viskosität von maximal 20,5 mm²/s aufweist, wird das gesamte Gemisch in die Kategorie 1 eingestuft.

3.10.4. **Gefahrenkommunikation**

3.10.4.1. Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 3.10.2 zu verwenden.

Tabelle 3.10.2

Kennzeichnungselemente für Aspirationsgefahr

Einstufung	Kategorie 1
GHS-Piktogramm	
Signalwort	Gefahr
Gefahrenhinweis	H304: Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein

Einstufung	Kategorie 1
Sicherheitshinweise — Prävention	
Sicherheitshinweise — Reaktion	P301 + P310 P331
Sicherheitshinweise — Lagerung	P405
Sicherheitshinweise — Entsorgung	P501

4. TEIL 4: UMWELTGEFAHREN

4.1. **Gewässergefährdend**4.1.1. **Begriffsbestimmungen und allgemeine Erwägungen**4.1.1.1. *Begriffsbestimmungen*

Akute aquatische Toxizität: die intrinsische Eigenschaft eines Stoffes, einen Organismus bei kurzzeitiger Exposition zu schädigen.

Verfügbarkeit eines Stoffes: das Ausmaß, in dem dieser Stoff zu einer löslichen oder dissoziierten Spezies wird. Bei Metallen handelt es sich dabei um das Ausmaß, in dem der Anteil von Metallionen in einer metallischen Verbindung (M⁰) von der übrigen Verbindung (Molekül) dissoziieren kann.

Bioverfügbarkeit (oder biologische Verfügbarkeit): das Ausmaß, in dem ein Stoff von einem Organismus resorbiert und in einem Bereich innerhalb dieses Organismus verteilt wird. Sie hängt von den physikalisch-chemischen Eigenschaften des Stoffes, von Anatomie und Physiologie des Organismus, der Pharmakokinetik und dem Expositionswege ab. Die Verfügbarkeit ist keine Voraussetzung für die Bioverfügbarkeit.

Bioakkumulation: das Nettoergebnis von Aufnahme, Umwandlung und Ausscheidung eines Stoffes in einem Organismus über sämtliche Expositionswege (d. h. Luft, Wasser, Sediment/Boden und Nahrung).

Biokonzentration: das Nettoergebnis von Aufnahme, Umwandlung und Ausscheidung eines Stoffes in einem Organismus durch Exposition über das Wasser.

Chronische aquatische Toxizität: die intrinsische Eigenschaft eines Stoffes, schädliche Wirkungen bei Wasserorganismen hervorzurufen im Zuge von Expositionen, die im Verhältnis zum Lebenszyklus des Organismus bestimmt werden.

Abbau: die Zersetzung organischer Moleküle in kleinere Moleküle und schließlich in Kohlendioxid, Wasser und Salze.

4.1.1.2. *Grundelemente*

4.1.1.2.0 Gewässergefährdend ist wie folgt differenziert:

- akut gewässergefährdend,
- chronisch (langfristig) gewässergefährdend.

4.1.1.2.1 Folgende Grundelemente werden für die Einstufung aufgrund von Gefahren für die aquatische Umwelt verwendet:

- akute aquatische Toxizität,
- potenzielle oder tatsächliche Bioakkumulation,
- Abbau (biotisch oder abiotisch) bei organischen Chemikalien sowie
- chronische aquatische Toxizität.

4.1.1.2.2 Daten sind vorzugsweise unter Anwendung der in Artikel 8 Absatz 3 bezeichneten standardisierten Prüfverfahren zu gewinnen. In der Praxis sind jedoch auch aus anderen standardisierten Prüfverfahren wie nationalen Methoden hervorgegangene Daten zu verwenden, wenn diese als gleichwertig gelten. Liegen valide Daten aus nicht standardisierten Prüfverfahren und Informationen, die nicht aus Labortests hervorgegangen sind, vor, sind diese bei der Einstufung zu berücksichtigen, sofern sie die Anforderungen gemäß Anhang XI Abschnitt 1 der Verordnung (EG) Nr. 1907/2006 erfüllen. Generell werden Toxizitätsdaten sowohl von Süßwasserarten als auch von Salzwasserarten als für die Verwendung zur Einstufung geeignet betrachtet, sofern die verwendeten Verfahren für die Prüfung gleichwertig sind. Liegen keine derartigen Daten vor, erfolgt die Einstufung auf der Grundlage der besten verfügbaren Daten. Siehe dazu auch Teil 1.

4.1.1.3. *Sonstige Erwägungen*

4.1.1.3.1 Für die Einstufung von Stoffen und Gemischen aufgrund ihrer Umweltgefahren müssen ihre Gefahren für die aquatische Umwelt ermittelt werden. Als aquatische Umwelt sind die aquatischen Organismen, die im Wasser leben, und das aquatische Ökosystem, zu dem sie gehören, zu betrachten. Die Basis für die Gefahrenermittlung ist daher die aquatische Toxizität des Stoffes oder Gemisches, auch wenn diese unter Berücksichtigung weiterer Informationen über das Abbau- und das Bioakkumulationsverhalten geändert werden soll, falls dies angezeigt ist.

- 4.1.1.3.2 Das Einstufungssystem gilt zwar für alle Stoffe und Gemische, für Sonderfälle wird die Agentur jedoch Leitlinien herausgeben.
- 4.1.2. **Einstufungskriterien für Stoffe**
- 4.1.2.1. Im Kern besteht das Einstufungssystem für Stoffe aus einer Kategorie für akute Wirkungen und drei Kategorien für chronische Wirkungen. Die Einstufungskategorien „chronisch“ und „akut“ werden unabhängig voneinander verwendet. Als Kriterium für die Einstufung eines Stoffes als akut gewässergefährdend der Kategorie 1 dienen ausschließlich Daten über die akute aquatische Toxizität (EC₅₀ oder LC₅₀). Die Kriterien für die Einstufung eines Stoffes als chronisch gewässergefährdend verbinden zwei Arten von Informationen, sowohl Daten über die akute aquatische Toxizität als auch Daten über Verbleib und Verhalten in der Umwelt (Abbaubarkeits- und Bioakkumulationsdaten).
- 4.1.2.2. Mit dem System wird außerdem eine Einstufung definiert, die die Funktion eines „Sicherheitsnetzes“ erfüllt (bezeichnet als chronisch gewässergefährdend der Kategorie 4); sie wird verwendet, wenn die verfügbaren Daten eine Einstufung nach formalen Kriterien nicht erlauben, trotzdem aber Anlass zu Besorgnis besteht (siehe Beispiel in Tabelle 4.1.0).
- 4.1.2.3. Es ist im Rahmen des Einstufungssystems unstrittig, dass die intrinsische Gefahr für aquatische Organismen im Kern sowohl in der akuten als auch in der chronischen Toxizität eines Stoffes besteht. Für beide Eigenschaften werden getrennte Gefahrenkategorien festgelegt, die eine Abstufung des ermittelten Gefahrengrades darstellen. Zur Festlegung der geeigneten Gefahrenkategorie/-n dient normalerweise der niedrigste der verfügbaren Toxizitätswerte. Unter gewissen Umständen ist es jedoch angezeigt, den Ansatz der Ermittlung der Beweiskraft anzuwenden.
- 4.1.2.4. In erster Linie resultiert die Gefahr eines als gewässergefährdend eingestuftes Stoffes aus seiner chronischen Wirkung; allerdings ist auch eine akute Toxizität mit L(E)C₅₀-Werten von ≤ 1 mg/l als gefährlich anzusehen. Die intrinsischen Eigenschaften, die zur Einordnung eines Stoffes in eine chronische (langfristige) Gefahrenkategorie dienen, sind das Fehlen einer schnellen Abbaubarkeit und/oder ein Potenzial zur Biokonzentration in Kombination mit akuter Toxizität.
- 4.1.2.5. Stoffe, die weit unter 1 mg/l akut toxisch wirken, tragen als Bestandteile eines Gemisches bereits bei niedriger Konzentration zu der Toxizität des Gemisches bei; sie werden normalerweise bei der Einstufung durch die Anwendung der Summierungsmethode stärker gewichtet (siehe Hinweis 1 von Tabelle 4.1.0 und Abschnitt 4.1.3.5.5).
- 4.1.2.6. Die Kriterien zur Einstufung von Stoffen als gewässergefährdend und die Zuordnung zu den Kategorien sind in Tabelle 4.1.0 zusammengefasst.

Tabelle 4.1.0

Kategorien für die Einstufung als gewässergefährdend

gewässergefährdend, akute (kurzfristige) Wirkung		
gewässergefährdend, akute Wirkung der Kategorie 1	(Hinweis 1)	
96 hr LC ₅₀ (für Fische)	≤ 1 mg/l und/oder	
48 hr EC ₅₀ (für Krebstiere)	≤ 1 mg/l und/oder	
72 oder 96 hr ErC ₅₀ (für Algen oder andere Wasserpflanzen)	≤ 1 mg/l	(Hinweis 2)
gewässergefährdend, chronische (langfristige) Wirkung		
gewässergefährdend, chronische Wirkung der Kategorie 1 (Hinweis 1)		
96 hr LC ₅₀ (für Fische)	≤ 1 mg/l und/oder	
48 hr EC ₅₀ (für Krebstiere)	≤ 1 mg/l und/oder	
72 oder 96 hr ErC ₅₀ (für Algen oder andere Wasserpflanzen)	≤ 1 mg/l	(Hinweis 2)
und der Stoff ist nicht schnell abbaubar und/oder der experimentell bestimmte BCF beträgt ≥ 500 (oder wenn nicht vorhanden $\log K_{ow} \geq 4$).		
gewässergefährdend, chronische Wirkung der Kategorie 2		
96 hr LC ₅₀ (für Fische)	> 1 bis ≤ 10 mg/l und/oder	
48 hr EC ₅₀ (für Krebstiere)	> 1 bis ≤ 10 mg/l und/oder	
72 oder 96 hr ErC ₅₀ (für Algen oder andere Wasserpflanzen)	> 1 bis ≤ 10 mg/l	(Hinweis 2)
und der Stoff ist nicht schnell abbaubar und/oder der experimentell bestimmte BCF beträgt ≥ 500 (oder wenn nicht vorhanden $\log K_{ow} \geq 4$), es sei denn, die NOEC-Werte für chronische Toxizität betragen > 1 mg/l.		

gewässergefährdend, chronische Wirkung der Kategorie 3	
96 hr LC ₅₀ (für Fische)	>10 bis ≤ 100 mg/l und/oder
48 hr EC ₅₀ (für Krebstiere)	>10 bis ≤ 100 mg/l und/oder
72 oder 96 hr ErC ₅₀ (für Algen oder andere Wasserpflanzen)	>10 bis ≤ 100 mg/l (Hinweis 2)
und der Stoff ist nicht schnell abbaubar und/oder der experimentell bestimmte BCF beträgt ≥ 500 (oder wenn nicht vorhanden log K _{ow} ≥ 4), es sei denn, die NOEC-Werte für chronische Toxizität betragen > 1 mg/l.	
Einstufung wegen wahrscheinlicher Gefahr („Sicherheitsnetz“)	
gewässergefährdend, chronische Wirkung der Kategorie 4	
Fälle, in denen die verfügbaren Daten eine Einstufung nach den vorgenannten Kriterien nicht erlauben, aber trotzdem Anlass zu Besorgnis besteht. Dazu gehören beispielsweise: Schwer lösliche Stoffe, die in Bereichen bis zur Wasserlöslichkeit keine akute Toxizität zeigen (Hinweis 3), die nicht schnell abbaubar sind und einen experimentell bestimmten BCF von ≥ 500 (oder wenn nicht vorhanden einen log K _{ow} von ≥ 4) aufweisen, was auf ein Bioakkumulationspotenzial hindeutet, werden in diese Kategorie eingestuft, sofern sonstige wissenschaftliche Erkenntnisse eine Einstufung nicht als unnötig belegen. Solche Erkenntnisse sind beispielsweise NOEC-Werte für chronische Toxizität > Wasserlöslichkeit oder > 1 mg/l oder ein Nachweis über einen schnellen Abbau in der Umwelt.	

Hinweis 1

Bei der Einstufung von Stoffen in die Kategorien akut 1 und/oder chronisch 1 muss ein entsprechender Multiplikationsfaktor angegeben werden (siehe Tabelle 4.1.3).

Hinweis 2

Die Einstufung erfolgt auf der Grundlage der ErC₅₀ [= EC₅₀ (Wachstumsrate)]. Ist die Grundlage der EC₅₀ nicht angegeben oder wird keine ErC₅₀ berichtet, hat die Einstufung auf dem niedrigsten verfügbaren EC₅₀-Wert zu basieren.

Hinweis 3

„Keine akute Toxizität“ bedeutet, dass der/die L(E)C₅₀-Wert(e) über der Wasserlöslichkeit liegt/-en. Auch für schwer lösliche Stoffe (Wasserlöslichkeit < 1 mg/L), bei denen belegt ist, dass die Prüfung auf akute Toxizität kein echtes Maß für die intrinsische Toxizität ergibt.

4.1.2.7. *Aquatische Toxizität*

4.1.2.7.1 Zur Bestimmung der akuten aquatischen Toxizität werden in der Regel die Prüfungen 96h LC₅₀ (Fisch), 48h EC₅₀ (Schalentier) und/oder 72h EC₅₀ oder 96h EC₅₀ (Alge) durchgeführt. Diese Spezies decken eine Reihe von trophischen Ebenen und Taxa ab und werden stellvertretend für alle Wasserorganismen betrachtet; Daten über andere Spezies (beispielsweise *Lemna* spp.) sind bei geeigneter Testmethodik ebenfalls zu berücksichtigen. Die Prüfungen auf Hemmung des Wasserpflanzenwachstums werden normalerweise als chronische Prüfungen betrachtet, die EC₅₀ werden jedoch für Einstufungszwecke als akute Toxizitätswerte behandelt (siehe Hinweis 2).

4.1.2.7.2 Zur Bestimmung der chronischen aquatischen Toxizität sind zu Einstufungszwecken Daten zu akzeptieren, die nach den in Artikel 8 Absatz 3 bezeichneten standardisierten Prüfverfahren gewonnen wurden, sowie auch Ergebnisse aus anderen validierten und international anerkannten Prüfverfahren. Es sind die NOEC-Werte oder gleichwertige L(E)C_x-Werte (beispielsweise EC₁₀) zu verwenden.

4.1.2.8. *Bioakkumulation*

4.1.2.8.1 Die Bioakkumulation von Stoffen in Wasserorganismen kann über längere Zeiträume toxische Wirkungen verursachen, auch wenn die tatsächlichen Konzentrationswerte im Wasser niedrig sind. Das Bioakkumulationspotenzial organischer Stoffe ist in der Regel durch den Oktanol/Wasser-Verteilungskoeffizienten zu ermitteln, der üblicherweise als log K_{ow}-Wert bestimmt wird. Die Beziehung zwischen dem log K_{ow} eines organischen Stoffes und seiner Biokonzentration, gemessen anhand des Biokonzentrationsfaktors (BCF beim Fisch, wird in der wissenschaftlichen Literatur deutlich nachgewiesen. Die Verwendung eines Berücksichtigungsgrenzwertes von log K_{ow} ≥ 4 dient dazu, nur diejenigen Stoffe zu identifizieren, die über ein echtes Biokonzentrationspotenzial verfügen. Dies stellt dann zwar ein Bioakkumulationspotenzial dar, ein experimentell bestimmter BCF eignet sich jedoch besser als Maßzahl und ist, falls verfügbar, vorzuziehen. Ein BCF bei Fisch von ≥ 500 ist ein Indiz für das Biokonzentrationspotenzial zu Einstufungszwecken.

4.1.2.9. *Schnelle Abbaubarkeit organischer Stoffe*

4.1.2.9.1 Stoffe, die schnell abbauen, können rasch aus der Umwelt entfernt werden. Zwar können aufgrund dieser Stoffe Wirkungen auftreten, insbesondere bei Leckagen oder Unfällen, sie bleiben aber örtlich begrenzt und sind von kurzer Dauer. Findet kein schneller Abbau in der Umwelt statt, hat ein Stoff im Wasser das Potenzial, langfristig und großräumig toxisch zu wirken.

4.1.2.9.2 Eine Möglichkeit zum Nachweis einer schnellen Abbaubarkeit besteht im Bioabbaubarkeits-Screeningtest, bei dem bestimmt wird, ob ein organischer Stoff „leicht biologisch abbaubar“ ist. Sind derartige Daten nicht verfügbar, gilt ein BSB(5 Tage)/CSB-Verhältnis von $\geq 0,5$ als Hinweis auf die schnelle Abbaubarkeit. Somit gilt ein Stoff, der die Anforderungen dieses Screeningtests erfüllt, in Gewässern als wahrscheinlich „schnell“ biologisch abbaubar und daher kaum als persistent. Umgekehrt bedeutet die Nichterfüllung der Prüfanforderungen nicht unbedingt, dass der Stoff nicht schnell in der Umwelt abbaut. Daher können auch andere Belege für die schnelle Abbaubarkeit in der Umwelt berücksichtigt werden und sind insbesondere dann von besonderer Bedeutung, wenn die Stoffe in den bei Standardprüfungen verwendeten Konzentrationen auf Mikroorganismen aktivitätshemmend wirken. Deshalb wurde ein weiteres Einstufungskriterium aufgenommen, das die Verwendung von Daten ermöglicht, die belegen, dass der Stoff in Gewässern tatsächlich innerhalb von 28 Tagen zu $> 70\%$ biotisch oder abiotisch abgebaut hat. Wird ein Abbau unter realistischen Umweltbedingungen nachgewiesen, gilt das Kriterium „schnelle Abbaubarkeit“ damit als erfüllt.

4.1.2.9.3 Zahlreiche Abbaubarkeitsdaten liegen in Form von Abbau-Halbwertszeiten vor; sie können für die Bestimmung der schnellen Abbaubarkeit verwendet werden, vorausgesetzt dass ein vollständiger biologischer Abbau des Stoffes, d. h. eine vollständige Mineralisierung, erreicht wird. Die primäre Bioabbaubarkeit reicht normalerweise bei der Beurteilung der schnellen Abbaubarkeit nicht als Nachweis aus, es sei denn, es kann belegt werden, dass die Abbauprodukte nicht Kriterien für die Einstufung als gewässergefährdend erfüllen.

4.1.2.9.4 Die herangezogenen Kriterien spiegeln die Tatsache wider, dass der Abbau in der Umwelt biotisch oder abiotisch erfolgen kann. Hydrolyse kann berücksichtigt werden, wenn die Hydrolyseprodukte nicht die Kriterien für die Einstufung als gewässergefährdend erfüllen.

4.1.2.9.5 Stoffe gelten als schnell in der Umwelt abbaubar, wenn eines der folgenden Kriterien erfüllt ist:

- a) In 28tägigen Studien auf leichte Bioabbaubarkeit werden mindestens folgende Abbauwerte erreicht:
 - i) Tests (basierend) auf gelöstem organischem Kohlenstoff: 70 %
 - ii) Tests (basierend) auf Sauerstoffverbrauch oder Kohlendioxidbildung: 60 % des theoretischen Maximums

Diese Schwellenwerte der Bioabbaubarkeit müssen innerhalb von 10 Tagen nach dem Beginn des Abbauprozesses (Zeitpunkt, zu dem 10 % des Stoffes abgebaut sind) erreicht sein; oder:

- b) in Fällen in denen nur BSB- und CSB-Daten vorliegen, beträgt das Verhältnis $BSB_5/CSB \geq 0,5$; oder
- c) es liegen andere stichhaltige wissenschaftliche Nachweise darüber vor, dass der Stoff in Gewässern innerhalb von 28 Tagen zu $> 70\%$ (biotisch und/oder abiotisch) abgebaut werden kann.

4.1.2.10. *Anorganische Verbindungen und Metalle*

4.1.2.10.1 Für anorganische Verbindungen und Metalle hat das Konzept der Abbaubarkeit in der Form, in der es bei organischen Verbindungen angewendet wird, nur begrenzte oder gar keine Bedeutung. Solche Stoffe können vielmehr durch normale Umweltprozesse umgewandelt werden, so dass die Bioverfügbarkeit der toxischen Spezies entweder erhöht oder verringert wird. Ebenso ist die Verwendung von Bioakkumulationsdaten mit Vorsicht zu betrachten⁽¹⁾.

4.1.2.10.2 Schwerlösliche anorganische Verbindungen und Metalle können in Gewässern akut oder chronisch toxisch sein, was zum einen von der intrinsischen Toxizität der bioverfügbaren anorganischen Spezies abhängt und zum anderen davon, wieviel von dieser Spezies wie rasch in Lösung geht.

⁽¹⁾ Die Agentur wird eigene Leitlinien über die mögliche Verwendung dieser Daten für solche Stoffe in Bezug auf die Anforderungen der Einstufungskriterien herausgeben.

4.1.3. Einstufungskriterien für Gemische

4.1.3.1. Das System für die Einstufung von Gemischen umfasst sämtliche Einstufungskategorien, die für Stoffe verwendet werden, also akut gewässergefährdend der Kategorie 1 und chronisch gewässergefährdend der Kategorien 1 bis 4. Um alle verfügbaren Daten zur Einstufung eines Gemisches aufgrund seiner Gewässergefährdung zu nutzen, gilt gegebenenfalls Folgendes:

Als „relevante Bestandteile“ eines Gemisches gelten jene, die als „akut gewässergefährdend der Kategorie 1“ oder „chronisch gewässergefährdend der Kategorie 1“ eingestuft sind und in Konzentrationen von mindestens 0,1 % (w/w) vorliegen, und solche, die als „chronisch gewässergefährdend der Kategorie 2“, „chronisch gewässergefährdend der Kategorie 3“ oder „chronisch gewässergefährdend der Kategorie 4“ eingestuft sind und in Konzentrationen von mindestens 1 % (w/w) vorliegen, sofern (wie bei hochtoxischen Bestandteilen der Fall, siehe Abschnitt 4.1.3.5.5) kein Anlass zu der Annahme besteht, dass ein in einer niedrigeren Konzentration enthaltener Bestandteil dennoch für die Einstufung des Gemisches aufgrund seiner Gefahren für die aquatische Umwelt relevant ist. Die Konzentration, die normalerweise für als „akut gewässergefährdend der Kategorie 1“ oder als „chronisch gewässergefährdend der Kategorie 1“ eingestufte Stoffe berücksichtigt wird, ist (0,1/M) % (siehe Abschnitt 4.1.3.5.5 zur Erläuterung des Faktors M).


4.1.3.2. Die Einstufung von Gefahren für die aquatische Umwelt ist ein mehrstufiger Prozess und von der Art der Information abhängig, die zu dem Gemisch selbst und seinen Bestandteilen verfügbar ist. Abbildung 4.1.2 zeigt die Schritte des Verfahrens.

Das Stufenkonzept beinhaltet folgende Elemente:

- die Einstufung auf der Grundlage von Prüfergebnissen des Gemisches,
- die Einstufung auf der Grundlage von Übertragungsgrundsätzen,
- die „Summierung eingestufter Bestandteile“ und/oder die Verwendung einer „Additivitätsformel“.

Abbildung 4.1.2

Mehrstufiges Verfahren zur Einstufung von Gemischen nach ihrer akuten und chronischen (langfristigen) Gewässergefährdung



4.1.3.3. Einstufung von Gemischen, wenn Daten für das komplette Gemisch vorliegen

4.1.3.3.1 Wurde das Gemisch als Ganzes auf seine aquatische Toxizität geprüft, wird es nach den Kriterien eingestuft, die für Stoffe festgelegt wurden (allerdings nur für die akute Toxizität). Die Einstufung basiert üblicherweise auf Daten für Fische, Krebstiere und Algen/Pflanzen. Die Einstufung von Gemischen unter Verwendung von LC₅₀- oder EC₅₀-Daten für das Gemisch als Ganzes ist für die chronischen Kategorien nicht möglich, da sowohl die Toxizitätsdaten als auch die Daten über Verbleib und Verhalten in der Umwelt erforderlich sind

und es keine Daten über die Abbaubarkeit und Bioakkumulation von Gemischen als Ganzes gibt. Die Kriterien für die Einstufung als chronisch gewässergefährdend können nicht angewandt werden, da die Daten aus den Abbaubarkeits- und Bioakkumulationsprüfungen bei Gemischen nicht interpretiert werden können; sie sind nur für einzelne Stoffe aussagekräftig.

- 4.1.3.3.2 Sind Prüfdaten über die akute Toxizität (LC_{50} oder EC_{50}) für das Gemisch als Ganzes verfügbar, werden diese Daten sowie Informationen über die Einstufung von Bestandteilen zu ihrer chronischen (langfristigen) Toxizität dazu verwendet, die Einstufung geprüfter Gemische zu vervollständigen, wie nachstehend beschrieben. Sind auch Daten über die chronische Toxizität (NOEC) verfügbar, werden sie ebenfalls verwendet.
- a) $L(E)C_{50}$ (LC_{50} oder EC_{50}) des geprüften Gemisches ≤ 100 mg/l und NOEC des geprüften Gemisches ≤ 1 mg/l oder unbekannt:
- Gemisch ist als akut gewässergefährdend der Kategorie 1 einzustufen (LC_{50} oder EC_{50} des geprüften Gemisches ≤ 1 mg/l), oder Einstufung nach akuter Toxizität nicht erforderlich (LC_{50} und EC_{50} des geprüften Gemisches > 1 mg/l).
 - Anwendung der Methode der Summierung (siehe Abschnitt 4.1.3.5.5) für die Einstufung als chronisch (chronisch gewässergefährdend der Kategorien 1, 2, 3, 4 oder Einstufung als chronisch nicht erforderlich).
- b) $L(E)C_{50}$ des geprüften Gemisches ≤ 100 mg/l und NOEC-Wert/-e des geprüften Gemisches > 1 mg/l:
- Einstufung aufgrund akuter Toxizität nicht erforderlich.
 - Anwendung der Methode der Summierung (siehe Abschnitt 4.1.3.5.5) für die Einstufung als chronisch gewässergefährdend der Kategorie 1. Wird das Gemisch nicht als chronisch gewässergefährdend der Kategorie 1 eingestuft, ist eine Einstufung als chronisch nicht erforderlich.
- c) $L(E)C_{50}$ -Wert/-e des geprüften Gemisches > 100 mg/l oder über der Wasserlöslichkeit und NOEC des geprüften Gemisches ≤ 1 mg/l oder unbekannt:
- Einstufung aufgrund akuter Toxizität nicht erforderlich.
 - Anwendung der Methode der Summierung (siehe Abschnitt 4.1.3.5.5) für die Einstufung als chronisch gewässergefährdend (chronisch der Kategorie 4 oder Einstufung als chronisch nicht erforderlich).
- d) $L(E)C_{50}$ -Wert/-e des geprüften Gemisches > 100 mg/l oder über der Wasserlöslichkeit und NOEC-Wert/-e des geprüften Gemisches > 1 mg/l:
- Einstufung aufgrund akuter oder chronischer (langfristiger) Toxizität nicht erforderlich.
- 4.1.3.4. *Einstufung von Gemischen, bei denen keine Daten für das komplette Gemisch vorliegen: Übertragungsgrundsätze*
- 4.1.3.4.1 Wurde das Gemisch selbst nicht auf seine Gefahren für die aquatische Umwelt geprüft, liegen jedoch ausreichende Daten über seine einzelnen Bestandteile und über ähnliche geprüfte Gemische vor, um die Gefahren des Gemisches angemessen zu beschreiben, dann sind diese Daten nach Maßgabe der Übertragungsregeln des Abschnitts 1.1.3 zu verwenden. Wird der für Verdünnungen geltende Übertragungsgrundsatz angewandt, gelten jedoch die Abschnitte 4.1.3.4.2 und 4.1.3.4.3.
- 4.1.3.4.2 Verdünnung: Entsteht ein Gemisch durch Verdünnung eines anderen Gemisches oder eines Stoffes, das bzw. der aufgrund seiner Gefahr für die aquatische Umwelt eingestuft wurde, wobei der Verdüner in eine gleichwertige oder niedrigere Kategorie der Gewässergefährdung eingestuft wurde als der am wenigsten gewässergefährdende Bestandteil des Ausgangsgemisches, und ist nicht davon auszugehen, dass das Verdünnungsmittel die Gefahren anderer Bestandteile für die aquatische Umwelt beeinflusst, dann kann das neue Gemisch als ebenso gewässergefährdend wie das Ausgangsgemisch oder der Ausgangsstoff eingestuft werden.
- 4.1.3.4.3 Entsteht ein Gemisch durch Verdünnung eines anderen eingestuften Gemisches oder eines anderen eingestuften Stoffes mit Wasser oder einem anderen völlig ungiftigen Material, kann die Toxizität des Gemisches aus den Prüfdaten des unverdünnten Gemisches oder des unverdünnten Stoffes errechnet werden.
- 4.1.3.5. *Einstufung von Gemischen, wenn Daten für alle oder nur manche Bestandteile des Gemisches vorliegen*
- 4.1.3.5.1 Die Einstufung eines Gemisches basiert auf der Summierung der Einstufung seiner Bestandteile. Der Prozentanteil der als akut oder als chronisch gewässergefährdend eingestuften Bestandteile fließt direkt in die Summierungsmethode ein. Diese Methode wird in Abschnitt 4.1.3.5.5 detailliert beschrieben.

- 4.1.3.5.2 Besteht ein Gemisch aus Bestandteilen, die (noch) nicht eingestuft sind (als akut gewässergefährdend der Kategorie 1 und/oder chronisch gewässergefährdend der Kategorien 1, 2, 3 oder 4), sind geeignete Daten für diese Bestandteile zu berücksichtigen, so vorhanden. Sind geeignete Toxizitätsdaten für mehr als einen Bestandteil des Gemisches verfügbar, wird die kombinierte Toxizität dieser Bestandteile mit Hilfe der nachstehenden Additivitätsformel berechnet; Die errechnete Toxizität dient dazu, diesem Anteil des Gemisches eine Kategorie der akuten Gewässergefährdung zuzuordnen, die anschließend in die Anwendung der Summiermethode einfließt.

$$\frac{\sum C_i}{C(E)_{L_{50m}}} = \sum \frac{C_i}{\eta C(E)_{L_{50i}}}$$

wobei gilt:

C_i = Konzentration des Bestandteils i (Gewichtsprozentsatz)

$L(E)C_{50i}$ = (mg/l) LC_{50} oder EC_{50} für Bestandteil i

η = Zahl der Bestandteile

$L(E)C_{50m}$ = $L(E)C_{50}$ des Teils des Gemisches mit Prüfdaten

- 4.1.3.5.3 Bei Anwendung der Additivitätsformel auf einen Teil des Gemisches sollten bei der Berechnung der Toxizität dieses Teils des Gemisches für jeden Stoff vorzugsweise Toxizitätswerte verwendet werden, die sich auf dieselbe taxonomische Gruppe beziehen (d. h. Fisch, Daphnien, Algen oder gleichwertige); anschließend sollte die höchste errechnete Toxizität (niedrigster Wert) verwendet werden (d. h. Verwendung der sensibelsten der drei taxonomischen Gruppen). Sind die Toxizitätsdaten für die einzelnen Bestandteile jedoch nicht für dieselbe taxonomische Gruppe verfügbar, wird der Toxizitätswert der einzelnen Bestandteile auf dieselbe Art und Weise ausgewählt wie die Toxizitätswerte für die Einstufung von Stoffen, d. h. es wird die höhere Toxizität (des sensibelsten Prüforganismus) verwendet. Anhand der errechneten akuten Toxizität wird dann bewertet, ob dieser Teil des Gemisches in Anwendung der auch für Stoffe geltenden Kriterien als akut gewässergefährdend der Kategorie 1 einzustufen ist.

- 4.1.3.5.4 Wird ein Gemisch nach mehreren Methoden eingestuft, ist dem Ergebnis der Methode zu folgen, die das konservativere Ergebnis erbringt.

4.1.3.5.5 Summiermethode

4.1.3.5.5.1 Grundlage

- 4.1.3.5.5.1.1 Im Falle der Einstufungskategorien akut gewässergefährdend der Kategorie 1 oder chronisch gewässergefährdend der Kategorien 1 bis 3, unterscheiden sich die zugrunde liegenden Toxizitätskriterien von einer Kategorie zur anderen um den Faktor 10. Stoffe mit einer Einstufung in einen hochtoxischen Bereich tragen somit zur Einstufung eines Gemisches in einen niedrigeren Bereich bei. Bei der Berechnung dieser Einstufungskategorien muss daher der Beitrag aller als akut gewässergefährdend der Kategorie 1/chronisch gewässergefährdend der Kategorie 1, chronisch gewässergefährdend der Kategorie 2 und chronisch gewässergefährdend der Kategorie 3 eingestufenen Stoffe zusammen betrachtet werden.

- 4.1.3.5.5.1.2 Enthält ein Gemisch Bestandteile, die als akut gewässergefährdend der Kategorie 1 oder chronisch gewässergefährdend der Kategorie 1 eingestuft wurden, muss die Tatsache berücksichtigt werden, dass derartige Bestandteile bei einer akuten aquatischen Toxizität von unter 1 mg/l auch in niedriger Konzentration zur aquatischen Toxizität des Gemisches beitragen. Aktive Bestandteile in Pestiziden weisen häufig solch eine hohe aquatische Toxizität auf, dies gilt jedoch auch für andere Stoffe wie metallorganische Verbindungen. Unter diesen Umständen führt die Anwendung der normalen allgemeinen Konzentrationsgrenzwerte zu einer zu niedrigen Einstufung des Gemisches. Daher sind, wie in Abschnitt 4.1.3.5.5.5 beschrieben, Multiplikationsfaktoren anzuwenden, um hochtoxische Bestandteile entsprechend zu berücksichtigen.

4.1.3.5.5.2 Einstufungsverfahren

- 4.1.3.5.5.2.1 Im Allgemeinen hebt eine strengere Einstufung von Gemischen eine weniger strenge auf, z. B. eine Einstufung nach der chronischen aquatischen Toxizität als chronisch gewässergefährdend der Kategorie 1 hebt eine Einstufung als chronisch gewässergefährdend der Kategorie 2 auf. Folglich ist das Einstufungsverfahren in diesem Beispiel bereits abgeschlossen, wenn das Ergebnis der Einstufung „chronisch gewässergefährdend der Kategorie 1“ lautet. Eine strengere Einstufung als „chronisch gewässergefährdend der Kategorie 1“ ist nicht möglich. Daher sind weitere Maßnahmen zur Einstufung nicht erforderlich.

4.1.3.5.5.3 Einstufung als akut gewässergefährdend der Kategorie 1

- 4.1.3.5.5.3.1 Zunächst werden sämtliche als akut gewässergefährdend der Kategorie 1 eingestufenen Bestandteile betrachtet. Übersteigt die Summe dieser Bestandteile 25 %, wird das gesamte Gemisch als akut gewässergefährdend der Kategorie 1 eingestuft.

- 4.1.3.5.5.3.2 Die Einstufung von Gemischen aufgrund ihrer akuten Gewässergefährdung mit Hilfe dieser Summierung von eingestuftem Bestandteilen wird in der nachstehenden Tabelle 4.1.1 zusammengefasst.

Tabelle 4.1.1

Einstufung eines Gemisches nach seiner akuten Gewässergefährdung auf der Grundlage der Summierung von eingestuftem Bestandteilen

Summe der Bestandteile, die eingestuft sind als:	Gemisch wird eingestuft als:
akut gewässergefährdend der Kategorie 1 $1 \times M^{(*)} \geq 25\%$	akut gewässergefährdend der Kategorie 1

(*) Siehe Abschnitt 4.1.3.5.5.5 zur Erläuterung des Faktors M.

- 4.1.3.5.5.4 Einstufung als chronisch gewässergefährdend der Kategorien 1, 2, 3 und 4

4.1.3.5.5.4.1 Zunächst werden sämtliche als chronisch gewässergefährdend der Kategorie 1 eingestufte Bestandteile betrachtet. Ist die Summe dieser Bestandteile multipliziert mit dem entsprechenden Faktor M größer oder gleich 25 %, wird das gesamte Gemisch als chronisch gewässergefährdend der Kategorie 1 eingestuft. Ergibt die Berechnung eine Einstufung des Gemisches als chronisch gewässergefährdend der Kategorie 1, ist das Einstufungsverfahren abgeschlossen.

4.1.3.5.5.4.2 Falls das Gemisch nicht als chronisch gewässergefährdend der Kategorie 1 eingestuft wird, wird eine Einstufung als chronisch gewässergefährdend der Kategorie 2 geprüft. Ein Gemisch wird dann als chronisch gewässergefährdend der Kategorie 2 eingestuft, wenn die zehnfache Summe aller Bestandteile, die als chronisch gewässergefährdend der Kategorie 1 eingestuft sind, multipliziert mit dem entsprechenden Faktor M zuzüglich der Summe aller Bestandteile, die als chronisch gewässergefährdend der Kategorie 2 eingestuft sind, größer oder gleich 25 % ist. Ergibt die Berechnung eine Einstufung des Gemisches als chronisch gewässergefährdend der Kategorie 2, ist das Einstufungsverfahren abgeschlossen.

4.1.3.5.5.4.3 Falls das Gemisch weder als chronisch gewässergefährdend der Kategorie 1 noch als chronisch gewässergefährdend der Kategorie 2 eingestuft wird, ist eine Einstufung als chronisch gewässergefährdend der Kategorie 3 zu prüfen. Ein Gemisch wird dann als chronisch gewässergefährdend der Kategorie 3 eingestuft, wenn die hundertfache Summe aller Bestandteile, die als chronisch gewässergefährdend der Kategorie 1 eingestuft sind, multipliziert mit dem jeweiligen Faktor M zuzüglich der zehnfachen Summe aller Bestandteile, die als chronisch gewässergefährdend der Kategorie 2 eingestuft sind, zuzüglich der Summe aller Bestandteile, die als chronisch gewässergefährdend der Kategorie 3 eingestuft sind, $\geq 25\%$ ist.

4.1.3.5.5.4.4 Wurde das Gemisch nicht als chronisch gewässergefährdend der Kategorie 1, 2 oder 3 eingestuft, wird eine Einstufung als chronisch gewässergefährdend der Kategorie 4 geprüft. Ein Gemisch wird als chronisch gewässergefährdend der Kategorie 4 eingestuft, wenn die Summe der Prozentanteile von Bestandteilen, die als chronisch gewässergefährdend der Kategorien 1, 2, 3 und 4 eingestuft sind, größer oder gleich 25 % ist.

- 4.1.3.5.5.4.5 Die Einstufung von Gemischen nach ihrer chronischen (langfristigen) Gewässergefährdung mit Hilfe der Summierung von eingestuftem Bestandteilen wird in der nachstehenden Tabelle 4.1.2 zusammengefasst.

Tabelle 4.1.2

Einstufung eines Gemisches nach seiner chronischen Gewässergefährdung auf der Grundlage der Summierung von eingestuftem Bestandteilen

Summe der Bestandteile, die eingestuft sind als:	Gemisch wird eingestuft als:
Chronisch, Kategorie 1 $\times M^{(*)} \geq 25\%$	chronisch gewässergefährdend der Kategorie 1
$(M \times 10 \times \text{chronisch, Kategorie 1}) + \text{chronisch, Kategorie 2} \geq 25\%$	chronisch gewässergefährdend der Kategorie 2
$(M \times 100 \times \text{chronisch, Kategorie 1}) + (10 \times \text{chronisch, Kategorie 2}) + \text{chronisch, Kategorie 3} \geq 25\%$	chronisch gewässergefährdend der Kategorie 3
chronisch, Kategorie 1 + chronisch, Kategorie 2 + chronisch, Kategorie 3 + chronisch, Kategorie 4 $\geq 25\%$	chronisch gewässergefährdend der Kategorie 4

(*) Siehe Abschnitt 4.1.3.5.5.5 zur Erläuterung des Faktors M.

4.1.3.5.5 Gemische mit hochtoxischen Bestandteilen

4.1.3.5.5.1 Als akut gewässergefährdend der Kategorie 1 und chronisch gewässergefährdend der Kategorie 1 eingestufte Bestandteile mit einer Toxizität von unter 1 mg/l tragen selbst in geringer Konzentration zur Toxizität des Gemisches bei und erhalten in der Regel bei der Einstufung mit Hilfe der Summiermethode ein größeres Gewicht. Enthält ein Gemisch Bestandteile, die als akut oder chronisch gewässergefährdend der Kategorie 1 eingestuft sind, gilt eines der nachstehenden Verfahren:

- Das unter 4.1.3.5.3 und 4.1.3.5.4 beschriebene Stufenkonzept, das eine gewichtete Summe verwendet, die aus der Multiplikation der Konzentrationen der als akut gewässergefährdend der Kategorie 1 und chronisch gewässergefährdend der Kategorie 1 eingestuften Bestandteile mit einem Faktor resultiert, anstatt lediglich Prozentanteile zu addieren. Dies bedeutet, dass die Konzentration von „akut gewässergefährdend der Kategorie 1“ in der linken Spalte von Tabelle 4.1.1 und die Konzentration von „chronisch gewässergefährdend der Kategorie 1“ in der linken Spalte der Tabelle 4.1.2 mit dem entsprechenden Multiplikationsfaktor multipliziert werden. Die auf diese Bestandteile anzuwendenden Multiplikationsfaktoren werden anhand des Toxizitätswertes bestimmt, wie in nachstehender Tabelle 4.1.3 zusammenfassend dargestellt. Zur Einstufung eines Gemisches mit als akut gewässergefährdend der Kategorie 1/chronisch gewässergefährdend der Kategorie 1 eingestuften Bestandteilen muss daher die für die Einstufung zuständige Person den Wert des Faktors M kennen, um die Summiermethode anwenden zu können.
- Die Additivitätsformel (siehe 4.1.3.5.2), sofern für alle hochtoxischen Bestandteile des Gemisches Toxizitätsdaten vorliegen und es schlüssige Belege dafür gibt, dass sämtliche anderen Bestandteile (einschließlich derjenigen, für die keine spezifischen Daten über die akute aquatische Toxizität vorliegen) wenig oder gar nicht toxisch sind und nicht deutlich zur Umweltgefahr des Gemisches beitragen.

Tabelle 4.1.3

Multiplikationsfaktoren für hochtoxische Bestandteile von Gemischen

L(E)C ₅₀ -Wert	Multiplikationsfaktor (M)
$0,1 < L(E)C_{50} \leq 1$	1
$0,01 < L(E)C_{50} \leq 0,1$	10
$0,001 < L(E)C_{50} \leq 0,01$	100
$0,0001 < L(E)C_{50} \leq 0,001$	1 000
$0,00001 < L(E)C_{50} \leq 0,0001$	10 000
(weiter in Faktor-10-Intervallen)	

4.1.3.6. *Einstufung von Gemischen mit Bestandteilen, zu denen keine verwertbaren Informationen vorliegen*


4.1.3.6.1 Liegen für einen oder mehrere relevante Bestandteile keinerlei verwertbare Informationen über eine akute und/oder chronische (langfristige) Gefahr für die aquatische Umwelt vor, führt dies zu dem Schluss, dass eine endgültige Zuordnung des Gemisches zu einer oder mehreren Gefahrenkategorie/-n nicht möglich ist. In einem solchen Fall wird das Gemisch lediglich aufgrund der bekannten Bestandteile eingestuft und im Sicherheitsdatenblatt mit folgendem Zusatzhinweis versehen: „Enthält x % Bestandteile mit unbekannter Gewässergefährdung.“



4.1.4. **Gefahrenkommunikation**

4.1.4.1 Bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, sind die Kennzeichnungselemente gemäß Tabelle 4.1.4 zu verwenden.

Tabelle 4.1.4

Kennzeichnungselemente für „Gewässergefährdung“

AKUT GEWÄSSERGEFÄHRDEND	
GHS-Piktogramm	Kategorie 1 
Signalwort	Achtung
Gefahrenhinweis	H400: Sehr giftig für Wasserorganismen

AKUT GEWÄSSERGEFÄHRDEND				
	Kategorie 1			
Sicherheitshinweise — Prävention	P273			
Sicherheitshinweise — Reaktion	P391			
Sicherheitshinweise — Lagerung				
Sicherheitshinweise — Entsorgung	P501			
CHRONISCH GEWÄSSERGEFÄHRDEND				
	Kategorie 1	Kategorie 2	Kategorie 3	Kategorie 4
GHS-Piktogramm			Kein Piktogramm	Kein Piktogramm
Signalwort	Achtung	Kein Signalwort	Kein Signalwort	Kein Signalwort
Gefahrenhinweis	H410: Sehr giftig für Wasserorganismen mit langfristiger Wirkung	H411: Giftig für Wasserorganismen mit langfristiger Wirkung	H412: Schädlich für Wasserorganismen mit langfristiger Wirkung	H413: Kann für Wasserorganismen schädlich sein mit langfristiger Wirkung
Sicherheitshinweise — Prävention	P273	P273	P273	P273
Sicherheitshinweise — Reaktion	P391	P391		
Sicherheitshinweise — Lagerung				
Sicherheitshinweise — Entsorgung	P501	P501	P501	P501

5. TEIL 5: ZUSÄTZLICHE EU-GEFAHRENKLASSE
- 5.1. **Die Ozonschicht schädigend**
- 5.1.1. **Begriffsbestimmungen und allgemeine Erwägungen**
- 5.1.1.1. Ein die Ozonschicht schädigender Stoff: ein Stoff, der aufgrund der verfügbaren Nachweise über seine Eigenschaften sowie seinen erwarteten oder beobachteten Verbleib bzw. sein erwartetes oder beobachtetes Verhalten in der Umwelt eine Gefahr für die Struktur und/oder die Funktionsweise der stratosphärischen Ozonschicht darstellen kann. Hierzu gehören Stoffe, die in Anhang I der Verordnung (EG) Nr. 2037/2000 des Rates vom 29. Juni 2000 des Europäischen Parlaments und des Rates über Stoffe, die zu einem Abbau der Ozonschicht führen ⁽¹⁾ und in ihren späteren Änderungen aufgeführt werden.
- 5.1.2. **Einstufungskriterien für Stoffe**
- 5.1.2.1. Ein Stoff wird als die Ozonschicht schädigend eingestuft, wenn die verfügbare Nachweise für seine Eigenschaften und seinen erwarteten oder beobachteten Verbleib bzw. sein erwartetes oder beobachtetes Verhalten in der Umwelt darauf hinweisen, dass er eine Gefahr für die Struktur und/oder die Funktionsweise der stratosphärischen Ozonschicht darstellen kann.
- 5.1.3. **Einstufungskriterien für Gemische**
- 5.1.3.1. Gemische sind auf der Grundlage der jeweiligen Konzentration der darin enthaltenen Stoffe, die ebenfalls als die Ozonschicht schädigend eingestuft wurden, gemäß Tabelle 5.1 als die Ozonschicht schädigend einzustufen.

Tabelle 5.1

Allgemeine Konzentrationsgrenzwerte für als die Ozonschicht schädigend eingestufte Stoffe (in einem Gemisch), die zu einer Einstufung des Gemisches als die Ozonschicht schädigend führen

Einstufung des Stoffes	Einstufung des Gemisches
die Ozonschicht schädigend	C ≥ 0,1 %

- 5.1.4. **Gefahrenkommunikation**
- 5.1.4.1. Bei Die Kennzeichnungselemente gemäß Tabelle 5.2 sind bei Stoffen oder Gemischen, die die Kriterien für die Einstufung in diese Gefahrenklasse erfüllen, zu verwenden.

Tabelle 5.2

Kennzeichnungselemente für „die Ozonschicht schädigend“

Symbole/Piktogramme	
Signalwort	Gefahr
Gefahrenhinweis	EUH059: Die Ozonschicht schädigend
Sicherheitshinweise	P273 P501

⁽¹⁾ ABl. L 244 vom 29.9.2000, S. 1

ANHANG II

BESONDERE VORSCHRIFTEN FÜR DIE KENNZEICHNUNG UND VERPACKUNG BESTIMMTER STOFFE UND GEMISCHTE

Dieser Anhang besteht aus 5 Teilen.

- Teil 1 enthält besondere Vorschriften für die Kennzeichnung bestimmter eingestufte Stoffe und Gemische.
- In Teil 2 sind die Vorschriften für zusätzliche Gefahrenhinweise aufgeführt, die auf dem Kennzeichnungsetikett bestimmter Gemische aufzunehmen sind.
- Teil 3 enthält besondere Vorschriften für die Verpackung.
- Teil 4 enthält eine besondere Vorschrift für die Kennzeichnung von Pflanzenschutzmitteln.
- Teil 5 enthält eine Liste gefährlicher Stoffe und Gemische, für die Artikel 29 Absatz 3 gilt.

1. TEIL 1: ERGÄNZENDE GEFAHRENMERKMALE

Die Hinweise in den Kapiteln 1.1 und 1.2 sind Stoffen und Gemischen gemäß Artikel 25 Absatz 1 zuzuordnen, die aufgrund ihrer physikalischen Gefahren, ihrer Gesundheitsgefahren oder ihrer Umweltgefahren eingestuft sind.

1.1. Physikalische Eigenschaften**1.1.1. EUH001 — „In trockenem Zustand explosionsgefährlich“**

Für explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff gemäß Anhang I Abschnitt 2.1, die mit Wasser oder Alkohol befeuchtet oder mit anderen Stoffen verdünnt in Verkehr gebracht werden, um ihre explosiven Eigenschaften zu unterdrücken.

1.1.2. EUH006 — „Mit und ohne Luft explosionsfähig“

Für Stoffe und Gemische, die bei Raumtemperatur instabil sind, beispielsweise Acetylen.

1.1.3. EUH014 — „Reagiert heftig mit Wasser“

Für Stoffe und Gemische, die heftig mit Wasser reagieren, beispielsweise Acetylchlorid, Alkalimetalle, Titan-tetrachlorid.

1.1.4. EUH018 — „Kann bei Verwendung explosionsfähige/entzündbare Dampf/Luft-Gemische bilden“

Für Stoffe und Gemische, die selbst nicht als entzündbar eingestuft sind, die jedoch explosionsfähige/entzündbare Dampf/Luft-Gemische bilden können. Bei Stoffen kann dies bei Halogenkohlenwasserstoffen der Fall sein und bei Gemischen, wenn sie einen entzündbaren flüchtigen Bestandteil enthalten oder wenn ein Verlust eines nicht entzündbaren flüchtigen Bestandteils vorliegt.

1.1.5. EUH019 — „Kann explosionsfähige Peroxide bilden“

Für Stoffe und Gemische, die bei Lagerung explosionsfähige Peroxide bilden können, beispielsweise Diethylether, 1,4-Dioxan.

1.1.6. EUH044 — „Explosionsgefahr bei Erhitzen unter Einschluss“

Für Stoffe und Gemische, die nach Anhang I Abschnitt 2.1. selbst nicht als explosiv eingestuft sind, in der Praxis aber dennoch explosive Eigenschaften aufweisen können, wenn sie unter ausreichendem Einschluss erhitzt werden. Insbesondere Stoffe, die sich bei Erhitzen in einer Stahlblechtrommel explosionsartig zersetzen, zeigen diese Eigenschaft nicht, wenn sie in einem schwächeren Behälter erhitzt werden.

1.2. Gesundheitsgefährliche Eigenschaften**1.2.1. EUH029 — „Entwickelt bei Berührung mit Wasser giftige Gase“**

Für Stoffe und Gemische, die bei Berührung mit Wasser oder feuchter Luft als akut toxisch der Kategorie 1, 2 oder 3 eingestufte Gase in möglicherweise gefährlicher Menge freisetzen, beispielsweise Aluminiumphosphid, Phosphor(V)-sulfid.

1.2.2. EUH031 — „Entwickelt bei Berührung mit Säure giftige Gase“

Für Stoffe und Gemische, die mit Säuren reagieren und als akut toxisch der Kategorie 3 eingestufte Gase in gefährlicher Menge freisetzen, beispielsweise Natriumhypochlorit, Bariumpolysulfid.

1.2.3. EUH032 — „Entwickelt bei Berührung mit Säure sehr giftige Gase“

Für Stoffe und Gemische, die mit Säuren reagieren und als akut toxisch der Kategorien 1 und 2 eingestufte Gase in gefährlicher Menge freisetzen, beispielsweise die Salze der Cyanwasserstoffsäure, Natriumazid.

1.2.4. EUH066 — „Wiederholter Kontakt kann zu spröder oder rissiger Haut führen“

Für Stoffe und Gemische, die bedenklich sind, weil sie die Haut austrocknen und Schuppenbildung oder Hautrisse fördern, die jedoch den Kriterien für Hautreizung in Anhang I Abschnitt 3.2 nicht entsprechen, auf der Grundlage

- praktischer Beobachtungen oder
- einschlägiger Belege für ihre vermutete Wirkung auf die Haut.

1.2.5. EUH070 — „Giftig bei Berührung mit den Augen“

Für Stoffe oder Gemische, bei denen eine Prüfung auf Augenreizung offenkundige Anzeichen für systemische Toxizität oder Mortalität bei den Versuchstieren ergeben hat, was wahrscheinlich auf die Absorption des Stoffes oder Gemisches über die Augenschleimhaut zurückzuführen ist. Der Hinweis erfolgt auch, wenn es beim Menschen Belege für eine systemische Toxizität bei Berührung mit den Augen gibt.

Der Hinweis erfolgt auch, wenn ein Stoff oder Gemisch einen für diese Wirkung gekennzeichneten anderen Stoff in einer Konzentration von mindestens 0,1 % enthält, sofern in Anhang VI Teil 3 nicht anderes festgelegt ist.

1.2.6. EUH071 — „Wirkt ätzend auf die Atemwege“

Für Stoffe und Gemische zusätzlich zur Einstufung als inhalationstoxisch, falls Daten vorliegen, denen zufolge der Toxizitätsmechanismus aus einer Ätzwirkung besteht, gemäß Anhang I Abschnitt 3.1.2.3.3 und Tabelle 3.1.3 Hinweis 1.

Für Stoffe und Gemische, die inhaliert werden können, zusätzlich zur Einstufung als hautätzend, falls keine Prüfdaten über die akute Toxizität bei Inhalation vorliegen.

2. TEIL 2: BESONDERE VORSCHRIFTEN FÜR ERGÄNZENDE KENNZEICHNUNGSELEMENTE FÜR BESTIMMTE GEMISCHE

Die Hinweise in den Abschnitten 2.1 bis 2.10 sind Gemischen gemäß Artikel 27 Absatz 6 zuzuordnen.

2.1. Bleihaltige Gemische

Das Kennzeichnungsetikett auf der Verpackung bleihaltiger Anstrichmittel und Lacke, deren nach der Norm ISO 6503 bestimmter Gesamtbleigehalt 0,15 % (ausgedrückt in Gewicht des Metalls) des Gesamtgewichts des Gemisches überschreitet, muss folgenden Hinweis tragen:

EUH201 — „Achtung! Enthält Blei. Nicht für den Anstrich von Gegenständen verwenden, die von Kindern gekaut oder gelutscht werden könnten.“

Bei Verpackungen mit einem Inhalt von weniger als 125 ml kann der Hinweis wie folgt lauten:

EUH201 — „Achtung! Enthält Blei.“

2.2. Cyanacrylathaltige Gemische

Das Kennzeichnungsetikett auf der unmittelbaren Verpackung von Klebstoffen auf der Grundlage von Cyanacrylat muss folgenden Hinweis tragen:

EUH202 — „Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.“

Entsprechende Sicherheitshinweise müssen der Verpackung beigegeben werden.

2.3. Zement und Zementgemische

Sofern Zement und Zementgemische nicht bereits als sensibilisierend eingestuft und mit dem Gefahrenhinweis „Kann allergische Hautreaktionen hervorrufen“ gekennzeichnet sind, muss das Kennzeichnungsetikett auf der Verpackung von Zement und Zementgemischen, dessen/deren Gehalt an löslichem Chrom VI nach Hydratisierung mehr als 0,0002 % der Trockenmasse des Zements beträgt, folgenden Hinweis tragen:

EUH203 — „Enthält Chrom (VI). Kann allergische Reaktionen hervorrufen.“

Werden Reduktionsmittel verwendet, so ist auf der Verpackung von Zement oder zementhaltigen Gemischen anzugeben, wann das Erzeugnis abgepackt wurde sowie unter welchen Bedingungen und wie lange es gelagert werden kann, ohne dass die Wirkung des Reduktionsmittels nachlässt und der Gehalt an löslichem Chrom VI 0,0002 % überschreitet.

2.4. Isocyanathaltige Gemische

Das Kennzeichnungsetikett auf der Verpackung von Gemischen, die Isocyanate enthalten (Monomere, Oligomere, Vorpolymere usw. oder Gemische davon), muss folgenden Hinweis tragen:

EUH204 — „Enthält Isocyanate. Kann allergische Reaktionen hervorrufen.“

2.5. Gemische, die epoxidhaltige Verbindungen mit einem mittleren Molekulargewicht von ≤ 700 enthalten

Sofern dies nicht bereits auf dem Kennzeichnungsetikett der Verpackung angegeben ist, müssen Gemische, die epoxidhaltige Verbindungen mit einem mittleren Molekulargewicht von ≤ 700 enthalten, folgenden Hinweis tragen:

EUH205 — „Enthält epoxidhaltige Verbindungen. Kann allergische Reaktionen hervorrufen.“

2.6. Gemische, die an die breite Öffentlichkeit verkauft werden und Aktivchlor enthalten

Das Kennzeichnungsetikett auf der Verpackung von Gemischen, die mehr als 1 % Aktivchlor enthalten, muss folgenden Hinweis tragen:

EUH206 — „Achtung! Nicht zusammen mit anderen Produkten verwenden, da gefährliche Gase (Chlor) freigesetzt werden können.“

2.7. Cadmiumhaltige Gemische (Legierungen), die zum löten oder schweißen verwendet werden

Das Kennzeichnungsetikett auf der Verpackung der oben genannten Gemische muss folgenden Hinweis tragen:

EUH207 — „Achtung! Enthält Cadmium. Bei der Verwendung entstehen gefährliche Dämpfe. Hinweise des Herstellers beachten. Sicherheitsanweisungen einhalten.“

2.8. Gemische, die nicht als sensibilisierend eingestuft sind, aber mindestens einen sensibilisierenden Stoff enthalten

Das Kennzeichnungsetikett auf der Verpackung von Gemischen, die mindestens einen als sensibilisierend eingestuften Stoff in einer Konzentration enthalten, die mindestens 0,1 % beträgt oder mindestens ebenso hoch ist wie die in Anhang VI Teil 3 dieser Verordnung in einem besonderen Hinweis für den Stoff genannte Konzentration, muss folgenden Hinweis tragen:

EUH208 — „Enthält ‚Name des sensibilisierenden Stoffes‘. Kann allergische Reaktionen hervorrufen.“

2.9. Flüssige Gemische, die Halogenkohlenwasserstoffe enthalten

Das Kennzeichnungsetikett auf der Verpackung von flüssigen Gemischen, die keinen Flammpunkt oder einen Flammpunkt von mehr als 60 °C aber höchstens 93 °C haben und einen Halogenkohlenwasserstoff sowie mehr als 5 % leicht entzündbare oder entzündbare Stoffe enthalten, muss je nachdem, ob die genannten Stoffe leicht entzündbar oder entzündbar sind, einen der folgenden Hinweise tragen:

EUH209 — „Kann bei Verwendung leicht entzündbar werden.“ oder

EUH209A — „Kann bei Verwendung entzündbar werden.“

2.10. Nicht für die breite Öffentlichkeit bestimmte Gemische

Bei Gemischen, die nicht als gefährlich eingestuft wurden, die jedoch

- $\geq 0,1$ % eines Stoffes, der als Hautallergen der Kategorie 1, Inhalationsallergen der Kategorie 1 oder als karzinogener Stoff der Kategorie 2 eingestuft ist, oder
- $\geq 0,1$ % eines Stoffes, der als reproduktionstoxischer Stoff der Kategorien 1A, 1B und 2 oder als Stoff mit Wirkungen auf/über Laktation eingestuft ist, oder
- mindestens einen Stoff in einer Einzelkonzentration von ≥ 1 Gewichtsprozent bei nicht gasförmigen Gemischen und von $\geq 0,2$ Volumenprozent bei gasförmigen Gemischen,
 - der anderweitig als gesundheits- oder gefährlich für die Umwelt eingestuft ist oder
 - für den es gemeinschaftliche Grenzwerte für die Exposition am Arbeitsplatz gibt,

enthalten, muss das Kennzeichnungsetikett auf der Verpackung folgenden Hinweis tragen:

EUH210 — „Sicherheitsdatenblatt auf Anfrage erhältlich.“

2.11. Aerosole

Es sei darauf hingewiesen, dass für Aerosole auch die Kennzeichnungsvorschriften in den Abschnitten 2.2. und 2.3. des Anhangs der Richtlinie 75/324/EWG gelten.

3. TEIL 3: BESONDERE VORSCHRIFTEN FÜR DIE VERPACKUNG

3.1. Bestimmungen für kindergesicherte Verschlüsse

3.1.1. Mit kindergesicherten Verschlüssen auszustattende Verpackungen

- 3.1.1.1. Verpackungen, die einen Stoff oder ein Gemisch enthalten, der/das an die breite Öffentlichkeit abgegeben wird und als akut toxisch der Kategorien 1 bis 3, spezifisch zielorgantoxisch (einmalige Exposition) der Kategorie 1, spezifisch zielorgantoxisch (wiederholte Exposition) der Kategorie 1 oder hautätzend der Kategorie 1 eingestuft wird, sind unabhängig von ihrem Fassungsvermögen mit kindergesicherten Verschlüssen auszustatten.
- 3.1.1.2. Verpackungen, die einen Stoff oder ein Gemisch enthalten, der/das an die breite Öffentlichkeit abgegeben wird, eine Aspirationsgefahr darstellt und nach Anhang I Abschnitte 3.10.2 und 3.10.3 eingestuft sowie nach Anhang I Abschnitt 3.10.4.1 gekennzeichnet wird, mit Ausnahme von Stoffen und Gemischen, die in Form von Aerosolpackungen oder in Behältern mit versiegelter Sprühvorrichtung in Verkehr gebracht werden, sind unabhängig von ihrem Fassungsvermögen mit kindergesicherten Verschlüssen auszustatten.
- 3.1.1.3. Enthält ein Stoff oder Gemisch mindestens einen der nachstehenden Stoffe in einer Konzentration, die mindestens ebenso hoch ist wie die für den betreffenden Stoff festgelegte Einzelkonzentrationsgrenze, und an die breite Öffentlichkeit abgegeben wird, sind die Verpackungen unabhängig von ihrem Fassungsvermögen mit kindergesicherten Verschlüssen auszustatten:

No.	Bezeichnung des Stoffes			Konzentrationsgrenzen
	CAS-Nr.	Bezeichnung	EG-Nr.	
1	67-56-1	Methanol	200-659-6	≥ 3 %
2	75-09-2	Dichlormethan	200-838-9	≥ 1 %

3.1.2. Wiederverschließbare Verpackungen

Kindergesicherte Verschlüsse von wiederverschließbaren Verpackungen müssen der aktuellen Ausgabe der EN ISO-Norm 8317 über „Kindergesicherte Verpackungen — Anforderungen und Prüfverfahren für wiederverschließbare Verpackungen“ des Europäischen Komitees für Normung (CEN) und der International Standard Organisation (ISO) entsprechen.

3.1.3. Nichtwiederverschließbare Verpackungen

Kindergesicherte Verschlüsse von nichtwiederverschließbaren Verpackungen müssen der aktuellen Ausgabe der Norm EN 862 „Verpackung — Kindergesicherte Verpackung — Anforderungen und Prüfverfahren für nichtwiederverschließbare Verpackungen für nichtpharmazeutische Produkte“ des Europäischen Komitees für Normung (CEN) entsprechen.

3.1.4. Hinweise

3.1.4.1. Nur Laboratorien, die der aktuellen Ausgabe der EN ISO/IEC-Norm 17025 entsprechen, sind zur Bescheinigung der Übereinstimmung mit den oben genannten Normen befugt.

3.1.4.2. Sonderfälle

Ist eine Verpackung offensichtlich in ausreichendem Maße kindergesichert, weil ihr Inhalt Kindern ohne Zuhilfenahme von Werkzeug nicht zugänglich ist, so kann die Prüfung gemäß Abschnitt 3.1.2 oder 3.1.3 unterbleiben.

In allen anderen Fällen und bei berechtigten Zweifeln an der Wirksamkeit des kindergesicherten Verschlusses kann die nationale Behörde von dem für das Inverkehrbringen Verantwortlichen die Vorlage einer Bescheinigung der nachstehenden Punkte durch ein Zertifizierungslabor gemäß Abschnitt 3.1.4.1 verlangen:

- Der verwendete Verschluss ist so beschaffen, dass er keine Prüfung gemäß Abschnitt 3.1.2 oder 3.1.3 erfordert, oder
- der betreffende Verschluss ist geprüft worden und entspricht den oben genannten Normen.

3.2. Tastbare Gefahrenhinweise**3.2.1. Mit einem tastbaren Gefahrenhinweis auszustattende Verpackungen**

Wenn Stoffe oder Gemische an die breite Öffentlichkeit abgegeben werden und als akut toxisch, als hautätzend, keimzellmutagen der Kategorie 2, karzinogen der Kategorie 2 oder reproduktionstoxisch der Kategorie 2, sensibilisierend für die Atemwege, toxisch für spezifische Zielorgane der Kategorien 1 und 2 oder als aspirationsgefährlich, als entzündbare Gase, Flüssigkeiten und Feststoffe der Kategorien 1 und 2 eingestuft sind, sind die Verpackungen unabhängig von ihrem Fassungsvermögen mit einem tastbaren Gefahrenhinweis auszustatten.

3.2.2. Bestimmungen für tastbare Gefahrenhinweise

3.2.2.1. Diese Bestimmung gilt nicht für Aerosole, die lediglich als „extrem entzündbare Aerosole“ oder als „entzündbare Aerosole“ eingestuft und gekennzeichnet sind.

3.2.2.2. Die technischen Spezifikationen für tastbare Gefahrenhinweise müssen der aktuellen Ausgabe der EN ISO-Norm 11683 „Verpackung — Tastbare Gefahrenhinweise — Anforderungen“ entsprechen.

4. TEIL 4: BESONDERE VORSCHRIFT FÜR DIE KENNZEICHNUNG VON PFLANZENSCHUTZMITTELN

Unbeschadet der nach Artikel 16 und Anhang V der Richtlinie 91/414/EWG vorgeschriebenen Informationen wird die Kennzeichnung von Pflanzenschutzmitteln im Sinne der Richtlinie 91/414/EWG um folgenden Hinweis ergänzt:

EUH401 — „Zur Vermeidung von Risiken für Mensch und Umwelt die Gebrauchsanleitung einhalten.“

5. TEIL 5: LISTE DER GEFÄHRLICHEN STOFFE UND GEMISCHE, FÜR DIE ARTIKEL 29 ABSATZ 3 GILT

- frisch angerührter Zement und Beton in nassem Zustand

ANHANG III

LISTE DER GEFAHRENHINWEISE, ERGÄNZENDEN GEFAHRENMERKMALE UND ERGÄNZENDEN KENNZEICHNUNGSELEMENTE

1. Teil 1: Gefahrenhinweise

Die Gefahrenhinweise werden gemäß Anhang I Teile 2, 3 und 4 angewendet.

Tabelle 1.1

Gefahrenhinweise für physikalische Gefahren

H200 ⁽¹⁾	Sprache	2.1 – Explosive Stoffe, instabile explosive Stoffe
	BG	Нестабилен експлозив.
	ES	Explosivo inestable.
	CS	Nestabilní výbušnina.
	DA	Ustabilt eksplosiv.
	DE	Instabil, explosiv.
	ET	Ebapüsiv lõhkeaine.
	EL	Ασταθή εκρηκτικά.
	EN	Unstable explosives.
	FR	Explosif instable.
	GA	Pléascáin éagobhsaí.
	IT	Esplosivo instabile.
	LV	Nestabili sprādzienbīstami materiāli.
	LT	Nestabilios sprogiuos medžiagos.
	HU	Instabil robbanóanyagok.
	MT	Splussivi instabbli.
	NL	Instabiele ontplofbare stof.
	PL	Materiały wybuchowe niestabilne.
	PT	Explosivo instável.
	RO	Exploziv instabil.
	SK	Nestabilné výbušniny.
	SL	Nestabilni eksplozivi.
	FI	Epästabiili räjähd.
	SV	Instabilt explosivt.

⁽¹⁾ Das Kodifizierungssystem für GHS-Gefahrenhinweise wird noch im UN-Sachverständigenausschuss diskutiert; deshalb könnten Änderungen notwendig sein.

H201	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.1
	BG	Експлозив; опасност от масова експлозия.
	ES	Explosivo; peligro de explosión en masa.
	CS	Výbušnina; nebezpečí masivního výbuchu.

H201	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.1
	DA	Eksplosiv, masseeksplosionsfare.
	DE	Explosiv, Gefahr der Massenexplosion.
	ET	Plahvatusohtlik; massiplahvatusoht.
	EL	Εκρηκτικό· κίνδυνος μαζικής έκρηξης.
	EN	Explosive; mass explosion hazard.
	FR	Explosif; danger d'explosion en masse.
	GA	Pléascach; guais mhórphléasctha.
	IT	Esplosivo; pericolo di esplosione di massa.
	LV	Sprādzienbīstams; masveida sprādzienbīstamība.
	LT	Sprogios medžiagos, kelia masinio sprogimo pavojų.
	HU	Robbanóanyag; teljes tömeg felrobbanásának veszélye.
	MT	Splussiv; periklu li jisplođu kollha f'daqqa.
	NL	Ontplobbare stof; gevaar voor massa-explosie.
	PL	Materiał wybuchowy; zagrożenie wybuchem masowym.
	PT	Explosivo; perigo de explosão em massa.
	RO	Exploziv; pericol de explozie în masă.
	SK	Výbušnina, nebezpečenstvo rozsiahleho výbuchu.
	SL	Eksplozivno; nevarnost eksplozije v masi.
	FI	Räjähde; massaräjähdysvaara.
	SV	Explosivt. Fara för massexplosion.

H202	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.2
	BG	Експлозив; сериозна опасност от разпръскване.
	ES	Explosivo; grave peligro de proyección.
	CS	Výbušnina; vážné nebezpečí zasažení částicemi.
	DA	Eksplosiv, alvorlig fare for udslyngning af fragmenter.
	DE	Explosiv; große Gefahr durch Splitter, Spreng- und Wurfstücke.
	ET	Plahvatusohtlik; suur laialipaiskumisoht.
	EL	Εκρηκτικό· σοβαρός κίνδυνος εκτόξευσης.
	EN	Explosive, severe projection hazard.
	FR	Explosif; danger sérieux de projection.
	GA	Pléascach, guais throm teilgin.
	IT	Esplosivo; grave pericolo di proiezione.
	LV	Sprādzienbīstams; augsta izmetes bīstamība.
	LT	Sprogios medžiagos, kelia didelį išsvaidymo pavojų.
	HU	Robbanóanyag; kivetés súlyos veszélye.
	MT	Splussiv, periklu serju ta' projezzjoni.
	NL	Ontplobbare stof, ernstig gevaar voor scherfwerking.

H202	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.2
	PL	Materiał wybuchowy, poważne zagrożenie rozrzutem.
	PT	Explosivo, perigo grave de projecções.
	RO	Exploziv; pericol grav de proiectare.
	SK	Výbušnina, závažné nebezpečenstvo rozletenia úlomkov.
	SL	Eksplzivno, velika nevarnost za nastanek drobcev.
	FI	Räjähde; vakava sirpalevaara.
	SV	Explosivt. Allvarlig fara för splitter och kaststycken.

H203	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.3
	BG	Експлозив; опасност от пожар, взрив или разпръскване.
	ES	Explosivo; peligro de incendio, de onda expansiva o de proyección.
	CS	Výbušnina; nebezpečí požáru, tlakové vlny nebo zasažení částicemi.
	DA	Eksplisiv, fare for brand, eksplosion eller udslyngning af fragmenter.
	DE	Explosiv; Gefahr durch Feuer, Luftdruck oder Splitter, Spreng- und Wurfstücke.
	ET	Plahvatusohtlik; süttimis-, plahvatus- või laialipaiskumisoht.
	EL	Εκρηκτικό κίνδυνος πυρκαγιάς, ανατίναξης ή εκτόξευσης.
	EN	Explosive; fire, blast or projection hazard.
	FR	Explosif; danger d'incendie, d'effet de souffle ou de projection.
	GA	Pléascach; guais dóiteáin, phléasctha nó teilgin.
	IT	Esplosivo; pericolo di incendio, di spostamento d'aria o di proiezione.
	LV	Sprādzienbīstams; uguns, triecienviļņa vai izmetes bīstamība.
	LT	Sprogios medžiagos, kelia gaisro, sprogimo arba išsvaidymo pavojų.
	HU	Robbanóanyag; tűz, robbanás vagy kivetés veszélye.
	MT	Splussiv; periklu ta' nar, blast jew projezzjoni.
	NL	Ontploffbare stof; gevaar voor brand, luchtdrukwerking of scherfwerking.
	PL	Materiał wybuchowy; zagrożenie pożarem, wybuchem lub rozrzutem.
	PT	Explosivo; perigo de incêndio, sopra ou projecções.
	RO	Exploziv; pericol de incendiu, detonare sau proiectare.
	SK	Výbušnina, nebezpečenstvo požiaru, výbuchu alebo rozletenia úlomkov.
	SL	Eksplzivno; nevarnost za nastanek požara, udarnega vala ali drobcev.
	FI	Räjähde; palo-, räjähdys- tai sirpalevaara.
	SV	Explosivt. Fara för brand, tryckvåg eller splitter och kaststycken.

H204	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.4
	BG	Опасност от пожар или разпръскване.
	ES	Peligro de incendio o de proyección.
	CS	Nebezpečí požáru nebo zasažení částicemi.
	DA	Fare for brand eller udslyngning af fragmenter.

H204	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.4
	DE	Gefahr durch Feuer oder Splitter, Spreng- und Wurfstücke.
	ET	Süttimis- vői laialipaiskumisoht.
	EL	Κίνδυνος πυρκαγιάς ή εκτόξευσης.
	EN	Fire or projection hazard.
	FR	Danger d'incendie ou de projection.
	GA	Guais dóiteáin nó teilgin.
	IT	Pericolo di incendio o di proiezione.
	LV	Uguns vai izmetes bīstamība.
	LT	Gaisro arba išsvaidymo pavojus.
	HU	Tűz vagy kivetés veszélye.
	MT	Periklu ta' nar jew ta' projezzjoni.
	NL	Gevaar voor brand of scherfwerking.
	PL	Zagrożenie pożarem lub rozrzutem.
	PT	Perigo de incêndio ou projecções.
	RO	Pericol de incendiu sau de proiectare.
	SK	Nebezpečnosť požiaru alebo rozletenia úlomkov.
	SL	Nevarnost za nastanek požara ali drobcev.
	FI	Palo- tai sirpalevaara.
	SV	Fara för brand eller splitter och kaststycken.
H205	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.5
	BG	Може да предизвика масова експлозия при пожар.
	ES	Peligro de explosión en masa en caso de incendio.
	CS	Při požáru může způsobit masivní výbuch.
	DA	Fare for masseeksplosion ved brand.
	DE	Gefahr der Massenexplosion bei Feuer.
	ET	Süttimise korral massiplahvatusoht.
	EL	Κίνδυνος μαζικής έκρηξης σε περίπτωση πυρκαγιάς.
	EN	May mass explode in fire.
	FR	Danger d'explosion en masse en cas d'incendie.
	GA	D'fhéadfadh sé go mbeadh mórfhléascadh i dtine.
	IT	Pericolo di esplosione di massa in caso d'incendio.
	LV	Ugunī var masveidā eksplodēt.
	LT	Per gaisrą gali sukelti masinį sproginimą.
	HU	Tűz hatására a teljes tömeg felrobbanhat.
	MT	Jista' jispłodi f'daqqa fin-nar.
	NL	Gevaar voor massa-explosie bij brand.
	PL	Może wybuchać masowo w przypadku pożaru.

H205	Sprache	2.1 – Explosive Stoffe, Unterklasse 1.5
	PT	Perigo de explosão em massa em caso de incêndio.
	RO	Pericol de explozie în masă în caz de incendiu.
	SK	Nebezpečnosť rozsiahleho výbuchu pri požiari.
	SL	Pri požaru lahko eksplodira v masi.
	FI	Koko massa voi räjähtää tulessa.
	SV	Fara för massexplosion vid brand.

H220	Sprache	2.2 – Entzündbare Gase, Gefahrenkategorie 1
	BG	Изключително запалим газ.
	ES	Gas extremadamente inflamable.
	CS	Extrémně hořlavý plyn.
	DA	Yderst brandfarlig gas.
	DE	Extrem entzündbares Gas.
	ET	Eriti tulehtlik gaas.
	EL	Εξαιρετικά εύφλεκτο αέριο.
	EN	Extremely flammable gas.
	FR	Gaz extrêmement inflammable.
	GA	Gás fíor-inadhainte.
	IT	Gas altamente infiammabile.
	LV	Īpaši viegli uzliesmojoša gāze.
	LT	Ypač degios dujos.
	HU	Rendkívül tűzveszélyes gáz.
	MT	Gass li jaqbad malajr hafna.
	NL	Zeer licht ontvlambaar gas.
	PL	Skrajnie łatwopalny gaz.
	PT	Gás extremamente inflamável.
	RO	Gaz extrem de inflamabil.
	SK	Mimoriadne horľavý plyn.
	SL	Zelo lahko vnetljiv plin.
	FI	Erittäin helposti syttyvä kaasu.
	SV	Extremt brandfarlig gas.

H221	Sprache	2.2 – Entzündbare Gase, Gefahrenkategorie 2
	BG	Запалим газ.
	ES	Gas inflamable.
	CS	Hořlavý plyn.
	DA	Brandfarlig gas.
	DE	Entzündbares Gas.

H221	Sprache	2.2 – Entzündbare Gase, Gefahrenkategorie 2
	ET	Tuleohtlik gaas.
	EL	Εύφλεκτο αέριο.
	EN	Flammable gas.
	FR	Gaz inflammable.
	GA	Gás inadhainte.
	IT	Gas infiammabile.
	LV	Uzliesmojoša gāze.
	LT	Degios dujos.
	HU	Tűzveszélyes gáz.
	MT	Gass li jaqbad.
	NL	Ontvlambaar gas.
	PL	Gaz łatwopalny.
	PT	Gás inflamável.
	RO	Gaz inflamabil.
	SK	Horľavý plyn.
	SL	Vnetljiv plin.
	FI	Syttyvä kaasu.
	SV	Brandfarlig gas.

H222	Sprache	2.3 – Entzündbare Aerosole, Gefahrenkategorie 1
	BG	Изключително запалим аерозол.
	ES	Aerosol extremadamente inflamable.
	CS	Extrémně hořlavý aerosol.
	DA	Yderst brandfarlig aerosol.
	DE	Extrem entzündbares Aerosol.
	ET	Eriti tuleohtlik aerosool.
	EL	Εξαιρετικά εύφλεκτο αερόλυμα.
	EN	Extremely flammable aerosol.
	FR	Aérosol extrêmement inflammable.
	GA	Aerasól fíor-inadhainte.
	IT	Aerosol altamente infiammabile.
	LV	Īpaši viegli uzliesmojošs aerosols.
	LT	Ypač degus aerosolis.
	HU	Rendkívül tűzveszélyes aeroszol.
	MT	Aerosol li jaqbad malajr hafna.
	NL	Zeer licht ontvlambare aerosol.
	PL	Skrajnie łatwopalny aerosol.
	PT	Aerossol extremamente inflamável.

H222	Sprache	2.3 – Entzündbare Aerosole, Gefahrenkategorie 1
	RO	Aerosol extrem de inflamabil.
	SK	Mimoriadne horľavý aerosól.
	SL	Zelo lahko vnetljiv aerosol.
	FI	Erittäin helposti syttyvä aerosoli.
	SV	Extremt brandfarlig aerosol.

H223	Sprache	2.3 – Entzündbare Aerosole, Gefahrenkategorie 2
	BG	Запалим аерозол.
	ES	Aerosol inflamable.
	CS	Hořlavý aerosol.
	DA	Brandfarlig aerosol.
	DE	Entzündbares Aerosol.
	ET	Tulehtlik aerosool.
	EL	Εύφλεκτο αερόλυμα.
	EN	Flammable aerosol.
	FR	Aérosol inflammable.
	GA	Aerasól inadhaite.
	IT	Aerosol infiammabile.
	LV	Uzliesmojošs aerosols.
	LT	Degus aerosolis.
	HU	Tűzveszélyes aeroszol.
	MT	Aerosol li jaqbad.
	NL	Ontvlambare aerosol.
	PL	Aerozol łatwopalny.
	PT	Aerossol inflamável.
	RO	Aerosol inflamabil.
	SK	Horľavý aerosól.
	SL	Vnetljiv aerosol.
	FI	Syttyvä aerosoli.
	SV	Brandfarlig aerosol.

H224	Sprache	2.6 – Entzündbare Flüssigkeiten, Gefahrenkategorie 1
	BG	Изключително запалими течност и пари.
	ES	Líquido y vapores extremadamente inflamables.
	CS	Extrémně hořlavá kapalina a páry.
	DA	Yderst brandfarlig væske og damp.
	DE	Flüssigkeit und Dampf extrem entzündbar.
	ET	Eriti tulehtlik vedelik ja aur.

H224	Sprache	2.6 – Entzündbare Flüssigkeiten, Gefahrenkategorie 1
	EL	Υγρό και ατμοί εξαιρετικά εύφλεκτα.
	EN	Extremely flammable liquid and vapour.
	FR	Liquide et vapeurs extrêmement inflammables.
	GA	Leacht fíor-inadhainte agus gal fhíor-inadhainte.
	IT	Liquido e vapori altamente infiammabili.
	LV	Īpaši viegli uzliesmojošs šķidrums un tvaiki.
	LT	Ypač degūs skystis ir garai.
	HU	Rendkívül tűzveszélyes folyadék és gőz.
	MT	Likwidu u fwar li jaqbdu malajr hafna.
	NL	Zeer licht ontvlambare vloeistof en damp.
	PL	Skrajnie łatwopalna ciecz i pary.
	PT	Líquido e vapor extremamente inflamáveis.
	RO	Lichid și vapori extrem de inflamabili.
	SK	Mimoriadne horľavá kvapalina a pary.
	SL	Zelo lahko vnetljiva tekočina in hlapi.
	FI	Erittäin helposti syttyvä neste ja höyry.
	SV	Extremt brandfarlig vätska och ånga.

H225	Sprache	2.6 – Entzündbare Flüssigkeiten, Gefahrenkategorie 2
	BG	Силно запалими течност и пари.
	ES	Líquido y vapores muy inflamables.
	CS	Vysoce hořlavá kapalina a páry.
	DA	Meget brandfarlig væske og damp.
	DE	Flüssigkeit und Dampf leicht entzündbar.
	ET	Väga tuleohtlik vedelik ja aur.
	EL	Υγρό και ατμοί πολύ εύφλεκτα.
	EN	Highly flammable liquid and vapour.
	FR	Liquide et vapeurs très inflammables.
	GA	Leacht an-inadhainte agus gal an-inadhainte.
	IT	Liquido e vapori facilmente infiammabili.
	LV	Viegli uzliesmojošs šķidrums un tvaiki.
	LT	Labai degūs skystis ir garai.
	HU	Fokozottan tűzveszélyes folyadék és gőz.
	MT	Likwidu u fwar li jaqbdu malajr hafna.
	NL	Licht ontvlambare vloeistof en damp.
	PL	Wysoce łatwopalna ciecz i pary.
	PT	Líquido e vapor facilmente inflamáveis.
	RO	Lichid și vapori foarte inflamabili.

H225	Sprache	2.6 – Entzündbare Flüssigkeiten, Gefahrenkategorie 2
	SK	Veľmi horľavá kvapalina a pary.
	SL	Lahko vnetljiva tekočina in hlapi.
	FI	Helposti syttyvä neste ja höyry.
	SV	Mycket brandfarlig vätska och ånga.

H226	Sprache	2.6 – Entzündbare Flüssigkeiten, Gefahrenkategorie 3
	BG	Запалими течност и пари.
	ES	Líquidos y vapores inflamables.
	CS	Hořlavá kapalina a páry.
	DA	Brandfarlig væske og damp.
	DE	Flüssigkeit und Dampf entzündbar.
	ET	Tulehtlik vedelik ja aur.
	EL	Υγρό και ατμοί εύφλεκτα.
	EN	Flammable liquid and vapour.
	FR	Liquide et vapeurs inflammables.
	GA	Leacht inadhainte agus gal inadhainte.
	IT	Liquido e vapori infiammabili.
	LV	Uzliesmojošs šķidrums un tvaiki.
	LT	Degūs skystis ir garai.
	HU	Tűzveszélyes folyadék és gőz.
	MT	Likwidu u fwar li jaqbdu.
	NL	Ontvlambare vloeistof en damp.
	PL	Łatwopalna ciecz i pary.
	PT	Líquido e vapor inflamáveis.
	RO	Lichid și vapori inflamabili.
	SK	Horľavá kvapalina a pary.
	SL	Vnetljiva tekočina in hlapi.
	FI	Syttyvä neste ja höyry.
	SV	Brandfarlig vätska och ånga.

H228	Sprache	2.7 – Entzündbare Feststoffe, Gefahrenkategorien 1, 2
	BG	Запалимо твърдо вещество.
	ES	Sólido inflamable.
	CS	Hořlavá tuhá látka.
	DA	Brandfarligt fast stof.
	DE	Entzündbarer Feststoff.
	ET	Tulehtlik tahke aine.
	EL	Εύφλεκτο στερεό.

H228	Sprache	2.7 – Entzündbare Feststoffe, Gefahrenkategorien 1, 2
	EN	Flammable solid.
	FR	Matière solide inflammable.
	GA	Solad inadhainte.
	IT	Solido infiammabile.
	LV	Uzliesmojoša cieta viela.
	LT	Degi kietoji medžiaga.
	HU	Tűzveszélyes szilárd anyag.
	MT	Solidu li jaqbad.
	NL	Ontvlambare vaste stof.
	PL	Substancja stała łatwopalna.
	PT	Sólido inflamável.
	RO	Solid inflamabil.
	SK	Horľavá tuhá látka.
	SL	Vnetljiva trdna snov.
	FI	Syttyvä kiinteä aine.
	SV	Brandfarligt fast ämne.
H240	Sprache	2.8 – Selbstzersetzliche Stoffe und Gemische, Typ A 2.15 – Organische Peroxide, Typ A
	BG	Може да предизвика експлозия при нагряване.
	ES	Peligro de explosión en caso de calentamiento.
	CS	Zahřívání může způsobit výbuch.
	DA	Eksplodingsfare ved opvarmning.
	DE	Erwärmung kann Explosion verursachen.
	ET	Kuumenemisel võib plahvatada.
	EL	Η θέρμανση μπορεί να προκαλέσει έκρηξη.
	EN	Heating may cause an explosion.
	FR	Peut exploser sous l'effet de la chaleur.
	GA	D'fhéadfadh téamh a bheith ina chúis le pléascadh.
	IT	Rischio di esplosione per riscaldamento.
	LV	Sakaršana var izraisīt eksploziju.
	LT	Kaitinant gali sprogti.
	HU	Hő hatására robbanhat.
	MT	It-tiżhin jista' jikkawża splużjoni.
	NL	Ontploffingsgevaar bij verwarming.
	PL	Ogrzanie grozi wybuchem.
	PT	Risco de explosão sob a acção do calor.
	RO	Pericol de explozie în caz de încălzire.

H240	Sprache	2.8 – Selbstzersetzliche Stoffe und Gemische, Typ A 2.15 – Organische Peroxide, Typ A
	SK	Zahrievanie môže spôsobiť výbuch.
	SL	Segrevanje lahko povzroči eksplozijo.
	FI	Räjähdysvaarallinen kuumennettaessa.
	SV	Explosivt vid uppvärmning.
H241	Sprache	2.8 – Selbstzersetzliche Stoffe und Gemische, Typ B 2.15 – Organische Peroxide, Typ B
	BG	Може да предизвика пожар или експлозия при нагряване.
	ES	Peligro de incendio o explosión en caso de calentamiento.
	CS	Zahřívání může způsobit požár nebo výbuch.
	DA	Brand- eller explosionsfare ved opvarmning.
	DE	Erwärmung kann Brand oder Explosion verursachen.
	ET	Kuumenemisel võib süttida või plahvatada.
	EL	Η θέρμανση μπορεί να προκαλέσει πυρκαγιά ή έκρηξη.
	EN	Heating may cause a fire or explosion.
	FR	Peut s'enflammer ou exploser sous l'effet de la chaleur.
	GA	D'fhéadfadh téamh a bheith ina chúis le dóiteán nó le pléascadh.
	IT	Rischio d'incendio o di esplosione per riscaldamento.
	LV	Sakaršana var izraisīt degšanu vai eksploziju.
	LT	Kaitinant gali sukelti gaisrą arba sprogti.
	HU	Hő hatására meggyulladhat vagy robbanhat.
	MT	It-tishin jista' jikkawza nar jew splużjoni.
	NL	Brand- of ontploffingsgevaar bij verwarming.
	PL	Ogrzanie może spowodować pożar lub wybuch.
	PT	Risco de explosão ou de incêndio sob a acção do calor.
	RO	Pericol de incendiu sau de explozie în caz de încălzire.
	SK	Zahrievanie môže spôsobiť požiar alebo výbuch.
	SL	Segrevanje lahko povzroči požar ali eksplozijo.
	FI	Räjähdys- tai palovaarallinen kuumennettaessa.
	SV	Brandfarligt eller explosivt vid uppvärmning.
H242	Sprache	2.8 – Selbstzersetzliche Stoffe und Gemische, Typen C, D, E, F 2.15 – Organische Peroxide, Typen C, D, E, F
	BG	Може да предизвика пожар при нагряване.
	ES	Peligro de incendio en caso de calentamiento.
	CS	Zahřívání může způsobit požár.
	DA	Brandfare ved opvarmning.
	DE	Erwärmung kann Brand verursachen.
	ET	Kuumenemisel võib süttida.

H242	Sprache	2.8 – Selbstzersetzliche Stoffe und Gemische, Typen C, D, E, F 2.15 – Organische Peroxide, Typen C, D, E, F
	EL	Η θέρμανση μπορεί να προκαλέσει πυρκαγιά.
	EN	Heating may cause a fire.
	FR	Peut s'enflammer sous l'effet de la chaleur.
	GA	D'fhéadfadh téamh a bheith ina chúis le dóiteán.
	IT	Rischio d'incendio per riscaldamento.
	LV	Sakaršana var izraisīt degšanu.
	LT	Kaitinant gali sukelti gaisrą.
	HU	Hő hatására meggyulladhat.
	MT	It-tishin jista' jikkawża nar.
	NL	Brandgevaar bij verwarming.
	PL	Ogrzanie może spowodować pożar.
	PT	Risco de incêndio sob a acção do calor.
	RO	Pericol de incendiu în caz de încălzire.
	SK	Zahrievanie môže spôsobiť požiar.
	SL	Segrevanje lahko povzroči požar.
	FI	Palovaarallinen kuumennettaessa.
	SV	Brandfarligt vid uppvärmning.
H250	Sprache	2.9 – Pyrophore Flüssigkeiten, Gefahrenkategorie 1 2.10 – Pyrophore Feststoffe, Gefahrenkategorie 1
	BG	Самозапалва се при контакт с въздух.
	ES	Se inflama espontáneamente en contacto con el aire.
	CS	Při styku se vzduchem se samovolně vznítí.
	DA	Selvantænder ved kontakt med luft.
	DE	Entzündet sich in Berührung mit Luft von selbst.
	ET	Kokkupuutel õhuga süttib iseenesest.
	EL	Αυταναφλέγεται εάν εκτεθεί στον αέρα.
	EN	Catches fire spontaneously if exposed to air.
	FR	S'enflamme spontanément au contact de l'air.
	GA	Téann trí thine go spontáineach má nochtar don aer.
	IT	Spontaneamente infiammabile all'aria.
	LV	Spontāni aizdegas saskarē ar gaisu.
	LT	Veikiami oro savaimė užsidega.
	HU	Levegővel érintkezve önmagától meggyullad.
	MT	Jiehu n-nar spontanjament jekk ikun espost għall-arja.
	NL	Vat spontaan vlam bij blootstelling aan lucht.
	PL	Zapala się samorzutnie w przypadku wystawienia na działanie powietrza.
	PT	Risco de inflamação espontânea em contacto com o ar.

H250	Sprache	2.9 – Pyrophore Flüssigkeiten, Gefahrenkategorie 1 2.10 – Pyrophore Feststoffe, Gefahrenkategorie 1
	RO	Se aprinde spontan, în contact cu aerul.
	SK	Pri kontakte so vzduchuom sa spontánne vznieti.
	SL	Samodejno se vžge na zraku.
	FI	Syttyy itsestään palamaan joutuessaan kosketuksiin ilman kanssa.
	SV	Spontanantänder vid kontakt med luft.
H251	Sprache	2.11 – Selbsterhitzungsfähige Stoffe und Gemische, Gefahrenkategorie 1
	BG	Самонагрывашо се: може да се запали.
	ES	Se calienta espontáneamente; puede inflamarse.
	CS	Samovolně se zahřívá: může se vznítit.
	DA	Selvopvarmende, kan selvantænde.
	DE	Selbsterhitzungsfähig; kann in Brand geraten.
	ET	Isekuumenev, võib süttida.
	EL	Αυτοθερμαίνεται: μπορεί να αναφλεγεί.
	EN	Self-heating; may catch fire.
	FR	Matière auto-échauffante; peut s'enflammer.
	GA	Féintéamh: d'fhéadfadh sé dul trí thine.
	IT	Autoriscaldante; può infiammarsi.
	LV	Pašsasilstošs; var aizdegties.
	LT	Savaime kaistančios, gali užsidegti.
	HU	Önmelegedő; meggyulladhat.
	MT	Jiſhon waħdu: jista' jieħu n-nar.
	NL	Vatbaar voor zelfverhitting; kan vlam vatten.
	PL	Substancja samonagrzewająca się: może się zapalić.
	PT	Susceptível de auto-aquecimento: risco de inflamação.
	RO	Se autoîncălzește, pericol de aprindere.
	SK	Samovol'ne sa zahrieva; môže sa vznietiť.
	SL	Samosegrevanje: lahko povzroči požar.
	FI	Itsestään kuumeneva; voi syttyä palamaan.
	SV	Självupphettande. Kan börja brinna.
H252	Sprache	2.11 – Selbsterhitzungsfähige Stoffe und Gemische, Gefahrenkategorie 2
	BG	Самонагрывашо се в големи количества; може да се запали.
	ES	Se calienta espontáneamente en grandes cantidades; puede inflamarse.
	CS	Ve velkém množství se samovolně zahřívá; může se vznítit.
	DA	Selvopvarmende i store mængder, kan selvantænde.
	DE	In großen Mengen selbsterhitzungsfähig; kann in Brand geraten.
	ET	Suurtes kogustes isekuumenev, võib süttida.

H252	Sprache	2.11 – Selbsterhitzungsfähige Stoffe und Gemische, Gefahrenkategorie 2
	EL	Σε μεγάλες ποσότητες αυτοθερμαίνεται: μπορεί να αναφλεγεί.
	EN	Self-heating in large quantities; may catch fire.
	FR	Matière auto-échauffante en grandes quantités; peut s'enflammer.
	GA	Féintéamh ina mhórchainníochtaí; d'fhéadfadh sé dul trí thine.
	IT	Autoriscaldante in grandi quantità; può infiammarsi.
	LV	Lielos apjomos pašasilstošs; var aizdegties.
	LT	Laikant dideliais kiekiais savaimė kaista, gali užsidegti.
	HU	Nagy mennyiségben önmelegedő; meggyulladhat.
	MT	Jiżhon waħdu f'kwantitajiet kbar; jista' jieħu n-nar.
	NL	In grote hoeveelheden vatbaar voor zelfverhitting; kan vlam vatten.
	PL	Substancja samonagrzewająca się w dużych ilościach; może się zapalić.
	PT	Susceptível de auto-aquecimento em grandes quantidades: risco de inflamação.
	RO	Se autoîncălzește, în cantități mari pericol de aprindere.
	SK	Vo veľkých množstvách sa samovoľne zahrieva; môže sa vznietiť.
	SL	Samosegrevanje v velikih količinah; lahko povzroči požar.
	FI	Suurina määrinä itsestään kuumeneva; voi syttyä palamaan.
	SV	Självpufftande i stora mängder. Kan börja brinna.
H260	Sprache	2.12 – Stoffe und Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln, Gefahrenkategorie 1
	BG	При контакт с вода отделя запалими газове, които могат да се самозапалят.
	ES	En contacto con el agua desprende gases inflamables que pueden inflamarse espontáneamente.
	CS	Při styku s vodou uvolňuje hořlavé plyny, které se mohou samovolně vznítit.
	DA	Ved kontakt med vand udvikles brandfarlige gasser, som kan selvantænde.
	DE	In Berührung mit Wasser entstehen entzündbare Gase, die sich spontan entzünden können.
	ET	Kokkupuutel veega eraldab tuleohtlikke gaase, mis võivad iseenesest süttida.
	EL	Σε επαφή με το νερό ελευθερώνει εύφλεκτα αέρια τα οποία μπορούν να αυτοαναφλεγούν.
	EN	In contact with water releases flammable gases which may ignite spontaneously.
	FR	Dégage au contact de l'eau des gaz inflammables qui peuvent s'enflammer spontanément.
	GA	I dteagmháil le huisce scaoiltear gáis inadhainte a d'fhéadfadh uathdhaint.
	IT	A contatto con l'acqua libera gas infiammabili che possono infiammarsi spontaneamente.
	LV	Nonākot saskarē ar ūdeni, izdala uzliesmojošas gāzes, kas var spontāni aizdegties.
	LT	Kontaktuodami su vandeniu išskiria degias dujas, kurios gali savaimė užsidegti.
	HU	Vízzel érintkezve öngyulladásra hajlamos tűzveszélyes gázokat bocsát ki.
	MT	Meta jmiss ma' l-ilma jerhi gassijiet li jaqbdu li jistgħu jieħdu n-nar spontanjament.
	NL	In contact met water komen ontvlambare gassen vrij die spontaan kunnen ontbranden.
	PL	W kontakcie z wodą uwalniają łatwopalne gazy, które mogą ulegać samozapaleniu.
	PT	Em contacto com a água liberta gases que se podem inflamar espontaneamente.

H260	Sprache	2.12 – Stoffe und Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln, Gefahrenkategorie 1
	RO	În contact cu apa degajă gaze inflamabile care se pot aprinde spontan.
	SK	Pri kontakte s vodou uvoľňuje horľavé plyny, ktoré sa môžu spontánne zapáliť.
	SL	V stiku z vodo se sproščajo vnetljivi plini, ki se lahko samodejno vžgejo.
	FI	Kehittää itsestään syttyviä kaasuja veden kanssa.
	SV	Vid kontakt med vatten utvecklas brandfarliga gaser som kan självantända.
H261	Sprache	2.12 – Stoffe und Gemische, die in Berührung mit Wasser entzündbare Gase entwickeln, Gefahrenkategorien 2 und 3
	BG	При контакт с вода отделя запалими газове.
	ES	En contacto con el agua desprende gases inflamables.
	CS	Při styku s vodou uvolňuje hořlavé plyny.
	DA	Ved kontakt med vand udvikles brandfarlige gasser.
	DE	In Berührung mit Wasser entstehen entzündbare Gase.
	ET	Kokkupuutel veega eraldab tuleohtlikke gaase.
	EL	Σε επαφή με το νερό ελευθερώνει εύφλεκτα αέρια.
	EN	In contact with water releases flammable gases.
	FR	Dégage au contact de l'eau des gaz inflammables.
	GA	I dteagmháil le huisce scaoiltear gáis inadhainte.
	IT	A contatto con l'acqua libera gas infiammabili.
	LV	Nonākot saskarē ar ūdeni, izdala uzliesmojošu gāzi.
	LT	Kontaktuodami su vandeniu išskiria degias dujas
	HU	Vízzel érintkezve tűzveszélyes gázokat bocsát ki.
	MT	Meta jmiss ma' l-ilma jerhi gassijiet li jaqbd.
	NL	In contact met water komen ontvlambare gassen vrij.
	PL	W kontakcie z wodą uwalnia łatwopalne gazy.
	PT	Em contacto com a água liberta gases inflamáveis.
	RO	În contact cu apa degajă gaze inflamabile.
	SK	Pri kontakte s vodou uvoľňuje horľavé plyny.
	SL	V stiku z vodo se sproščajo vnetljivi plini.
	FI	Kehittää syttyviä kaasuja veden kanssa.
	SV	Vid kontakt med vatten utvecklas brandfarliga gaser.
H270	Sprache	2.4 – Entzündend (oxidierend) wirkende Gase, Gefahrenkategorie 1
	BG	Може да предизвика или усилва пожар; окислител.
	ES	Puede provocar o agravar un incendio; comburente.
	CS	Může způsobit nebo zesílit požár; oxidant.
	DA	Kan forårsage eller forstærke brand, brandnærende.
	DE	Kann Brand verursachen oder verstärken; Oxidationsmittel.

H270	Sprache	2.4 – Entzündend (oxidierend) wirkende Gase, Gefahrenkategorie 1
	ET	Võib põhjustada süttimise või soodustada põlemist; oksüdeerija.
	EL	Μπορεί να προκαλέσει ή να αναζωπυρώσει πυρκαγιά· οξειδωτικό.
	EN	May cause or intensify fire; oxidiser.
	FR	Peut provoquer ou aggraver un incendie; comburant.
	GA	D'fhéadfadh sé a bheith ina chúis le tine nó cur le tine; ocsaídeoir.
	IT	Può provocare o aggravare un incendio; comburente.
	LV	Var izraisīt vai pastiprināt degšanu, oksidētājs.
	LT	Gali sukelti arba padidinti gaisrą, oksidatorius.
	HU	Tűzet okozhat vagy fokozhatja a tűz intenzitását, oxidáló hatású.
	MT	Jista' jikkawża jew iżid in-nar; ossidant.
	NL	Kan brand veroorzaken of bevorderen; oxiderend.
	PL	Może spowodować lub intensyfikować pożar; utleniacz.
	PT	Pode provocar ou agravar incêndios; comburente.
	RO	Poate provoca sau agrava un incendiu; oxidant.
	SK	Môže spôsobiť alebo prispieť k rozvoju požiaru; oxidačné činidlo.
	SL	Lahko povzroči ali okrepi požar; oksidativna snov.
	FI	Aiheuttaa tulipalon vaaran tai edistää tulipaloa; hapettava.
	SV	Kan orsaka eller intensifiera brand. Oxiderande.
H271	Sprache	2.13 – Oxidierende Flüssigkeiten, Gefahrenkategorie 1 2.14 – Oxidierende Feststoffe, Gefahrenkategorie 1
	BG	Може да предизвика пожар или експлозия; силен окислител.
	ES	Puede provocar un incendio o una explosión; muy comburente.
	CS	Může způsobit požár nebo výbuch; silný oxidant.
	DA	Kan forårsage brand eller eksplosion, stærkt brandnærende.
	DE	Kann Brand oder Explosion verursachen; starkes Oxidationsmittel.
	ET	Võib põhjustada süttimise või plahvatuse; tugev oksüdeerija.
	EL	Μπορεί να προκαλέσει πυρκαγιά ή έκρηξη· ισχυρό οξειδωτικό.
	EN	May cause fire or explosion; strong oxidiser.
	FR	Peut provoquer un incendie ou une explosion; comburant puissant.
	GA	D'fhéadfadh sé a bheith ina chúis le tine nó le pléascadh; an-ocsáideoir.
	IT	Può provocare un incendio o un'esplosione; molto comburente.
	LV	Var izraisīt degšanu vai eksploziju, oksidētājs.
	LT	Gali sukelti gaisrą arba sproginą, stiprus oksidatorius.
	HU	Tűzet vagy robbanást okozhat; erősen oxidáló hatású.
	MT	Jista' jikkawża nar jew splużjoni; ossidant qawwi.
	NL	Kan brand of ontploffingen veroorzaken; sterk oxiderend.
	PL	Może spowodować pożar lub wybuch; silny utleniacz.

H271	Sprache	2.13 – Oxidierende Flüssigkeiten, Gefahrenkategorie 1 2.14 – Oxidierende Feststoffe, Gefahrenkategorie 1
	PT	Risco de incêndio ou de explosão; muito comburente.
	RO	Poate provoca un incendiu sau o explozie; oxidant puternic.
	SK	Môže spôsobiť požiar alebo výbuch; silné oxidačné činidlo.
	SL	Lahko povzroči požar ali eksplozijo; močna oksidativna snov.
	FI	Aiheuttaa tulipalo- tai räjähdysvaaran; voimakkaasti hapettava.
	SV	Kan orsaka brand eller explosion. Starkt oxiderande.
H272	Sprache	2.13 – Oxidierende Flüssigkeiten, Gefahrenkategorien 2, 3 2.14 – Oxidierende Feststoffe, Gefahrenkategorien 2, 3
	BG	Може да усили пожара; окислител.
	ES	Puede agravar un incendio; comburente.
	CS	Může zesílit požár; oxidant.
	DA	Kan forstærke brand, brandnærende.
	DE	Kann Brand verstärken; Oxidationsmittel.
	ET	Võib soodustada põlemist; oksüdeerija.
	EL	Μπορεί να αναζωπυρώσει την πυρκαγιά· οξειδωτικό.
	EN	May intensify fire; oxidiser.
	FR	Peut aggraver un incendie; comburant.
	GA	D'fhéadfadh sé cur le tine; ocsaídeoir.
	IT	Può aggravare un incendio; comburente.
	LV	Var pastiprināt degšanu; oksidētājs.
	LT	Gali padidinti gaisrą, oksidatorius.
	HU	Fokozhatja a tűz intenzitását; oxidáló hatású.
	MT	Jista' jżid in-nar; ossidant.
	NL	Kan brand bevorderen; oxiderend.
	PL	Może intensyfikować pożar; utleniacz.
	PT	Pode agravar incêndios; comburente.
	RO	Poate agrava un incendiu; oxidant.
	SK	Môže prispieť k rozvoju požiaru; oxidačné činidlo.
	SL	Lahko okrepi požar; oksidativna snov.
	FI	Voi edistää tulipaloa; hapettava.
	SV	Kan intensifiera brand. Oxiderande.
H280	Sprache	2.5 – Gase unter Druck: Verdichtetes Gas Verflüssigtes Gas Gelöstes Gas
	BG	Съдържа газ под налягане; може да експлодира при нагряване.
	ES	Contiene gas a presión; peligro de explosión en caso de calentamiento.

H280	Sprache	2.5 – Gase unter Druck: Verdichtetes Gas Verflüssigtes Gas Gelöstes Gas
	CS	Obsahuje plyn pod tlakem; při zahřívání může vybuchnout.
	DA	Indeholder gas under tryk, kan eksplodere ved opvarmning.
	DE	Enthält Gas unter Druck; kann bei Erwärmung explodieren.
	ET	Sisaldab rõhu all olevat gaasi, kuumenemisel võib plahvatada.
	EL	Περιέχει αέριο υπό πίεση· εάν θερμανθεί, μπορεί να εκραγεί.
	EN	Contains gas under pressure; may explode if heated.
	FR	Contient un gaz sous pression; peut exploser sous l'effet de la chaleur.
	GA	Gás istigh ann, faoi bhrú; d'fhéadfadh sé pléascadh, má théitear.
	IT	Contiene gas sotto pressione; può esplodere se riscaldato.
	LV	Satur gāzi zem spiediena; karstumā var eksplodēt.
	LT	Turi slėgio veikiamų dujų, kaitinant gali sprogti.
	HU	Nyomás alatt lévő gázt tartalmaz; hő hatására robbanhat.
	MT	Fih gass taht pressjoni; jista' jisplodi jekk jissahhan.
	NL	Bevat gas onder druk; kan ontploffen bij verwarming.
	PL	Zawiera gaz pod ciśnieniem; ogrzanie grozi wybuchem.
	PT	Contém gás sob pressão; risco de explosão sob a ação do calor.
	RO	Conține un gaz sub presiune; pericol de explozie în caz de încălzire.
	SK	Obsahuje plyn pod tlakom, pri zahriatí môže vybuchnúť.
	SL	Vsebuje plin pod tlakom; segrevanje lahko povzroči eksplozijo.
	FI	Sisältää paineen allaista kaasua; voi räjähtää kuumennettaessa.
	SV	Innehåller gas under tryck. Kan explodera vid uppvärmning.
H281	Sprache	2.5 – Gase unter Druck: tiefgekühlt verflüssigtes Gas
	BG	Съдържа охладен газ; може да причини криогенни изгаряния или наранявания.
	ES	Contiene un gas refrigerado; puede provocar quemaduras o lesiones criogénicas.
	CS	Obsahuje zchlazený plyn; může způsobit omrzliny nebo poškození chladem.
	DA	Indeholder nedkølet gas, kan forårsage kuldeskader.
	DE	Enthält tiefkaltes Gas; kann Kälteverbrennungen oder -Verletzungen verursachen.
	ET	Sisaldab külmutatud gaasi; võib põhjustada külmapõletusi või -kahjustusi.
	EL	Περιέχει αέριο υπό ψύξη· μπορεί να προκαλέσει εγκαύματα ψύχους ή τραυματισμούς.
	EN	Contains refrigerated gas; may cause cryogenic burns or injury.
	FR	Contient un gaz réfrigéré; peut causer des brûlures ou blessures cryogéniques.
	GA	Gás cuisnithe istigh ann; d'fhéadfadh sé a bheith ina chúis le dónna criógineacha nó le díobháil chriógineach.
	IT	Contiene gas refrigerato; può provocare ustioni o lesioni criogeniche.
	LV	Satur atdzesētu gāzi; var radīt kriogēnus apdegumus vai ievainojumus.
	LT	Turi atšaldytų dujų, gali sukelti kriogeninius nušalimus arba pažeidimus.

H281	Sprache	2.5 – Gase unter Druck; tiefgekühlt verflüssigtes Gas
	HU	Mélyhűtött gázt tartalmaz; fagymarást vagy sérülést okozhat.
	MT	Fih gass imkessah; jista' jikkawza hruq jew dannu minn temperaturi baxxi.
	NL	Bevat sterk gekoeld gas; kan cryogene brandwonden of letsel veroorzaken.
	PL	Zawiera schłodzony gaz; może spowodować oparzenia kriogeniczne lub obrażenia.
	PT	Contém gás refrigerado; pode provocar queimaduras ou lesões criogénicas.
	RO	Conține un gaz răcit; poate cauza arsuri sau leziuni criogenice.
	SK	Obsahuje schladený plyn; môže spôsobiť kryogénne popáleniny alebo poranenia.
	SL	Vsebuje ohlajen utekočinjen plin; lahko povzroči ozebljine ali poškodbe.
	FI	Sisältää jäähdytettyä kaasua; voi aiheuttaa jäätymisvamman.
	SV	Innehåller kyld gas. Kan orsaka svåra köldskador.
H290	Sprache	2.16 – Auf Metalle korrosiv wirkend, Gefahrenkategorie 1
	BG	Може да бъде корозивно за металите.
	ES	Puede ser corrosivo para los metales.
	CS	Může být korozivní pro kovy.
	DA	Kan ætse metaller.
	DE	Kann gegenüber Metallen korrosiv sein.
	ET	Võib söövitada metalle.
	EL	Μπορεί να διαβρώσει μέταλλα.
	EN	May be corrosive to metals.
	FR	Peut être corrosif pour les métaux.
	GA	D'fhéadfadh sé a bheith creimneach do mhiotail.
	IT	Può essere corrosivo per i metalli.
	LV	Var kodīgi iedarboties uz metāliem.
	LT	Gali ēsdinti metalus.
	HU	Fémekre korrozív hatású lehet.
	MT	Jista' jkun korruziv għall-metalli.
	NL	Kan bijtend zijn voor metalen.
	PL	Może powodować korozję metali.
	PT	Pode ser corrosivo para os metais.
	RO	Poate fi corosiv pentru metale.
	SK	Môže byť korozívna pre kovy.
	SL	Lahko je jedko za kovine.
	FI	Voi syövyttää metalleja.
	SV	Kan vara korrosivt för metaller.

Tabelle 1.2

Gefahrenhinweise für Gesundheitsgefahren

H300	Sprache	3.1 – Akute Toxizität (oral), Gefahrenkategorien 1, 2
	BG	Смъртоносен при поглъщане.
	ES	Mortal en caso de ingestión.
	CS	Při požití může způsobit smrt.
	DA	Livsfarlig ved indtagelse.
	DE	Lebensgefahr bei Verschlucken.
	ET	Allaneelamisel surmav.
	EL	Θανατηφόρο σε περίπτωση κατάποσης.
	EN	Fatal if swallowed.
	FR	Mortel en cas d'ingestion.
	GA	Marfach má shlogtar.
	IT	Letale se ingerito.
	LV	Norijot iestājas nāve.
	LT	Mirtina prarijus.
	HU	Lenyelve halálos.
	MT	Fatali jekk jinbela'.
	NL	Dodelijk bij inslikken.
	PL	Pożkniecie grozi śmiercią.
	PT	Mortal por ingestão.
	RO	Mortal în caz de înghițire.
	SK	Smrteľný po požití.
	SL	Smrtno pri zaužitju.
	FI	Tappavaa nieltynä.
	SV	Dödligt vid förtäring.
H301	Sprache	3.1 – Akute Toxizität (oral), Gefahrenkategorie 3
	BG	Токсичен при поглъщане.
	ES	Tóxico en caso de ingestión.
	CS	Toxický při požití.
	DA	Giftig ved indtagelse.
	DE	Giftig bei Verschlucken.
	ET	Allaneelamisel mürgine.
	EL	Τοξικό σε περίπτωση κατάποσης.
	EN	Toxic if swallowed.
	FR	Toxique en cas d'ingestion.
	GA	Tocsaineach má shlogtar.

H301	Sprache	3.1 – Akute Toxizität (oral), Gefahrenkategorie 3
	IT	Tossico se ingerito.
	LV	Toksisks, ja norij.
	LT	Toksiška prarijus.
	HU	Lenyelve mérgező.
	MT	Tossiku jekk jinbela'.
	NL	Giftig bij inslikken.
	PL	Działa toksycznie po połknięciu.
	PT	Tóxico por ingestão.
	RO	Toxic în caz de înghițire.
	SK	Toxický po požití.
	SL	Strupeno pri zaužitju.
	FI	Myrkyllistä nieltynä.
	SV	Giftigt vid förtäring.
H302	Sprache	3.1 – Akute Toxizität (oral), Gefahrenkategorie 4
	BG	Вреден при поглъщане.
	ES	Nocivo en caso de ingestión.
	CS	Zdraví škodlivý při požití.
	DA	Farlig ved indtagelse.
	DE	Gesundheitsschädlich bei Verschlucken.
	ET	Allaneelamisel kahjulik.
	EL	Επιβλαβές σε περίπτωση κατάποσης.
	EN	Harmful if swallowed.
	FR	Nocif en cas d'ingestion.
	GA	Díobhálach má shlogtar.
	IT	Nocivo se ingerito.
	LV	Kaitīgs, ja norij.
	LT	Kenksminga prarijus.
	HU	Lenyelve ártalmas.
	MT	Jagħmel il-ħsara jekk jinbela'.
	NL	Schadelijk bij inslikken.
	PL	Działa szkodliwie po połknięciu.
	PT	Nocivo por ingestão.
	RO	Nociv în caz de înghițire.
	SK	Škodlivý po požití.
	SL	Zdravju škodljivo pri zaužitju.
	FI	Haitallista nieltynä.
	SV	Skadligt vid förtäring.

H304	Sprache	3.10 – Aspirationsgefahr, Gefahrenkategorie 1
	BG	Може да бъде смъртоносен при поглъщане и навлизане в дихателните пътища.
	ES	Puede ser mortal en caso de ingestión y penetración en las vías respiratorias.
	CS	Při požití a vniknutí do dýchacích cest může způsobit smrt.
	DA	Kan være livsfarligt, hvis det indtages og kommer i luftvejene.
	DE	Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.
	ET	Allaneelamisel või hingamisteedesse sattumisel võib olla surmav.
	EL	Μπορεί να προκαλέσει θάνατο σε περίπτωση κατάποσης και διείσδυσης στις αναπνευστικές οδούς.
	EN	May be fatal if swallowed and enters airways.
	FR	Peut être mortel en cas d'ingestion et de pénétration dans les voies respiratoires.
	GA	D'fhéadfadh sé a bheith marfach má shlogtar é agus má théann sé isteach sna haerbhealaí.
	HU	Lenyelve és a légutakba kerülve halálos lehet.
	IT	Può essere letale in caso di ingestione e di penetrazione nelle vie respiratorie.
	LV	Var izraisīt nāvi, ja norij vai iekļūst elpceļos.
	LT	Prarijus ir patekus į kvėpavimo takus, gali sukelti mirtį.
	MT	Jista' jkun fatali jekk jinbela' u jidhol fil-pajpijiet tan-nifs.
	NL	Kan dodelijk zijn als de stof bij inslikken in de luchtwegen terecht komt.
	PL	Połknięcie i dostanie się przez drogi oddechowe może grozić śmiercią.
	PT	Pode ser mortal por ingestão e penetração nas vias respiratórias.
	RO	Poate fi mortal în caz de înghițire și de pătrundere în căile respiratorii.
	SK	Môže byť smrteľný po požití a vniknutí do dýchacích ciest.
	SL	Pri zaužitju in vstopu v dihalne poti je lahko smrtno.
	FI	Voi olla tappavaa nieltynä ja joutuessaan hengitysteihin.
	SV	Kan vara dödligt vid förtäring om det kommer ner i luftvägarna.
H310	Sprache	3.1 – Akute Toxizität (dermal), Gefahrenkategorien 1, 2
	BG	Смъртоносен при контакт с кожата.
	ES	Mortal en contacto con la piel.
	CS	Při styku s kůží může způsobit smrt.
	DA	Livsfarlig ved hudkontakt.
	DE	Lebensgefahr bei Hautkontakt.
	ET	Nahale sattumisel surmav.
	EL	Θανατηφόρο σε επαφή με το δέρμα.
	EN	Fatal in contact with skin.
	FR	Mortel par contact cutané.
	GA	Marfach i dteagmháil leis an gcráiceann.
	HU	Bőrrel érintkezve halálos.
	IT	Letale per contatto con la pelle.

H310	Sprache	3.1 – Akute Toxizität (dermal), Gefahrenkategorien 1, 2
	LV	Nonākot saskarē ar ādu, iestājas nāve.
	LT	Mirtina susilietus su oda.
	MT	Fatali jekk imiss mal-ġilda.
	NL	Dodelijk bij contact met de huid.
	PL	Grozi śmiercią w kontakcie ze skórą.
	PT	Mortal em contacto com a pele.
	RO	Mortal în contact cu pielea.
	SK	Smrteľný pri kontakte s pokožkou.
	SL	Smrtno v stiku s kožo.
	FI	Tappavaa joutuessaan iholle.
	SV	Dödligt vid hudkontakt.
H311	Sprache	3.1 – Akute Toxizität (dermal), Gefahrenkategorie 3
	BG	Токсичен при контакт с кожата.
	ES	Tóxico en contacto con la piel.
	CS	Toxický při styku s kůží.
	DA	Giftig ved hudkontakt.
	DE	Giftig bei Hautkontakt.
	ET	Nahale sattumisel mürgine.
	EL	Τοξικό σε επαφή με το δέρμα.
	EN	Toxic in contact with skin.
	FR	Toxique par contact cutané.
	GA	Tocsaineach i dteagmháil leis an gcráiceann.
	IT	Tossico per contatto con la pelle.
	LV	Toksisks, ja nonāk saskarē ar ādu.
	LT	Toksiška susilietus su oda.
	HU	Bőrrel érintkezve mérgező.
	MT	Tossiku meta jmiss mal-ġilda.
	NL	Giftig bij contact met de huid.
	PL	Działa toksycznie w kontakcie ze skórą.
	PT	Tóxico em contacto com a pele.
	RO	Toxic în contact cu pielea.
	SK	Toxický pri kontakte s pokožkou.
	SL	Strupeno v stiku s kožo.
	FI	Myrkyllistä joutuessaan iholle.
	SV	Giftigt vid hudkontakt.

H312	Sprache	3.1 – Akute Toxizität (dermal), Gefahrenkategorie 4
	BG	Вреден при контакт с кожата.
	ES	Nocivo en contacto con la piel.
	CS	Zdraví škodlivý při styku s kůží.
	DA	Farlig ved hudkontakt.
	DE	Gesundheitsschädlich bei Hautkontakt.
	ET	Nahale sattumisel kahjulik.
	EL	Επιβλαβές σε επαφή με το δέρμα.
	EN	Harmful in contact with skin.
	FR	Nocif par contact cutané.
	GA	Díobhálach i dteagmháil leis an gcráiceann.
	IT	Nocivo per contatto con la pelle.
	LV	Kaitīgs, ja nonāk saskarē ar ādu.
	LT	Kenksminga susilietus su oda.
	HU	Bőrrel érintkezve ártalmas.
	MT	Jagħmel il-hsara meta jmiss mal-ġilda.
	NL	Schadelijk bij contact met de huid.
	PL	Działa szkodliwie w kontakcie ze skórą.
	PT	Nocivo em contacto com a pele.
	RO	Nociv în contact cu pielea.
	SK	Škodlivý pri kontakte s pokožkou.
	SL	Zdravju škodljivo v stiku s kožo.
	FI	Haitallista joutuessaan iholle.
	SV	Skadligt vid hudkontakt.
H314	Sprache	3.2 – Verätzung/Reizung der Haut, Gefahrenkategorien 1A, 1B, 1C
	BG	Причинява тежки изгаряния на кожата и сериозно увреждане на очите.
	ES	Provoca quemaduras graves en la piel y lesiones oculares graves.
	CS	Způsobuje těžké poleptání kůže a poškození očí.
	DA	Forårsager svære forbrændinger af huden og øjenskader.
	DE	Verursacht schwere Verätzungen der Haut und schwere Augenschäden.
	ET	Põhjustab rasket nahasöövitust ja silmakahjustusi.
	EL	Προκαλεί σοβαρά δερματικά εγκαύματα και οφθαλμικές βλάβες.
	EN	Causes severe skin burns and eye damage.
	FR	Provoque des brûlures de la peau et des lésions oculaires graves.
	GA	Ina chúis le dónna tromchúiseacha craicinn agus le damáiste don tsúil.
	IT	Provoca gravi ustioni cutanee e gravi lesioni oculari.
	LV	Izraisa smagus ādas apdegumus un acu bojājumus.

H314	Sprache	3.2 – Verätzung/Reizung der Haut, Gefahrenkategorien 1A, 1B, 1C
	LT	Smarkiai nudegina odą ir pažeidžia akis.
	HU	Súlyos égési sérülést és szemkárosodást okoz.
	MT	Jagħmel hruq serju lill-ġilda u hsara lill-ġhajnejn.
	NL	Veroorzaakt ernstige brandwonden en oogletsel.
	PL	Powoduje poważne oparzenia skóry oraz uszkodzenia oczu .
	PT	Provoca queimaduras na pele e lesões oculares graves.
	RO	Provoacă arsuri grave ale pielii și lezarea ochilor.
	SK	Spôsobuje vážne poleptanie kože a poškodenie očí.
	SL	Povzroča hude opekline kože in poškodbe oči.
	FI	Voimakkaasti ihoa syövyttävää ja silmiä vaurioittavaa.
	SV	Orsakar allvarliga frätskador på hud och ögon.
H315	Sprache	3.2 – Verätzung/Reizung der Haut, Gefahrenkategorie 2
	BG	Предиизвиква дразнене на кожата.
	ES	Provoca irritación cutánea.
	CS	Dráždí kůži.
	DA	Forårsager hudirritation.
	DE	Verursacht Hautreizungen.
	ET	Põhjustab nahaärritust.
	EL	Προκαλεί ερεθισμό του δέρματος.
	EN	Causes skin irritation.
	FR	Provoque une irritation cutanée.
	GA	Ina chúis le greannú craicinn.
	IT	Provoca irritazione cutanea.
	LV	Kairina ādu.
	LT	Dirgina odą.
	HU	Bőrirritáló hatású.
	MT	Jagħmel irritazzjoni tal-ġilda.
	NL	Veroorzaakt huidirritatie.
	PL	Działa drażniąco na skórę.
	PT	Provoca irritação cutânea.
	RO	Provoacă iritarea pielii.
	SK	Dráždi kožu.
	SL	Povzroča draženje kože.
	FI	Ärsyttää ihoa.
	SV	Irriterar huden.

H317	Sprache	3.4 – Sensibilisierung — Haut, Gefahrenkategorie 1
	BG	Може да причини алергична кожна реакция.
	ES	Puede provocar una reacción alérgica en la piel.
	CS	Může vyvolat alergickou kožní reakci.
	DA	Kan forårsage allergisk hudreaktion.
	DE	Kann allergische Hautreaktionen verursachen.
	ET	Võib põhjustada allergilist nahareaktsiooni.
	EL	Μπορεί να προκαλέσει αλλεργική δερματική αντίδραση.
	EN	May cause an allergic skin reaction.
	FR	Peut provoquer une allergie cutanée.
	GA	D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach craicinn.
	IT	Può provocare una reazione allergica cutanea.
	LV	Var izraisīt alerģisku ādas reakciju.
	LT	Gali sukelti alerginę odos reakciją.
	HU	Allergiás bőrreakciót válthat ki.
	MT	Jista' jikkawża reazzjoni allergika tal-ġilda.
	NL	Kan een allergische huidreactie veroorzaken.
	PL	Może powodować reakcję alergiczną skóry.
	PT	Pode provocar uma reacção alérgica cutânea.
	RO	Poate provoca o reacție alergică a pielii.
	SK	Môže vyvolať alergickú kožnú reakciu.
	SL	Lahko povzroči alergijski odziv kože.
	FI	Voi aiheuttaa allergisen ihoreaktion.
	SV	Kan orsaka allergisk hudreaktion.
H318	Sprache	3.3 – Schwere Augenschädigung/-reizung, Gefahrenkategorie 1
	BG	Предизвиква сериозно увреждане на очите.
	ES	Provoca lesiones oculares graves.
	CS	Způsobuje vážné poškození očí.
	DA	Forårsager alvorlig øjenskade.
	DE	Verursacht schwere Augenschäden.
	ET	Põhjustab raskeid silmakahjustusi.
	EL	Προκαλεί σοβαρή οφθαλμική βλάβη.
	EN	Causes serious eye damage.
	FR	Provoque des lésions oculaires graves.
	GA	Ina chúis le damáiste tromchúiseach don tsúil.
	IT	Provoca gravi lesioni oculari.
	LV	Izraisa nopietnus acu bojājumus.

H318	Sprache	3.3 – Schwere Augenschädigung/-reizung, Gefahrenkategorie 1
	LT	Smarkiai pažeidžia akis.
	HU	Súlyos szemkárosodást okoz.
	MT	Jagħmel hsara serja lill-għajnejn.
	NL	Veroorzaakt ernstig oogletsel.
	PL	Powoduje poważne uszkodzenie oczu.
	PT	Provoca lesões oculares graves.
	RO	Provoacă leziuni oculare grave.
	SK	Spôsobuje vážne poškodenie očí.
	SL	Povzroča hude poškodbe oči.
	FI	Vaurioittaa vakavasti silmiä.
	SV	Orsakar allvarliga ögonskador.
H319	Sprache	3.3 – Schwere Augenschädigung/-reizung, Gefahrenkategorie 2
	BG	Предизвиква сериозно дразнене на очите.
	ES	Provoca irritación ocular grave.
	CS	Způsobuje vážné podráždění očí.
	DA	Forårsager alvorlig øjenirritation.
	DE	Verursacht schwere Augenreizung.
	ET	Põhjustab tugevat silmade ärritust.
	EL	Προκαλεί σοβαρό οφθαλμικό ερεθισμό.
	EN	Causes serious eye irritation.
	FR	Provoque une sévère irritation des yeux.
	GA	Ina chúis le greannú tromchúiseach don tsúil.
	IT	Provoca grave irritazione oculare.
	LV	Izraisa nopietnu acu kairinājumu.
	LT	Sukelia smarkų akių dirginimą.
	HU	Súlyos szemirritációt okoz.
	MT	Jagħmel irritazzjoni serja lill-għajnejn.
	NL	Veroorzaakt ernstige oogirritatie.
	PL	Działa drażniąco na oczy.
	PT	Provoca irritação ocular grave.
	RO	Provoacă o iritare gravă a ochilor.
	SK	Spôsobuje vážne podráždenie očí.
	SL	Povzroča hudo draženje oči.
	FI	Ärsyttää voimakkaasti silmiä.
	SV	Orsakar allvarlig ögonirritation.

H330	Sprache	3.1 – Akute Toxizität (inhalativ), Gefahrenkategorien 1, 2
	BG	Смъртоносен при вдишване.
	ES	Mortal en caso de inhalación.
	CS	Při vdechování může způsobit smrt.
	DA	Livsfarlig ved indånding.
	DE	Lebensgefahr bei Einatmen.
	ET	Sissehingamisel surmav.
	EL	Θανατηφόρο σε περίπτωση εισπνοής.
	EN	Fatal if inhaled.
	FR	Mortel par inhalation.
	GA	Marfach má ionanálaítear.
	IT	Letale se inalato.
	LV	Ieelpojot, iestājas nāve.
	LT	Mirtina įkvėpus.
	HU	Belélegezve halálos.
	MT	Fatali jekk jinxtamm.
	NL	Dodelijk bij inademing.
	PL	Wdychanie grozi śmiercią.
	PT	Mortal por inalação.
	RO	Mortal în caz de inhalare.
	SK	Smrteľný pri vdýchnutí.
	SL	Smrtno pri vdihavanju.
	FI	Tappavaa hengitettynä.
	SV	Dödligt vid inandning.
H331	Sprache	3.1 – Akute Toxizität (inhalativ), Gefahrenkategorie 3
	BG	Токсичен при вдишване.
	ES	Tóxico en caso de inhalación.
	CS	Toxický při vdechování.
	DA	Giftig ved indånding.
	DE	Giftig bei Einatmen.
	ET	Sissehingamisel mürgine.
	EL	Τοξικό σε περίπτωση εισπνοής.
	EN	Toxic if inhaled.
	FR	Toxique par inhalation.
	GA	Tocsaineach má ionanálaítear.
	IT	Tossico se inalato.
	LV	Toksisks ieelpojot.

H331	Sprache	3.1 – Akute Toxizität (inhalativ), Gefahrenkategorie 3
	LT	Toksiška įkvėpus.
	HU	Belélegezve mérgező.
	MT	Tossiku jekk jinxtamm.
	NL	Giftig bij inademing.
	PL	Działa toksycznie w następstwie wdychania.
	PT	Tóxico por inalação.
	RO	Toxic în caz de inhalare.
	SK	Toxický pri vdýchnutí.
	SL	Strupeno pri vdihavanju.
	FI	Myrkyllistä hengitettynä.
	SV	Giftigt vid inandning.
H332	Sprache	3.1 – Akute Toxizität (inhalativ), Gefahrenkategorie 4
	BG	Вреден при вдишване.
	ES	Nocivo en caso de inhalación.
	CS	Zdraví škodlivý při vdechování.
	DA	Farlig ved indånding.
	DE	Gesundheitsschädlich bei Einatmen.
	ET	Sissehingamisel kahjulik.
	EL	Επιβλαβές σε περίπτωση εισπνοής.
	EN	Harmful if inhaled.
	FR	Nocif par inhalation.
	GA	Díobhálach má ionanálaítear.
	IT	Nocivo se inalato.
	LV	Kaitīgs ieelpojot.
	LT	Kenksminga įkvėpus.
	HU	Belélegezve ártalmas.
	MT	Jagħmel il-hsara jekk jinxtamm.
	NL	Schadelijk bij inademing.
	PL	Działa szkodliwie w następstwie wdychania.
	PT	Nocivo por inalação.
	RO	Nociv în caz de inhalare.
	SK	Škodlivý pri vdýchnutí.
	SL	Zdravju škodljivo pri vdihavanju.
	FI	Haitallista hengitettynä.
	SV	Skadligt vid inandning.

H334	Sprache	3.4 – Sensibilisierung — Atemwege, Gefahrenkategorie 1
	BG	Може да причини алергични или астматични симптоми или затруднения в дишането при вдишване.
	ES	Puede provocar síntomas de alergia o asma o dificultades respiratorias en caso de inhalación.
	CS	Při vdechování může vyvolat příznaky alergie nebo astmatu nebo dýchací potíže.
	DA	Kan forårsage allergi- eller astmasymptomer eller åndedrætsbesvær ved indånding.
	DE	Kann bei Einatmen Allergie, asthmaartige Symptome oder Atembeschwerden verursachen.
	ET	Sissehingamisel võib põhjustada allergia- või astma sümptomeid või hingamisraskusi.
	EL	Μπορεί να προκαλέσει αλλεργία ή συμπτώματα άσθματος ή δύσπνοια σε περίπτωση εισπνοής.
	EN	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	FR	Peut provoquer des symptômes allergiques ou d'asthme ou des difficultés respiratoires par inhalation.
	GA	D'fhéadfadh sé a bheith ina chúis le siomptóim ailléirge nó asma nó le deacrachtaí anáilthe má ionanálaítear é.
	IT	Può provocare sintomi allergici o asmatici o difficoltà respiratorie se inalato.
	LV	Ja ieelpo, var izraisīt alerģiju vai astmas simptomus, vai apgrūtināt elpošanu.
	LT	Įkvėpus gali sukelti alerginę reakciją, astmos simptomus arba apsunkinti kvėpavimą.
	HU	Belélegezve allergiás és asztmás tüneteket, és nehéz légzést okozhat.
	MT	Jista' jikkawża sintomi ta' allergija jew ta' azma jew diffikultajiet biex jittiehed in-nifs jinxamm.
	NL	Kan bij inademing allergie- of astmasymptomen of ademhalingsmoeilijkheden veroorzaken.
	PL	Może powodować objawy alergii lub astmy lub trudności w oddychaniu w następstwie wdychania.
	PT	Quando inalado, pode provocar sintomas de alergia ou de asma ou dificuldades respiratórias.
	RO	Poate provoca simptome de alergie sau astm sau dificultăți de respirație în caz de inhalare.
	SK	Pri vdýchnutí môže vyvolať alergiu alebo príznaky astmy, alebo dýchacie ťažkosti.
	SL	Lahko povzroči simptome alergije ali astme ali težave z dihanjem pri vdihavanju.
	FI	Voi aiheuttaa hengitettynä allergia- tai astmaoireita tai hengitysvaikeuksia.
	SV	Kan orsaka allergi- eller astmasymtom eller andningssvårigheter vid inandning.
H335	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3, Atemwegsreizung
	BG	Може да предизвика дразнене на дихателните пътища.
	ES	Puede irritar las vías respiratorias.
	CS	Může způsobit podráždění dýchacích cest.
	DA	Kan forårsage irritation af luftvejene.
	DE	Kann die Atemwege reizen.
	ET	Võib põhjustada hingamisteede ärritust.
	EL	Μπορεί να προκαλέσει ερεθισμό της αναπνευστικής οδού.
	EN	May cause respiratory irritation.
	FR	Peut irriter les voies respiratoires.

H335	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3, Atemwegsreizung
	GA	D'fhéadfadh sé a bheith ina chúis le greannú riospráide.
	IT	Può irritare le vie respiratorie.
	LV	Var izraisīt elpceļu kairinājumu.
	LT	Gali dirginti kvėpavimo takus.
	HU	Légúti irritációt okozhat.
	MT	Jista' jikkawża irritazzjoni respiratorja.
	NL	Kan irritatie van de luchtwegen veroorzaken.
	PL	Może powodować podrażnienie dróg oddechowych.
	PT	Pode provocar irritação das vias respiratórias.
	RO	Poate provoca iritarea căilor respiratorii.
	SK	Môže spôsobiť podráždenie dýchacích ciest.
	SL	Lahko povzroči draženje dihalnih poti.
	FI	Saattaa aiheuttaa hengitysteiden ärsytystä.
	SV	Kan orsaka irritation i luftvägarna.
H336	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3, betäubende Wirkungen
	BG	Може да предизвика сънливост или световъртеж.
	ES	Puede provocar somnolencia o vértigo.
	CS	Může způsobit ospalost nebo závrať.
	DA	Kan forårsage sløvhed eller svimmelhed.
	DE	Kann Schläfrigkeit und Benommenheit verursachen.
	ET	Võib põhjustada unisust või peapööritust.
	EL	Μπορεί να προκαλέσει υπνηλία ή ζάλη.
	EN	May cause drowsiness or dizziness.
	FR	Peut provoquer somnolence ou vertiges.
	GA	D'fhéadfadh sé a bheith ina chúis le codlatacht nó le meadhrán.
	IT	Può provocare sonnolenza o vertigini.
	LV	Var izraisīt miegainību vai reiboņus.
	LT	Gali sukelti mieguistumą arba galvos svaigimą.
	HU	Álmosságot vagy szédülést okozhat.
	MT	Jista' jikkawża hedla jew sturdament.
	NL	Kan slaperigheid of duizeligheid veroorzaken.
	PL	Może wywoływać uczucie senności lub zawroty głowy.
	PT	Pode provocar sonolência ou vertigens.
	RO	Poate provoca somnolență sau amețeață.
	SK	Môže spôsobiť ospalosť alebo závraty.
	SL	Lahko povzroči zaspanost ali omotico.

H336	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3, betäubende Wirkungen
	FI	Saattaa aiheuttaa uneliaisuutta ja huimausta.
	SV	Kan göra att man blir däsigt eller omtöcknad.
H340	Sprache	3.5 – Keimzell-Mutagenität, Gefahrenkategorien 1A, 1B
	BG	Може да причини генетични дефекти < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Puede provocar defectos genéticos <Indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía >.
	CS	Může vyvolat genetické poškození <uveďte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Kan forårsage genetiske defekter <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann genetische Defekte verursachen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Võib põhjustada geneetilisi defekte <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Μπορεί να προκαλέσει γενετικά ελαττώματα < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.
	EN	May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Peut induire des anomalies génétiques <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	D'fhéadfadh sé a bheith ina chúis le héalanga géiniteacha <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an ngnais>.
	IT	Può provocare alterazioni genetiche <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Var izraisīt ģenētiskus bojājumus <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Gali sukelti genetinius defektus <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Genetikai károsodást okozhat < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Jista' jikkawża difetti ġenetiċi <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>.
	NL	Kan genetische schade veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Może powodować wady genetyczne <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.
	PT	Pode provocar anomalias genéticas <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Poate provoca anomalii genetice <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Môže spôsobovať genetické poškodenie <uveďte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Lahko povzroči genetske okvare <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Saattaa aiheuttaa perimävaurioita <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Kan orsaka genetiska defekter <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.

H341	Sprache	3.5 – Keimzell-Mutagenität, Gefahrenkategorie 2
	BG	Предполага се, че причинява генетични дефекти < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Se sospecha que provoca defectos genéticos <Indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Podežrení na genetické poškození <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Mistænkt for at forårsage genetiske defekter <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann vermutlich genetische Defekte verursachen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Arvatavasti põhjustab geneetilisi defekte <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Υποπτο για πρόκληση γενετικών ελαττωμάτων <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Susceptible d'induire des anomalies génétiques <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	Ceaptar go bhféadfadh sé a bheith ina chúis le héalanga géiniteacha <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an ngnais>.
	IT	Sospettato di provocare alterazioni genetiche <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Ir aizdomas, ka var izraisīt ģenētiskus bojājumus <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Įtariama, kad gali sukelti genetinius defektus <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Feltehetően genetikai károsodást okoz < meg kell adni az expozíciós útvonalat, ha meggyőződen bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Suspettat li jikkawża difetti ġenetiċi <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.
	NL	Verdacht van het veroorzaken van genetische schade <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Podjejrza się, że powoduje wady genetyczne <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.
	PT	Suspeito de provocar anomalias genéticas <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Susceptibil de a provoca anomalii genetice < indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Podozrenie, že spôsobuje genetické poškodenie <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Sum povzročitve genetskih okvar <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Epäillään aiheuttavan perimävaurioida <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Misstänks kunna orsaka genetiska defekter <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H350	Sprache	3.6 – Karzinogenität, Gefahrenkategorie 1A, 1B
	BG	Може да причини рак < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Puede provocar cáncer <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.

H350	Sprache	3.6 – Karzinogenität, Gefahrenkategorie 1A, 1B
	CS	Může vyvolat rakovinu <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Kan fremkalde kræft <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann Krebs erzeugen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Võib põhjustada vähktõbe <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Μπορεί να προκαλέσει καρκίνο <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Peut provoquer le cancer <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	D'fhéadfadh sé a bheith ina chúis le hailse <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.
	IT	Può provocare il cancro<indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Var izraisīt vēzi <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Gali sukelti vėžį <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Rákot okozhat < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Jista' jikkawża l-kanċer <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.
	NL	Kan kanker veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>
	PL	Może powodować raka <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.
	PT	Pode provocar cancro <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Poate provoca cancer <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Môže spôsobiť rakovinu <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Lahko povzroči raka <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Saattaa aiheuttaa syöpää <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Kan orsaka cancer <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H351	Sprache	3.6 – Karzinogenität, Gefahrenkategorie 2
	BG	Предполага се, че причинява рак < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Se sospecha que provoca cáncer <indíquese la vía de exposición si se se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Podežření na vyvolání rakoviny <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.

H351	Sprache	3.6 – Karzinogenität, Gefahrenkategorie 2
	DA	Mistænkt for at fremkalde kræft <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann vermutlich Krebs erzeugen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Arvatavasti põhjustab vähktõbe <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Υποπτο για πρόκληση καρκίνου <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of exposure cause the hazard>.
	FR	Susceptible de provoquer le cancer <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	Ceaptar go bhféadfadh sé a bheith ina chúis le hailse <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an ngnais>.
	IT	Sospettato di provocare il cancro <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Ir aizdomas, ka var izraisīt vēzi <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Įtariama, kad sukelia vėžį <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Feltehetően rákot okoz < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Suspettat li jikkawża l-kanċer <ara l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu >.
	NL	Verdacht van het veroorzaken van kanker <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Podejrzewa się, że powoduje raka <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.
	PT	Suspeito de provocar cancro <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Susceptibil de a provoca cancer <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Podозrenie, že spôsobuje rakovinu <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Sum povzročitve raka <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Epäillään aiheuttavan syöpää <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Misstänks kunna orsaka cancer <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H360	Sprache	3.7 – Reproduktionstoxizität, Gefahrenkategorien 1A, 1B
	BG	Може да увреди оплоднителната способност или плода < да се посочи конкретното въздействие, ако е известно > < да се посочи пътят на експозицията, ако е доказано убедително, че нята друг път на експозиция, който води до същата опасност >.
	ES	Puede perjudicar la fertilidad o dañar al feto <indíquese el efecto específico si se conoce> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Může poškodit reprodukční schopnost nebo plod v těle matky <uvedte specifický účinek, je-li znám> <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.

H360	Sprache	3.7 – Reproduktionstoxizität, Gefahrenkategorien 1A, 1B
	DA	Kan skade forplantningsevnen eller det ufødte barn <angiv specifik effekt, hvis kendt> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen <konkrete Wirkung angeben, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Võib kahjustada viljakust või loodet <märkida spetsiifiline toime, kui see on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Μπορεί να βλάψει τη γονιμότητα ή το έμβρυο <αναφέρεται η ειδική επίπτωση εάν είναι γνωστή> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Peut nuire à la fertilité ou au fœtus <indiquer l'effet spécifique s'il est connu> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	D'fhéadfadh sé damáiste a dhéanamh do thorthúlacht nó don leanbh sa bhroinn <tabhair an tsainéifeacht más eol > <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.
	IT	Può nuocere alla fertilità o al feto <indicare l'effetto specifico, se noto><indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Var kaitēt auglībai vai nedzimušajam bērnam <norādīt īpašo ietekmi, ja tā ir zināma> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Gali pakenkti vaisingumui arba negimusiam vaikui <nurodyti konkretų poveikį, jeigu žinomas> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Károsíthatja a termékenységet vagy a születendő gyermeket < ha ismert, meg kell adni a konkrét hatást > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Jista' jagħmel hsara lill-fertilità jew lit-tarbija li għadha fil-ġuf <semmi l-effett speċifiku jekk ikun magħruf> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>.
	NL	Kan de vruchtbaarheid of het ongeboren kind schaden <specifiek effect vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Może działać szkodliwie na płodność lub na dziecko w łonie matki <podać szczególniey skutek, jeżeli jest znany> <podać drogę narażenia, jeżeli definitywnie udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.
	PT	Pode afectar a fertilidade ou o nascituro <indicar o efeito específico se este for conhecido> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Poate dăuna fertilității sau fătului <indicați efectul specific, dacă este cunoscut><indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Môže spôsobiť poškodenie plodnosti alebo nenarodeného dieťaťa <uvedte konkrétny účinok, ak je známy > <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Lahko škoduje plodnosti ali nerojenemu otroku <navesti posebni učinek, če je znan> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Saattaa heikentää hedelmällisyyttä tai vaurioittaa sikiötä <mainitaan tiedetty spesifinen vaikutus> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Kan skada fertiliteten eller det ofödda barnet <ange specifik effekt om denna är känd> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.

H361	Sprache	3.7 – Reproduktionstoxizität, Gefahrenkategorie 2
	BG	Предполага се, че уврежда оплодителната способност или плода < да се посочи конкретното въздействие, ако е известно > < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Se sospecha que perjudica la fertilidad o daña al feto <indíquese el efecto específico si se conoce> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Podezření na poškození reprodukční schopnosti nebo plodu v těle matky <uveďte specifický účinek, je-li znám> <uveďte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Mistænkt for at skade forplantningsevnen eller det ufødte barn <angiv specifik effekt, hvis kendt> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann vermutlich die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen < konkrete Wirkung angeben, sofern bekannt > <Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht>
	ET	Arvatavasti kahjustab viljakust või loodet <märkida spetsiifiline toime, kui see on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Υποπτο για πρόκληση βλάβης στη γονιμότητα ή στο έμβρυο <αναφέρεται η ειδική επίπτωση εάν είναι γνωστή> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Susceptible de nuire à la fertilité ou au fœtus <indiquer l'effet s'il est connu> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	Ceaptar go bhféadfadh sé damáiste a dhéanamh do thorthúlacht nó don leanbh sa bhroinn <tabhair an tsainéifeacht más eol > <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.
	IT	Sospettato di nuocere alla fertilità o al feto <indicare l'effetto specifico, se noto> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Ir aizdomas, ka var kaitēt auglībai vai nedzimušajam bērnam <norādīt īpašo ietekmi, ja tā ir zināma> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Įtariama, kad kenkia vaisingumui arba negimusiam vaikui <nurodyti konkretų poveikį, jeigu žinomas> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Feltehetően károsítja a termékenységet vagy a születendő gyermeket < ha ismert, meg kell adni a konkrét hatást > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Suspettat li jagħmel hsara lill-fertilità jew lit-tarbija li għadha fil-guġ <semmi l-effett specifiku jekk ikun magħruf> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu >.
	NL	Kan mogelijk de vruchtbaarheid of het ongeboren kind schaden <specifiek effect vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Podjezwewa się, że działa szkodliwie na płodność lub na dziecko w łonie matki <podać szczególnie skutek, jeżeli jest znany> <podać drogę narażenia, jeżeli definitywnie udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.
	PT	Suspeito de afectar a fertilidade ou o nascituro <indicar o efeito específico se este for conhecido> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Susceptibil de a dauna fertilității sau fătului <indicați efectul specific, dacă este cunoscut><indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Podozrenie, že spôsobuje poškodenie plodnosti alebo nenarodeného dieťaťa <uveďte konkrétny účinok, ak je známy > <uveďte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.

H361	Sprache	3.7 – Reproduktionstoxizität, Gefahrenkategorie 2
	SL	Sum škodljivosti za plodnost ali nerojenega otroka <navesti posebni učinek, če je znan> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Epäillään heikentävän hedelmällisyyttä tai vaurioittavan sikiötä <mainitaan tiedetty spesifinen vaikutus> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Misstänks kunna skada fertiliteten eller det ofödda barnet <ange specifik effekt om denna är känd> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H362	Sprache	3.7 – Reproduktionstoxizität, Zusatzkategorie, Wirkungen auf/über Laktation
	BG	Може да бъде вреден за кърмачета.
	ES	Puede perjudicar a los niños alimentados con leche materna.
	CS	Může poškodit kojence prostřednictvím mateřského mléka.
	DA	Kan skade børn, der ammes.
	DE	Kann Säuglinge über die Muttermilch schädigen.
	ET	Võib kahjustada rinnaga toidetavat last.
	EL	Μπορεί να βλάψει τα βρέφη που τρέφονται με μητρικό γάλα.
	EN	May cause harm to breast-fed children.
	FR	Peut être nocif pour les bébés nourris au lait maternel.
	GA	D'fhéadfadh sé díobháil a dhéanamh do leanaí diúil.
	IT	Può essere nocivo per i lattanti allattati al seno.
	LV	Var radīt kaitējumu ar krūti barotam bērnam.
	LT	Gali pakenkti žindomam vaikui.
	HU	A szoptatott gyermeket károsíthatja.
	MT	Jista' jagħmel hsara lit-tfal imreddgħa.
	NL	Kan schadelijk zijn via borstvoeding.
	PL	Może działać szkodliwie na dzieci karmione piersią.
	PT	Pode ser nocivo para as crianças alimentadas com leite materno.
	RO	Poate dăuna copiilor alăptați la sân.
	SK	Môže spôsobiť poškodenie u dojčených detí.
	SL	Lahko škoduje dojenim otrokom.
	FI	Saattaa aiheuttaa haittaa rintaruokinnassa oleville lapsille.
	SV	Kan skada spädbarn som ammas.
H370	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 1
	BG	Причинява увреждане на органите < или да се посочат всички засегнати органи, ако са известни> < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Provoca daños en los órganos <o indiquense todos los órganos afectados, si se conocen> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Způsobuje poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.

H370	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 1
	DA	Forårsager organskader <eller angiv alle berørte organer, hvis de kendes> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Schädigt die Organe <oder alle betroffenen Organe nennen, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Kahjustab elundeid <või märkida kõik mõjutatud elundid, kui need on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Προκαλεί βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.
	EN	Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Risque avéré d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	Déanann sé damáiste d'orgáin <nó tabhair na horgáin go léir a bhualítear, más eol> <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.
	IT	Provoca danni agli organi <o indicare tutti gli organi interessati, se noti> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Rada orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Kenkia organams <arba nurodyti visus veikiamus organus, jeigu žinomi> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Károsítja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Jagħmel hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu maġħrufa> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>.
	NL	Veroorzaakt schade aan organen <of alle betrokken organen vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Powoduje uszkodzenie narządów <podać szczególny skutek, jeśli jest znany> <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.
	PT	Afecta os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Provoacă leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Spôsobuje poškodenie orgánov <alebo uvedte všetky zasiahnuté orgány, ak sú známe> <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Orsakar organskador <eller ange vilka organ som påverkas om detta är känt> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H371	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 2
	BG	Може да причини увреждане на органите < или да се посочат всички засегнати органи, ако са известни > < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.

H371	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 2
	ES	Puede provocar daños en los órganos <o indiquense todos los órganos afectados, si se conocen> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Může způsobit poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Kan forårsage organskader <eller angiv alle berørte organer, hvis de kendes> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann die Organe schädigen <oder alle betroffenen Organe nennen, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Võib kahjustada elundeid <või märkida kõik mõjutatud elundid, kui need on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisiid ei ole ohtlikud>.
	EL	Μπορεί να προκαλέσει βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Risque présumé d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	D'fhéadfadh damáiste a dhéanamh d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an ngnais>.
	IT	Può provocare danni agli organi <o indicare tutti gli organi interessati, se noti> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Var izraisīt orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Gali pakenkti organams <arba nurodyti visus veikiamus organus, jeigu žinomi> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Károsíthatja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.
	MT	Jista' jikkawża hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.
	NL	Kan schade aan organen <of alle betrokken organen vermelden indien bekend> veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Może powodować uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy> <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożeń>.
	PT	Pode afectar os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Poate provoca leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Môže spôsobiť poškodenie orgánov <alebo uveďte všetky zasiahnuté orgány, ak sú známe> <uveďte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Lahko škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Saattaa vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.

H371	Sprache	3.8 – Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 2
	SV	Kan orsaka organskador <eller ange vilka organ som påverkas om detta är känt> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H372	Sprache	3.9 – Spezifische Zielorgan-Toxizität (wiederholte Exposition), Gefahrenkategorie 1
	BG	Причинява увреждане на органите < или да се посочат всички засегнати органи, ако са известни > посредством продължителна или повтаряща се експозиция < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Provoca daños en los órganos <indíquense todos los órganos afectados, si se conocen> tras exposiciones prolongadas o repetidas <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Způsobuje poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> při prodloužené nebo opakované expozici <uveďte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Forårsager organskader <eller angiv alle berørte organer, hvis de kendes> ved længerevarende eller gentagen eksponering <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Schädigt die Organe <alle betroffenen Organe nennen> bei längerer oder wiederholter Exposition <Expositionsweg angeben, wenn schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Kahjustab elundeid <või märkida kõik mõjutatud elundid, kui need on teada> pikaajalisel või korduval kokkupuutel <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Προκαλεί βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> ύστερα από παρατεταμένη ή επανειλημμένη έκθεση < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.
	EN	Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Risque avéré d'effets graves pour les organes <indiquer tous les organes affectés, s'ils sont connus> à la suite d'expositions répétées ou d'une exposition prolongée <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	Déanann damáiste d'orgáin <nó tabhair na horgáin go léir a bhualítear, más eol> trí nochtadh fada nó ilnochtadh <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an ngnais>.
	IT	Provoca danni agli organi <o indicare tutti gli organi interessati, se noti> in caso di esposizione prolungata o ripetuta <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Izraisa orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> ilgstošas vai atkārtotas iedarbības rezultātā <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.
	LT	Kenkia organams <arba nurodyti visus veikiamus organus, jeigu žinoma>, jeigu medžiaga veikia ilgai arba kartotinai <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Ismétlődő vagy hosszabb expozíció esetén < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt > károsítja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek >.
	MT	Jikkawża hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> minhabba espożizzjoni fit-tul jew ripetuta <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.
	NL	Veroorzaakt schade aan organen <of alle betrokken organen vermelden indien bekend> bij langdurige of herhaalde blootstelling <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Powoduje uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy > poprzez długotrwałe lub powtarzane narażenie <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.

H372	Sprache	3.9 – Spezifische Zielorgan-Toxizität (wiederholte Exposition), Gefahrenkategorie 1
	PT	Afecta os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> após exposição prolongada ou repetida <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Provoacă leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> în caz de expunere prelungită sau repetată <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Spôsobuje poškodenie orgánov <alebo uveďte všetky zasiahnuté orgány, ak sú známe> pri dlhšej alebo opakovanej expozícii <uveďte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> pri dolgotrajni ali ponavljajoči se izpostavljenosti <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> pitkäaikaisessa tai toistuvassa altistumisessa <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.
	SV	Orsakar organskador <eller ange vilka organ som påverkas om detta är känt> genom lång eller upprepad exponering <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.
H373	Sprache	3.9 – Spezifische Zielorgan-Toxizität (wiederholte Exposition), Gefahrenkategorie 2
	BG	Може да причини увреждане на органите <или да се посочат всички засегнати органи, ако са известни > при продължителна или повтаряща се експозиция <да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.
	ES	Puede provocar daños en los órganos <indíquense todos los órganos afectados, si se conocen> tras exposiciones prolongadas o repetidas <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.
	CS	Může způsobit poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> při prodloužené nebo opakované expozici <uveďte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.
	DA	Kan forårsage organskader <eller angiv alle berørte organer, hvis de kendes> ved længerevarende eller gentagne eksponering <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.
	DE	Kann die Organe schädigen <alle betroffenen Organe nennen, sofern bekannt> bei längerer oder wiederholter Exposition <Expositionsweg angeben, wenn schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.
	ET	Võib kahjustada elundeid <või märkida kõik mõjutatud elundid, kui need on teada> pikaajalisel või korduval kokkupuutel <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.
	EL	Μπορεί να προκαλέσει βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> ύστερα από παρατεταμένη ή επανειλημμένη έκθεση <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.
	EN	May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	FR	Risque présumé d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> à la suite d'expositions répétées ou d'une exposition prolongée <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.
	GA	D'fhéadfadh sé damáiste a dhéanamh d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> trí nochtadh fada nó ilnochtadh <tabhair an bealach noхта má tá sé cruthaithe go cinnitheach nach bealach noхта ar bith eile is cúis leis an nguais>.
	IT	Può provocare danni agli organi <o indicare tutti gli organi interessati, se noti> in caso di esposizione prolungata o ripetuta <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.
	LV	Var izraisīt orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> ilgstošas vai atkārtotas iedarbības rezultātā <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.

H373	Sprache	3.9 – Spezifische Zielorgan-Toxizität (wiederholte Exposition), Gefahrenkategorie 2
	LT	Gali pakenkti organams <arba nurodyti visus veikiamus organus, jeigu žinomi>, jeigu medžiaga veikia ilgai arba kartotinai <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.
	HU	Ismétlődő vagy hosszabb expozíció esetén < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt > károsíthatja a szerveket > vagy meg kell adni az összes érintett szervet, ha ismertek >.
	MT	Jista' jikkawża hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu maghrufa> minhabba espożizzjoni fit-tul jew ripetuta <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.
	NL	Kan schade aan organen <of alle betrokken organen vermelden indien bekend> veroorzaken bij langdurige of herhaalde blootstelling <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.
	PL	Może powodować uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy > poprzez długotrwałe lub narażenie powtarzane <podać drogę narażenia, jeśli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.
	PT	Pode afectar os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> após exposição prolongada ou repetida <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.
	RO	Poate provoca leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> în caz de expunere prelungită sau repetată <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.
	SK	Môže spôsobiť poškodenie orgánov <alebo uvedte všetky zasiahnuté orgány, ak sú známe> pri dlhšej alebo opakovanej expozícii <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.
	SL	Lahko škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> pri dolgotrajni ali ponavljajoči se izpostavljenosti <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.
	FI	Saattaa vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> pitkäaikaisessa tai toistuvassa altistumisessa <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>
	SV	Kan orsaka organskador <eller ange vilka organ som påverkas om detta är känt> genom lång eller upprepad exponering <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.

Tabelle 1.3

Gefahrenhinweise für Umweltgefahren

H400	Sprache	4.1 – Akut gewässergefährdend, Kategorie 1
	BG	Силно токсичен за водните организми.
	ES	Muy tóxico para los organismos acuáticos.
	CS	Vysoce toxický pro vodní organismy.
	DA	Meget giftig for vandlevende organismer.
	DE	Sehr giftig für Wasserorganismen.
	ET	Väga mürgine veeorganismidele.
	EL	Πολύ τοξικό για τους υδρόβιους οργανισμούς.
	EN	Very toxic to aquatic life.
	FR	Très toxique pour les organismes aquatiques.
	GA	An-tocsaineach don saol uisceach.
	IT	Molto tossico per gli organismi acquatici.
	LV	Ļoti toksisks ūdens organismiem.

H400	Sprache	4.1 – Akut gewässergefährdend, Kategorie 1
	LT	Labai toksiška vandens organizmams.
	HU	Nagyon mérgező a vízi élővilágra.
	MT	Tossiku ħafna għall-organizmi akwatici.
	NL	Zeer giftig voor in het water levende organismen.
	PL	Działa bardzo toksycznie na organizmy wodne.
	PT	Muito tóxico para os organismos aquáticos.
	RO	Foarte toxic pentru mediul acvatic.
	SK	Veľmi toxický pre vodné organizmy.
	SL	Zelo strupeno za vodne organizme.
	FI	Erittäin myrkyllistä vesieliöille.
	SV	Mycket giftigt för vattenlevande organismer.
H410	Sprache	4.1 – Chronisch gewässergefährdend, Gefahrenkategorie 1
	BG	Силно токсичен за водните организми, с дълготраен ефект.
	ES	Muy tóxico para los organismos acuáticos, con efectos nocivos duraderos.
	CS	Vysoce toxický pro vodní organismy, s dlouhodobými účinky.
	DA	Meget giftig med langvarige virkninger for vandlevende organismer.
	DE	Sehr giftig für Wasserorganismen mit langfristiger Wirkung.
	ET	Väga mürgine veeorganismidele, pikaajaline toime.
	EL	Πολύ τοξικό για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.
	EN	Very toxic to aquatic life with long lasting effects.
	FR	Très toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme.
	GA	An-tocsaineach don saol uisceach, le héifeachtaí fadtréimhseacha.
	IT	Molto tossico per gli organismi acquatici con effetti di lunga durata.
	LV	Ļoti toksisks ūdens organismiem ar ilgstošām sekām.
	LT	Labai toksiška vandens organizmams, sukelia ilgalaikius pakitimus.
	HU	Nagyon mérgező a vízi élővilágra, hosszan tartó károsodást okoz.
	MT	Tossiku ħafna għall-organizmi akwatici b'mod li jhalli effetti dejjiema.
	NL	Zeer giftig voor in het water levende organismen, met langdurige gevolgen.
	PL	Działa bardzo toksycznie na organizmy wodne, powodując długotrwałe skutki.
	PT	Muito tóxico para os organismos aquáticos com efeitos duradouros.
	RO	Foarte toxic pentru mediul acvatic cu efecte pe termen lung.
	SK	Veľmi toxický pre vodné organizmy, s dlhodobými účinkami.
	SL	Zelo strupeno za vodne organizme, z dolgotrajnimi učinki.
	FI	Erittäin myrkyllistä vesieliöille, pitkäaikaisia haittavaikutuksia.
	SV	Mycket giftigt för vattenlevande organismer med långtidseffekter.

H411	Sprache	4.1 – Chronisch gewässergefährdend, Gefahrenkategorie 2
	BG	Токсичен за водните организми, с дълготраен ефект.
	ES	Tóxico para los organismos acuáticos, con efectos nocivos duraderos.
	CS	Toxický pro vodní organismy, s dlouhodobými účinky.
	DA	Giftig for vandlevende organismer, med langvarige virkninger.
	DE	Giftig für Wasserorganismen, mit langfristiger Wirkung.
	ET	Mürgine veeorganismidele, pikaajaline toime.
	EL	Τοξικό για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.
	EN	Toxic to aquatic life with long lasting effects.
	FR	Toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme.
	GA	Tocsaineach don saol uisceach, le héifeachtaí fadtréimhseacha.
	IT	Tossico per gli organismi acquatici con effetti di lunga durata.
	LV	Toksisks ūdens organismiem ar ilgstošām sekām.
	LT	Toksiška vandens organizmams, sukelia ilgalaikius pakitimus.
	HU	Mérgező a vízi élővilágra, hosszan tartó károsodást okoz.
	MT	Tossiku għall-organizmi akwatici b'mod li jhalli effetti dejjiema.
	NL	Giftig voor in het water levende organismen, met langdurige gevolgen.
	PL	Działa toksycznie na organizmy wodne, powodując długotrwałe skutki.
	PT	Tóxico para os organismos aquáticos com efeitos duradouros.
	RO	Toxic pentru mediul acvatic cu efecte pe termen lung.
	SK	Toxický pre vodné organizmy, s dlhodobými účinkami.
	SL	Strupeno za vodne organizme, z dolgotrajnimi učinki.
	FI	Myrkyllistä vesieliöille, pitkäaikaisia haittavaikutuksia.
	SV	Giftigt för vattenlevande organismer med långtidseffekter.
H412	Sprache	4.1 – Chronisch gewässergefährdend, Gefahrenkategorie 3
	BG	Вреден за водните организми, с дълготраен ефект.
	ES	Nocivo para los organismos acuáticos, con efectos nocivos duraderos.
	CS	Škodlivý pro vodní organismy, s dlouhodobými účinky.
	DA	Skadelig for vandlevende organismer, med langvarige virkninger.
	DE	Schädlich für Wasserorganismen, mit langfristiger Wirkung.
	ET	Ohtlik veeorganismidele, pikaajaline toime.
	EL	Επιβλαβές για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.
	EN	Harmful to aquatic life with long lasting effects.
	FR	Nocif pour les organismes aquatiques, entraîne des effets néfastes à long terme.
	GA	Díobhálach don saol uisceach, le héifeachtaí fadtréimhseacha.
	IT	Nocivo per gli organismi acquatici con effetti di lunga durata.
	LV	Kaitīgs ūdens organismiem ar ilgstošām sekām.
	LT	Kenksminga vandens organizmams, sukelia ilgalaikius pakitimus.

H412	Sprache	4.1 – Chronisch gewässergefährdend, Gefahrenkategorie 3
	HU	Ártalmas a vízi élővilágra, hosszan tartó károsodást okoz.
	MT	Jagħmel hsara lill-organizmi akwatiċi b'mod li jhalli effetti dejjiema.
	NL	Schadelijk voor in het water levende organismen, met langdurige gevolgen.
	PL	Działa szkodliwie na organizmy wodne, powodując długotrwałe skutki.
	PT	Nocivo para os organismos aquáticos com efeitos duradouros.
	RO	Nociv pentru mediul acvatic cu efecte pe termen lung.
	SK	Škodlivý pre vodné organizmy, s dlhodobými účinkami.
	SL	Škodljivo za vodne organizme, z dolgotrajnimi učinki.
	FI	Haitallista vesieliölle, pitkäaikaisia haittavaikutuksia.
	SV	Skadliga långtidseffekter för vattenlevande organismer.
H413	Sprache	4.1 – Chronisch gewässergefährdend, Gefahrenkategorie 4
	BG	Може да причини дълготраен вреден ефект за водните организми.
	ES	Puede ser nocivo para los organismos acuáticos, con efectos nocivos duraderos.
	CS	Může vyvolat dlouhodobé škodlivé účinky pro vodní organismy.
	DA	Kan forårsage langvarige skadelige virkninger for vandlevende organismer.
	DE	Kann für Wasserorganismen schädlich sein, mit langfristiger Wirkung.
	ET	Võib avaldada veeorganismidele pikaajalist kahjulikku toimet.
	EL	Μπορεί να προκαλέσει μακροχρόνιες επιπτώσεις στους υδρόβιους οργανισμούς.
	EN	May cause long lasting harmful effects to aquatic life.
	FR	Peut être nocif à long terme pour les organismes aquatiques.
	GA	D'fhéadfadh sé a bheith ina chúis le héifeachtaí fadtréimhseacha díobhálacha ar an saol uisceach.
	IT	Può essere nocivo per gli organismi acquatici con effetti di lunga durata.
	LV	Var radīt ilgstošas kaitīgas sekas ūdens organismiem.
	LT	Gali sukelti ilgalaikį kenksmingą poveikį vandens organizmams.
	HU	Hosszan tartó ártalmas hatást gyakorolhat a vízi élővilágra.
	MT	Jista' jikkawża effetti ta' hsara dejjiema lill-organizmi akwatiċi.
	NL	Kan langdurige schadelijke gevolgen voor in het water levende organismen hebben.
	PL	Może powodować długotrwałe szkodliwe skutki dla organizmów wodnych.
	PT	Pode provocar efeitos nocivos duradouros nos organismos aquáticos.
	RO	Poate provoca efecte nocive pe termen lung asupra mediului acvatic.
	SK	Môže mať dlhodobé škodlivé účinky na vodné organizmy.
	SL	Lahko ima dolgotrajne škodljive učinke na vodne organizme.
	FI	Voi aiheuttaa pitkäaikaisia haittavaikutuksia vesieliölle.
	SV	Kan ge skadliga långtidseffekter på vattenlevande organismer.

2. Teil 2: Ergänzende Gefahrenmerkmale

Tabelle 2.1

Physikalische Eigenschaften

EUH 001	Sprache	
	BG	Експлозивен в сухо състояние.
	ES	Explosivo en estado seco.
	CS	Výbušný v suchém stavu.
	DA	Eksplisiv i tør tilstand.
	DE	In trockenem Zustand explosionsgefährlich.
	ET	Plahvatusohtlik kuivana.
	EL	Εκρηκτικό σε ξηρή κατάσταση.
	EN	Explosive when dry.
	FR	Explosif à l'état sec.
	GA	Pléascach agus é tirim.
	IT	Esplosivo allo stato secco.
	LV	Sprādzienbīstams sausā veidā.
	LT	Sausos būsenos gali sprogti.
	HU	Száraz állapotban robbanásveszélyes.
	MT	Jisplodi meta jinxef.
	NL	In droge toestand ontplofbaar.
	PL	Produkt wybuchowy w stanie suchym.
	PT	Explosivo no estado seco.
	RO	Exploziv în stare uscată.
	SK	V suchom stave výbušný.
	SL	Eksplzivno v suhem stanju.
	FI	Räjätävää kuivana.
	SV	Explosivt i torrt tillstånd.
EUH 006	Sprache	
	BG	Експлозивен при или без контакт с въздуха.
	ES	Explosivo en contacto o sin contacto con el aire.
	CS	Výbušný za přístupu i bez přístupu vzduchu.
	DA	Eksplisiv ved og uden kontakt med luft.
	DE	Mit und ohne Luft explosionsfähig.
	ET	Plahvatusohtlik õhuga kokkupuutel või kokkupuuteta.
	EL	Εκρηκτικό σε επαφή ή χωρίς επαφή με τον αέρα.
	EN	Explosive with or without contact with air.
	FR	Danger d'explosion en contact ou sans contact avec l'air.

EUH 006	Sprache	
	GA	Pléascach i dteagmháil le haer nó gan é.
	IT	Esplosivo a contatto o senza contatto con l'aria.
	LV	Sprādzienbīstams gaisa un bezgaisa vidē.
	LT	Gali sprogti ore arba beorėje erdvėje.
	HU	Levegővel érintkezve vagy anélkül is robbanásveszélyes.
	MT	Jista' jisploidi b'kuntatt jew bla kuntatt ma' l-ajra.
	NL	Ontplofbaar met en zonder lucht.
	PL	Produkt wybuchowy z dostępem lub bez dostępu powietrza.
	PT	Perigo de explosão com ou sem contacto com o ar.
	RO	Exploziv în contact sau fără contactul cu aerul.
	SK	Výbušné pri kontakte alebo bez kontaktu so vzduchom.
	SL	Eksplozivno v stiku z zrakom ali brez stika z zrakom.
	FI	Räjähävä sellaisenaan tai ilman kanssa.
	SV	Explosivt vid eller utan kontakt med luft.

EUH 014	Sprache	
	BG	Реагира бурно с вода.
	ES	Reacciona violentamente con el agua.
	CS	Prudce reaguje s vodou.
	DA	Reagerer voldsomt med vand.
	DE	Reagiert heftig mit Wasser.
	ET	Reageerib ägedalt veega.
	EL	Αντιδρά βίαια με νερό.
	EN	Reacts violently with water.
	FR	Réagit violemment au contact de l'eau.
	GA	Imoibríonn go foirtíl le huisce.
	IT	Reagisce violentemente con l'acqua.
	LV	Aktīvi reaģē ar ūdeni.
	LT	Smarkiai reaguoja su vandeniu.
	HU	Vízzel hevesen reagál.
	MT	Jirreaġixxi bil-qawwa meta jmiss l-ilma.
	NL	Reageert heftig met water.
	PL	Reaguje gwałtownie z wodą.
	PT	Reage violentamente em contacto com a água.
	RO	Reacționează violent în contact cu apa.
	SK	Prudko reaguje s vodou.
	SL	Burno reagira z vodo.

EUH 014	Sprache	
	FI	Reagoi voimakkaasti veden kanssa.
	SV	Reagerar häftigt med vatten.
EUH 018	Sprache	
	BG	При употреба може да се образува запалима/експлозивна паровъздушна смес.
	ES	Al usarlo pueden formarse mezclas aire-vapor explosivas o inflamables.
	CS	Při používání může vytvářet hořlavé nebo výbušné směsi par se vzduchem.
	DA	Ved brug kan brandbarlige dampe/eksplosive damp-luftblandinger dannes.
	DE	Kann bei Verwendung explosionsfähige/entzündbare Dampf/Luft-Gemische bilden.
	ET	Kasutamisel võib moodustuda tule-/plahvatusohtlik auru-õhu segu.
	EL	Κατά τη χρήση μπορεί να σχηματίσει εύφλεκτα/εκρηκτικά μείγματα ατμού-αέρος.
	EN	In use may form flammable/explosive vapour-air mixture.
	FR	Lors de l'utilisation, formation possible de mélange vapeur-air inflammable/explosif.
	GA	Agus é á úsáid d'fhéadfaí meascán inadhainte/pléascach gaile-aeir a chruthú.
	IT	Durante l'uso può formarsi una miscela vapore-aria esplosiva/infiammabile.
	LV	Izmantojot var veidot uzliesmojošu vai sprādzienbīstamu tvaiku un gaisa maisījumu.
	LT	Naudojama gali sudaryti degius (sprogius) garų-oro mišinius.
	HU	A használat során tűzveszélyes/robbanásveszélyes gőz/levegő elegy keletkezhet.
	MT	Meta jintuża jista' jifforma tahlitiet espussivi jew li jaqbdu jekk jithallat ma' l-arja.
	NL	Kan bij gebruik een ontvlambaar/ontploffbaar damp-luchtmengsel vormen.
	PL	Podczas stosowania mogą powstawać łatwopalne lub wybuchowe mieszaniny par z powietrzem.
	PT	Pode formar mistura vapor-ar explosiva/inflamável durante a utilização.
	RO	În timpul utilizării poate forma un amestec vapori-aer, inflamabil/exploziv.
	SK	Pri použití môže vytvárať horľavú/výbušnú zmes pár so vzduchom.
	SL	Pri uporabi lahko tvori vnetljivo/eksplozivno zmes hlapi-zrak.
	FI	Käytössä voi muodostua syttyvä/räjähävä höyry-ilmaseos.
	SV	Vid användning kan brännbara/explosiva ång-luftblandningar bildas.
EUH 019	Sprache	
	BG	Може да образува експлозивни пероксиди.
	ES	Puede formar peróxidos explosivos.
	CS	Může vytvářet výbušné peroxidy.
	DA	Kan danne eksplosive peroxider.
	DE	Kann explosionsfähige Peroxide bilden.
	ET	Võib moodustada plahvatusohtlikke peroksiide.
	EL	Μπορεί να σχηματίσει εκρηκτικά υπεροξειδία.
	EN	May form explosive peroxides.
	FR	Peut former des peroxydes explosifs.

EUH 019	Sprache	
	GA	D'fhéadfadh sé sárocsaídí pléascacha a chruthú.
	IT	Può formare perossidi esplosivi.
	LV	Var veidot sprādzienbīstamus peroksidus.
	LT	Gali sudaryti sprogius peroksidus.
	HU	Robbanásveszélyes peroxidokat képezhet.
	MT	Jista' jiforma perossidi esplussivi.
	NL	Kan ontplofbare peroxiden vormen.
	PL	Może tworzyć wybuchowe nadtlenki.
	PT	Pode formar peróxidos explosivos.
	RO	Poate forma peroxizi explozivi.
	SK	Môže vytvárat' výbušné peroxidy.
	SL	Lahko tvori eksplozivne perokside.
	FI	Saattaa muodostaa räjähtäviä peroksidgeja.
	SV	Kan bilda explosiva peroxider.

EUH 044	Sprache	
	BG	Риск от експлозия при нагряване в затворено пространство.
	ES	Riesgo de explosión al calentarlo en ambiente confinado.
	CS	Nebezpečí výbuchu při zahřátí v uzavřeném obalu.
	DA	Eksplotionsfarlig ved opvarmning under indeslutning.
	DE	Explosionsgefahr bei Erhitzen unter Einschluss.
	ET	Plahvatusohtlik kuumutamisel kinnises mahutis.
	EL	Κίνδυνος εκρήξεως εάν θερμανθεί υπό περιορισμό.
	EN	Risk of explosion if heated under confinement.
	FR	Risque d'explosion si chauffé en ambiance confinée.
	GA	Baol pléasctha arna théamh i limistéar iata.
	IT	Rischio di esplosione per riscaldamento in ambiente confinato.
	LV	Sprādziena draudi, karsējot slēgtā vidē.
	LT	Gali sprogti, jei kaitinama sandariai uždaryta.
	HU	Zárt térben hő hatására robbanhat.
	MT	Riskju ta' splużjoni jekk jissahhan fil-magħluq.
	NL	Ontploffingsgevaar bij verwarming in afgesloten toestand.
	PL	Zagrożenie wybuchem po ogrzaniu w zamkniętym pojemniku.
	PT	Risco de explosão se aquecido em ambiente fechado.
	RO	Risc de explozie, dacă este încălzit în spațiu închis.
	SK	Riziko výbuchu pri zahrievaní v uzavretom priestore.
	SL	Nevarnost eksplozije ob segrevanju v zaprtem prostoru.

EUH 044	Sprache	
	FI	Räjähdysvaara kuumenttaessa suljetussa astiassa.
	SV	Explosionsrisk vid uppvärmning i sluten behållare.

Tabelle 2.2

Gesundheitsgefährliche Eigenschaften

EUH 029	Sprache	
	BG	При контакт с вода се отделя токсичен газ.
	ES	En contacto con agua libera gases tóxicos.
	CS	Uvolňuje toxický plyn při styku s vodou.
	DA	Udvikler giftig gas ved kontakt med vand.
	DE	Entwickelt bei Berührung mit Wasser giftige Gase.
	ET	Kokkupuutel veega eraldub mürgine gaas.
	EL	Σε επαφή με το νερό ελευθερώνονται τοξικά αέρια.
	EN	Contact with water liberates toxic gas.
	FR	Au contact de l'eau, dégage des gaz toxiques.
	GA	I dteagmháil le huisce scaoiltear gás tocsaineach.
	IT	A contatto con l'acqua libera un gas tossico.
	LV	Saskaroties ar ūdeni, izdala toksiskas gāzes.
	LT	Kontaktuodama su vandeniu išskiria toksiškas dujas.
	HU	Vízzel érintkezve mérgező gázok képződnek.
	MT	Jitfa' gass tossiku meta jmiss l-ilma.
	NL	Vormt giftig gas in contact met water.
	PL	W kontakcie z wodą uwalnia toksyczne gazy.
	PT	Em contacto com a água liberta gases tóxicos.
	RO	În contact cu apa, degajă un gaz toxic.
	SK	Pri kontakte s vodou uvolňuje toxický plyn.
	SL	V stiku z vodo se sprošča strupen plin.
	FI	Kehittää myrkyllistä kaasua veden kanssa.
	SV	Utvecklar giftig gas vid kontakt med vatten.

EUH 031	Sprache	
	BG	При контакт с киселини се отделя токсичен газ.
	ES	En contacto con ácidos libera gases tóxicos.
	CS	Uvolňuje toxický plyn při styku s kyselinami.
	DA	Udvikler giftig gas ved kontakt med syre.
	DE	Entwickelt bei Berührung mit Säure giftige Gase.
	ET	Kokkupuutel hapetega eraldub mürgine gaas.

EUH 031	Sprache	
	EL	Σε επαφή με οξέα ελευθερώνονται τοξικά αέρια.
	EN	Contact with acids liberates toxic gas.
	FR	Au contact d'un acide, dégage un gaz toxique.
	GA	I dteagmháil le haigéid scaoiltear gás tocsaineach.
	IT	A contatto con acidi libera gas tossici.
	LV	Saskaroties ar skābēm, izdala toksiskas gāzes.
	LT	Kontaktuodama su rūgštimis išskiria toksiškas dujas.
	HU	Savval érintkezve mérgező gázok képződnek.
	MT	Jitfa' gass tossiku meta jmiss l-acidi.
	NL	Vormt giftig gas in contact met zuren.
	PL	W kontakcie z kwasami uwalnia toksyczne gazy.
	PT	Em contacto com ácidos liberta gases tóxicos.
	RO	În contact cu acizi, degajă un gaz toxic.
	SK	Pri kontakte s kyselinami uvoľňuje toxický plyn.
	SL	V stiku s kisljinami se sprošča strupen plin.
	FI	Kehittää myrkyllistä kaasua hapon kanssa.
	SV	Utvecklar giftig gas vid kontakt med syra.
EUH 032	Sprache	
	BG	При контакт с киселини се отделя силно токсичен газ.
	ES	En contacto con ácidos libera gases muy tóxicos.
	CS	Uvolňuje vysoce toxický plyn při styku s kyselinami.
	DA	Udvikler meget giftig gas ved kontakt med syre.
	DE	Entwickelt bei Berührung mit Säure sehr giftige Gase.
	ET	Kokkupuutel hapetega eraldub väga mürgine gaas.
	EL	Σε επαφή με οξέα ελευθερώνονται πολύ τοξικά αέρια.
	EN	Contact with acids liberates very toxic gas.
	FR	Au contact d'un acide, dégage un gaz très toxique.
	GA	I dteagmháil le haigéid scaoiltear gás an-tocsaineach.
	IT	A contatto con acidi libera gas molto tossici.
	LV	Saskaroties ar skābēm, izdala ļoti toksiskas gāzes.
	LT	Kontaktuodama su rūgštimis išskiria labai toksiškas dujas.
	HU	Savval érintkezve nagyon mérgező gázok képződnek.
	MT	Jitfa' gass tossiku hafna meta jmiss l-acidi.
	NL	Vormt zeer giftig gas in contact met zuren.
	PL	W kontakcie z kwasami uwalnia bardzo toksyczne gazy.
	PT	Em contacto com ácidos liberta gases muito tóxicos.
	RO	În contact cu acizi, degajă un gaz foarte toxic.

EUH 032	Sprache	
	SK	Pri kontakte s kyselinami uvolňuje veľmi toxický plyn.
	SL	V stiku s kislinami se sprošča zelo strupen plin.
	FI	Kehittää erittäin myrkyllistä kaasua hapon kanssa.
	SV	Utvecklar mycket giftig gas vid kontakt med syra.
EUH 066	Sprache	
	BG	Повтарящата се експозиция може да предизвика изсушаване или напукване на кожата.
	ES	La exposición repetida puede provocar sequedad o formación de grietas en la piel.
	CS	Opakovaná expozice může způsobit vysušení nebo popraskání kůže.
	DA	Gentagen kontakt kan give tør eller revnet hud.
	DE	Wiederholter Kontakt kann zu spröder oder rissiger Haut führen.
	ET	Korduv kokkupuude võib põhjustada naha kuivust või lõhenemist.
	EL	Παρατεταμένη έκθεση μπορεί να προκαλέσει ξηρότητα δέρματος ή σκάσιμο.
	EN	Repeated exposure may cause skin dryness or cracking.
	FR	L'exposition répétée peut provoquer dessèchement ou gerçures de la peau.
	GA	D'fhéadfadh tirimeacht chraicinn nó scoilteadh craicinn a bheith mar thoradh ar ilnochtadh.
	IT	L'esposizione ripetuta può provocare secchezza o screpolature della pelle.
	LV	Atkārtota iedarbība var radīt sausu ādu vai izraisīt tās sprēgāšanu.
	LT	Pakartotinis poveikis gali sukelti odos džiuvimą arba skilinėjimą.
	HU	Ismétlődő expozíció a bőr kiszáradását vagy megrepedezését okozhatja.
	MT	Esposizzjoni ripetuta tista' tikkaġuna nxif jew qsim tal-ġilda.
	NL	Herhaalde blootstelling kan een droge of een gebarsten huid veroorzaken.
	PL	Powtarzające się narażenie może powodować wysuszenie lub pęknięcie skóry.
	PT	Pode provocar pele seca ou gretada, por exposição repetida.
	RO	Expunerea repetată poate provoca uscarea sau crăparea pielii.
	SK	Opakovaná expozícia môže spôsobiť vysušenie alebo popraskanie pokožky.
	SL	Ponavljajoča izpostavljenost lahko povzroči nastanek suhe ali razpokane kože.
	FI	Toistuva altistus voi aiheuttaa ihon kuivumista tai halkeilua.
	SV	Upprepad kontakt kan ge torr hud eller hudsprickor.
EUH 070	Sprache	
	BG	Токсично при контакт с очите.
	ES	Tóxico en contacto con los ojos.
	CS	Toxický při styku s očima.
	DA	Giftig ved kontakt med øjnene.
	DE	Giftig bei Berührung mit den Augen.
	ET	Silma sattumisel mürgine.
	EL	Τοξικό σε επαφή με τα μάτια.

EUH 070	Sprache	
	EN	Toxic by eye contact.
	FR	Toxique par contact oculaire.
	GA	Tocsaineach trí theagmháil leis an tsúil.
	IT	Tossico per contatto oculare.
	LV	Toksisks saskarē ar acīm.
	LT	Toksiška patekus į akis.
	HU	Szembe kerülve mérgező.
	MT	Tossiku meta jmiss ma' l-ghajnejn.
	NL	Giftig bij oogcontact.
	PL	Działa toksycznie w kontakcie z oczami.
	PT	Tóxico por contacto com os olhos.
	RO	Toxic în caz de contact cu ochii.
	SK	Toxické pri kontakte s očami.
	SL	Strupeno ob stiku z očmi.
	FI	Myrkyllistä joutuessaan silmään.
	SV	Giftigt vid kontakt med ögonen.

EUH 071	Sprache	
	BG	Корозивен за дихателните пътища.
	ES	Corrosivo para las vías respiratorias.
	CS	Způsobuje poleptání dýchacích cest.
	DA	Ætsende for luftvejene.
	DE	Wirkt ätzend auf die Atemwege.
	ET	Söövitav hingamisteedele.
	EL	Διαβρωτικό της αναπνευστικής οδού.
	EN	Corrosive to the respiratory tract.
	FR	Corrosif pour les voies respiratoires.
	GA	Creimneach don chonair riospráide.
	IT	Corrosivo per le vie respiratorie.
	LV	Kodīgs elpceļiem.
	LT	Ėsdina kvėpavimo takus.
	HU	Maró hatású a légutakra.
	MT	Korruziv għas-sistema respiratorja.
	NL	Bijtend voor de luchtwegen.
	PL	Działa żrąco na drogi oddechowe.
	PT	Corrosivo para as vias respiratórias.
	RO	Corosiv pentru căile respiratorii.
	SK	Žieravé pre dýchacie cesty.

EUH 071	Sprache	
	SL	Jedko za dihalne poti.
	FI	Hengityselimiä syövyttävää.
	SV	Frätande på luftvägarna.

Tabelle 2.3

Umweltgefährliche Eigenschaften

EUH 059	Sprache	Additional EU Hazard Class
	BG	Опасно за озоновия слой.
	ES	Peligroso para la capa de ozono.
	CS	Nebezpečný pro ozonovou vrstvu.
	DA	Farlig for ozonlaget.
	DE	Die Ozonschicht schädigend.
	ET	Ohtlik osoonikihile.
	EL	Επικίνδυνο για τη στιβάδα του όζοντος.
	EN	Hazardous to the ozone layer.
	FR	Dangereux pour la couche d'ozone.
	GA	Guaiseach don chiseal ózón.
	IT	Pericoloso per lo strato di ozono.
	LV	Bīstams ozona slānim.
	LT	Pavojinga ozono sluoksniui.
	HU	Veszélyes az ózónrétegre.
	MT	Perikoluż għas-saff ta' l-ożonu.
	NL	Gevaarlijk voor de ozonlaag.
	PL	Stwarza zagrożenie dla warstwy ozonowej.
	PT	Perigoso para a camada de ozono.
	RO	Periculos pentru stratul de ozon.
	SK	Nebezpečný pre ozónovú vrstvu.
	SL	Nevarno za ozonski plašč.
	FI	Vaarallista otsonikerrokselle.
	SV	Farligt för ozonskiktet.

3. Teil 3: Ergänzende Kennzeichnungselemente/Informationen über bestimmte Stoffe und Gemische

EUH 201/ 201A	Sprache	
201 201A	BG	Съдържа олово. Да не се използва върху повърхност, която евентуално може да се дъвче или смуче от деца. Внимание! Съдържа олово.

EUH 201/ 201A	Sprache	
201 201A	ES	Contiene plomo. No utilizar en objetos que los niños puedan masticar o chupar. ¡Atención! Contiene plomo.
201 201A	CS	Obsahuje olovo. Nemá se používat na povrchy, které mohou okusovat nebo olizovat děti. Pozor! Obsahuje olovo.
201 201A	DA	Indeholder bly. Må ikke anvendes på genstande, som børn vil kunne tygge eller sutte på. Advarsel! Indeholder bly.
201 201A	DE	Enthält Blei. Nicht für den Anstrich von Gegenständen verwenden, die von Kindern gekaut oder gelutscht werden könnten. Achtung! Enthält Blei.
201 201A	ET	Sisaldab pliid. Mitte kasutada pindadel, mida lapsed võivad närida või imeda. Ettevaatust! Sisaldab pliid.
201 201A	EL	Περιέχει μόλυβδο. Να μη χρησιμοποιείται σε επιφάνειες που είναι πιθανόν να μασήσουν ή να πιπίλισουν τα παιδιά. Προσοχή! Περιέχει μόλυβδο.
201 201A	EN	Contains lead. Should not be used on surfaces liable to be chewed or sucked by children. Warning! Contains lead.
201 201A	FR	Contient du plomb. Ne pas utiliser sur les objets susceptibles d'être mâchés ou sucés par des enfants. Attention! Contient du plomb.
201 201A	GA	Luaidhe ann. Níor chóir a úsáid ar dhromchlaí a d'fhéadfadh a bheith á gcogaint nó á sú ag leanaí. Rabhadh! Luaidhe ann.
201 201A	IT	Contiene piombo. Non utilizzare su oggetti che possono essere masticati o succhiati dai bambini. Attenzione! Contiene piombo.
201 201A	LV	Satur svīnu. Nedrīkst lietot uz virsmām, kuras var nonākt bērnam mutē. Brīdinājums! Satur svīnu.
201 201A	LT	Sudėtyje yra švino. Nenaudoti paviršiams, kurie gali būti vaikų kramtomi arba čiulpiami. Atsargiai! Sudėtyje yra švino.
201 201A	HU	Ólmot tartalmaz. Tilos olyan felületeken használni, amelyeket gyermekek szájukba vehetnek. Figyelem! Ólmot tartalmaz.
201 201A	MT	Fih iċ-ċomb. M'għandux jintuża' fuq uċuh li x'aktarx jomoghduhom jew jerdghuhom it-tfal. Twissija! Fih iċ-ċomb.
201 201A	NL	Bevat lood. Mag niet worden gebruikt voor voorwerpen waarin kinderen kunnen bijten of waaraan kinderen kunnen zuigen. Let op! Bevat lood.
201 201A	PL	Zawiera ołów. Nie należy stosować na powierzchniach, które mogą być gryzione lub ssane przez dzieci. Uwaga! Zawiera ołów.
201 201A	PT	Contém chumbo. Não utilizar em superfícies que possam ser mordidas ou chupadas por crianças. Atenção! Contém chumbo.
201 201A	RO	Conține plumb. A nu se utiliza pe obiecte care pot fi mestecate sau supte de copii. Atenție! Conține plumb.
201 201A	SK	Obsahuje olovo. Nepoužívajte na povrchy, ktoré by mohli žuť alebo oblizovať deti. Pozor! Obsahuje olovo.
201 201A	SL	Vsebuje svinec. Ne sme se nanašati na površine, ki bi jih lahko žvečili ali sesali otroci. Pozor! Vsebuje svinec.

EUH 201/ 201A	Sprache	
201 201A	FI	Sisältää lyijyä. Ei saa käyttää pintoihin, joita lapset voivat pureskella tai imeä. Varoitus! Sisältää lyijyä.
201 201A	SV	Innehåller bly. Bör inte användas på ytor där barn kan komma åt att tugga eller suga. Varning! Innehåller bly.
EUH 202	Sprache	
	BG	Цианоакрилат. Опасно. Залепва кожата и очите за секунди. Да се съхранява извън обсега на деца.
	ES	Cianoacrilato. Peligro. Se adhiere a la piel y a los ojos en pocos segundos. Mantener fuera del alcance de los niños.
	CS	Kyanoakrylát. Nebezpečí. Okamžitě slepuje kůži a oči. Uchovávejte mimo dosah dětí.
	DA	Cyanoacrylat. Farligt. Klæber til huden og øjnene på få sekunder. Opbevares utilgængeligt for børn.
	DE	Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.
	ET	Tsüanoakrülaad. Ohtlik. Liimib naha ja silmad hetkega. Hoida lastele kättesaamatus kohas.
	EL	Κυανοακρυλική ένωση. Κίνδυνος. Κολλάει στην επιδερμίδα και στα μάτια μέσα σε λίγα δευτερόλεπτα. Να φυλάσσεται μακριά από παιδιά.
	EN	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
	FR	Cyanoacrylate. Danger. Colle à la peau et aux yeux en quelques secondes. À conserver hors de portée des enfants.
	GA	Cianaicrioláit. Contúirt. Nascann craiceann agus súile laistigh de shoicindí. Coimeád as aimsiú leanaí.
	IT	Cianoacrilato. Pericolo. Incolla la pelle e gli occhi in pochi secondi. Tenere fuori dalla portata dei bambini.
	LV	Ciānākrilāts. Bīstami. Iedarbība uz acīm un ādu tūlītēja. Sargāt no bērniem.
	LT	Cianakrilatas. Pavojinga. Staigiai suklijuoja odą ir akis. Laikyti vaikams neprieinamoje vietoje.
	HU	Cianoakrilát. Veszély! Néhány másodperc alatt a bőrre és a szembe ragad. Gyermekektől elzárva tartandó.
	MT	Cyanoacrylate. Periklu. Iwahhal il-gilda u l-ghajnejn fi ftit sekondi. Żomm 'il bogħod minn fejn jistgħu jilhquh it-tfal.
	NL	Cyanoacrylaad. Gevaarlijk. Kleeft binnen enkele seconden aan huid en oogleden. Buiten het bereik van kinderen houden.
	PL	Cyjanoakrylany. Niebezpieczeństwo. Skleja skórę i powieki w ciągu kilku sekund. Chronić przed dziećmi.
	PT	Cianoacrilato. Perigo. Cola à pele e aos olhos em poucos segundos. Manter fora do alcance das crianças.
	RO	Cianoacrilat. Pericol. Se lipește de piele și ochi în câteva secunde. A nu se lăsa la îndemâna copiilor.
	SK	Kyanoakrylát. Nebezpečnostvo. V priebehu niekoľkých sekúnd zlepi pokožku a oči. Uchovávať mimo dosahu detí.
	SL	Cianoakrilat. Nevarno. Kožo in oči zlepi v nekaj sekundah. Hraniti zunaj dosega otrok.
	FI	Syanoakrylaattia. Vaara. Liimaa ihon ja silmät hetkessä. Säilytettävä lasten ulottumattomissa.
	SV	Cyanoakrylat. Fara. Fäster snabbt på hud och ögon. Förvaras oåtkomligt för barn.

EUH 203	Sprache	
	BG	Съдържа хром (VI). Може да причини алергична реакция.
	ES	Contiene cromo (VI). Puede provocar una reacción alérgica.
	CS	Obsahuje chrom (VI). Může vyvolat alergickou reakci.
	DA	Indeholder krom (VI). Kan udløse allergisk reaktion.
	DE	Enthält Chrom (VI). Kann allergische Reaktionen hervorrufen.
	ET	Sisaldab kroomi (VI). Võib esile kutsuda allergilise reaktsiooni.
	EL	Περιέχει χρώμιο (VI). Μπορεί να προκαλέσει αλλεργική αντίδραση.
	EN	Contains chromium (VI). May produce an allergic reaction.
	FR	Contient du chrome (VI). Peut produire une réaction allergique.
	GA	Cróimiam (VI) ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach.
	IT	Contiene cromo (VI). Può provocare una reazione allergica.
	LV	Satur hromu (VI). Var izraisīt alerģisku reakciju.
	LT	Sudėtyje yra chromo (VI). Gali sukelti alerginę reakciją.
	HU	Krómot (VI) tartalmaz. Allergiás reakciót válthat ki.
	MT	Fih il-kromju (VI). Jista' joħloq reazzjoni allergika.
	NL	Bevat zeswaardig chroom. Kan een allergische reactie veroorzaken.
	PL	Zawiera chrom (VI). Może powodować wystąpienie reakcji alergicznej.
	PT	Contém crómio (VI). Pode provocar uma reacção alérgica.
	RO	Conține crom (VI). Poate provoca o reacție alergică.
	SK	Obsahuje chróm (VI). Môže vyvolať alergickú reakciu.
	SL	Vsebuje krom (VI). Lahko povzroči alergijski odziv.
	FI	Sisältää kromi(VI)-yhdisteitä. Voi aiheuttaa allergisen reaktion.
	SV	Innehåller krom (VI). Kan orsaka en allergisk reaktion.

EUH 204	Sprache	
	BG	Съдържа изотианати. Може да причини алергична реакция.
	ES	Contiene isocianatos. Puede provocar una reacción alérgica.
	CS	Obsahuje isokyanáty. Může vyvolat alergickou reakci.
	DA	Indeholder isocyanater. Kan udløse allergisk reaktion.
	DE	Enthält Isocyanate. Kann allergische Reaktionen hervorrufen.
	ET	Sisaldab isotsüanaate. Võib esile kutsuda allergilise reaktsiooni.
	EL	Περιέχει ισοκυανικές ενώσεις. Μπορεί να προκαλέσει αλλεργική αντίδραση.
	EN	Contains isocyanates. May produce an allergic reaction.
	FR	Contient des isocyanates. Peut produire une réaction allergique.
	GA	Isicianaítí ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach.
	IT	Contiene isocianati. Può provocare una reazione allergica.
	LV	Satur izocianātus. Var izraisīt alerģisku reakciju.
	LT	Sudėtyje yra izocianatų. Gali sukelti alerginę reakciją.

EUH 204	Sprache	
	HU	Izocianátokat tartalmaz. Allergiás reakciót válthat ki.
	MT	Fih l-isocyanates. Jista' jagħmel reazzjoni allergika.
	NL	Bevat isocyanaten. Kan een allergische reactie veroorzaken.
	PL	Zawiera izocyjaniany. Może powodować wystąpienie reakcji alergicznej.
	PT	Contém isocianatos. Pode provocar uma reacção alérgica.
	RO	Conține izocianati. Poate provoca o reacție alergică.
	SK	Obsahuje izokyanáty. Môže vyvolať alergickú reakciu.
	SL	Vsebuje izocianate. Lahko povzroči alergijski odziv.
	FI	Sisältää isosyanaatteja. Voi aiheuttaa allergisen reaktion.
	SV	Innehåller isocyanater. Kan orsaka en allergisk reaktion.
EUH 205	Sprache	
	BG	Съдържа епоксидни съставки. Може да причини алергична реакция.
	ES	Contiene componentes epoxídicos. Puede provocar una reacción alérgica.
	CS	Obsahuje epoxidové složky. Může vyvolat alergickou reakci.
	DA	Indeholder epoxyforbindelser. Kan udløse allergisk reaktion.
	DE	Enthält epoxidhaltige Verbindungen. Kann allergische Reaktionen hervorrufen.
	ET	Sisaldab epoksükomponente. Võib esile kutsuda allergilise reaktsiooni.
	EL	Περιέχει εποξειδικές ενώσεις. Μπορεί να προκαλέσει αλλεργική αντίδραση.
	EN	Contains epoxy constituents. May produce an allergic reaction.
	FR	Contient des composés époxydiques. Peut produire une réaction allergique.
	GA	Comhábhair eapocsacha ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach.
	IT	Contiene componenti epossidici. Può provocare una reazione allergica.
	LV	Satur epoksīda sastāvdaļas. Var izraisīt alerģisku reakciju.
	LT	Sudėtyje yra epoksidinių komponentų. Gali sukelti alerginę reakciją.
	HU	Epoxid tartalmú vegyületeket tartalmaz. Allergiás reakciót válthat ki.
	MT	Fih kostitwenti ta' l-eposside. Jista' jagħmel reazzjoni allergika.
	NL	Bevat epoxyverbindingen. Kan een allergische reactie veroorzaken.
	PL	Zawiera składniki epoksydowe. Może powodować wystąpienie reakcji alergicznej.
	PT	Contém componentes epoxídicos. Pode provocar uma reacção alérgica.
	RO	Conține componenteți epoxidici. Poate provoca o reacție alergică.
	SK	Obsahuje epoxidové zložky. Môže vyvolať alergickú reakciu.
	SL	Vsebuje epoksidne sestavine. Lahko povzroči alergijski odziv.
	FI	Sisältää epoksihartseja. Voi aiheuttaa allergisen reaktion.
	SV	Innehåller epoxiförening. Kan orsaka en allergisk reaktion.
EUH 206	Sprache	
	BG	Внимание! Да не се използва заедно с други продукти. Може да отдели опасни газове (хлор).

EUH 206	Sprache	
	ES	¡Atención! No utilizar junto con otros productos. Puede desprender gases peligrosos (cloro).
	CS	Pozor! Nepoužívejte společně s jinými výrobky. Může uvolňovat nebezpečné plyny (chlor).
	DA	Advarsel! Må ikke anvendes i forbindelse med andre produkter. Farlige luftarter (chlor) kan frigøres.
	DE	Achtung! Nicht zusammen mit anderen Produkten verwenden, da gefährliche Gase (Chlor) freigesetzt werden können.
	ET	Ettevaatust! Mitte kasutada koos teiste toodetega. Segust võib eralduda ohtlikke gaase (kloori).
	EL	Προσοχή! Να μην χρησιμοποιείται σε συνδυασμό με άλλα προϊόντα. Μπορεί να ελευθερωθούν επικίνδυνα αέρια (χλώριο).
	EN	Warning! Do not use together with other products. May release dangerous gases (chlorine).
	FR	Attention! Ne pas utiliser en combinaison avec d'autres produits. Peut libérer des gaz dangereux (chlore).
	GA	Rabhadh! Ná húsáid in éineacht le táirgí eile. D'fhéadfadh sé go scaoilfí gás chontúirteacha (clóirín).
	IT	Attenzione! Non utilizzare in combinazione con altri prodotti. Possono liberarsi gas pericolosi (cloro).
	LV	Brīdinājums! Nelietot kopā ar citiem produktiem. Var izdalīt bīstamas gāzes (hloru).
	LT	Atsargiai! Nenaudoti kartu su kitais produktais. Gali išskirti pavojingas dujas (chlorą).
	HU	Figyelem! Tilos más termékekkel együtt használni. Veszélyes gázok (klór) szabadulhatnak fel.
	MT	Twissija! Tużahx flimkien ma' prodotti oħra. Jista' jerhi gassijiet perikolużi (kloru).
	NL	Let op! Niet in combinatie met andere producten gebruiken. Er kunnen gevaarlijke gassen (chlor) vrijkomen.
	PL	Uwaga! Nie stosować razem z innymi produktami. Może wydzielać niebezpieczne gazy (chlor).
	PT	Atenção! Não utilizar juntamente com outros produtos. Podem libertar-se gases perigosos (cloro).
	RO	Atenție! A nu se folosi împreună cu alte produse. Poate elibera gaze periculoase (clor).
	SK	Pozor! Nepoužívajte spolu s inými výrobkami. Môžu uvoľňovať nebezpečné plyny (chlór).
	SL	Pozor! Ne uporabljajte skupaj z drugimi izdelki. Lahko se sproščajo nevarni plini (klor).
	FI	Varoitus! Älä käytä yhdessä muiden tuotteiden kanssa. Tuotteesta voi vapautua vaarallista kaasua (klooria).
	SV	Varning! Får ej användas tillsammans med andra produkter. Kan avge farliga gaser (klor).

EUH 207	Sprache	
	BG	Внимание! Съдържа кадмий. При употреба се образуват опасни пари. Вижте информацията, предоставена от производителя. Спазвайте инструкциите за безопасност.
	ES	¡Atención! Contiene cadmio. Durante su utilización se desprenden vapores peligrosos. Ver la información facilitada por el fabricante. Seguir las instrucciones de seguridad.
	CS	Pozor! Obsahuje kadmium. Při používání vznikají nebezpečné výpary. Viz informace dodané výrobcem. Dodržujte bezpečnostní pokyny.
	DA	Advarsel! Indeholder cadmium. Der udvikles farlige dampe under anvendelsen. Se producentens oplysninger. Overhold sikkerhedsforskrifterne.
	DE	Achtung! Enthält Cadmium. Bei der Verwendung entstehen gefährliche Dämpfe. Hinweise des Herstellers beachten. Sicherheitsanweisungen einhalten.

EUH 207	Sprache	
	ET	Ettevaatust! Sisaldab kaadmiumi. Kasutamisel moodustuvad ohtlikud aurud. Vt tootja esitatud teavet. Järgida ohutuseeskirju.
	EL	Προσοχή! Περιέχει κάδμιο. Κατά τη χρήση αναπτύσσονται επικίνδυνες αναθυμιάσεις. Βλέπετε πληροφορίες του κατασκευαστή. Τηρείτε τις οδηγίες ασφαλείας.
	EN	Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.
	FR	Attention! Contient du cadmium. Des fumées dangereuses se développent pendant l'utilisation. Voir les informations fournies par le fabricant. Respectez les consignes de sécurité.
	GA	Rabhadh! Caidmiam ann. Cruthaítear múch chontúirteach le linn a úsáide. Féach an fhaisnéis atá curtha ar fáil ag an monaróir. Cloígh leis na treoracha sábháilteachta.
	IT	Attenzione! Contiene cadmio. Durante l'uso si sviluppano fumi pericolosi. Leggere le informazioni fornite dal fabbricante. Rispettare le disposizioni di sicurezza.
	LV	Brīdinājums! Satur kadmiju. Lietojot veidojas bīstami izgarojumi. Sk. ražotāja sniegto informāciju. Ievērot drošības instrukcijas.
	LT	Atsargiai! Sudėtyje yra kadmio. Naudojant susidaro pavojingi garai. Žiūrėti gamintojo pateiktą informaciją. Vykdyti saugos instrukcijas.
	HU	Figyelem! Kadmiumot tartalmaz! A használat során veszélyes füstök képződnek. Lásd a gyártó által közölt információt. Be kell tartani a biztonsági előírásokat.
	MT	Twissija! Fih il-kadmju. Waqt li jintuża jiffurmaw dhahen perikolużi. Ara l-informazzjoni mogħtija mill-fabbrikant. Hares l-istruzzjonijiet dwar is-sigurtà.
	NL	Let op! Bevat cadmium. Bij het gebruik ontwikkelen zich gevaarlijke dampen. Zie de aanwijzingen van de fabrikant. Neem de veiligheidsvoorschriften in acht.
	PL	Uwaga! Zawiera kadm. Podczas stosowania wydziela niebezpieczne pary. Zapoznaj się z informacją dostarczoną przez producenta. Przestrzegaj instrukcji bezpiecznego stosowania.
	PT	Atenção! Contém cádmio. Libertam-se fumos perigosos durante a utilização. Ver as informações fornecidas pelo fabricante. Respeitar as instruções de segurança.
	RO	Atenție! Conține cadmiu. În timpul utilizării se degajă un fum periculos. A se vedea informațiile furnizate de producător. A se respecta instrucțiunile privind siguranța.
	SK	Pozor! Obsahuje kadmium. Pri používaní sa tvorí nebezpečný dym. Pozri informácie od výrobcu. Dodržiavajte bezpečnostné pokyny.
	SL	Pozor! Vsebuje kadmij. Med uporabo nastajajo nevarni dimi. Preberite informacije proizvajalca. Upošteвайте navodila za varno uporabo.
	FI	Varoitus! Sisältää kadmiumia. Käytettäessä muodostuu vaarallisia huujuja. Noudata valmistajan antamia ohjeita. Noudata turvallisuusohjeita.
	SV	Varning! Innehåller kadmium. Farliga ångor bildas vid användning. Se information från tillverkaren. Följ skyddsanvisningarna.
EUH 208	Sprache	
	BG	Съдържа <наименование на сенсibiliзиращото вещество>. Може да предизвика алергична реакция.
	ES	Contiene <nombre de la sustancia sensibilizante>. Puede provocar una reacción alérgica.
	CS	Obsahuje <název senzibilizující látky>. Může vyvolat alergickou reakci.
	DA	Indeholder <navn på det sensibiliserende stof>. Kan udløse allergisk reaktion.
	DE	Enthält <Name des sensibilisierenden Stoffes>. Kann allergische Reaktionen hervorrufen.
	ET	Sisaldab <sensibiliseeriva aine nimetus>. Võib esile kutsuda allergilise reaktsiooni.
	EL	Περιέχει <όνομα της ευαισθητοποιητικής ουσίας>. Μπορεί να προκαλέσει αλλεργική αντίδραση.
	EN	Contains <name of sensitising substance>. May produce an allergic reaction.
	FR	Contient <nom de la substance sensibilisante>. Peut produire une réaction allergique.

EUH 208	Sprache	
	GA	<Ainm na substainte íograithe> ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach.
	IT	Contiene <denominazione della sostanza sensibilizzante>. Può provocare una reazione allergica.
	LV	Satur <sensibilizējošās vielas nosaukums>. Var izraisīt alerģisku reakciju.
	LT	Sudėtyje yra <jautrinančios medžiagos pavadinimas>. Gali sukelti alerginę reakciją.
	HU	<Allergén anyag neve>-t tartalmaz. Allergiás reakciót válthat ki.
	MT	Fih <l-isem tas-sustanza sensibbli>. Jista' jagħmel reazzjoni allergika.
	NL	Bevat <naam van de sensibiliserende stof>. Kan een allergische reactie veroorzaken.
	PL	Zawiera <nazwa substancji uczulającej>. Może powodować wystąpienie reakcji alergicznej.
	PT	Contém <nome da substância sensibilizante em questão>. Pode provocar uma reacção alérgica.
	RO	Conține <denumirea substanței sensibilizante>. Poate provoca o reacție alergică.
	SK	Obsahuje <názov senzibilizujúcej látky>. Môže vyvolať alergickú reakciu.
	SL	Vsebuje <ime snovi, ki povzroča preobčutljivost>. Lahko povzroči alergijski odziv.
	FI	Sisältää <herkistävän aineen nimi>. Voi aiheuttaa allergisen reaktion.
	SV	Innehåller <namnet på det sensibiliserande ämnet>. Kan orsaka en allergisk reaktion.
EUH 209/ 209A	Sprache	
209 209A	BG	При употреба може да стане силно запалимо. При употреба може да стане запалимо.
209 209A	ES	Puede inflamarse fácilmente al usarlo Puede inflamarse al usarlo.
209 209A	CS	Při používání se může stát hořlavým. Při používání se může stát hořlavým.
209 209A	DA	Kan blive meget brandfarlig ved brug. Kan blive brandfarlig ved brug.
209 209A	DE	Kann bei Verwendung leicht entzündbar werden. Kann bei Verwendung entzündbar werden.
209 209A	ET	Kasutamisel võib muutuda väga tuleohtlikuks. Kasutamisel võib muutuda tuleohtlikuks.
209 209A	EL	Μπορεί να γίνει πολύ εύφλεκτο κατά τη χρήση. Μπορεί να γίνει εύφλεκτο κατά τη χρήση.
209 209A	EN	Can become highly flammable in use. Can become flammable in use.
209 209A	FR	Peut devenir facilement inflammable en cours d'utilisation. Peut devenir inflammable en cours d'utilisation.
209 209A	GA	D'fhéadfadh sé éirí an-inadhainte agus é á úsáid. D'fhéadfadh sé éirí inadhainte agus é á úsáid.
209 209A	IT	Può diventare facilmente infiammabile durante l'uso. Può diventare infiammabile durante l'uso.
209 209A	LV	Lietojojot var viegli uzliesmot. Kļūt uzliesmojšs.

EUH 209/ 209A	Sprache	
209 209A	LT	Naudojama gali tapti labai degi. Naudojama gali tapti degi.
209 209A	HU	A használat során fokozottan tűzveszélyessé válhat. A használat során tűzveszélyessé válhat.
209 209A	MT	Jista' jiehu n-nar faċilment meta jintuża. Jista' jiehu n-nar meta jintuża.
209 209A	NL	Kan bij gebruik licht ontvlambaar worden. Kan bij gebruik ontvlambaar worden.
209 209A	PL	Podczas stosowania może przekształcić się w substancję wysoce łatwopalną. Podczas stosowania może przekształcić się w substancję łatwopalną.
209 209A	PT	Pode tornar-se facilmente inflamável durante o uso. Pode tornar-se inflamável durante o uso.
209 209A	RO	Poate deveni foarte inflamabil în timpul utilizării. Poate deveni inflamabil în timpul utilizării.
209 209A	SK	Pri používaní sa môže stať veľmi horľavou. Pri používaní sa môže stať horľavou.
209 209A	SL	Med uporabo utegne postati lahko vnetljivo. Med uporabo utegne postati vnetljivo.
209 209A	FI	Voi muuttua helposti syttyväksi käytössä. Voi muuttua syttyväksi käytössä.
209 209A	SV	Kan bli mycket brandfarligt vid användning. Kan bli brandfarligt vid användning.
EUH 210	Sprache	
	BG	Информационен лист за безопасност ще бъде представен при поискване.
	ES	Puede solicitarse la ficha de datos de seguridad.
	CS	Na vyžádání je k ^o dispozici bezpečnostní list.
	DA	Sikkerhedsdatablad kan på anmodning rekvireres.
	DE	Sicherheitsdatenblatt auf Anfrage erhältlich.
	ET	Ohutuskaart nõudmisel kättesaadav.
	EL	Δελτίο δεδομένων ασφαλείας παρέχεται εφόσον ζητηθεί.
	EN	Safety data sheet available on request.
	FR	Fiche de données de sécurité disponible sur demande.
	GA	Bileog sonraí sábháilteachta ar fáil arna iarraidh sin.
	IT	Scheda dati di sicurezza disponibile su richiesta.
	LV	Drošības datu lapa ir pieejama pēc pieprasījuma.
	LT	Saugos duomenų lapą galima gauti paprašius.
	HU	Kérésre biztonsági adatlap kapható.
	MT	Il-karta tad-data dwar is-sikurezza hija disponibbli meta tintalab.
	NL	Veiligheidsinformatieblad op verzoek verkrijgbaar.
	PL	Karta charakterystyki dostępna na żądanie.
	PT	Ficha de segurança fornecida a pedido.

EUH 210	Sprache	
	RO	Fișa cu date de securitate disponibilă la cerere.
	SK	Na požiadanie možno poskytnúť kartu bezpečnostných údajov.
	SL	Varnosti list na voljo na zahtevo.
	FI	Käyttöturvallisuustiedote toimitetaan pyynnöstä.
	SV	Säkerhetsdatablad finns att rekvirera.
EUH 401	Sprache	
	BG	За да се избегнат рисковете за човешкото здраве и околната среда, спазвайте инструкциите за употреба.
	ES	A fin de evitar riesgos para las personas y el medio ambiente, siga las instrucciones de uso.
	CS	Dodržujte pokyny pro používání, abyste se vyvarovali rizik pro lidské zdraví a životní prostředí.
	DA	Brugsanvisningen skal følges for ikke at bringe menneskers sundhed og miljøet i fare.
	DE	Zur Vermeidung von Risiken für Mensch und Umwelt die Gebrauchsanleitung einhalten.
	ET	Inimeste tervise ja keskkonna ohustamise vältimiseks järgida kasutusjuhendit.
	EL	Για να αποφύγετε τους κινδύνους για την ανθρώπινη υγεία και το περιβάλλον, ακολουθήστε τις οδηγίες χρήσης.
	EN	To avoid risks to human health and the environment, comply with the instructions for use.
	FR	Respectez les instructions d'utilisation pour éviter les risques pour la santé humaine et l'environnement.
	GA	Chun priacail do shláinte an duine agus don chomhshaol a sheachaint, cloígh leis na treoracha maidir le húsáid.
	IT	Per evitare rischi per la salute umana e per l'ambiente, seguire le istruzioni per l'uso.
	LT	Siekiant išvengti žmonių sveikatai ir aplinkai keliamos rizikos, būtina vykdyti naudojimo instrukcijos nurodymus.
	LV	Lai izvairītos no riska cilvēku veselībai un videi, ievērojiet lietošanas pamācību.
	HU	Az emberi egészség és a környezet veszélyeztetésének elkerülése érdekében be kell tartani a használati utasítás előírásait.
	MT	Bieq jiġu evitati r-riskji għal saħħet il-bniedem u għall-ambjent, haies l-istruzzjonijiet dwar l-użu.
	NL	Volg de gebruiksaanwijzing om gevaar voor de menselijke gezondheid en het milieu te voorkomen.
	PL	W celu uniknięcia zagrożenia dla zdrowia ludzi i środowiska, należy postępować zgodnie z instrukcją użycia.
	PT	Para evitar riscos para a saúde humana e para o ambiente, respeitar as instruções de utilização.
	RO	Pentru a evita riscurile pentru sănătatea umană și mediu, a se respecta instrucțiunile de utilizare.
	SK	Dodržiavejte návod na používanie, aby ste zabránili vzniku rizík pre zdravie ľudí a životné prostredie.
	SL	Da bi se izognili tveganjem za ljudi in okolje, ravnajte v skladu z navodili za uporabo.
	FI	Noudata käyttöohjeita ihmisen terveydelle ja ympäristölle aiheutuvien vaarojen välttämiseksi.
	SV	För att undvika risker för människors hälsa och för miljön, följ bruksanvisningen.

ANHANG IV

LISTE DER SICHERHEITSHINWEISE

Bei der Wahl der Sicherheitshinweise gemäß Artikel 22 und Artikel 28 Absatz 3 können Lieferanten die Sicherheitshinweise in der unten aufgeführten Tabelle unter Berücksichtigung der Deutlichkeit und Verständlichkeit der Warnhinweise miteinander kombinieren

1. Teil 1: Kriterien für die Wahl der Sicherheitshinweise

Tabelle 6.1

Sicherheitshinweise — Allgemeines

Kodierung (1)	Allgemeine Sicherheitshinweise (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P101	Ist ärztlicher Rat erforderlich, Verpackung oder Etikett bereithalten.	falls zutreffend		Verbraucherprodukte
P102	Darf nicht in die Hände von Kindern gelangen.	falls zutreffend		Verbraucherprodukte
P103	Vor Gebrauch Etikett lesen.	falls zutreffend		Verbraucherprodukte

Tabelle 6.2

Sicherheitshinweise — Prävention

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P201	Vor Gebrauch besondere Anweisungen einholen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff	
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Reproduktionstoxizität — Wirkungen auf/über Laktation (Abschnitt 3.7)	Zusatzkategorie	
P202	Vor Gebrauch sämtliche Sicherheitsratschläge lesen und verstehen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff	
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P210	Von Hitze/Funken/offener Flamme/heißen Oberflächen fernhalten. Nicht rauchen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	Zutreffende Zündquelle/-n von Hersteller/Lieferant anzugeben.
		Entzündbare Gase (Abschnitt 2.2)	1, 2	
		Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
		oxidierende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	
		oxidierende Feststoffe (Abschnitt 2.14)	1, 2, 3	
P211	Nicht in offene Flamme oder andere Zündquelle sprühen.	Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
P220	Von Kleidung/.../brennbaren Materialien fernhalten/entfernt aufbewahren.	oxidierende Gase (Abschnitt 2.4)	1	... Unverträgliche Materialien von Hersteller/Lieferant anzugeben.
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		oxidierende Flüssigkeiten (Abschnitt 2.13)	1	... Unverträgliche Materialien von Hersteller/Lieferant anzugeben. — Präzisieren: Von Kleidung sowie anderen unverträglichen Materialien fernhalten.
			2, 3	

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		oxidierende Feststoffe (Abschnitt 2.14)	1	... Unverträgliche Materialien von Hersteller/Lieferant anzugeben. — Präzisieren: Von Kleidung sowie anderen unverträglichen Materialien fernhalten.
		Organische Peroxide (Abschnitt 2.15)	2, 3	... Unverträgliche Materialien von Hersteller/Lieferant anzugeben.
P221	Vermischung mit brennbaren Stoffen/... unter allen Umständen vermeiden.	oxidierende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	... Unverträgliche Materialien von Hersteller/Lieferant anzugeben.
		oxidierende Feststoffe (Abschnitt 2.14)	1, 2, 3	
P222	Berührung mit Luft vermeiden.	Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
P223	Berührung mit Wasser wegen heftiger Reaktion und möglichem Aufflammen unbedingt vermeiden.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2	
P230	Feucht halten mit ...	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.5	... Geeignetes Material von Hersteller/Lieferant anzugeben. — wenn Austrocknen die Explosionsgefahr vergrößert, sofern dies nicht für Herstellungs- oder Betriebsprozesse erforderlich ist (z. B. bei Nitrozellulose)
P231	Unter inertem Gas handhaben.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
P232	Vor Feuchtigkeit schützen.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
P233	Behälter dicht verschlossen halten.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3	— falls Produkt flüchtig ist und eine gefährliche Atmosphäre erzeugen kann
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3	
P234	Nur im Originalbehälter aufbewahren.	selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
		Auf Metalle korrosiv wirkende Stoffe und Gemische (Abschnitt 2.16)	1	

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P235	Kühl halten.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
P240	Behälter und zu befüllende Anlage erden.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	— falls Stoff/ Gemisch/Erzeugnis elektrostatisch empfindlich ist
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	— falls elektrostatisch empfindliches Material umgefüllt wird — falls Produkt flüchtig ist und eine gefährliche Atmosphäre erzeugen kann
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	— falls elektrostatisch empfindliches Material umgefüllt wird
P241	Explosionsschutz elektrische Anlagen/Lüftungsanlagen/Beleuchtungsanlagen/.../verwenden.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	... Andere Anlagen von Hersteller/Lieferant anzugeben.
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	... Andere Anlagen von Hersteller/Lieferant anzugeben. — falls Staubwolken auftreten können
P242	Nur funkenfreies Werkzeug verwenden.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
P243	Maßnahmen gegen elektrostatische Aufladungen treffen.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
P244	Druckminderventile frei von Fett und Öl halten.	Entzündend (oxidierend) wirkende Gase (Abschnitt 2.4)	1	
P250	Nicht schleifen/stoßen/.../ reiben.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	... Unzulässige Art der mechanischen Beanspruchung von Hersteller/Lieferant anzugeben.
P251	Behälter steht unter Druck: Nicht durchstechen oder verbrennen, auch nicht nach der Verwendung.	Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
P260	Staub/Rauch/Gas/Nebel/ Dampf/Aerosol nicht einatmen.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2	Zutreffende Bedingungen von Hersteller/Lieferant anzugeben.
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
		Spezifische Zielorgan-Toxizität — wiederholte Exposition (Abschnitt 3.9)	1, 2	

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkatego- rien (4)	Verwendungsbedingungen (5)
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	— Präzisieren: Keine Stäube oder Nebel einatmen. — falls bei Verwen- dung inhalierbare Staub- oder Nebel- partikel auftreten können
		Reproduktionstoxizität — Wir- kungen auf/über Laktation (Abschnitt 3.7)	Zusatzkatego- rie	
P261	Einatmen von Staub/Rauch/ Gas/Nebel/Dampf/Aerosol vermeiden.	Akute inhalative Toxizität (Abschnitt 3.1)	3, 4	Zutreffende Bedingun- gen von Hersteller/Lie- ferant anzugeben.
		Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkoti- sche Wirkungen (Abschnitt 3.8)	3	
P262	Nicht in die Augen, auf die Haut oder auf die Kleidung gelangen lassen.	Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
P263	Berührung während der Schwangerschaft/der Still- zeit vermeiden.	Reproduktionstoxizität — Wir- kungen auf/über Laktation (Abschnitt 3.7)	Zusatzkatego- rie	
P264	Nach Gebrauch ... gründ- lich waschen.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	... Nach Gebrauch zu waschende Körperteile von Hersteller/Lieferant anzugeben.
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Reizung der Haut (Abschnitt 3.2)	2	
		Reizung der Augen (Abschnitt 3.3)	2	
		Reproduktionstoxizität — Wir- kungen auf/über Laktation (Abschnitt 3.7)	Zusatzkatego- rie	
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
		Spezifische Zielorgan-Toxizität — wiederholte Exposition (Abschnitt 3.9)	1	
P270	Bei Verwendung dieses Produkts nicht essen, trin- ken oder rauchen.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
		Reproduktionstoxizität — Wir- kungen auf/über Laktation (Abschnitt 3.7)	Zusatzkatego- rie	
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
		Spezifische Zielorgan-Toxizität — wiederholte Exposition (Abschnitt 3.9)	1	

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)	
P271	Nur im Freien oder in gut belüfteten Räumen verwenden.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3, 4		
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3		
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3		
P272	Kontaminierte Arbeitskleidung soll am Arbeitsplatz verbleiben.	Sensibilisierung der Haut (Abschnitt 3.4)	1		
P273	Freisetzung in die Umwelt vermeiden.	Gewässergefährdend — akute aquatische Toxizität (Abschnitt 4.1)	1	— falls dies nicht dem Verwendungszweck entspricht	
		Gewässergefährdend — chronische aquatische Toxizität (Abschnitt 4.1)	1, 2, 3, 4		
P280	Schutzhandschuhe/Schutzkleidung/Augenschutz/Gesichtsschutz tragen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	Art der Ausrüstung von Hersteller/Lieferant anzugeben. — Gesichtsschutz angeben	
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	Art der Ausrüstung von Hersteller/Lieferant anzugeben. — Schutzhandschuhe und Augenschutz/Gesichtsschutz angeben	
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2		
		Selbstersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F		
		Pyrophore Flüssigkeiten (Abschnitt 2.9)	1		
		Pyrophore Feststoffe (Abschnitt 2.10)	1		
		Selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2		
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3		
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3		
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1, 2, 3		
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F		
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3, 4		Art der Ausrüstung von Hersteller/Lieferant anzugeben. — Schutzhandschuhe/Schutzkleidung angeben
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C		Art der Ausrüstung von Hersteller/Lieferant anzugeben. — Schutzhandschuhe/Schutzkleidung und Augenschutz/Gesichtsschutz angeben

Kodierung (1)	Sicherheitshinweise — Prävention (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		Reizung der Haut (Abschnitt 3.2)	2	Art der Ausrüstung von Hersteller/Lieferant angeben. — Schutzhandschuhe angeben
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
		Schwere Augenschädigung/Reizung der Augen (Abschnitt 3.3)	1	Art der Ausrüstung von Hersteller/Lieferant angeben. — Augenschutz/Gesichtsschutz angeben
		Reizung der Augen (Abschnitt 3.3)	2	
281	Vorgeschriebene persönliche Schutzausrüstung verwenden.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff	
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
P282	Schutzhandschuhe/Gesichtsschild/Augenschutz mit Kälteisolierung tragen.	Unter Druck stehende Gase (Abschnitt 2.5)	Tiefgekühlt verflüssigtes Gas	
P283	Feuerbeständige/flammbeständige/feuerhemmende/flammhemmende Kleidung tragen.	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P284	Atemschutz tragen.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2	Ausrüstung von Hersteller/Lieferant angeben.
P285	Bei unzureichender Belüftung Atemschutz tragen.	Sensibilisierung der Atemwege (Abschnitt 3.4)	1	Ausrüstung von Hersteller/Lieferant angeben.
P231 + P232	Unter inertem Gas handhaben. Vor Feuchtigkeit schützen.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
P235 + P410	Kühl halten. Vor Sonnenbestrahlung schützen.	Selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	

Tabelle 6.3

Sicherheitshinweise — Reaktion

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P301	BEI VERSCHLUCKEN:	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Aspirationsgefahr (Abschnitt 3.10).	1	
P302	BEI BERÜHRUNG MIT DER HAUT:	Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		Reizung der Haut (Abschnitt 3.2)	2	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
P303	BEI BERÜHRUNG MIT DER HAUT (oder dem Haar):	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
P304	BEI EINATMEN:	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkoti- sche Wirkungen (Abschnitt 3.8)	3	
P305	BEI BERÜHRUNG MIT DEN AUGEN:	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Schwere Augenschädigung/Rei- zung der Augen (Abschnitt 3.3)	1	
		Reizung der Augen (Abschnitt 3.3)	2	
P306	BEI BERÜHRUNG MIT DER KLEIDUNG:	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P307	BEI Exposition:	Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1	
P308	BEI Exposition oder Ver- dacht:	Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Reproduktionstoxizität — Wir- kungen auf/über Laktation (Abschnitt 3.7)	Zusatzkate- gorie	
P309	BEI Exposition oder Unwohlsein:	Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	2	
P310	Sofort GIFTINFORMA- TIONSZENTRUM oder Arzt anrufen.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3	
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
		Akute inhalative Toxizität (Abschnitt 3.1)	1, 2	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Schwere Augenschädigung/Rei- zung der Augen (Abschnitt 3.3)	1	
		Aspirationsgefahr (Abschnitt 3.10).	1	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P311	GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Akute inhalative Toxizität (Abschnitt 3.1)	3	
		Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
P312	Bei Unwohlsein GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Akute orale Toxizität (Abschnitt 3.1)	4	
		Akute dermale Toxizität (Abschnitt 3.1)	3, 4	
		Akute inhalative Toxizität (Abschnitt 3.1)	4	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3	
P313	Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Reizung der Haut (Abschnitt 3.2)	2, 3	
		Reizung der Augen (Abschnitt 3.3)	2	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Reproduktionstoxizität — Wirkungen auf/über Laktation (Abschnitt 3.7)	Zusatzkategorie	
P314	Bei Unwohlsein ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Spezifische Zielorgan-Toxizität — wiederholte Exposition (Abschnitt 3.9)	1, 2	
P315	Sofort ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Unter Druck stehende Gase (Abschnitt 2.5)	Tiefgekühlt verflüssigtes Gas	
P320	Gezielte Behandlung dringend erforderlich (siehe ... auf diesem Kennzeichnungsetikett).	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls sofortige Verabreichung eines Gegengifts erforderlich ist
P321	Gezielte Behandlung (siehe ... auf diesem Kennzeichnungsetikett).	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls sofortige Verabreichung eines Gegengifts erforderlich ist

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		akute inhalative Toxizität (Abschnitt 3.1)	3	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls besondere Sofortmaßnahmen erforderlich sind
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls besondere Sofortmaßnahmen erforderlich sind
		Sensibilisierung der Haut (Abschnitt 3.4)	1	... Hinweis auf ergänzende Erste-Hilfe-Anleitung
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	— Hersteller/Lieferant kann, falls zweckmäßig, Reinigungsmittel angeben
		Reizung der Haut (Abschnitt 3.2)	2	
P322	Gezielte Maßnahmen (siehe ... auf diesem Kennzeichnungsetikett).	Akute dermale Toxizität (Abschnitt 3.1)	1, 2	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls Sofortmaßnahmen wie Verwendung eines besonderen Reinigungsmittels empfehlenswert sind
		Akute dermale Toxizität (Abschnitt 3.1)	3, 4	... Hinweis auf ergänzende Erste-Hilfe-Anleitung — falls Maßnahmen wie Verwendung eines besonderen Reinigungsmittels empfehlenswert sind
P330	Mund ausspülen.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
P331	KEIN Erbrechen herbeiführen.	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Aspirationsgefahr (Abschnitt 3.10).	1	
P332	Bei Hautreizung:	Reizung der Haut (Abschnitt 3.2)	2, 3	
P333	Bei Hautreizung oder -auschlag:	Sensibilisierung der Haut (Abschnitt 3.4)	1	
P334	In kaltes Wasser tauchen/ nassen Verband anlegen.	Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2	
P335	Lose Partikel von der Haut abbürsten.	Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P336	Vereiste Bereiche mit lauwarmem Wasser auftauen. Betroffenen Bereich nicht reiben.	Unter Druck stehende Gase (Abschnitt 2.5)	Tiefgekühlt verflüssigtes Gas	
P337	Bei anhaltender Augenreizung:	Reizung der Augen (Abschnitt 3.3)	2	
P338	Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter ausspülen.	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Schwere Augenschädigung/Reizung der Augen (Abschnitt 3.3)	1	
		Reizung der Augen (Abschnitt 3.3)	2	
P340	Die betroffene Person an die frische Luft bringen und in einer Position ruhigstellen, in der sie leicht atmet.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3	
P341	Bei Atembeschwerden die betroffene Person an die frische Luft bringen und in einer Position ruhigstellen, in der sie leicht atmet.	Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
P342	Bei Symptomen der Atemwege:	Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
P350	Behutsam mit viel Wasser und Seife waschen.	Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
P351	Einige Minuten lang behutsam mit Wasser ausspülen.	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Schwere Augenschädigung/Reizung der Augen (Abschnitt 3.3)	1	
		Reizung der Augen (Abschnitt 3.3)	2	
P352	Mit viel Wasser und Seife waschen.	Akute dermale Toxizität (Abschnitt 3.1)	3, 4	
		Reizung der Haut (Abschnitt 3.2)	2	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
P353	Haut mit Wasser abwaschen/duschen.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
P360	Vor Ablegen der Kleidung kontaminierte Kleidung und Haut sofort mit viel Wasser abwaschen.	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P361	Alle kontaminierten Kleidungsstücke sofort ausziehen.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P362	Kontaminierte Kleidung ausziehen und vor erneutem Tragen waschen.	Reizung der Haut (Abschnitt 3.2)	2	
P363	Kontaminierte Kleidung vor erneutem Tragen waschen.	Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
P370	Bei Brand:	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	
		Entzündend (oxidierend) wirkende Gase (Abschnitt 2.4)	1	
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1, 2, 3	
P371	Bei Großbrand und großen Mengen:	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P372	Explosionsgefahr bei Brand.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	— außer, es handelt sich dabei um 1.4S-Munition und ihre Bestandteile
P373	KEINE Brandbekämpfung, wenn das Feuer explosive Stoffe erreicht.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	
P374	Brandbekämpfung mit üblichen Vorsichtsmaßnahmen aus angemessener Entfernung	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklasse 1.4	— falls es sich dabei um 1.4S-Munition und ihre Bestandteile handelt

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P375	Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.	Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P376	Undichtigkeit beseitigen, falls gefahrlos möglich.	Entzündend (oxidierend) wirkende Gase (Abschnitt 2.4)	1	
P377	Brand bei Gasleckage: Nicht löschen, bis Leckage gefahrlos gestoppt werden kann.	Entzündbare Gase (Abschnitt 2.2)	1, 2	
P378	... zum Löschen verwenden.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	... Geeignetes Medium von Hersteller/Lieferant angeben. — falls Wasser die Gefahr erhöht
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1, 2, 3	
P380	Umgebung räumen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff	
		Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P381	Alle Zündquellen entfernen, falls gefahrlos möglich.	Entzündbare Gase (Abschnitt 2.2)	1, 2	
P390	Verschüttete Mengen aufnehmen, um Materialschäden zu vermeiden.	Auf Metalle korrosiv wirkend (Abschnitt 2.16)	1	
P391	Verschüttete Mengen aufnehmen.	Chronisch gewässergefährdend - akute aquatische Toxizität (Abschnitt 4.1)	1	
		Chronisch gewässergefährdend - chronische aquatische Toxizität (Abschnitt 4.1)	1, 2	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P301 + P310	BEI VERSCHLUCKEN: Sofort GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3	
		Aspirationsgefahr (Abschnitt 3.10).	1	
P301 + P312	BEI VERSCHLUCKEN: Bei Unwohlsein GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Akute orale Toxizität (Abschnitt 3.1)	4	
P301 + P330 + P331	BEI VERSCHLUCKEN: Mund ausspülen. KEIN Erbrechen herbeiführen.	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
P302 + P334	BEI BERÜHRUNG MIT DER HAUT: In kaltes Wasser tauchen/nassen Verband anlegen.	Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
P302 + P350	BEI BERÜHRUNG MIT DER HAUT: Behutsam mit viel Wasser und Seife waschen.	Akute dermale Toxizität (Abschnitt 3.1)	1, 2	
P302 + P352	BEI BERÜHRUNG MIT DER HAUT: Mit viel Wasser und Seife waschen.	Akute dermale Toxizität (Abschnitt 3.1)	3, 4	
		Reizung der Haut (Abschnitt 3.2)	2	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
P303 + P361 + P353	BEI BERÜHRUNG MIT DER HAUT (oder dem Haar): Alle kontaminierten Kleidungsstücke sofort ausziehen. Haut mit Wasser abwaschen/duschen.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
P304 + P340	BEI EINATMEN: Die betroffene Person an die frische Luft bringen und in einer Position ruhigstellen, in der sie leicht atmet.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); markotische Wirkungen (Abschnitt 3.8)	3	
P304 + P341	BEI EINATMEN: Bei Atembeschwerden die betroffene Person an die frische Luft bringen und in einer Position ruhigstellen, in der sie leicht atmet.	Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
P305 + P351 + P338	BEI BERÜHRUNG MIT DEN AUGEN: Einige Minuten lang behutsam mit Wasser ausspülen. Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter ausspülen.	Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Schwere Augenschädigung/Reizung der Augen (Abschnitt 3.3)	1	
		Reizung der Augen (Abschnitt 3.3)	2	
P306 + P360	BEI BERÜHRUNG MIT DER KLEIDUNG: Vor Ablegen der Kleidung kontaminierte Kleidung und Haut sofort mit viel Wasser waschen.	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	
P307 + P311	BEI Exposition: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P308 + P313	BEI Exposition oder Verdacht: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Reproduktionstoxizität — Wirkungen auf/über Laktation (Abschnitt 3.7)	Zusatzkategorie	
P309 + P311	BEI Exposition oder Unwohlsein: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	2	
P332 + P313	Bei Hautreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Reizung der Haut (Abschnitt 3.2)	2	
P333 + P313	Bei Hautreizung oder -auschlag: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Sensibilisierung der Haut (Abschnitt 3.4)	1	
P335 + P334	Lose Partikel von der Haut abbürsten. In kaltes Wasser tauchen/nassen Verband anlegen.	Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2	
P337 + P313	Bei anhaltender Augenreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.	Reizung der Augen (Abschnitt 3.3)	2	
P342 + P311	Bei Symptomen der Atemwege: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.	Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
+ P376	Bei Brand: Undichtigkeit beseitigen, falls gefahrlos möglich.	Entzündend (oxidierend) wirkende Gase (Abschnitt 2.4)	1	
P370 + P378	Bei Brand: ... zum Löschen verwenden.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	... Geeignetes Medium von Hersteller/Lieferant angeben. — falls Wasser die Gefahr erhöht
		Entzündbare Feststoffe (Abschnitt 2.7)	1, 2	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	
		Pyrophore Feststoffe (Abschnitt 2.10)	1	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1, 2, 3	
P370 + P380	Bei Brand: Umgebung räumen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	
P370 + P380 + P375	Bei Brand: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.	Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B	

Kodierung (1)	Sicherheitshinweise — Reaktion (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P371 + P380 + P375	Bei Großbrand und großen Mengen: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.	Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1	

Tabelle 6.4

Sicherheitshinweise — Lagerung

Kodierung (1)	Sicherheitshinweise — Aufbewahrung (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)	
P401	... aufbewahren.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	... gemäß lokalen/regionalen/nationalen/internationalen Vorschriften (anzugeben)	
P402	An einem trockenen Ort aufbewahren.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3		
P403	An einem gut belüfteten Ort aufbewahren.	Entzündbare Gase (Abschnitt 2.2)	1, 2	— falls Produkt flüchtig ist und eine gefährliche Atmosphäre erzeugen kann	
		Entzündend (oxidierend) wirkende Gase (Abschnitt 2.4)	1		
		Unter Druck stehende Gase (Abschnitt 2.5)	verdichtetes Gas		1, 2, 3
			verflüssigtes Gas		
			tiefgekühlt verflüssigtes Gas		
			gelöstes Gas		
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3		
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F		
		Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3		
Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3				
Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3				
P404	In einem geschlossenen Behälter aufbewahren.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3		
P405	Unter Verschluss aufbewahren.	Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3		
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3		
		Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3		
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C		
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2		

Kodierung (1)	Sicherheitshinweise — Aufbewahrung (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkoti- sche Wirkungen (Abschnitt 3.8)	3	
		Aspirationsgefahr (Abschnitt 3.10).	1	
P406	In korrosionsfestem/... Behälter mit korrosionsfes- ter Auskleidung aufbewah- ren.	auf Metalle korrosiv wirkend (Abschnitt 2.16)	1	... Andere verträgliche Materialien von Her- steller/Lieferant anzu- geben.
P407	Luftspalt zwischen Stapeln/ Paletten lassen.	selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	
P410	Vor Sonnenbestrahlung schützen.	Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
		Unter Druck stehende Gase (Abschnitt 2.5)	verdichtetes Gas	
			verflüssigtes Gas	
			gelöstes Gas	
		selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	
Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F			
P411	Bei Temperaturen nicht über ... °C/...°F aufbewah- ren.	Selbsterzetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	... Temperatur von Hersteller/Lieferant anzugeben.
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
P412	Nicht Temperaturen über 50 °C/122 °F aussetzen.	Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
P413	Schüttgut in Mengen von mehr als ... kg/...lbs bei Temperaturen nicht über ... °C/...°F aufbewahren.	Selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	... Menge und Tempe- ratur von Hersteller/ Lieferant anzugeben.
P420	Von anderen Materialien entfernt aufbewahren.	Selbsterzetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Selbsterhitzungsfähige Stoffe und Gemische (Abschnitt 2.11)	1, 2	
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
P422	Inhalt in/unter ... aufbe- wahren.	Pyrophore Flüssigkeiten (Abschnitt 2.9)	1	... Geeignete Flüssig- keit oder geeignetes inertes Gas von Her- steller/Lieferant anzu- geben.
		Pyrophore Feststoffe (Abschnitt 2.10)	1	

Kodierung (1)	Sicherheitshinweise — Aufbewahrung (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P402 + P404	An einem trockenen Ort aufbewahren. In einem geschlossenen Behälter aufbewahren.	Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
P403 + P233	An einem gut belüfteten Ort aufbewahren. Behälter dicht verschlossen halten.	Akute inhalative Toxizität (Abschnitt 3.1)	1, 2, 3	— falls Produkt flüchtig ist und eine gefährliche Atmosphäre erzeugen kann
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkotische Wirkungen (Abschnitt 3.8)	3	
P403 + P235	An einem gut belüfteten Ort aufbewahren. Kühl halten.	Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
P410 + P403	Vor Sonnenbestrahlung schützen. An einem gut belüfteten Ort aufbewahren.	Unter Druck stehende Gase (Abschnitt 2.5)	verdichtetes Gas	
			verflüssigtes Gas	
			gelöstes Gas	
P410 + P412	Vor Sonnenbestrahlung schützen. Nicht Temperaturen über 50 °C/122 °F aussetzen.	Entzündbare Aerosole (Abschnitt 2.3)	1, 2	
P411 + P235	Bei Temperaturen nicht über ... °C/...°F aufbewahren. Kühl halten.	Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	... Temperatur von Hersteller/Lieferant anzugeben.

Tabelle 6.5

Sicherheitshinweise — Entsorgung

Kodierung (1)	Sicherheitshinweise — Entsorgung (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
P501	Inhalt/Behälter ... zuführen.	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff (Abschnitt 2.1)	instabile explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1, 1.2, 1.3, 1.4, 1.5	... gemäß lokalen/regionalen/nationalen/internationalen Vorschriften (anzugeben)
		Entzündbare Flüssigkeiten (Abschnitt 2.6)	1, 2, 3	
		Selbstzersetzliche Stoffe und Gemische (Abschnitt 2.8)	Typen A, B, C, D, E, F	
		Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase entwickeln (Abschnitt 2.12)	1, 2, 3	
		Entzündend (oxidierend) wirkende Flüssigkeiten (Abschnitt 2.13)	1, 2, 3	
		Entzündend (oxidierend) wirkende Feststoffe (Abschnitt 2.14)	1, 2, 3	
		Organische Peroxide (Abschnitt 2.15)	Typen A, B, C, D, E, F	
		Akute orale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	

Kodierung (1)	Sicherheitshinweise — Entsorgung (2)	Gefahrenklassen (3)	Gefahrenkategorien (4)	Verwendungsbedingungen (5)
		Akute dermale Toxizität (Abschnitt 3.1)	1, 2, 3, 4	
		Akute inhalative Toxizität (Abschnitt 3.1)	1, 2	
		Verätzung der Haut (Abschnitt 3.2)	1A, 1B, 1C	
		Sensibilisierung der Atemwege (Abschnitt 3.4)	1	
		Sensibilisierung der Haut (Abschnitt 3.4)	1	
		Keimzellmutagenität (Abschnitt 3.5)	1A, 1B, 2	
		Karzinogenität (Abschnitt 3.6)	1A, 1B, 2	
		Reproduktionstoxizität (Abschnitt 3.7)	1A, 1B, 2	
		Spezifische Zielorgan-Toxizität (einmalige Exposition) (Abschnitt 3.8)	1, 2	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); Reizung der Atemwege (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität (einmalige Exposition); narkoti- sche Wirkungen (Abschnitt 3.8)	3	
		Spezifische Zielorgan-Toxizität — wiederholte Exposition (Abschnitt 3.9)	1, 2	
		Aspirationsgefahr (Abschnitt 3.10).	1	
		Gewässergefährdend — akute aquatische Toxizität (Abschnitt 4.1)	1	
		Gewässergefährdend — chroni- sche aquatische Toxizität (Abschnitt 4.1)	1, 2, 3, 4	

2. Teil 2: Sicherheitshinweise

Die Sicherheitshinweise sind diesem Teil des Anhangs IV zu entnehmen und gemäß Teil 1 auszuwählen.

Tabelle 1.1

Sicherheitshinweise — Allgemeines

P101	Sprache	
	BG	При необходимост от медицинска помощ, носете опаковката или етикета на продукта.
	ES	Si se necesita consejo médico, tener a mano el envase o la etiqueta.
	CS	Je-li nutná lékařská pomoc, mějte po ruce obal nebo štítek výrobku.
	DA	Hvis der er brug for lægehjælp, medbring da beholderen eller etiketten.
	DE	Ist ärztlicher Rat erforderlich, Verpackung oder Kennzeichnungsetikett bereithalten.

P101	Sprache	
	ET	Arsti poole pöördudes võtta kaasa toote pakend või etikett.
	EL	Εάν ζητήσετε ιατρική συμβουλή, να έχετε μαζί σας τον περιέκτη του προϊόντος ή την ετικέτα.
	EN	If medical advice is needed, have product container or label at hand.
	FR	En cas de consultation d'un médecin, garder à disposition le récipient ou l'étiquette.
	GA	Más gá comhairle liachta, bíodh coimeádán nó lipéad an táirge ina aice láimhe.
	IT	In caso di consultazione di un medico, tenere a disposizione il contenitore o l'etichetta del prodotto.
	LV	Medicīniska padoma nepieciešamības gadījumā attiecīgā informācija ir norādīta uz iepakojuma vai etiķetes.
	LT	Jei reikalinga gydytojo konsultacija, su savimi turėkite produkto talpyklą ar jo etiketę.
	HU	Orvosi tanácsadás esetén tartsa kéznél a termék edényét vagy címkéjét.
	MT	Jekk ikun meħtieġ parir mediku, ara li jkollok il-kontenitur jew it-tikketta tal-prodott fil-qrib.
	NL	Bij het inwinnen van medisch advies, de verpakking of het etiket ter beschikking houden.
	PL	W razie konieczności zasięgnięcia porady lekarza należy pokazać pojemnik lub etykietę.
	PT	Se for necessário consultar um médico, mostre-lhe a embalagem ou o rótulo.
	RO	Dacă este necesară consultarea medicului, țineți la îndemână recipientul sau eticheta produsului.
	SK	Ak je potrebná lekárska pomoc, majte k dispozícii obal alebo etiketu výrobu.
	SL	Če je potreben zdravniški nasvet, mora biti na voljo posoda ali etiketa proizvoda.
	FI	Jos tarvitaan lääkinnällistä apua, näytä pakkaus tai varoitusetiketti.
	SV	Ha förpackningen eller etiketten till hands om du måste söka läkarvård.
P102	Sprache	
	BG	Да се съхранява извън обсега на деца.
	ES	Mantener fuera del alcance de los niños.
	CS	Uchovávejte mimo dosah dětí.
	DA	Opbevares utilgængeligt for børn.
	DE	Darf nicht in die Hände von Kindern gelangen.
	ET	Hoida lastele kättesaamatus kohas.
	EL	Μακριά από παιδιά.
	EN	Keep out of reach of children.
	FR	Tenir hors de portée des enfants.
	GA	Coimeád as aimsiú leanaí.
	IT	Tenere fuori dalla portata dei bambini.
	LV	Sargāt no bērniem.
	LT	Laikyti vaikams neprieinamoje vietoje.
	HU	Gyermekektől elzárva tartandó.
	MT	Żommu 'l bogħod minn fejn jistghu jilhqah it-tfal.
	NL	Buiten het bereik van kinderen houden.

P102	Sprache	
	PL	Chronić przed dziećmi.
	PT	Manter fora do alcance das crianças.
	RO	A nu se lăsa la îndemâna copiilor.
	SK	Uchovávať mimo dosahu detí.
	SL	Hraniti zunaj dosega otrok.
	FI	Säilytä lasten ulottumattomissa.
	SV	Förvaras oåtkomligt för barn.

P103	Sprache	
	BG	Преди употреба прочетете етикета.
	ES	Leer la etiqueta antes del uso.
	CS	Před použitím si přečtěte údaje na štítku.
	DA	Læs etiketten før brug.
	DE	Vor Gebrauch Kennzeichnungsetikett lesen.
	ET	Enne kasutamist tutvuda etiketil oleva infoga.
	EL	Διαβάστε την ετικέτα πριν από τη χρήση.
	EN	Read label before use.
	FR	Lire l'étiquette avant utilisation.
	GA	Léigh an lipéad roimh úsáid.
	IT	Leggere l'etichetta prima dell'uso.
	LV	Pirms izmantošanas izlasīt etiķeti.
	LT	Prieš naudojimą perskaityti etiketę.
	HU	Használat előtt olvassa el a címkén közölt információkat.
	MT	Aqra t-tikketta qabel l-użu.
	NL	Alvorens te gebruiken, het etiket lezen.
	PL	Przed użyciem przeczytać etykietę.
	PT	Ler o rótulo antes da utilização.
	RO	Citiți eticheta înainte de a utiliza.
	SK	Pred použitím si prečítajte etiketu.
	SL	Pred uporabo preberite etiketo.
	FI	Lue merkinnät ennen käyttöä.
	SV	Läs etiketten före användning.

Tabelle 1.2

Sicherheitshinweise — Prävention

P201	Sprache	
	BG	Преди употреба се снабдете със специални инструкции.
	ES	Pedir instrucciones especiales antes del uso.

P201	Sprache	
	CS	Před použitím si obstarejte speciální instrukce.
	DA	Indhent særlige anvisninger før brug.
	DE	Vor Gebrauch besondere Anweisungen einholen.
	ET	Enne kasutamist tutvuda erijuhistega.
	EL	Εφοδιαστείτε με τις ειδικές οδηγίες πριν από τη χρήση.
	EN	Obtain special instructions before use.
	FR	Se procurer les instructions avant utilisation.
	GA	Faigh treoracha speisialta roimh úsáid.
	IT	Procurarsi istruzioni specifiche prima dell'uso.
	LV	Pirms lietošanas saņemt speciālu instrukciju.
	LT	Prieš naudojimą gauti specialias instrukcijas.
	HU	Használat előtt ismerje meg az anyagra vonatkozó különleges utasításokat.
	MT	Ikseb struzzjonijiet speċjali qabel l-użu.
	NL	Alvorens te gebruiken de speciale aanwijzingen raadplegen.
	PL	Przed użyciem zapoznać się ze specjalnymi środkami ostrożności.
	PT	Pedir instruções específicas antes da utilização.
	RO	Procurați instrucțiuni speciale înainte de a utiliza.
	SK	Pred použitím sa oboznámte s osobitnými pokynmi.
	SL	Pred uporabo pridobiti posebna navodila.
	FI	Lue erityisohjeet ennen käyttöä.
	SV	Inhämta särskilda instruktioner före användning.
P202	Sprache	
	BG	Не използвайте преди да сте прочели и разбрали всички предупредителни мерки за безопасност.
	ES	No manipular la sustancia antes de haber leído y comprendido todas las instrucciones de seguridad.
	CS	Nepoužívejte, dokud jste si nepřečetli všechny bezpečnostní pokyny a neporozuměli jim.
	DA	Anvend ikke produktet, før alle advarsler er læst og forstået.
	DE	Vor Gebrauch alle Sicherheitshinweise lesen und verstehen.
	ET	Mitte käidelda enne ohutusnõuetega tutvumist ja nendest arusaamist.
	EL	Μην το χρησιμοποιήσετε πριν διαβάσετε και κατανοήσετε τις οδηγίες προφύλαξης.
	EN	Do not handle until all safety precautions have been read and understood.
	FR	Ne pas manipuler avant d'avoir lu et compris toutes les précautions de sécurité.
	GA	Ná láimhsigh go dtí go léifear agus go dtuigfear gach ráiteas réamhchúraim sábháilteachta.
	IT	Non manipolare prima di avere letto e compreso tutte le avvertenze.
	LV	Neizmantot pirms nav izlasīti un saprasti visi apzīmējumi.
	LT	Nenaudoti, jeigu neperskaityti ar nesuprasti visi saugos įspėjimai.
	HU	Ne használja addig, amíg az összes biztonsági óvintézkedést el nem olvasta és meg nem értette.

P202	Sprache	
	MT	Tmissux qabel ma tkun qrajt u fhimt l-istruzzjonijiet kollha ta' prekawzjoni.
	NL	Pas gebruiken nadat u alle veiligheidsvoorschriften gelezen en begrepen heeft
	PL	Nie używać przed zapoznaniem się i zrozumieniem wszystkich środków bezpieczeństwa.
	PT	Não manuseie o produto antes de ter lido e percebido todas as precauções de segurança.
	RO	A nu se manipula decât după ce au fost citite și înțelese toate măsurile de securitate.
	SK	Nepoužívajte, kým si neprečítate a nepochopíte všetky bezpečnostné opatrenia.
	SL	Ne uporabljajte, dokler se ne seznanite z vsemi varnostnimi ukrepi.
	FI	Lue varoitukset huolellisesti ennen käsittelyä.
	SV	Använd inte produkten innan du har läst och förstått säkerhetsanvisningarna
P210	Sprache	
	BG	Да се пази от топлина/искри/открит пламък/нагорешени повърхности. — Тютюнопушенето е забранено.
	ES	Mantener alejado de fuentes de calor, chispas, llama abierta o superficies calientes. — No fumar.
	CS	Chraňte před teplem/jiskrami/otevřeným plamenem/horkými povrchy. — Zákaz kouření.
	DA	Holdes væk fra varme/gnister/åben ild/varme overflader. Rygning forbudt.
	DE	Von Hitze/Funken/offener Flamme/heißen Oberflächen fernhalten. Nicht rauchen.
	ET	Hoida eemal soojusallikast/sädemetest/leekidest/kuumadest pindadest. — Mitte suitsetada.
	EL	Μακριά από θερμότητα/σπινθήρες/γυμνές φλόγες/θερμές επιφάνειες. — Μην καπνίζετε.
	EN	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
	FR	Tenir à l'écart de la chaleur/des étincelles/des flammes nues/des surfaces chaudes. — Ne pas fumer.
	GA	Coimeád ó theas/splancacha/lasair gan chosaint/dromchlaí te. — Ná caitear tobac.
	IT	Tenere lontano da fonti di calore/scintille/fiamme libere/superfici riscaldate. — Non fumare.
	LV	Nelietot vietās, kur ir sastopams karstums/dzirksteles/atklāta uguns/.../karstas virsmas. Nesmēķēt.
	LT	Laikyti atokiau nuo šilumos šaltinių/žiežirbų/atviros liepsnos/karštų paviršių. — Nerūkyti.
	HU	Hőtől/szikrától/nyílt lángtól/.../forró felületektől távol tartandó. Tilos a dohányzás.
	MT	Żomm 'il bogħod mis-shana/xrar tan-nar/fjammiet mikxufa/uċuħ jaħarqu. — Trejjipx.
	NL	Verwijderd houden van warmte/vonken/open vuur/hete oppervlakken. — Niet roken.
	PL	Przechowywać z dala od źródeł ciepła/iskrzzenia/otwartego ognia/gorących powierzchni. Palenie wzbronione.
	PT	Manter afastado do calor/faísca/chama aberta/superfícies quentes. — Não fumar.
	RO	A se păstra departe de surse de căldură/scântei/flăcări deschise/suprafețe incinse. — Fumatul interzis.
	SK	Uchovávať mimo dosahu tepla/iskier/otvoreného ohňa/horúcich povrchov. Nefajčite.
	SL	Hraniti ločeno od vročine/isker/odprtega ognja/vročih površin. — Kajenje prepovedano.
	FI	Suojaa lämmöltä/kipinöiltä/avotulelta/kuumilta pinnoilta. — Tupakointi kielletty.
	SV	Får inte utsättas för värme/gnistor/öppen låga/heta ytor. — Rökning förbjuden.

P211	Sprache	
	BG	Да не се пръска към открит пламък или друг източник на запалване.
	ES	No pulverizar sobre una llama abierta u otra fuente de ignición.
	CS	Nestříkejte do otevřeného ohně nebo jiných zdrojů zapálení.
	DA	Spray ikke mod åben ild eller andre antændelseskilder.
	DE	Nicht gegen offene Flamme oder andere Zündquelle sprühen.
	ET	Mitte pihustada leekidesse või muusse süüteallikasse.
	EL	Μην ψεκάζετε κοντά σε γυμνή φλόγα ή άλλη πηγή ανάφλεξης.
	EN	Do not spray on an open flame or other ignition source.
	FR	Ne pas vaporiser sur une flamme nue ou sur toute autre source d'ignition.
	GA	Ná spraeáil ar lasair gan chosaint ná ar fhoirse eile adhainte.
	IT	Non vaporizzare su una fiamma libera o altra fonte di accensione.
	LV	Neizsmidzināt uz atklātas uguns vai citiem aizdegšanās avotiem.
	LT	Nepurkšti į atvirą liepsną arba kitus degimo šaltinius.
	HU	Tilos nyílt lángra vagy más gyújtóforrásra permetezni.
	MT	Tisprejjax fuq fjamma mikxufa jew sors ieħor li jaqbad.
	NL	Niet in een open vuur of op andere ontstekingsbronnen spuiten.
	PL	Nie rozpylać nad otwartym ogniem lub innym źródłem zapłonu.
	PT	Não pulverizar sobre chama aberta ou outra fonte de ignição.
	RO	Nu pulverizați deasupra unei flăcări deschise sau unei alte surse de aprindere.
	SK	Nestriekajte na otvorený oheň ani iný zdroj zapálenia.
	SL	Ne pršiti proti odprtemu ognju ali drugemu viru vžiga.
	FI	Ei saa suihkuttaa avotuleen tai muuhun sytytysläheteeseen.
	SV	Spreja inte över öppen låga eller andra antändningskällor.

P220	Sprache	
	BG	Да се държи/съхранява далеч от облекло/.../горими материали
	ES	Mantener o almacenar alejado de la ropa/.../materiales combustibles.
	CS	Uchovávejte/skladujte odděleně od oděvů/.../hořlavých materiálů.
	DA	Må ikke anvendes/opbevares i nærheden af tøj/.../brændbare materialer.
	DE	Von Kleidung/.../brennbaren Materialien fernhalten/entfernt aufbewahren.
	ET	Hoida eemal rõivastest/.../süttivast materjalist.
	EL	Διατηρείται/Φυλάσσεται μακριά από ενδύματα/.../καύσιμα υλικά.
	EN	Keep/Store away from clothing/.../combustible materials.
	FR	Tenir/stocker à l'écart des vêtements/.../matières combustibles
	GA	Coimeád/Stóráil glan ar éadaí/.../ábhair indóite.
	IT	Tenere/conservare lontano da indumenti/...../materiali combustibili.
	LV	Turēt/uzglabāt vietās, kur nav piekļuves drēbēm/.../uzliesmojošiem materiāliem.
	LT	Laikyti/sandėliuoti atokiau nuo drabužių/.../degių medžiagų.

P220	Sprache	
	HU	Ruhától/.../éghető anyagtól távol tartandó/tárolandó.
	MT	Żomm/Ahżen 'il bogħod mill-hwejjeġ/.../materjali li jaqbdū.
	NL	Van kleding/.../brandbare stoffen verwijderd houden/bewaren.
	PL	Trzymać/przechowywać z dala od odzieży/.../materiałów zapalnych.
	PT	Manter/guardar afastado de roupa/.../matérias combustíveis.
	RO	A se păstra/depozita departe de îmbrăcăminte/.../materiale combustibile.
	SK	Uchovávať/skladujte mimo odevov/.../horľavých materiálov.
	SL	Hraniti ločeno od oblačil/.../vnetljivih materialov.
	FI	Pidä/Varastoi erillään vaatetuksesta/.../syttyistä materiaaleista.
	SV	Hålls/förvarad åtskilt från kläder/.../brännbara material.
P221	Sprache	
	BG	Вземете всички предпазни мерки за избягване на смесването с горими материали...
	ES	Tomar todas las precauciones necesarias para no mezclar con materias combustibles...
	CS	Proveďte preventivní opatření proti smíchání s hořlavými materiály...
	DA	Undgå at blande med brændbare materialer...
	DE	Mischen mit brennbaren Stoffen/... unbedingt verhindern.
	ET	Rakendada ettevaatusabinõusid, et vältida segunemist põlevainetega...
	EL	Λάβετε κάθε προφύλαξη ώστε να μην αναμειχθεί με καύσιμα...
	EN	Take any precaution to avoid mixing with combustibles...
	FR	Prendre toutes précautions pour éviter de mélanger avec des matières combustibles...
	GA	Déan gach réamhchúram chun meascadh le hábhair indóite a sheachaint...
	IT	Prendere ogni precauzione per evitare di miscelare con sostanze combustibili...
	LV	Nekādā gadījumā nemaisīt ar viegli uzliesmojošām vielām...
	LT	Imtis visų atsargumo priemonių, kad nebūtų sumaišyta su degiomis medžiagomis...
	HU	Minden óvintézkedést meg kell tenni, hogy ne keveredjen éghető anyagokkal.
	MT	Hu kull prekawzjoni biex tevita li jithallat mal-kombustibbli...
	NL	Vermenging met brandbare stoffen... absoluut vermijden.
	PL	Zastosować wszelkie środki ostrożności w celu uniknięcia mieszania z innymi materiałami zapalnymi ...
	PT	Tomar todas as precauções para não misturar com combustíveis...
	RO	Luăți toate măsurile de precauție pentru a evita amestecul cu combustibili...
	SK	Prijmite opatrenia na zabránenie zmiešania s horľavými materiálmi...
	SL	Preprečiti mešanje z vnetljivimi snovmi ...
	FI	Varo sekoittamasta syttyvien materiaalien... kanssa.
	SV	Undvik att blanda med med brännbara ämnen...

P222	Sprache	
	BG	Не допускайте контакт с въздух.
	ES	No dejar que entre en contacto con el aire.
	CS	Zabraňte styku se vzduchem.
	DA	Undgå kontakt med luft.
	DE	Kontakt mit Luft nicht zulassen.
	ET	Hoida õhuga kokkupuute eest.
	EL	Να μην έρθει σε επαφή με τον αέρα.
	EN	Do not allow contact with air.
	FR	Ne pas laisser au contact de l'air.
	GA	Ná ceadaiigh teagmháil le haer.
	IT	Evitare il contatto con l'aria.
	LV	Nepieļaut kontaktu ar gaisu.
	LT	Saugoti nuo kontakto su oru.
	HU	Nem érintkezhet levegővel.
	MT	Thallix li jkun hemm kuntatt ma' l-arja.
	NL	Contact met de lucht vermijden.
	PL	Nie dopuszczać do kontaktu z powietrzem.
	PT	Não deixar entrar em contacto com o ar.
	RO	A nu se lăsa în contact cu aerul.
	SK	Zabraňte kontaktu so vzduchom.
	SL	Preprečiti stik z zrakom.
	FI	Ei saa joutua kosketuksiin ilman kanssa.
	SV	Undvik kontakt med luft.

P223	Sprache	
	BG	Да се избягва всякакъв възможен контакт с вода поради бурна реакция и възможно внезапно запалване.
	ES	Mantener alejado de cualquier posible contacto con el agua, pues reacciona violentamente y puede provocar una llamarada.
	CS	Chraňte před možným stykem s vodou kvůli prudké reakci a možnému náhlému vzplanutí.
	DA	Undgå enhver kontakt med vand, da dette kan fremkalde voldsom reaktion og risiko for eksplosionsagtig brand.
	DE	Kontakt mit Wasser wegen heftiger Reaktion und möglichem Aufflammen unbedingt verhindern.
	ET	Hoida igasuguse kokkupuute eest veega, vastasel juhul reageerib ägedalt ja võib põhjustada hetkpõlemise.
	EL	Αποφύγετε κάθε πιθανή επαφή με το νερό, διότι αντιδρά βίαια και μπορεί να προκληθεί ανάφλεξη.
	EN	Keep away from any possible contact with water, because of violent reaction and possible flash fire.
	FR	Éviter tout contact avec l'eau, à cause du risque de réaction violente et d'inflammation spontanée.

P223	Sprache	
	GA	Ná ceadaigh teagmháil de shaghas ar bith le huisce, mar gheall ar imoibriú foirtíl agus splancthine a d'fhéadfadh a bheith ann.
	IT	Evitare qualsiasi contatto con l'acqua: pericolo di reazione violenta e di infiammazione spontanea.
	LV	Nepieļaut kontaktu ar ūdeni īpaši stipras reakcijas un iespējamās eksplozijas dēļ.
	LT	Saugoti nuo bet kokio galimo kontakto su vandeniu, nes smarkiai reaguoja ir gali susidaryti ugnies pliūpsnis.
	HU	Vízzel semmilyen formában nem érintkezhet, ellenkező esetben heves reakció és belobbanás fordulhat elő.
	MT	Żomm „il bogħod minn kull kuntatt possibbli ma' l-ilma, minhabba li jirreaġixxi bil-qawwa u jista" jkun hemm fjamma nar.
	NL	Contact met water vermijden in verband met een heftige reactie en een mogelijke wolkbrand.
	PL	Chronić przed wszelkim kontaktem z wodą z powodu gwałtownej reakcji i możliwości wystąpienia błyskawicznego pożaru.
	PT	Não deixar entrar em contacto com a água: risco de reacção violenta e possibilidade de formação de chama súbita.
	RO	A se evita orice contact cu apa, din cauza reactiei violente și a riscului de aprindere spontană.
	SK	Zabráňte akémukoľvek kontaktu s vodou, aby nedošlo k prudkej reakcii a prípadnému zapáleniu.
	SL	Hraniti ločeno od možnega stika z vodo zaradi burne reakcije in možnega bliskovitega požara.
	FI	Ei saa joutua kosketuksiin veden kanssa voimakkaan reaktion ja mahdollisen leimahduksen takia.
	SV	Undvik all kontakt med vatten eftersom det kan framkalla en våldsam reaktion och explosionsartad brand.
P230	Sprache	
	BG	Да се държи навлажнен с...
	ES	Mantener humedecido con...
	CS	Uchovávejte ve zvlhčeném stavu ...
	DA	Holdes befugtet med...
	DE	Feucht halten mit ...
	ET	Niisutada ...-ga.
	EL	Να διατηρείται υγρό με ...
	EN	Keep wetted with...
	FR	Maintenir humidifié avec...
	GA	Coimeád fliuchta le...
	IT	Mantenere umido con....
	LV	Vienmēr samitrināt ar ...
	LT	Laikyti sudrėkintą (kuo)
	HU	...-val/-vel nedvesítve tartandó.
	MT	Żommu mxarrab bi ...
	NL	Vochtig houden met...

P230	Sprache	
	PL	Przechowywać produkt zwilżony....
	PT	Manter húmido com...
	RO	A se păstra umezit cu...
	SK	Uchovávať zvlhčené ...
	SL	Hraniti prepojeno z ...
	FI	Säilytä kostutettuna ...
	SV	Ska hållas fuktigt med...

P231	Sprache	
	BG	Да се използва под инертен газ.
	ES	Manipular en gas inerte.
	CS	Manipulace pod inertním plynem.
	DA	Håndteres under inaktiv gas.
	DE	Unter inertem Gas handhaben.
	ET	Käidelda inertgaasis.
	EL	Χειρισμός σε αδρανή ατμόσφαιρα.
	EN	Handle under inert gas.
	FR	Manipuler sous gaz inerte.
	GA	Láimhsigh faoi thriathghás.
	IT	Manipolare in atmosfera di gas inerte.
	LV	Rīkoties tikai inertas gāzes apstākļos.
	LT	Tvarkyti inertinėse dujose.
	HU	Inert gázban használandó.
	MT	Immaniġġja taht gass inerti.
	NL	Onder inert gas werken.
	PL	Używać w atmosferze obojętnego gazu.
	PT	Manusear em atmosfera de gás inerte.
	RO	A se manipula sub un gaz inert.
	SK	Manipulujte v prostredí s inertným plynom.
	SL	Hraniti v ustreznem inertnem plinu.
	FI	Käsittely inertissä kaasussa.
	SV	Hanteras under inert gas.

P232	Sprache	
	BG	Да се пази от влага.
	ES	Proteger de la humedad.
	CS	Chraňte před vlhkem.
	DA	Beskyttes mod fugt.

P232	Sprache	
	DE	Vor Feuchtigkeit schützen.
	ET	Hoida niiskuse eest.
	EL	Προσπετέψτε από την υγρασία.
	EN	Protect from moisture.
	FR	Protéger de l'humidité.
	GA	Cosain ar thaise.
	IT	Proteggere dall'umidità.
	LV	Aizsargāt no mitruma.
	LT	Saugoti nuo drėgmės.
	HU	Nedvességtől védendő.
	MT	Ipproteggi mill-umdità.
	NL	Tegen vocht beschermen.
	PL	Chronić przed wilgocią.
	PT	Manter ao abrigo da humidade.
	RO	A se proteja de umiditate.
	SK	Chránite pred vlhkosťou.
	SL	Zaščititi pred vlago.
	FI	Suojaa kosteudelta.
	SV	Skyddas från fukt.

P233	Sprache	
	BG	Съдът да се съхранява плътно затворен.
	ES	Mantener el recipiente herméticamente cerrado.
	CS	Uchovávejte obal těsně uzavřený.
	DA	Hold beholderen tæt lukket.
	DE	Behälter dicht verschlossen halten.
	ET	Hoida pakend tihedalt suletuna.
	EL	Να διατηρείται ο περιέκτης ερμητικά κλειστός.
	EN	Keep container tightly closed.
	FR	Maintenir le récipient fermé de manière étanche.
	GA	Coimeád an coimeádán dúnta go docht.
	IT	Tenere il recipiente ben chiuso.
	LV	Tvertni stingri noslēgt.
	LT	Talpyklą laikyti sandariai uždarytą.
	HU	Az edény szorosan lezárva tartandó.
	MT	Żomm il-kontenitur magħluq sew.
	NL	In goed gesloten verpakking bewaren.
	PL	Przechowywać pojemnik szczelnie zamknięty.

P233	Sprache	
	PT	Manter o recipiente bem fechado.
	RO	Păstrați recipientul închis etanș.
	SK	Nádobu uchovávaťe tesne uzavretú.
	SL	Hraniti v tesno zaprti posodi.
	FI	Säilytä tiiviisti suljettuna.
	SV	Behållaren ska vara väl tillsluten.

P234	Sprache	
	BG	Да се съхранява само в оригиналната опаковка.
	ES	Conservar únicamente en el recipiente original.
	CS	Uchovávejte pouze v původním obalu.
	DA	Opbevares kun i den originale beholder.
	DE	Nur im Originalbehälter aufbewahren.
	ET	Hoida üksnes originaalpakendis.
	EL	Να διατηρείται μόνο στον αρχικό περιέκτη.
	EN	Keep only in original container.
	FR	Conserver uniquement dans le récipient d'origine.
	GA	Coimeád sa choimeádán bunaidh amháin.
	IT	Conservare soltanto nel contenitore originale.
	LV	Turēt tikai oriģinālā iepakojumā.
	LT	Laikyti tik originalioje talpykloje.
	HU	Az eredeti edényben tartandó.
	MT	Żomm biss fil-kontenitur oriġinali.
	NL	Uitsluitend in de oorspronkelijke verpakking bewaren.
	PL	Przechowywać wyłącznie w oryginalnym pojemniku.
	PT	Conservar unicamente no recipiente de origem.
	RO	Păstrați numai în recipientul original.
	SK	Uchovávaťe iba v pôvodnej nádobe.
	SL	Hraniti samo v originalni posodi.
	FI	Säilytä alkuperäispakkauksessa.
	SV	Förvaras endast i originalbehållaren.

P235	Sprache	
	BG	Да се държи на хладно.
	ES	Mantener en lugar fresco.
	CS	Uchovávejte v chladu.
	DA	Opbevares køligt.
	DE	Kühl halten.

P235	Sprache	
	ET	Hoida jahedas.
	EL	Να διατηρείται δροσερό.
	EN	Keep cool.
	FR	Tenir au frais.
	GA	Coimeád fionnuar é
	IT	Conservare in luogo fresco.
	LV	Turēt vēsumā.
	LT	Laikyti vėsioje vietoje.
	HU	Hűvös helyen tartandó.
	MT	Żomm frisk.
	NL	Koel bewaren.
	PL	Przechowywać w chłodnym miejscu.
	PT	Conservar em ambiente fresco.
	RO	A se păstra la rece.
	SK	Uchovávať v chlade.
	SL	Hraniti na hladnem.
	FI	Säilytä viileässä.
	SV	Förvaras svalt.
P240	Sprache	
	BG	Заземяване/еквипотенциална връзка на съда и приемателното устройство.
	ES	Conectar a tierra/enlace equipotencial del recipiente y del equipo de recepción.
	CS	Uzemněte obal a odběrové zařízení.
	DA	Beholder og modtageudstyr jordforbindes/potentialudlignes.
	DE	Behälter und zu befüllende Anlage erden.
	ET	Mahuti ja vastuvõtuseade maandada/ühendada.
	EL	Γείωση/ισοδυναμική σύνδεση του περιέκτη και του εξοπλισμού δέκτη.
	EN	Ground/bond container and receiving equipment.
	FR	Mise à la terre/liaison équipotentielle du récipient et du matériel de réception.
	GA	Nasc an coimeádán agus an trealamh glactha leis an talamh.
	IT	Mettere a terra/massa il contenitore e il dispositivo ricevente.
	LV	Tvertnes un iekārtas saņemšanai ievietot zemē/sasaistīt
	LT	Įžeminti/įtvirtinti talpyklą ir priėmimo įrangą.
	HU	A tárolóedényt és a fogadóedényt le kell földelni/át kell kötni.
	MT	Poġġi ma' l-art/wahhal il-kontenitur u t-tagħmir li jirċievi.
	NL	Opslag- en opvangreservoir aarden.
	PL	Uziemić/połączyć pojemnik i sprzęt odbiorczy.
	PT	Ligação à terra/equipotencial do recipiente e do equipamento receptor.

P240	Sprache	
	RO	Legătură la pământ/conexiune echipotențială cu recipientul și cu echipamentul de recepție.
	SK	Uzemnite/upevnite nádoby a plniace zariadenie.
	SL	Ozemljiti posodo in opremo za sprejem tekočine.
	FI	Säiliö ja vastaanottavat laitteet on maadoitettava/yhdistettävä.
	SV	Jorda/potentialförbind behållare och mottagarutrustning.

P241	Sprache	
	BG	Използвайте електрическо/проветряващо/осветително/.../оборудване, обезопасено срещу експлозия
	ES	Utilizar un material eléctrico, de ventilación o de iluminación/.../antideflagrante.
	CS	Používejte elektrické/ventilační/osvětlovací/.../zařízení do výbušného prostředí.
	DA	Anvend eksplosionssikkert elektrisk/ventilations-/lys-/.../udstyr.
	DE	Explosionssgeschützte elektrische Betriebsmittel/Lüftungsanlagen/Beleuchtung/... verwenden.
	ET	Kasutada plahvatuskindlaid elektri-/ventilatsiooni-/valgustus-/.../seadmeid.
	EL	Να χρησιμοποιείται αντικρηκτικός ηλεκτρολογικός/εξαερισμού/φωτιστικός/.../εξοπλισμός.
	EN	Use explosion-proof electrical/ventilating/lighting/.../equipment.
	FR	Utiliser du matériel électrique/de ventilation/d'éclairage/.../antidéflagrant.
	GA	Bain úsáid as trealamh pléascdhíonach leictreach/aerála/soilsiúcháin/...
	IT	Utilizzare impianti elettrici/di ventilazione/d'illuminazione/.../a prova di esplosione.
	LV	Izmantot sprādzien drošas elektriskas/ar ventilāciju/izgaismotas/.../iekārtas
	LT	Naudoti sprogimui atsparią elektros/ventiliacijos/apšvietimo/.../įrangą.
	HU	Robbanásbiztos elektromos/szellőztető/világító/.../berendezés használandó.
	MT	Uża' tagħmir elettriku/ta' ventilazzjoni/ta' dawl/.../li jiflah għal splużjoni.
	NL	Explosieveilige elektrische/ventilatie-/verlichtings-/...apparatuur gebruiken.
	PL	Używać elektrycznego/wentylującego/oświetleniowego/.../przeciwwybuchowego sprzętu.
	PT	Utilizar equipamento eléctrico/de ventilação/de iluminação/.../à prova de explosão.
	RO	Utilizați echipamente electrice/de ventilare/de iluminat/.../antideflagrante.
	SK	Používajte elektrické/ventilačné/osvetľovacie/.../zariadenie do výbušného prostredia.
	SL	Uporabiti električno/prezračevalno opremo, opremo za razsvetljavo/.../, odporno proti eksplozijam.
	FI	Käytä räjähdysturvallisia sähkö/ilmanvaihto/valaisin/.../laitteita.
	SV	Använd explosionssäker elektrisk/ventilations-/belysnings-/.../utrustning.

P242	Sprache	
	BG	Използвайте само инструменти, които не предизвикват искри.
	ES	Utilizar únicamente herramientas que no produzcan chispas.
	CS	Používejte pouze nářadí z nejiskřícího kovu.
	DA	Anvend kun værktøj, som ikke frembringer gnister.
	DE	Nur funkenfreies Werkzeug verwenden.

P242	Sprache	
	ET	Mitte kasutada seadmeid, mis võivad tekitada sädemeid.
	EL	Να χρησιμοποιούνται μόνο εργαλεία που δεν παράγουν σπινθήρες.
	EN	Use only non-sparking tools.
	FR	Ne pas utiliser d'outils produisant des étincelles.
	GA	Bain úsáid as uirlisí neamhspréachta amháin.
	IT	Utilizzare solo utensili antiscintillamento.
	LV	Izmantot instrumentus, kas nerada dzirksteles.
	LT	Naudoti tik kibirkščių nekeliančius įrankius.
	HU	Szikramentes eszközök használandók.
	MT	Uża' biss għodda li ma jtajrux żnied.
	NL	Uitsluitend vonkvrij gereedschap gebruiken.
	PL	Używać wyłącznie nieiskrzących narzędzi.
	PT	Utilizar apenas ferramentas antichispa.
	RO	Nu utilizați unelte care produc scântei.
	SK	Používajte iba neiskriace prístroje.
	SL	Uporabiti le orodje, ki ne povzroča isker.
	FI	Käytä ainoastaan kipinöimättömiä työkaluja.
	SV	Använd endast verktyg som inte ger upphov till gnistor.
P243	Sprache	
	BG	Вземете предпазни мерки срещу освобождаване на статично електричество.
	ES	Tomar medidas de precaución contra descargas electrostáticas.
	CS	Proveďte preventivní opatření proti výbojům statické elektřiny.
	DA	Træf foranstaltninger mod statisk elektricitet.
	DE	Maßnahmen gegen elektrostatische Aufladungen treffen.
	ET	Rakendada ettevaatusabinõusid staatilise elektri vastu.
	EL	Λάβετε προστατευτικά μέτρα έναντι ηλεκτροστατικών εκκενώσεων.
	EN	Take precautionary measures against static discharge.
	FR	Prendre des mesures de précaution contre les décharges électrostatiques.
	GA	Déan bearta réamhchúraim in aghaidh dífluchtú statach.
	IT	Prendere precauzioni contro le scariche elettrostatiche.
	LV	Nodrošināties pret statiskās enerģijas izlādi.
	LT	Imtis atsargumo priemonių statinei iškrovai išvengti.
	HU	Az elektrosztatikus kisülés megakadályozására óvintézkedéseket kell tenni.
	MT	Hu miżuri ta' prekawzjoni kontra l-hruġ ta' elettriku statiku.
	NL	Voorzorgsmaatregelen treffen tegen ontladingen van statische elektriciteit.
	PL	Przedsięwziąć środki ostrożności zapobiegające statycznemu rozładowaniu.
	PT	Evitar acumulação de cargas electrostáticas.

P243	Sprache	
	RO	Luați măsuri de precauție împotriva descărcărilor electrostatice.
	SK	Urobte preventívne opatrenia proti výbojom statickej elektriny.
	SL	Preprečiti statično naelektrenje.
	FI	Estä staattisen sähköön aiheuttama kipinöinti.
	SV	Vidta åtgärder mot statisk elektricitet.

P244	Sprache	
	BG	Почиствайте редуциращите вентили от смазка и масло
	ES	Mantener las válvulas de reducción limpias de grasa y aceite.
	CS	Udržujte redukční ventily bez maziva a oleje.
	DA	Reduktionsventilerne holdes fri for fedt og olie.
	DE	Druckminderer frei von Fett und Öl halten.
	ET	Hoida reduktsiooniklapid rasvast ja õlist puhtad.
	EL	Να διατηρούνται καθαρές από γράσα και λάδια οι βαλβίδες μείωσης.
	EN	Keep reduction valves free from grease and oil.
	FR	S'assurer de l'absence de graisse ou d'huile sur les soupapes de réduction.
	GA	Coimeád comhláí brúlaghdaithe saor ó ghréisc agus ó ola.
	IT	Mantenere le valvole di riduzione libere da grasso e olio.
	LV	Turēt reducēšanās vārstus tīrus no taukiem un eļļas.
	LT	Saugoti, kad ant redukcinių vožtuvų nepatektų riebalų ir tepalų.
	HU	A nyomáscsökkentő szelepeket zsírtól és olajtól mentesen kell tartani.
	MT	Żomm il-valvs ta' tnaqqis hielsa mill-griz u ż-żejt.
	NL	Reduceerventielen vrij van olie en vet houden.
	PL	Chronicz zawory redukcyjne przed tłuszczem i olejem.
	PT	Manter as válvulas de redução isentas de óleo e massa lubrificantes.
	RO	Protejați supapele reductoare de grăsimi și ulei.
	SK	Redukčné ventily udržiavajte bez mazadiel a oleja.
	SL	Preprečiti stik reducirnih ventilov z mastjo in oljem.
	FI	Pidä paineenalennusventtiilit vapaana rasvasta ja öljystä.
	SV	Reducerventilerna ska hållas fria från fett och olja.

P250	Sprache	
	BG	Да не се подлага на стържене/удар/.../триене
	ES	Evitar la abrasión/el choque/.../la fricción.
	CS	Nevystavujte obroušování/narázům/.../tření.
	DA	Må ikke udsættes for slibning/stød/.../gnidning.
	DE	Nicht schleifen/stoßen/.../reiben.
	ET	Hoida kriimustamise/põrutuse/.../hõõrdumise eest.

P250	Sprache	
	EL	Να αποφεύγεται άλεση/κρούση/.../τριβή.
	EN	Do not subject to grinding/shock/.../friction.
	FR	Éviter les abrasions/les chocs/.../les frottements.
	GA	Ná nocht do mheilt/do thurraing/.../do fhrithchuimilt.
	IT	Evitare le abrasioni/gli urti/.../gli attriti.
	LV	Nepakļaut drupināšanai/triecienam/.../berzei
	LT	Nešlifuoti/netrankyti/.../netrinti.
	HU	Tilos csiszolásnak/ütésnek/.../súrlódásnak kitenni.
	MT	Tissottoponihomx għal brix/xokk/.../frizzjoni.
	NL	Malen/schokken/.../wrijving vermijden.
	PL	Nie poddawać szlifowaniu/wstrząsom/.../tarcui.
	PT	Não submeter a trituração/choque/.../fricção.
	RO	A nu supune la abraziuni/şocuri/.../frecare.
	SK	Nevystavujte brúseniu/nárazu/.../treniu.
	SL	Ne izpostavljati drgnjenju/udarcem/.../trenju.
	FI	Suojele rasitukselta/iskuilta/.../hankaukselta.
	SV	Får inte utsättas för gnidning/stötar/.../friktion.

P251	Sprache	
	BG	Съд под налягане: да не се пробива и изгаря дори след употреба.
	ES	Recipiente a presión: no perforar ni quemar, aun después del uso.
	CS	Tlakový obal: nepropichujte nebo nespalujte ani po použití.
	DA	Beholder under tryk: Må ikke punkteres eller brændes, heller ikke efter brug.
	DE	Behälter steht unter Druck: Nicht durchstechen oder verbrennen, auch nicht nach der Verwendung.
	ET	Mahuti on rõhu all: mitte purustada ega põletada isegi pärast kasutamist.
	EL	Περίεκτης υπό πίεση. Να μην τρυπηθεί ή καεί ακόμη και μετά τη χρήση.
	EN	Pressurized container: Do not pierce or burn, even after use.
	FR	Récipient sous pression: ne pas perforer, ni brûler, même après usage.
	GA	Coimeádán brúchóirithe: Ná toll agus ná dóigh, fiú tar éis úsáide.
	IT	Recipiente sotto pressione: non perforare né bruciare, neppure dopo l'uso.
	LV	Tvertne zem spiediena: nedurt vai nededzināt, arī pēc izlietošanas.
	LT	Slėginis indas. Nepradurti ir nedeginti net panaudoto.
	HU	Nyomás alatti edény: ne lyukassza ki vagy égesse el, még használat után sem.
	MT	Kontenitur taht pressjoni: Ittaqqbux jew taħarqux, anki wara li tużah.
	NL	Houder onder druk: ook na gebruik niet doorboren of verbranden.
	PL	Pojemnik pod ciśnieniem. Nie przekłuwać ani nie spalać, nawet po zużyciu.
	PT	Recipiente sob pressão. Não furar nem queimar, mesmo após utilização.

P251	Sprache	
	RO	Recipient sub presiune. Nu perforați sau ardeți, chiar și după utilizare.
	SK	Nádoba je pod tlakom: neprepichujte alebo nespáľujte ju, a to ani po spotrebovaní obsahu.
	SL	Posoda je pod tlakom: ne preluknjajte ali sežigajte je niti, ko je prazna.
	FI	Painesäiliö: Ei saa puhkaista tai polttaa edes tyhjänä.
	SV	Tryckbehållare: Får inte punkteras eller brännas, gäller även tömd behållare.

P260	Sprache	
	BG	Не вдишвайте прах/пушек/газ/дим/изпарения/аерозоли
	ES	No respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol.
	CS	Nevdechujte prach/dým/plyn/mlhu/páry/aerosoly.
	DA	Indånd ikke pulver/røg/gas/tåge/damp/spray.
	DE	Staub/Rauch/Gas/Nebel/Dampf/Aerosol nicht einatmen.
	ET	Tolmu/suitsu/gaasi/udu/auru/pihustatud ainet mitte sisse hingata.
	EL	Μην αναπνέετε σκόνη/ακαθυμιάσεις/αέρια/σταγονίδια/ατμούς/εκνεφώματα
	EN	Do not breathe dust/fume/gas/mist/vapours/spray.
	FR	Ne pas respirer les poussières/fumées/gaz/brouillards/vapeurs/aérosols.
	GA	Ná hanálaigh deannach/múch/gás/ceo/gala/sprae.
	IT	Non respirare la polvere/i fumi/i gas/la nebbia/i vapori/gli aerosol.
	LV	Neieelpot puteklus/tvaikus/gāzi/dūmus/izgarojumus/smidzinājumu.
	LT	Neįkvėpti dulkių/dūmų/dujų/rūko/garų/aerolio.
	HU	A por/füst/gáz/köd/gőzök/permet belélegzése tilos.
	MT	Tiblx bin-nifs trabijiet/dhaħen/gass/raxx/fwar/sprej.
	NL	Stof/rook/gas/nevel/damp/spuitnevel niet inademen.
	PL	Nie wdychać pyłu/dymu/gazu/mgły/par/rozpylonej cieczy.
	PT	Não respirar as poeiras/fumos/gases/névoas/vapores/aerossóis.
	RO	Nu inspirați praful/fumul/gazul/ceapa/vaporii/spray-ul.
	SK	Nevdychujte prach/dym/plyn/hmlu/pary/aerosóly.
	SL	Ne vdihavati prahu/dima/plina/meglíce/hlapov/razpršila.
	FI	Älä hengitä pölyä/savua/kaasua/sumua/höyryä/suihketta.
	SV	Inandas inte damm/rök/gaser/dimma/ångor/sprej.

P261	Sprache	
	BG	Избягвайте вдишване на прах/пушек/газ/дим/изпарения/аерозоли
	ES	Evitar respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol.
	CS	Zamezte vdechování prachu/dýmu/plynu/mlhy/par/aerosolů.
	DA	Undgå indånding af pulver/røg/gas/tåge/damp/spray.
	DE	Einatmen von Staub/Rauch/Gas/Nebel/Dampf/Aerosol vermeiden.
	ET	Vältida tolmu/suitsu/gaasi/udu/auru/pihustatud aine sissehingamist.

P261	Sprache	
	EL	Αποφεύγετε να αναπνέετε σκόνη/αναθυμιάσεις/αέρια/σταγονίδια/ατμούς/εκνεφώματα.
	EN	Avoid breathing dust/fume/gas/mist/vapours/spray.
	FR	Éviter de respirer les poussières/fumées/gaz/brouillards/vapeurs/aérosols.
	GA	Seachain deannach/múch/gás/ceo/gala/sprae a anáilí.
	IT	Evitare di respirare la polvere/i fumi/i gas/la nebbia/i vapori/gli aerosol.
	LV	Izvairīties ieelpot putekļus/tvaikus/gāzi/dūmus/izgarojumus/smidzinājumu.
	LT	Stengtis neįkvėpti dulkių/dūmų/dujų/rūko/garų/aerозolio.
	HU	Kerülje a por/füst/gáz/köd/gőzök/permet belélegzését.
	MT	Evita li tibra' bin-nifs trabijiet/dhaħen/gass/raxx/fwar/sprej.
	NL	Inademing van stof/rook/gas/nevel/damp/spuitnevel vermijden.
	PL	Unikać wdychania pyłu/dymu/gazu/mgły/par/rozpylonej cieczy.
	PT	Evitar respirar as poeiras/fumos/gases/névoas/vapores/aerossóis.
	RO	Evitați să inspirați praful/fumul/gazul/ceafa/vaporii/spray-ul.
	SK	Zabraňte vdychovaniu prachu/dymu/plynu/hmly/pár/aerosólov.
	SL	Ne vdihavati prahu/dima/plina/meglíce/hlapov/razpršila.
	FI	Vältä pölyn/savun/kaasun/sumun/höyryn/suihkeen hengittämistä.
	SV	Undvik att inandas damm/rök/gaser/dimma/ångor/sprej.
P262	Sprache	
	BG	Да се избягва контакт с очите, кожата или облеклото.
	ES	Evitar el contacto con los ojos, la piel o la ropa.
	CS	Zabraňte styku s očima, kůží nebo oděvem.
	DA	Må ikke komme i kontakt med øjne, hud eller tøj.
	DE	Nicht in die Augen, auf die Haut oder auf die Kleidung gelangen lassen.
	ET	Vältida silma, nahale või rõivastele sattumist.
	EL	Να μην έρθει σε επαφή με τα μάτια, με το δέρμα ή με τα ρούχα.
	EN	Do not get in eyes, on skin, or on clothing.
	FR	Éviter tout contact avec les yeux, la peau ou les vêtements.
	GA	Ná lig sna súile, ar an gcráiceann, ná ar éadaí.
	IT	Evitare il contatto con gli occhi, la pelle o gli indumenti.
	LV	Nepieļaut nokļūšanu acīs, uz ādas vai uz drēbēm.
	LT	Saugotis, kad nepatektų į akis, ant odos ar drabužių.
	HU	Szembe, bőrre vagy ruhára nem kerülhet.
	MT	Iddahħalx fl-ghajnejn, fuq il-ġilda, jew fuq il-hwejjeġ.
	NL	Contact met de ogen, de huid of de kleding vermijden.
	PL	Nie wprowadzać do oczu, na skórę lub na odzież.
	PT	Não pode entrar em contacto com os olhos, a pele ou a roupa.
	RO	Evitați orice contact cu ochii, pielea sau îmbrăcămintea.

P262	Sprache	
	SK	Zabráňte kontaktu s očami, pokožkou alebo odevom.
	SL	Preprečiti stik z očmi, kožo ali oblačili.
	FI	Varo kemikaalin joutumista silmiin, iholle tai vaatteisiin.
	SV	Får inte komma i kontakt med ögonen, huden eller kläderna.

P263	Sprache	
	BG	Да се избягва контакт по време на бременност/при кърмене.
	ES	Evitar el contacto durante el embarazo/la lactancia.
	CS	Zabraňte styku během těhotenství/kojení.
	DA	Undgå kontakt under graviditet/amning.
	DE	Kontakt während der Schwangerschaft/und der Stillzeit vermeiden.
	ET	Vältida kokkupuudet raseduse/imetamise ajal.
	EL	Αποφεύγετε την επαφή στη διάρκεια της εγκυμοσύνης/γαλουχίας.
	EN	Avoid contact during pregnancy/while nursing.
	FR	Éviter tout contact avec la substance au cours de la grossesse/pendant l'allaitement.
	GA	Seachain teagmháil le linn toirchis/agus an chíoch á tabhairt.
	IT	Evitare il contatto durante la gravidanza/l'allattamento.
	LV	Izvairīties no saskares grūtniecības laikā/barojot bērnu ar krūti.
	LT	Vengti kontakto nėštumo metu/maitinant krūtimi.
	HU	A terhesség/szoptatás alatt kerülni kell az anyaggal való érintkezést.
	MT	Evita l-kuntatt waqt it-tqala/waqt it-treddigh.
	NL	Bij zwangerschap of borstvoeding aanraking vermijden.
	PL	Unikać kontaktu w czasie ciąży/karmienia piersią.
	PT	Evitar o contacto durante a gravidez/o aleitamento.
	RO	Evitați contactul în timpul sarcinii/alăptării.
	SK	Zabráňte kontaktu počas tehotenstva a dojčenia.
	SL	Preprečiti stik med nosečnostjo/dojenjem.
	FI	Vältä kosketusta raskauden tai imetyksen aikana.
	SV	Undvik kontakt under graviditet eller amning.

P264	Sprache	
	BG	Да се измие... старателно след употреба.
	ES	Lavarse ... concienzudamente tras la manipulación.
	CS	Po manipulaci důkladně omyjte
	DA	Vask ... grundigt efter brug.
	DE	Nach Gebrauch ... gründlich waschen.
	ET	Pärast käitlemist pesta hoolega
	EL	Πλύνετε ... σχολαστικά μετά το χειρισμό.

P264	Sprache	
	EN	Wash ... thoroughly after handling.
	FR	Se laver ... soigneusement après manipulation.
	GA	Nigh ... go lánchúramach tar éis láimhsithe.
	IT	Lavare accuratamente ... dopo l'uso.
	LV	Pēc izmantošanas ... kārtīgi nomazgāt.
	LT	Po naudojimo kruopščiai nuplauti ...
	HU	A használatot követően a(z) ... -t alaposan meg kell mosni.
	MT	Aħsel ... sew wara li timmaniġġjah.
	NL	Na het werken met dit product ... grondig wassen.
	PL	Dokładnie umyć ... po użyciu.
	PT	Lavar ... cuidadosamente após manuseamento.
	RO	Spălați-vă ... bine după utilizare.
	SK	Po manipulácii starostlivo umyte...
	SL	Po uporabi temeljito umiti ...
	FI	Pese ... huolellisesti käsittelyn jälkeen.
	SV	Tvätta ... grundligt efter användning.

P270	Sprache	
	BG	Да не се яде, пие или пуши при употреба на продукта.
	ES	No comer, beber ni fumar durante su utilización.
	CS	Při používání tohoto výrobku nejezte, nepijte ani nekuřte.
	DA	Der må ikke spises, drikkes eller ryges under brugen af dette produkt.
	DE	Bei Gebrauch nicht essen, trinken oder rauchen.
	ET	Toote käitlemise ajal mitte süüa, juua ega suitsetada.
	EL	Μην τρώτε, πίνετε ή καπνίζετε, όταν χρησιμοποιείτε αυτό το προϊόν.
	EN	Do no eat, drink or smoke when using this product.
	FR	Ne pas manger, boire ou fumer en manipulant ce produit.
	GA	Ná hith, ná hól agus ná caitear tobac agus an táirge seo á úsáid.
	IT	Non mangiare, né bere, né fumare durante l'uso.
	LV	Neēst, nedzert un nesmēķēt produkta izmantošanas laikā.
	LT	Naudojant šį produktą, nevalgyti, negerti ir nerūkyti.
	HU	A termék használatá közben tilos enni, inni vagy dohányozni.
	MT	Tikolx, tixrobx u tpejjipx waqt li tuża' dan il-prodott.
	NL	Niet eten, drinken of roken tijdens het gebruik van dit product.
	PL	Nie jeść, nie pić i nie palić podczas używania produktu.
	PT	Não comer, beber ou fumar durante a utilização deste produto.
	RO	A nu mânca, bea sau fuma în timpul utilizării produsului.
	SK	Pri používaní výrobku nejedzte, nepite ani nefajčite.

P270	Sprache	
	SL	Ne jesti, piti ali kaditi med uporabo tega izdelka.
	FI	Syöminen, juominen ja tupakointi kielletty kemikaalia käytettäessä.
	SV	Ät inte, drick inte och rök inte när du använder produkten.
P271	Sprache	
	BG	Да се използва само на открито или на добре проветриво място.
	ES	Utilizar únicamente en exteriores o en un lugar bien ventilado.
	CS	Používejte pouze venku nebo v dobře větraných prostorách.
	DA	Brug kun udendørs eller i et rum med god udluftning.
	DE	Nur im Freien oder in gut belüfteten Räumen verwenden.
	ET	Käidelda üksnes välitingimustes või hästi ventileeritavas kohas.
	EL	Να χρησιμοποιείται μόνο σε ανοικτό ή καλά αεριζόμενο χώρο.
	EN	Use only outdoors or in a well-ventilated area.
	FR	Utiliser seulement en plein air ou dans un endroit bien ventilé.
	GA	Úsáid amuigh faoin aer nó i limistéar dea-aerálaithe amháin.
	IT	Utilizzare soltanto all'aperto o in luogo ben ventilato.
	LV	Izmantot tikai ārā vai labi vēdināmās telpās.
	LT	Naudoti tik lauke arba gerai vėdinamoje patalpoje.
	HU	Kizárólag szabadban vagy jól szellőző helyiségben használható.
	MT	Uża biss barra jew fpost ventilat sew.
	NL	Alleen buiten of in een goed geventileerde ruimte gebruiken.
	PL	Stosować wyłącznie na zewnątrz lub w dobrze wentylowanym pomieszczeniu
	PT	Utilizar apenas ao ar livre ou em locais bem ventilados.
	RO	A se utiliza numai în aer liber sau în spații bine ventilate.
	SK	Používajte iba na voľnom priestranstve alebo v dobre vetranom priestore.
	SL	Uporabljati le zunaj ali v dobro prezračevanem prostoru.
	FI	Käytä ainoastaan ulkona tai tiloissa, joissa on hyvä ilmanvaihto.
	SV	Används endast utomhus eller i väl ventilerade utrymmen.
P272	Sprache	
	BG	Да не се изнася замърсено работно облекло извън работното помещение.
	ES	Las prendas de trabajo contaminadas no podrán sacarse del lugar de trabajo.
	CS	Kontaminovaný pracovní oděv neodnášejte z pracoviště.
	DA	Tilsmudset arbejdstøj bør ikke fjernes fra arbejdspladsen.
	DE	Kontaminierte Arbeitskleidung nicht außerhalb des Arbeitsplatzes tragen.
	ET	Saastunud töörõivaid töökohast mitte välja viia.
	EL	Τα μολυσμένα ενδύματα εργασίας δεν πρέπει να βγαίνουν από το χώρο εργασίας.
	EN	Contaminated work clothing should not be allowed out of the workplace.

P272	Sprache	
	FR	Les vêtements de travail contaminés ne devraient pas sortir du lieu de travail.
	GA	Níor chóir éadaí éillithe oibre a ligean amach as an láthair oibre.
	IT	Gli indumenti da lavoro contaminati non devono essere portati fuori dal luogo di lavoro.
	LV	Piesārņoto darba apģērbu neiznest ārpus darba telpām.
	LT	Užterštų darbo drabužių negalima išnešti iš darbo vietos.
	HU	Szennyezett munkaruhát tilos kivinni a munkahely területéről.
	MT	Ilbies tax-xoghol kontaminat m'għandux jithalla johroġ mill-post tax-xoghol.
	NL	Verontreinigde werkkleding mag de werkruimte niet verlaten.
	PL	Zanieczyszczonej odzieży ochronnej nie wnosić poza miejsce pracy.
	PT	A roupa de trabalho contaminada não pode sair do local de trabalho.
	RO	Nu scoateți îmbrăcămintea de lucru contaminată în afara locului de muncă.
	SK	Je zakázané vyniesť kontaminovaný pracovný odev z pracoviska.
	SL	Kontaminirana delovna oblačila niso dovoljena zunaj delovnega mesta.
	FI	Saastuneita työvaatteita ei saa viedä työpaikalta.
	SV	Nedstänkta arbetskläder får inte avlägsnas från arbetsplatsen.

P273	Sprache	
	BG	Да се избягва изпускане в околната среда.
	ES	Evitar su liberación al medio ambiente.
	CS	Zabraňte uvolnění do životního prostředí.
	DA	Undgå udledning til miljøet.
	DE	Freisetzung in die Umwelt vermeiden.
	ET	Vältida sattumist keskkonda.
	EL	Να αποφεύγεται η ελευθέρωση στο περιβάλλον.
	EN	Avoid release to the environment.
	FR	Éviter le rejet dans l'environnement.
	GA	Ná scaoiltear amach sa chomhshaol.
	IT	Non disperdere nell'ambiente.
	LV	Izvairīties no izplatīšanas apkārtējā vidē.
	LT	Saugoti, kad nepatektų į aplinką.
	HU	Kerülni kell az anyagnak a környezetbe való kijutását.
	MT	Evita r-rilaxx fl-ambjent.
	NL	Voorkom lozing in het milieu.
	PL	Unikać uwolnienia do środowiska.
	PT	Evitar a libertação para o ambiente.
	RO	Evitați dispersarea în mediu.
	SK	Zabraňte uvoľneniu do životného prostredia.
	SL	Preprečiti sproščanje v okolje.

P273	Sprache	
	FI	Vältettävä päästämistä ympäristöön.
	SV	Undvik utsläpp till miljön.

P280	Sprache	
	BG	Използвайте предпазни ръкавици/предпазно облекло/предпазни очила/предпазна маска за лице.
	ES	Llevar guantes/prendas/gafas/máscara de protección.
	CS	Používejte ochranné rukavice/ochranný oděv/ochranné brýle/obličejový štít.
	DA	Bær beskyttelsehandsker/beskyttelsestøj/øjenskyttelse/ansigtsbeskyttelse
	DE	Schutzhandschuhe/Schutzkleidung/Augenschutz/Gesichtsschutz tragen.
	ET	Kanda kaitsekindaid/kaitserõivastust/kaitseprille/kaitsemaski.
	EL	Να φοράτε προστατευτικά γάντια/προστατευτικά ενδύματα/μέσα ατομικής προστασίας για τα μάτια/πρόσωπο.
	EN	Wear protective gloves/protective clothing/eye protection/face protection.
	FR	Porter des gants de protection/des vêtements de protection/un équipement de protection des yeux/du visage.
	GA	Caith lámhainní cosanta/éadaí cosanta/cosaint súile/cosaint aghaidhe.
	IT	Indossare guanti/indumenti protettivi/Proteggere gli occhi/il viso.
	LV	Izmantot aizsargcimdus/aizsargdrēbes/acu aizsargus/sejas aizsargus.
	LT	Mūvėti apsaugines pirštines/dėvėti apsauginius drabužius/naudoti akių (veido) apsaugos priemonės.
	HU	Védőkesztyű/védőruha/szemvédő/arcvédő használatra kötelező.
	MT	Ilbes ingwanti protettivi/ilbies protettiv/protezzjoni għall-ghajnejn/protezzjoni għall-wieċ.
	NL	Beschermende handschoenen/beschermende kleding/oogbescherming/gelaatsbescherming dragen.
	PL	Stosować rękawice ochronne/odzież ochronną/ochronę oczu/ochronę twarzy.
	PT	Usar luvas de protecção/vestuário de protecção/protecção ocular/protecção facial.
	RO	Purtați mănuși de protecție/imbrăcăminte de protecție/echipament de protecție a ochilor/echipament de protecție a feței.
	SK	Noste ochranné rukavice/ochranný odev/ochranné okuliare/ochranu tváre.
	SL	Nositi zaščitne rokavice/zaščitno obleko/zaščito za oči/zaščito za obraz.
	FI	Käytä suojakäsineitä/suojavaatetusta/silmiensuojainta/kasvonsuojainta.
	SV	Använd skyddshandskar/skyddskläder/ögonskydd/ansiktsskydd.

P281	Sprache	
	BG	Използвайте предписаните лични предпазни средства.
	ES	Utilizar el equipo de protección individual obligatorio.
	CS	Používejte požadované osobní ochranné prostředky.
	DA	Anvend de påkrævede personlige værnemidler.
	DE	Vorgeschriebene persönliche Schutzausrüstung verwenden.
	ET	Kasutada vajalikke isikukaitsevahendeid.

P281	Sprache	
	EL	Χρησιμοποιείτε μέσα ατομικής προστασίας όταν απαιτείται.
	EN	Use personal protective equipment as required.
	FR	Utiliser l'équipement de protection individuel requis.
	GA	Bain úsáid as an trealamh cosanta pearsanta faoi mar a éilítear.
	IT	Utilizzare il dispositivo di protezione individuale richiesto.
	LV	Izmantot personisko aizsargaprīkojumu atbilstoši prasībām.
	LT	Naudoti reikalaujamas asmenines apsaugos priemonės.
	HU	Az előírt egyéni védőfelszerelés használatára kötelező.
	MT	Uża' t-tagħmir personali protettiv kif meħtieġ.
	NL	De nodige persoonlijke beschermingsuitrusting gebruiken.
	PL	Stosować wymagane środki ochrony indywidualnej.
	PT	Usar o equipamento de protecção individual exigido.
	RO	Utilizați echipamentul de protecție individuală conform cerințelor.
	SK	Používajte predpísané osobné ochranné prostriedky.
	SL	Uporabiti predpisano osebno zaščitno opremo.
	FI	Käytä vaadittuja henkilönsuojaimia.
	SV	Använd föreskriven personlig skyddsutrustning.
P282	Sprache	
	BG	Носете предпазващи от студ ръкавици/маска за лице/защитни очила.
	ES	Llevar guantes que aislen del frío/gafas/máscara.
	CS	Používejte ochranné rukavice proti chladu/obličejový štít/ochranné brýle.
	DA	Bær kuldeisolerende handsker/ansigtsskærm/øjenbeskyttelse.
	DE	Schutzhandschuhe/Gesichtsschild/Augenschutz mit Kälteisolierung tragen.
	ET	Kanda külmakaitsekindaid/kaitsemaski/kaitseprille.
	EL	Φοράτε μονωτικά γάντια προστασίας από το ψύχος/προστατευτική μάσκα/προστατευτικά γυαλιά.
	EN	Wear cold insulating gloves/face shield/eye protection.
	FR	Porter des gants isolants contre le froid/un équipement de protection du visage/des yeux.
	GA	Caith lámhainní inslithe fuachta/aghaidhsciath/cosaint súile.
	IT	Utilizzare guanti termici/schermo facciale/Proteggere gli occhi.
	LV	Izmantot aizsargcimodus/sejas aizsargus/acu aizsargus ar aukstuma izolāciju.
	LT	Mūvėti nuo šalčio izoliuojančias pirštines/naudoti veido skydelį/akių apsaugos priemonės.
	HU	Hidegszigetelő kesztyű/arcvédő/szemvédő használatára kötelező.
	MT	Ilbies ingwanti kiesha li ma jinfedx minnhom/ilqugh għall-wiċċ/protezzjoni għall-ghajnejn.
	NL	Koude-isolerende handschoenen/gelaatsbescherming/oogbescherming dragen.
	PL	Nosić rękawice izolujące od zimna/maski na twarz/ochronę oczu.
	PT	Usar luvas de protecção contra o frio/escudo facial/protecção ocular.

P282	Sprache	
	RO	Purtați mănuși izolante împotriva frigului/echipament de protecție a feței/ochilor.
	SK	Používajte termostabilné rukavice/ochranný štít/ochranné okuliare.
	SL	Nositi hladne izolirne rokavice/zaščito za obraz/zaščito za oči.
	FI	Käytä kylmäeristäviä suojakäsineitä/kasvonsuojainta/silmiensuojainta.
	SV	Använd köldisolerande handskar/visir/ögonskydd.

P283	Sprache	
	BG	Носете огнеупорно/огнезащитно облекло.
	ES	Llevar prendas ignífugas/resistentes al fuego/resistentes a las llamas.
	CS	Používejte ohnivzdorný/nehořlavý oděv.
	DA	Bær brandbestandig/brandhæmmende beklædning.
	DE	Schwer entflammbare/flammhemmende Kleidung tragen.
	ET	Kanda tule-/leegikindlat/tule levikut aeglustavat rõivastust.
	EL	Φοράτε αντιπυρικά/αλεξίφλογα πυράντοχα/βραδυφλεγή ενδύματα.
	EN	Wear fire/flame resistant/retardant clothing.
	FR	Porter des vêtements résistant au feu/aux flammes/ignifuges.
	GA	Caith éadaí dódhíonacha/lasairdhíonacha nó dómhoillitheacha/lasairmhoillitheacha.
	IT	Indossare indumenti completamente ignifughi o in tessuti ritardanti di fiamma.
	LV	Izmantot aizsargapģērbu pret uguni/liesmām.
	LT	Dėvėti ugniai/liepsnai atsparius/antipireninius drabužius.
	HU	Tűz-/lángálló/-késleltető ruházat viselése kötelező.
	MT	Ilbies hwejjeġ rezistenti għan-nar/fjammi.
	NL	Vuur/vlambestendige/brandwerende kleding dragen.
	PL	Nosić odzież ognioodporną/płomienioodporną/opóźniającą zapalenie.
	PT	Usar vestuário ignífugo/retardador de fogo/chamas.
	RO	Purtați îmbrăcăminte rezistentă la foc/flacăra/ignifugă.
	SK	Noste ohňovzdorný odev/odev so zníženou horľavosťou.
	SL	Nositi negorljiva oblačila in oblačila, odporna proti ognju.
	FI	Käytä palosuojattua/paloturvallista vaateusta.
	SV	Använd brand-/flamsäkra eller brand-/flamhämmande kläder.

P284	Sprache	
	BG	Носете респираторни предпазни средства.
	ES	Llevar equipo de protección respiratoria.
	CS	Používejte vybavení pro ochranu dýchacích cest.
	DA	Anvend åndedrætsværn.
	DE	Atemschutz tragen.
	ET	Kanda hingamisteede kaitsevahendeid.

P284	Sprache	
	EL	Φοράτε μέσα ατομικής προστασίας της αναπνοής.
	EN	Wear respiratory protection.
	FR	Porter un équipement de protection respiratoire.
	GA	Caith cosaint riospráide.
	IT	Utilizzare un apparecchio respiratorio.
	LV	Izmantot gāzmasku.
	LT	Naudoti kvėpavimo takų apsaugos priemonės.
	HU	Légzésvédelem használata kötelező.
	MT	Ilbes protezzjoni respiratorja.
	NL	Adembescherming dragen.
	PL	Stosować indywidualne środki ochrony dróg oddechowych.
	PT	Usar protecção respiratória.
	RO	Purtați echipament de protecție respiratorie.
	SK	Používajte ochranu dýchacích ciest.
	SL	Nositi opremo za zaščito dihal.
	FI	Käytä hengityksensuojainta.
	SV	Använd andningsskydd.
P285	Sprache	
	BG	В случай на лоша вентилация носете респираторни предпазни средства.
	ES	En caso de ventilación insuficiente, llevar equipo de protección respiratoria.
	CS	V případě nedostatečného větrání použijte vybavení pro ochranu dýchacích cest.
	DA	Ved utilstrækkelig udluftning anvendes åndedrætsværn.
	DE	Bei unzureichender Belüftung Atemschutz tragen.
	ET	Ebapiisava ventilatsiooni korral kanda hingamisteede kaitsevahendeid.
	EL	Σε περίπτωση ανεπαρκούς αερισμού, να φοράτε μέσα ατομικής προστασίας της αναπνοής.
	EN	In case of inadequate ventilation wear respiratory protection.
	FR	Lorsque la ventilation du local est insuffisante, porter un équipement de protection respiratoire.
	GA	I gcás aerála uireasaigh caith cosaint riospráide.
	IT	In caso di ventilazione insufficiente utilizzare un apparecchio respiratorio.
	LV	Neatbilstošas ventilācijas gadījumā izmantot gāzmasku.
	LT	Esant nepakankamam vėdinimui, naudoti kvėpavimo takų apsaugos priemonės.
	HU	Nem megfelelő szellőzés esetén légzésvédelem kötelező.
	MT	F'każ ta' ventilazzjoni inadegwata ilbes protezzjoni respiratorja.
	NL	Bij ontoereikende ventilatie een geschikte adembescherming dragen.
	PL	W przypadku niedostatecznej wentylacji stosować indywidualne środki ochrony dróg oddechowych.
	PT	Em caso de ventilação inadequada, usar protecção respiratória.

P285	Sprache	
	RO	În cazul în care ventilarea este insuficientă, purtați echipament de protecție respiratorie.
	SK	V prípade nedostatočného vetrania, používajte ochranu dýchacích ciest.
	SL	Ob nezadostnem prezračevanju nositi opremo za zaščito dihal.
	FI	Käytä hengityksensuojainta, jos ilmanvaihto on riittämätön.
	SV	Använd andningsskydd vid otillräcklig ventilation.
P231 + P232	Sprache	
	BG	Да се използва под инертен газ. Да се пази от влага.
	ES	Manipular en gas inerte. Proteger de la humedad.
	CS	Manipulace pod inertním plynem. Chraňte před vlhkem.
	DA	Anvendes under inaktiv gas. Beskyttes mod fugt.
	DE	Unter inertem Gas handhaben. Vor Feuchtigkeit schützen.
	ET	Käidelda inertgaasis. Hoida niiskuse eest.
	EL	Χειρισμός σε αδρανή ατμόσφαιρα. Προστατέψτε από την υγρασία.
	EN	Handle under inert gas. Protect from moisture.
	FR	Manipuler sous gaz inerte. Protéger de l'humidité.
	GA	Láimhsigh faoi thriathghás. Cosain ó thaise.
	IT	Manipolare in atmosfera di gas inerte. Tenere al riparo dall'umidità.
	LV	Izmantot tikai inertas gāzes apstākļos. Aizsargāt no mitruma.
	LT	Tvarkyti inertinėse dujose. Saugoti nuo drėgmės.
	HU	Inert gázban használandó. Nedvességől védendő.
	MT	Uża' taht gass inerti. Ipproteġi mill-umdità.
	NL	Onder inert gas werken. Tegen vocht beschermen.
	PL	Używać w atmosferze obojętnego gazu Chronić przed wilgocią.
	PT	Manusear em atmosfera de gás inerte. Manter ao abrigo da humidade.
	RO	A se manipula sub un gaz inert. A se proteja de umiditate.
	SK	Manipulujte v prostredí s inertným plynom. Chráňte pred vlhkosťou.
	SL	Hraniti v ustreznem inertnem plinu. Zaščititi pred vlago.
	FI	Käsittele inertissä kaasussa. Suojaa kosteudelta.
	SV	Hanteras under inert gas. Skyddas från fukt.
P235 + P410	Sprache	
	BG	Да се държи на хладно. Да се пази от пряка слънчева светлина.
	ES	Conservar en un lugar fresco. Proteger de la luz del sol.
	CS	Uchovávejte v chladu. Chraňte před slunečním zářením.
	DA	Opbevares køligt. Beskyttes mod sollys.
	DE	Kühl halten. Vor Sonnenbestrahlung schützen.

P235 + P410	Sprache	
	ET	Hoida jahedas. Hoida päikesevalguse eest.
	EL	Να διατηρείται δροσερό. Να προστατεύεται από τις ηλιακές ακτίνες.
	EN	Keep cool. Protect from sunlight.
	FR	Tenir au frais. Protéger du rayonnement solaire.
	GA	Coimeád fionnuar. Cosain ó sholas na gréine.
	IT	Tenere in luogo fresco. Proteggere dai raggi solari.
	LV	Turēt vēsumā. Aizsargāt no saules gaismas.
	LT	Laikyti vėsioje vietoje. Saugoti nuo saulės šviesos.
	HU	Hűvös helyen tartandó. Napfénytől védendő.
	MT	Żomm frisk. Ipproteġi mir-raġġi tax-xemx.
	NL	Koel bewaren. Tegen zonlicht beschermen.
	PL	Przechowywać w chłodnym miejscu. Chronić przed światłem słonecznym.
	PT	Conservar em ambiente fresco. Manter ao abrigo da luz solar.
	RO	A se păstra la rece. A se proteja de lumina solară.
	SK	Uchovávať v chlade. Chrániť pred slnečným žiarením.
	SL	Hraniti na hladnem. Zaščititi pred sončno svetlobo.
	FI	Säilytä viileässä. Suojaa auringonvalolta.
	SV	Förvaras svalt. Skyddas från solljus.

Tabelle 1.3

Sicherheitshinweise — Reaktion

P301	Sprache	
	BG	ПРИ ПОГЛЪЩАНЕ:
	ES	EN CASO DE INGESTIÓN:
	CS	PŘI POŽITÍ:
	DA	I TILFÆLDE AF INDTAGELSE:
	DE	BEI VERSCHLUCKEN:
	ET	ALLANEELAMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ:
	EN	IF SWALLOWED:
	FR	EN CAS D'INGESTION:
	GA	MÁ SHLOGTAR:
	IT	IN CASO DI INGESTIONE:
	LV	NORĪŠANAS GADĪJUMĀ:
	LT	PRARIJUS:
	HU	LENYELÉS ESETÉN:
	MT	JEKK JINBELA':

P301	Sprache	
	NL	NA INSLIKKEN:
	PL	W PRZYPADKU POŁKNIĘCIA:
	PT	EM CASO DE INGESTÃO:
	RO	ÎN CAZ DE ÎNGHIȚIRE:
	SK	PO POŽITÍ:
	SL	PRI ZAUŽITJU:
	FI	JOS KEMIKAALIA ON NIELTY:
	SV	VID FÖRTÄRING:

P302	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА:
	ES	EN CASO DE CONTACTO CON LA PIEL:
	CS	PŘI STYKU S KŮŽÍ:
	DA	VED KONTAKT MED HUDEN:
	DE	BEI BERÜHRUNG MIT DER HAUT:
	ET	NAHALE SATTUMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ:
	EN	IF ON SKIN:
	FR	EN CAS DE CONTACT AVEC LA PEAU:
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN:
	IT	IN CASO DI CONTATTO CON LA PELLE:
	LV	SASKARĒ AR ĀDU:
	LT	PATEKUS ANT ODOS:
	HU	HA BŐRRE KERÜL:
	MT	FKAŻ TA' KUNTATT MAL-ĠILDA:
	NL	BIJ CONTACT MET DE HUID:
	PL	W PRZYPADKU KONTAKTU ZE SKÓRĄ:
	PT	SE ENTRAR EM CONTACTO COM A PELE:
	RO	ÎN CAZ DE CONTACT CU PIELEA:
	SK	PRI KONTAKTE S POKOŽKOU:
	SL	PRI STIKU S KOŽO:
	FI	JOS KEMIKAALIA JOUTUU IHOLLE:
	SV	VID HUDKONTAKT:

P303	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА (или косата):
	ES	EN CASO DE CONTACTO CON LA PIEL (o el pelo):
	CS	PŘI STYKU S KŮŽÍ (nebo s vlasy):

P303	Sprache	
	DA	VED KONTAKT MED HUDEN (eller håret):
	DE	BEI BERÜHRUNG MIT DER HAUT (oder dem Haar):
	ET	NAHALE (või juuste)le SATTUMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ (ή με τα μαλλιά):
	EN	IF ON SKIN (or hair):
	FR	EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN (nó le gruaig):
	IT	IN CASO DI CONTATTO CON LA PELLE (o con i capelli):
	LV	SASKARĒ AR ĀDU (vai matiem):
	LT	PATEKUS ANT ODOŠ (arba plaukų):
	HU	HA BŐRRE (vagy hajra) KERÜL:
	MT	F'KAŻ TA' KUNTATT MAL-ĠILDA (jew ix-xagħar):
	NL	BIJ CONTACT MET DE HUID (of het haar):
	PL	W PRZYPADKU KONTAKTU ZE SKÓRĄ (lub z włosami):
	PT	SE ENTRAR EM CONTACTO COM A PELE (ou o cabelo):
	RO	ÎN CAZ DE CONTACT CU PIELEA (sau părul):
	SK	PRI KONTAKTE S POKOŽKOU (alebo vlasmi):
	SL	PRI STIKU S KOŽO (ali lasmi):
	FI	JOS KEMIKAALIA JOUTUU IHOLLE (tai hiuksiin):
	SV	VID HUDKONTAKT (även håret):

P304	Sprache	
	BG	ПРИ ВДИШВАНЕ:
	ES	EN CASO DE INHALACIÓN:
	CS	PŘI VDECHNUTÍ:
	DA	VED INDÅNDING:
	DE	BEI EINATMEN:
	ET	SISSEHINGAMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΙΣΠΝΟΗΣ:
	EN	IF INHALED:
	FR	EN CAS D'INHALATION:
	GA	MÁ IONANÁLAÍTEAR:
	IT	IN CASO DI INALAZIONE:
	LV	IEELPOJOT:
	LT	ĮKVĖPUS:
	HU	BELÉLEGZÉS ESETÉN:
	MT	JEKK JINGĠIBED MAN-NIFS:
	NL	NA INADEMING:

P304	Sprache	
	PL	W PRZYPADKU DOSTANIA SIĘ DO DRÓG ODDECHOWYCH:
	PT	EM CASO DE INALAÇÃO:
	RO	ÎN CAZ DE INHALARE:
	SK	PO VDÝCHNUTÍ:
	SL	PRI VDIHAVANJU:
	FI	JOS KEMIKAALIA ON HENGITETTY:
	SV	VID INANDNING:

P305	Sprache	
	BG	ПРИ КОНТАКТ С ОЧИТЕ:
	ES	EN CASO DE CONTACTO CON LOS OJOS:
	CS	PŘI ZASAŽENÍ OČÍ:
	DA	VED KONTAKT MED ØJNENE:
	DE	BEI KONTAKT MIT DEN AUGEN:
	ET	SILMA SATTUMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΜΑΤΙΑ:
	EN	IF IN EYES:
	FR	EN CAS DE CONTACT AVEC LES YEUX:
	GA	I gCÁS TEAGMHÁLA LEIS NA SÚILE:
	IT	IN CASO DI CONTATTO CON GLI OCCHI:
	LV	IEKĻŪSTOT ACĪS:
	LT	PATEKUS Į AKIS:
	HU	SZEMBE KERÜLÉS ESETÉN:
	MT	JEKK JIDHOL FL-GHAJNEJN:
	NL	BIJ CONTACT MET DE OGEN:
	PL	W PRZYPADKU DOSTANIA SIĘ DO OCZU:
	PT	SE ENTRAR EM CONTACTO COM OS OLHOS:
	RO	ÎN CAZ DE CONTACT CU OCHII:
	SK	PO ZASIAHNUTÍ OČÍ:
	SL	PRI STIKU Z OČMI:
	FI	JOS KEMIKAALIA JOUTUU SILMIIN:
	SV	VID KONTAKT MED ÖGONEN:

P306	Sprache	
	BG	ПРИ ПОПАДАНЕ ВЪРХУ ОБЛЕКЛОТО:
	ES	EN CASO DE CONTACTO CON LA ROPA:
	CS	PŘI STYKU S ODĚVEM:
	DA	VED KONTAKT MED TØJET:

P306	Sprache	
	DE	BEI KONTAMINIERTER KLEIDUNG:
	ET	RÕIVASTELE SATTUMISE KORRAL:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΡΟΥΧΑ:
	EN	IF ON CLOTHING:
	FR	EN CAS DE CONTACT AVEC LES VÊTEMENTS:
	GA	I gCÁS TEAGMHÁLA LE hÉADAÍ:
	IT	IN CASO DI CONTATTO CON GLI INDUMENTI:
	LV	SASKARĒ AR APĢĒRBU:
	LT	PATEKUS ANT DRABUŽIŲ:
	HU	HA RUHÁRA KERÜL:
	MT	F'KAŻ TA' KUNTATT MA' L-ILBIES:
	NL	NA MORSEN OP KLEDING:
	PL	W PRZYPADKU KONTAKTU Z ODZIEŻĄ:
	PT	SE ENTRAR EM CONTACTO COM A ROUPA:
	RO	ÎN CAZ DE CONTACT CU ÎMBRĂCĂMINTEA:
	SK	PRI KONTAKTE S ODEVOM:
	SL	PRI STIKU Z OBLAČILI:
	FI	JOS KEMIKAALIA JOUTUU VAATTEISIIN:
	SV	VID KONTAKT MED KLÄDERNA:

P307	Sprache	
	BG	ПРИ експозиция:
	ES	EN CASO DE exposición:
	CS	PŘI expozici:
	DA	VED eksponering:
	DE	BEI Exposition:
	ET	Kokkupuute korral:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης:
	EN	IF exposed:
	FR	EN CAS d'exposition:
	GA	I gCÁS nochta:
	IT	IN CASO di esposizione:
	LV	JA saskaras:
	LT	Esant sąlyčiui:
	HU	Expozíció esetén:
	MT	JEKK espost:
	NL	NA blootstelling:
	PL	W PRZYPADKU narażenia:

P307	Sprache	
	PT	EM CASO DE exposição:
	RO	ÎN CAZ DE expunere:
	SK	PO expozícii:
	SL	PRI izpostavljenosti:
	FI	Altistumisen tapahduttua:
	SV	Om du exponerats:

P308	Sprache	
	BG	ПРИ явна или предполагаема експозиция:
	ES	EN CASO DE exposición manifiesta o presunta:
	CS	PŘI expozici nebo podezření na ni:
	DA	VED eksponering eller mistanke om eksponering:
	DE	BEI Exposition oder falls betroffen
	ET	Kokkupuute või kokkupuutekahtluse korral:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή πιθανής έκθεσης:
	EN	IF exposed or concerned:
	FR	EN CAS d'exposition prouvée ou suspectée:
	GA	I gCÁS nochta nó má mheastar a bheith nochtaithe:
	IT	IN CASO di esposizione o di possibile esposizione:
	LV	Ja saskaras vai saistīts ar:
	LT	Esant sąlyčiui arba jeigu numanomas sąlytis:
	HU	Expozíció vagy annak gyanúja esetén:
	MT	JEKK espost jew konċernat:
	NL	NA (mogelijke) blootstelling:
	PL	W PRZYPADKU narażenia lub styczności:
	PT	EM CASO DE exposição ou suspeita de exposição:
	RO	ÎN CAZ DE expunere sau de posibilă expunere:
	SK	Po expozícii alebo podozrení z nej:
	SL	PRI izpostavljenosti ali sumu izpostavljenosti:
	FI	Altistumisen tapahduttua tai jos epäillään altistumista:
	SV	Vid exponering eller misstanke om exponering:

P309	Sprache	
	BG	ПРИ експозиция или при неразположение:
	ES	EN CASO DE exposición o malestar:
	CS	PŘI expozici nebo necítíte-li se dobře:
	DA	VED eksponering eller ubehag:
	DE	BEI Exposition oder Unwohlsein:

P309	Sprache	
	ET	Kokkupuute või halva enesetunde korral:
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή αδιαθεσίας:
	EN	If exposed or if you feel unwell:
	FR	EN CAS d'exposition ou d'un malaise:
	GA	I gCÁS nochta nó má bhraitear tinn:
	IT	IN CASO di esposizione o di malessere:
	LV	JA saskaras vai ja jums ir slihta pašsajūta:
	LT	Esant sąlyčiui arba blogai pasijutus:
	HU	Expozíció vagy rosszullét esetén:
	MT	JEKK espost jew thossok ma tiflahx:
	NL	NA blootstelling of bij onwel voelen:
	PL	W PRZYPADKU narażenia lub złego samopoczucia:
	PT	EM CASO DE exposição ou de indisposição:
	RO	ÎN CAZ DE expunere sau dacă nu vă simțiți bine:
	SK	Po expozícii alebo pri zdravotných problémoch.
	SL	PRI izpostavljenosti ali slabem počutju:
	FI	Altistumisen tapahduttua tai jos ilmenee pahoinvointia:
	SV	Vid exponering eller obehag:

P310	Sprache	
	BG	Незабавно се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	Llamar inmediatamente a un CENTRO DE INFORMACION TOXICOLOGICA o a un médico.
	CS	Okamžitě volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	Ring omgående til en GIFTINFORMATION eller en læge.
	DE	Sofort GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Võtta viivitamata ühendust MÜRGISTUSTEABEKESKUSE või arstiga.
	EL	Καλέστε αμέσως το ΚΕΝΤΡΟ ΔΗΛΗΘΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	Immediately call a POISON CENTER or doctor/physician.
	FR	Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
	GA	Cuir glao láithreach ar IONAD NIMHE nó ar dhochtúir/lia.
	IT	Contattare immediatamente un CENTRO ANTIVELENI o un medico.
	LV	Nekavējoties sazinieties ar SAINDĒŠANĀS CENTRU vai ārstu.
	LT	Nedelsiant skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Azonnal forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	Onmiddellijk een ANTIGIFCENTRUM of een arts raadplegen.
	PL	Natychmiast skontaktować się z OŚRODKIEM ZATRUĆ lub lekarzem.

P310	Sprache	
	PT	Contacte imediatamente um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	Sunați imediat la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	Okamžite volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	Takoj pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Ota välittömästi yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin.
	SV	Kontakta genast GIFTINFORMATIONSCENTRAL eller läkare.

P311	Sprache	
	BG	Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	Llamar a un CENTRO DE INFORMACION TOXICOLOGICA o a un médico.
	CS	Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	Ring til en GIFTINFORMATION eller en læge.
	DE	GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Võtta ühendust MÜRGISTUSTEABEKESKUSE või arstiga.
	EL	Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΘΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	Call a POISON CENTER or doctor/physician.
	FR	Appeler un CENTRE ANTIPOISON ou un médecin.
	GA	Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia.
	IT	Contattare un CENTRO ANTIVELENI o un medico.
	LV	Sazinieties ar SAINDĒŠANĀS CENTRU vai ārstu.
	LT	Skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	Een ANTIGIFCENTRUM of een arts raadplegen.
	PL	Skontaktować się z OŚRODKIEM ZATRUĆ lub lekarzem.
	PT	Contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	Sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	Volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	Pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Ota yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin.
	SV	Kontakta GIFTINFORMATIONSCENTRAL eller läkare.

P312	Sprache	
	BG	При неразположение се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	Llamar a un CENTRO DE INFORMACION TOXICOLOGICA o a un médico en caso de malestar.
	CS	Necítíte-li se dobře, volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	I tilfælde af ubehag ring til en GIFTINFORMATION eller en læge.

P312	Sprache	
	DE	Bei Unwohlsein GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Halva enesetunde korral võtta ühendust MÜRGISTUSTEABEKESKUSE või arstiga.
	EL	Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΘΡΙΑΣΕΩΝ ή ένα γιατρό εάν αισθανθείτε αδιαθεσία.
	EN	Call a POISON CENTER or doctor/physician if you feel unwell.
	FR	Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
	GA	Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia má bhraitheann tú tinn.
	IT	In caso di malessere, contattare un CENTRO ANTIVELENI o un medico.
	LV	Sazinieties ar SAINDĒŠANĀS CENTRU vai ārstu, ja jums ir slikta pašsajūta.
	LT	Pasijutus blogai, skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Rosszullét esetén forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib jekk thossok ma tiflahx.
	NL	Bij onwel voelen een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W przypadku złego samopoczucia skontaktować się z OŚRODKIEM ZATRUĆ lub z lekarzem.
	PT	Caso sinta indisposição, contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	Sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic, dacă nu vă simțiți bine.
	SK	Pri zdravotných problémoch, volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	Ob slabem počutju pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Ota yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin, jos ilmenee pahoinvointia.
	SV	Vid obehag, kontakta GIFTINFORMATIONSCENTRAL eller läkare.
P313	Sprache	
	BG	Потърсете медицински съвет/помощ.
	ES	Consultar a un médico.
	CS	Vyhledejte lékařskou pomoc/ošetření.
	DA	Søg lægehjælp.
	DE	Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Pöörduda arsti poole.
	EL	Συμβουλευθείτε/Επισκεφθείτε γιατρό.
	EN	Get medical advice/attention.
	FR	Consulter un médecin.
	GA	Faigh comhairle/cúram liachta.
	IT	Consultare un medico.
	LV	Lūdziet palīdzību mediķiem.
	LT	Kreiptis į gydytoją.
	HU	Orvosi ellátást kell kérni.
	MT	Ikkonsulta tabib.

P313	Sprache	
	NL	Een arts raadplegen.
	PL	Zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Consulte um médico.
	RO	Consultați medicul.
	SK	Vyhľadajte lekársku pomoc/starostlivosť.
	SL	Poiščite zdravniško pomoč/oskrbo.
	FI	Hakeudu lääkäriin.
	SV	Sök läkarhjälp.

P314	Sprache	
	BG	При неразположение потърсете медицински съвет/помощ.
	ES	Consultar a un médico en caso de malestar.
	CS	Necítíte-li se dobře, vyhledejte lékařskou pomoc/ošetření.
	DA	Søg lægehjælp ved ubehag.
	DE	Bei Unwohlsein ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Halva enesetunde korral pöörduda arsti poole.
	EL	Συμβουλευθείτε/Επισκεφθείτε γιατρό εάν αισθανθείτε αδιαθεσία.
	EN	Get medical advice/attention if you feel unwell.
	FR	Consulter un médecin en cas de malaise.
	GA	Faigh comhairle/cúram liachta má bhraitheann tú tinn.
	IT	In caso di malessere, consultare un medico.
	LV	Lūdziet palīdzību mediķiem, ja jums ir slikta pašsajūta.
	LT	Pasijutus blogai, kreiptis į gydytoją.
	HU	Roszzullét esetén orvosi ellátást kell kérni.
	MT	Ikkonsulta tabib jekk thossok ma tiflaħx.
	NL	Bij onwel voelen een arts raadplegen.
	PL	W przypadku złego samopoczucia zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Em caso de indisposição, consulte um médico.
	RO	Consultați medicul, dacă nu vă simțiți bine.
	SK	Ak pociťujete zdravotné problémy, vyhľadajte lekársku pomoc/starostlivosť.
	SL	Ob slabem počutju poiščite zdravniško pomoč/oskrbo.
	FI	Hakeudu lääkäriin, jos ilmenee pahoinvointia.
	SV	Sök läkarhjälp vid obehag

P315	Sprache	
	BG	Незабавно потърсете медицински съвет/помощ.
	ES	Consultar a un médico inmediatamente.
	CS	Okamžitě vyhledejte lékařskou pomoc/ošetření.

P315	Sprache	
	DA	Søg omgående lægehjælp.
	DE	Sofort ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Pöörduda viivitamata arsti poole.
	EL	Συμβουλευθείτε/Επισκεφθείτε αμέσως γιατρό.
	EN	Get immediate medical advice/attention.
	FR	Consulter immédiatement un médecin.
	GA	Faigh comhairle/cúram liachta láithreach.
	IT	Consultare immediatamente un medico.
	LV	Nekavējoties lūdziet palīdzību mediķiem.
	LT	Nedelsiant kreiptis į gydytoją.
	HU	Azonnal orvosi ellátást kell kérni.
	MT	Ikkonsulta tabib minnufih.
	NL	Onmiddellijk een arts raadplegen.
	PL	Natychmiast zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Consulte imediatamente um médico.
	RO	Consultați imediat medicul.
	SK	Okamžite vyhleďte lekársku pomoc/starostlivosť.
	SL	Takoj poiščite zdravniško pomoč/oskrbo.
	FI	Hakeudu välittömästi lääkäriin.
	SV	Sök omedelbart läkarhjälp.
P320	Sprache	
	BG	Спешна нужда от специализирано лечение (вж... на този етикет).
	ES	Se necesita urgentemente un tratamiento específico (ver ... en esta etiqueta).
	CS	Je nutné odborné ošetření (viz ... na tomto štítku).
	DA	Særlig behandling straks påkrævet (se ... på denne etiket).
	DE	Besondere Behandlung dringend erforderlich (siehe ... auf diesem Kennzeichnungsetikett).
	ET	Nõuab viivitamatut eriravi (vt ... käesoleval etiketil).
	EL	Χρειάζεται επείγοντως ειδική αγωγή (βλέπε ... στην ετικέτα).
	EN	Specific treatment is urgent (see ... on this label).
	FR	Un traitement spécifique est urgent (voir ... sur cette étiquette).
	GA	Tá sé práinneach go bhfaightear cóir leighis ar leith (féach ... ar an lipéad seo).
	IT	Trattamento specifico urgente (vedere..... su questa etichetta).
	LV	Steidzami nepieciešama īpaša medicīniskā palīdzība (skat. ... uz šīs etiķetes).
	LT	Būtinias skubus specialus gydymas (žr. ... šioje etiketėje).
	HU	Sürgős szakellátás szükséges (lásd ... a címkén).
	MT	Trattament speċifiku hu urġenti (ara ... fuq din it-tikketta).
	NL	Specifieke behandeling dringend vereist (zie ... op dit etiket).

P320	Sprache	
	PL	Pilnie zastosować określone leczenie (patrz ... na etykietcie).
	PT	É urgente um tratamento específico (ver ... no presente rótulo).
	RO	Un tratament specific este urgent (a se vedea ... de pe această etichetă).
	SK	Odborné ošetrenie je naliehavé (pozri ... na etikete).
	SL	Posebno zdravljenje je nujno (glejte ... na tej etiketi).
	FI	Erityishoitoa tarvitaan välittömästi (katso ... pakkauksen merkinnöissä).
	SV	Särskild behandling krävs omedelbart (se ... på etiketten).

P321	Sprache	
	BG	Специализирано лечение (вж... на този етикет).
	ES	Se necesita un tratamiento específico (ver ... en esta etiqueta).
	CS	Odborné ošetření (viz ... na tomto štítku).
	DA	Særlig behandling (se ... på denne etiket).
	DE	Besondere Behandlung (siehe ... auf diesem Kennzeichnungsetikett).
	ET	Nõuab eriravi (vt ... käesoleval etiketil).
	EL	Χρειάζεται ειδική αγωγή (βλέπε ... στην ετικέτα).
	EN	Specific treatment (see ... on this label).
	FR	Traitement spécifique (voir ... sur cette étiquette).
	GA	Cóir liachta ar leith (féach ... ar an lipéad seo).
	IT	Trattamento specifico (vederesu questa etichetta).
	LV	Īpaša medicīniskā palīdzība (skat. ... uz šīs etiķetes).
	LT	Specialus gydymas (žr. ... šioje etiketėje).
	HU	Szakellátás (lásd ... a címkén).
	MT	Trattament speċifiku (ara ... fuq din it-tikketta).
	NL	Specifieke behandeling vereist (zie ... op dit etiket).
	PL	Zastosować określone leczenie (patrz ... na etykietcie).
	PT	Tratamento específico (ver ... no presente rótulo).
	RO	Tratament specific (a se vedea ... de pe această etichetă).
	SK	Odborné ošetrenie (pozri ... na etikete).
	SL	Posebno zdravljenje (glejte ... na tej etiketi).
	FI	Erityishoitoa tarvitaan (katso ... pakkauksen merkinnöissä).
	SV	Särskild behandling (se ... på etiketten).

P322	Sprache	
	BG	Специални мерки (вж... на този етикет).
	ES	Se necesitan medidas específicas (ver ... en esta etiqueta).
	CS	Specifické opatření (viz ... na tomto štítku).
	DA	Særlige foranstaltninger (se ... på denne etiket).

P322	Sprache	
	DE	Gezielte Maßnahmen (siehe ... auf diesem Kennzeichnungsetikett).
	ET	Nõuab erimeetmeid (vt ... käesoleval etiketil).
	EL	Χρειάζονται ειδικά μέτρα (βλέπε ... στην ετικέτα).
	EN	Specific measures (see ... on this label).
	FR	Mesures spécifiques (voir ... sur cette étiquette).
	GA	Bearta ar leith (féach ... ar an lipéad seo).
	IT	Misure specifiche (vedere ... su questa etichetta).
	LV	Īpaši pasākumi (skat. ... uz šīs etiķetes).
	LT	Specialios priemonės (žr. ... šioje etiketėje).
	HU	Különleges intézkedések (lásd ... a címkén).
	MT	Miżuri speċifiċi (ara ... fuq din it-tikketta).
	NL	Specifieke maatregelen (zie ... op dit etiket).
	PL	Środki szczególne (patrz ... na etykiecie).
	PT	Medidas específicas (ver ... no presente rótulo).
	RO	Măsurî specifice (a se vedea ... de pe această etichetă).
	SK	Osobitné opatrenia (pozri ... na etikete).
	SL	Posebni ukrepi (glejte ... na tej etiketi).
	FI	Erityistoimenpiteitä tarvitaan (katso ... pakkauksen merkinnöissä).
	SV	Särskilda åtgärder (se ... på etiketten).

P330	Sprache	
	BG	Изплакнете устата.
	ES	Enjuagarse la boca.
	CS	Vypláchněte ústa.
	DA	Skyl munden.
	DE	Mund ausspülen.
	ET	Loputada suud.
	EL	Ξεπλύνετε το στόμα.
	EN	Rinse mouth.
	FR	Rincer la bouche.
	GA	Sruthlaítear an béal.
	IT	Sciacquare la bocca.
	LV	Izskalot muti.
	LT	Išskalauti burną.
	HU	A száját ki kell öblíteni.
	MT	Lahlah halqek.
	NL	De mond spoelen.
	PL	Wyplukać usta.

P330	Sprache	
	PT	Enxaguar a boca.
	RO	Clătiți gura.
	SK	Vypláchnite ústa.
	SL	Izprati usta.
	FI	Huuhto suu.
	SV	Skölj munnen.

P331	Sprache	
	BG	НЕ предизвиквайте повръщане.
	ES	NO provocar el vómito.
	CS	NEVYVOLÁVEJTE zvracení.
	DA	Fremkald IKKE opkastning.
	DE	KEIN Erbrechen herbeiführen.
	ET	MITTE kutsuda esile oksendamist.
	EL	ΜΗΝ προκαλέσετε εμετό.
	EN	Do NOT induce vomiting.
	FR	NE PAS faire vomir.
	GA	NÁ spreagtar urlacan.
	IT	NON provocare il vomito.
	LV	NEIZRAISĪT vemšanu.
	LT	NESKATINTI vėmimo.
	HU	TILOS hánytatni.
	MT	TIPPROVOKAX ir-remettar.
	NL	GEEN braken opwekken.
	PL	NIE wywoływać wymiotów.
	PT	NÃO provocar o vómito.
	RO	NU provocați voma.
	SK	Nevyvolávajte zvracanie.
	SL	NE izzvati bruhanja.
	FI	Ei saa oksennuttaa.
	SV	Framkalla INTE kräkning.

P332	Sprache	
	BG	При поява на кожно дразнене:
	ES	En caso de irritación cutánea:
	CS	Při podráždění kůže:
	DA	Ved hudirritation:
	DE	Bei Hautreizung:

P332	Sprache	
	ET	Nahaärrituse korral:
	EL	Εάν παρατηρηθεί ερεθισμός του δέρματος:
	EN	If skin irritation occurs:
	FR	En cas d'irritation cutanée:
	GA	I gcás greannú craicinn:
	IT	In caso di irritazione della pelle:
	LV	Ja rodas ādas iekaisums:
	LT	Jeigu sudirginama oda:
	HU	Bőrirritáció esetén:
	MT	Jekk ikun hemm irritazzjoni tal-ġilda:
	NL	Bij huidirritatie:
	PL	W przypadku wystąpienia podrażnienia skóry:
	PT	Em caso de irritação cutânea:
	RO	În caz de iritare a pielii:
	SK	Ak sa prejaví podráždenie pokožky:
	SL	Če nastopi draženje kože:
	FI	Jos ilmenee ihoärsytystä:
	SV	Vid hudirritation:

P333	Sprache	
	BG	При поява на кожно дразнене или обрив на кожата:
	ES	En caso de irritación o erupción cutánea:
	CS	Při podráždění kůže nebo vyrážce:
	DA	Ved hudirritation eller udslet:
	DE	Bei Hautreizung oder -ausschlag:
	ET	Nahaärrituse või _obe korral:
	EL	Εάν παρατηρηθεί ερεθισμός του δέρματος ή εμφανιστεί εξάνθημα:
	EN	If skin irritation or rash occurs:
	FR	En cas d'irritation ou d'éruption cutanée:
	GA	I gcás greannú nó grís craicinn:
	IT	In caso di irritazione o eruzione della pelle:
	LV	Ja rodas ādas iekaisums vai izsitumi:
	LT	Jeigu sudirginama oda arba ją išberia.
	HU	Bőrirritáció vagy kiütések megjelenése esetén:
	MT	Jekk ikun hemm irritazzjoni jew raxx tal-ġilda:
	NL	Bij huidirritatie of uitslag:
	PL	W przypadku wystąpienia podrażnienia skóry lub wysypki:
	PT	Em caso de irritação ou erupção cutânea:

P333	Sprache	
	RO	În caz de iritare a pielii sau de erupție cutanată:
	SK	Ak sa prejaví podráždenie pokožky alebo sa vytvoria vyrážky:
	SL	Če nastopi draženje kože ali se pojavi izpuščaj:
	FI	Jos ilmenee ihoärsytystä tai ihottumaa:
	SV	Vid hudirritation eller utslag:

P334	Sprache	
	BG	Потопете в хладка вода/сложете мокри компреси.
	ES	Sumergir en agua fresca/aplicar compresas húmedas.
	CS	Ponořte do studené vody/zabalte do vlhkého obvazu.
	DA	Skyl under koldt vand/anvend våde omslag.
	DE	In kaltes Wasser tauchen/nassen Verband anlegen.
	ET	Hoida jahedas vees/panna peale niiske kompress.
	EL	Βυθίστε σε δροσερό νερό/τυλίξτε με βρεγμένους επιδέσμους.
	EN	Immerse in cool water/wrap in wet bandages.
	FR	Rincer à l'eau fraîche/poser une compresse humide.
	GA	Tum in uisce fionnuar/cuir bréid fliuch air.
	IT	Immergere in acqua fredda/avvolgere con un bendaggio umido.
	LV	Iegremdēt vēsā ūdenī/ietīt mitros apsējos.
	LT	Įmerkti į vėsą vandenį/apvynioti šlapiais tvarščiais.
	HU	Hideg vízzel/nedves kötéssel kell hűteni.
	MT	Dahhal fl-ilma kiesah/kebbeb f'faxex imxarrbin.
	NL	In koud water onderdompelen/nat verband aanbrengen.
	PL	Zanurzyć w zimnej wodzie/owinąć mokrym bandażem.
	PT	Mergulhar em água fria/aplicar compressas húmidas.
	RO	Introduceți în apă rece/acoperiți cu o compresă umedă.
	SK	Ponorte do studenej vody/obviažte mokrými obvázmi.
	SL	Potopiti v hladno vodo/zaviti v mokre povoje.
	FI	Upota kylmään veteen/kääri märkiin siteisiin.
	SV	Skölj under kallt vatten/använd våta omslag.

P335	Sprache	
	BG	Отстранете от кожата посипаните частици.
	ES	Sacudir las partículas que se hayan depositado en la piel.
	CS	Volné částice odstraňte z kůže.
	DA	Børst løse partikler bort fra huden.
	DE	Lose Partikel von der Haut abbürsten.
	ET	Pühkida lahtised osakesed nahalt maha.

P335	Sprache	
	EL	Αφαιρέστε προσεκτικά τα σωματίδια που έχουν μείνει στο δέρμα.
	EN	Brush off loose particles from skin.
	FR	Enlever avec précaution les particules déposées sur la peau.
	GA	Glan cáithníní scaoilte den chraiceann.
	IT	Rimuovere le particelle depositate sulla pelle.
	LV	Noberzt no ādas nepiestiprinātās daļiņas.
	LT	Nepirilpusias daleles nuvalyti nuo odos.
	HU	A bőrré lazán tapadó szemcséket óvatosan le kell kefélni.
	MT	Farfar il-frak mhux imwählha minn fuq il-ġilda.
	NL	Losse deeltjes van de huid afvegen.
	PL	Nie związaną pozostałość strzepnąć ze skóry.
	PT	Sacudir da pele as partículas soltas.
	RO	Îndepărtați particulele depuse pe piele.
	SK	Z pokožky oprášte sypké čiasťočky.
	SL	S krtačo odstraniti razsute delce s kože.
	FI	Poista irtohiukkaset iholta.
	SV	Borsta bort lösa partiklar från huden.
P336	Sprache	
	BG	Размразете замръзналите части в хладка вода. Не разтривайте засегнатото място.
	ES	Descongelar las partes heladas con agua tibia. No frotar la zona afectada.
	CS	Omrzlá místa ošetřete vlažnou vodou. Postižené místo netřete.
	DA	Forsigtig opvarmning af frostskaadede legemsdele i lunkent vand. Gnid ikke det angrebne område.
	DE	Vereiste Bereiche mit lauwarmem Wasser auftauen. Betroffenen Bereich nicht reiben.
	ET	Sulatada külmunud piirkonnad leige veega. Kannatada saanud piirkonda mitte hõõruda.
	EL	Ξπαγώστε τα παγωμένα μέρη με χλιαρό νερό. Μην τρίβετε την περιοχή που πάγωσε.
	EN	Thaw frosted parts with lukewarm water. Do no rub affected area.
	FR	Dégeler les parties gelées avec de l'eau tiède. Ne pas frotter les zones touchées.
	GA	Leáigh codanna siochta le huisce alabhog. Ná cuimil an réimse lena mbaineann.
	IT	Sgelare le parti congelate usando acqua tiepida. Non sfregare la parte interessata.
	LV	Atkausēt sasalušās daļas ar remdenu ūdeni. Skarto zonu neberzt.
	LT	Prišalusias daleles atitirpinti drungnu vandeniu. Netrinti paveiktos zonas.
	HU	A fagyott részeket langyos vízzel fel kell melegíteni. Tilos az érintett terület dörzsölése.
	MT	Holl il-partijiet kiesha bl-ilma fietel. Toghroqx il-parti affettwata.
	NL	Bevroren lichaamsdelen met lauw water ontdooien. Niet wrijven op de betrokken plaatsen.
	PL	Rozmrozić oszronione obszary letnią wodą. Nie trzeć oszronionego obszaru.
	PT	Derreter as zonas congeladas com água morna. Não friccionar a zona afectada.

P336	Sprache	
	RO	Dezghetați părțile degerate cu apă caldă. Nu frecați zona afectată.
	SK	Zmrznuté časti ošetrte vlažnou vodou. Postihnuté miesto netrite.
	SL	Zamrznjene dele odtaliti z mlačno vodo. Ne drgniti prizadetega mesta.
	FI	Sulata jäätyneet alueet haalealla vedellä. Vahingoittunutta aluetta ei saa hangata.
	SV	Värm det köldskadade området med ljummet vatten. Gnid inte det skadade området.

P337	Sprache	
	BG	При продължително дразнене на очите:
	ES	Si persiste la irritación ocular:
	CS	Přetrvává-li podráždění očí:
	DA	Ved vedvarende øjenirritation:
	DE	Bei anhaltender Augenreizung:
	ET	Kui silmade ärritus ei möödu:
	EL	Εάν δεν υποχωρεί ο οφθαλμικός ερεθισμός:
	EN	If eye irritation persists:
	FR	Si l'irritation oculaire persiste:
	GA	Má mhaireann an greannú súile:
	IT	Se l'irritazione degli occhi persiste:
	LV	Ja acu iekaisums nepāriet:
	LT	Jei akių dirginimas nepraeina:
	HU	Ha a szemirritáció nem múlik el:
	MT	Jekk l-irritazzjoni ta' l-għajnejn tibqa':
	NL	Bij aanhoudende oogirritatie:
	PL	W przypadku utrzymywania się działania drażniącego na oczy:
	PT	Caso a irritação ocular persista:
	RO	Dacă iritarea ochilor persistă:
	SK	Ak podráždenie očí pretrváva:
	SL	Če draženje oči ne preneha:
	FI	Jos silmä-ärsytys jatkuu:
	SV	Vid bestående ögonirritation:

P338	Sprache	
	BG	Свалете контактните лещи, ако има такива и доколкото това е възможно. Продължете с изплакването.
	ES	Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando.
	CS	Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.
	DA	Fjern eventuelle kontaktlinser, hvis dette kan gøres let. Fortsæt skylning.
	DE	Eventuell Vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter ausspülen.

P338	Sprache	
	ET	Eemaldada kontaktläätsed, kui neid kasutatakse ja kui neid on kerge eemaldada. Loputada veel kord.
	EL	Εάν υπάρχουν φακοί επαφής, αφαιρέστε τους, εφόσον είναι εύκολο. Συνεχίστε να ξεπλένετε.
	EN	Remove contact lenses, if present and easy to do. Continue rinsing.
	FR	Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.
	GA	Tóg amach na tadhall-lionsaí, más ann dóibh agus más furasta é sin a dhéanamh. Lean den sruthlú.
	IT	Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare.
	LV	Izņemiet kontaktlēcas, ja tās ir ievietotas un to ir viegli izdarīt. Turpiniet skalot.
	LT	Išimti kontaktinius lęšius, jeigu jie yra ir jeigu lengvai galima tai padaryti. Toliau plauti akis.
	HU	Adott esetben kontaktlencsék eltávolítása, ha könnyen megoldható. Az öblítés folytatása.
	MT	Nehhi l-lentijiet tal-kuntatt, jekk ikun hemm u jkunu faċli biex tneħħihom. Komplil lahlah.
	NL	Contactlenzen verwijderen, indien mogelijk. Blijven spoelen.
	PL	Wyjąć soczewki kontaktowe, jeżeli są i można je łatwo usunąć. Nadal płukać.
	PT	Se usar lentes de contacto, retire-as, se tal lhe for possível. Continue a enxaguar.
	RO	Scoateți lentilele de contact, dacă este cazul și dacă acest lucru se poate face cu ușurință. Continuați să clătiți.
	SK	Ak používate kontaktné šošovky a ak je to možné, odstráňte ich. Pokračujte vo vyplachovaní.
	SL	Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.
	FI	Poista piilolinssit, jos sen voi tehdä helposti. Jatka huuhtomista.
	SV	Ta ur eventuella kontaktlinser om det går lätt. Fortsätt att skölja.
P340	Sprache	
	BG	Изведете пострадалия на чист въздух и го поставете в позиция, улесняваща дишането.
	ES	Transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar.
	CS	Přeneste postiženého na čerstvý vzduch a ponechte jej v klidu v poloze usnadňující dýchání.
	DA	Flyt personen til et sted med frisk luft og sørg for, at vedkommende hviler i en stilling, som letter vejrtrækningen.
	DE	Die betroffene Person an die frische Luft bringen und in einer Position ruhigstellen, die das Atmen erleichtert.
	ET	Toimetada kannatanu värske õhu kätte ja asetada mugavasse puhkeasendisse, mis võimaldab kergesti hingata.
	EL	Μεταφέρετε τον παθόντα στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.
	EN	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	FR	Transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer.
	GA	Tabhair amach faoin aer an duine agus coimeád socair é, i riocht ina bhféadfaidh sé anáil a tharraingt go réidh.
	IT	Trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.

P340	Sprache	
	LV	Izvest cietušo svaigā gaisā un turēt miera stāvokli, lai būtu ērti elpot.
	LT	Išnešti nukentėjusį į gryną orą; jam būtina ramybė ir padėtis, leidžianti laisvai kvėpuoti.
	HU	Az érintett személyt friss levegőre kell vinni és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni.
	MT	Esponi lill-vittma għall-arja friska u zommha mistrieħa f'pożizzjoni komda biex tkun tista' tieħu n-nifs.
	NL	Het slachtoffer in de frisse lucht brengen en laten rusten in een houding die het ademen vergemakkelijkt.
	PL	Wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić warunki do odpoczynku w pozycji umożliwiającej swobodne oddychanie.
	PT	Retirar a vítima para uma zona ao ar livre e mantê-la em repouso numa posição que não dificulte a respiração.
	RO	Transportați victima la aer liber și mențineți-o în stare de repaus într-o poziție confortabilă pentru respirație.
	SK	Presuňte postihnutého na čerstvý vzduch a nechajte ho oddychovať v polohe, ktorá mu umožní pohodlné dýchanie.
	SL	Prenesti žrtev na svež zrak in jo pustiti počivati v položaju, ki olajša dihanje.
	FI	Siirrä henkilö raittiiseen ilmaan ja pidä lepoasennossa, jossa on helppo hengittää.
	SV	Flytta personen till frisk luft och se till att han eller hon vilar i en ställning som underlättar andningen
P341	Sprache	
	BG	При затруднено дишане изведете пострадалия на чист въздух и го поставете в позиция, улесняваща дишането.
	ES	Si respira con dificultad, transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar.
	CS	Při obtížném dýchání přeneste postiženého na čerstvý vzduch a ponechte jej v klidu v poloze usnadňující dýchání.
	DA	Ved vejrtrækningsbesvær: Flyt personen til et sted med frisk luft og sørg for, at vedkommende hviler i en stilling, som letter vejrtrækningen.
	DE	Bei Atembeschwerden an die frische Luft bringen und in einer Position ruhigstellen, die das Atmen erleichtert.
	ET	Hingamisraskuste korral toimetada kannatanu värske õhu kätte ja asetada mugavasse puhkeasendisse, mis võimaldab kergesti hingata.
	EL	Εάν ο παθών έχει δύσπνοια, μεταφέρετέ τον στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.
	EN	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
	FR	S'il y a difficulté à respirer, transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer.
	GA	Más deacair don duine anáil, tabhair amach faoin aer é agus coimeád socair é, i riocht ina bhféadfaidh sé anáil a tharraingt go réidh.
	IT	Se la respirazione è difficile, trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.
	LV	Ja elpošana ir apgrūtināta, izvest cietušo svaigā gaisā un turēt miera stāvokli, lai būtu ērti elpot.
	LT	Jeigu nukentėjusiajam sunku kvėpuoti, išnešti jį į gryną orą; jam būtina ramybė ir padėtis, leidžianti laisvai kvėpuoti.
	HU	Légzési nehézségek esetén az érintett személyt friss levegőre kell vinni és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni.

P341	Sprache	
	MT	Jekk in-nifs ikun diffiċli, esponi lill-vittma għall-arja friska u żommha mistrieħa f'pożizzjoni komda biex tkun tista' tieħu n-nifs.
	NL	Bij ademhalingsmoeilijkheden het slachtoffer in de frisse lucht brengen en laten rusten in een houding die het ademen vergemakkelijkt.
	PL	W przypadku trudności z oddychaniem, wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić warunki do odpoczynku w pozycji umożliwiającej swobodne oddychanie.
	PT	Em caso de dificuldade respiratória, retirar a vítima para uma zona ao ar livre e mantê-la em repouso numa posição que não dificulte a respiração.
	RO	Dacă respirația este dificilă, transportați victima la aer liber și mențineți-o în stare de repaus într-o poziție confortabilă pentru respirație.
	SK	Ak nastanú ťažkosti s dýchaním, presuňte postihnutého na čerstvý vzduch a nechajte ho oddychovať v polohe, ktorá mu umožní pohodlné dýchanie.
	SL	Pri oteženem dihanju prenesti žrtev na svež zrak in jo pustiti počivati v položaju, ki olajša dihanje.
	FI	Jos hengitysvaikeuksia, siirrä henkilö raittiiseen ilmaan ja pidä lepoasennossa, jossa on helppo hengittää.
	SV	Vid andningsbesvär, flytta personen till frisk luft och se till att han eller hon vilar i en ställning som underlättar andningen.

P342	Sprache	
	BG	При симптоми на затруднено дишане:
	ES	En caso de síntomas respiratorios:
	CS	Při dýchacích potížích:
	DA	Ved luftvejssymptomer:
	DE	Bei Symptomen der Atemwege:
	ET	Hingamisteede probleemide ilmnemise korral:
	EL	Εάν παρουσιάζονται αναπνευστικά συμπτώματα:
	EN	If experiencing respiratory symptoms:
	FR	En cas de symptômes respiratoires:
	GA	I gcás siomptóm riospráide:
	IT	In caso di sintomi respiratori:
	LV	Ja rodas elpošanas traucējumu simptomi:
	LT	Jeigu pasireiškia respiraciniai simptomai:
	HU	Légzési problémák esetén:
	MT	Jekk tkun qed tbat i minn sintomi respiratorji:
	NL	Bij ademhalings symptomen:
	PL	W przypadku wystąpienia objawów ze strony układu oddechowego:
	PT	Em caso de sintomas respiratórios:
	RO	În caz de simptome respiratorii:
	SK	Pri sťaženom dýchaní:
	SL	Pri respiratornih simptomih:

P342	Sprache	
	FI	Jos ilmenee hengitysoireita:
	SV	Vid besvär i luftvägarna:

P350	Sprache	
	BG	Измийте внимателно и обилно със сапун и вода.
	ES	Lavar suavemente con agua y jabón abundantes.
	CS	Jemně omyjte velkým množstvím vody a mýdla.
	DA	Vask forsigtigt med rigeligt sæbe og vand.
	DE	Behutsam mit viel Wasser und Seife waschen.
	ET	Pesta õrnalt rohke vee ja seebiga.
	EL	Πλύνετε απαλά με άφθονο νερό και σαπούνι.
	EN	Gently wash with plenty of soap and water.
	FR	Laver avec précaution et abondamment à l'eau et au savon.
	GA	Nigh go bog le neart gallúnaí agus uisce.
	IT	Lavare delicatamente e abbondantemente con acqua e sapone.
	LV	Maigi izskalot ar lielu daudzumu ziepēm un ūdeni.
	LT	Atsargiai nuplauti didelį kiekį muilo ir vandens.
	HU	Óvatos lemosás bő szappanos vízzel.
	MT	Aħsel bil-mod b'ħafna sapun u ilma.
	NL	Voorzichtig wassen met veel water en zeep.
	PL	Delikatnie umyć dużą ilością wody z mydłem.
	PT	Lavar suavemente com sabonete e água abundantes.
	RO	Spălați ușor cu multă apă și săpun.
	SK	Opatrne umyte veľkým množstvom vody a mydla.
	SL	Nežno umiti z veliko mila in vode.
	FI	Pese varovasti runsaalla vedellä ja saippualla.
	SV	Tvätta försiktigt med mycket tvål och vatten.

P351	Sprache	
	BG	Промивайте внимателно с вода в продължение на няколко минути.
	ES	Aclarar cuidadosamente con agua durante varios minutos.
	CS	Několik minut opatrně oplachujte vodou.
	DA	Skyl forsigtigt med vand i flere minutter.
	DE	Einige Minuten lang behutsam mit Wasser ausspülen.
	ET	Loputada mitme minuti jooksul ettevaatlikult veega.
	EL	Ξεπλύνετε προσεκτικά με νερό για αρκετά λεπτά.
	EN	Rinse cautiously with water for several minutes.
	FR	Rincer avec précaution à l'eau pendant plusieurs minutes.

P351	Sprache	
	GA	Scruthlaítear go faichilleach le huisce ar feadh roinnt nóiméad.
	IT	Sciacquare accuratamente per parecchi minuti.
	LV	Uzmanīgi skalot ar ūdeni vairākas minūtes.
	LT	Atsargiai plauti vandeniui kelias minutes.
	HU	Óvatos öblítés vízzel több percen keresztül.
	MT	Lahlah b'attenzjoni bl-ilma għal diversi minuti.
	NL	Voorzichtig afspoelen met water gedurende een aantal minuten.
	PL	Ostrożnie płukać wodą przez kilka minut.
	PT	Enxaguar cuidadosamente com água durante vários minutos.
	RO	Clătiți cu atenție cu apă, timp de mai multe minute.
	SK	Opatrne niekoľko minút oplachujte vodou.
	SL	Previdno izpirati z vodo nekaj minut.
	FI	Huuhdo huolellisesti vedellä usean minuutin ajan.
	SV	Skölj försiktigt med vatten i flera minuter.

P352	Sprache	
	BG	Измийте обилно със сапун и вода.
	ES	Lavar con agua y jabón abundantes.
	CS	Omyjte velkým množstvím vody a mýdla.
	DA	Vask med rigeligt sæbe og vand.
	DE	Mit viel Wasser und Seife waschen.
	ET	Pesta rohke vee ja seebiga.
	EL	Πλύνετε με άφθονο σαπούνι και νερό.
	EN	Wash with plenty of soap and water.
	FR	Laver abondamment à l'eau et au savon.
	GA	Nigh le neart gallúnaí agus uisce.
	IT	Lavare abbondantemente con acqua e sapone.
	LV	Mazgāt ar lielu daudzumu ziepēm un ūdeni.
	LT	Plauti dideliu kiekiu muilo ir vandens.
	HU	Lemosás bő szappanos vízzel.
	MT	Aħsel b'hafna sapun u ilma.
	NL	Met veel water en zeep wassen.
	PL	Umyć dużą ilością wody z mydłem.
	PT	Lavar com sabonete e água abundantes.
	RO	Spălați cu multă apă și săpun.
	SK	Umyte veľkým množstvom vody a mydla.
	SL	Umiti z veliko mila in vode.

P352	Sprache	
	FI	Pese runsaalla vedellä ja saippualla.
	SV	Tvätta med mycket tvål och vatten.
P353	Sprache	
	BG	Облейте кожата с вода/вземете душ.
	ES	Aclararse la piel con agua/ducharse.
	CS	Opláchněte kůži vodou/osprchujte.
	DA	Skyl/brus huden med vand.
	DE	Haut mit Wasser abwaschen/duschen.
	ET	Loputada nahka veega/loputada duši all.
	EL	Ξεπλύνετε την επιδερμίδα με νερό/στο ντους.
	EN	Rinse skin with water/shower.
	FR	Rincer la peau à l'eau/se doucher.
	GA	Sruthlaítear an craiceann le huisce/glac cithfholcadh.
	IT	Sciacquare la pelle/fare una doccia.
	LV	Noskalot ādu ar ūdeni/dušā.
	LT	Odą nuplauti vandeniu/čiurkšle.
	HU	A bőrt le kell öblíteni vízzel/zuhanyozás.
	MT	Lahlah il-ġilda bl-ilma/bix-xawer.
	NL	Huid met water afspoelen/afdouchen.
	PL	Splukać skórę pod strumieniem wody/prysznicem.
	PT	Enxaguar a pele com água/tomar um duche.
	RO	Clătiți pielea cu apă/faceți duș.
	SK	Pokožku opláchnite vodou/sprchou.
	SL	Kožo izprati z vodo/prho.
	FI	Huuhdo/suihkuta iho vedellä.
	SV	Skölj huden med vatten/duscha.
P360	Sprache	
	BG	Незабавно облейте замърсеното облекло и кожата обилно с вода, преди да свалите дрехите.
	ES	Aclarar inmediatamente con agua abundante las prendas y la piel contaminadas antes de quitarse la ropa.
	CS	Kontaminovaný oděv a kůži okamžitě omyjte velkým množstvím vody a potom oděv odložte.
	DA	Skyl omgående tilsmudset tøj og hud med rigeligt vand, før tøjet fjernes.
	DE	Kontaminierte Kleidung und Haut sofort mit viel Wasser abwaschen und danach Kleidung ausziehen.
	ET	Saastunud rõivad ja nahk loputada viivitamata rohke veega ning alles seejärel rõivad eemaldada.
	EL	Ξεπλύνετε αμέσως τα μολυσμένα ρούχα και την επιδερμίδα με άφθονο νερό πριν αφαιρέσετε τα ρούχα.

P360	Sprache	
	EN	Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
	FR	Rincer immédiatement et abondamment avec de l'eau les vêtements contaminés et la peau avant de les enlever.
	GA	Sruthlaitear éadaí éillithe agus an craiceann láithreach le neart uisce sula mbaineann an duine na héadaí de.
	IT	Sciacquare immediatamente e abbondantemente gli indumenti contaminati e la pelle prima di togliersi gli indumenti.
	LV	Nekavējoties noskalot piesārņoto apģērbu un skarto ādu ar lielu daudzumu ūdens pirms apģērba novilkšanas.
	LT	Prieš nuvelkant užterštus drabužius, nedelsiant juos ir odą nuplauti dideliu kiekiu vandens.
	HU	A ruhák levetése előtt a szennyezett ruházatot és a bőrt bő vízzel azonnal le kell öblíteni.
	MT	Lahlah mall-ewwel l-ilbies ikkontaminat u l-gilda b'hafna ilma qabel ma tneħhi l-ilbies.
	NL	Verontreinigde kleding en huid onmiddellijk met veel water afspoelen en pas daarna kleding uittrekken.
	PL	Natychmiast spłukać zanieczyszczoną odzież i skórę dużą ilością wody przed zdjęciem odzieży.
	PT	Enxaguar imediatamente com muita água a roupa e a pele contaminadas antes de se despir.
	RO	Clătiți imediat îmbrăcămintea contaminată și pielea cu multă apă, înainte de scoaterea îmbrăcămintei.
	SK	Kontaminovaný odev a pokožku ihned' opláchnite veľkým množstvom vody a potom odev odstráňte.
	SL	Takoj izprati kontaminirana oblačila in kožo z veliko vode pred odstranitvijo oblačil.
	FI	Huuhdō saastunut vaatetus ja iho välittömästi runsaalla vedellä ennen vaatetuksen riisumista.
	SV	Skölj genast nedstänkta kläder och hud med mycket vatten innan du tar av dig kläderna.

P361	Sprache	
	BG	Незабавно свалете цялото замърсено облекло.
	ES	Quitarse inmediatamente las prendas contaminadas.
	CS	Veškeré kontaminované části oděvu okamžitě svlékněte.
	DA	Tilsmudset tøj tages straks af/fjernes.
	DE	Alle kontaminierten Kleidungsstücke sofort ausziehen.
	ET	Kõik saastunud rõivad viivitamata seljast võtta.
	EL	Αφαιρέστε/Βγάλτε αμέσως όλα τα μολυσμένα ρούχα.
	EN	Remove/Take off immediately all contaminated clothing.
	FR	Enlever immédiatement les vêtements contaminés.
	GA	Bain díot láithreach na héadaí éillithe go léir.
	IT	Togliersi di dosso immediatamente tutti gli indumenti contaminati.
	LV	Noņemt/Novilkt nekavējoties visu piesārņoto apģērbu.
	LT	Nedelsiant nuvilkti/pašalinti visus užterštus drabužius.
	HU	Az összes szennyezett ruhadarabot azonnal el kell távolítani/le kell vetni.
	MT	Nehħi/Inža' mall-ewwel l-ilbies ikkontaminat.

P361	Sprache	
	NL	Verontreinigde kleding onmiddellijk uittrekken.
	PL	Natychmiast usunąć/zdjąć całą zanieczyszczoną odzież.
	PT	Despir/retirar imediatamente toda a roupa contaminada.
	RO	Scoateți imediat toată îmbrăcămintea contaminată.
	SK	Ihned' odstráňte/vyzlečte všetky kontaminované časti odevu.
	SL	Takoj odstraniti/sleči vsa kontaminirana oblačila.
	FI	Riisu saastunut vaatetus välittömästi.
	SV	Ta omedelbart av alla nedstänkta kläder.

P362	Sprache	
	BG	Свалете замърсеното облекло и го изперете преди повторна употреба.
	ES	Quitarse las prendas contaminadas y lavarlas antes de volver a usarlas.
	CS	Kontaminovaný oděv svlékněte a před opětovným použitím ho vyperte.
	DA	Forurenet tøj tages af og vaskes, før det bruges igen.
	DE	Kontaminierte Kleidung ausziehen und vor erneutem Tragen waschen.
	ET	Võtta saastunud rõivad seljast ja pesta neid enne järgmist kasutamist.
	EL	Βγάλτε τα μολυσμένα ρούχα και πλύνετέ τα πριν τα ξαναχρησιμοποιήσετε.
	EN	Take off contaminated clothing and wash before reuse.
	FR	Enlever les vêtements contaminés et les laver avant réutilisation
	GA	Bain díot láithreach na héadaí éillithe go léir agus nigh iad sula ndéanfar iad a athúsáid.
	IT	Togliersi di dosso gli indumenti contaminati e lavarli prima di indossarli nuovamente.
	LV	Novilkt piesārņoto apģērbu un pirms atkārtotas lietošanas izmazgāt.
	LT	Nusivilkti užterštus drabužius ir išskalbti prieš vėl juos apsivelkant.
	HU	A szennyezett ruhát le kell vetni és az újbóli használat előtt ki kell mosni.
	MT	Inza' l-hwejjeg kontaminati u aħsilhom qabel ma terġa' tużahom.
	NL	Verontreinigde kleding uittrekken en wassen alvorens deze opnieuw te gebruiken.
	PL	Zanieczyszczoną odzież zdjąć i wyprać przed ponownym użyciem.
	PT	Retirar a roupa contaminada e lavá-la antes de a voltar a usar.
	RO	Scoateți îmbrăcămintea contaminată și spălați-o înainte de reutilizare.
	SK	Kontaminovaný odev vyzlečte a pred ďalším použitím vyperte.
	SL	Sleči kontaminirana oblačila in jih oprati pred ponovno uporabo.
	FI	Riisu ja pese saastunut vaatetus ennen uudelleenkäyttöä.
	SV	Nedstänkta kläder tas av och tvättas innan de används igen.

P363	Sprache	
	BG	Изперете замърсеното облекло преди повторна употреба.
	ES	Lavar las prendas contaminadas antes de volver a usarlas.
	CS	Kontaminovaný oděv před opětovným použitím vyperte.

P363	Sprache	
	DA	Tilsmudset tøj skal vaskes, før det kan anvendes igen.
	DE	Kontaminierte Kleidung vor erneutem Tragen waschen.
	ET	Saastunud rõivad enne järgmist kasutamist pesta.
	EL	Πλύνετε τα μολυσμένα ενδύματα πριν τα ξαναχρησιμοποιήσετε.
	EN	Wash contaminated clothing before reuse.
	FR	Laver les vêtements contaminés avant réutilisation.
	GA	Nigh éadaí éillithe sula ndéanfar iad a athúsáid.
	IT	Lavare gli indumenti contaminati prima di indossarli nuovamente.
	LV	Pirms atkārtotas lietošanas piesārņoto apģērbu izmazgāt.
	LT	Užterštus drabužius išskalbti prieš vėl juos apsivelkant.
	HU	A szennyezett ruhát újbóli használat előtt ki kell mosni.
	MT	Aħsel il-hwejjeġ kontaminati qabel terġa' tużahom.
	NL	Verontreinigde kleding wassen alvorens deze opnieuw te gebruiken.
	PL	Wyprać zanieczyszczoną odzież przed ponownym użyciem.
	PT	Lavar a roupa contaminada antes de a voltar a usar.
	RO	Spălați îmbrăcămintea contaminată, înainte de reutilizare.
	SK	Kontaminovaný odev pred ďalším použitím vyperte.
	SL	Kontaminirana oblačila oprati pred ponovno uporabo.
	FI	Pese saastunut vaatetus ennen uudelleenkäyttöä.
	SV	Nedstänkta kläder ska tvättas innan de används igen.

P370	Sprache	
	BG	При пожар:
	ES	En caso de incendio:
	CS	V případě požáru:
	DA	Ved brand:
	DE	Bei Brand:
	ET	Tulekahju korral:
	EL	Σε περίπτωση πυρκαγιάς:
	EN	In case of fire:
	FR	En cas d'incendie:
	GA	I gcás dóiteáin:
	IT	In caso di incendio:
	LV	Ugunsgrēka gadījumā:
	LT	Gaisro atveju:
	HU	Tűz esetén:
	MT	F'każ ta' nar:
	NL	In geval van brand:

P370	Sprache	
	PL	W przypadku pożaru:
	PT	Em caso de incêndio:
	RO	În caz de incendiu:
	SK	V prípade požiaru:
	SL	Ob požaru:
	FI	Tulipalon sattuesssa:
	SV	Vid brand:

P371	Sprache	
	BG	При голям пожар и значителни количества:
	ES	En caso de incendio importante y en grandes cantidades:
	CS	V případě velkého požáru a velkého množství:
	DA	Ved større brand og store mængder:
	DE	Bei Großbrand und großen Mengen:
	ET	Suure tulekahju korral ning kui on tegemist suurte kogustega:
	EL	Σε περίπτωση σοβαρής πυρκαγιάς και εάν πρόκειται για μεγάλες ποσότητες:
	EN	In case of major fire and large quantities:
	FR	En cas d'incendie important et s'il s'agit de grandes quantités:
	GA	I gcás mórdhóiteáin agus má tá cainníochtaí móra i gceist:
	IT	In caso di incendio grave e di quantità rilevanti:
	LV	Ugunsgrēka un lielu apjomu gadījumā:
	LT	Didelio gaisro ir didelių kiekių atveju:
	HU	Nagyobb tűz és nagy mennyiség esetén:
	MT	F'każ ta' nar kbir u kwantitajiet kbar:
	NL	In geval van grote brand en grote hoeveelheden:
	PL	W przypadku poważnego pożaru i dużych ilości:
	PT	Em caso de incêndio importante e de grandes quantidades:
	RO	În caz de incendiu de proporții și de cantități mari de produs:
	SK	V prípade veľkého požiaru a veľkého množstva:
	SL	Ob velikem požaru in velikih količinah:
	FI	Jos tulipalo ja ainemäärät ovat suuret:
	SV	Vid större brand och stora mängder:

P372	Sprache	
	BG	Опасност от експлозия при пожар.
	ES	Riesgo de explosión en caso de incendio.
	CS	Nebezpečí výbuchu v případě požáru.
	DA	Eksplodingsfare ved brand.

P372	Sprache	
	DE	Explosionsgefahr bei Brand.
	ET	Tulekahju korral plahvatusoht.
	EL	Κίνδυνος έκρηξης σε περίπτωση πυρκαγιάς.
	EN	Explosion risk in case of fire.
	FR	Risque d'explosion en cas d'incendie.
	GA	Baol pléasctha i gcás dóiteáin.
	IT	Rischio di esplosione in caso di incendio.
	LV	Eksplōzijas risks ugunsgrēka gadījumā:
	LT	Sprogimo pavojus gaisro atveju.
	HU	Tűz esetén robbanásveszély.
	MT	Riskju ta' splużjoni f'każ ta' nar.
	NL	Ontploffingsgevaar in geval van brand.
	PL	Ryzyko wybuchu w razie pożaru.
	PT	Risco de explosão em caso de incêndio.
	RO	Risc de explozie în caz de incendiu.
	SK	V prípade požiaru hrozí riziko výbuchu.
	SL	Nevarnost eksplozije ob požaru.
	FI	Tulipalon sattuesssa räjähdysvaara.
	SV	Explosionsrisk vid brand.
P373	Sprache	
	BG	НЕ се опитвайте да гасите пожара, ако огънят наближи експлозивни.
	ES	NO luchar contra el incendio cuando el fuego llega a los explosivos.
	CS	Požár NEHAŠTE, dostane-li se k výbušninám.
	DA	BEKÆMP IKKE branden, hvis denne når eksplosiverne.
	DE	KEINE Brandbekämpfung, wenn das Feuer explosive Stoffe/Gemische/Erzeugnisse erreicht.
	ET	Kui tuli jõuab lõhkeaineteni, MITTE teha kustutustõid.
	EL	ΜΗΝ προσπαθείτε να σβήσετε την πυρκαγιά, όταν η φωτιά πλησιάζει σε εκρηκτικά.
	EN	DO NOT fight fire when fire reaches explosives.
	FR	NE PAS combattre l'incendie lorsque le feu atteint les explosifs.
	GA	NÁ DÉÁN an dóiteán a chomhrac má shroicheann sé pléascáin.
	IT	NON utilizzare mezzi estinguenti se l'incendio raggiunge materiali esplosivi.
	LV	NECENSTIES dzēst ugunsgrēku, ja uguns piekļūst sprādzienbīstamām vielām.
	LT	NEGESINTI gaisro, jeigu ugnis pasiekia sprogmenis.
	HU	TILOS a tűz oltása, ha az robbanóanyagra átterjedt.
	MT	TIPPRUVAX TITFI n-nar meta n-nar jilhaq l-isplussivi.
	NL	NIET blussen wanneer het vuur de ontplofbare stoffen bereikt.
	PL	NIE gasić pożaru, jeżeli ogień dosięgnie materiały wybuchowe

P373	Sprache	
	PT	Se o fogo atingir os explosivos, NÃO tentar combatê-lo.
	RO	NU încercați să stingeți incendiul atunci când focul a ajuns la explozivi.
	SK	Požiar NEHASTE, ak sa oheň priblížil k výbušninám.
	SL	NE gasiti, ko ogenj doseže eksploziv.
	FI	Tulta EI SAA yrittää sammuttaa sen saavutettua räjähteet.
	SV	Försök INTE bekämpa branden när den når explosiva varor.

P374	Sprache	
	BG	Гасете пожара с обичайните предпазни мерки от разумно разстояние.
	ES	Luchar contra el incendio desde una distancia razonable, tomando las precauciones habituales.
	CS	Haste z přiměřené vzdálenosti a dodržujte běžná opatření.
	DA	Træf normale foranstaltninger mod brand og bekæmp den på en fornuftig afstand.
	DE	Brandbekämpfung mit üblichen Vorsichtsmaßnahmen aus angemessener Entfernung.
	ET	Kustutustõid teha tavaliste ettevaatusabinõudega ja mõistlikust kaugusest.
	EL	Προσπαθήστε να σβήσετε την πυρκαγιά λαμβάνοντας τις κατάλληλες προφυλάξεις και από εύλογη απόσταση.
	EN	Fight fire with normal precautions from a reasonable distance.
	FR	Combattre l'incendie à distance en prenant les précautions normales.
	GA	Déan na gnáth-réamhchúraimí chun an dóiteán a chomhrac gan a bheith níos gaire dó ná mar atá réasúnta.
	IT	Utilizzare i mezzi estinguenti con le precauzioni abituali a distanza ragionevole.
	LV	Dzēst ugunsgrēku, ņemot vērā parastos drošības nosacījumus un no saprātīga attāluma.
	LT	Gaisrą gesinti laikantis įprastinio atsargumo pakankamu atstumu.
	HU	Tűzoltás megfelelő távolságból a szokásos óvintézkedések betartásával.
	MT	Itfi n-nar bil-prekawzjonijiet normali minn distanza raġonevoli.
	NL	Met normale voorzorgen vanaf een redelijke afstand blussen.
	PL	Gasić pożar z rozsądnej odległości z zachowaniem zwykłych środków ostrożności.
	PT	Combater o incêndio tomando as precauções normais e a partir de uma distância razoável.
	RO	Stingeți incendiul de la o distanță rezonabilă, luând măsuri normale de precauție.
	SK	Požiar haste z priveranej vzdialenosti pri dodržiavaní bežných bezpečnostných opatrení.
	SL	Gasiti z običajno previdnostjo in s primerne razdalje.
	FI	Sammuuta palo kohtuullisen välimatkan päästä tavanomaisin varotoimin.
	SV	Bekämpa branden på vanligt sätt på behörigt avstånd.

P375	Sprache	
	BG	Гасете пожара от разстояние поради опасност от експлозия.
	ES	Luchar contra el incendio a distancia, dado el riesgo de explosión.
	CS	Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.
	DA	Bekæmp branden på afstand på grund af eksplosionsfare.

P375	Sprache	
	DE	Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.
	ET	Plahvatusohu tõttu teha kustutustööid eemalt.
	EL	Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης.
	EN	Fight fire remotely due to the risk of explosion.
	FR	Combattre l'incendie à distance à cause du risque d'explosion.
	GA	Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha.
	IT	Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza.
	LV	Dzēst ugunsgrēku no attāluma eksplozijas riska dēļ.
	LT	Gaisrą gesinti iš toli dėl sproginimo pavojaus.
	HU	A tűz oltását robbanásveszély miatt távolból kell végezni.
	MT	Itfi n-nar mill-bogħod minhabba r-riskju ta' splużjoni.
	NL	Op afstand blussen omwille van ontploffingsgevaar.
	PL	Z powodu ryzyka wybuchu gasić pożar z odległości.
	PT	Combater o incêndio à distância, devido ao risco de explosão.
	RO	Stingeți incendiul de la distanță din cauza pericolului de explozie.
	SK	Z dôvodu nebezpečnosti výbuchu požiar haste z diaľky.
	SL	Gasiti z večje razdalje zaradi nevarnosti eksplozije.
	FI	Sammuta palo etäältä räjähdysvaaran takia.
	SV	Bekämpa branden på avstånd på grund av explosionsrisken.
P376	Sprache	
	BG	Спрете теча, ако е безопасно.
	ES	Detener la fuga, si no hay peligro en hacerlo.
	CS	Zastavte únik, můžete-li tak učinit bez rizika.
	DA	Standt lækagen, hvis dette er sikkert.
	DE	Undichtigkeit beseitigen, wenn gefahrlos möglich.
	ET	Leke peatada, kui seda on võimalik teha ohutult.
	EL	Σταματήστε τη διαρροή, εφόσον δεν υπάρχει κίνδυνος.
	EN	Stop leak if safe to do so.
	FR	Obturer la fuite si cela peut se faire sans danger.
	GA	Cuir stop leis an sceitheadh má tá sé sábháilte é sin a dhéanamh.
	IT	Bloccare la perdita se non c'è pericolo.
	LV	Apstādināt noplūdi, ja to var izdarīt drošā veidā.
	LT	Sustabdyti nuotėkį, jeigu galima saugiai tai padaryti.
	HU	Meg kell szüntetni a szivárgást, ha ez biztonságosan megtehető.
	MT	Waqqaf it-tnixxija jekk ma jkunx hemm periklu.
	NL	Het lek dichten als dat veilig gedaan kan worden.
	PL	Jeżeli jest to bezpieczne zahamować wyciek.

P376	Sprache	
	PT	Deter a fuga se tal puder ser feito em segurança.
	RO	Oprîți scurgerea, dacă acest lucru se poate face în siguranță.
	SK	Zastavte únik, ak je to bezpečné.
	SL	Zaustaviti puščanje, če je varno.
	FI	Sulje vuoto, jos sen voi tehdä turvallisesti.
	SV	Stoppa läckan om det kan göras på ett säkert sätt.
P377	Sprache	
	BG	Пожар от изтекъл газ: Не гасете освен при възможност за безопасно отстраняване на теча.
	ES	Fuga de gas en llamas: No apagar, salvo si la fuga puede detenerse sin peligro.
	CS	Požár unikajícího plynu: Nehaste, nelze-li únik bezpečně zastavit.
	DA	Brand fra udsivende gas: Sluk ikke, medmindre det er sikkert at stoppe lækagen.
	DE	Brand von ausströmendem Gas: Nicht löschen, bis Undichtigkeit gefahrlos beseitigt werden kann.
	ET	Lekkiva gaasi põlemise korral mitte kustutada, välja arvatud juhul, kui leket on võimalik ohutult peatada.
	EL	Διαρροή φλεγόμενου αερίου: Μην την σβήσετε, εκτός εάν μπορείτε να σταματήσετε τη διαρροή χωρίς κίνδυνο.
	EN	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
	FR	Fuite de gaz enflammé: Ne pas éteindre si la fuite ne peut pas être arrêtée sans danger.
	GA	Tine gháis ag sceitheadh: Ná múch, mura i ndán agus gur féidir stop a chur leis an sceitheadh go sábháilte.
	IT	In caso d'incendio dovuto a perdita di gas, non estinguere a meno che non sia possibile bloccare la perdita senza pericolo.
	LV	Degšanas gāzes noplūde: Nedzēst, ja vien noplūdi var apstādināt drošā veidā.
	LT	Dujų nuotėkio sukeltas gaisras: Negesinti, nebent nuotėkį būtų galima saugiai sustabdyti.
	HU	Égő szivárgó gáz: Csak akkor szabad a tüzet oltani, ha a szivárgás biztonságosan megszüntethető.
	MT	Tnixxija ta' gass tan-nar: Tippurvax titfiha, sakemm it-tnixxija ma tkunx tista' titwaqqaf bla periklu.
	NL	Brand door lekkend gas: niet blussen, tenzij het lek veilig gedicht kan worden.
	PL	W przypadku płonienia wyciekającego gazu: Nie gasić, jeżeli nie można bezpiecznie zahamować wycieku.
	PT	Incêndio por fuga de gás: não apagar, a menos que se possa deter a fuga em segurança.
	RO	Incendiu cauzat de o scurgere de gaz: nu încercați să stingeți, decât dacă scurgerea poate fi oprită în siguranță.
	SK	Požiar unikajúceho plynu: Nehaste, pokiaľ únik nemožno bezpečne zastaviť.

P377	Sprache	
	SL	Požar zaradi uhajanja plina: Ne gasiti, če puščanja ni mogoče varno zaustaviti.
	FI	Vuotavasta kaasusta johtuva palo: Ei saa sammuttaa, jollei vuotoa voida pysäyttää turvallisesti.
	SV	Läckande gas som brinner: Försök inte släcka branden om inte läckan kan stoppas på ett säkert sätt.

P378	Sprache	
	BG	Използвайте ... за гасене.
	ES	Utilizar ... para apagarlo.
	CS	K hašení použijte
	DA	Anvend ... til brandslukning.
	DE	... zum Löschen verwenden.
	ET	Kustutamiseks kasutada
	EL	Χρησιμοποιήστε ... για την κατάσβεση.
	EN	Use ... for extinction.
	FR	Utiliser ... pour l'extinction.
	GA	Úsáid ... le haghaidh múchta.
	IT	Estinguere con...
	LV	Nodzēšanai izmantot...
	LT	Gesinimui naudoti ...
	HU	Az oltáshoz ... használandó.
	MT	Uża' ... biex titfi.
	NL	Blussen met ...
	PL	Użyć ... do gaszenia.
	PT	Para a extinção utilizar ...
	RO	Utilizați... pentru stingere.
	SK	Na hasenie použite
	SL	Za gašenje uporabiti ...
	FI	Käytä palon sammuttamiseen ...
	SV	Släck branden med

P380	Sprache	
	BG	Евакуирайте зоната.
	ES	Evacuar la zona.
	CS	Vykliďte _roctor.
	DA	Evakuer området.
	DE	Umgebung räumen.
	ET	Ala evakueerida.

P380	Sprache	
	EL	Εκκενώστε την περιοχή.
	EN	Evacuate area.
	FR	Évacuer la zone.
	GA	Aslonnaigh gach duine as an limistéar.
	IT	Evacuare la zona.
	LV	Evakuēt zonu.
	LT	Evakuoti zoną.
	HU	A területet ki kell üríteni.
	MT	Evakwa ż-zona.
	NL	Evacueren.
	PL	Ewakuować teren.
	PT	Evacuar a zona.
	RO	Evacuați zona.
	SK	Priestory evakuujte.
	SL	Izprazniti območje.
	FI	Evakuoi alue.
	SV	Utrym området.

P381	Sprache	
	BG	Премахнете всички източници на запалване, ако е безопасно.
	ES	Eliminar todas las fuentes de ignición si no hay peligro en hacerlo.
	CS	Odstraňte všechny zdroje zapálení, můžete-li tak učinit bez rizika.
	DA	Fjern alle antændelseskilder, hvis dette kan gøres sikkert.
	DE	Alle Zündquellen entfernen, wenn gefahrlos möglich.
	ET	Eemaldada kõik süüteallikad, kui seda on võimalik teha ohutult.
	EL	Απομακρύνετε τις πηγές ανάφλεξης, εάν αυτό μπορεί να γίνει χωρίς κίνδυνο.
	EN	Eliminate all ignition sources if safe to do so.
	FR	Éliminer toutes les sources d'ignition si cela est faisable sans danger.
	GA	Díothaigh gach foinse adhainte, má tá sé sábháilte é sin a dhéanamh.
	IT	Eliminare ogni fonte di accensione se non c'è pericolo.
	LV	Novērst visus uzliesmošanas avotus, ja to var izdarīt droši.
	LT	Pašalinti visus uždegimo šaltinius, jeigu galima saugiai tai padaryti.
	HU	Meg kell szüntetni az összes gyújtóforrást, ha ez biztonságosan megtehető.
	MT	Elimina s-sorsi kollha li jqabbd u sakemm ma jkunx perikoluż li tagħmel dan.
	NL	Alle ontstekingsbronnen wegnemen als dat veilig gedaan kan worden.
	PL	Wyeliminować wszystkie źródła zapłonu, jeżeli jest to bezpieczne.
	PT	Eliminar todas as fontes de ignição se tal puder ser feito em segurança.
	RO	Eliminați toate sursele de aprindere, dacă acest lucru se poate face în siguranță.

P381	Sprache	
	SK	Ak je to bezpečné, odstráňte všetky zdroje zapálenia.
	SL	Odstraniti vse vire vžiga, če je varno.
	FI	Poista kaikki sytytyslähteet, jos sen voi tehdä turvallisesti.
	SV	Avlägsna alla antändningskällor om det kan göras på ett säkert sätt.
P390	Sprache	
	BG	Попийте разлятото, за да се предотвратят материални вреди.
	ES	Absorber el vertido para que no dañe otros materiales.
	CS	Uniklý produkt absorbujte, aby se zabránilo materiálním škodám.
	DA	Absorber udslip for at undgå materielskade.
	DE	Verschüttete Mengen aufnehmen, um Materialschäden zu vermeiden.
	ET	Mahavoolanud toode absorbeerida, et see ei kahjustaks teisi materjale.
	EL	Σκουπίστε τη χυμένη ποσότητα για να προλάβετε υλικές ζημιές.
	EN	Absorb spillage to prevent material damage.
	FR	Absorber toute substance répandue pour éviter qu'elle attaque les matériaux environnants.
	GA	Ionúigh doirteadh chun damáiste d'ábhar a chosc.
	IT	Assorbire la fuoriuscita per evitare danni materiali.
	LV	Uzsūkt izšļakstījumus, lai novērstu materiālus zaudējumus.
	LT	Absorbuoti išsiliejusią medžiagą, siekiant išvengti materialinės žalos.
	HU	A kiömlött anyagot fel kell itatni a körülvevő anyagok károsodásának megelőzése érdekében.
	MT	Assorbi t-tixrid biex tipprevjeni hsara fil-materjal.
	NL	Gelekte/gemorste stof opnemen om materiële schade te vermijden.
	PL	Usunąć wyciek, aby zapobiec szkodom materialnym.
	PT	Absorver o produto derramado a fim de evitar danos materiais.
	RO	Absorbiți scurgerile de produs, pentru a nu afecta materialele din apropiere.
	SK	Absorbujte uniknutý produkt, aby sa zabránilo materiálным škodám.
	SL	Odpraviti razlitje, da se prepreči materialna škoda.
	FI	Imeytä valumat vahinkojen estämiseksi.
	SV	Sug upp spill för att undvika materiella skador.
P391	Sprache	
	BG	Съберете разлятото.
	ES	Recoger el vertido.
	CS	Uniklý produkt seberte.
	DA	Udslip opsamles.
	DE	Verschüttete Mengen aufnehmen.
	ET	Mahavoolanud toode kokku koguda.
	EL	Μαζέψτε τη χυμένη ποσότητα.

P391	Sprache	
	EN	Collect spillage.
	FR	Recueillir le produit répandu.
	GA	Bailigh doirteadh.
	IT	Raccogliere il materiale fuoriuscito.
	LV	Savākt izšļakstīto šķidrums.
	LT	Surinkti ištekėjusią medžiagą.
	HU	A kiömlött anyagot össze kell gyűjteni.
	MT	Iġbor it-tixrid.
	NL	Gelekte/gemorste stof opruimen.
	PL	Zebrać wyciek.
	PT	Recolher o produto derramado.
	RO	Colectați scurgerile de produs.
	SK	Zobierajte uniknutý produkt.
	SL	Prestreči razlito tekočino.
	FI	Valumat on kerättävä.
	SV	Samla upp spill.

P301 + P310	Sprache	
	BG	ПРИ ПОГЛЪТЦАНЕ: Незабавно се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	EN CASO DE INGESTIÓN: Llamar inmediatamente a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico.
	CS	PŘI POŽITÍ: Okamžitě volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	I TILFÆLDE AF INDTAGELSE: Ring omgående til en GIFTINFORMATION eller en læge.
	DE	BEI VERSCHLUCKEN: Sofort GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	ALLANEELAMISE KORRAL: võtta viivitamata ühendust MÜRGIKUSTEABEKESKUSE või arstiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ: Καλέστε αμέσως το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	FR	EN CAS D'INGESTION: appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
	GA	MÁ SHLOGTAR: Cuir glao láithreach ar IONAD NIMHE nó ar dhoctúir/lia.
	IT	IN CASO DI INGESTIONE: contattare immediatamente un CENTRO ANTIVELENI o un medico
	LV	NORĪŠANAS GADĪJUMĀ: Nekavējoties sazināties ar SAINDĒŠANĀS CENTRU vai ārstu.
	LT	PRARIJUS: Nedelsiant skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	LENYELÉS ESETÉN: azonnal forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	JEKK JINBELA': Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	NA INSLIKKEN: onmiddellijk een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W PRZYPADKU POŁKNIECIA: Natychmiast skontaktować się z OŚRODKIEM ZATRUĆ lub z lekarzem.

P301 + P310	Sprache	
	PT	EM CASO DE INGESTÃO: contacte imediatamente um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	ÎN CAZ DE ÎNGHIȚIRE: sunați imediat la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	PO POŽITÍ: okamžite volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	PRI ZAUŽITJU: takoj pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	JOS KEMIKAALIA ON NIELTY: Ota välittömästi yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin.
	SV	VID FÖRTÄRING: Kontakta genast GIFTINFORMATIONSCENTRAL eller läkare.
P301 + P312	Sprache	
	BG	ПРИ ПОГЛЪЩАНЕ: Незабавно се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар при неразположение.
	ES	EN CASO DE INGESTIÓN: Llamar a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico si se encuentra mal.
	CS	PŘI POŽITÍ: Necítíte-li se dobře, volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	I TILFÆLDE AF INDTAGELSE: I tilfælde af ubehag ring til en GIFTINFORMATION eller en læge.
	DE	BEI VERSCHLUCKEN: Bei Unwohlsein GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	ALLANEELAMISE KORRAL: halva enesetunde korral võtta ühendust MÜRGISTUSTEA-BEKESKUSE või arstiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ: Καλέστε αμέσως το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ ή ένα γιατρό, εάν αισθανθείτε αδιαθεσία.
	EN	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	FR	EN CAS D'INGESTION: appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
	GA	MÁ SHLOGTAR: Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia má bhraitheann tú tinn.
	IT	IN CASO DI INGESTIONE accompagnata da malessere: contattare un CENTRO ANTIVELENI o un medico.
	LV	NORĪŠANAS GADĪJUMĀ: sazināties ar SAINDĒŠANĀS CENTRU vai ārstu, ja jums ir slikta pašsajūta.
	LT	PRARIJUS: Pasijutus blogai, skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	LENYELÉS ESETÉN: rosszullét esetén azonnal forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	JEKK JINBELA: Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib jekk thossok ma tiflahx.
	NL	NA INSLIKKEN: bij onwel voelen een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W PRZYPADKU POŁKNIECIA: W przypadku złego samopoczucia skontaktować się z OŚRODKIEM ZATRUĆ lub z lekarzem.
	PT	EM CASO DE INGESTÃO: caso sinta indisposição, contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	ÎN CAZ DE ÎNGHIȚIRE: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic, dacă nu vă simțiți bine.

P301 + P312	Sprache	
	SK	PO POŽITÍ: ak máte zdravotné problémy, okamžite volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	PRI ZAUŽITJU: ob slabem počutju pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	JOS KEMIKAALIA ON NIELTY: Ota yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin, jos ilmenee pahoinvointia.
	SV	VID FÖRTÄRING: Kontakta GIFTINFORMATIONSCENTRAL eller läkare om du mår dåligt.

P301 + P330 + P331	Sprache	
	BG	ПРИ ПОГЛЪЩАНЕ: изплакнете устата. НЕ предизвиквайте повръщане.
	ES	EN CASO DE INGESTIÓN: Enjuagarse la boca. NO provocar el vómito.
	CS	PŘI POŽITÍ: Vypláchněte ústa. NEVYVOLÁVEJTE zvracení.
	DA	I TILFÆLDE AF INDTAGELSE: Skyl munden. Fremkald IKKE opkastning.
	DE	BEI VERSCHLUCKEN: Mund ausspülen. KEIN Erbrechen herbeiführen.
	ET	ALLANEELAMISE KORRAL: loputada suud. MITTE kutsuda esile oksendamist.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ: Ξεπλύνετε το στόμα. ΜΗΝ προκαλέσετε εμετό.
	EN	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	FR	EN CAS D'INGESTION: rincer la bouche. NE PAS faire vomir.
	GA	MÁ SHLOGTAR: sruthlaítear an béal. NÁ déan urlacan a spreagadh.
	IT	IN CASO DI INGESTIONE: sciacquare la bocca. NON provocare il vomito.
	LV	NORIŠANAS GADĪJUMĀ: izskalot muti. NEIZRAISĪT vemšanu.
	LT	PRARIJUS: išskalauti burną. NESKATINTI vėmimo.
	HU	LENYELÉS ESETÉN: a szájat ki kell öblíteni. TILOS hánytatni.
	MT	JEKK JINBELA': laħlaħ il-ħalq. TIPPROVOKAX ir-remettar.
	NL	NA INSLIKKEN: de mond spoelen — GEEN braken opwekken.
	PL	W PRZYPADKU POŁKNIĘCIA: wypłukać usta. NIE wywoływać wymiotów.
	PT	EM CASO DE INGESTÃO: enxaguar a boca. NÃO provocar o vómito.
	RO	ÎN CAZ DE ÎNGHIȚIRE: clătiți gura. NU provocați voma.
	SK	PO POŽITÍ: vypláchnite ústa. Nevyvolávajte zvracanie.
	SL	PRI ZAUŽITJU: izprati usta. NE izzvati bruhanja.
	FI	JOS KEMIKAALIA ON NIELTY: Huuhdo suu. EI saa oksennuttaa.
	SV	VID FÖRTÄRING: Skölj munnen. Framkalla INTE kräkning.

P302 + P334	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА: Потопете в студена вода/сложете мокри компреси.
	ES	EN CASO DE CONTACTO CON LA PIEL: Sumergir en agua fresca/aplicar compresas húmedas.
	CS	PŘI STYKU S KŮŽÍ: Ponořte do studené vody/zabalte do vlhkého obvazu.
	DA	VED KONTAKT MED HUDEN: Skyl under koldt vand/anvend våde omslag.

P302 + P334	Sprache	
	DE	BEI KONTAKT MIT DER HAUT: In kaltes Wasser tauchen/nassen Verband anlegen.
	ET	NAHALE SATTUMISE KORRAL: hoida jahedas vees/panna peale niiske kompress.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Πλύντε με άφθονο δροσερό νερό/τυλίξτε με βρεγμένους επίδεσμούς.
	EN	IF ON SKIN: Immerse in cool water/wrap in wet bandages.
	FR	EN CAS DE CONTACT AVEC LA PEAU: rincer à l'eau fraîche/poser une compresse humide.
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: Tum in uisce fionnuar/cuir bréid fliuch air.
	IT	IN CASO DI CONTATTO CON LA PELLE: immergere in acqua fredda/avvolgere con un bendaggio umido.
	LV	SASKARĒ AR ĀDU: iegremdēt vēsā ūdenī/ietīt mitros apsējos.
	LT	PATEKUS ANT ODOS: Įmerkti į vėsą vandenį/apvynioti šlapiais tvarščiais.
	HU	HA BŐRRE KERÜL: Hideg vízzel/medves kötészel kell hűteni.
	MT	JEKK FUQ IL-ĠILDA: Dahhal fl-ilma frisk/kebbeb f'faxex imxarrbin.
	NL	BIJ CONTACT MET DE HUID: in koud water onderdompelen/nat verband aanbrengen.
	PL	W PRZYPADKU KONTAKTU ZE SKÓRĄ: Zanurzyć w zimnej wodzie/owinąć mokrym bandażem.
	PT	SE ENTRAR EM CONTACTO COM A PELE: mergulhar em água fria/aplicar compressas húmidas.
	RO	ÎN CAZ DE CONTACT CU PIELEA: introduceți în apă rece/acoperiți cu o compresă umedă.
	SK	PRI KONTAKTE S POKOŽKOU: Ponorte do studenej vody/obviažte mokrými obväzmi.
	SL	PRI STIKU S KOŽO: potopiti v hladno vodo/zaviti v mokre povoje.
	FI	JOS KEMIKAALIA JOUTUU IHOLLE: Upota kylmään veteen/kääri märkiin siteisiin.
	SV	VID HUDKONTAKT: Skölj under kallt vatten/använd våta omslag.

P302 + P350	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА: Измийте внимателно и обилно със сапун и вода.
	ES	EN CASO DE CONTACTO CON LA PIEL: Lavar suavemente con agua y jabón abundantes.
	CS	PŘI STYKU S KŮŽÍ: Jemně omyjte velkým množstvím vody a mýdla.
	DA	VED KONTAKT MED HUDEN: Vask forsigtigt med rigeligt sæbe og vand.
	DE	BEI KONTAKT MIT DER HAUT: Behutsam mit viel Wasser und Seife waschen.
	ET	NAHALE SATTUMISE KORRAL: pesta õrnalt rohke vee ja seebiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Πλύντε απαλά με άφθονο νερό και σαπούνι.
	EN	IF ON SKIN: Gently wash with plenty of soap and water.
	FR	EN CAS DE CONTACT AVEC LA PEAU: laver avec précaution et abondamment à l'eau et au savon.
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: Nigh go bog le neart gallúnaí agus uisce.
	IT	IN CASO DI CONTATTO CON LA PELLE: lavare delicatamente e abbondantemente con acqua e sapone.
	LV	SASKARĒ AR ĀDU: maigi nomazgāt ar lielu ziepju un ūdens daudzumu.
	LT	PATEKUS ANT ODOS: Atsargiai nuplauti dideliu kiekiu muilo ir vandens.

P302 + P350	Sprache	
	HU	HA BŐRRE KERÜL: Óvatos lemosás bő szappanos vízzel.
	MT	JEKK FUQ IL-ĠILDA: Aħsel bil-mod b'hafna sapun u ilma.
	NL	BIJ CONTACT MET DE HUID: voorzichtig wassen met veel water en zeep.
	PL	W PRZYPADKU DOSTANIA SIĘ NA SKÓRĘ: Delikatnie umyć dużą ilością wody z mydłem.
	PT	SE ENTRAR EM CONTACTO COM A PELE: lavar suavemente com sabonete e água abundantes.
	RO	ÎN CAZ DE CONTACT CU PIELEA: spălați ușor cu multă apă și săpun.
	SK	PRI KONTAKTE S POKOŽKOU: Opatrne umyte veľkým množstvom vody a mydla.
	SL	PRI STIKU S KOŽO: nežno umiti z veliko mila in vode.
	FI	JOS KEMIKAALIA JOUTUU IHOLLE: Pese varovasti runsaalla vedellä ja saippualla.
	SV	VID HUDKONTAKT: Tvätta försiktigt med mycket tvål och vatten.

P302 + P352	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА: Измийте обилно със сапун и вода.
	ES	EN CASO DE CONTACTO CON LA PIEL: Lavar con agua y jabón abundantes.
	CS	PŘI STYKU S KŮŽÍ: Omyjte velkým množstvím vody a mýdla.
	DA	VED KONTAKT MED HUDEN: Vask med rigeligt sæbe og vand.
	DE	BEI KONTAKT MIT DER HAUT: Mit viel Wasser und Seife waschen.
	ET	NAHALE SATTUMISE KORRAL: pesta rohke vee ja seebiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Πλύνετε με άφθονο νερό και σαπούνι.
	EN	IF ON SKIN: Wash with plenty of soap and water.
	FR	EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon.
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: Nigh le neart gallúnaí agus uisce.
	IT	IN CASO DI CONTATTO CON LA PELLE: lavare abbondantemente con acqua e sapone.
	LV	SASKARĒ AR ĀDU: nomazgāt ar lielu ziepju un ūdens daudzumu.
	LT	PATEKUS ANT ODOS: Nuplauti dideliu kiekio muilo ir vandens.
	HU	HA BŐRRE KERÜL: Lemosás bő szappanos vízzel.
	MT	JEKK FUQ IL-ĠILDA: Aħsel b'hafna sapun u ilma.
	NL	BIJ CONTACT MET DE HUID: met veel water en zeep wassen.
	PL	W PRZYPADKU KONTAKTU ZE SKÓRĄ: Umyć dużą ilością wody z mydłem.
	PT	SE ENTRAR EM CONTACTO COM A PELE: lavar com sabonete e água abundantes.
	RO	ÎN CAZ DE CONTACT CU PIELEA: spălați cu multă apă și săpun.
	SK	PRI KONTAKTE S POKOŽKOU: Umyte veľkým množstvom vody a mydla.
	SL	PRI STIKU S KOŽO: umiti z veliko mila in vode.
	FI	JOS KEMIKAALIA JOUTUU IHOLLE: Pese runsaalla vedellä ja saippualla.
	SV	VID HUDKONTAKT: Tvätta med mycket tvål och vatten.

P303 + P361 + P353	Sprache	
	BG	ПРИ КОНТАКТ С КОЖАТА (или косата): Незабавно свалете цялото замърсено облекло. Облейте кожата с вода/вземете душ
	ES	EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitarse inmediatamente las prendas contaminadas. Aclararse la piel con agua o ducharse.
	CS	PŘI STYKU S KŮŽÍ (nebo s vlasy): Veškeré kontaminované části oděvu okamžitě svlékněte. Opláchněte kůži vodou/osprchujte.
	DA	VED KONTAKT MED HUDEN (eller håret): Tilmudset tøj tages straks af/fjernes. Skyl/brus huden med vand.
	DE	BEI KONTAKT MIT DER HAUT (oder dem Haar): Alle beschmutzten, getränkten Kleidungsstücke sofort ausziehen. Haut mit Wasser abwaschen/duschen.
	ET	NAHALE (või juustele) SATTUMISE KORRAL: võtta viivitamata kõik saastunud rõivad seljast. Loputada nahka veega/loputada duši all.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ (ή με τα μαλλιά): Αφαιρέστε αμέσως όλα τα μολυσμένα ενδύματα. Ξεπλύνετε το δέρμα με νερό/στο ντους.
	EN	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	FR	EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): enlever immédiatement les vêtements contaminés. Rincer la peau à l'eau/se doucher.
	GA	I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN(nó le gruaig): Bain díot láithreach na héadaí éillithe go léir. Sruthlaítear an craiceann le huisce/glac cithfholcadh.
	IT	IN CASO DI CONTATTO CON LA PELLE (o con i capelli): togliersi di dosso immediatamente tutti gli indumenti contaminati. Sciacquare la pelle/fare una doccia.
	LV	SASKARĒ AR ĀDU (vai matiēm): nogērbt visu piesārņoto apģērbu. Noskalot ādu ar ūdeni/dušā.
	LT	PATEKUS ANT ODOS (arba plaukų): Nedelsiant nuvilkti/pašalinti visus užterštus drabužius. Odą nuplauti vandeniu/čiurkšle.
	HU	HA BŐRRE (vagy hajra) KERÜL: Az összes szennyezett ruhadarabot azonnal el kell távolítani/le kell vetni. A bőrt le kell öblíteni vízzel/zuhanyozás.
	MT	JEKK FUQ IL-ĠILDA (jew xagħar): Neħħi/inza' minnufih l-ilbies kontaminat. Laħħaħ il-ġilda bl-ilma/bix-xawer.
	NL	BIJ CONTACT MET DE HUID (of het haar): verontreinigde kleding onmiddellijk uittrekken — huid met water afspoelen/afdouchen.
	PL	W PRZYPADKU KONTATKU ZE SKÓRĄ (lub z włosami): Natychmiast usunąć/zdjąć całą zanieczyszczoną odzież. Spłukać skórę pod strumieniem wody/prysznicem.
	PT	SE ENTRAR EM CONTACTO COM A PELE (ou o cabelo): despir/retirar imediatamente toda a roupa contaminada. Enxaguar a pele com água/tomar um duche.
	RO	ÎN CAZ DE CONTACT CU PIELEA (sau părul): scoateți imediat toată îmbrăcămintea contaminată. Clătiți pielea cu apă/faceți duș.
	SK	PRI KONTAKTE S POKOŽKOU (alebo vlasmi): Odstráňte/vyzlečte všetky kontaminované časti odevu. Pokožku ihneď opláchnite vodou/sprchou.
	SL	PRI STIKU S KOŽO (ali lasmi): takoj odstraniti/sleči vsa kontaminirana oblačila. Izprati kožo z vodo/prho.
	FI	JOS KEMIKAALIA JOUTUU IHOLLE (tai hiuksiin): Riisu saastunut vaatetus välittömästi. Huuho/suihkuta iho vedellä.
	SV	VID HUDKONTAKT (även håret): Ta omedelbart av alla nedstänkta kläder. Skölj huden med vatten/duscha.

P304 + P340	Sprache	
	BG	ПРИ ВДИШВАНЕ: Изведете пострадалия на чист въздух и го поставете в позиция, улесняваща дишането.
	ES	EN CASO DE INHALACIÓN: Transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar.
	CS	PŘI VDECHNUTÍ: Přeneste postiženého na čerstvý vzduch a ponechte jej v klidu v poloze usnadňující dýchání.
	DA	VED INDÅNDING: Flyt personen til et sted med frisk luft og sørg for, at vedkommende hviler i en stilling, som letter vejrtrækningen.
	DE	BEI EINATMEN: An die frische Luft bringen und in einer Position ruhigstellen, die das Atmen erleichtert.
	ET	SISSEHINGAMISE KORRAL: toimetada kannatanu värske õhu kätte ja asetada mugavasse puhkeasendisse, mis võimaldab kergesti hingata.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΙΣΠΝΟΗΣ: Μεταφέρετε τον παθόντα στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.
	EN	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	FR	EN CAS D'INHALATION: transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer.
	GA	MÁ IONÁLAÍTEAR, tabhair amach faoin aer an duine agus coimeád socair é, i riocht ina bhféadfaidh sé anáil a tharraingt go réidh.
	IT	IN CASO DI INALAZIONE: trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.
	LV	IEELPOŠANAS GADĪJUMĀ: izvest cietušo svaigā gaisā un turēt miera stāvoklī, lai būtu ērti elpot.
	LT	ĮKVĖPUS: Išnešti nukentėjusį į gryną orą; jam būtina ramybė ir padėtis, leidžianti laisvai kvėpuoti.
	HU	BELÉLEGZÉS ESETÉN: Az érintett személyt friss levegőre kell vinni és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni.
	MT	JEKK JITTIEHED FIN-NIFS: Esponi lill-vittma għall-arja friska u zommha mistrieħa f'pożizzjoni komda biex tkun tista' tieħu n-nifs.
	NL	NA INADEMING: het slachtoffer in de frisse lucht brengen en laten rusten in een houding die het ademen vergemakkelijkt.
	PL	W PRZYPADKU DOSTANIA SIĘ DO DRÓG ODDECHOWYCH: wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić warunki do odpoczynku w pozycji umożliwiającej swobodne oddychanie.
	PT	EM CASO DE INALAÇÃO: retirar a vítima para uma zona ao ar livre e mantê-la em repouso numa posição que não dificulte a respiração.
	RO	ÎN CAZ DE INHALARE: transportați victima la aer liber și mențineți-o în stare de repaus, într-o poziție confortabilă pentru respirație.
	SK	PO VDÝCHNUTÍ: Presuňte postihnutého na čerstvý vzduch a nechajte ho oddychovať v polohe, ktorá mu umožní pohodlné dýchanie.
	SL	PRI VDIHAVANJU: prenesti žrtev na svež zrak in jo pustiti počivati v položaju, ki olajša dihanje.
	FI	JOS KEMIKAALIA ON HENGITETTY: Siirrä henkilö raittiiseen ilmaan ja pidä lepoasennossa, jossa on helppo hengittää.
	SV	VID INANDNING: Flytta personen till frisk luft och se till att han eller hon vilar i en ställning som underlättar andningen.

P304 + P341	Sprache	
	BG	ПРИ ВДИШВАНЕ: При затруднено дишане изведете пострадалия на чист въздух и го поставете в позиция, улесняваща дишането.
	ES	EN CASO DE INHALACIÓN: Si respira con dificultad, transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar.
	CS	PŘI VDECHNUTÍ: Při obtížném dýchání přeneste postiženého na čerstvý vzduch a ponechte jej v klidu v poloze usnadňující dýchání.
	DA	VED INDÅNDING: Ved vejrtrækningsbesvær: Flyt personen til et sted med frisk luft og sørg for, at vedkommende hviler i en stilling, som letter vejrtrækningen.
	DE	BEI EINATMEN: Bei Atembeschwerden an die frische Luft bringen und in einer Position ruhigstellen, die das Atmen erleichtert.
	ET	SISSEHINGAMISE KORRAL: hingamisraskuste korral toimetada kannatanu värske õhu kätte ja asetada mugavasse puhkeasendisse, mis võimaldab kergesti hingata.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΙΣΠΝΟΗΣ: Εάν ο παθών έχει δύσπνοια, μεταφέρετέ τον στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.
	EN	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
	FR	EN CAS D'INHALATION: s'il y a difficulté à respirer, transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer.
	GA	MÁ THÉANN AN TÁIRGE SEO LE HANÁIL DUINE, tabhair amach faoin aer an duine agus coimeád socair é, i riocht ina bhféadfaidh sé anáil a tharraingt go réidh.
	IT	IN CASO DI INALAZIONE: se la respirazione è difficile, trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.
	LV	IEELPOŠANAS GADĪJUMĀ: ja elpošana ir apgrūtināta, izvest cietušo svaigā gaisā un turēt miera stāvoklī, lai būtu ērti elpot.
	LT	ĮKVĖPUS: Jeigu nukentėjusiajam sunku kvėpuoti, išnešti jį į gryną orą; jam būtina ramybė ir padėtis, leidžianti laisvai kvėpuoti.
	HU	BELÉLEGZÉS ESETÉN: Légzési nehézségek esetén az érintett személyt friss levegőre kell vinni és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni.
	MT	JEKK JITTIEHED FIN-NIFS: Jekk in-nifs ikun diffiċli, esponi lill-vittma għall-arja friska u zommha mistrieħa f'pożizzjoni komda biex tkun tista' tieħu n-nifs.
	NL	NA INADEMING: bij ademhalingsmoeilijkheden het slachtoffer in de frisse lucht brengen en laten rusten in een houding die het ademen vergemakkelijkt.
	PL	W PRZYPADKU DOSTANIA SIĘ DO DRÓG ODDECHOWYCH: W przypadku trudności z oddychaniem, wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić warunki do odoczynku w pozycji umożliwiającej swobodne oddychanie.
	PT	EM CASO DE INALAÇÃO: em caso de dificuldade respiratória, retirar a vítima para uma zona ao ar livre e mantê-la em repouso numa posição que não dificulte a respiração.
	RO	ÎN CAZ DE INHALARE: dacă respirația este dificilă, transportați victima la aer liber și mențineți-o în stare de repaus, într-o poziție confortabilă pentru respirație.
	SK	PO VDÝCHNUTÍ: Ak nastanú ťažkosti s dýchaním, presuňte postihnutého na čerstvý vzduch a nechajte ho oddychovať v polohe, ktorá mu umožní pohodlné dýchanie.
	SL	PRI VDIHAVANJU: prenesti žrtev pri oteženem dihanju na svež zrak in jo pustiti počivati v položaju, ki olajša dihanje.
	FI	JOS KEMIKAALIA ON HENGITETTY: Jos hengitysvaikeuksia, siirrä henkilö raittiseen ilmaan ja pidä lepoasennossa, jossa on helppo hengittää.
	SV	VID INANDNING: Vid andningsbesvär, flytta personen till frisk luft och se till att han eller hon vilar i en ställning som underlättar andningen.

P305 + P351 + P338	Sprache	
	BG	ПРИ КОНТАКТ С ОЧИТЕ: Промивайте внимателно с вода в продължение на няколко минути. Свалете контактните лещи, ако има такива и доколкото това е възможно. Продължавайте да промивате.
	ES	EN CASO DE CONTACTO CON LOS OJOS: Aclarar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando.
	CS	PŘI ZASAŽENÍ OČÍ: Několik minut opatrně vyplachujte vodou. Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.
	DA	VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let. Fortsæt skylning.
	DE	BEI KONTAKT MIT DEN AUGEN: Einige Minuten lang behutsam mit Wasser spülen. Vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter spülen.
	ET	SILMA SATTUMISE KORRAL: loputada mitme minuti jooksul ettevaatlikult veega. Eemaldada kontaktläätsed, kui neid kasutatakse ja kui neid on kerge eemaldada. Loputada veel kord.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΜΑΤΙΑ: Ξεπλύνετε προσεκτικά με νερό για αρκετά λεπτά. Εάν υπάρχουν φακοί επαφής, αφαιρέστε τους, εφόσον είναι εύκολο. Συνεχίστε να ξεπλύνετε.
	EN	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	FR	EN CAS DE CONTACT AVEC LES YEUX: rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.
	GA	I gCÁS TEAGMHÁLA LEIS NA SÚILE: Sruthlaigh go cúramach le huisce ar feadh roinnt nóiméad. Tóg amach na tadhall-lionsaí, más ann dóibh agus más furasta. Lean den sruthlú.
	IT	IN CASO DI CONTATTO CON GLI OCCHI: sciacquare accuratamente per parecchi minuti. Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare.
	LV	SASKARĒ AR ACĪM: uzmanīgi izskalot ar ūdeni vairākas minūtes. Izņemt kontaktlēcas, ja tās ir ievietotas un ja to ir viegli izdarīt. Turpināt skalot.
	LT	PATEKUS Į AKIS: Kelias minutes atsargiai plauti vandeniu. Išimti kontaktinius lęšius, jeigu jie yra ir jeigu lengvai galima tai padaryti. Toliau plauti akis.
	HU	SZEMBE KERÜLÉS esetén: Több percig tartó óvatos öblítés vízzel. Adott esetben a kontaktlencsék eltávolítása, ha könnyen megoldható. Az öblítés folytatása.
	MT	JEKK JIDHOL FL-GHAJNEJN: Lahlah b'attenzjoni bl-ilma għal diversi minuti. Nehhi l-lentijiet tal-kuntatt, jekk ikun hemm u jkunu faċli biex tnehhihom. Komplil lahlah.
	NL	BIJ CONTACT MET DE OGEN: voorzichtig afspoelen met water gedurende een aantal minuten; contactlenzen verwijderen, indien mogelijk; blijven spoelen.
	PL	W PRZYPADKU DOSTANIA SIĘ DO OCZU: Ostrożnie płukać wodą przez kilka minut. Wyjąć soczewki kontaktowe, jeżeli są i można je łatwo usunąć. Nadal płukać.
	PT	SE ENTRAR EM CONTACTO COM OS OLHOS: enxaguar cuidadosamente com água durante vários minutos. Se usar lentes de contacto, retire-as, se tal lhe for possível. Continuar a enxaguar.
	RO	ÎN CAZ DE CONTACT CU OCHII: clătiți cu atenție cu apă timp de mai multe minute. Scoateți lentilele de contact, dacă este cazul și dacă acest lucru se poate face cu ușurință. Continuați să clătiți.
	SK	PO ZASIAHNUTÍ OČÍ: Niekoľko minút ich opatrne vyplachujte vodou. Ak používate kontaktné šošovky a ak je to možné, odstráňte ich. Pokračujte vo vyplachovaní.
	SL	PRI STIKU Z OČMI: previdno izpirajte z vodo nekaj minut. Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.
	FI	JOS KEMIKAALIA JOUTUU SILMIIN: Huuhdo huolellisesti vedellä usean minuutin ajan. Poista piilolinsit, _edical voi tehdä helposti. Jatka huuhtomista.
	SV	VID KONTAKT MED ÖGONEN: Skölj försiktigt med vatten i flera minuter. Ta ur eventuella kontaktlinser om det går lätt. Fortsätt att skölja.

P306 + P360	Sprache	
	BG	ПРИ ПОПАДАНЕ ВЪРХУ ОБЛЕКЛОТО: незабавно облейте замърсеното облекло и кожата обилно с вода, преди да свалите дрехите.
	ES	EN CASO DE CONTACTO CON LA ROPA: Aclarar inmediatamente con agua abundante las prendas y la piel contaminadas antes de quitarse la ropa.
	CS	PŘI STYKU S ODĚVEM: Kontaminovaný oděv a kůži oklamžitě omyjte velkým množstvím vody a potom oděv odložte.
	DA	VED KONTAKT MED TØJET: Skyl omgående tilsmudset tøj og hud med rigeligt vand, før tøjet fjernes.
	DE	BEI KONTAKT MIT DER KLEIDUNG: Kontaminierte Kleidung und Haut sofort mit viel Wasser abwaschen und danach Kleidung ausziehen.
	ET	RÕIVASTELE SATTUMISE KORRAL: saastunud rõivad ja nahk loputada viivitamata rohke veega ning alles seejärel rõivad eemaldada.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΡΟΥΧΑ: Ξεπλύντε αμέσως τα μολυσμένα ρούχα και την επιδερμίδα με άφθονο νερό πριν αφαιρέσετε τα ρούχα.
	EN	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
	FR	EN CAS DE CONTACT AVEC LES VÊTEMENTS: rincer immédiatement et abondamment avec de l'eau les vêtements contaminés et la peau avant de les enlever.
	GA	I gCÁS TEAGMHÁLA LE HÉADAÍ: sruthlaítear éadaí éillithe agus an craiceann láithreach le neart uisce sula ndéantar na héadaí a bhaint den duine.
	IT	IN CASO DI CONTATTO CON GLI INDUMENTI: sciacquare immediatamente e abbondantemente gli indumenti contaminati e la pelle prima di togliersi gli indumenti.
	LV	SASKARĒ AR APĢĒRBŪ: nekavējoties izskalot piesārņoto apģērbus un ādu ar lielu daudzumu ūdeni, pirms apģērba novilkšanas.
	LT	PATEKUS ANT DRABUŽIŲ: Prieš nuvelkant užterštus drabužius, nedelsiant juos ir odą nuplauti dideliu kiekiu vandens.
	HU	HA RUHÁRA KERÜL: A ruhák levetése előtt a szennyezett ruházatot és a bőrt bő vízzel azonnal le kell öblíteni.
	MT	JEKK FUQ L-ILBIES: laħlah mall-ewwel l-ilbies ikkontaminat u l-ġilda b'ħafna ilma qabel ma tneħhi l-ilbies.
	NL	NA MORSEN OP KLEDING: verontreinigde kleding en huid onmiddellijk met veel water afspoelen en pas daarna kleding uittrekken.
	PL	W PRZYPADKU KONTAKTU Z ODZIEŻĄ: natychmiast spłukać zanieczyszczoną odzież i skórę dużą ilością wody przed zdjęciem odzieży.
	PT	SE ENTRAR EM CONTACTO COM A ROUPA: enxaguar imediatamente com muita água a roupa e a pele contaminadas antes de se despir.
	RO	ÎN CAZ DE CONTACT CU ÎMBRĂCĂMINTEA: clătiți imediat îmbrăcămintea contaminată și pielea cu multă apă, înainte de scoaterea îmbrăcămintei.
	SK	PRI KONTAKTE S ODEVOM: kontaminovaný odev a pokožku opláchnite veľkým množstvom vody a potom odev odstráňte.
	SL	PRI STIKU Z OBLAČILI: takoj izprati kontaminirana oblačila in kožo z veliko vode pred odstranitvijo oblačil.
	FI	JOS KEMIKAALIA JOUTUU VAATTEISIIN: Huuho saastunut vaatus ja iho välittömästi runsaalla vedellä ennen vaatetuksen riisumista.
	SV	VID KONTAKT MED KLÄDERNA: Skölj omedelbart nedstänkta kläder och hud med mycket vatten innan du tar av dig kläderna.

P307 + P311	Sprache	
	BG	ПРИ експозиция: Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	EN CASO DE exposición: Llamar a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico.
	CS	PŘI expozici: Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	VED eksponering: Ring til en GIFTINFORMATION eller en læge.
	DE	BEI Exposition: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Kokkupuute korral: võtta ühendust MÜRGISTUSTEABEKESKUSE või arstiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	IF exposed: Call a POISON CENTER or doctor/physician.
	FR	EN CAS d'exposition: appeler un CENTRE ANTIPOISON ou un médecin.
	GA	I gCÁS nochtá: Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia.
	IT	IN CASO di esposizione, contattare un CENTRO ANTIVELENI o un medico.
	LV	Ja ir saskarē: Sazināties ar SAINDĒŠANĀS CENTRU vai ārstu.
	LT	Esant sąlyčiui: Skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Expozíció esetén: forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	Jekk espost: Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	NA blootstelling: een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W przypadku narażenia: Skontaktować się z OŚRODKIEM ZATRUĆ lub z lekarzem.
	PT	EM CASO DE exposição: contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.
	RO	ÎN CAZ DE expunere: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	Po expozícii: volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	PRI izpostavljenosti: pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Altistumisen tapahduttua: Ota yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin.
	SV	Om du exponerats: Kontakta GIFTINFORMATIONSCENTRAL eller läkare.
P308 + P313	Sprache	
	BG	ПРИ явна или предполагаема експозиция: Потърсете медицински съвет/помощ.
	ES	EN CASO DE exposición manifiesta o presunta: Consultar a un médico.
	CS	PŘI expozici nebo podezření na ni: Vyhleďte lékařskou pomoc/ošetření.
	DA	VED eksponering eller mistanke om eksponering: Søg lægehjælp.
	DE	BEI Exposition oder falls betroffen: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Kokkupuute või kokkupuutekahtluse korral: pöörduda arsti poole.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή πιθανότητας έκθεσης: Συμβουλευθείτε/Επισκεφθείτε γιατρό.
	EN	IF exposed or concerned: Get medical advice/attention.
	FR	EN CAS d'exposition prouvée ou suspectée: consulter un médecin.
	GA	I gCÁS nochtá nó má mheastar a bheith nochtaithe: Faigh comhairle/cúram liachta.

P308 + P313	Sprache	
	IT	IN CASO di esposizione o di possibile esposizione, consultare un medico.
	LV	Ja nokļūst saskarē vai saistīts ar to: lūdziet mediķu palīdzību.
	LT	Esant sąlyčiui arba jeigu numanomas sąlytis: kreiptis į gydytoją.
	HU	Expozíció vagy annak gyanúja esetén: orvosi ellátást kell kérni.
	MT	Jekk espost jew konċernat: Ikkonsulta tabib.
	NL	NA (mogelijke) blootstelling: een arts raadplegen.
	PL	W przypadku narażenia lub styczności: Zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	EM CASO DE exposição ou suspeita de exposição: consulte um médico.
	RO	ÎN CAZ DE expunere sau de posibilă expunere: consultați medicul.
	SK	Po expozícii alebo podozrení z nej: Vyhľadajte lekársku pomoc/starostlivosť.
	SL	PRI izpostavljenosti ali sumu izpostavljenosti: poiščite zdravniško pomoč/oskrbo.
	FI	Altistumisen tapahduttua tai jos epäillään altistumista: Hakeudu lääkäriin.
	SV	Vid exponering eller misstanke om exponering Sök läkarhjälp.
P309 + P311	Sprache	
	BG	ПРИ експозиция или неразположение: Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	EN CASO DE exposición o si se encuentra mal: Llamar a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico.
	CS	PŘI expozici nebo necítíte-li se dobře: Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	VED eksponering eller ubehag: Ring til en GIFTINFORMATION eller en læge.
	DE	BEI Exposition oder Unwohlsein: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Kokkupuute või halva enesetunde korral: võtta ühendust MÜRGIKUSTEABEKESKUSE või arstiga.
	EL	ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή αδιαθεσίας: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
	FR	EN CAS d'exposition ou de malaise: appeler un CENTRE ANTIPOISON ou un médecin.
	GA	I gCÀS nochta nó má bhraitear tinn: Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia.
	IT	IN CASO di esposizione o di malessere, contattare un CENTRO ANTIVELENI o un medico.
	LV	Ja nokļūst saskarē vai jums ir slikta pašsajūta: sazinieties ar SAINDĒŠANĀS CENTRU vai ārstu.
	LT	Esant sąlyčiui arba pasijutus blogai: Skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Expozíció vagy rosszullét esetén: forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	JEKK espost jew thossok ma tiflahx: Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	NA blootstelling of bij onwel voelen: een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W przypadku narażenia lub złego samopoczucia: Skontaktować się z OŚRODKIEM ZATRUC lub z lekarzem.
	PT	EM CASO DE exposição ou de indisposição: contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS ou um médico.

P309 + P311	Sprache	
	RO	În CAZ DE expunere sau dacă nu vă simțiți bine: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	Po expozícii alebo pri zdravotných problémoch: volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	PRI izpostavljenosti ali slabem počutju: pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Altistumisen tapahduttua tai jos ilmenee pahoinvointia: Ota yhteys MYRKYTYSTIETOS-KESKUKSEEN tai lääkäriin.
	SV	Vid exponering eller obehag: Kontakta GIFTINFORMATIONSCENTRAL eller läkare.

P332 + P313	Sprache	
	BG	При поява на кожно дразнене: Потърсете медицински съвет/помощ.
	ES	En caso de irritación cutánea: Consultar a un médico.
	CS	Při podráždění kůže: Vyhledejte lékařskou pomoc/ošetření.
	DA	Ved hudirritation: Søg lægehjælp.
	DE	Bei Hautreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Nahaärrituse korral: pöörduda arsti poole.
	EL	Εάν παρατηρηθεί ερεθισμός του δέρματος: Συμβουλευθείτε/Επισκεφθείτε γιατρό.
	EN	If skin irritation occurs: Get medical advice/attention.
	FR	En cas d'irritation cutanée: consulter un médecin.
	GA	I gcás greannú craicinn: Faigh comhairle/cúram liachta.
	IT	In caso di irritazione della pelle: consultare un medico.
	LV	Ja rodas ādas iekaisums: lūdziet medicīnu palīdzību.
	LT	Jeigu sudirginama oda: kreiptis į gydytoją.
	HU	Bőrirritáció esetén: orvosi ellátást kell kérni.
	MT	Jekk ikun hemm irritazzjoni tal-ġilda: Ikkonsulta tabib.
	NL	Bij huidirritatie: een arts raadplegen.
	PL	W przypadku wystąpienia podrażnienia skóry: Zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Em caso de irritação cutânea: consulte um médico.
	RO	În caz de iritare a pielii: consultați medicul.
	SK	Ak sa objaví podráždenie pokožky, vyhľadajte lekársku pomoc/starostlivosť.
	SL	Če nastopi draženje kože: poiščite zdravniško pomoč/oskrbo.
	FI	Jos ilmenee ihoärsytystä: Hakeudu lääkäriin.
	SV	Vid hudirritation: Sök läkarhjälp.

P333 + P313	Sprache	
	BG	При поява на кожно дразнене или обрив на кожата: Потърсете медицински съвет/помощ.
	ES	En caso de irritación o erupción cutánea: Consultar a un médico.
	CS	Při podráždění kůže nebo vyrážce: Vyhledejte lékařskou pomoc/ošetření.

P333 + P313	Sprache	
	DA	Ved hudirritation eller udslet: Søg lægehjælp.
	DE	Bei Hautreizung oder -ausschlag: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Nahaärrituse või _obe korral: pöörduda arsti poole.
	EL	Εάν παρατηρηθεί ερεθισμός του δέρματος ή εμφανιστεί εξάνθημα: Συμβουλευθείτε/Επισκεφθείτε γιατρό.
	EN	If skin irritation or rash occurs: Get medical advice/attention.
	FR	En cas d'irritation ou d'éruption cutanée: consulter un médecin.
	GA	Má tharlaíonn greannú nó gríos craicinn: Faigh comhairle/cúram liachta.
	IT	In caso di irritazione o eruzione della pelle: consultare un medico.
	LV	Ja rodas ādas iekaisums vai izsitumi: lūdziet medicīnu palīdzību.
	LT	Jeigu sudirginama oda arba ją išberia: kreiptis į gydytoją.
	HU	Bőrirritáció vagy kiütések megjelenése esetén: orvosi ellátást kell kérni.
	MT	Jekk ikun hemm irritazzjoni jew raxx tal-ġilda: Ikkonsulta tabib.
	NL	Bij huidirritatie of uitslag: een arts raadplegen.
	PL	W przypadku wystąpienia podrażnienia skóry lub wysypki: Zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Em caso de irritação ou erupção cutânea: consulte um médico.
	RO	În caz de iritare a pielii sau de erupție cutanată: consultați medicul.
	SK	Ak sa prejaví podráždenie pokožky alebo sa vytvoria vyrážky: vyhľadajte lekársku pomoc/starostlivosť.
	SL	Če nastopi draženje kože ali se pojavijo izpuščaji: poiščite zdravniško pomoč/oskrbo.
	FI	Jos ilmenee ihoärsytystä tai ihottumaa: Hakeudu lääkäriin.
	SV	Vid hudirritation eller utslag: Sök läkarhjälp.

P335 + P334	Sprache	
	BG	Отстранете посипаните частици от кожата. Потопете в хладка вода/сложете мокри компреси.
	ES	Sacudir las partículas que se hayan depositado en la piel. Sumergir en agua fresca/aplicar compresas húmedas.
	CS	Volné částice odstraňte z kůže. Ponořte do studené vody/zabalte do vlhkého obvazu.
	DA	Børst løse partikler bort fra huden. Skyl under koldt vand/ansvend våde omslag.
	DE	Lose Partikel von der Haut abbürsten. In kaltes Wasser tauchen/ nassen Verband anlegen.
	ET	Pühkida lahtised osakesed nahalt maha. Hoida jahedas vees / panna peale niiske kompress.
	EL	Αφαιρέστε προσεκτικά τα σωματίδια που έχουν μείνει στο δέρμα. Πλύντε με άφρονο δροσερό νερό/τυλίξτε με βρεγμένους επιδέσμους.
	EN	Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
	FR	Enlever avec précaution les particules déposées sur la peau. Rincer à l'eau fraîche/poser une compresse humide.
	GA	Scuab cáithníní scaoilte den chraiceann. Tum in uisce fionnuar/cuir bréid fliuch air.
	IT	Rimuovere le particelle depositate sulla pelle. Immergere in acqua fredda/avvolgere con un bendaggio umido.
	LV	Noberziet brīvās daļiņas no ādas. Iegremdējiet vēsā ūdenī/ietiniet mitros apsējos.

P335 + P334	Sprache	
	LT	Nepriilipusias daleles nuvalyti nuo odos. Įmerkti į vėsų vandenį/apvynioti šlapiais tvarščiais.
	HU	A bőrre tapadó szemcséket óvatosan le kell kefélni. Hideg vízzel/nedves kötéssel kell hűteni.
	MT	Farfar il-frac mhux imwahhal minn mal-ġilda. Dahhal fl-ilma frisk/kebbeb f'faxex imxarrbin.
	NL	Losse deeltjes van de huid afvegen. In koud water onderdompelen/nat verband aanbrengen.
	PL	Nie związaną pozostałość strzepnąć ze skóry. Zanurzyć w zimnej wodzie/owinąć mokrym bandażem.
	PT	Sacudir da pele as partículas soltas. Mergulhar em água fria/aplicar compressas húmidas.
	RO	Îndepărtați particulele depuse pe piele. Introduceți în apă rece/acoperiți cu o compresă umedă.
	SK	Z pokožky oprášte sypké čiastočky. Ponorte do studenej vody/obviažte mokrými obväzmi.
	SL	S krtačo odstraniti razsute delce s kože. Potopiti v hladno vodo/zaviti v mokre povoje.
	FI	Poista irtohiukkaset iholta. Upota kylmään veteen/kääri märkiin siteisiin.
	SV	Borsta bort lösa partiklar från huden. Skölj under kallt vatten/använd våta omslag.
P337 + P313	Sprache	
	BG	При продължително дразнене на очите: Потърсете медицински съвет/помощ.
	ES	Si persiste la irritación ocular: Consultar a un médico.
	CS	Přetrvává-li podráždění očí: Vyhleďte lékařskou pomoc/ošetření.
	DA	Ved vedvarende øjenirritation: Søg lægehjælp.
	DE	Bei anhaltender Augenreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.
	ET	Kui silmade ärritus ei möödu: pöörduda arsti poole.
	EL	Εάν δεν υποχωρεί ο οφθαλμικός ερεθισμός: Συμβουλευθείτε/Επισκεφθείτε γιατρό.
	EN	If eye irritation persists: Get medical advice/attention.
	FR	Si l'irritation oculaire persiste: consulter un médecin.
	GA	Má mhaireann an greannú súile: Faigh comhairle/cúram liachta.
	IT	Se l'irritazione degli occhi persiste, consultare un medico.
	LV	Ja acu iekaisums nepāriet: lūdziet mediķu palīdzību.
	LT	Jei akių dirginimas nepraeina: kreiptis į gydytoją.
	HU	Ha a szemirritáció nem múlik el: orvosi ellátást kell kérni.
	MT	Jekk l-irritazzjoni ta' l-għajnejn tippersisti: Ikkonsulta tabib.
	NL	Bij aanhoudende oogirritatie: een arts raadplegen.
	PL	W przypadku utrzymywania się działania drażniącego na oczy: Zasięgnąć porady/zgłosić się pod opiekę lekarza.
	PT	Caso a irritação ocular persista: consulte um médico.
	RO	Dacă iritarea ochilor persistă: consultați medicul.
	SK	Ak podráždenie očí pretrváva: vyhľadajte lekársku pomoc/starostlivosť.
	SL	Če draženje oči ne preneha: poiščite zdravniško pomoč/oskrbo.

P337 + P313	Sprache	
	FI	Jos silmä-ärsytys jatkuu: Hakeudu lääkäriin.
	SV	Vid bestående ögonirritation: Sök läkarhjälp.
P342 + P311	Sprache	
	BG	При симптоми на затруднено дишане: Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ или на лекар.
	ES	En caso de síntomas respiratorios: Llamar a un CENTRO DE INFORMACIÓN TOXICOLÓGICA o a un médico.
	CS	Při dýchacích potížích: Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO nebo lékaře.
	DA	Ved luftvejssymptomer: Ring til en GIFTINFORMATION eller en læge.
	DE	Bei Symptomen der Atemwege: GIFTINFORMATIONSZENTRUM oder Arzt anrufen.
	ET	Hingamisteede probleemide ilmnemise korral: võtta ühendust MÜRGISTUSTEABEKESKUSE või arstiga.
	EL	Εάν παρουσιάζονται αναπνευστικά συμπτώματα: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ ή ένα γιατρό.
	EN	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
	FR	En cas de symptômes respiratoires: appeler un CENTRE ANTIPOISON ou un médecin.
	GA	I gcás siomptóm riospráide: Cuir glao ar IONAD NIMHE nó ar dhochtúir/lia.
	IT	In caso di sintomi respiratori: contattare un CENTRO ANTIVELENI o un medico.
	LV	Ja rodas elpas trūkuma simptomi: sazinieties ar SAINDEŠANĀS CENTRU vai ārstu.
	LT	Jeigu pasireiškia respiraciniai simptomai: skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ arba kreiptis į gydytoją.
	HU	Légzési problémák esetén: forduljon TOXIKOLÓGIAI KÖZPONTHOZ vagy orvoshoz.
	MT	Jekk ikollok sintomi respiratorji: Ikkuntattja ĊENTRU TA' L-AVVELENAMENT jew tabib.
	NL	Bij ademhalings symptomen: een ANTIGIFCENTRUM of een arts raadplegen.
	PL	W przypadku wystąpienia objawów ze strony układu oddechowego: Skontaktować się z OŚRODKIEM ZATRUCI lub z lekarzem.
	PT	Em caso de sintomas respiratórios: contacte um CENTRO DE INFORMAÇÃO ANTI-VELENOS ou um médico.
	RO	În caz de simptome respiratorii: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ sau un medic.
	SK	Pri ťažkostiach s dýchaním: volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM alebo lekára.
	SL	Pri respiratornih simptomih: pokličite CENTER ZA ZASTRUPITVE ali zdravnika.
	FI	Jos ilmenee hengitysoireita: Ota yhteys MYRKYTYSTIETOKESKUKSEEN tai lääkäriin.
	SV	Vid besvär i luftvägarna: Kontakta GIFTINFORMATIONSCENTRAL eller läkare.
P370 + P376	Sprache	
	BG	При пожар: Спрете теча, ако е безопасно.
	ES	En caso de incendio: Detener la fuga, si no hay peligro en hacerlo.
	CS	V případě požáru: Zastavte únik, můžete-li tak učinit bez rizika.
	DA	Ved brand: Stands lækagen, hvis dette er sikkert.

P370 + P376	Sprache	
	DE	Bei Brand: Undichtigkeit beseitigen, wenn gefahrlos möglich.
	ET	Tulekahju korral: leke peatada, kui seda on võimalik teha ohutult.
	EL	Σε περίπτωση πυρκαγιάς: Σταματήστε τη διαρροή, εφόσον δεν υπάρχει κίνδυνος.
	EN	In case of fire: Stop leak if safe to do so.
	FR	En cas d'incendie: obturer la fuite si cela peut se faire sans danger.
	GA	I gcás dóiteáin: Cuir stop leis an sceitheadh má tá sé sábháilte é sin a dhéanamh.
	IT	In caso di incendio: bloccare la perdita se non c'è pericolo.
	LV	Ugunsgrēka gadījumā: apturiet noplūdi, ja to darīt ir droši.
	LT	Gaisro atveju: sustabdyti nuotėkį, jeigu galima saugiai tai padaryti.
	HU	Tűz esetén: Meg kell szüntetni a szivárgást, ha ez biztonságosan megtehető.
	MT	F'każ ta' nar: Waqqaf it-tnixxija sakemm ma jkunx ta' periklu.
	NL	In geval van brand: het lek dichten als dat veilig gedaan kan worden.
	PL	W przypadku pożaru: Jeżeli jest to bezpieczne zahamować wyciek.
	PT	Em caso de incêndio: deter a fuga se tal puder ser feito em segurança.
	RO	În caz de incendiu: opriți scurgerea, dacă acest lucru se poate face în siguranță.
	SK	V prípade požiaru: ak je to bezpečné, zastavte únik.
	SL	Ob požaru: zaustaviti puščanje, če je varno.
	FI	Tulipalon sattuesssa: Sulje vuoto, jos sen voi tehdä turvallisesti.
	SV	Vid brand: Stoppa läckan om det kan göras på ett säkert sätt.

P370 + P378	Sprache	
	BG	При пожар: Използвайте ... за гасене.
	ES	En caso de incendio: Utilizar ... para apagarlo.
	CS	V případě požáru: K hašení použijte
	DA	Ved brand: Anvend ... til brandslukning.
	DE	Bei Brand: ... zum Löschen verwenden.
	ET	Tulekahju korral: kasutada kustutamiseks
	EL	Σε περίπτωση πυρκαγιάς: Χρησιμοποιήστε ... για την κατάσβεση.
	EN	In case of fire: Use ... for extinction.
	FR	En cas d'incendie: utiliser ... pour l'extinction.
	GA	I gcás dóiteáin: Úsáid ... le haghaidh múchta.
	IT	In caso di incendio: estinguere con....
	LV	Ugunsgrēka gadījumā: dzēšanai izmantojiet ...
	LT	Gaisro atveju: gesinimui naudoti ...
	HU	Tűz esetén: az oltáshoz ...használandó.
	MT	F'każ ta' nar: Uża' ... għat-tifi.
	NL	In geval van brand: blussen met ...

P370 + P378	Sprache	
	PL	W przypadku pożaru: Użyć ... do gaszenia.
	PT	Em caso de incêndio: para a extinção utilizar ...
	RO	În caz de incendiu: utilizați... pentru stingere.
	SK	V prípade požiaru: na hasenie použite
	SL	Ob požaru: za gašenje uporabiti ...
	FI	Tulipalon sattuessa: Käytä palon sammuttamiseen ...
	SV	Vid brand: Släck branden med

P370 + P380	Sprache	
	BG	При пожар: Евакуирайте зоната.
	ES	En caso de incendio: Evacuar la zona.
	CS	V případě požáru: Vykliďte prostor.
	DA	Ved brand: Evakuer området.
	DE	Bei Brand: Umgebung räumen.
	ET	Tulekahju korral: ala evakueerida.
	EL	Σε περίπτωση πυρκαγίδας: Εκκενώστε την περιοχή.
	EN	In case of fire: Evacuate area.
	FR	En cas d'incendie: évacuer la zone.
	GA	I gcás dóiteáin: Aslonnaigh gach duine as an limistéar.
	IT	Evacuare la zona in caso di incendio.
	LV	Ugunsgrēka gadījumā: evakuēt zonu.
	LT	Gaisro atveju: evakuoti zona.
	HU	Tűz esetén: Ki kell üríteni a területet.
	MT	F'każ ta' nar: Evakwa ż-zona.
	NL	In geval van brand: evacueren.
	PL	W przypadku pożaru: Ewakuować teren.
	PT	Em caso de incêndio: evacuar a zona.
	RO	În caz de incendiu: evacuați zona.
	SK	V prípade požiaru: priestory evakuujte.
	SL	Ob požaru: izprazniti območje.
	FI	Tulipalon sattuessa: Evakuoi alue.
	SV	Vid brand: Utrym området.

P370 + P380 + P375	Sprache	
	BG	При пожар: Евакуирайте зоната. Гасете пожара от разстояние поради опасност от експлозия.
	ES	En caso de incendio: Evacuar la zona. Luchar contra el incendio a distancia, dado el riesgo de explosión.

P370 + P380 + P375	Sprache	
	CS	V případě požáru: Vyklidte prostor. Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.
	DA	Ved brand: Evakuer området. Bekæmp branden på afstand på grund af eksplosionsfare.
	DE	Bei Brand: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.
	ET	Tulekahju korral: ala evakueerida. Plahvatusohu tõttu teha kustutustööid eemalt.
	EL	Σε περίπτωση πυρκαγιάς: Εκκενώστε την περιοχή. Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης.
	EN	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
	FR	En cas d'incendie: évacuer la zone. Combattre l'incendie à distance à cause du risque d'explosion.
	GA	I gcás dóiteáin: Aslonnaigh gach duine as an limistéar. Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha.
	IT	In caso di incendio: evacuare la zona. Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza.
	LV	Ugunsgrēka gadījumā: evakuēt zonu. Dzēst uguni no attāluma eksplozijas riska dēļ.
	LT	Gaisro atveju: evakuoti zoną. Gaisrą gesinti iš toli dėl sprogimo pavojaus.
	HU	Tűz esetén: Ki kell üríteni a területet. A tűz oltását robbanásveszély miatt távolból kell végezni.
	MT	F'każ ta' nar: Evakwa ż-zona. Itfi n-nar mill-bogħod minhabba r-riskju ta' spluzjoni.
	NL	In geval van brand: evacueren. Op afstand blussen omwille van ontploffingsgevaar.
	PL	W przypadku pożaru: Ewakuować teren. Z powodu ryzyka wybuchu gasić pożar z odległości.
	PT	Em caso de incêndio: evacuar a zona. Combater o incêndio à distância, devido ao risco de explosão.
	RO	În caz de incendiu: evacuați zona. Stingeti incendiul de la distanță din cauza pericolului de explozie.
	SK	V prípade požiaru: priestory evakuujte. Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky.
	SL	Ob požaru: izprazniti območje. Gasiti z večje razdalje zaradi nevarnosti eksplozije.
	FI	Tulipalon sattuessa: Evakuoï alue. Sammuta palo etäältä räjähdysvaaran takia.
	SV	Vid brand: Utrym området. Bekämpa branden på avstånd på grund av explosionsrisken.
P371 + P380 + P375	Sprache	
	BG	При голям пожар и значителни количества: Евакуирайте зоната. Гасете пожара от разстояние поради опасност от експлозия.
	ES	En caso de incendio importante y en grandes cantidades: Evacuar la zona. Luchar contra el incendio a distancia, dado el riesgo de explosión.
	CS	V případě velkého požáru a velkého množství: Vyklidte prostor. Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.
	DA	Ved større brand og store mængder: Evakuer området. Bekæmp branden på afstand på grund af eksplosionsfare.
	DE	Bei Großbrand und großen Mengen: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.
	ET	Suure tulekahju korral ning kui on tegemist suurte kogustega: ala evakueerida. Plahvatusohu tõttu teha kustutustööid eemalt.

P371 + P380 + P375	Sprache	
	EL	Σε περίπτωση σοβαρής πυρκαγιάς και εάν πρόκειται για μεγάλες ποσότητες: Εκκενώστε την περιοχή. Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης.
	EN	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
	FR	En cas d'incendie important et s'il s'agit de grandes quantités: évacuer la zone. Combattre l'incendie à distance à cause du risque d'explosion.
	GA	I gcás mórdhóiteáin agus mórchainníochtaí: Aslonnaigh gach duine as an limistéar. Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha.
	IT	In caso di incendio grave e di grandi quantità: evacuare la zona. Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza.
	LV	Ugunsgrēka vai liela apjoma gadījumā: evakuēt zonu. Dzēst uguni no attāluma eksplozijas riska dēļ.
	LT	Didelio gaisro ir didelių kiekių atveju: evakuoti zoną. Gaisrą gesinti iš toli dėl sprogimo pavojaus.
	HU	Nagyobb tűz és nagy mennyiség esetén: Ki kell üríteni a területet. A tűz oltását robbanásveszély miatt távolból kell végezni.
	MT	F'każ ta' nar kbir u kwantitajiet kbar: Evakwa ż-zona. Itfi n-nar mill-bogħod minhabba r-riskju ta' splużjoni.
	NL	In geval van grote brand en grote hoeveelheden: evacueren. Op afstand blussen omwille van ontploffingsgevaar.
	PL	W przypadku poważnego pożaru i dużych ilości: Ewakuować teren. Z powodu ryzyka wybuchu gasić pożar z odległości.
	PT	Em caso de incêndio importante e de grandes quantidades: evacuar a zona. Combater o incêndio à distância, devido ao risco de explosão.
	RO	În caz de incendiu de proporții și de cantități mari de produs: evacuați zona. Stingeti incendiul de la distanță din cauza pericolului de explozie.
	SK	V prípade veľkého požiaru a značného množstva: priestory evakuujte. Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky.
	SL	Ob velikem požaru in velikih količinah: izprazniti območje. Gasiti z večje razdalje zaradi nevarnosti eksplozije.
	FI	Jos tulipalo ja ainemäärät ovat suuret: Evakuoi alue. Sammuta palo etäältä räjähdysvaaran takia.
	SV	Vid större brand och stora mängder: Utrym området. Bekämpa branden på avstånd på grund av explosionsrisken.

Tabelle 1.4

Sicherheitshinweise — Aufbewahrung

P401	Sprache	
	BG	Да се съхранява...
	ES	Almacenar ...
	CS	Skladujte ...
	DA	Opbevares ...
	DE	... aufbewahren.
	ET	Hoida ...
	EL	Αποθηκεύεται ...

P401	Sprache	
	EN	Store ...
	FR	Stocker ...
	GA	Stóráil ...
	IT	Conservare...
	LV	Glabāt...
	LT	Laikyti...
	HU	Tárolás:
	MT	Ahżen ...
	NL	... bewaren.
	PL	Przechowywać ...
	PT	Armazenar ...
	RO	A se depozita...
	SK	Uchovávaťe ...
	SL	Hraniti ...
	FI	Varastoi ...
	SV	Förvaras ...

P402	Sprache	
	BG	Да се съхранява на сухо място.
	ES	Almacenar en un lugar seco.
	CS	Skladujte na suchém místě.
	DA	Opbevares et tørt sted.
	DE	An einem trockenen Ort aufbewahren.
	ET	Hoida kuivas.
	EL	Αποθηκεύεται σε στεγνό μέρος.
	EN	Store in a dry place.
	FR	Stocker dans un endroit sec.
	GA	Stóráil in áit thirim.
	IT	Conservare in luogo asciutto.
	LV	Glabāt sausā vietā.
	LT	Laikyti sausoje vietoje.
	HU	Száraz helyen tárolandó.
	MT	Ahżen fpost niexef.
	NL	Op een droge plaats bewaren.
	PL	Przechowywać w suchym miejscu.
	PT	Armazenar em local seco.
	RO	A se depozita într-un loc uscat.
	SK	Uchovávaťe na suchom mieste.

P402	Sprache	
	SL	Hraniti na suhem.
	FI	Varastoi kuivassa paikassa.
	SV	Förvaras torrt.
P403	Sprache	
	BG	Да се съхранява на добре проветриво място.
	ES	Almacenar en un lugar bien ventilado.
	CS	Skladujte na dobře větraném místě.
	DA	Opbevares på et godt ventileret sted.
	DE	An einem gut belüfteten Ort aufbewahren.
	ET	Hoida hästi ventileeritavas kohas.
	EL	Αποθηκεύεται σε καλά αεριζόμενο χώρο.
	EN	Store in a well-ventilated place.
	FR	Stocker dans un endroit bien ventilé.
	GA	Stóráil in áit dhea-aeráilte.
	IT	Conservare in luogo ben ventilato.
	LV	Glabāt labi vēdināmā vietā.
	LT	Laikyti gerai vėdinamoje vietoje.
	HU	Jól szellőző helyen tárolandó.
	MT	Ahžen f'post b'ventilazzjoni tajba.
	NL	Op een goed geventileerde plaats bewaren.
	PL	Przechowywać w dobrze wentylowanym miejscu.
	PT	Armazenar em local bem ventilado.
	RO	A se depozita într-un spațiu bine ventilat.
	SK	Uchovávať na dobre vetranom mieste.
	SL	Hraniti na dobro prezračevanem mestu.
	FI	Varastoi paikassa, jossa on hyvä ilmanvaihto.
	SV	Förvaras på väl ventilerad plats.
P404	Sprache	
	BG	Да се съхранява в затворен съд.
	ES	Almacenar en un recipiente cerrado.
	CS	Skladujte v uzavřeném obalu.
	DA	Opbevares i en lukket beholder.
	DE	In einem geschlossenen Behälter aufbewahren.
	ET	Hoida suletud mahutis.
	EL	Φυλάσσεται σε κλειστό περιέκτη.
	EN	Store in a closed container.

P404	Sprache	
	FR	Stocker dans un récipient fermé.
	GA	Stóráil i gcoimeádán iata.
	IT	Conservare in un recipiente chiuso.
	LV	Glabāt slēgtā tvertnē.
	LT	Laikyti uždaroje talpykloje.
	HU	Zárt edényben tárolandó.
	MT	Ahżen f'kontenitur magħluq.
	NL	In gesloten verpakking bewaren.
	PL	Przechowywać w zamkniętym pojemniku.
	PT	Armazenar em recipiente fechado.
	RO	A se depozita într-un recipient închis.
	SK	Uchovávaťe v uzavretej nádobe.
	SL	Hraniti v zaprti posodi.
	FI	Varastoi suljettuna.
	SV	Förvaras i sluten behållare.

P405	Sprache	
	BG	Да се съхранява под ключ.
	ES	Guardar bajo llave.
	CS	Skladujte uzamčené.
	DA	Opbevares under lås.
	DE	Unter Verschluss aufbewahren.
	ET	Hoida lukustatult.
	EL	Φυλάσσεται κλειδωμένο.
	EN	Store locked up.
	FR	Garder sous clef.
	GA	Stóráil faoi ghlas.
	IT	Conservare sotto chiave.
	LV	Glabāt slēgtā veidā.
	LT	Laikyti užrakintą.
	HU	Elzárva tárolandó.
	MT	Ahżen f'post imsakkar.
	NL	Achter slot bewaren.
	PL	Przechowywać pod zamknięciem.
	PT	Armazenar em local fechado à chave.
	RO	A se depozita sub cheie.
	SK	Uchovávaťe uzamknuté.
	SL	Hraniti zaklenjeno.

P405	Sprache	
	FI	Varastoi lukitussa tilassa.
	SV	Förvaras inlåst.
P406	Sprache	
	BG	Да се съхранява в устойчив на разяждане съд/... съд с устойчива вътрешна облицовка.
	ES	Almacenar en un recipiente resistente a la corrosión/... con revestimiento interior resistente.
	CS	Skladujte v obalu odolném proti korozi/... obalu s odolnou vnitřní vrstvou.
	DA	Opbevares i ætsningsbestandig/...beholder med modstandsdygtig indvendig belægning.
	DE	In korrosionsbeständigem/... Behälter mit korrosionsbeständiger Auskleidung aufbewahren.
	ET	Hoida sööbekindlas/...sööbekindla sisevooderdisega mahutis.
	EL	Αποθηκεύεται σε ανθεκτικό στη διάβρωση/... περιέκτη με ανθεκτική εσωτερική επένδυση.
	EN	Store in corrosive resistant/... container with a resistant inner liner.
	FR	Stocker dans un récipient résistant à la corrosion/récipient en ... avec doublure intérieure résistant à la corrosion.
	GA	Stóráil i gcoimeádán ... frithchreimneach/... le líneáil frithchreimneach laistigh.
	IT	Conservare in recipiente resistente alla corrosione/... provvisto di rivestimento interno resistente.
	LV	Glabāt tvertnē, kas aizsargā pret koroziju/... tvertnes ar iekšējo pretkorozijas izolāciju.
	LT	Laikyti korozijai atsparioje talpykloje/..., turinčioje atsparią vidinę dangą.
	HU	Saválló/saválló bélésű ... edényben tárolandó.
	MT	Aħżen f'post reżistenti għall-korrużjoni/... kontenitur li huwa infurrat minn ġewwa b'materjal reżistenti.
	NL	In corrosiebestendige/... houder met corrosiebestendige binnenbekleding bewaren.
	PL	Przechowywać w pojemniku odpornym na korozję / ... o odpornej powłoce wewnętrznej.
	PT	Armazenar num recipiente resistente à corrosão/... com um revestimento interior resistente.
	RO	Depozitați într-un recipient rezistent la coroziune/recipient din... cu dublură interioară rezistentă la coroziune.
	SK	Uchovávať v nádobe odolnej proti korózii/... nádobe s odolnou vnútornou vrstvou.
	SL	Hraniti v posodi, odporni proti koroziji/..., z odporno notranjo oblogo.
	FI	Varastoi syöpymättömässä/... säiliössä, jossa on kestävä sisävuoraus.
	SV	Förvaras i korrosionsbeständig/... behållare med beständigt innerhölje.
P407	Sprache	
	BG	Да се остави въздушно пространство между купчините/палетите.
	ES	Dejar una separación entre los bloques/los palés de carga.
	CS	Mezi stohy/paletami ponechte vzduchovou mezeru.
	DA	Obevares med luftmellemrum mellem stakkene/pallerne.
	DE	Luftspalt zwischen Stapeln/Paletten lassen.
	ET	Jätta virnade/kaubaaluste vahele õhuvahe.

P407	Sprache	
	EL	Να υπάρχει κενό αέρος μεταξύ των σωρών/παλετών.
	EN	Maintain air gap between stacks/pallets.
	FR	Maintenir un intervalle d'air entre les piles/palettes.
	GA	Coimeád bearna aeir idir chruacha/phailéid.
	IT	Mantenere uno spazio libero tra gli scaffali/i pallet.
	LV	Saglabāt gaisa spraugu starp krāvumiem/paletēm.
	LT	Palikti oro tarpą tarp eilių/palečių.
	HU	A rakatok/raklapok között térközt kell hagyni.
	MT	Halli l-arja tgħaddi bejn l-inniezel/il-palits.
	NL	Ruimte laten tussen stapels/pallets.
	PL	Zachować szczelinę powietrzną pomiędzy stosami/paletami.
	PT	Respeitar as distâncias mínimas entre pilhas/paletes.
	RO	Păstrați un spațiu gol între stive/paleți.
	SK	Medzi regálmi/paletami ponechajte vzduchovú medzeru.
	SL	Ohraniti zračno režo med skladi/paletami.
	FI	Jätä pinojen/kuormalavojen väliin ilmarako.
	SV	Se till att det finns luft mellan staplar/pallar.

P410	Sprache	
	BG	Да се пази от пряка слънчева светлина.
	ES	Proteger de la luz del sol.
	CS	Chraňte před slunečním zářením.
	DA	Beskyttes mod sollys.
	DE	Vor Sonnenbestrahlung schützen.
	ET	Hoida päikesevalguse eest.
	EL	Να προστατεύεται από τις ηλιακές ακτίνες.
	EN	Protect from sunlight.
	FR	Protéger du rayonnement solaire.
	GA	Cosain ó sholas na gréine.
	IT	Proteggere dai raggi solari.
	LV	Aizsargāt no saules gaismas.
	LT	Saugoti nuo saulės šviesos.
	HU	Napfénytől védendő.
	MT	Ipproteġi mid-dawl tax-xemx.
	NL	Tegen zonlicht beschermen.
	PL	Chronić przed światłem słonecznym.
	PT	Manter ao abrigo da luz solar.
	RO	A se proteja de lumina solară.

P410	Sprache	
	SK	Chránite pred slnečným žiarením.
	SL	Zaščititi pred sončno svetlobo.
	FI	Suojaa auringonvalolta.
	SV	Skyddas från solljus.

P411	Sprache	
	BG	Да се съхранява при температури, не по-високи от ... °C/...°F.
	ES	Almacenar a temperaturas no superiores a ... °C/...°F.
	CS	Skladujte při teplotě nepřesahující ... °C/...°F.
	DA	Opbevares ved en temperatur, som ikke overstiger ... °C/...°F.
	DE	Bei Temperaturen von nicht mehr als ... °C/...aufbewahren.
	ET	Hoida temperatuuril mitte üle ... °C/... °F.
	EL	Αποθηκεύεται σε θερμοκρασίες που δεν υπερβαίνουν τους ... °C/...°F.
	EN	Store at temperatures not exceeding ... °C/...°F.
	FR	Stocker à une température ne dépassant pas ... °C/... °F.
	GA	Stóráil ag teocht nach airde ná ... °C/...°F.
	IT	Conservare a temperature non superiori a ... °C/...°F.
	LV	Uzglabāt temperatūrā, kas nepārsniedz ... °C/...°F.
	LT	Laikyti ne aukštesnėje kaip ... °C/...°F temperatūroje.
	HU	A tárolási hőmérséklet legfeljebb ... °C/...°F lehet.
	MT	Aħżen f'temperaturi li ma jeċċedux ... °C/...°F.
	NL	Bij maximaal ... °C/...°F bewaren.
	PL	Przechowywać w temperaturze nieprzekraczającej ... °C/...°F.
	PT	Armazenar a uma temperatura não superior a ... °C/...°F.
	RO	A se depozita la temperaturi care să nu depășească ... °C/...°F.
	SK	Uchovávať pri teplotách do ... °C/...°F
	SL	Hraniti pri temperaturi do ... °C/... °F.
	FI	Varastoi alle ... °C/...°F lämpötilassa.
	SV	Förvaras vid högst ... °C/...°F.

P412	Sprache	
	BG	Да не се излага на температури, по-високи от 50 °C/122°F.
	ES	No exponer a temperaturas superiores a 50 °C/122°F.
	CS	Nevystavujte teplotě přesahující 50 °C/122 °F.
	DA	Må ikke udsættes for en temperatur, som overstiger 50 °C/122°F.
	DE	Nicht Temperaturen von mehr als 50 °C aussetzen.
	ET	Mitte hoida temperatuuril üle 50 °C/122 °F.
	EL	Να μην εκτίθεται σε θερμοκρασίες που υπερβαίνουν τους 50 °C/122°F.

P412	Sprache	
	EN	Do not expose to temperatures exceeding 50 °C/122°F.
	FR	Ne pas exposer à une température supérieure à 50 °C/122 °F.
	GA	Ná nocht do theocht níos airde ná 50 °C/122°F.
	IT	Non esporre a temperature superiori a 50 °C/122°F.
	LV	Nepakļaut temperatūrai, kas pārsniedz 50 °C/122°F.
	LT	Nelaikyti aukštesnėje kaip 50 °C/122°F temperatūroje.
	HU	Nem érheti 50 °C/122°F hőmérsékletet meghaladó hő.
	MT	Tesponix għal temperaturi li jeċċedu l-50 °C/122°F.
	NL	Niet blootstellen aan temperaturen boven 50 °C/122°F.
	PL	Nie wystawiać na działanie temperatury przekraczającej 50 °C/122 °F.
	PT	Não expor a temperaturas superiores a 50 °C/122°F.
	RO	Nu expuneți la temperaturi care depășesc 50 °C/122 °F.
	SK	Nevystavujte teplotám nad 50 °C/122 °F.
	SL	Ne izpostavljati temperaturam nad 50 °C/122 °F.
	FI	Ei saa altistaa yli 50 °C/122 °F lämpötiloille.
	SV	Får inte utsättas för temperaturer över 50 °C/122 °F.
P413	Sprache	
	BG	При насипни количества, по-големи от ... kg/... фунта, да се съхранява при температури, не по-високи от ... °C/...°F.
	ES	Almacenar las cantidades a granel superiores a ... kg/... lbs a temperaturas no superiores a ... °C/...°F.
	CS	Množství větší než ... kg/... liber skladujte při teplotě nepřesahující ... °C/...°F.
	DA	Bulkmængder på over ... kg/...lbs opbevares ved en temperatur, som ikke overstiger ... °C/...°F.
	DE	Schüttgut in Mengen von mehr als ... kg bei Temperaturen von nicht mehr als ... °C aufbewahren
	ET	Kogust, mis on suurem kui ... kg/... naela, hoida temperatuuril mitte üle ... °C/... °F.
	EL	Οι σωροί χύδην με βάρος άνω των ... kg/... lbs αποθηκεύονται σε θερμοκρασίες που δεν υπερβαίνουν τους ... °C/...°F.
	EN	Store bulk masses greater than ... kg/... lbs at temperatures not exceeding ... °C/...°F.
	FR	Stocker les quantités en vrac de plus de ... kg/... lb à une température ne dépassant pas ... °C/... °F.
	GA	Stóráil bulcmhaiseanna os cionn ... kg/... lb ag teocht nach airde ná ... °C/...°F.
	IT	Conservare le rinfuse di peso superiore a ...kg/...lb a temperature non superiori a ... °C/... °F.
	LV	Lielus apjomus, kas pārsniedz ... kg/... lbs, uzglabāt temperatūrā, kas nepārsniedz ... °C/...°F.
	LT	Didesnius kaip ... kg/... lbs medžiagos kiekius laikyti ne aukštesnėje kaip ... °C/...°F temperatūroje.
	HU	A ... kg/... lb tömeget meghaladó ömlesztett anyag tárolási hőmérséklete legfeljebb ... °C/...°F lehet.
	MT	Ahżen il-kwantitajiet f'massa ta' akbar minn ... kg/... lbs f'temperaturi ta' mhux aktar minn ... °C/...°F.

P413	Sprache	
	NL	Bulkmateriaal, indien meer dan ... kg/... lbs, bij temperaturen van maximaal ... °C bewaren.
	PL	Przechowywać luzem masy przekraczające ... kg/... funtów w temperaturze nieprzekraczającej ... °C/...°F.
	PT	Armazenar quantidades a granel superiores a ... kg/... lbs a uma temperatura não superior a ... °C/...°F.
	RO	Depozitați cantitățile în vrac mai mari de ... kg/... lbs la temperaturi care să nu depășească ... °C/...°F.
	SK	Veľké množstvo s hmotnosťou nad ... kg/... lbs uchovávať pri teplote do ... °C/...°F.
	SL	Razsute količine, večje od ... kg/... lbs, hraniti pri temperaturi do ... °C/... °F.
	FI	Säilytä yli ... kg/...lbs painoinen irtotavara enintään ... °C/...°F lämpötilassa.
	SV	Bulkprodukter som väger mer än ... kg/... lbs förvaras vid högst ... °C/...°F.
P420	Sprache	
	BG	Да се съхранява на разстояние от други материали.
	ES	Almacenar alejado de otros materiales.
	CS	Skladujte odděleně od ostatních materiálů.
	DA	Må ikke opbevares i nærheden af andre materialer.
	DE	Von anderen Materialien entfernt aufbewahren.
	ET	Hoida eemal teistest materjalidest.
	EL	Αποθηκεύεται μακριά από άλλα υλικά.
	EN	Store away from other materials.
	FR	Stocker à l'écart des autres matières.
	GA	Stóráil glan ar ábhair eile.
	IT	Conservare lontano da altri materiali.
	LV	Glabāt atsevišķi no citiem materiāliem.
	LT	Laikyti atokiau nuo kitų medžiagų.
	HU	Más anyagoktól távol tárolandó.
	MT	Aħżen 'l bogħod minn materjal ieħor.
	NL	Gescheiden van ander materiaal bewaren.
	PL	Przechowywać z dala od innych materiałów.
	PT	Armazenar afastado de outros materiais.
	RO	Depozitați departe de alte materiale.
	SK	Uchovávať oddelene od iných materiálov.
	SL	Hraniti ločeno od drugih materialov.
	FI	Varastoi erillään muista materiaaleista.
	SV	Förvaras åtskilt från andra material.

P422	Sprache	
	BG	Съдържанието да се съхранява при...
	ES	Almacenar el contenido en ...
	CS	Skladujte pod ...
	DA	Indholdet skal opbevares under ...
	DE	Inhalt in/unter ... aufbewahren
	ET	Hoida sisu
	EL	Το περιεχόμενο αποθηκεύεται σε ...
	EN	Store contents under ...
	FR	Stocker le contenu sous ...
	GA	Stóráil an t-ábhar faoi ...
	IT	Conservare sotto...
	LV	Saturu uzglabāt zem...
	LT	Turinį laikyti ...
	HU	Tartalma ... -ban/-ben tárolandó.
	MT	Aħżen il-kontenut taht ...
	NL	Onder ... bewaren.
	PL	Zawartość przechowywać w ...
	PT	Armazenar o conteúdo em ...
	RO	Depozitați conținutul sub ...
	SK	Obsah uchovávejte v
	SL	Vsebino hraniti v ...
	FI	Varastoi sisältö ...
	SV	Förvara innehållet i...

P402 + P404	Sprache	
	BG	Да се съхранява на сухо място. Да се съхранява в затворен съд.
	ES	Almacenar en un lugar seco. Almacenar en un recipiente cerrado.
	CS	Skladujte na suchém místě. Skladujte v uzavřeném obalu.
	DA	Opbevares et tørt sted. Opbevares i en lukket beholder.
	DE	In einem geschlossenen Behälter an einem trockenen Ort aufbewahren.
	ET	Hoida kuivas. Hoida suletud mahutis.
	EL	Αποθηκεύεται σε στεγνό μέρος. Φυλάσσεται σε κλειστό περιέκτη.
	EN	Store in a dry place. Store in a closed container.
	FR	Stocker dans un endroit sec. Stocker dans un récipient fermé.
	GA	Stóráil in áit thirim. Stóráil i gcoimeádán iata.
	IT	Conservare in luogo asciutto e in recipiente chiuso.
	LV	Glabāt sausā vietā. Glabāt aizvērtā tvertnē.
	LT	Laikyti sausoje vietoje. Laikyti uždaroje talpykloje.

P402 + P404	Sprache	
	HU	Száraz helyen tárolandó. Zárt edényben tárolandó.
	MT	Ahżen fpost niexef. Ahżen fkontenitur maghluq.
	NL	Op een droge plaats bewaren. In gesloten verpakking bewaren.
	PL	Przechowywać w suchym miejscu. Przechowywać w zamkniętym pojemniku.
	PT	Armazenar em local seco. Armazenar em recipiente fechado.
	RO	A se depozita într-un loc uscat, într-un recipient închis.
	SK	Uchovávať na suchom mieste. Uchovávať v uzavretej nádobe.
	SL	Hraniti na suhem. Hraniti v zaprti posodi.
	FI	Varastoi kuivassa paikassa. Varastoi suljettuna.
	SV	Förvaras torrt. Förvaras i sluten behållare.
P403 + P233	Sprache	
	BG	Да се съхранява на добре проветриво място. Съдът да се съхранява плътно затворен.
	ES	Almacenar en un lugar bien ventilado. Mantener el recipiente cerrado herméticamente.
	CS	Skladujte na dobře větraném místě. Uchovávejte obal těsně uzavřený.
	DA	Opbevares på et godt ventileret sted. Hold beholderen tæt lukket.
	DE	Behälter dicht verschlossen an einem gut belüfteten Ort aufbewahren.
	ET	Hoida hästi ventileeritavas kohas. Hoida mahuti tihedalt suletuna.
	EL	Αποθηκεύεται σε καλά αεριζόμενο χώρο. Ο περιέκτης διατηρείται ερμητικά κλειστός.
	EN	Store in a well-ventilated place. Keep container tightly closed.
	FR	Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.
	GA	Stóráil in áit dhea-aeráilte. Coimeád an coimeádán dúnta go docht.
	IT	Tenere il recipiente ben chiuso e in luogo ben ventilato.
	LV	Glabāt labi vēdināmās telpās. Tvertni turēt cieši noslēgtu.
	LT	Laikyti gerai vėdinamoje vietoje. Talpyklą laikyti sandariai uždarytą.
	HU	Jól szellőző helyen tárolandó. Az edény szorosan lezárva tartandó.
	MT	Ahżen fpost b'ventilazzjoni tajba. Żomm il-kontenitur maghluq sew.
	NL	Op een goed geventileerde plaats bewaren. In goed gesloten verpakking bewaren.
	PL	Przechowywać w dobrze wentylowanym miejscu. Przechowywać pojemnik szczelnie zamknięty.
	PT	Armazenar em local bem ventilado. Manter o recipiente bem fechado.
	RO	A se depozita într-un spațiu bine ventilat. Păstrați recipientul închis etanș.
	SK	Uchovávať na dobre vetranom mieste. Nádobu uchovávať tesne uzavretú.
	SL	Hraniti na dobro prezračevanem mestu. Hraniti v tesno zaprti posodi.
	FI	Varastoi paikassa, jossa on hyvä ilmanvaihto. Säilytä tiiviisti suljettuna.
	SV	Förvaras på väl ventilerad plats. Förpackningen ska förvaras väl tillsluten.

P403 + P235	Sprache	
	BG	Да се съхранява на добре проветриво място. Да се съхранява на хладно.
	ES	Almacenar en un lugar bien ventilado. Mantener en lugar fresco.
	CS	Skladujte na dobře větraném místě. Uchovávejte v chladu.
	DA	Opbevares på et godt ventileret sted. Opbevares køligt.
	DE	Kühl an einem gut belüfteten Ort aufbewahren.
	ET	Hoida hästi ventileeritavas kohas. Hoida jahedas.
	EL	Αποθηκεύεται σε καλά αεριζόμενο χώρο. Διατηρείται δροσερό.
	EN	Store in a well-ventilated place. Keep cool.
	FR	Stocker dans un endroit bien ventilé. Tenir au frais.
	GA	Stóráil in áit dhea-aeráilte. Coimeád fionnuar.
	IT	Conservare in luogo fresco e ben ventilato.
	LV	Glabāt labi vēdināmās telpās. Turēt vēsumā.
	LT	Laikyti gerai vėdinamoje vietoje. Laikyti vėsioje vietoje.
	HU	Jól szellőző helyen tárolandó. Hűvös helyen tartandó.
	MT	Ahżen f'post b'ventilazzjoni tajba. Żomm frisk.
	NL	Op een goed geventileerde plaats bewaren. Koel bewaren.
	PL	Przechowywać w dobrze wentylowanym miejscu. Przechowywać w chłodnym miejscu.
	PT	Armazenar em local bem ventilado. Conservar em ambiente fresco.
	RO	A se depozita într-un spațiu bine ventilat. A se păstra la rece.
	SK	Uchovávať na dobre vetranom mieste. Uchovávať v chlade.
	SL	Hraniti na dobro prezračevanem mestu. Hraniti na hladnem.
	FI	Varastoi paikassa, jossa on hyvä ilmanvaihto. Säilytä viileässä.
	SV	Förvaras på väl ventilerad plats. Förvaras svalt.
P410 + P403	Sprache	
	BG	Да се пази от пряка слънчева светлина. Да се съхранява на добре проветриво място.
	ES	Proteger de la luz del sol. Almacenar en un lugar bien ventilado.
	CS	Chraňte před slunečním zářením. Skladujte na dobře větraném místě.
	DA	Beskyttes mod sollys. Opbevares på et godt ventileret sted.
	DE	Vor Sonnenbestrahlung geschützt an einem gut belüfteten Ort aufbewahren.
	ET	Hoida päikesevalguse eest. Hoida hästi ventileeritavas kohas.
	EL	Να προστατεύεται από τις ηλιακές ακτίνες. Αποθηκεύεται σε καλά αεριζόμενο χώρο.
	EN	Protect from sunlight. Store in a well-ventilated place.
	FR	Protéger du rayonnement solaire. Stocker dans un endroit bien ventilé.
	GA	Cosain ó sholas na gréine. Stóráil in áit dhea-aeráilte.
	IT	Proteggere dai raggi solari. Conservare in luogo ben ventilato.
	LV	Aizsargāt no saules gaismas. Glabāt labi vēdināmās telpās.

P410 + P403	Sprache	
	LT	Saugoti nuo saulės šviesos. Laikyti gerai vėdinamoje vietoje.
	HU	Napfénytól védendő. Jól szellőző helyen tárolandó.
	MT	Ipproteġi mid-dawl tax-xemx. Ahżen f'post b'ventilazzjoni tajba.
	NL	Tegen zonlicht beschermen. Op een goed geventileerde plaats bewaren.
	PL	Chronić przed światłem słonecznym. Przechowywać w dobrze wentylowanym miejscu.
	PT	Manter ao abrigo da luz solar. Armazenar em local bem ventilado.
	RO	A se proteja de lumina solară. A se depozita într-un spațiu bine ventilat.
	SK	Chránite pred slnečným žiarením. Uchovávajte na dobre vetranom mieste.
	SL	Zaščititi pred sončno svetlobo. Hraniti na dobro prezračevanem mestu.
	FI	Suojaa auringonvalolta. Varastoi paikassa, jossa on hyvä ilmanvaihto.
	SV	Skyddas från solljus. Förvaras på väl ventilerad plats.
P410 + P412	Sprache	
	BG	Да се пази от пряка слънчева светлина. Да не се излага на температури, по-високи от 50 °C/122°F.
	ES	Proteger de la luz del sol. No exponer a temperaturas superiores a 50 °C/122°F.
	CS	Chraňte před slunečním zářením. Nevystavujte teplotě přesahující 50 °C/122°F.
	DA	Beskyttes mod sollys. Må ikke udsættes for en temperatur, som overstiger 50 °C/122°F.
	DE	Vor Sonnenbestrahlung schützen und nicht Temperaturen von mehr als 50 °C aussetzen.
	ET	Hoida päikesevalguse eest. Mitte hoida temperatuuril üle 50 °C/122 °F.
	EL	Να προστατεύεται από τις ηλιακές ακτίνες. Να μην εκτίθεται σε θερμοκρασίες που υπερβαίνουν τους 50 °C/122°F.
	EN	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
	FR	Protéger du rayonnement solaire. Ne pas exposer à une température supérieure à 50 °C/122 °F.
	GA	Cosain ó sholas na gréine. Ná nocht do theocht níos airde ná 50 °C/122°F.
	IT	Proteggere dai raggi solari. Non esporre a temperature superiori a 50 °C/122°F.
	LV	Aizsargāt no saules gaismas. Nepakļaut temperatūrai, kas pārsniedz 50 °C/122°F.
	LT	Saugoti nuo saulės šviesos. Nelaikyti aukštesnėje kaip 50 °C/122°F temperatūroje.
	HU	Napfénytól védendő. Nem érheti 50 °C/122°F hőmérsékletet meghaladó hő.
	MT	Ipproteġi mid-dawl tax-xemx. Tesponix għal temperatura li teċċedi l-50°C/122°F.
	NL	Tegen zonlicht beschermen. Niet blootstellen aan temperaturen boven 50 °C/122°F.
	PL	Chronić przed światłem słonecznym. Nie wystawiać na działanie temperatury przekraczającej 50 °C/122 °F.
	PT	Manter ao abrigo da luz solar. Não expor a temperaturas superiores a 50 °C/122°F.
	RO	A se proteja de lumina solară. Nu expuneți la temperaturi care depășesc 50 °C/122 °F.
	SK	Chránite pred slnečným žiarením. Nevystavujte teplotám nad 50 °C/122 °F.
	SL	Zaščititi pred sončno svetlobo. Ne izpostavljati temperaturam nad 50 °C/122 °F.

P410 + P412	Sprache	
	FI	Suojaa auringonvalolta. Ei saa altistaa yli 50 °C/122 °F lämpötiloilta.
	SV	Skyddas från solljus. Får inte utsättas för temperaturer över 50 °C/122 °F.
P411 + P235	Sprache	
	BG	Да се съхранява при температури, не по-високи от ... °C/...°F. Да се държи на хладно.
	ES	Almacenar a temperaturas no superiores a ... °C/...°F. Mantener en lugar fresco.
	CS	Skladujte při teplotě nepřesahující ... °C/...°F. Uchovávejte v chladu.
	DA	Opbevares ved en temperatur, som ikke overstiger ... °C/...°F. Opbevares køligt.
	DE	Kühl und bei Temperaturen von nicht mehr als ... °C aufbewahren.
	ET	Hoida temperatuuril mitte üle ... °C/... °F. Hoida jahedas.
	EL	Αποθηκεύεται σε θερμοκρασίες που δεν υπερβαίνουν τους ... °C/...°F. Διατηρείται δροσερό.
	EN	Store at temperatures not exceeding ... °C/...°F. Keep cool.
	FR	Stocker à une température ne dépassant pas ... °C/... °F. Tenir au frais.
	GA	Stóráil ag teocht nach airde ná ... °C/...°F. Coimeád fionnuar.
	IT	Conservare in luogo fresco a temperatura non superiori a °C/...°F.
	LV	Glabāt temperatūrā, kas nepārsniedz ... °C/...°F. Turēt vēsumā.
	LT	Laikyti ne aukštesnėje kaip ... °C/...°F temperatūroje. Laikyti vėsioje vietoje.
	HU	A tárolási hőmérséklet legfeljebb ... °C/...°F lehet. Hűvös helyen tartandó.
	MT	Aħżen f'temperaturi li ma jeċċedux ... °C/...°F. Żomm frisk.
	NL	Bij maximaal ... °C/...°F bewaren. Koel bewaren.
	PL	Przechowywać w temperaturze nieprzekraczającej ... °C/...°F. Przechowywać w chłodnym miejscu.
	PT	Armazenar a uma temperatura não superior a ... °C/...°F. Conservar em ambiente fresco.
	RO	A se depozita la temperaturi care să nu depășească ... °C/...°F. A se păstra la rece.
	SK	Uchovávejte pri teplotách do ... °C/...°F. Uchovávejte v chlade.
	SL	Hraniti pri temperaturi do ... °C/... °F. Hraniti na hladnem.
	FI	Varastoi alle ... °C/...°F lämpötilassa. Säilytä viileässä.
	SV	Förvaras vid högst ... °C/...°F. Förvaras svalt.

Tabelle 1.5

Sicherheitshinweise — Entsorgung

P501	Sprache	
	BG	Съдържанието/съдът да се изхвърли в ...
	ES	Eliminar el contenido/el recipiente en ...
	CS	Odstraňte obsah/obal ...
	DA	Indholdet/holderen bortskaffes i ...
	DE	Inhalt/Behälter ... zuführen.

P501	Sprache	
	ET	Sisu/mahuti kõrvaldada ...
	EL	Διάθεση του περιεχομένου/περιέκτη σε ...
	EN	Dispose of contents/container to ...
	FR	Éliminer le contenu/récipient dans ...
	GA	Diúscair an t-ábhar/an coimeádán i ...
	IT	Smaltire il prodotto/recipiente in ...
	LV	Atbrīvoties no satura/tvertnes...
	LT	Turinį/talpyklą išpilti (išmesti) į ...
	HU	A tartalom/edény elhelyezése hulladékként: ...
	MT	Armi l-kontenut/il-kontenitur fi ...
	NL	Inhoud/verpakking afvoeren naar ...
	PL	Zawartość/pojemnik usuwać do ...
	PT	Eliminar o conteúdo/recipiente em ...
	RO	Aruncați conținutul/recipientul la ...
	SK	Zneškodnite obsah/nádobu ...
	SL	Odstraniti vsebino/posodo ...
	FI	Hävitä sisältö/pakkaus ...
	SV	Innehållet/behållaren lämnas till...

ANHANG V


GEFAHRENIKTOGRAMME

EINFÜHRUNG


Die Gefahrenpiktogramme für die einzelnen Gefahrenklassen, Differenzierungen einer Gefahrenklasse und Gefahrenkategorien müssen den Bestimmungen dieses Anhangs und von Anhang I Abschnitt 1.2. entsprechen und in Bezug auf Farbe, Symbole und allgemeines Format mit den gezeigten Beispielen übereinstimmen.

1. TEIL 1: PHYSIKALISCHE GEFAHREN


1.1. Symbol: explodierende Bombe

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS01 	Abschnitt 2.1 Instabile explosive Stoffe und Gemische Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklassen 1.1, 1.2, 1.3, 1.4 Abschnitt 2.8 Selbstzersetzliche Stoffe und Gemische, Typen A, B Abschnitt 2.15 Organische Peroxide, Typen A, B


1.2. Symbol: Flamme

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS02 	Abschnitt 2.2 Entzündbare Gase, Gefahrenkategorie 1 Abschnitt 2.3 Entzündbare Aerosole, Gefahrenkategorien 1, 2 Abschnitt 2.6 Entzündbare Flüssigkeiten, Gefahrenkategorien 1, 2, 3 Abschnitt 2.7 Entzündbare Feststoffe, Gefahrenkategorien 1, 2 Abschnitt 2.8 Selbstzersetzliche Stoffe und Gemische, Typen B, C, D, E, F Abschnitt 2.9 pyrophore Flüssigkeiten, Gefahrenkategorie 1 Abschnitt 2.10 pyrophore Feststoffe, Gefahrenkategorie 1 Abschnitt 2.11 Selbsterhitzungsfähige Stoffe und Gemische, Gefahrenkategorien 1, 2 Abschnitt 2.12 Stoffe und Gemische, die bei Berührung mit Wasser entzündbare Gase abgeben, Gefahrenkategorien 1, 2, 3 Abschnitt 2.15 Organische Peroxide, Typen B, C, D, E, F


1.3. **Symbol: Flamme über einem Kreis**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS03 	Abschnitt 2.4 Oxidierende Gase, Gefahrenkategorie 1 Abschnitt 2.13 Oxidierende Flüssigkeiten, Gefahrenkategorien 1, 2, 3 Abschnitt 2.14 Oxidierende Feststoffe, Gefahrenkategorien 1, 2, 3

1.4. **Symbol: Gasflasche**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS04 	Abschnitt 2.5 Gase unter Druck: verdichtete Gase verflüssigte Gase tiefgekühlt verflüssigte Gase gelöste Gase

1.5. **Symbol: Ätzwirkung**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS05 	Abschnitt 2.16 Auf Metalle korrosiv wirkend, Gefahrenkategorie 1

1.6. **Für die folgenden Klassen und Kategorien der physikalischen Gefahren ist kein Piktogramm erforderlich:**

Abschnitt 2.1: Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklasse 1.5

Abschnitt 2.1: Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff der Unterklasse 1.6


Abschnitt 2.2: Entzündbare Gase, Gefahrenkategorie 2

Abschnitt 2.8: Selbstzersetzliche Stoffe und Gemische, Typ G


Abschnitt 2.15: Organische Peroxide, Typ G

2. TEIL 2: GESUNDHEITSGEFAHREN


2.1. **Symbol: Totenkopf mit gekreuzten Knochen**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS06 	Abschnitt 3.1 Akute Toxizität (oral, dermal, inhalativ), Gefahrenkategorien 1, 2, 3


2.2. **Symbol: Ätzwirkung**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS05 	Abschnitt 3.2 Hautätzend, Gefahrenkategorien 1A, 1B, 1C Abschnitt 3.3 Schwere Augenschädigung, Gefahrenkategorie 1

2.3. **Symbol: Ausrufezeichen**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS07 	Abschnitt 3.1 Akute Toxizität (oral, dermal, inhalativ), Gefahrenkategorie 4 Abschnitt 3.2 Reizung der Haut, Gefahrenkategorie 2 Abschnitt 3.3 Augenreizung, Gefahrenkategorie 2 Abschnitt 3.4 Sensibilisierung der Haut, Gefahrenkategorie 1 Abschnitt 3.8 Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3 Atemwegsreizung narkotisierende Wirkungen

2.4. **Symbol: Gesundheitsgefahr**


Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS08 	Abschnitt 3.4 Sensibilisierung der Atemwege, Gefahrenkategorie 1 Abschnitt 3.5 Keimzellmutagenität, Gefahrenkategorien 1A, 1B, 2 Abschnitt 3.6 Karzinogenität, Gefahrenkategorien 1A, 1B, 2 Abschnitt 3.7 Reproduktionstoxizität, Gefahrenkategorien 1A, 1B, 2 Abschnitt 3.8 Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorien 1, 2 Abschnitt 3.9 Spezifische Zielorgan-Toxizität (wiederholte Exposition), Gefahrenkategorien 1, 2 Abschnitt 3.10 Aspirationsgefahr, Gefahrenkategorie 1

2.5. **Für die folgenden Kategorien der Gesundheitsgefahren ist kein Piktogramm erforderlich:**

Abschnitt 3.7: Reproduktionstoxizität, Wirkungen auf/über Laktation, zusätzliche Gefahrenkategorie

3. TEIL 3: UMWELTGEFAHREN

3.1. **Symbol: Umwelt**

Piktogramm (1)	Gefahrenklasse und Gefahrenkategorie (2)
GHS09 	Abschnitt 4.1 Gewässergefährdend — akut gewässergefährdend der Kategorie 1 — chronisch gewässergefährdend der Kategorien 1, 2

Für die folgenden Klassen und Kategorien der Umweltgefahren ist kein Piktogramm erforderlich:

Abschnitt 4.1: Chronisch gewässergefährdend der Kategorien 3, 4

ANHANG VI

Harmonisierte Einstufung und Kennzeichnung für bestimmte gefährliche Stoffe

In Teil 1 dieses Anhangs wird eine Einführung zur Liste der harmonisierten Einstufungen und Kennzeichnungen gegeben, die auch die in Tabelle 3.1 aufgeführten Informationen je Eintrag und entsprechenden Einstufungen und Gefahrenhinweise umfasst, falls bei der Umwandlung der Einstufungen aus Anhang I der Richtlinie 67/548/EWG bestimmte Überlegungen zu beachten sind.

In Teil 2 dieses Anhangs werden allgemeine Grundsätze für die Vorbereitung der Dossiers festgelegt, mit denen eine harmonisierte Einstufung und Kennzeichnung von Stoffen auf Gemeinschaftsebene vorgeschlagen und begründet wird.

In Teil 3 dieses Anhangs sind gefährliche Stoffe aufgeführt, für die eine harmonisierte Einstufung und Kennzeichnung auf Gemeinschaftsebene erstellt wurde. In der Tabelle 3.1 beruhen die Einstufungen und Kennzeichnungen auf den Kriterien in Anhang I dieser Verordnung. In der Tabelle 3.2 beruhen die Einstufungen und Kennzeichnungen auf den Kriterien in Anhang I der Richtlinie 67/548/EWG.

1. TEIL 1: EINFÜHRUNG ZUR LISTE DER HARMONISIERTEN EINSTUFUNGEN UND KENNZEICHNUNGEN**1.1. Informationen je Eintrag****1.1.1. Nummerierung der Einträge und Identifizierung eines Stoffes****1.1.1.1. Indexnummern**

Die Einträge in Teil 3 sind nach der Ordnungszahl des Elements geordnet, das für die Eigenschaften des jeweiligen Stoffes am kennzeichnendsten ist. Organische Stoffe wurden aufgrund ihrer Vielfältigkeit in Klassen eingeordnet. Die Indexnummer der einzelnen Stoffe besteht aus einer Zeichensequenz nach dem Muster ABC-RST-VW-Y. ABC entspricht der Ordnungszahl des Elements bzw. der organischen Gruppe, das bzw. die am kennzeichnendsten für das Molekül ist. RST ist die laufende Nummer des Stoffes in der ABC-Reihe. VW gibt die Form an, in der der Stoff hergestellt oder in den Verkehr gebracht wird. Y ist die Kontrollziffer, die nach der zehnstelligen ISBN-Methode berechnet wird. Diese Nummer ist in der Spalte „Index No“ angegeben.

1.1.1.2. EG-Nummer

Die EG-Nummer, d. h. die EINECS-, ELINCS- oder NLP-Nummer, ist die offizielle Nummer des Stoffes in der Europäischen Union. Die EINECS-Nummer kann dem Europäischen Verzeichnis der auf dem Markt vorhandenen chemischen Stoffe (EINECS) ⁽¹⁾ entnommen werden. Die ELINCS-Nummer kann der Europäischen Liste der angemeldeten chemischen Stoffe (in der aktuellen Ausgabe) entnommen werden (EUR 22543 EN, Amt für Amtliche Veröffentlichungen der Europäischen Gemeinschaften, 1997, ISBN 1018-5593). Die NLP-Nummer kann der Liste „No-longer-polymers“ (in der aktuellen Ausgabe) entnommen werden (Amt für Amtliche Veröffentlichungen der Europäischen Gemeinschaften, 1997, ISBN 92-827-8995-0). Bei der EG-Nummer handelt es sich um ein System siebenstelliger Nummern nach dem Muster XXX-XXX-X, das bei 200-001-8 (EINECS), 400-010-9 (ELINCS) und 500-001-0 (NLP) beginnt. Diese Nummer ist in der Spalte „EC No“ angegeben.

1.1.1.3. CAS-Nummer

Ferner wird die CAS-Nummer (Chemical Abstracts Service) angegeben, um den Eintrag leichter identifizieren zu können. Es sei darauf hingewiesen, dass ein und dieselbe EINECS-Nummer Stoffe sowohl in ihrer wasserfreien Form als auch in ihrer Hydratform beinhaltet, während es dafür häufig unterschiedliche CAS-Nummern gibt. Die angegebene CAS-Nummer bezeichnet lediglich die wasserfreie Form und beschreibt deshalb den Eintrag nicht immer mit der gleichen Genauigkeit wie die EINECS-Nummer. Diese Nummer ist in der Spalte „CAS No“ angegeben.

1.1.1.4. Internationale chemische Bezeichnung

Gefährliche Stoffe werden nach Möglichkeit mit ihren IUPAC-Namen bezeichnet. In EINECS, ELINCS oder in der Liste „No-longer-polymers“ aufgeführte Stoffe werden mit den dort verwendeten Namen bezeichnet. In einigen Fällen sind auch andere Namen, wie z. B. der Trivialname oder der gebräuchliche Name, angegeben. Pflanzenschutzmittel und Biozidwirkstoffe werden nach Möglichkeit mit ihren ISO-Namen bezeichnet.

⁽¹⁾ ABL C 146 A vom 15.6.1990

Verunreinigungen, Beimengungen und unbedeutende Bestandteile werden normalerweise nicht angegeben, es sei denn, sie haben einen wesentlichen Einfluss auf die Einstufung des Stoffes.

Bei einigen Stoffen wird der spezifische Reinheitsgrad prozentual angegeben. Stoffe mit einem höheren Gehalt an Wirkstoffen (z. B. organische Peroxide) als dieser Prozentanteil werden nicht in den Eintrag in Teil 3 aufgenommen und können andere gefährliche Eigenschaften haben (z. B. Explosionsgefahr); sie sollten entsprechend eingestuft und gekennzeichnet werden.

Stoffspezifische Konzentrationsgrenzen beziehen sich auf den Stoff bzw. die Stoffe des Eintrags. Insbesondere bei Einträgen, bei denen es sich um Mischungen von Stoffen oder um Stoffe mit prozentualer Angabe des spezifischen Reinheitsgrades handelt, beziehen sich die Konzentrationsgrenzen nicht auf den reinen, sondern auf den in Teil 3 beschriebenen Stoff.

Für in Teil 3 aufgeführte Stoffe hat der auf dem Kennzeichnungsetikett zu verwendende Stoffname einer der Bezeichnungen zu entsprechen, die dort angegeben sind. Bei bestimmten Stoffen wurden zur leichteren Identifizierung des Stoffes zusätzliche Angaben in eckigen Klammern angefügt. Diese zusätzlichen Informationen brauchen nicht in das Kennzeichnungsetikett aufgenommen zu werden.

Bestimmte Einträge enthalten einen Verweis auf Verunreinigungen; in diesen Fällen steht hinter dem Namen des Stoffes folgender Wortlaut: „(enthält \geq xx % Verunreinigungen)“. Der Verweis in Klammern gilt dann als Bestandteil des Namens und muss in das Kennzeichnungsetikett aufgenommen werden.

1.1.1.5. *Einträge für Stoffgruppen*

Es werden eine Reihe von Gruppeneinträgen in Teil 3 aufgenommen. In diesen Fällen gelten die Vorschriften für die Einstufung und Kennzeichnung für alle von der Beschreibung erfassten Stoffe.

In einigen Fällen gibt es Einstufungs- und Kennzeichnungsanforderungen für bestimmte Stoffe eines Gruppeneintrags. Dann erfolgt für diesen Stoff ein eigener Eintrag in Anhang VI Teil 3, und beim Gruppeneintrag wird der Vermerk „mit Ausnahme der an einer anderen Stelle dieses Anhangs genannten Stoffe“ hinzugefügt.

In einigen Fällen können bestimmte Stoffe in verschiedenen Gruppeneinträgen erwähnt sein. In diesen Fällen entspricht die Einstufung des Stoffes derjenigen beider Gruppeneinträge. Sind für dieselbe Gefahr verschiedene Einstufungen angegeben, so ist die strengere Einstufung zu verwenden.

Einträge in Teil 3 für Salze (unter jeder Bezeichnung) gelten sowohl für Salze in wasserfreier Form als auch in Hydratform, sofern nicht etwas anderes festgelegt ist.

Bei Einträgen, die mehr als vier einzelne Stoffe umfassen, werden die EG- oder CAS-Nummern in der Regel nicht angegeben.

1.1.2. **Informationen über die Einstufung und Kennzeichnung der einzelnen Einträge in Tabelle 3.1**

1.1.2.1. *Einstufungscodes*

1.1.2.1.1. *Gefahrenklasse- und Gefahrenkategorie-Codes*

Die Einstufung für die einzelnen Einträge basiert auf den Kriterien des Anhangs I gemäß Artikel 13 Buchstabe a und wird in Form von Abkürzungen dargestellt, die für die Gefahrenklasse und die Gefahrenkategorie oder Gefahrenkategorien/-unterklassen/-typen innerhalb dieser Gefahrenklasse stehen.

Die Gefahrenklassen und die für die einzelnen Gefahrenkategorien einer Klasse verwendeten Abkürzungen sind in Tabelle 1.1 angegeben.

Tabelle 1.1

Gefahrenklasse	Gefahrenklasse- und Gefahrenkategorie-Code
Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff	Inst. Expl. Expl. 1.1 Expl. 1.2 Expl. 1.3 Expl. 1.4 Expl. 1.5 Expl. 1.6
Entzündbare Gase	Entz. Gas 1 Entz. Gas 2
Entzündbare Aerosole	Entz. Aerosol 1 Entz. Aerosol 2
oxidierende Gase	Oxid. Gas 1
Gase unter Druck	Pressgas
Entzündbare Flüssigkeiten	Entz. Fl. 1 Entz. Fl. 2 Entz. Fl. 3
Entzündbare Feststoffe	Entz. Festst. 1 Entz. Festst. 2
Selbstzersetzliche Stoffe oder Gemische	Selbstzers. A Selbstzers. B Selbstzers. CD Selbstzers. EF Selbstzers. G
pyrophore Flüssigkeiten	Pyr. FL. 1
pyrophore Feststoffe	Pyr. Festst. 1
Selbsterhitzungsfähige Stoffe oder Gemische	Selbsterh. 1 Selbsterh. 2
Stoffe oder Gemische, die bei Berührung mit Wasser entzündbare Gase abgeben	Wasserreakt. 1 Wasserreakt. 2 Wasserreakt. 3
oxidierende Flüssigkeiten	Oxid. Fl. 1 Oxid. Fl. 2 Oxid. Fl. 3
oxidierende Feststoffe	Oxid. Festst. 1 Oxid. Festst. 2 Oxid. Festst. 3
Organische Peroxide	Org. Perox. A Org. Perox. B Org. Perox. CD Org. Perox. EF Org. Perox. G
Auf Metalle korrosiv wirkende Stoffe oder Gemische	Met. korr. 1
Akute Toxizität	Akut Tox. 1 Akut Tox. 2 Akut Tox. 3 Akut Tox. 4

Gefahrenklasse	Gefahrenklasse- und Gefahrenkategorie-Code
Ätz-/Reizwirkung auf die Haut	Hautätz. 1A Hautätz. 1B Hautätz. 1C Hautreiz. 2
Schwere Augenschädigung/Augenreizung;	Augenschäd. 1 Augenreiz. 2
Sensibilisierung der Atemwege/Haut	Sens. Atemw. 1 Sens. Haut 1
Keimzell-Mutagenität	Mutag. 1A Mutag. 1B Mutag. 2
Karzinogenität	Karz. 1A Karz. 1B Karz. 2
Reproduktionstoxizität	Repr. 1A Repr. 1B Repr. 2 Lakt.
Spezifische Zielorgan-Toxizität (einmalige Exposition)	STOT einm. 1 STOT einm. 2 STOT einm. 3
Spezifische Zielorgan-Toxizität (wiederholte Exposition)	STOT wdh. 1 STOT wdh. 2
Aspirationsgefahr	Asp. 1
Gewässergefährdend	Aqu. akut 1 Aqu. chron. 1 Aqu. chron. 2 Aqu. chron. 3 Aqu. chron. 4
Schädigt die Ozonschicht	Ozon

1.1.2.1.2. Gefahrenhinweis-Codes

Die gemäß Artikel 13 Buchstabe b zugeordneten Gefahrenhinweise werden gemäß Anhang III angegeben. Darüber hinaus werden dem dreistelligen Code bei bestimmten Gefahrenhinweisen Buchstaben angefügt. Es werden die nachstehenden zusätzlichen Codes verwendet:

H350i	Kann bei Einatmen Krebs erzeugen.
H360F	Kann die Fruchtbarkeit beeinträchtigen.
H360D	Kann das Kind im Mutterleib schädigen.
H361f	Kann vermutlich die Fruchtbarkeit beeinträchtigen.
H361d	Kann vermutlich das Kind im Mutterleib schädigen.
H360FD	Kann die Fruchtbarkeit beeinträchtigen. Kann das Kind im Mutterleib schädigen.

H361fd	Kann vermutlich die Fruchtbarkeit beeinträchtigen. Kann vermutlich das Kind im Mutterleib schädigen.
H360Fd	Kann die Fruchtbarkeit beeinträchtigen. Kann vermutlich das Kind im Mutterleib schädigen.
H360Df	Kann das Kind im Mutterleib schädigen. Kann vermutlich die Fruchtbarkeit beeinträchtigen.

1.1.2.2. Kennzeichnungscodes

In der Kennzeichnungsspalte werden die folgenden Elemente aufgeführt:

- i) die Gefahrenpiktogramm-Codes gemäß Anhang V und in Übereinstimmung mit den Rangfolgevorschriften in Artikel 26;
- ii) der Signalwortcode „Gef.“ für „Gefahr“ oder „Achtg.“ für „Achtung“ in Übereinstimmung mit den Rangfolgevorschriften in Artikel 20 Absatz 3;
- iii) die Gefahrenhinweis-Codes gemäß Anhang III und entsprechend der Einstufung;
- iv) die Codes für die ergänzenden Hinweise gemäß Anhang II Teil 1, die in Übereinstimmung mit Artikel 25 Absatz 1 und den Vorschriften in Anhang II Teil 1 zugeordnet werden.

1.1.2.3. Spezifische Konzentrationsgrenzwerte und Multiplikationsfaktoren

Im Falle einer Abweichung von den allgemeinen Konzentrationsgrenzwerten des Anhangs I werden für eine bestimmte Kategorie spezifische Konzentrationsgrenzwerte in einer eigenen Spalte zusammen mit der betreffenden Einstufung unter Verwendung der Codes nach Abschnitt 1.1.2.1.1. aufgeführt. Sind für eine bestimmte Kategorie in diesem Anhang keine spezifischen Konzentrationsgrenzwerte angegeben, gelten für die Einstufung von Stoffen, die Verunreinigungen, Beimengungen und einzelne Bestandteile enthalten, und für Gemische die allgemeinen Konzentrationsgrenzwerte von Anhang I. Das Sternchen (*) in dieser Spalte zeigt an, dass für den Eintrag spezifische Konzentrationsgrenzwerte für akute Toxizität gemäß der Richtlinie 67/548/EWG (Tabelle 3.2) gelten; siehe auch Abschnitt 1.2.1.

Sofern nicht anders angegeben, sind die aufgeführten Konzentrationsgrenzen als Gewichtsprozent, bezogen auf das Gesamtgewicht des Gemisches, zu verstehen.

Für den Fall, dass ein Multiplikationsfaktor für Stoffe harmonisiert wurde, die als akut gewässergefährdend der Kategorie 1 oder chronisch gewässergefährdend der Kategorie 1 eingestuft sind, wird dieser Multiplikationsfaktor in derselben Spalte wie die spezifischen Konzentrationsgrenzwerte angegeben. Ist kein Multiplikationsfaktor in der Tabelle 3.1 angegeben, wird er auf der Grundlage der für den Stoff verfügbaren Daten vom Hersteller, Importeur oder nachgeschalteten Anwender festgelegt. Wird ein Gemisch, das den Stoff enthält, vom Hersteller, Importeur oder nachgeschalteten Anwender anhand der Summiermethode eingestuft, findet dieser Multiplikationsfaktor Anwendung. Zur Festlegung des Multiplikationsfaktors siehe Anhang I Abschnitt 4.1.3.5.5.5.

1.1.3. Einem Eintrag zugeordnete Anmerkungen

Die Anmerkung/-en, die einem Eintrag zugeordnet ist/sind, ist/sind in der Spalte „Notes“ aufgeführt. Der Inhalt der Anmerkungen lautet wie folgt:

1.1.3.1. Anmerkungen zur Identifizierung, Einstufung und Kennzeichnung von Stoffen

Anmerkung A:

Der Name des Stoffes muss auf dem Kennzeichnungsetikett mit einer der in der Liste des Teils 3 aufgeführten Bezeichnungen angegeben werden.

In einigen Fällen wird in Teil 3 eine allgemeine Beschreibung wie „...verbindungen“ oder „...salze“ verwendet. In diesem Fall muss der Lieferant auf dem Kennzeichnungsetikett den korrekten Namen angeben und dabei Abschnitt 1.1.1.4. gebührend beachten.

Anmerkung B:

Manche Stoffe (Säuren, Basen usw.) werden als wässrige Lösungen in unterschiedlichen Konzentrationen in Verkehr gebracht; dies erfordert auch eine unterschiedliche Einstufung und Kennzeichnung, da von den verschiedenen Konzentrationen unterschiedliche Gefahren ausgehen können.

In Teil 3 haben Einträge mit der Anmerkung B allgemeine Bezeichnungen wie „Salpetersäure ... %“.

In diesem Fall muss der Lieferant die Konzentration in Prozent auf dem Kennzeichnungsetikett angeben. Unter % ist ohne anderslautende Angabe stets der Gewichtsprozentsatz zu verstehen.

Anmerkung C:

Manche organischen Stoffe können entweder in einer genau definierten isomeren Form oder als Gemisch mehrerer Isomere in Verkehr gebracht werden.

In diesem Fall muss der Lieferant auf dem Kennzeichnungsetikett angeben, ob es sich um ein bestimmtes Isomer oder um ein Isomergemisch handelt.

Anmerkung D:

Bestimmte Stoffe, die spontan polymerisieren oder sich zersetzen können, werden normalerweise in stabiler Form in Verkehr gebracht. Sie werden in dieser Form in Teil 3 aufgeführt.

Allerdings werden solche Stoffe manchmal auch in nicht stabiler Form in Verkehr gebracht. In diesem Fall muss der Lieferant auf dem Kennzeichnungsetikett nach dem Namen des Stoffes die Bezeichnung „nicht stabilisiert“ anfügen.

Anmerkung E (Tabelle 3.2):

Stoffe mit spezifischen Auswirkungen auf die menschliche Gesundheit (siehe Kapitel 4 des Anhangs VI der Richtlinie 67/548/EWG), die als karzinogen, keimzellmutagen und/oder reproduktionstoxisch der Kategorie 1 oder 2 eingestuft sind, werden mit der Anmerkung E versehen, wenn sie darüber hinaus als sehr toxisch (T+), toxisch (T) oder gesundheitsschädlich (Xn) eingestuft sind. Bei diesen Stoffen ist den Gefahrensätzen R20, R21, R22, R23, R24, R25, R26, R27, R28, R39, R68 (gesundheitsschädlich), R48 und R65 sowie vor alle Kombinationen dieser Gefahrensätze das Wort „auch“ voranzustellen.

Anmerkung F:

Dieser Stoff kann einen Stabilisator enthalten. Wenn dieser Stabilisator die mit der Einstufung in Teil 3 angegebenen gefährlichen Eigenschaften des Stoffes verändert, so sollten die Einstufung und die Kennzeichnung des Stoffes in Übereinstimmung mit den Vorschriften für die Einstufung und Kennzeichnung gefährlicher Gemische vorgenommen werden.

Anmerkung G:

Diese Stoffe können in einer explosionsgefährlichen Form in Verkehr gebracht werden. In diesem Fall müssen die explosiven Eigenschaften durch entsprechende Prüfmethoden bestimmt werden. Die Einstufung und die Kennzeichnung müssen einen entsprechenden Hinweis auf diese Eigenschaften enthalten.

Anmerkung H (Tabelle 3.1):

Die für diesen Stoff aufgeführte Einstufung und Kennzeichnung gilt für die gefährliche/-n Eigenschaft/-en, auf die der/die Gefahrenhinweis/-e im Zusammenhang mit der/den betreffenden Gefahrenklasse/-n und -kategorie/-n verweist/-en. Die Vorschriften von Artikel 4 für Hersteller, Importeure oder nachgeschaltete Anwender dieses Stoffes gelten für alle anderen Gefahrenklassen und -kategorien. Für Gefahrenklassen, bei denen der Expositionsweg oder die Art der Wirkungen zu einer Differenzierung der Einstufung der Gefahrenklasse führt, muss der Hersteller, Importeur oder nachgeschaltete Anwender diejenigen Expositionswegen oder Wirkungsarten berücksichtigen, die noch nicht berücksichtigt worden sind.

Das endgültige Kennzeichnungsetikett hat den Anforderungen von Anhang I Kapitel 1.2 zu entsprechen.

Anmerkung H (Tabelle 3.2):

Die für diesen Stoff anzuwendende Einstufung und das entsprechende Kennzeichnungsetikett gelten für die in dem/den R-Satz/R-Sätzen im Zusammenhang mit den betreffenden Gefahrenkategorien erwähnte/-n gefährliche/-n Eigenschaft/-en. Die Hersteller, Importeure und nachgeschalteten Anwender sind verpflichtet, Nachforschungen anzustellen, um sich für die Einstufung und Kennzeichnung des Stoffes die einschlägigen und zugänglichen Daten zu allen anderen Eigenschaften zu verschaffen. Das endgültige Kennzeichnungsetikett muss den Anforderungen von Teil 7 des Anhangs VI der Richtlinie 67/548/EWG entsprechen.

Anmerkung J:

Die Einstufung als karzinogen oder keimzellmutagen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 0,1 Gewichtsprozent Benzol (EINECS-Nr. 200-753-7) enthält. Diese Anmerkung gilt nur für bestimmte komplexe Kohlen- und Ölderivate in Teil 3.

Anmerkung K:

Die Einstufung als karzinogen oder keimzellmutagen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 0,1 Gewichtsprozent 1,3-Butadien (EINECS-Nr. 203-450-8) enthält. Wird der Stoff nicht als karzinogen oder keimzellmutagen eingestuft, so sind zumindest die Sicherheitshinweise (102)210-403 (Tabelle 3.1) oder die S-Sätze (2-)9-16 (Tabelle 3.2) anzuwenden. Diese Anmerkung gilt nur für bestimmte komplexe Ölderivate in Teil 3.

Anmerkung L:

Die Einstufung als karzinogen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 3 % DMSO-Extrakt, gemessen nach dem Verfahren IP 346 („Bestimmung der polyzyklischen Aromate in nicht verwendeten Schmierölen und asphaltfreien Erdölfractionen — Dimethylsulfoxid-Extraktion-Brechungsindex-Methode“, Institute of Petroleum, London), enthält. Diese Anmerkung gilt nur für bestimmte komplexe Ölderivate in Teil 3.

Anmerkung M:

Die Einstufung als karzinogen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 0,005 Gewichtsprozent Benzo[a]pyren (EINECS-Nr. 200-028-5) enthält. Diese Anmerkung gilt nur für bestimmte komplexe Kohlenderivate in Teil 3.

Anmerkung N:

Die Einstufung als karzinogen ist nicht zwingend, wenn der ganze Raffinationsprozess bekannt ist und nachgewiesen werden kann, dass der Ausgangsstoff nicht karzinogen ist. Diese Anmerkung gilt nur für bestimmte komplexe Ölderivate in Teil 3.

Anmerkung P:

Die Einstufung als karzinogen oder keimzellmutagen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff weniger als 0,1 Gewichtsprozent Benzol (EINECS-Nr. 200-753-7) enthält.

Ist der Stoff nicht als karzinogen eingestuft, so sind zumindest die Sicherheitshinweise (102-)260-262-301 + 310-331 (Tabelle 3.1) oder die S-Sätze (2-)23-24-62 (Tabelle 3.2) anzuwenden.

Diese Anmerkung gilt nur für bestimmte komplexe Ölderivate in Teil 3.

Anmerkung Q:

Die Einstufung als karzinogen ist nicht zwingend, wenn nachgewiesen werden kann, dass der Stoff eine der nachstehenden Bedingungen erfüllt:

- Mit einem Kurzzeit-Inhalationsbiopersistenztest wurde nachgewiesen, dass die gewichtete Halbwertszeit der Fasern mit einer Länge von über 20 µm weniger als 10 Tage beträgt.
- Mit einem Kurzzeit-Intratrachealbiopersistenztest wurde nachgewiesen, dass die gewichtete Halbwertszeit der Fasern mit einer Länge von über 20 µm weniger als 40 Tage beträgt.
- Bei einem geeigneten Intraperitonealtest ergaben sich keine Belege für übermäßige Karzinogenität.
- Bei einem geeigneten Langzeit-Inhalationstest blieben eine relevante Pathogenität oder neoplastische Veränderungen aus.

Anmerkung R:

Die Einstufung als karzinogen ist nicht zwingend für Fasern, bei denen der längengewichtete mittlere geometrische Durchmesser abzüglich der zweifachen geometrischen Standardabweichung größer ist als 6 µm.

Anmerkung S:

Für diesen Stoff ist gegebenenfalls kein Kennzeichnungsetikett gemäß Artikel 17 erforderlich (siehe Anhang I Kapitel 1.3) (Tabelle 3.1).

Für diesen Stoff ist u. U. kein Kennzeichnungsetikett gemäß Artikel 23 der Richtlinie 67/548/EWG erforderlich (siehe Teil 8 des Anhangs VI jener Richtlinie) (Tabelle 3.2).

Anmerkung T:

Dieser Stoff kann in einer Form in Verkehr gebracht werden, die nicht die physikalischen Eigenschaften aufweist, wie im Einstufungseintrag in Teil 3 angegeben. Wenn die Ergebnisse der einschlägigen Methode/-n gemäß der Verordnung (EG) Nr. 440/2008 zeigen, dass die betreffende Form des in Verkehr gebrachten Stoffes diese physikalische/-n Eigenschaft/-en nicht aufweist, ist der Stoff gemäß den Ergebnissen dieser Prüfung/-en einzustufen. In das Sicherheitsdatenblatt sind die betreffenden Informationen aufzunehmen, einschließlich der Nennung der einschlägigen Prüfmethode/-n.

Anmerkung U (Tabelle 3.1):

Beim Inverkehrbringen müssen die Gase als „Gase unter Druck“ in die Gruppe der verdichteten Gase, der verflüssigten Gase, der tiefgekühlten Gase oder der gelösten Gase eingestuft werden. Die Zuordnung zu einer Gruppe hängt vom Aggregatzustand ab, in dem das Gas verpackt wird, und muss deshalb von Fall zu Fall entschieden werden.

1.1.3.2. *Anmerkungen zur Einstufung und Kennzeichnung von Gemischen*

Anmerkung 1:

Die angegebenen Konzentrationen oder — bei Fehlen einer entsprechenden Angabe — die in der Verordnung festgelegten allgemeinen Konzentrationen (Tabelle 3.1) oder die in der Richtlinie 1999/45/EG festgelegten allgemeinen Konzentrationen sind als Gewichtsprozent des Metalls, bezogen auf das Gesamtgewicht des Gemisches, zu verstehen.

Anmerkung 2:

Die angegebenen Konzentrationen der Isocyanate sind als Gewichtsprozent des freien Monomers, bezogen auf das Gesamtgewicht des Gemisches, zu verstehen.

Anmerkung 3:

Die angegebenen Konzentrationen sind als Gewichtsprozent der in Wasser gelösten Chromationen, bezogen auf das Gesamtgewicht des Gemisches, zu verstehen.

Anmerkung 5:

Die Konzentrationsgrenzwerte für gasförmige Gemische werden in Volumenprozent angegeben.

Anmerkung 7:

Legierungen, die Nickel enthalten, werden als hautsensibilisierend eingestuft, wenn die Freisetzung $0,5 \mu\text{g Ni/cm}^2/\text{Woche}$, gemessen mit Hilfe des Europäischen Standardreferenzprüfverfahrens EN 1811, übersteigt.

1.1.4. **Informationen über die Einstufung und Kennzeichnung der einzelnen Einträge in Tabelle 3.2**

1.1.4.1. *Einstufungscodes*

Die Einstufung für jedes Gefährlichkeitsmerkmal (wie in Artikel 2 Absatz 2 der Richtlinie 67/548/EWG festgelegt) wird in der Regel in Form von Abkürzungen dargestellt, die dem jeweiligen Gefährlichkeitsmerkmal entsprechen, unter Angabe des/der entsprechenden R-Satzes/-Sätze. In bestimmten Fällen (z. B. bei Stoffen, die als entzündbar, sensibilisierend oder umweltgefährlich eingestuft wurden) wird jedoch lediglich der R-Satz angegeben.

Abkürzungen der einzelnen Gefährlichkeitsmerkmale:

- explosiv: E
- entzündend (oxidierend) wirkend: O
- extrem entzündbar: F+
- leicht entzündbar: F

- entzündbar: R10
- sehr giftig: T+
- giftig: T
- gesundheitsschädlich: Xn
- ätzend: C
- reizend: Xi
- sensibilisierend: R42 und/oder R43
- karzinogen: Carc. Cat. (1, 2 oder 3)
- keimzellmutagen: Muta. Cat. (1, 2 or 3)
- reproduktionstoxisch: Repr. Cat. (1, 2 oder 3)
- umweltgefährlich: N oder R52 und/oder R53;

1.1.4.2. Kennzeichnungscodes

- i) Buchstabe, der dem Stoff gemäß Anhang II der Richtlinie 67/548/EWG (siehe Artikel 23 Absatz 2 Buchstabe c der Richtlinie 67/548/EWG) zugeordnet ist. Dieser dient als Abkürzung des Symbols und der Gefahrenbezeichnung (falls diese zugeordnet wurden).
- ii) Hinweise auf besondere Gefahren gemäß Anhang III der Richtlinie 67/548/EWG (siehe Artikel 23 Absatz 2 Buchstabe d der Richtlinie 67/548/EWG), die als eine Reihe von Ziffern mit vorangestelltem „R“ zur Bezeichnung der Art der besonderen Gefahren dargestellt werden. Zwischen den Ziffern steht ein Bindestrich (-) zur getrennten Angabe der besonderen Gefahren (R) oderein Schrägstrich (/) zur kombinierten Angabe der besonderen Gefahren in einem einzigen Satz gemäß Anhang III.
- iii) Sicherheitsratschläge gemäß Anhang IV der Richtlinie 67/548/EWG (siehe Artikel 23 Absatz 2 Buchstabe e der Richtlinie 67/548/EWG), die als eine Reihe von Ziffern mit vorangestelltem „S“ dargestellt werden und die empfohlenen Sicherheitsvorkehrungen wiedergeben. Auch hier werden die Ziffern entweder durch einen Bindestrich oder durch einen Schrägstrich getrennt. Die Bedeutung der empfohlenen Sicherheitsratschläge ist in Anhang IV der Richtlinie 67/548/EWG dargelegt. Die angegebenen Sicherheitsratschläge beziehen sich ausschließlich auf Stoffe; bei Zubereitungen werden die Sätze nach dem üblichen Verfahren ausgewählt.

Bei bestimmten im Einzelhandel erhältlichen gefährlichen Stoffen und Gemischen ist die Angabe bestimmter S-Sätze vorgeschrieben.

Die Angabe von S1, S2 und S45 ist bei allen sehr giftigen, giftigen und ätzenden Stoffen und Gemischen, die im Einzelhandel erhältlich sind, vorgeschrieben.

Die Angabe von S2 und S46 ist bei allen anderen Stoffen und Gemischen, die im Einzelhandel erhältlich sind, vorgeschrieben, mit Ausnahme der nur als umweltgefährlich eingestufteten Stoffe und Zubereitungen.

Die Sicherheitssätze S1 und S2 sind in Anhang I in Klammern angegeben und können nur dann bei der Kennzeichnung weggelassen werden, wenn die Stoffe und Gemische ausschließlich für industrielle Zwecke verkauft werden.

1.1.4.3. Spezifische Konzentrationsgrenzwerte

Konzentrationsgrenzwerte und die entsprechenden toxikologischen Einstufungen, die für eine Einstufung der den entsprechenden Stoff enthaltenden gefährlichen Gemische gemäß der Richtlinie 1999/45/EG erforderlich sind.

Sofern nicht anders angegeben, sind die aufgeführten Konzentrationsgrenzwerte als Gewichtsprozent, bezogen auf das Gesamtgewicht des Gemisches, zu verstehen.

Wenn keine Konzentrationsgrenzwerte angegeben sind, gelten bei Anwendung der konventionellen Methode zur Bewertung des Gesundheitsrisikos die Konzentrationsgrenzwerte des Anhangs II und bei Anwendung der konventionellen Methode zur Bewertung des Umweltrisikos die Konzentrationsgrenzwerte des Anhangs III der Richtlinie 1999/45/EWG des Europäischen Parlaments und des Rates.

1.1.4.4. *Nichtübereinstimmung mit Tabelle 3.1 bei physikalischen Gefahren*

Es wird empfohlen, die physikalischen Gefahren einiger Einträge in Tabelle 3.2 im Rahmen einer künftigen Anpassung an den technischen Fortschritt zu aktualisieren.

Solange diese Einträge nicht aktualisiert sind, stimmen die physikalischen Gefahren der entsprechenden Einträge in den beiden Tabellen nicht miteinander überein. Diese Einträge sind in Tabelle 3.2 durch „⊗“ gekennzeichnet.

1.2. **Einstufungen und Gefahrenhinweise in Tabelle 3.1, falls bei der Umwandlung von Einstufungen aus Anhang I der Richtlinie 67/548/ewg bestimmte überlegungen zu beachten sind**

1.2.1. **Mindesteinstufrung**

Für bestimmte Gefahrenklassen, darunter akute Toxizität und spezifische Zielorgan-Toxizität (wiederholte Exposition), entspricht die Einstufung gemäß den Kriterien der Richtlinie 67/548/EWG nicht direkt der Einstufung in eine Gefahrenklasse und -kategorie gemäß dieser Verordnung. In diesen Fällen gilt die Einstufung in diesen Anhang als Mindesteinstufung. Diese Einstufung gilt, wenn keine der nachstehenden Bedingungen gegeben ist:

- Der Hersteller oder Importeur hat Zugang zu in Anhang I Teil 1 genannten Daten oder anderen Informationen, die zur Einstufung in eine im Vergleich zur Mindesteinstufung strengere Kategorie führen. Dann gilt die strengere Einstufung in die höhere Kategorie.
- Die Mindesteinstufung kann auf der Grundlage der Umwandlungstabelle in Anhang VII weiter verfeinert werden, wenn dem Hersteller oder Importeur der Aggregatzustand des bei der Prüfung auf akute Inhalationstoxizität verwendeten Stoffes bekannt ist. Die sich aus Anhang VII ergebende Einstufung tritt dann an die Stelle der in diesem Anhang angegebenen Mindesteinstufung, falls sie von dieser abweicht.

Die Mindesteinstufung in Bezug auf eine Kategorie ist in Tabelle 3.1 in der Spalte „Einstufung“ durch „*“ gekennzeichnet.

Das Zeichen „*“ ist auch in der Spalte „Spezifische Konzentrationsgrenzwerte und M-Faktoren“ zu finden, wo es anzeigt, dass für den betreffenden Eintrag bestimmte Konzentrationsgrenzwert für akute Toxizität gemäß der Richtlinie 67/548/EWG (Tabelle 3.2) gelten. Die Konzentrationsgrenzwerte können allerdings nicht in Konzentrationsgrenzwerte dieser Verordnung umgewandelt werden, was insbesondere im Fall einer Mindesteinstufung ausgeschlossen ist. Wenn das Zeichen „*“ angegeben wird, ist der Einstufung dieses Eintrags als akut toxisch dennoch besondere Beachtung beizumessen.

1.2.2. **Expositionsweg kann nicht ausgeschlossen werden**

Für bestimmte Gefahrenklassen, z. B. STOT, sollte der Expositionsweg im Gefahrenhinweis nur dann angegeben werden, wenn schlüssig belegt ist, dass diese Gefahr gemäß den Kriterien des Anhangs I bei keinem anderen Expositionsweg besteht. Gemäß der Richtlinie 67/548/EWG wurde der Expositionsweg für Einstufungen als R48 angegeben, wenn Daten vorlagen, die eine Einstufung für diesen Expositionsweg rechtfertigten. Die Einstufung gemäß der Richtlinie 67/548/EWG, bei der der Expositionsweg angegeben ist, wurde in die entsprechende Klasse und Kategorie gemäß dieser Verordnung umgewandelt, jedoch mit einem allgemeinen Gefahrenhinweis ohne Angabe des Expositionswegs, da die erforderlichen Informationen nicht verfügbar sind.

Diese Gefahrenhinweise sind in Tabelle 3.1 durch „***“ gekennzeichnet.

1.2.3. **Gefahrenhinweise für die Reproduktionstoxizität**

Die Gefahrenhinweise H360 und H361 weisen darauf hin, dass allgemein Anlass zur Besorgnis aufgrund von Wirkungen sowohl auf die Fruchtbarkeit als auch auf die Entwicklung besteht: „Kann die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen“, „Kann vermutlich die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen“. Den Kriterien zufolge kann der allgemeine Gefahrenhinweis ersetzt werden durch den Gefahrenhinweis, der nur die Eigenschaft anzeigt, aufgrund deren Anlass zu Besorgnis besteht, falls entweder die Wirkungen auf die Fruchtbarkeit oder die Wirkungen auf die Entwicklung nachweislich nicht relevant sind.

Damit keine Informationen aus den harmonisierten Einstufungen für Wirkungen auf Fruchtbarkeit oder Entwicklung gemäß der Richtlinie 67/548/EWG verlorengehen, wurden die Einstufungen nur für Wirkungen übertragen, die bereits im Rahmen dieser Richtlinie eingestuft sind.

Diese Gefahrenhinweise sind in Tabelle 3.1 durch „***“ gekennzeichnet.

1.2.4. **Ordnungsgemäße Einstufung nach physikalischen Gefahren konnte nicht vorgenommen werden**

Für einige Einträge konnte eine ordnungsgemäße Einstufung nach physikalischen Gefahren nicht vorgenommen werden, da keine ausreichenden Daten für die Anwendung der Einstufungskriterien dieser Verordnung zur Verfügung stehen. Der betreffende Eintrag kann einer anderen (auch höheren) Kategorie oder sogar einer anderen Gefahrenklasse als den angegebenen Kategorien oder Gefahrenklassen zugeordnet werden. Die ordnungsgemäße Einstufung ist durch Prüfungen zu bestätigen.

Die Einträge mit physikalischen Gefahren, die durch Prüfungen bestätigt werden müssen, werden in Tabelle 3.1 mit „****“ gekennzeichnet.

2. TEIL 2: DOSSIERS FÜR HARMONISIERTE EINSTUFUNG UND KENNZEICHNUNG

In diesem Teil werden allgemeine Grundsätze für die Vorbereitung der Dossiers festgelegt, mit denen eine harmonisierte Einstufung und Kennzeichnung vorgeschlagen und begründet wird.

Für Methodik und Format der Dossiers sind die einschlägigen Teile der Abschnitte 1, 2 und 3 des Anhangs I der Verordnung (EG) Nr. 1907/2006 zugrunde zu legen.

Für sämtliche Dossiers sind alle einschlägigen Informationen aus Registrierungsdossiers zu berücksichtigen und es können weitere verfügbare Informationen verwendet werden. Für Gefahrenmerkmale, die der Agentur noch nicht unterbreitet wurden, ist dem Dossier eine qualifizierte Studienzusammenfassung beizulegen.

Ein Dossier für die harmonisierte Einstufung und Kennzeichnung muss Folgendes enthalten:

— Vorschlag

Der Vorschlag umfasst die Identität des/der betreffenden Stoffe/-s und die vorgeschlagene harmonisierte Einstufung und Kennzeichnung.

— Begründung der vorgeschlagenen Einstufung und Kennzeichnung

Die verfügbaren Informationen sind mit den Kriterien des Anhangs I Teile 2 bis 5 unter besonderer Berücksichtigung der allgemeinen Grundsätze in Teil 1 zu vergleichen und in dem Format, das in Teil B des Stoffsicherheitsberichts des Anhangs I der Verordnung (EG) Nr. 1907/2006 festgelegt ist, zu dokumentieren.

— Begründung für andere Wirkungen auf Gemeinschaftsebene

Für andere Wirkungen als karzinogene, keimzellmutagene, reproduktionstoxische und die Atemwege sensibilisierende Wirkungen muss begründet werden, dass ein Handeln auf Gemeinschaftsebene erforderlich ist. Dies gilt nicht für Wirkstoffe im Sinne der Richtlinie 91/414/EWG oder der Richtlinie 98/8/EG.

3. TEIL 3: HARMONISIERTE EINSTUFUNG UND KENNZEICHNUNG — TABELLEN

Tabelle 3.1: Die Liste der harmonisierten Einstufung und Kennzeichnung gefährlicher Stoffe ist in einem eigenen Band IIIa enthalten.

Tabelle 3.2: Die Liste der harmonisierten Einstufung und Kennzeichnung gefährlicher Stoffe aus Anhang I der Richtlinie 67/548/EWG ist in einem eigenen Band IIIb enthalten.

Tabelle 3.1

Liste der harmonisierten Einstufung und Kennzeichnung gefährlicher Stoffe

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
001-001-00-9	hydrogen	215-605-7	1333-74-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
001-002-00-4	aluminium lithium hydride	240-877-9	16853-85-3	Water-react. 1	H260	GHS02 Dgr	H260			
001-003-00-X	sodium hydride	231-587-3	7646-69-7	Water-react. 1	H260	GHS02 Dgr	H260			
001-004-00-5	calcium hydride	232-189-2	7789-78-8	Water-react. 1	H260	GHS02 Dgr	H260			
003-001-00-4	lithium	231-102-5	7439-93-2	Water-react. 1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		
003-002-00-X	n-hexyllithium	404-950-0	21369-64-2	Water-react. 1 Pyr. Sol. 1 Skin Corr. 1A	H260 H250 H314	GHS02 GHS05 Dgr	H260 H250 H314	EUH014		
004-001-00-7	beryllium	231-150-7	7440-41-7	Carc. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H350i H330 H301 H372 ** H319 H335 H315 H317	GHS06 GHS08 Dgr	H350i H330 H301 H372 ** H319 H335 H315 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
004-002-00-2	beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex	—	—	Carc. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H350i H330 H301 H372 **	GHS06 GHS08 GHS09 Dgr	H350i H330 H301 H372 ** H319 H335 H315 H317 H411			A
004-003-00-8	beryllium oxide	215-133-1	1304-56-9	Carc. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H350i H330 H301 H372 **	GHS06 GHS08 Dgr	H350i H330 H301 H372 ** H319 H335 H315 H317			
005-001-00-X	boron trifluoride	231-569-5	7637-07-2	Press. Gas Acute Tox. 2 * Skin Corr. 1A	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314	EUH014		U
005-002-00-5	boron trichloride	233-658-4	10294-34-5	Press. Gas Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1B	H330 H300 H314	GHS04 GHS06 GHS05 Dgr	H330 H300 H314	EUH014		U
005-003-00-0	boron tribromide	233-657-9	10294-33-4	Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1A	H330 H300 H314	GHS06 GHS05 Dgr	H330 H300 H314	EUH014		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
005-004-00-6	trialkylboranes, solid	—	—	Pyr. Sol. 1 Skin Corr. 1B	H250 H314	GHS02 GHS05 Dgr	H250 H314			A
005-004-01-3	trialkylboranes, liquid	—	—	Pyr. Liq. 1 Skin Corr. 1B	H250 H314	GHS02 GHS05 Dgr	H250 H314			A
005-005-00-1	trimethyl borate	204-468-9	121-43-7	Flam. Liq. 3 Acute Tox. 4 *	H226 H312	GHS02 GHS07 Wng	H226 H312			
005-006-00-7	dibutyltin hydrogen borate	401-040-5	75113-37-0	STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H372 ** H312 H302 H318 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H372 ** H312 H302 H318 H317 H410			
005-009-00-3	tetrabutylammonium butyltriphenylborate	418-080-4	120307-06-4	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
005-010-00-9	N,N-dimethylanilinium tetrakis(pentafluorophenyl)borate	422-050-6	118612-00-3	Carc. 2 Acute Tox. 4 * Skin Irrit. 2 Eye Dam. 1	H351 H302 H315 H318	GHS08 GHS05 GHS07 Dgr	H351 H302 H315 H318			
005-012-00-X	diethyl{4-[1,5,5-tris(4-diethylaminophenyl)penta-2,4-dienylidene]cyclohexa-2,5-dienylidene}ammonium butyltriphenylborate	418-070-1	141714-54-7	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-001-00-2	carbon monoxide	211-128-3	630-08-0	Flam. Gas 1 Press. Gas Repr. 1A Acute Tox. 3 * STOT RE 1	H220 H360D *** H331 H372 **	GHS02 GHS04 GHS06 GHS08 Dgr	H220 H360D *** H331 H372 **			U
006-002-00-8	phosgene; carbonyl chloride	200-870-3	75-44-5	Press. Gas Acute Tox. 2 * Skin Corr. 1B	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314			U
006-003-00-3	carbon disulphide	200-843-6	75-15-0	Flam. Liq. 2 Repr. 2 STOT RE 1 Eye Irrit. 2 Skin Irrit. 2	H225 H361fd H372 ** H319 H315	GHS02 GHS08 GHS07 Dgr	H225 H361fd H372 ** H319 H315	Repr. 2; H361fd: C ≥ 1 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.2 % ≤ C < 1 %		
006-004-00-9	calcium carbide	200-848-3	75-20-7	Water-react. 1	H260	GHS02 Dgr	H260			T
006-005-00-4	thiram (ISO); tetramethylthiuram disulphide	205-286-2	137-26-8	Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H373 ** H319 H315 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H332 H302 H373 ** H319 H315 H317 H410	M=10		
006-006-00-X	hydrogen cyanide; hydrocyanic acid	200-821-6	74-90-8	Flam. Liq. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H224 H330 H400 H410	GHS02 GHS06 GHS09 Dgr	H224 H330 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-006-01-7	hydrogen cyanide ... %; hydrocyanic acid ... %	200-821-6	74-90-8	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410			B
006-007-00-5	salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide	—	—	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410	EUH032		A
006-008-00-0	antu (ISO); 1-(1-naphthyl)-2-thiourea	201-706-3	86-88-4	Acute Tox. 2 * Carc. 2	H300 H351	GHS06 GHS08 Dgr	H300 H351			
006-009-00-6	1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate; isolan	204-318-2	119-38-0	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
006-010-00-1	5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate; dimetan	204-525-8	122-15-6	Acute Tox. 3 *	H301	GHS06 Dgr	H301			
006-011-00-7	carbaryl (ISO); 1-naphthyl methylcarbamate	200-555-0	63-25-2	Carc. 2 Acute Tox. 4 * Aquatic Acute 1	H351 H302 H400	GHS08 GHS07 GHS09 Wng	H351 H302 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-012-00-2	ziram (ISO); zinc bis dimethyldithiocarbamate	205-288-3	137-30-4	Acute Tox. 2 * Acute Tox. 4 * STOT RE 2 * STOT SE 3 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H302 H373 ** H335 H318 H317 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H330 H302 H373 ** H335 H318 H317 H410		M=100	
006-013-00-8	metam-sodium (ISO); sodium methyldithiocarbamate	205-293-0	137-42-8	Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H317 H410	EUH031		
006-014-00-3	nabam (ISO); disodium ethylenebis(N, N'-dithiocarbamate)	205-547-0	142-59-6	Acute Tox. 4 * STOT SE 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H335 H317 H410	GHS07 GHS09 Wng	H302 H335 H317 H410			
006-015-00-9	diuron (ISO); 3-(3,4-dichlorophenyl)-1,1-dimethylurea	206-354-4	330-54-1	Carc. 2 Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H373 ** H410			
006-016-00-4	propoxur (ISO); 2-isopropoxyphenyl N-methylcarbamate; 2-isopropoxyphenyl methylcarbamate	204-043-8	114-26-1	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-017-00-X	aldicarb (ISO); 2-methyl-2-(methylthio)propanal-O-(N-methylcarbamoyl)oxime	204-123-2	116-06-3	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H311 H400 H410	GHS06 GHS09 Dgr	H330 H300 H311 H410			
006-018-00-5	aminocarb (ISO); 4-dimethylamino-3-tolyl methylcarbamate	217-990-7	2032-59-9	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410			
006-019-00-0	di-allate (ISO); S-(2,3-dichloroallyl)-N,N-diisopropylthiocarbamate	218-961-1	2303-16-4	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H410			
006-020-00-6	barban (ISO); 4-chlorbut-2-ynyl N-(3-chlorophenyl)carbamate	202-930-4	101-27-9	Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
006-021-00-1	linuron (ISO); 3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea	206-356-5	330-55-2	Repr. 1B Carc. 2 Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H351 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Dgr	H360Df H351 H302 H373 ** H410			
006-022-00-7	decarbofuran (ISO); 2,3-dihydro-2-methylbenzofuran-7-yl methylcarbamate	—	1563-67-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-023-00-2	mercaptodimethur (ISO); methiocarb (ISO); 3,5-dimethyl-4-methylthiophenyl N-methylcarbamate	217-991-2	2032-65-7	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			
006-024-00-8	proxan-sodium (ISO); sodium O-isopropylthiocarbonate	205-443-5	140-93-2	Acute Tox. 4 * Skin Irrit. 2 Aquatic Chronic 2	H302 H315 H411	GHS07 GHS09 Wng	H302 H315 H411			
006-025-00-3	allethrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; bioallethrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [1] S-bioallethrin; (S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [2] esbiothrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [3]	209-542-4 [1] 249-013-5 [2] — [3]	584-79-2 [1] 28434-00-6 [2] 84030-86-4 [3]	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H400 H410	GHS07 GHS09 Wng	H332 H302 H410		C	
006-026-00-9	carbofuran (ISO); 2,3-dihydro-2,2-dimethylbenzofuran-7-yl N-methylcarbamate	216-353-0	1563-66-2	Acute Tox. 2 * Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H400 H410	GHS06 GHS09 Dgr	H330 H300 H410			
006-028-00-X	dinobuton (ISO); 2-(1-methylpropyl)-4,6-dinitrophenyl isopropyl carbonate	213-546-1	973-21-7	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-029-00-5	dioxacarb (ISO); 2-(1,3-dioxolan-2-yl)phenyl N-methylcarbamate	230-253-4	6988-21-2	Acute Tox. 3 * Aquatic Chronic 2	H301 H411	GHS06 GHS09 Dgr	H301 H411			
006-030-00-0	EPTC (ISO); S-ethyl dipropylthiocarbamate	212-073-8	759-94-4	Acute Tox. 4 *	H302	GHS07 Wng	H302			
006-031-00-6	formetanate (ISO); 3-[(E)-dimethylaminomethyleneamino] phenyl methylcarbamate	244-879-0	22259-30-9	Acute Tox. 2 * Acute Tox. 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H317 H400 H410	GHS06 GHS09 Dgr	H330 H300 H317 H410			
006-032-00-1	monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea	217-129-5	1746-81-2	Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 ** H410			
006-033-00-7	metoxuron (ISO); 3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea	243-433-2	19937-59-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
006-034-00-2	pebulate (ISO); N-butyl-N-ethyl-S-propylthiocarbamate	214-215-4	1114-71-2	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
006-035-00-8	pirimicarb (ISO); 5,6-dimethyl-2-dimethylamino-pyrimidin-4-yl N,N-dimethylcarbamate	245-430-1	23103-98-2	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			
006-036-00-3	benzthiazuron (ISO); 1-benzothiazol-2-yl-3-methylurea	217-685-9	1929-88-0	Acute Tox. 4 *	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-037-00-9	promecarb (ISO); 3-isopropyl-5-methylphenyl N-methylcarbamate	220-113-0	2631-37-0	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			
006-038-00-4	sulfallate (ISO); 2-chloroallyl N,N-dimethyldithiocarbamate	202-388-9	95-06-7	Carc. 1B Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			
006-039-00-X	tri-allate (ISO); S—2,3,3-trichloroallyl diisopropylthiocarbamate	218-962-7	2303-17-5	Acute Tox. 4 * STOT RE 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H317 H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 ** H317 H410			
006-040-00-5	3-methylpyrazol-5-yl-dimethylcarbamate; monometilan	—	2532-43-6	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			
006-041-00-0	dimethylcarbamoyl chloride	201-208-6	79-44-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H350 H331 H302 H319 H335 H315	GHS06 GHS08 Dgr	H350 H331 H302 H319 H335 H315	Carc. 1B; H350: C ≥ 0,001 %		
006-042-00-6	monuron (ISO); 3-(4-chlorophenyl)-1,1-dimethylurea	205-766-1	150-68-5	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-043-00-1	3-(4-chlorophenyl)-1,1-dimethyluronium trichloroacetate; monuron-TCA	—	140-41-0	Carc. 2 Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H319 H315 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H319 H315 H410			
006-044-00-7	isoproturon (ISO); 3-(4-isopropylphenyl)-1,1-dimethylurea	251-835-4	34123-59-6	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410	M=10		
006-045-00-2	methomyl (ISO); 1-(methylthio)ethylideneamino N-methylcarbamate	240-815-0	16752-77-5	Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H300 H400 H410	GHS06 GHS09 Dgr	H300 H410			
006-046-00-8	bendiocarb (ISO); 2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate	245-216-8	22781-23-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H312 H410	GHS06 GHS09 Dgr	H331 H301 H312 H410			
006-047-00-3	bufencarb (ISO); reaction mass of 3-(1-methylbutyl)phenyl N-methylcarbamate and 3-(1-ethylpropyl)phenyl N-methylcarbamate	—	8065-36-9	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410			
006-048-00-9	ethiofencarb (ISO); 2-(ethylthiomethyl)phenyl N-methylcarbamate	249-981-9	29973-13-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
006-049-00-4	dixanthogen; O,O-diethyl dithiobis(thioformate)	207-944-4	502-55-6	Acute Tox. 4 *	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-050-00-X	1,1-dimethyl-3-phenyluronium trichloroacetate; fenuron-TCA	—	4482-55-7	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
006-051-00-5	ferbam (ISO); iron tris(dimethyldithiocarbamate)	238-484-2	14484-64-1	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H410			
006-052-00-0	formetanate hydrochloride; 3-(N,N-dimethylaminomethyleneamino) phenyl N-methylcarbamate	245-656-0	23422-53-9	Acute Tox. 2 * Acute Tox. 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H317 H400 H410	GHS06 GHS09 Dgr	H330 H300 H317 H410			
006-053-00-6	isoprocarb (ISO); 2-isopropylphenyl N-methylcarbamate	220-114-6	2631-40-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
006-054-00-1	mexacarbate (ISO); 3,5-dimethyl-4-dimethylaminophenyl N-methylcarbamate	206-249-3	315-18-4	Acute Tox. 2 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H300 H312 H400 H410	GHS06 GHS09 Dgr	H300 H312 H410			
006-055-00-7	xylylcarb (ISO); 3,4-dimethylphenyl N-methylcarbamate; 3,4-xylyl methylcarbamate; MPMC	219-364-9	2425-10-7	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
006-056-00-2	metolcarb (ISO); m-tolyl methylcarbamate; MTMC	214-446-0	1129-41-5	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-057-00-8	nitrapyrin (ISO); 2-chloro-6-trichloromethylpyridine	217-682-2	1929-82-4	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
006-058-00-3	noruron (ISO); 1,1-dimethyl-3-(perhydro-4,7-methanoin- den-5-yl)urea	—	2163-79-3	Acute Tox. 4 *	H302	GHS07 Wng	H302			
006-059-00-9	oxamyl (ISO); N,N'-dimethylcarbomyl(methylthio)methy- lenamine N-methylcarbamate;	245-445-3	23135-22-0	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 4 * Aquatic Chronic 2	H330 H300 H312 H411	GHS06 GHS09 Dgr	H330 H300 H312 H411			
006-060-00-4	oxycarboxin (ISO); 2,3-dihydro-6-methyl-5-(N-phenylcarba- moyl)-1,4-oxothiine 4,4-dioxide	226-066-2	5259-88-1	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
006-061-00-X	S-ethyl N-(dimethylaminopropyl)thiocarba- matehydrochloride; prothiocarb hydrochloride	243-193-9	19622-19-6	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
006-062-00-5	methyl 3,4-dichlorophenylcarbanilate; SWEP.	—	1918-18-9	Acute Tox. 4 *	H302	GHS07 Wng	H302			
006-063-00-0	thiobencarb (ISO); S-4-chlorobenzyl diethylthiocarbamate	248-924-5	28249-77-6	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
006-064-00-6	thiofanox (ISO); 3,3-dimethyl-1-(methylthio)butanone-O-(N- methylcarbomyl)oxime	254-346-4	39196-18-4	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-065-00-1	3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(N-methylcarbamoyl)oxime; triamid	—	15271-41-7	Acute Tox. 2 * Acute Tox. 3 * Aquatic Chronic 2	H300 H311 H411	GHS06 GHS09 Dgr	H300 H311 H411			
006-066-00-7	vernolate (ISO); S-propyl dipropylthiocarbamate	217-681-7	1929-77-7	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
006-067-00-2	XMC; 3,5-xylyl methylcarbamate	—	2655-14-3	Acute Tox. 4 *	H302	GHS07 Wng	H302			
006-068-00-8	diazomethane	206-382-7	334-88-3	Carc. 1B	H350	GHS08 Dgr	H350			
006-069-00-3	thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido)benzene	245-740-7	23564-05-8	Muta. 2 Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H332 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H341 H332 H317 H410			
006-070-00-9	furmecyclohex (ISO); N-cyclohexyl-N-methoxy-2,5-dimethyl-3-furamide	262-302-0	60568-05-0	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
006-071-00-4	cyclooct-4-en-1-yl methyl carbonate	401-620-8	87731-18-8	Skin Sens. 1	H317	GHS07 Wng	H317			
006-072-00-X	prosulfocarb (ISO); S-benzyl N,N-dipropylthiocarbamate	401-730-6	52888-80-9	Acute Tox. 4 * Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
006-073-00-5	3-(dimethylamino)propylurea	401-950-2	31506-43-1	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-074-00-0	2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate	402-440-2	2094-99-7	Acute Tox. 2 * Skin Corr. 1B STOT RE 2 * Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H314 H373 ** H334 H317 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H330 H314 H373 ** H334 H317 H410			
006-076-00-1	mancozeb (ISO)	—	8018-01-7	STOT SE 3 Skin Sens. 1	H335 H317	GHS07 Wng	H335 H317			
006-077-00-7	maneb (ISO)	235-654-8	12427-38-2	STOT SE 3 Skin Sens. 1	H335 H317	GHS07 Wng	H335 H317			
006-078-00-2	zineb (ISO); zinc ethylenebis(dithiocarbamate) (polymeric)	235-180-1	12122-67-7	STOT SE 3 Skin Sens. 1	H335 H317	GHS07 Wng	H335 H317			
006-079-00-8	disulfiram; tetraethylthiuramdisulfide	202-607-8	97-77-8	Acute Tox. 4 * STOT RE 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H317 H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 ** H317 H410			
006-080-00-3	tetramethylthiuram monosulphide	202-605-7	97-74-5	Acute Tox. 4 * Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
006-081-00-9	zinc bis(dibutylthiocarbamate)	205-232-8	136-23-2	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H317 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-082-00-4	zinc bis(diethylthiocarbamate)	238-270-9	14324-55-1	Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H317 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H317 H410			
006-083-00-X	butocarboxim (ISO); 3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime	252-139-3	34681-10-2	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H226 H331 H311 H301 H319 H400 H410	GHS02 GHS06 GHS09 Dgr	H226 H331 H311 H301 H319 H410			
006-084-00-5	carbosulfan (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio]methylcarbamate	259-565-9	55285-14-8	Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H317 H400 H410	GHS06 GHS09 Dgr	H331 H301 H317 H410			
006-085-00-0	fenobucarb (ISO); 2-butylphenyl methylcarbamate	223-188-8	3766-81-2	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
006-086-00-6	ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate; fenoxycarb	276-696-7	72490-01-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
006-087-00-1	2,3-dihydro-2,2-dimethyl-7-benzofuryl 2,4-dimethyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate; furathiocarb	265-974-3	65907-30-4	Acute Tox. 2 * Acute Tox. 3 * STOT RE 2 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H301 H373 ** H319 H315 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H301 H373 ** H319 H315 H317 H410			
006-088-00-7	benfuracarb; ethyl N-[2,3-dihydro-2,2-dimethylbenzofuran-7-yloxycarbonyl(methyl)aminothio]-N-isopropyl-β-alaninate	—	82560-54-1	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410			
006-089-00-2	chlorine dioxide	233-162-8	10049-04-4	Ox. Gas 1 Press. Gas Acute Tox. 2 * Skin Corr. 1B Aquatic Acute 1	H270 H330 H314 H400	GHS03 GHS04 GHS06 GHS05 GHS09 Dgr	H270 H330 H314 H400	EUH006	M=1000	U
006-089-01-X	chlorine dioxide . . . %	233-162-8	10049-04-4	Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H301 H314 H400		Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 0,3 % ≤ C < 10 % STOT SE 3; H335: C ≥ 3 % M=10	B
006-090-00-8	2-(3-iodoprop-2-yn-1-yloxy)ethyl phenyl-carbamate	408-010-0	88558-41-2	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 3	H332 H318 H412	GHS05 GHS07 Dgr	H332 H318 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
007-001-00-5	ammonia, anhydrous	231-635-3	7664-41-7	Flam. Gas 2 Press. Gas Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H221 H331 H314 H400	GHS04 GHS06 GHS05 GHS09 Dgr	H221 H331 H314 H400			U
007-001-01-2	ammonia%	215-647-6	1336-21-6	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400		STOT SE 3; H335: C ≥ 5 %	B
007-002-00-0	nitrogen dioxide; [1] dinitrogen tetraoxide [2]	233-272-6 [1] 234-126-4 [2]	10102-44-0 [1] 10544-72-6 [2]	Press. Gas Acute Tox. 2 * Skin Corr. 1B	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314		*	U 5
007-003-00-6	chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride	213-666-4	999-81-5	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			
007-004-00-1	nitric acid ... %	231-714-2	7697-37-2	Ox. Liq. 3 Skin Corr. 1A	H272 H314	GHS03 GHS05 Dgr	H272 H314		Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 % Ox. Liq. 3; H272: C ≥ 65 %	B
007-006-00-2	ethyl nitrite	203-722-6	109-95-5	Flam. Gas 1 Press. Gas Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H220 H332 H312 H302	GHS02 GHS04 GHS07 Dgr	H220 H332 H312 H302			U
007-007-00-8	ethyl nitrate	210-903-3	625-58-1	Unst. Expl.	H200	GHS01 Dgr	H200			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
007-008-00-3	hydrazine	206-114-9	302-01-2	Flam. Liq. 3 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H350 H331 H311 H301 H314 H317 H400 H410	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H226 H350 H331 H311 H301 H314 H317 H410	Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 3 % ≤ C < 10 %		
007-009-00-9	dicyclohexylammonium nitrite	221-515-9	3129-91-7	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302	*		
007-010-00-4	sodium nitrite	231-555-9	7632-00-0	Ox. Sol. 3 Acute Tox. 3 * Aquatic Acute 1	H272 H301 H400	GHS03 GHS06 GHS09 Dgr	H272 H301 H400	*		
007-011-00-X	potassium nitrite	231-832-4	7758-09-0	Ox. Sol. 2 Acute Tox. 3 * Aquatic Acute 1	H272 H301 H400	GHS03 GHS06 GHS09 Dgr	H272 H301 H400	*		
007-012-00-5	N,N-dimethylhydrazine	200-316-0	57-14-7	Flam. Liq. 2 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H225 H350 H331 H301 H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H331 H301 H314 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
007-013-00-0	1,2-dimethylhydrazine	—	540-73-8	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H350 H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H411		Carc. 1B; H350: C ≥ 0.01 %	
007-014-00-6	salts of hydrazine	—	—	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H311 H301 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H317 H410			A
007-015-00-1	O-ethylhydroxylamine	402-030-3	624-86-2	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H225 H331 H311 H301 H372 ** H319 H317 H400	GHS02 GHS06 GHS08 GHS09 Dgr	H225 H331 H311 H301 H372 ** H319 H317 H400			
007-016-00-7	butyl nitrite	208-862-1	544-16-1	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 *	H225 H331 H301	GHS02 GHS06 Dgr	H225 H331 H301			
007-017-00-2	isobutyl nitrite	208-819-7	542-56-3	Flam. Liq. 2 Carc. 1B Muta. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H350 H341 H332 H302	GHS02 GHS08 GHS07 Dgr	H225 H350 H341 H332 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
007-018-00-8	sec-butyl nitrite	213-104-8	924-43-6	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			
007-019-00-3	tert-butyl nitrite	208-757-0	540-80-7	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			
007-020-00-9	pentyl nitrite; [1] 'amyl nitrite', mixed isomers [2]	207-332-7 [1] 203-770-8 [2]	463-04-7 [1] 110-46-3 [2]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			
007-021-00-4	hydrazobenzene; 1,2-diphenylhydrazine	204-563-5	122-66-7	Carc. 1B Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			
007-022-00-X	hydrazine bis(3-carboxy-4-hydroxybenzen-sulfonate)	405-030-1	—	Carc. 1B Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H350 H302 H314 H317 H412	GHS08 GHS05 GHS07 Dgr	H350 H302 H314 H317 H412			
007-023-00-5	sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate	405-510-0	—	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
007-024-00-0	2-(decylthio)ethylammonium chloride	405-640-8	36362-09-1	STOT RE 2 * Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 ** H315 H318 H400 H410	GHS08 GHS05 GHS09 Dgr	H373 ** H315 H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
007-025-00-6	(4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride	406-090-1	81880-96-8	Muta. 2 Acute Tox. 3 * STOT RE 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H301 H372 ** H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H301 H372 ** H317 H410			
007-026-00-1	oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylaceto-hydrazide	413-230-5	122035-71-6	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
007-027-00-7	1,6-bis(3,3-bis((1-methylpentylidenimino)propyl)ureido)hexane	420-190-2	771478-66-1	Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H373 ** H314 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H312 H302 H373 ** H314 H317 H410			
008-001-00-8	oxygen	231-956-9	7782-44-7	Ox. Gas 1 Press. Gas	H270	GHS03 GHS04 Dgr	H270			U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
008-003-00-9	hydrogen peroxide solution ... %	231-765-0	7722-84-1	Ox. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H271 H332 H302 H314	GHS03 GHS05 GHS07 Dgr	H271 H332 H302 H314		Ox. Liq. 1; H271: C ≥ 70 %**** Ox. Liq. 2; H272: 50 % ≤ C < 70 % **** * Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: 8 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335; C ≥ 35 %	B
009-001-00-0	fluorine	231-954-8	7782-41-4	Ox. Gas 1 Press. Gas Acute Tox. 2 * Skin Corr. 1A	H270 H330 H314	GHS03 GHS04 GHS06 GHS05 Dgr	H270 H330 H314			U
009-002-00-6	hydrogen fluoride	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314			
009-003-00-1	hydrofluoric acid ... %	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314		Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
009-004-00-7	sodium fluoride	231-667-8	7681-49-4	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2	H301 H319 H315	GHS06 Dgr	H301 H319 H315	EUH032		
009-005-00-2	potassium fluoride	232-151-5	7789-23-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			
009-006-00-8	ammonium fluoride	235-185-9	12125-01-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			
009-007-00-3	sodium bifluoride; sodium hydrogen difluoride	215-608-3	1333-83-1	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	
009-008-00-9	potassium bifluoride; potassium hydrogen difluoride	232-156-2	7789-29-9	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	
009-009-00-4	ammonium bifluoride; ammonium hydrogen difluoride	215-676-4	1341-49-7	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
009-010-00-X	fluoroboric acid ... %	240-898-3	16872-11-0	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B
009-011-00-5	fluorosilicic acid ... %	241-034-8	16961-83-4	Skin Corr. 1B	H314	GHS05 Dgr	H314			B
009-012-00-0	alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3]	240-934-8 [1] 240-896-2 [2] 240-968-3 [3]	16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301		*	A
009-013-00-6	fluorosilicates, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 4 *	H302	GHS07 Wng	H302		*	A
009-014-00-1	lead hexafluorosilicate	247-278-1	25808-74-6	Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360-Df H332 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Dgr	H360Df H332 H302 H373 ** H410			1
009-015-00-7	sulphuryl difluoride	220-281-5	2699-79-8	Press. Gas Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H373 ** H400	GHS04 GHS06 GHS08 GHS09 Dgr	H331 H373 ** H400			U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
009-016-00-2	trisodium hexafluoroaluminate; cryolite	237-410-6 239-148-8	13775-53-6 15096-52-3	STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H372 ** H332 H302 H411	GHS08 GHS07 GHS09 Dgr	H372 ** H332 H302 H411			C
009-017-00-8	potassium mu-fluoro-bis(triethylaluminium)	400-040-2	12091-08-6	Flam. Sol. 1 Water-react. 1 Skin Corr. 1A Acute Tox. 4 *	H228 H270 H314 H332	GHS02 GHS05 GHS07 Dgr	H228 H270 H314 H332	EUH014		T
009-018-00-3	magnesium hexafluorosilicate	241-022-2	16949-65-8	Acute Tox. 3 *	H301	GHS06 Dgr	H301		*	
011-001-00-0	sodium	231-132-9	7440-23-5	Water-react. 1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		
011-002-00-6	sodium hydroxide; caustic soda	215-185-5	1310-73-2	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %	
011-003-00-1	sodium peroxide	215-209-4	1313-60-6	Ox. Sol. 1 Skin Corr. 1A	H271 H314	GHS03 GHS05 Dgr	H271 H314			
011-004-00-7	sodium azide	247-852-1	26628-22-8	Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H300 H400 H410	GHS06 GHS09 Dgr	H300 H400 H410	EUH032		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
011-005-00-2	sodium carbonate	207-838-8	497-19-8	Eye Irrit. 2	H319	GHS07 Wng	H319			
011-006-00-8	sodium cyanate	213-030-6	917-61-3	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
011-007-00-3	propoxycarbazone-sodium	—	181274-15-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410		M=10	
012-001-00-3	magnesium powder (pyrophoric)	231-104-6	7439-95-4	Water-react. 1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250			T
012-002-00-9	magnesium, powder or turnings	231-104-6	—	Flam. Sol. 1 Water-react. 2 Self-heat. 1	H228 H261 H252	GHS02 Dgr	H228 H261 H252			T
012-003-00-4	magnesium alkyls	—	—	Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B	H250 H260 H314	GHS02 GHS05 Dgr	H250 H260 H314	EUH014		A
013-001-00-6	aluminium powder (pyrophoric)	231-072-3	7429-90-5	Water-react. 2 Pyr. Sol. 1	H261 H250	GHS02 Dgr	H261 H250			T
013-002-00-1	aluminium powder (stabilised)	231-072-3	—	Water-react. 2 Flam.Sol. 3	H261 H228	GHS02 Dgr	H261 H228			T
013-003-00-7	aluminium chloride, anhydrous	231-208-1	7446-70-0	Skin Corr. 1B	H314	GHS05 Dgr	H314			
013-004-00-2	aluminium alkyls	—	—	Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B	H250 H260 H314	GHS02 GHS05 Dgr	H250 H260 H314	EUH014		A
013-005-00-8	diethyl(ethyltrimethylsilanolato)aluminium	401-160-8	55426-95-4	Water-react. 1 Pyr. Liq. 1 Skin Corr. 1A	H260 H250 H314	GHS02 GHS05 Dgr	H260 H250 H314	EUH014		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
013-006-00-3	(ethyl-3-oxobutanoato-O'1,O'3)(2-dimethylaminoethanolato)(1-methoxypropan-2-olato)aluminium(III), dimerised	402-370-2	—	Flam. Liq. 3 Eye Dam. 1	H226 H318	GHS02 GHS05 Dgr	H226 H318			
013-007-00-9	poly(oxo(2-butoxyethyl-3-oxobutanoato-O'1,O'3)aluminium)	403-430-0	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
013-008-00-4	di-n-octylaluminium iodide	408-190-0	7585-14-0	Pyr. Liq. 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H250 H314 H400 H410	GHS02 GHS05 GHS09 Dgr	H250 H314 H410	EUH014		
013-009-00-X	sodium (n-butyl)x(ethyl)y-1,5-dihydro)aluminat x = 0.5 y = 1.5	418-720-2	—	Flam. Sol. 1 Water-react. 1 Pyr. Sol. 1 Acute Tox. 4 * Skin Corr. 1A	H228 H260 H250 H332 H314	GHS02 GHS05 GHS07 Dgr	H228 H260 H250 H332 H314	EUH014		T
014-001-00-9	trichlorosilane	233-042-5	10025-78-2	Flam. Liq. 1 Pyr. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H224 H250 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H250 H332 H302 H314	EUH014 EUH029	* STOT SE 3; H335: C ≥ 1 %	T
014-002-00-4	silicon tetrachloride	233-054-0	10026-04-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315	EUH014		
014-003-00-X	dimethyldichlorosilane	200-901-0	75-78-5	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H319 H335 H315	GHS02 GHS07 Dgr	H225 H319 H335 H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
014-004-00-5	trichloro(methyl)silane; methyltrichlorosilane	200-902-6	75-79-6	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H319 H335 H315	GHS02 GHS07 Dgr	H225 H319 H335 H315	EUH014	Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	
014-005-00-0	tetraethyl silicate; ethyl silicate	201-083-8	78-10-4	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H226 H332 H319 H335	GHS02 GHS07 Wng	H226 H332 H319 H335			
014-006-00-6	bis(4-fluorophenyl)-methyl-(1,2,4-triazol-4-ylmethyl)silane hydrochloride	401-380-4	—	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			
014-007-00-1	triethoxyisobutylsilane	402-810-3	17980-47-1	Skin Irrit. 2	H315	GHS07 Wng	H315			
014-008-00-7	(chloromethyl)bis(4-fluorophenyl)methylsilane	401-200-4	85491-26-5	Aquatic Chronic 2	H411	GHS09	H411			
014-009-00-2	isobutylisopropyldimethoxysilane	402-580-4	111439-76-0	Flam. Liq. 3 Acute Tox. 4 * Skin Irrit. 2	H226 H332 H315	GHS02 GHS07 Wng	H226 H332 H315			
014-010-00-8	disodium metasilicate	229-912-9	6834-92-0	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335			
014-011-00-3	cyclohexyldimethoxymethylsilane	402-140-1	17865-32-6	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
014-012-00-9	bis(3-(trimethoxysilyl)propyl)amine	403-480-3	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
014-013-00-4	α -hydroxypoly(methyl-(3-(2,2,6,6-tetramethylpiperidin-4-yloxy)propyl)siloxane)	404-920-7	—	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 2	H312 H302 H314 H411	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H411			
014-014-00-X	etacelasil (ISO); 6-(2-chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-tetraoxa-6-silaundecane	253-704-7	37894-46-5	Repr. 1B Acute Tox. 4 * STOT RE 2 *	H360D *** H302 H373 **	GHS08 GHS07 Dgr	H360D *** H302 H373 **			
014-015-00-5	α -trimethylsilyl- ω -trimethylsilyloxypropyl[oxymethyl-3-(2-(2-methoxypropoxy)propoxy)propylsilyl]diyl-co-oxy(dimethylsilyl)	406-420-4	69430-40-6	Aquatic Chronic 4	H413	—	H413			
014-016-00-0	reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tetramethyldisiloxane; 1,3-dihex-n-en-1-yl-1,1,3,3-tetramethyldisiloxane	406-490-6	—	Aquatic Chronic 2	H411	GHS09	H411			
014-017-00-6	flusilazole (ISO); bis(4-fluorophenyl)(methyl)(1H-1,2,4-triazol-1-ylmethyl)silane	—	85509-19-9	Carc. 2 Repr. 1B Acute Tox. 4 * Aquatic Chronic 2	H351 H360D *** H302 H411	GHS08 GHS07 GHS09 Dgr	H351 H360D *** H302 H411			
014-018-00-1	octamethylcyclotetrasiloxane	209-136-7	556-67-2	Repr. 2 Aquatic Chronic 4	H361f *** H413	GHS08 Wng	H361f *** H413			
014-019-00-7	reaction mass of: 4-[[bis-(4-fluorophenyl)methylsilyl]methyl]-4H-1,2,4-triazole; 1-[[bis-(4-fluorophenyl)methylsilyl]methyl]-1H-1,2,4-triazole	403-250-2	—	Carc. 2 Repr. 1B Acute Tox. 4 * Aquatic Chronic 2	H351 H360D *** H302 H411	GHS08 GHS07 GHS09 Dgr	H351 H360D *** H302 H411			
014-020-00-2	bis(1,1-dimethyl-2-propynyloxy)dimethylsilane	414-960-7	53863-99-3	Acute Tox. 4 *	H332	GHS07 Wng	H332			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
014-021-00-8	tris(isopropenyloxy)phenyl silane	411-340-8	52301-18-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H400 H410			
014-022-00-3	reaction product of: (2-hydroxy-4-(3-propoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane)	401-530-9	—	Flam. Sol. 1 STOT SE 1 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H228 H370 ** H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H228 H370 ** H332 H312 H302			T
014-023-00-9	α , ω -dihydroxypoly(hex-5-en-1-ylmethylsiloxane)hoxysilane with (hydrolysis product of silica and methyltrimethoxysilane)iazole	408-160-7	125613-45-8	Aquatic Chronic 2	H411	GHS09	H411			
014-024-00-4	1-((3-(3-chloro-4-fluorophenyl)propyl)dimethylsilyl)-4-ethoxybenzene	412-620-2	121626-74-2	Aquatic Chronic 2	H411	GHS09	H411			
014-025-00-X	4-[3-(diethoxymethylsilyl)propoxy]-2,2,6,6-tetramethylpiperidine	411-400-3	102089-33-8	Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H302 H373 ** H315 H318 H412	GHS08 GHS05 GHS07 Dgr	H302 H373 ** H315 H318 H412			
014-026-00-5	dichloro-(3-(3-chloro-4-fluorophenyl)propyl)methylsilane	407-180-3	770722-36-6	Skin Corr. 1A	H314	GHS05 Dgr	H314			
014-027-00-0	chloro(3-(3-chloro-4-fluorophenyl)propyl)dimethylsilane	410-270-5	770722-46-8	Skin Corr. 1A	H314	GHS05 Dgr	H314			
014-028-00-6	α -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyloxy- ω -[3(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyl poly(dimethylsiloxane)	415-290-8	193159-06-7	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
014-029-00-1	O,O'-(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime]	421-870-1	156145-66-3	Repr. 2 Acute Tox. 4 * STOT RE 2 *	H361f *** H302 H373 **	GHS08 GHS07 Wng	H361f *** H302 H373 **			
014-030-00-7	[(dimethylsilylene)bis((1,2,3,3a,7a-η)-1H-inden-1-ylidene)dimethyl]hafnium	422-060-0	137390-08-0	Acute Tox. 2 *	H300	GHS06 Dgr	H300			
014-031-00-2	bis(1-methylethyl)-dimethoxysilane	421-540-7	18230-61-0	Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H226 H315 H317 H412	GHS02 GHS07 Wng	H226 H315 H317 H412			
014-032-00-8	dicyclopentylmethoxysilane	404-370-8	126990-35-0	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			
015-001-00-1	white phosphorus	231-768-7	12185-10-3	Pyr. Sol. 1 Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1A Aquatic Acute 1	H250 H330 H300 H314 H400	GHS02 GHS06 GHS05 GHS09 Dgr	H250 H330 H300 H314 H400			
015-002-00-7	red phosphorus	231-768-7	7723-14-0	Flam. Sol. 1 Aquatic Chronic 3	H228 H412	GHS02 Dgr	H228 H412			
015-003-00-2	calcium phosphide; tricalcium diphosphide	215-142-0	1305-99-3	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029		T

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-004-00-8	aluminium phosphide	244-088-0	20859-73-8	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029 EUH032		T
015-005-00-3	magnesium phosphide; trimagnesium diphosphide	235-023-7	12057-74-8	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029		T
015-006-00-9	trizinc diphosphide; zinc phosphide	215-244-5	1314-84-7	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H260 H300 H400 H410	GHS02 GHS06 GHS09 Dgr	H260 H300 H410	EUH029 EUH032		T
015-007-00-4	phosphorus trichloride	231-749-3	7719-12-2	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Skin Corr. 1A	H330 H300 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H330 H300 H373 ** H314	EUH014 EUH029		
015-008-00-X	phosphorus pentachloride	233-060-3	10026-13-8	Acute Tox. 2 * Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B	H330 H302 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H330 H302 H373 ** H314	EUH014 EUH029		
015-009-00-5	phosphoryl trichloride	233-046-7	10025-87-3	Acute Tox. 2 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1A	H330 H372 ** H302 H314	GHS06 GHS08 GHS05 Dgr	H330 H372 ** H302 H314	EUH014 EUH029		
015-010-00-0	phosphorus pentoxide	215-236-1	1314-56-3	Skin Corr. 1A	H314	GHS05 Dgr	H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-011-00-6	phosphoric acid ... %, orthophosphoric acid ... %	231-633-2	7664-38-2	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B
015-012-00-1	tetraphosphorus trisulphide; phosphorus sesquisulphid	215-245-0	1314-85-8	Flam. Sol. 2 Water-react. 1 Acute Tox. 4 * Aquatic Acute 1	H228 H260 H302 H400	GHS02 GHS07 GHS09 Dgr	H228 H260 H302 H400			T
015-013-00-7	triethyl phosphate	201-114-5	78-40-0	Acute Tox. 4 *	H302	GHS07 Wng	H302			
015-014-00-2	tributyl phosphate	204-800-2	126-73-8	Carc. 2 Acute Tox. 4 * Skin Irrit. 2	H351 H302 H315	GHS08 GHS07 Wng	H351 H302 H315			
015-015-00-8	tricresyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-); tritoyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-);	201-103-5	78-30-8	STOT SE 1 Aquatic Chronic 2	H370 ** H411	GHS08 GHS09 Dgr	H370 ** H411		STOT SE 1; H370: C ≥ 1 % STOT SE 2; H371: 0,2 % ≤ C < 1 %	C
015-016-00-3	tricresyl phosphate (m-m-m-, m-m-p-, m-p-p-, p-p-p-); tritoyl phosphate (m-m-m-, m-m-p-, m-p-p-, p-p-p-);	201-105-6	78-32-0	Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H312 H302 H411	GHS07 GHS09 Wng	H312 H302 H411		*	C
015-019-00-X	dichlorvos (ISO); 2,2-dichlorovinyl dimethyl phosphate	200-547-7	62-73-7	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1	H330 H311 H301 H317 H400	GHS06 GHS09 Dgr	H330 H311 H301 H317 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-020-00-5	mevinphos (ISO); 2-methoxycarbonyl-1-methylvinyl dimethyl phosphate	232-095-1	7786-34-7	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		M=10000	
015-021-00-0	trichlorfon (ISO); dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate	200-149-3	52-68-6	Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H400 H410		M=1000	
015-022-00-6	phosphamidon (ISO); 2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate	236-116-5	13171-21-6	Muta. 2 Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H341 H300 H311 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H300 H311 H410			
015-023-00-1	pyrazoxon; diethyl 3-methylpyrazol-5-yl phosphate	—	108-34-9	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H330 H310 H300	GHS06 Dgr	H330 H310 H300			
015-024-00-7	triamiphos (ISO); 5-amino-3-phenyl-1,2,4-triazol-1-yl-N,N,N',N'-tetramethylphosphonic diamide	—	1031-47-6	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-025-00-2	TEPP (ISO); tetraethyl pyrophosphate	203-495-3	107-49-3	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1	H310 H300 H400	GHS06 GHS09 Dgr	H310 H300 H400			
015-026-00-8	schradan (ISO); octamethylpyrophosphoramidate	205-801-0	152-16-9	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-027-00-3	sulfotep (ISO); O,O,O,O-tetraethyl dithiopyrophosphate	222-995-2	3689-24-5	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		M=1000	
015-028-00-9	demeton-O (ISO); O,O-diethyl-O-2-ethylthioethyl phosphorothioate	206-053-8	298-03-3	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1	H310 H300 H400	GHS06 GHS09 Dgr	H310 H300 H400			
015-029-00-4	demeton-S (ISO); diethyl-S-2-ethylthioethyl phosphorothioate	204-801-8	126-75-0	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-030-00-X	demeton-O-methyl (ISO); O-2-ethylthioethyl O,O-dimethyl phosphorothioate	212-758-1	867-27-6	Acute Tox. 3 *	H301	GHS06 Dgr	H301			
015-031-00-5	demeton-S-methyl (ISO); S-2-ethylthioethyl dimethyl phosphorothioate	213-052-6	919-86-8	Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H311 H301 H411	GHS06 GHS09 Dgr	H311 H301 H411			
015-032-00-0	prothoate (ISO); O,O-diethyl isopropylcarbamoylmethyl phosphorodithioate	218-893-2	2275-18-5	Acute Tox. 1 Acute Tox. 2 * Aquatic Chronic 3	H310 H300 H412	GHS06 Dgr	H310 H300 H412			
015-033-00-6	phorate (ISO); O,O-diethyl ethylthiomethyl phosphorodithioate	206-052-2	298-02-2	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		M=1000	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-034-00-1	parathion (ISO); O,O-diethyl O-4-nitrophenyl phosphorothioate	200-271-7	56-38-2	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H311 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H300 H311 H372 ** H410		M=100	
015-035-00-7	parathion — methyl (ISO); O,O-dimethyl O-4-nitrophenyl phosphorothioate	206-050-1	298-00-0	Flam. Liq. 3 Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H226 H330 H300 H311 H373 ** H400 H410	GHS02 GHS06 GHS08 GHS09 Dgr	H226 H330 H300 H311 H373 ** H410		M=100	
015-036-00-2	O-ethyl O-4-nitrophenyl phenylphosphonothioate; EPN	218-276-8	2104-64-5	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-037-00-8	phenkapton (ISO); S-(2,5-dichlorophenylthiomethyl) O,O-diethyl phosphorodithioate	218-892-7	2275-14-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			
015-038-00-3	coumaphos (ISO); O-3-chloro-4-methylcoumarin-7-yl O,O-diethyl phosphorothioate	200-285-3	56-72-4	Acute Tox. 2 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H300 H312 H400 H410	GHS06 GHS09 Dgr	H300 H312 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-039-00-9	azinphos-methyl (ISO); O,O-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate	201-676-1	86-50-0	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H311 H317 H400 H410	GHS06 GHS09 Dgr	H330 H300 H311 H317 H410			
015-040-00-4	diazinon (ISO); O,O-diethyl O-2-isopropyl-6-methylpyrimidin-4-yl phosphorothioate	206-373-8	333-41-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H400 H410			
015-041-00-X	malathion (ISO); 1,2-bis (ethoxycarbonyl) ethyl O,O-dimethyl phosphorodithioate	204-497-7	121-75-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H400 H410		M=100	
015-042-00-5	chlorthion O-(3-chloro-4-nitrophenyl) O,O-dimethyl phosphorothioate	207-902-5	500-28-7	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410		M=100	
015-043-00-0	phosnichlor (ISO); O-4-chloro-3-nitrophenyl O,O-dimethyl phosphorothioate	—	5826-76-6	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H332 H312 H302	GHS07 Wng	H332 H312 H302			
015-044-00-6	carbophenothion (ISO); 4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate	212-324-1	786-19-6	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-045-00-1	mecarbam (ISO); N-ethoxycarbonyl-N-methylcarbamoylmethyl O,O-diethyl phosphorodithioate	219-993-9	2595-54-2	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H400 H410			
015-046-00-7	oxydemeton-methyl; S-2-(ethylsulphinyl)ethyl O,O-dimethyl phosphorothioate	206-110-7	301-12-2	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1	H311 H301 H400	GHS06 GHS09 Dgr	H311 H301 H400			
015-047-00-2	ethion (ISO); O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate); diethion	209-242-3	563-12-2	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410		M=10000	
015-048-00-8	fenthion (ISO); O,O-dimethyl-O-(4-methylthion- <i>m</i> -tolyl) phosphorothioate	200-231-9	55-38-9	Muta. 2 Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H341 H331 H372 ** H312 H302 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H331 H372 ** H312 H302 H410			
015-049-00-3	endothion (ISO); S-5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate	220-472-3	2778-04-3	Acute Tox. 3 * Acute Tox. 3 *	H311 H301	GHS06 Dgr	H311 H301			
015-050-00-9	thiometon (ISO); S-2-ethylthioethyl O,O-dimethyl phosphorodithioate	211-362-6	640-15-3	Acute Tox. 3 * Acute Tox. 4 *	H301 H312	GHS06 Dgr	H301 H312			
015-051-00-4	dimethoate (ISO); O,O-dimethyl methylcarbamoylmethyl phosphorodithioate	200-480-3	60-51-5	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-052-00-X	fenchlorphos (ISO); O,O-dimethyl O—2,4,5-trichlorophenyl phosphorothioate	206-082-6	299-84-3	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
015-053-00-5	menazon (ISO); S-[(4,6-diamino-1,3,5-triazin-2-yl)methyl] O, O-dimethyl phosphorodithioate	201-123-4	78-57-9	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
015-054-00-0	fenitrothion (ISO); O,O-dimethyl O-4-nitro- <i>m</i> -tolyl phosphorothioate	204-524-2	122-14-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
015-055-00-6	naled (ISO); 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	206-098-3	300-76-5	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1	H312 H302 H319 H315 H400	GHS07 GHS09 Wng	H312 H302 H319 H315 H400	M=1000		
015-056-00-1	azinphos-ethyl (ISO); O,O-diethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate	220-147-6	2642-71-9	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			
015-057-00-7	formothion (ISO); N-formyl-N-methylcarbamoylmethyl O,O-dimethyl phosphorodithioate	219-818-6	2540-82-1	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			
015-058-00-2	morphothion (ISO); O,O-dimethyl-S-(morpholinocarbonylmethyl) phosphorodithioate	205-628-0	144-41-2	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-059-00-8	vamidothion (ISO); O,O-dimethyl S-2-(1-methylcarbamoyl-ethylthio) ethyl phosphorothioate	218-894-8	2275-23-2	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1	H301 H312 H400	GHS06 GHS09 Dgr	H301 H312 H400			
015-060-00-3	disulfoton (ISO); O,O-diethyl 2-ethylthioethyl phosphorodithioate	206-054-3	298-04-4	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-061-00-9	dimefox (ISO); tetramethylphosphorodiamidic fluoride	204-076-8	115-26-4	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-062-00-4	mipafox (ISO); N,N'- di-isopropylphosphorodiamidic fluoride	206-742-3	371-86-8	STOT SE 1	H370 **	GHS08 Dgr	H370 **			
015-063-00-X	dioxathion (ISO); 1,4-dioxan-2,3-diyl-O,O',O'-tetraethyl di (phosphorodithioate)	201-107-7	78-34-2	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H311 H400 H410	GHS06 GHS09 Dgr	H330 H300 H311 H410	M=1000		
015-064-00-5	bromophos-ethyl (ISO); O-4-bromo-2,5-dichlorophenyl O,O-diethyl phosphorothioate	225-399-0	4824-78-6	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410			
015-065-00-0	S-[2-(ethylsulphinyl)ethyl] O,O-dimethyl phosphorodithioate	—	2703-37-9	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Chronic 2	H330 H310 H300 H411	GHS06 GHS09 Dgr	H330 H310 H300 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-066-00-6	omethoate (ISO); O,O-dimethyl S-methylcarbamoylmethyl phosphorothioate	214-197-8	1113-02-6	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1	H301 H312 H400	GHS06 GHS09 Dgr	H301 H312 H400			
015-067-00-1	phosalone (ISO); S-(6-chloro-2-oxobenzoxazolin-3-ylmethyl) O,O-diethyl phosphorodithioate	218-996-2	2310-17-0	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410			
015-068-00-7	dichlofenthion (ISO); O—2,4-dichlorophenyl O,O-diethyl phosphorothioate	202-564-5	97-17-6	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H400 H410			
015-069-00-2	methidathion (ISO); 2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl-O,O-dimethylphosphorodithioate	213-449-4	950-37-8	Acute Tox. 2 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H300 H312 H400 H410	GHS06 GHS09 Dgr	H300 H312 H410			
015-070-00-8	cyanthoate (ISO); S-(N-(1-cyano-1-methylethyl)carbamoylmethyl) O,O-diethyl phosphorothioate	223-099-4	3734-95-0	Acute Tox. 2 * Acute Tox. 3 *	H300 H311	GHS06 Dgr	H300 H311			
015-071-00-3	chlorfenvinphos (ISO); 2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate	207-432-0	470-90-6	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			
015-072-00-9	monocrotophos (ISO); dimethyl-1-methyl-2-(methylcarbamoyl) vinyl phosphate	230-042-7	6923-22-4	Muta. 2 Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H341 H330 H300 H311 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H330 H300 H311 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-073-00-4	dicrotophos (ISO); (Z)-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate	205-494-3	141-66-2	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			
015-074-00-X	crufomate (ISO); 4-tert-butyl-2-chlorophenyl methyl methylphosphoramidate	206-083-1	299-86-5	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
015-075-00-5	S-[2-(isopropylsulphinylethyl) O,O-dimethyl phosphorothioate	—	2635-50-9	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			
015-076-00-0	potasan; O, O-diethyl O-(4-methylcoumarin-7-yl) phosphorothioate	—	299-45-6	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410	M=1000		
015-077-00-6	2,2-dichlorovinyl 2-ethylsulphinylethyl methyl phosphate	—	7076-53-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301			
015-078-00-1	demeton-S-methylsulphon (ISO); S-2-ethylsulphonylethyl dimethyl phosphorothioate	241-109-5	17040-19-6	Acute Tox. 3 * Acute Tox. 4 * Aquatic Chronic 2	H301 H312 H411	GHS06 GHS09 Dgr	H301 H312 H411			
015-079-00-7	acephate (ISO); O,S-dimethyl acetylphosphoramidothioate	250-241-2	30560-19-1	Acute Tox. 4 *	H302	GHS07 Wng	H302			
015-080-00-2	amidithion (ISO); 2-methoxyethylcarbamoylmethyl O,O-dimethyl phosphorodithioate	—	919-76-6	Acute Tox. 4 *	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-081-00-8	O,O,O',O'-tetrapropyl dithiopyrophosphate	221-817-0	3244-90-4	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
015-082-00-3	azothoate (ISO); O-4-(4-chlorophenylazo)phenyl O,O-dimethyl phosphorothioate	227-419-3	5834-96-8	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302			
015-083-00-9	bensulide (ISO); O,O-diisopropyl 2-phenylsulfonylaminoethyl phosphorodithioate	212-010-4	741-58-2	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
015-084-00-4	chlorpyrifos (ISO); O,O-diethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate	220-864-4	2921-88-2	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H400 H410		M=10000	
015-085-00-X	chlorphonium chloride (ISO); tributyl (2,4-dichlorobenzyl) phosphonium chloride	204-105-4	115-78-6	Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H301 H312 H319 H315	GHS06 Dgr	H301 H312 H319 H315			
015-086-00-5	coumithoate (ISO); O,O-diethyl O—7,8,9,10-tetrahydro-6-oxo-benzo(c)chromen-3-yl phosphorothioate	—	572-48-5	Acute Tox. 3 *	H301	GHS06 Dgr	H301			
015-087-00-0	cyanophos (ISO); O-4-cyanophenyl O,O-dimethyl phosphorothioate	220-130-3	2636-26-2	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-088-00-6	dialifos (ISO); 2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate	233-689-3	10311-84-9	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H400 H410			
015-089-00-1	ethoate-methyl (ISO); ethylcarbamoylmethyl O,O-dimethyl phosphorodithioate	204-121-1	116-01-8	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			
015-090-00-7	fensulfothion (ISO); O,O-diethyl O-4-methylsulfinylphenyl phosphorothioate	204-114-3	115-90-2	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-091-00-2	fonofos (ISO); O-ethyl phenyl ethylphosphonodithioate	213-408-0	944-22-9	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-092-00-8	phosacetim (ISO); O,O-bis(4-chlorophenyl) N-acetimidoylphosphoramidothioate	223-874-7	4104-14-7	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-093-00-3	leptophos (ISO); O-4-bromo-2,5-dichlorophenyl O-methyl phenylphosphorothioate	244-472-8	21609-90-5	Acute Tox. 3 * STOT SE 1 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H370 ** H312 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H370 ** H312 H410			
015-094-00-9	mephosfolan (ISO); diethyl 4-methyl-1,3-dithiolan-2-ylidene-phosphoramidate	213-447-3	950-10-7	Acute Tox. 1 Acute Tox. 2 * Aquatic Chronic 2	H310 H300 H411	GHS06 GHS09 Dgr	H310 H300 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-095-00-4	methamidophos (ISO); O,S-dimethyl phosphoramidothioate	233-606-0	10265-92-6	Acute Tox. 2 * Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1	H330 H300 H311 H400	GHS06 GHS09 Dgr	H330 H300 H311 H400			
015-096-00-X	oxydisulfoton (ISO); O, O-diethyl S-2-ethylsulphinylethyl phosphorodithioate	219-679-1	2497-07-6	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410	M=10		
015-097-00-5	phenthoate (ISO); ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate	219-997-0	2597-03-7	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410	M=100		
015-098-00-0	trichloronate (ISO); O-ethyl O—2,4,5-trichlorophenyl ethylphosphonothioate	206-326-1	327-98-0	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			
015-099-00-6	pirimiphos-ethyl (ISO); O,O-diethyl O-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate	245-704-0	23505-41-1	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410			
015-100-00-X	phoxim (ISO); α-(diethoxyphosphinothioylimino) phenylacetonitrile	238-887-3	14816-18-3	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410	M=1000		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-101-00-5	phosmet (ISO); O,O-dimethyl phthalimidomethyl S-phosphorodithioate	211-987-4	732-11-6	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410		M=100	
015-102-00-0	tris(2-chloroethyl) phosphate	204-118-5	115-96-8	Carc. 2 Acute Tox. 4 * Aquatic Chronic 2	H351 H302 H411	GHS08 GHS07 GHS09 Wng	H351 H302 H411			
015-103-00-6	phosphorus tribromide	232-178-2	7789-60-8	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		
015-104-00-1	diphosphorus pentasulphide; phosphorus pentasulphide	215-242-4	1314-80-3	Flam. Sol. 1 Water-react. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H228 H260 H332 H302 H400	GHS02 GHS07 GHS09 Dgr	H228 H260 H332 H302 H400	EUH029		T
015-105-00-7	triphenyl phosphite	202-908-4	101-02-0	Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H400 H410	GHS07 GHS09 Wng	H319 H315 H410		Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	
015-106-00-2	hexamethylphosphoric triamide; hexamethylphosphoramidate	211-653-8	680-31-9	Carc. 1B Muta. 1B	H350 H340	GHS08 Dgr	H350 H340		Carc. 1B; H350: C ≥ 0.01 %	
015-107-00-8	ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate	236-152-1	13194-48-4	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H301 H317 H400 H410	GHS06 GHS09 Dgr	H330 H310 H301 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-108-00-3	bromophos (ISO); O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate	218-277-3	2104-96-3	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410		M=100	
015-109-00-9	crotoxyphos (ISO); 1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate	231-720-5	7700-17-6	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410		M=10	
015-110-00-4	cyanofenphos (ISO); O-4-cyanophenyl O-ethyl phenylphosphorothioate	—	13067-93-1	Acute Tox. 3 * STOT SE 1 Acute Tox. 4 * Eye Irrit. 2 Aquatic Chronic 2	H301 H370 ** H312 H319 H411	GHS06 GHS08 GHS09 Dgr	H301 H370 ** H312 H319 H411			
015-111-00-X	phosfolan (ISO); diethyl 1,3-dithiolan-2-ylidenephosphoramidate	213-423-2	947-02-4	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-112-00-5	thionazin (ISO); O,O-diethyl O-pyrazin-2-yl phosphorothioate;	206-049-6	297-97-2	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-114-00-6	chlormephos (ISO); S-chloromethyl O,O-diethyl phosphorodithioate	246-538-1	24934-91-6	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
015-115-00-1	chlorthiophos (ISO)	244-663-6	21923-23-9	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-116-00-7	demephion-O (ISO); O,O-dimethyl O-2-methylthioethyl phosphorothioate	211-666-9	682-80-4	Acute Tox. 2 * Acute Tox. 3 *	H300 H311	GHS06 Dgr	H300 H311			
015-117-00-2	demephion-S (ISO); O,O-dimethyl S-2-methylthioethyl phosphorothioate	219-971-9	2587-90-8	Acute Tox. 2 * Acute Tox. 3 *	H300 H311	GHS06 Dgr	H300 H311			
015-118-00-8	demeton	—	8065-48-3	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1	H310 H300 H400	GHS06 GHS09 Dgr	H310 H300 H400			
015-119-00-3	dimethyl 4-(methylthio)phenyl phosphate	—	3254-63-5	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-120-00-9	ditalimfos (ISO); O,O-diethyl phthalimidophosphonothioate	225-875-8	5131-24-8	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
015-121-00-4	edifenphos (ISO); O-ethyl S,S-diphenyl phosphorodithioate	241-178-1	17109-49-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H312 H317 H400 H410	GHS06 GHS09 Dgr	H331 H301 H312 H317 H410			
015-122-00-X	etrimfos (ISO); O-6-ethoxy-2-ethylpyrimidin-4-yl O,O-dimethylphosphorothioate	253-855-9	38260-54-7	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410		M=10	
015-123-00-5	fenamiphos (ISO); ethyl-4-methylthio- <i>m</i> -tolyl isopropyl phosphoramidate	244-848-1	22224-92-6	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410		M=100	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-124-00-0	fosthietan (ISO); diethyl 1,3-dithietan-2-ylidenphosphoramidate	244-437-7	21548-32-3	Acute Tox. 1 Acute Tox. 2 *	H310 H300	GHS06 Dgr	H310 H300			
015-125-00-6	glyphosine (ISO); N,N-bis(phosphonomethyl)glycine	219-468-4	2439-99-8	Eye Dam. 1	H318	GHS05 Dgr	H318			
015-126-00-1	heptenophos (ISO); 7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate	245-737-0	23560-59-0	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410		M=100	
015-127-00-7	iprobenfos(ISO); S-benzyl diisopropyl phosphorothioate	247-449-0	26087-47-8	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
015-128-00-2	IPSP; S-ethylsulphinylmethyl O,O-diisopropylphosphorodithioate	—	5827-05-4	Acute Tox. 1 Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H310 H301 H400 H410	GHS06 GHS09 Dgr	H310 H301 H410		M=100	
015-129-00-8	isofenphos (ISO); O-ethyl O-2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate	246-814-1	25311-71-1	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410		M=100	
015-130-00-3	isothioate (ISO); S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate;	—	36614-38-7	Acute Tox. 3 * Acute Tox. 3 *	H311 H301	GHS06 Dgr	H311 H301			
015-131-00-9	isoxathion (ISO); O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate	242-624-8	18854-01-8	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-132-00-4	S-(chlorophenylthiomethyl) O,O-dimethylphosphorodithioate; methylcarbophenothione	—	953-17-3	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410		M=1000	
015-133-00-X	piperophos (ISO); S-2-methylpiperidinocarbonylmethyl-O,O-dipropyl phosphorodithioate	—	24151-93-7	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410		M=10	
015-134-00-5	pirimiphos-methyl (ISO); O-(2-diethylamino-6-methylpyrimidin-4-yl) O,O-dimethyl phosphorothioate	249-528-5	29232-93-7	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
015-135-00-0	profenofos (ISO) O-(4-bromo-2-chlorophenyl) O-ethyl S-propyl phosphorothioate;	255-255-2	41198-08-7	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410		M=1000	
015-136-00-6	<i>trans</i> -isopropyl-3-[[[(ethylamino)methoxyfosfinothioyl]oxy]crotonate; isopropyl 3-[[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate; propetamphos (ISO)	250-517-2	31218-83-4	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410		M=100	
015-137-00-1	pyrazophos (ISO); O,O-diethyl O-(6-ethoxycarbonyl-5-methylpyrazolo[2,3-a]pyrimidin-2-yl) phosphorothioate	236-656-1	13457-18-6	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H400 H410	GHS07 GHS09 Wng	H332 H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-138-00-7	quinalphos (ISO); O,O-diethyl-O-quinoxalin-2-yl phosphorothioate	237-031-6	13593-03-8	Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410		M=1000	
015-139-00-2	terbufos (ISO); S—tert-butylthiomethyl O, O-diethylphosphorodithioate;	235-963-8	13071-79-9	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		M=1000	
015-140-00-8	triazophos (ISO); O,O-diethyl-O-1-phenyl-1H,2,4-triazol-3-yl phosphorothioate	245-986-5	24017-47-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H312 H400 H410	GHS06 GHS09 Dgr	H331 H301 H312 H410			
015-141-00-3	ethylenediammonium O,O-bis(octyl) phosphorodithioate, mixed isomers	400-520-1	—	Skin Corr. 1B Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H314 H302 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H302 H410			
015-142-00-9	butyl (dialkyloxy(dibutoxyphosphoryloxy)) titanium (trialkyloxy)titanium phosphate	401-100-0	—	Flam. Liq. 2 Eye Irrit. 2 Aquatic Chronic 2	H225 H319 H411	GHS02 GHS07 GHS09 Dgr	H225 H319 H411			T
015-143-00-4	reaction mass of 2-chloroethyl chloropropyl 2-chloroethylphosphonate, reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate, reaction mass of isomers	401-740-0	—	Acute Tox. 4 *	H302	GHS07 Wng	H302			
015-144-00-X	reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate	402-090-0	87025-52-3	Skin Corr. 1B	H314	GHS05 Dgr	H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-145-00-5	reaction mass of copper(I) O,O-diisopropyl phosphorodithioate and copper(I) O-isopropyl O-(4-methylpent-2-yl) phosphorodithioate and copper(I) O,O-bis(4-methylpent-2-yl) phosphorodithioate	401-520-4	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
015-146-00-0	S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	401-850-9	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
015-147-00-6	reaction mass of C ₁₂₋₁₄ -tert-alkylammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide)	400-930-0	—	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H315 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H411			
015-148-00-1	2-(diphosphonomethyl)succinic acid	403-070-4	51395-42-7	Skin Corr. 1B Skin Sens. 1	H314 H317	GHS05 GHS07 Dgr	H314 H317			
015-149-00-7	reaction mass of: hexyldioctylphosphineoxide; dihexyloctylphosphineoxide; trioctylphosphineoxide	403-470-9	—	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410			
015-150-00-2	(2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide	404-940-6	86608-70-0	Acute Tox. 4 * Eye Dam. 1 STOT RE 2 * Aquatic Chronic 3	H302 H318 H373 H412	GHS08 GHS05 GHS07 Dgr	H302 H318 H373 ** H412			
015-151-00-8	tris(isopropyl/tert-butylphenyl) phosphate	405-010-2	—	Aquatic Chronic 2	H411	GHS09	H411			
015-152-00-3	dioxabenzofos (ISO); 2-methoxy-4H—1,3,2-benzodioxaphosphorin 2-sulphide	223-292-3	3811-49-2	Acute Tox. 3 * Acute Tox. 3 * STOT SE 1 Aquatic Chronic 2	H311 H301 H370 H411	GHS06 GHS08 GHS09 Dgr	H311 H301 H370 ** H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-153-00-9	isazofos (ISO); O-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) O,O-diethyl phosphorothioate	255-863-8	42509-80-8	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H311 H301 H373 ** H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H311 H301 H373 ** H317 H410			
015-154-00-4	2-chloroethylphosphonic acid; ethephon	240-718-3	16672-87-0	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 3	H332 H312 H314 H412	GHS05 GHS07 Dgr	H332 H312 H314 H412	STOT SE 3; H335: C ≥ 5 %		
015-155-00-X	ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate; glufosinate ammonium	278-636-5	77182-82-2	Acute Tox. 4 *	H302	GHS07 Wng	H302			
015-156-00-5	methyl 3-[(dimethoxyphosphinothioyl)oxy]methacrylate; [1] methacrifos (ISO); methyl (E)-3-[(dimethoxyphosphinothioyl)oxy]methacrylate [2]	250-366-9 [1] — [2]	30864-28-9 [1] 62610-77-9 [2]	Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
015-157-00-0	phosphonic acid; [1] phosphorous acid [2]	237-066-7 [1] 233-663-1 [2]	13598-36-2 [1] 10294-56-1 [2]	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314			
015-158-00-6	(η-cyclopentadienyl)(η-cumenyl)iron(1+) hexafluorophosphate(1-)	402-340-9	32760-80-8	Aquatic Chronic 3	H412	—	H412			
015-159-00-1	hydroxyphosphonoacetic acid	405-710-8	23783-26-8	Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B Skin Sens. 1	H302 H373 ** H314 H317	GHS08 GHS05 GHS07 Dgr	H302 H373 ** H314 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-160-00-7	vanadyl pyrophosphate	406-260-5	58834-75-6	Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H319 H317 H412	GHS07 Wng	H319 H317 H412			
015-161-00-2	divanadyl pyrophosphate	407-130-0	65232-89-5	Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			
015-162-00-8	vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped	407-350-7	—	Acute Tox. 4 * STOT RE 2 * Eye Dam. 1 Aquatic Chronic 2	H332 H373 ** H318 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H332 H373 ** H318 H411			
015-163-00-3	bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphin oxide	412-010-6	145052-34-2	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
015-164-00-9	calcium P,P'-(1-hydroxyethylene)bis(hydrogen phosphonate)dihydrate	400-480-5	36669-85-9	Aquatic Chronic 3	H412	—	H412			
015-165-00-4	reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyldisulfonium bis(hexafluorophosphate); diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate	404-986-7	—	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
015-166-00-X	3,9-bis(2,6-di-tert-butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane	410-290-4	80693-00-1	Aquatic Chronic 4	H413	—	H413			
015-167-00-5	3-(hydroxyphenylphosphinyl)propanoic acid	411-200-6	14657-64-8	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-168-00-0	fosthiazate (ISO); (RS)-S—sec-butyl-O-ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate	—	98886-44-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H312 H317 H400 H410	GHS06 GHS09 Dgr	H331 H301 H312 H317 H410	EUH070		
015-169-00-6	tributyltetradecylphosphonium tetrafluoroborate	413-520-1	—	Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H314 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H302 H373 ** H314 H317 H410			
015-170-00-1	reaction mass of: di-(1-octane-N,N,N-trimethylammonium) octylphosphate; 1-octane-N,N,N-trimethylammonium dioctylphosphate; 1-octane-N,N,N-trimethylammonium octylphosphate	407-490-9	—	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			
015-171-00-7	O,O,O-tris(2(or 4)-C ₉₋₁₀ -isoalkylphenyl) phosphorothioate	406-940-1	—	Aquatic Chronic 2	H411	GHS09	H411			
015-172-00-2	reaction mass of: bis(isotridecylammonium) mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate; isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl) phosphate	406-240-6	—	Flam. Liq. 3 Skin Corr. 1B Aquatic Chronic 2	H226 H314 H411	GHS02 GHS05 GHS09 Dgr	H226 H314 H411			
015-173-00-8	methyl [2-(1,1-dimethylethyl)-6-methoxy-pyrimidin-4-yl]ethylphosphonothioate	414-080-3	117291-73-3	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-174-00-3	1-chloro- <i>N,N</i> -diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine	411-370-1	82857-68-9	Acute Tox. 3 * Eye Dam. 1 Aquatic Chronic 2	H301 H318 H411	GHS06 GHS05 GHS09 Dgr	H301 H318 H411			
015-175-00-9	<i>tert</i> -butyl (triphenylphosphoranylidene) acetate	412-880-7	35000-38-5	Acute Tox. 3 * STOT RE 2 * Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H301 H373 ** H319 H317 H411	GHS06 GHS08 GHS09 Dgr	H301 H373 ** H319 H317 H411			
015-176-00-4	<i>P,P,P,P</i> -tetrakis-(<i>o</i> -methoxyphenyl)propane-1,3-diphosphine	413-430-2	116163-96-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
015-177-00-X	((4-phenylbutyl)hydroxyphosphoryl)acetic acid	412-170-7	83623-61-4	STOT RE 2 * Eye Dam. 1 Skin Sens. 1	H373 ** H318 H317	GHS08 GHS05 Dgr	H373 ** H318 H317			
015-178-00-5	(<i>R</i>)- α -phenylethylammonium (-)-(1 <i>R</i> , 2 <i>S</i>)-(1,2-epoxypropyl)phosphonate monohydrate	418-570-8	25383-07-7	Repr. 2 Aquatic Chronic 2	H361f *** H411	GHS08 GHS09 Wng	H361f *** H411			
015-179-00-0	UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated C ₁₆₋₁₈ tallow alkylamine	422-720-8	166242-53-1	Carc. 2 Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H373 ** H314 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H351 H302 H373 ** H314 H317 H410			
015-180-00-6	[<i>R</i> -(<i>R</i> *, <i>S</i> *)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt	415-820-8	137590-32-0	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
015-181-00-1	phosphine	232-260-8	7803-51-2	Flam. Gas 1 Press. Gas Acute Tox. 2 * Skin Corr. 1B Aquatic Acute 1	H220 H330 H314 H400	GHS02 GHS04 GHS06 GHS05 GHS09 Dgr	H220 H330 H314 H400			U
015-184-00-8	Salts of glyphosate, with the exception of those specified elsewhere in this Annex	—	—	Aquatic Chronic 2	H411	GHS09	H411			A
015-186-00-9	chlorpyrifos-methyl (ISO) O, O-dimethyl O—3,5,6-trichloro-2-pyridyl phosphorothioate	227-011-5	5598-13-0	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410		M=10000	
015-187-00-4	reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, N-oxide; trisodium ((tetrahydro-2-hydroxy-4H—1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, N-oxide, P-oxide	417-540-1	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
015-189-00-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	423-340-5	162881-26-7	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
016-001-00-4	hydrogen sulphide	231-977-3	7783-06-4	Flam. Gas 1 Press. Gas Acute Tox. 2 * Aquatic Acute 1	H220 H330 H400	GHS02 GHS04 GHS06 GHS09 Dgr	H220 H330 H400			U
016-002-00-X	barium sulphide	244-214-4	21109-95-5	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H332 H302 H400	GHS07 GHS09 Wng	H332 H302 H400	EUH031		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-003-00-5	barium polysulphides	256-814-3	50864-67-0	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H319 H335 H315 H400	GHS07 GHS09 Wng	H319 H335 H315 H400	EUH031		
016-004-00-0	calcium sulphide	243-873-5	20548-54-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H319 H335 H315 H400	GHS07 GHS09 Wng	H319 H335 H315 H400	EUH031		
016-005-00-6	calcium polysulphides	215-709-2	1344-81-6	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H319 H335 H315 H400	GHS07 GHS09 Wng	H319 H335 H315 H400	EUH031		
016-006-00-1	dipotassium sulphide; potassium sulphide	215-197-0	1312-73-8	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031		
016-007-00-7	potassium polysulphides	253-390-1	37199-66-9	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031		
016-008-00-2	ammonium polysulphides	232-989-1	9080-17-5	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031	EUH031: C ≥ 1 %	
016-009-00-8	disodium sulphide; sodium sulphide	215-211-5	1313-82-2	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031		
016-010-00-3	sodium polysulphides	215-686-9	1344-08-7	Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H301 H314 H400	EUH031		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-011-00-9	sulphur dioxide	231-195-2	7446-09-5	Press. Gas Acute Tox. 3 * Skin Corr. 1B	H331 H314	GHS04 GHS06 GHS05 Dgr	H331 H314		*	U 5
016-012-00-4	disulphur dichloride; sulfur monochloride	233-036-2	10025-67-9	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1A Aquatic Acute 1	H301 H332 H314 H400	GHS06 GHS05 GHS09 Dgr	H301 H332 H314 H400	EUH014 EUH029	STOT SE 3; H335: C ≥ 1 %	
016-013-00-X	sulphur dichloride	234-129-0	10545-99-0	Skin Corr. 1B STOT SE 3 Aquatic Acute 1	H314 H335 H400	GHS05 GHS07 GHS09 Dgr	H314 H335 H400	EUH014	STOT SE 3; H335: C ≥ 5 %	
016-014-00-5	sulphur tetrachloride	—	13451-08-6	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH014	STOT SE 3; H335: C ≥ 5 %	
016-015-00-0	thionyl dichloride; thionyl chloride	231-748-8	7719-09-7	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H332 H302 H314	GHS05 GHS07 Dgr	H332 H302 H314	EUH014 EUH029	STOT SE 3; H335: C ≥ 1 %	
016-016-00-6	sulphuryl chloride	232-245-6	7791-25-5	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		
016-017-00-1	chlorosulphonic acid	232-234-6	7790-94-5	Skin Corr. 1A STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		
016-018-00-7	fluorosulphonic acid	232-149-4	7789-21-1	Acute Tox. 4 * Skin Corr. 1A	H332 H314	GHS05 GHS07 Dgr	H332 H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-019-00-2	oleum ... % SO ₃	—	—	Skin Corr. 1A STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		B
016-020-00-8	sulphuric acid ... %	231-639-5	7664-93-9	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	B
016-021-00-3	methanethiol; methyl mercaptan	200-822-1	74-93-1	Flam. Gas. 1 Press. Gas Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H220 H331 H400 H410	GHS02 GHS04 GHS06 GHS09 Dgr	H220 H331 H410			U
016-022-00-9	ethanethiol; ethyl mercaptan	200-837-3	75-08-1	Flam. Liq. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H225 H332 H400 H410	GHS02 GHS07 GHS09 Dgr	H225 H332 H410			
016-023-00-4	dimethyl sulphate	201-058-1	77-78-1	Carc. 1B Muta. 2 Acute Tox. 2 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H350 H341 H330 H301 H314 H317	GHS06 GHS08 GHS05 Dgr	H350 H341 H330 H301 H314 H317		Carc. 1B; H350: C ≥ 0.01 % Muta. 2; H341: C ≥ 0.01 % STOT SE 3; H335: C ≥ 5 %	
016-024-00-X	dimexano(ISO); bis(methoxythiocarbonyl) disulphide	215-993-8	1468-37-7	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-025-00-5	disul (ISO); 2-(2,4-dichlorophenoxy)ethyl hydrogensulphate; 2,4-DES	205-259-5	149-26-8	Acute Tox. 4 * Skin Irrit. 2 Eye Dam. 1	H302 H315 H318	GHS05 GHS07 Dgr	H302 H315 H318			
016-026-00-0	sulphamidic acid; sulphamic acid; sulfamic acid	226-218-8	5329-14-6	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H319 H315 H412	GHS07 Wng	H319 H315 H412			
016-027-00-6	diethyl sulphate	200-589-6	64-67-5	Carc. 1B Muta. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H350 H340 H332 H312 H302 H314	GHS05 GHS08 GHS07 Dgr	H350 H340 H332 H312 H302 H314			
016-028-00-1	sodium dithionite; sodium hydrosulphite	231-890-0	7775-14-6	Self-heat. 1 Acute Tox. 4 *	H251 H302	GHS02 GHS07 Dgr	H251 H302	EUH031		
016-029-00-7	p-toluenesulphonic acid, containing more than 5 % H ₂ SO ₄	—	—	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335: C ≥ 20 %	
016-031-00-8	tetrahydrothiophene-1,1-dioxide; sulpholane	204-783-1	126-33-0	Acute Tox. 4 *	H302	GHS07 Wng	H302			
016-032-00-3	1,3-propanesultone; 1,2-oxathiolane 2,2-dioxide	214-317-9	1120-71-4	Carc. 1B Acute Tox. 4 * Acute Tox. 4 *	H350 H312 H302	GHS08 GHS07 Dgr	H350 H312 H302		Carc. 1B; H350: C ≥ 0,01 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-033-00-9	dimethylsulfamoylchloride	236-412-4	13360-57-1	Carc. 1B Acute Tox. 2 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H350 H330 H312 H302 H314	GHS06 GHS05 GHS08 Dgr	H350 H330 H312 H302 H314			
016-034-00-4	tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis(naphthalene-1,5-disulphonate)	400-010-9	81898-60-4	Skin Sens. 1	H317	GHS07 Wng	H317			
016-035-00-X	pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate	400-120-7	—	Eye Irrit. 2	H319	GHS07 Wng	H319			
016-036-00-5	tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate	400-130-1	—	Resp. Sens. 1 Aquatic Chronic 2	H334 H411	GHS08 GHS09 Dgr	H334 H411			
016-037-00-0	disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate	400-350-8	85153-93-1	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
016-038-00-6	disodium 6-((4-chloro-6-(N-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo)naphthalene-3-sulphonate	400-380-1	86393-35-3	Skin Sens. 1	H317	GHS07 Wng	H317			
016-039-00-1	tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino)benzene-1,4-disulphonate	400-430-2	—	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-040-00-7	reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate	400-570-4	—	Eye Irrit. 2	H319	GHS07 Wng	H319			
016-041-00-2	calcium 2,5-dichloro-4-(4-((5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate	400-710-4	—	Acute Tox. 4 *	H332	GHS07 Wng	H332			
016-042-00-8	tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7- disulphonate	400-790-0	85665-97-0	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			
016-043-00-3	dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2-sulphonate	401-010-1	—	Skin Sens. 1	H317	GHS07 Wng	H317			
016-044-00-9	disodium S,S-hexane-1,6-diyl-di(thiosulphate) dihydrate	401-320-7	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
016-045-00-4	lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2,7-disulphonate	401-560-2	108624-00-6	Skin Sens. 1	H317	GHS07 Wng	H317			
016-046-00-X	sodium hydrogensulphate	231-665-7	7681-38-1	Eye Dam. 1	H318	GHS05 Dgr	H318			
016-047-00-5	hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatonaphthylazo)naphthalene-1,3,5- trisulphonate	401-650-1	85665-96-9	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-048-00-0	sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate	401-870-8	—	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
016-049-00-6	calcium octadecylxylenesulphonate	402-040-8	—	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411			
016-050-00-1	potassium sodium 5-(4-chloro-6-(N-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino) phenyl-N-methylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonatophenylazo)naphthalene-2,7-disulphonat	402-150-6	—	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
016-051-00-7	trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulphonate	402-170-5	106359-91-5	Skin Sens. 1	H317	GHS07 Wng	H317			
016-052-00-2	benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate	402-240-5	102561-46-6	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411			
016-053-00-8	(C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl) ammonium 2-((C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)carbamoyl)benzenesulphonate	402-460-1	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 4	H315 H317 H413	GHS07 Wng	H315 H317 H413			
016-054-00-3	sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulfonate	400-030-8	—	Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Sens. 1	H331 H372 ** H302 H319 H335 H317	GHS06 GHS08 Dgr	H331 H372 ** H302 H319 H335 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-055-00-9	tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate)	400-510-7	—	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
016-056-00-4	potassium hydrogensulphate	231-594-1	7646-93-7	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335			
016-057-00-X	styrene-4-sulfonyl chloride	404-770-2	2633-67-2	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H315 H318 H317	GHS05 GHS07 Dgr	H315 H318 H317			
016-058-00-5	thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, <i>tert</i> -nonanethiol and C ₁₂₋₁₄ - <i>tert</i> -alkylamine	404-820-3	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H315 H317 H412	GHS07 Wng	H315 H317 H412			
016-059-00-0	N,N,N',N'-tetramethyldithiobis(ethylene)diamine dihydrochloride	405-300-9	17339-60-5	Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H317 H400 H410	GHS07 GHS09 Wng	H302 H319 H317 H410			
016-060-00-6	diammonium peroxodisulphate; ammonium persulphate	231-786-5	7727-54-0	Ox. Sol. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H272 H302 H319 H335 H315 H334 H317	GHS03 GHS08 GHS07 Dgr	H272 H302 H319 H335 H315 H334 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-061-00-1	dipotassium peroxodisulphate; potassium persulphate	231-781-8	7727-21-1	Ox. Sol. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H272 H302 H319 H335 H315 H334 H317	GHS03 GHS08 GHS07 Dgr	H272 H302 H319 H335 H315 H334 H317			
016-062-00-7	bensultap (ISO); 1,3-bis(phenylsulfonylthio)-2-(N,N-dimethylamino)propane	—	17606-31-4	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
016-063-00-2	sodium metabisulphite	231-673-0	7681-57-4	Acute Tox. 4 * Eye Dam. 1	H302 H318	GHS05 GHS07 Dgr	H302 H318	EUH031		
016-064-00-8	sodium hydrogensulphite . . . %; sodium bisulphite . . . %	231-548-0	7631-90-5	Acute Tox. 4 *	H302	GHS07 Wng	H302	EUH031		B
016-065-00-3	sodium 1-amino-4-[2-methyl-5-(4-methylphenylsulfonylamino)phenylamino]anthraquinone-2-sulfonate	400-100-8	84057-97-6	Aquatic Chronic 2	H411	GHS09	H411			
016-066-00-9	tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophenylazo)-2-sulfonatobenzylidenehydrazino)benzoate]copper(II)	404-070-7	116912-62-0	Aquatic Chronic 3	H412	—	H412			
016-067-00-4	(4-methylphenyl)mesitylene sulfonate	407-530-5	67811-06-7	Aquatic Chronic 4	H413	—	H413			
016-068-00-X	sodium 3,5-bis(tetradecyloxy-carbonyl)benzenesulfinate	407-720-8	155160-86-4	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
016-069-00-5	3,5-bis-(tetradecyloxy-carbonyl)benzenesulfonic acid	407-990-7	141915-64-2	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-070-00-0	4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenylsulfone	408-220-2	—	Aquatic Chronic 4	H413	—	H413			
016-071-00-6	trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfophenylamino)-1,3,5-triazin-2-yl)amino)propyl) amino)-4,11-triphenoxydioxazinedisulfonate	410-130-3	136248-03-8	Skin Sens. 1	H317	GHS07 Wng	H317			
016-072-00-1	3-amino-4-hydroxy-N-(2-methoxyethyl)benzenesulfonamide	411-520-6	112195-27-4	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
016-073-00-7	tetrakis(phenylmethyl)thioperoxydi(carbithioamide)	404-310-0	10591-85-2	Aquatic Chronic 4	H413	—	H413			
016-074-00-2	6-fluoro-2-methyl-3-(4-methylthiobenzyl)indene	405-410-7	—	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H315 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H411			
016-075-00-8	2,2'-diallyl-4,4'-sulfonyldiphenol	411-570-9	41481-66-7	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
016-076-00-3	2,3-bis((2-mercaptoethyl)thio)-1-propanethiol	411-290-7	131538-00-6	Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 ** H410			
016-077-00-9	2-chloro-p-toluenesulfochloride	412-890-1	42413-03-6	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H314 H317 H412	GHS05 GHS07 Dgr	H314 H317 H412			
016-078-00-4	4-methyl-N,N-bis(2-(((4-methylphenyl)sulfonyl)amino)ethyl)benzenesulfonamide	413-300-5	56187-04-3	Aquatic Chronic 4	H413	—				

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-079-00-X	N,N-bis(2-(p-toluenesulfonyloxy)ethyl)-p-toluenesulfonamide	412-920-3	16695-22-0	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
016-080-00-5	sodium 2-anilino-5-(2-nitro-4-(N-phenylsulfamoyl)anilinobenzenesulfonate	412-320-1	31361-99-6	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
016-081-00-0	hexahydrocyclopenta[c]pyrrole-1-(1H)-ammonium N-ethoxycarbonyl-N-(p-tolylsulfonyl)azanide	418-350-1	—	Muta. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H341 H302 H319 H317 H411	GHS08 GHS07 GHS09 Wng	H341 H302 H319 H317 H411			
016-082-00-6	ethoxysulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxyphenoxysulfonyl)urea	—	126801-58-9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
016-083-00-1	acibenzolar-S-methyl; benzo[1,2,3]thiadiazole-7-carbothioic acid S-methyl ester	420-050-0	135158-54-2	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H317 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H317 H410			
016-084-00-7	prosulfuron; 1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)phenylsulfonyl]urea	—	94125-34-5	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
016-085-00-2	flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea	—	104040-78-0	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
016-086-00-8	tetrasodium 10-amino-6,13-dichloro-3-(3-(4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate	402-590-9	109125-56-6	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-087-00-3	reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyldisulfonium bis(hexafluorophosphate); diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate; propylene carbonate	403-490-8	104558-95-4	Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H317 H400 H410	GHS07 GHS09 Wng	H319 H317 H410			
016-088-00-9	4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid	407-280-7	71297-11-5	Aquatic Chronic 3	H412	—	H412			
016-089-00-4	reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3,3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene	413-840-1	—	Self-react. C **** Aquatic Chronic 4	H242 H413	GHS02 Dgr	H242 H413			
016-090-00-X	4-methyl-N-(methylsulfonyl)benzenesulfonamide	415-040-8	14653-91-9	Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H302 H335 H318	GHS05 GHS07 Dgr	H302 H335 H318			
016-091-00-5	C ₁₂₋₁₄ —tert-alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylamino)-anthracen-2-sulfonate	414-110-5	—	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
016-093-00-6	reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate); 4-(7-hydroxy-2,4,4-trimethyl-2-chromanil)resorcinolbis(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate) (2:1)	414-770-4	140698-96-0	Self-react. C**** Carc. 2	H242 H351	GHS02 GHS08 Dgr	H242 H351			
016-095-00-7	reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:2); Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3)	417-980-4	—	Self-react. C**** Carc. 2	H242 H351	GHS02 GHS08 Dgr	H242 H351			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
016-096-00-2	thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl)thiophene-2-carboxylate	—	79277-27-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
017-001-00-7	chlorine	231-959-5	7782-50-5	Ox. Gas 1 Press. Gas Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H270 H331 H319 H335 H315 H400	GHS03 GHS04 GHS06 GHS09 Dgr	H270 H331 H319 H335 H315 H400			U
017-002-00-2	hydrogen chloride	231-595-7	7647-01-0	Press. Gas Acute Tox. 3 * Skin Corr. 1A	H331 H314	GHS04 GHS06 GHS05 Dgr	H331 H314			U 5
017-002-01-X	hydrochloric acid ... %	231-595-7	—	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	B
017-003-00-8	barium chlorate	236-760-7	13477-00-4	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411			
017-004-00-3	potassium chlorate	223-289-7	3811-04-9	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
017-005-00-9	sodium chlorate	231-887-4	7775-09-9	Ox. Sol. 1 Acute Tox. 4 * Aquatic Chronic 2	H271 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H302 H411			
017-006-00-4	perchloric acid ... %	231-512-4	7601-90-3	Ox. Liq. 1 Skin Corr. 1A	H271 H314	GHS03 GHS05 Dgr	H271 H314		Skin Corr. 1A; H314: C ≥ 50 % Skin Corr. 1B; H314: 10 % ≤ C < 50 % Skin Irrit. 2; H315: 1 % ≤ C < 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 % Ox. Liq. 1; H271: C > 50 %: Ox. Liq. 2; H272: C ≤ 50 %:	B
017-007-00-X	barium perchlorate	236-710-4	13465-95-7	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 *	H271 H332 H302	GHS03 GHS07 Dgr	H271 H332 H302			
017-008-00-5	potassium perchlorate	231-912-9	7778-74-7	Ox. Sol. 1 Acute Tox. 4 *	H271 H302	GHS03 GHS07 Dgr	H271 H302			
017-009-00-0	ammonium perchlorate	232-235-1	7790-98-9	Expl. 1.1 Ox. Sol. 1	H201 H271	GHS01 Dgr	H201 H271	EUH044		T
017-010-00-6	sodium perchlorate	231-511-9	7601-89-0	Ox. Sol. 1 Acute Tox. 4 *	H271 H302	GHS03 GHS07 Dgr	H271 H302			
017-011-00-1	sodium hypochlorite, solution ... % Cl active	231-668-3	7681-52-9	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031	EUH031: C ≥ 5 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	Ox. Sol. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H272 H302 H314 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H400	EUH031	Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Dam. 1; H31: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 % STOT SE 3; H335: C ≥ 3 %	T
017-013-00-2	calcium chloride	233-140-8	10043-52-4	Eye Irrit. 2	H319	GHS07 Wng	H319			
017-014-00-8	ammonium chloride	235-186-4	12125-02-9	Acute Tox. 4 * Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
017-015-00-3	(2-(aminomethyl)phenyl)acetylchloride hydrochloride	417-410-4	61807-67-8	Acute Tox. 4 * Skin Corr. 1A Skin Sens. 1	H302 H314 H317	GHS05 GHS07 Dgr	H302 H314 H317			
017-016-00-9	methyltriphenylphosphonium chloride	418-400-2	1031-15-8	Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H312 H302 H315 H318 H411	GHS05 GHS07 GHS09 Dgr	H312 H302 H315 H318 H411			
017-017-00-4	(Z)-13-docosenyl-N,N-bis(2-hydroxyethyl)-N-methyl-ammonium-chloride	426-210-6	120086-58-0	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410			
017-018-00-X	N,N,N-trimethyl-2,3-bis(stearoyloxy)propylammonium chloride	405-660-7	—	Aquatic Chronic 2	H411	GHS09	H411			
017-019-00-5	(R)-1,2,3,4-tetrahydro-6,7-dimethoxy-1-vertatrylisoquinoline hydrochloride	415-110-8	54417-53-7	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
017-020-00-0	ethyl propoxy aluminium chloride	421-790-7	13014-29-4	Water-react. 1 Skin Corr. 1A	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		
017-021-00-6	behenamidopropyl-dimethyl-(dihydroxypropyl) ammonium chloride	423-420-1	136920-10-0	Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H318 H317 H410			
019-001-00-2	potassium	231-119-8	7440-09-7	Water-react. 1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		
019-002-00-8	potassium hydroxide; caustic potash	215-181-3	1310-58-3	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %	
020-001-00-X	calcium	231-179-5	7440-70-2	Water-react. 2	H261	GHS02 Dgr	H261			
020-002-00-5	calcium cyanide	209-740-0	592-01-8	Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H300 H400 H410	GHS06 GHS09 Dgr	H300 H410	EUH032		
020-003-00-0	reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine) dihydroxide; tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide; poly[calcium ((2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)hydroxide]	420-470-4	—	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
022-001-00-5	titanium tetrachloride	231-441-9	7550-45-0	Skin Corr. 1B	H314	GHS05 Dgr	H314	EUH014		
022-002-00-0	titanium(4+) oxalate	403-260-7	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
022-003-00-6	bis(η^5 -cyclopentadienyl)-bis(2,6-difluoro-3-[pyrrol-1-yl]-phenyl)titanium	412-000-1	125051-32-3	Flam. Sol. 1 Repr. 2 STOT RE 2 * Aquatic Chronic 2	H228 H361f *** H373 ** H411	GHS02 GHS08 GHS09 Dgr	H228 H361f *** H373 ** H411			T
023-001-00-8	divanadium pentaoxide; vanadium pentoxide	215-239-8	1314-62-1	Muta. 2 Repr. 2 STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Aquatic Chronic 2	H341 H361d *** H372 ** H332 H302 H335 H411	GHS08 GHS07 GHS09 Dgr	H341 H361d *** H372 ** H332 H302 H335 H411			
024-001-00-0	chromium (VI) trioxide	215-607-8	1333-82-0	Ox. Sol. 1 Carc. 1A Muta. 1B Repr. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Skin Corr. 1A Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H271 H350 H340 H361f *** H330 H311 H301 H372 ** H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H271 H350 H340 H361f *** H330 H311 H301 H372 ** H314 H334 H317 H410	STOT SE 3; H335: C \geq 1 %		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-002-00-6	potassium dichromate	231-906-6	7778-50-9	Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410	STOT SE 3; H335: C ≥ 5 %	3	
024-003-00-1	ammonium dichromate	232-143-1	7789-09-5	Ox. Sol. 2 **** Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410	STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 %	G 3	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-004-00-7	sodium dichromate anhydrate	234-190-3	10588-01-9	Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350 H340 H360-FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410	STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 %	3	
024-004-01-4	sodium dichromate, dihydrate	234-190-3	7789-12-0	Ox. Sol. 2 Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350 H340 H360-FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410	STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 %	3	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-005-00-2	chromyl dichloride; chromic oxychloride	239-056-8	14977-61-8	Ox. Liq. 1 Carc. 1B Muta. 1B Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H271 H350i H340 H314 H317 H400 H410	GHS03 GHS08 GHS05 GHS07 GHS09 Dgr	H271 H350i H340 H314 H317 H410		Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 5 % ≤ C < 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 5 % STOT SE 3; H335: 0,5 % ≤ C < 5 % Skin Sens. 1; H317: C ≥ 0,5 %	T 3
024-006-00-8	potassium chromate	232-140-5	7789-00-6	Carc. 1B Muta. 1B Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H340 H319 H335 H315 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350i H340 H319 H335 H315 H317 H410		Skin Sens. 1; H317: C ≥ 0,5 %	3
024-007-00-3	zinc chromates including zinc potassium chromate	—	—	Carc. 1A Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H317 H410			A
024-008-00-9	calcium chromate	237-366-8	13765-19-0	Carc. 1B Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-009-00-4	strontium chromate	232-142-6	7789-06-2	Carc. 1B Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H400 H410			
024-010-00-X	dichromium tris(chromate); chromium III chromate; chromic chromate	246-356-2	24613-89-6	Ox. Sol. 1 Carc. 1B Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H271 H350 H314 H317 H400 H410	GHS03 GHS08 GHS05 GHS07 GHS09 Dgr	H271 H350 H314 H317 H410			T
024-011-00-5	ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-(N-phenylcarbamoyl)-2-naphtholato)chromate(1-)	400-110-2	109125-51-1	Self-react. C **** Aquatic Acute 1 Aquatic Chronic 1	H242 H400 H410	GHS02 GHS09 Dgr	H242 H410			
024-012-00-0	trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)chromate(1-)	400-810-8	—	Muta. 2	H341	GHS08 Wng	H341			
024-013-00-6	trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-)	402-500-8	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
024-014-00-1	trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato)chromate(1-)	402-870-0	93952-24-0	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
024-015-00-7	disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-)	404-930-1	—	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H332 H318 H411	GHS05 GHS07 GHS09 Dgr	H332 H318 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-016-00-2	tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-)	405-110-6	88377-66-6	STOT RE 2 * Aquatic Chronic 4	H373 ** H413	GHS08 Wng	H373 ** H413			
024-017-00-8	Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex	—	—	Carc. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350i H317 H410			A
024-018-00-3	sodium chromate	231-889-5	7775-11-3	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H334 H317 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410	Resp. Sens.; H334: C ≥ 0,2 % Skin Sens.; H317: C ≥ 0,2 %	3	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
024-019-00-9	Main component: acetoacetic acid anilide/3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-{6"-[1-(phenylcarbamoyl)ethylazo]-5"--(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2"-diolato}chromate (III); by-product 1: acetoacetic acid anilide/acetacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III); by-product 2: 3-amino-1-hydroxybenzene/3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III)	419-230-1	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
024-020-00-4	trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphtylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4'-diolato)]chromate(III)	418-220-4	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
025-001-00-3	manganese dioxide	215-202-6	1313-13-9	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302			
025-002-00-9	potassium permanganate	231-760-3	7722-64-7	Ox. Sol. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H410			
025-003-00-4	manganese sulphate	232-089-9	7785-87-7	STOT RE 2 * Aquatic Chronic 2	H373 ** H411	GHS08 GHS09 Wng	H373 ** H411			
025-004-00-X	bis(N,N',N"-trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate	411-760-1	116633-53-5	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
025-005-00-5	reaction mass of: tri-sodium [29H, 31H-phthalocyanine-C,C,C-trisulfonato (6-)-N29, N30,N31,N32] manganate (3-); tetrasodium [29H,31H-phthalocyanine-C,C,C,C-tetrasulfonato (6-)-N29,N30,N31,N32], manganate (3-); pentasodium [29H,31H-phthalocyanine-C,C,C,C,C-pentasulfonato (6-)-N29,N30,N31, N32] manganate (3-)	417-660-4	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
026-001-00-6	(η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate	407-840-0	100011-37-8	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
026-002-00-1	(η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethane-sulfonate	407-880-9	117549-13-0	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
027-001-00-9	cobalt	231-158-0	7440-48-4	Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 4	H334 H317 H413	GHS08 Dgr	H334 H317 H413			
027-002-00-4	cobalt oxide	215-154-6	1307-96-6	Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
027-003-00-X	cobalt sulphide	215-273-3	1317-42-6	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
027-004-00-5	cobalt dichloride	231-589-4	7646-79-9	Carc. 1B Acute Tox. 4 * Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H302 H334 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350i H302 H334 H317 H410		Carc. 1B; H350i; C ≥ 0,01 % *	1
027-005-00-0	cobalt sulphate	233-334-2	10124-43-3	Carc. 1B Acute Tox. 4 * Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H302 H334 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350i H302 H334 H317 H410		Carc. 1B; H350i; C ≥ 0,01 %	1
028-001-00-1	tetracarbonylnickel; nickel tetracarbonyl	236-669-2	13463-39-3	Flam. Liq. 2 Carc. 2 Repr. 1B Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H225 H351 H360D *** H330 H400 H410	GHS02 GHS06 GHS08 GHS09 Dgr	H225 H351 H360D *** H330 H410			
028-002-00-7	nickel	231-111-4	7440-02-0	Carc. 2 Skin Sens. 1	H351 H317	GHS08 GHS07 Wng	H351 H317			
028-003-00-2	nickel monoxide	215-215-7	1313-99-1	Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4	H350i H317 H413	GHS08 GHS07 Dgr	H350i H317 H413			
028-004-00-8	nickel dioxide	234-823-3	12035-36-8	Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4	H350i H317 H413	GHS08 GHS07 Dgr	H350i H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
028-005-00-3	dinickel trioxide	215-217-8	1314-06-3	Carc. 1Ai Skin Sens. 1 Aquatic Chronic 4	H350i H317 H413	GHS08 GHS07 Dgr	H350i H317 H413			
028-006-00-9	nickel sulphide	240-841-2	16812-54-7	Carc. 1Ai Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H317 H400 H410	GHS08 GHS07 GHS07 GHS09 Dgr	H350i H317 H410			
028-007-00-4	nickel subsulphide; trinickel disulphide	234-829-6	12035-72-2	Carc. 1Ai Skin Sens. 1 Aquatic Chronic 2	H350i H317 H411	GHS08 GHS07 GHS09 Dgr	H350i H317 H411			
028-008-00-X	nickel dihydroxide	235-008-5	12054-48-7	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H332 H302 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H332 H302 H317 H410			
028-009-00-5	nickel sulphate	232-104-9	7786-81-4	Carc. 2 Acute Tox. 4 * Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H334 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H351 H302 H334 H317 H410			
028-010-00-0	nickel carbonate	222-068-2	3333-67-3	Carc. 2 Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
029-001-00-4	copper chloride; copper (I) chloride; cuprous chloride	231-842-9	7758-89-6	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H400 H410			
029-002-00-X	dicopper oxide; copper (I) oxide	215-270-7	1317-39-1	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
029-003-00-5	Naphthenic acids, copper salts; copper naphthenate	215-657-0	1338-02-9	Flam. Liq. 3 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H226 H302 H400 H410	GHS02 GHS07 GHS09 Wng	H226 H302 H410			
029-004-00-0	copper sulphate	231-847-6	7758-98-7	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H315 H410			
029-005-00-6	(tris(chloromethyl)phthalocyaninato)copper (II), reaction products with N-methylpiperazine and methoxyacetic acid	401-260-1	—	Eye Irrit. 2	H319	GHS07 Wng	H319			
029-006-00-1	tris(octadec-9-enylammonium) (trisulfonatophthalocyaninato)copper(II)	403-210-4	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
029-007-00-7	(trisodium (2-((3-(6-(2-chloro-5-sulfonato)anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide	404-670-9	89797-01-3	Skin Sens. 1	H317	GHS07 Wng	H317			G

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
029-008-00-2	copper(II) methanesulfonate	405-400-2	54253-62-2	Acute Tox. 4 * Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H318 H410			
029-009-00-8	phthalocyanine-N-[3-(diethylamino)propyl] sulfonamide copper complex	413-650-9	93971-95-0	Aquatic Chronic 3	H412	—	H412			
029-010-00-3	reaction mass of compounds from (dodecakis(p-tolylthio)phthalocyaninato)copper(II) to (hexadecakis(p-tolylthio)phthalocyaninato)copper(II)	407-700-9	101408-30-4	Skin Sens. 1	H317	GHS07 Wng	H317			
029-011-00-9	sodium [29H,31H-phthalocyaninato-(2-)-N29,N30,N31,N32]-((3-(N-methyl-N-(2-hydroxyethyl)amino)propyl)amino)sulfonylsulfonato, copper complex	412-730-0	150522-10-4	Skin Corr. 1B	H314	GHS05 Dgr	H314			
029-012-00-4	sodium ((N-(3-trimethylammoniopropyl)sulfamoyl)methylsulfonatophthalocyaninato)copper(II)	407-340-2	124719-24-0	Eye Dam. 1	H318	GHS05 Dgr	H318			
029-013-00-X	trisodium(2-(a-(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)benzylidenehydrazino)-4-sulfonatobenzoato)copper(II)	407-580-8	130201-51-3	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
030-001-00-1	zinc powder — zinc dust (pyrophoric)	231-175-3	7440-66-6	Water-react. 1 Pyr. Sol. 1 Aquatic Acute 1 Aquatic Chronic 1	H260 H250 H400 H410	GHS02 GHS09 Dgr	H260 H250 H410			T
030-001-01-9	zinc powder — zinc dust (stabilised)	231-175-3	7440-66-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
030-003-00-2	zinc chloride	231-592-0	7646-85-7	Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410		STOT SE 3; H335: C ≥ 5 %	
030-004-00-8	dimethylzinc; [1] diethylzinc [2]	208-884-1 [1] 209-161-3 [2]	544-97-8 [1] 557-20-0 [2]	Pyr. Liq. 1 Water-react. 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H250 H260 H314 H400 H410	GHS02 GHS05 GHS09 Dgr	H250 H260 H314 H410	EUH014		
030-005-00-3	diamminediisocyanatozinc	401-610-3	—	Acute Tox. 4 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1	H302 H318 H334 H317 H400	GHS05 GHS08 GHS07 GHS09 Dgr	H302 H318 H334 H317 H400			
030-006-00-9	zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1] zinc sulphate (anhydrous) [2]	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]	Acute Tox. 4 * Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H318 H410			
030-007-00-4	bis(3,5-di- <i>tert</i> -butylsalicylato-O ¹ ,O ²)zinc	403-360-0	42405-40-3	Flam. Sol. 1 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H228 H302 H400 H410	GHS02 GHS07 GHS09 Dgr	H228 H302 H410			T
030-008-00-X	hydroxo(2-(benzenesulfonamido)benzoato)zinc(II)	403-750-0	113036-91-2	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411			
030-011-00-6	trizinc bis(orthophosphate)	231-944-3	7779-90-0	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
030-013-00-7	zinc oxide	215-222-5	1314-13-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
033-001-00-X	arsenic	231-148-6	7440-38-2	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410			
033-002-00-5	arsenic compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410	*		A 1
033-003-00-0	diarsenic trioxide; arsenic trioxide	215-481-4	1327-53-3	Carc. 1A Acute Tox. 2 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H300 H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H350 H300 H314 H410			
033-004-00-6	diarsenic pentaoxide; arsenic pentoxide; arsenic oxide	215-116-9	1303-28-2	Carc. 1A Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H410			
033-005-00-1	arsenic acid and its salts	—	—	Carc. 1A Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H410			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
033-006-00-7	arsine	232-066-3	7784-42-1	Flam. Gas 1 Press. Gas Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H220 H330 H373 ** H400 H410	GHS02 GHS04 GHS06 GHS08 GHS09 Dgr	H220 H330 H373 ** H410			U
033-007-00-2	tert-butylarsine	423-320-6	4262-43-5	Pyr. Liq. 1 Acute Tox. 2 *	H250 H330	GHS02 GHS06 Dgr	H250 H330			
034-001-00-2	selenium	231-957-4	7782-49-2	Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 4	H331 H301 H373 ** H413	GHS06 GHS08 Dgr	H331 H301 H373 ** H413			
034-002-00-8	selenium compounds except cadmium sulphoselenide	—	—	Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H373 ** H410			A
034-003-00-3	sodium selenite	233-267-9	10102-18-8	Acute Tox. 2 * Acute Tox. 3 * Skin Sens. 1 Aquatic Chronic 2	H300 H331 H317 H411	GHS06 GHS09 Dgr	H300 H331 H317 H411	EUH031		
035-001-00-5	bromine	231-778-1	7726-95-6	Acute Tox. 2 * Skin Corr. 1A Aquatic Acute 1	H330 H314 H400	GHS06 GHS05 GHS09 Dgr	H330 H314 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
035-002-00-0	hydrogen bromide	233-113-0	10035-10-6	Press. Gas Skin Corr. 1A STOT SE 3	H314 H335	GHS04 GHS05 GHS07 Dgr	H314 H335			U
035-002-01-8	hydrobromic acid ... %	—	—	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335		Skin Corr. 1B; H314: C ≥ 40 % Skin Irrit. 2; H315: 10 % ≤ C < 40 % Eye Irrit. 2; H319: 10 % ≤ C < 40 % STOT SE 3; H335: C ≥ 10 %	B
035-003-00-6	potassium bromate	231-829-8	7758-01-2	Ox. Sol. 1 Carc. 1B Acute Tox. 3 *	H271 H350 H301	GHS03 GHS06 GHS08 Dgr	H271 H350 H301			
035-004-00-1	2-hydroxyethylammonium perbromide	407-440-6	—	Ox. Sol. 2 **** Acute Tox. 4 * Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1	H272 H302 H314 H317 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H317 H400			
040-001-00-3	zirconium powder (pyrophoric)	231-176-9	7440-67-7	Water-react. 1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250			T
040-002-00-9	zirconium powder, dry (non pyrophoric)	—	—	Self-heat. 1	H251	GHS02 Dgr	H251			T
042-001-00-9	molybdenum trioxide	215-204-7	1313-27-5	STOT RE 2 * Eye Irrit. 2 STOT SE 3	H373 ** H319 H335	GHS08 GHS07 Wng	H373 ** H319 H335			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
042-002-00-4	tetrakis(dimethylditetradecylammonium) hexa- μ -oxotetra- μ 3-oxodi- μ 5-oxotetradecaooxooctamolybdate(4-)	404-760-8	117342-25-3	Acute Tox. 3 * Eye Dam. 1 Aquatic Chronic 4	H331 H318 H413	GHS06 GHS05 Dgr	H331 H318 H413			
042-003-00-X	tetrakis(trimethylhexadecylammonium) hexa- μ -oxotetra- μ 3-oxodi- μ 5-oxotetradecaooxooctamolybdate(4-)	404-860-1	116810-46-9	Flam. Sol. 1 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H228 H318 H400 H410	GHS02 GHS05 GHS09 Dgr	H228 H318 H410			T
042-004-00-5	Reaction product of ammonium molybdate and C ₁₂ -C ₂₄ -diethoxylated alkylamine (1:5-1:3)	412-780-3	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	GHS07 GHS09 Wng	H315 H317 H411			
047-001-00-2	silver nitrate	231-853-9	7761-88-8	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410			
048-001-00-5	cadmium compounds, with the exception of cadmium sulphoselenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex	—	—	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410	*		A 1
048-002-00-0	cadmium (non-pyrophoric); [1] cadmium oxide (non-pyrophoric) [2]	231-152-8 [1] 215-146-2 [2]	7440-43-9 [1] 1306-19-0 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361fd H330 H372** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361fd H330 H372** H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
048-003-00-6	cadmium diformate; cadmiumformate	224-729-0	4464-23-7	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,25 %	
048-004-00-1	cadmium cyanide	208-829-1	542-83-6	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H351 H373 ** H410	EUH032	STOT RE 2; H373: C ≥ 0,1 % EUH032: C ≥ 1 %	
048-005-00-7	cadmiumhexafluorosilicate(2-); cadmium fluorosilica	241-084-0	17010-21-8	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %	
048-006-00-2	cadmium fluoride	232-222-0	7790-79-6	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410		Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2: 0,1 % ≤ C < 7 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
048-007-00-8	cadmium iodide	232-223-6	7790-80-9	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %	
048-008-00-3	cadmium chloride	233-296-7	10108-64-2	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410		Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 %	
048-009-00-9	cadmium sulphate	233-331-6	10124-36-4	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410		Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 %	
048-010-00-4	cadmium sulphide	215-147-8	1306-23-6	Carc. 1B Muta. 2 Repr. 2 STOT RE 1 Acute Tox. 4 * Aquatic Chronic 4	H350 H341 H361fd H372 ** H302 H413	GHS08 GHS07 Dgr	H350 H341 H361fd H372 ** H302 H413		* STOT RE 1; H372: C ≥ 10 % STOT RE 2; H373: 0,1 % ≤ C < 10 %	1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
048-011-00-X	cadmium (pyrophoric)	231-152-8	7440-43-9	Pyr. Sol. 1 Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H250 H350 H341 H361fd H330 H372 ** H400 H410	GHS02 GHS06 GHS08 GHS09 Dgr	H250 H350 H341 H361fd H330 H372 ** H410			
050-001-00-5	tin tetrachloride; stannic chloride	231-588-9	7646-78-8	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412	STOT SE 3; H335: C ≥ 5 %		
050-002-00-0	cyhexatin (ISO); hydroxytricyclohexylstannane; tri(cyclohexyl)tin hydroxide	236-049-1	13121-70-5	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410			
050-003-00-6	fentin acetate (ISO); triphenyltin acetate	212-984-0	900-95-8	Carc. 2 Repr. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H361d *** H330 H311 H301 H372 ** H335 H315 H318 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H361d *** H330 H311 H301 H372 ** H335 H315 H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
050-004-00-1	fentin hydroxide (ISO); triphenyltin hydroxide	200-990-6	76-87-9	Carc. 2 Repr. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H361d *** H330 H311 H301 H372 ** H335 H315 H318 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H361d *** H330 H311 H301 H372 ** H335 H315 H318 H410			
050-005-00-7	trimethyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410	*	A 1	
050-006-00-2	triethyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410	*	A 1	
050-007-00-8	tripropyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410	*	A 1	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
050-008-00-3	tributyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H312 H319 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H372 ** H312 H319 H315 H410		* oral STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,25 % ≤ C < 1 % * dermal Eye Irrit. 2; H319: C ≥ 1 % Skin Irrit. 2; H315: C ≥ 1 %	A 1
050-009-00-9	fluorotripentylstannane; [1] hexapentyl-distannoxane [2]	243-546-7 [1] 247-143-7 [2]	20153-49-5 [1] 25637-27-8 [2]	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410		*	1
050-010-00-4	fluorotrihexylstannane	243-547-2	20153-50-8	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410		*	1
050-011-00-X	triphenyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410		*	A 1
050-012-00-5	tetracyclohexylstannane; [1] chlorotricyclohexylstannane; [2] butyltricyclohexylstannane [3]	215-910-5 [1] 221-437-5 [2] 230-358-5 [3]	1449-55-4 [1] 3091-32-5 [2] 7067-44-9 [3]	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410		*	A 1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
050-013-00-0	trioctyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 4	H319 H335 H315 H413	GHS07 Wng	H319 H335 H315 H413		Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	A 1
050-017-00-2	fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide	236-407-7	13356-08-6	Acute Tox. 2 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H330 H319 H315 H400 H410	GHS06 GHS09 Dgr	H330 H319 H315 H410			
050-018-00-8	tin(II) methanesulphonate	401-640-7	53408-94-9	Skin Corr. 1B Acute Tox. 4 * Skin Sens. 1	H314 H302 H317	GHS05 GHS07 Dgr	H314 H302 H317			
050-019-00-3	azocyclotin (ISO); 1-(tricyclohexylstannyl)-1H-1,2,4-triazole	255-209-1	41083-11-8	Acute Tox. 2 * Acute Tox. 3 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H301 H335 H315 H318 H400 H410	GHS06 GHS05 GHS09 Dgr	H330 H301 H335 H315 H318 H410			
050-020-00-9	trioctylstannane	413-320-4	869-59-0	STOT RE 1 Skin Irrit. 2 Aquatic Chronic 4	H372 ** H315 H413	GHS08 GHS07 Dgr	H372 ** H315 H413			
051-001-00-8	antimony trichloride	233-047-2	10025-91-9	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411		STOT SE 3; H335: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
051-002-00-3	antimony pentachloride	231-601-8	7647-18-9	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411		STOT SE 3; H335: C ≥ 5 %	
051-003-00-9	antimony compounds, with the exception of the tetroxide (Sb ₂ O ₄), pentoxide (Sb ₂ O ₅), trisulphide (Sb ₂ S ₃), pentasulphide (Sb ₂ S ₅) and those specified elsewhere in this Annex	—	—	Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H332 H302 H411	GHS07 GHS09 Wng	H332 H302 H411		*	A 1
051-004-00-4	antimony trifluoride	232-009-2	7783-56-4	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H331 H311 H301 H411	GHS06 GHS09 Dgr	H331 H311 H301 H411			
051-005-00-X	antimony trioxide	215-175-0	1309-64-4	Carc. 2	H351	GHS08 Wng	H351			
051-006-00-5	diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate	403-500-0	—	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
051-007-00-0	bis(4-dodecylphenyl)iodonium hexafluoroantimonate	404-420-9	71786-70-4	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
053-001-00-3	iodine	231-442-4	7553-56-2	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H332 H312 H400	GHS07 GHS09 Wng	H332 H312 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
053-002-00-9	hydrogen iodide	233-109-9	10034-85-2	Press. Gas Skin Corr. 1A	H314	GHS04 GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 0,2 % ≤ C < 10 % Skin Irrit. 2; H315: 0,02 % ≤ C < 0,2 % Eye Irrit. 2; H319: 0,02 % ≤ C < 0,2 % STOT SE 3; H335: C ≥ 0,02 %	U 5
053-002-01-6	hydriodic acid ... %	—	—	Skin Corr. 1B	H314	GHS05 Dgr			Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B
053-005-00-5	(4-(1-methylethyl)phenyl)-(4-methylphenyl)iodonium tetrakis(pentafluorophenyl)borate (1-)	422-960-3	178233-72-2	Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Wng	H312 H302 H373 ** H410			
056-001-00-1	barium peroxide	215-128-4	1304-29-6	Ox. Sol. 2 Acute Tox. 4 * Acute Tox. 4 *	H272 H332 H302	GHS03 GHS07 Dgr	H272 H332 H302			
056-002-00-7	barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex	—	—	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302		*	A 1
056-003-00-2	barium carbonate	208-167-3	513-77-9	Acute Tox. 4 *	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
056-004-00-8	barium chloride	233-788-1	10361-37-2	Acute Tox. 3 * Acute Tox. 4 *	H301 H332	GHS06 Dgr	H301 H332			
072-001-00-4	hafnium tetra- <i>n</i> -butoxide	411-740-2	22411-22-9	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
074-001-00-X	hexasodium tungstate hydrate	412-770-9	12141-67-2	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
074-002-00-5	Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione	408-250-6	—	Flam. Liq. 2 Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H225 H332 H314 H317 H400 H410	GHS02 GHS05 GHS07 GHS09 Dgr	H225 H332 H314 H317 H410			
076-001-00-5	osmium tetroxide; osmium acid	244-058-7	20816-12-0	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1B	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314			
078-001-00-0	tetrachloroplatinates with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H318 H334 H317			A
078-002-00-6	diammonium tetrachloroplatinate	237-499-1	13820-41-2	Acute Tox. 3 * Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H315 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H315 H318 H334 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
078-003-00-1	disodium tetrachloroplatinate	233-051-4	10026-00-3	Acute Tox. 3 * Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H315 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H315 H318 H334 H317			
078-004-00-7	dipotassium tetrachloroplatinate	233-050-9	10025-99-7	Acute Tox. 3 * Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H315 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H315 H318 H334 H317			
078-005-00-2	hexachloroplatinates with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H318 H334 H317		A	
078-006-00-8	disodium hexachloroplatinate	240-983-5	16923-58-3	Acute Tox. 3 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H318 H334 H317			
078-007-00-3	dipotassium hexachloroplatinate	240-979-3	16921-30-5	Acute Tox. 3 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H318 H334 H317			
078-008-00-9	diammonium hexachloroplatinate	240-973-0	16919-58-7	Acute Tox. 3 * Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H301 H318 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H318 H334 H317			
078-009-00-4	hexachloroplatinic acid	241-010-7	16941-12-1	Acute Tox. 3 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H301 H314 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H314 H334 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
080-001-00-0	mercury	231-106-7	7439-97-6	Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H373 ** H410			
080-002-00-6	inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex	—	—	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %	A 1
080-003-00-1	dimercury dichloride; mercurous chloride; calomel	233-307-5	10112-91-1	Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H410			
080-004-00-7	organic compounds of mercury with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %	A 1
080-005-00-2	mercury difulminate; mercuric fulminate; fulminate of mercury	211-057-8	628-86-4	Unst. Expl. Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H200 H331 H311 H301 H373 ** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H200 H331 H311 H301 H373 ** H400 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
080-005-01-X	mercury difulminate; mercuric fulminate; fulminate of mercury [≥ 20 % phlegmatiser]	211-057-8	628-86-4	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H331 H311 H301 H373 ** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H400 H410			
080-006-00-8	dimercury dicyanide oxide; mercuric oxycyanide	215-629-8	1335-31-5	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H331 H311 H301 H373 ** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H410		T	
080-007-00-3	dimethylmercury; [1] diethylmercury [2]	209-805-3 [1] 211-000-7 [2]	593-74-8 [1] 627-44-1 [2]	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410	* STOT RE 2; H373: C $\geq 0,05$ %	1	
080-008-00-9	phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3]	200-242-9 [1] 202-866-7 [2] — [3]	55-68-5 [1] 100-57-2 [2] 8003-05-2 [3]	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
080-009-00-4	2-methoxyethylmercury chloride	204-659-7	123-88-6	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410			
080-010-00-X	mercury dichloride; mercuric chloride	231-299-8	7487-94-7	Acute Tox. 2 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H300 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H300 H372 ** H314 H410			
080-011-00-5	phenylmercury acetate	200-532-5	62-38-4	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410			
081-001-00-3	thallium	231-138-1	7440-28-0	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 4	H330 H300 H373 ** H413	GHS06 GHS08 Dgr	H330 H300 H373 ** H413			
081-002-00-9	thallium compounds, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H330 H300 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H330 H300 H373 ** H411		A	
081-003-00-4	dithallium sulphate; thallic sulphate	231-201-3	7446-18-6	Acute Tox. 2 * STOT RE 1 Skin Irrit. 2 Aquatic Chronic 2	H300 H372 ** H315 H411	GHS06 GHS08 GHS09 Dgr	H300 H372 ** H315 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
082-001-00-6	lead compounds with the exception of those specified elsewhere in this Annex	—	—	Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H332 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Dgr	H360Df H332 H302 H373 ** H410		Repr. 2; H361f: C \geq 2,5 % * STOT RE 2; H373: C \geq 0,5 %	A 1
082-002-00-1	lead alkyls	—	—	Repr. 1A Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H360Df H330 H310 H300 H373 ** H410	Repr. 1A; H360D: C \geq 0,1 % * STOT RE 2; H373: C \geq 0,05 %	A 1	
082-003-00-7	lead diazide; lead azide	236-542-1	13424-46-9	Unst. Expl. Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H200 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H200 H360Df H332 H302 H373 ** H410		1	
082-003-01-4	lead diazide; lead azide [\geq 20 % phlegmatiser]	236-542-1	13424-46-9	Expl. 1.1 Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H201 H360Df H332 H302 H373 ** H410		1	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
082-004-00-2	lead chromate	231-846-0	7758-97-6	Carc. 2 Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H351 H360Df H373 ** H410			1
082-005-00-8	lead di(acetate)	206-104-4	301-04-2	Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H360Df H373 ** H410			1
082-006-00-3	trilead bis(orthophosphate)	231-205-5	7446-27-7	Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H360Df H373 ** H410			1
082-007-00-9	lead acetate, basic	215-630-3	1335-32-6	Carc. 2 Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H351 H360Df H373 ** H410			1
082-008-00-4	lead(II) methanesulphonate	401-750-5	17570-76-2	Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Eye Dam. 1	H360Df H332 H302 H373 ** H315 H318	GHS08 GHS05 GHS07 Dgr	H360Df H332 H302 H373 ** H315 H318			1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
082-009-00-X	Lead sulfochromate yellow; C.I. Pigment Yellow 34; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.]	215-693-7	1344-37-2	Carc. 2 Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H351 H360Df H373 ** H410			1
082-010-00-5	Lead chromate molybdate sulfate red; C.I. Pigment Red 104; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.]	235-759-9	12656-85-8	Carc. 2 Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H351 H360Df H373 ** H410			1
082-011-00-0	lead hydrogen arsenate	232-064-2	7784-40-9	Carc. 1A Repr. 1A Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H350 H360Df H331 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H360Df H331 H301 H373 ** H410			1
092-001-00-8	uranium	231-170-6	7440-61-1	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 4	H330 H300 H373 ** H413	GHS06 GHS08 Dgr	H330 H300 H373 ** H413			
092-002-00-3	uranium compounds	—	—	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H330 H300 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H330 H300 H373 ** H411			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-001-00-4	methane	200-812-7	74-82-8	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
601-002-00-X	ethane	200-814-8	74-84-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
601-003-00-5	propane	200-827-9	74-98-6	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
601-004-00-0	butane; [1] and isobutane [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			C U
601-004-01-8	butane (containing \geq 0.1 % butadiene (203-450-8)); [1] isobutane (containing \geq 0.1 % butadiene (203-450-8)) [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			C S U
601-005-00-6	2,2-dimethylpropane; neopentane	207-343-7	463-82-1	Flam. Gas 1 Press. Gas Aquatic Chronic 2	H220 H411	GHS02 GHS04 GHS09 Dgr	H220 H411			U
601-006-00-1	pentane	203-692-4	109-66-0	Flam. Liq. 2 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H225 H304 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H336 H411	EUH066		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-007-00-7	hexane, reaction mass of isomers (containing < 5 % <i>n</i> -hexane (203-777-6))	—	—	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H411		C	
601-008-00-2	heptane [and isomers] [1]	205-563-8 [1] 203-548-0 [2] 207-346-3 [3] 209-230-8 [4] 209-280-0 [5] 209-643-3 [6] 209-680-5 [7] 209-730-6 [8] 210-529-0 [9] 250-610-8 [10]	142-82-5 [1] 108-08-7 [2] 464-06-2 [3] 562-49-2 [4] 565-59-3 [5] 589-34-4 [6] 590-35-2 [7] 591-76-4 [8] 617-78-7 [9] 31394-54-4 [10]	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410		C	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-009-00-8	octane [and isomers] [1]	203-892-1 [1] 208-759-1 [2] 209-207-2 [3] 209-243-9 [4] 209-266-4 [5] 209-292-6 [6] 209-504-7 [7] 209-547-1 [8] 209-649-6 [9] 209-650-1 [10] 209-660-6 [11] 209-689-4 [12] 209-745-8 [13] 209-747-9 [14] 209-855-6 [15] 210-187-2 [16] 210-621-0 [17] 213-923-0 [18] 247-861-0 [19]	111-65-9 [1] 540-84-1 [2] 560-21-4 [3] 563-16-6 [4] 564-02-3 [5] 565-75-3 [6] 583-48-2 [7] 584-94-1 [8] 589-43-5 [9] 589-53-7 [10] 589-81-1 [11] 590-73-8 [12] 592-13-2 [13] 592-27-8 [14] 594-82-1 [15] 609-26-7 [16] 619-99-8 [17] 1067-08-9 [18] 26635-64-3 [19]	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410		C	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-010-00-3	ethylene	200-815-3	74-85-1	Flam. Gas 1 Press. Gas STOT SE 3	H220 H336	GHS02 GHS04 GHS07 Dgr	H220 H336			U
601-011-00-9	propene; propylene	204-062-1	115-07-1	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
601-012-00-4	but-1-ene; [1] butene, mixed-1-and-2-isomers; [2] 2-methylpropene; [3] (Z)-but-2-ene; [4] (E)-but-2-ene [5]	203-449-2 [1] 203-452-9 [2] 204-066-3 [3] 209-673-7 [4] 210-855-3 [5]	106-98-9 [1] 107-01-7 [2] 115-11-7 [3] 590-18-1 [4] 624-64-6 [5]	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			C U
601-013-00-X	1,3-butadiene; buta-1,3-diene	203-450-8	106-99-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			D U
601-014-00-5	isoprene (stabilised) 2-methyl-1,3-butadiene	201-143-3	78-79-5	Flam. Liq. 1 Carc. 1B Muta. 2 Aquatic Chronic 3	H224 H350 H341 H412	GHS02 GHS08 Dgr	H224 H350 H341 H412			D
601-015-00-0	acetylene; ethyne	200-816-9	74-86-2	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220	EUH006		U
601-016-00-6	cyclopropane	200-847-8	75-19-4	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-017-00-1	cyclohexane	203-806-2	110-82-7	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410			
601-018-00-7	methylcyclohexane	203-624-3	108-87-2	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H411			
601-019-00-2	1,4-dimethylcyclohexane	209-663-2	589-90-2	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H411			
601-020-00-8	benzene	200-753-7	71-43-2	Flam. Liq. 2 Carc. 1A Muta. 1B STOT RE 1 Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2	H225 H350 H340 H372 ** H304 H319 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H340 H372 ** H304 H319 H315		E	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-021-00-3	toluene	203-625-9	108-88-3	Flam. Liq. 2 Repr. 2 Asp. Tox. 1 STOT RE 2 * Skin Irrit. 2 STOT SE 3	H225 H361d *** H304 H373 ** H315 H336	GHS02 GHS08 GHS07 Dgr	H225 H361d *** H304 H373 ** H315 H336			
601-022-00-9	o-xylene; [1] p-xylene; [2] m-xylene; [3] xylene [4]	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2	H226 H332 H312 H315	GHS02 GHS07 Wng	H226 H332 H312 H315	*	C	
601-023-00-4	ethylbenzene	202-849-4	100-41-4	Flam. Liq. 2 Acute Tox. 4 *	H225 H332	GHS02 GHS07 Dgr	H225 H332			
601-024-00-X	cumene; [1] propylbenzene [2]	202-704-5 [1] 203-132-9 [2]	98-82-8 [1] 103-65-1 [2]	Flam. Liq. 3 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H226 H304 H335 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H226 H304 H335 H411		C	
601-025-00-5	mesitylene; 1,3,5-trimethylbenzene	203-604-4	108-67-8	Flam. Liq. 3 STOT SE 3 Aquatic Chronic 2	H226 H335 H411	GHS02 GHS07 GHS09 Wng	H226 H335 H411	STOT SE 3; H335: C ≥ 25 %		
601-026-00-0	styrene	202-851-5	100-42-5	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H226 H332 H319 H315	GHS02 GHS07 Wng	H226 H332 H319 H315	*	D	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-027-00-6	2-phenylpropene; α -methylstyrene	202-705-0	98-83-9	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Aquatic Chronic 2	H226 H319 H335 H411	GHS02 GHS07 GHS09 Wng	H226 H319 H335 H411		STOT SE 3; H335: C \geq 25 %	
601-028-00-1	2-methylstyrene; 2-vinyltoluene	210-256-7	611-15-4	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411			
601-029-00-7	dipentene; limonene; [1] (R)-p-mentha-1,8-diene; d-limonene; [2] (S)-p-mentha-1,8-diene; l-limonene; [3] trans-1-methyl-4-(1-methylvinyl)cyclohexene; [4] (\pm)-1-methyl-4-(1-methylvinyl)cyclohexene [5]	205-341-0 [1] 227-813-5 [2] 227-815-6 [3] 229-977-3 [4] 231-732-0 [5]	138-86-3 [1] 5989-27-5 [2] 5989-54-8 [3] 6876-12-6 [4] 7705-14-8 [5]	Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H315 H317 H400 H410	GHS02 GHS07 GHS09 Wng	H226 H315 H317 H410			C
601-030-00-2	cyclopentane	206-016-6	287-92-3	Flam. Liq. 2 Aquatic Chronic 3	H225 H412	GHS02 Dgr	H225 H412			
601-031-00-8	2,4,4-trimethylpent-1-ene	203-486-4	107-39-1	Flam. Liq. 2 Aquatic Chronic 2	H225 H411	GHS02 GHS09 Dgr	H225 H411			
601-032-00-3	benzo[a]pyrene; benzo[def]chrysene	200-028-5	50-32-8	Carc. 1B Muta. 1B Repr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H340 H360FD H317 H410		Carc. 1B; H350: C \geq 0,01 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-033-00-9	benz[a]anthracene	200-280-6	56-55-3	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
601-034-00-4	benz[e]acephenanthrylene	205-911-9	205-99-2	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
601-035-00-X	benzo[j]fluoranthene	205-910-3	205-82-3	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
601-036-00-5	benzo[k]fluoranthene	205-916-6	207-08-9	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
601-037-00-0	n-hexane	203-777-6	110-54-3	Flam. Liq. 2 Repr. 2 Asp. Tox. 1 STOT RE 2 * Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H361f *** H304 H373 ** H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H361f *** H304 H373 ** H315 H336 H411	STOT RE 2; H373: C ≥ 5 %		
601-041-00-2	dibenz[a,h]anthracene	200-181-8	53-70-3	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410		Carc. 1B; H350: C ≥ 0,01 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-042-00-8	biphenyl; diphenyl	202-163-5	92-52-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H410			
601-043-00-3	1,2,4-trimethylbenzene	202-436-9	95-63-6	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H226 H332 H319 H335 H315 H411	GHS02 GHS07 GHS09 Wng	H226 H332 H319 H335 H315 H411			
601-044-00-9	3a,4,7,7a-tetrahydro-4,7-methanoindene	201-052-9	77-73-6	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H225 H332 H302 H319 H335 H315 H411	GHS02 GHS07 GHS09 Dgr	H225 H332 H302 H319 H335 H315 H411			
601-045-00-4	1,2,3,4-tetrahydronaphthalene	204-340-2	119-64-2	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H319 H315 H411	GHS07 GHS09 Wng	H319 H315 H411	EUH019		
601-046-00-X	7-methylocta-1,6-diene	404-210-7	42152-47-6	Flam. Liq. 3 Aquatic Acute 1 Aquatic Chronic 1	H226 H400 H410	GHS02 GHS09 Wng	H226 H410			
601-047-00-5	m-mentha-1,3(8)-diene	404-150-1	17092-80-7	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-048-00-0	chrysene	205-923-4	218-01-9	Carc. 1B Muta. 2 Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H400 H410	GHS08 GHS09 Dgr	H350 H341 H410			
601-049-00-6	benzo[e]pyrene	205-892-7	192-97-2	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
601-051-00-7	4-phenylbut-1-ene	405-980-7	768-56-9	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
601-052-00-2	naphthalene	202-049-5	91-20-3	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS07 GHS08 GHS09 Wng	H351 H302 H410			
601-053-00-8	nonylphenol; [1] 4-nonylphenol, branched [2]	246-672-0 [1] 284-325-5 [2]	25154-52-3 [1] 84852-15-3 [2]	Repr. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H361fd H302 H314 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H361fd H302 H314 H410			
601-054-00-3	reaction mass of isomers of: dibenzylbenzene; dibenzyl(methyl)benzene; dibenzyl(dimethyl)benzene; dibenzyl(trimethyl)benzene	405-570-8	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
601-055-00-9	reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes; di-(2-tetradecyl)naphthalenes; tri-(2-tetradecyl)naphthalenes	410-190-0	132983-41-6	Eye Irrit. 2 Aquatic Chronic 4	H319 H413	GHS07 Wng	H319 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-056-00-4	reaction mass of isomers of: methyl diphenylmethane; dimethyldiphenylmethane	405-470-4	73807-39-3	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
601-057-00-X	N-dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dimethylammonium tosylate	421-130-8	156679-41-3	Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H318 H317 H410			
601-058-00-5	di-L-para-menthene	417-870-6	83648-84-4	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
601-059-00-0	methyl 2-benzylidene-3-oxobutyrate	420-940-9	15768-07-7	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H319 H315 H411	GHS07 GHS09 Wng	H319 H315 H411			
601-060-00-6	1,2-bis[4-fluoro-6-(4-sulfo-5-(2-(4-sulfonaphthalene-3-ylazo)-1-hydroxy-3,6-disulfo-8-aminonaphthalene-7-ylazo)phenylamino)-1,3,5-triazin-2-ylamino]ethane; x-sodium, y-potassium salts x = 7,755 y = 0,245	417-610-1	155522-09-1	Skin Sens. 1	H317	GHS07 Wng	H317			
601-061-00-1	(ethyl-1,2-ethanediy)[-2-[[[(2-hydroxyethyl)methylamino]acetyl]-propyl]ω-(nonylphenoxy)poly]oxy-(methyl-1,2-ethanediy)	418-960-8	—	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H314 H317 H411			
601-062-00-7	reaction mass of: branched triacontane; branched dotriacontane; branched tetratriacontane; branched hexatriacontane	417-030-9	151006-59-6	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-063-00-2	reaction mass of isomers of branched tetracosane	417-060-2	151006-61-0	Acute Tox. 4 * Aquatic Chronic 4	H332 H413	GHS07 Wng	H332 H413			
601-064-00-8	branched hexatriacontane	417-070-7	151006-62-1	Aquatic Chronic 4	H413	—	H413			
601-065-00-3	reaction mass of: (1'- α ,3'- α ,6'- α -2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane)); (1' α ,3' β ,6' α)-2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane)	416-930-9	—	STOT RE 2 * Eye Dam. 1 Aquatic Chronic 2	H373 ** H318 H411	GHS08 GHS05 GHS09 Dgr	H373 ** H318 H411			
601-066-00-9	1-(4-(trans-4-heptylcyclohexyl)phenyl) ethanone	426-820-2	78531-60-9	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
601-067-00-4	triethyl arsenate	427-700-2	15606-95-8	Carc. 1A Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H410			
601-068-00-X	1,2-diacetoxybut-3-ene	421-720-5	18085-02-4	Acute Tox. 4 *	H302	GHS07 Wng	H302			
601-069-00-5	2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide	422-680-1	287933-44-2	Aquatic Chronic 3	H412	—	H412			
601-071-00-6	1-dimethoxymethyl-2-nitro-benzene	423-830-9	20627-73-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
601-073-00-7	1-bromo-3,5-difluorobenzene	416-710-2	461-96-1	Flam. Liq. 3 Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H302 H373 ** H315 H317 H400 H410	GHS02 GHS08 GHS07 GHS09 Wng	H226 H302 H373 ** H315 H317 H410			
601-074-00-2	reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo[2.2.2]octane; 1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane; spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]; spiro[cyclohex-3-en-1-yl-[4,5,6,6a-tetrahydro-4,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]	422-040-1	—	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H319 H315 H411	GHS07 GHS09 Wng	H319 H315 H411			
601-085-00-2	isopentane; 2-methylbutane	201-142-8	78-78-4	Flam. Liq. 1 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H224 H304 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H224 H304 H336 H411	EUH066		
602-001-00-7	chloromethane; methyl chloride	200-817-4	74-87-3	Flam. Gas 1 Press. Gas Carc. 2 STOT RE 2 *	H220 H351 H373 **	GHS02 GHS04 GHS08 Dgr	H220 H351 H373 **			U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-002-00-2	bromomethane; methylbromide	200-813-2	74-83-9	Press. Gas Muta. 2 Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Ozone	H341 H331 H301 H373 ** H319 H335 H315 H400 EU- H059	GHS04 GHS06 GHS08 GHS09 Dgr	H341 H331 H301 H373 ** H319 H335 H315 H400	EUH059		U
602-003-00-8	dibromomethane	200-824-2	74-95-3	Acute Tox. 4 * Aquatic Chronic 3	H332 H412	GHS07 Wng	H332 H412		*	
602-004-00-3	dichloromethane; methylene chloride	200-838-9	75-09-2	Carc. 2	H351	GHS08 Wng	H351			
602-005-00-9	methyl iodide; iodomethane	200-819-5	74-88-4	Carc. 2 Acute Tox. 4 * Acute Tox. 3 * Acute Tox. 3 * STOT SE 3 Skin Irrit. 2	H351 H312 H331 H301 H335 H315	GHS06 GHS08 Dgr	H351 H312 H331 H301 H335 H315			
602-006-00-4	trichloromethane; chloroform	200-663-8	67-66-3	Carc. 2 Acute Tox. 4 * STOT RE 2 * STOT RE 2 * Skin Irrit. 2	H351 H302 H373 ** H373 ** H315	GHS07 GHS08 Wng	H351 H302 H373 ** H373 ** H315		* STOT RE 2; H373: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-007-00-X	bromoform; tribromomethane	200-854-6	75-25-2	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H331 H319 H315 H411	GHS06 GHS09 Dgr	H331 H319 H315 H411			
602-008-00-5	carbon tetrachloride; tetrachloromethane	200-262-8	56-23-5	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Aquatic Chronic 3 Ozone	H351 H331 H311 H301 H372 ** H412 EU-H059	GHS06 GHS08 Dgr	H351 H331 H311 H301 H372 ** H412	EUH059	* STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %	
602-009-00-0	chloroethane	200-830-5	75-00-3	Flam. Gas 1 Press. Gas Carc. 2 Aquatic Chronic 3	H220 H351 H412	GHS02 GHS04 GHS08 Dgr	H220 H351 H412			U
602-010-00-6	1,2-dibromoethane	203-444-5	106-93-4	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H350 H331 H311 H301 H319 H335 H315 H411	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H319 H335 H315 H411		*	
602-011-00-1	1,1-dichloroethane	200-863-5	75-34-3	Flam. Liq. 2 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Chronic 3	H225 H302 H319 H335 H412	GHS02 GHS07 Dgr	H225 H302 H319 H335 H412		*	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-012-00-7	1,2-dichloroethane; ethylene dichloride	203-458-1	107-06-2	Flam. Liq. 2 Carc. 1B Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H350 H302 H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H302 H319 H335 H315			
602-013-00-2	1,1,1-trichloroethane; methyl chloroform	200-756-3	71-55-6	Acute Tox. 4 * Ozone	H332 EUH059	GHS07 Wng	H332	EUH059		F
602-014-00-8	1,1,2-trichloroethane	201-166-9	79-00-5	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H351 H332 H312 H302	GHS08 GHS07 Wng	H351 H332 H312 H302	EUH066	*	
602-015-00-3	1,1,2,2-tetrachloroethane	201-197-8	79-34-5	Acute Tox. 2 * Acute Tox. 1 Aquatic Chronic 2	H330 H310 H411	GHS06 GHS09 Dgr	H330 H310 H411			
602-016-00-9	1,1,2,2-tetrabromoethane	201-191-5	79-27-6	Acute Tox. 2 * Eye Irrit. 2 Aquatic Chronic 3	H330 H319 H412	GHS06 Dgr	H330 H319 H412			
602-017-00-4	pentachloroethane	200-925-1	76-01-7	Carc. 2 STOT RE 1 Aquatic Chronic 2	H351 H372 ** H411	GHS08 GHS09 Dgr	H351 H372 ** H411		STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %	
602-018-00-X	1-chloropropane; [1] 2-chloropropane [2]	208-749-7 [1] 200-858-8 [2]	540-54-5 [1] 75-29-6 [2]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-019-00-5	1-bromopropane; n-propyl bromide	203-445-0	106-94-5	Flam. Liq. 2 Repr. 1B STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 STOT SE 3	H225 H360- FD H373 ** H319 H335 H315 H336	GHS02 GHS08 GHS07 Dgr	H225 H360FD H373 ** H319 H335 H315 H336			
602-020-00-0	1,2-dichloropropane; propylene dichloride	201-152-2	78-87-5	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			
602-021-00-6	1,2-dibromo-3-chloropropane	202-479-3	96-12-8	Carc. 1B Muta. 1B Repr. 1A Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 3	H350 H340 H360F *** H301 H373 ** H412	GHS06 GHS08 Dgr	H350 H340 H360F *** H301 H373 ** H412			
602-022-00-1	1-chloropentane; [1] 2-chloropentane; [2] 3-chloropentane [3]	208-846-4 [1] 210-885-7 [2] 210-467-4 [3]	543-59-9 [1] 625-29-6 [2] 616-20-6 [3]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302		C	
602-023-00-7	vinyl chloride; chloroethylene	200-831-0	75-01-4	Press. Gas Flam. Gas 1 Carc. 1A	H220 H350	GHS02 GHS08 Dgr	H220 H350		D U	
602-024-00-2	bromoethylene	209-800-6	593-60-2	Press. Gas Flam. Gas 1 Carc. 1B	H220 H350	GHS02 GHS08 Dgr	H220 H350		U	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-025-00-8	1,1-dichloroethylene; vinylidene chloride	200-864-0	75-35-4	Flam. Liq. 1 Carc. 2 Acute Tox. 4 *	H224 H351 H332	GHS02 GHS08 GHS07 Dgr	H224 H351 H332		*	D
602-026-00-3	1,2-dichloroethylene; [1] cis-dichloroethylene; [2] trans-dichloroethylene [3]	208-750-2 [1] 205-859-7 [2] 205-860-2 [3]	540-59-0 [1] 156-59-2 [2] 156-60-5 [3]	Flam. Liq. 2 Acute Tox. 4 * Aquatic Chronic 3	H225 H332 H412	GHS02 GHS07 Dgr	H225 H332 H412		*	C
602-027-00-9	trichloroethylene; trichloroethene	201-167-4	79-01-6	Carc. 1B Muta. 2 Eye Irrit. 2 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 3	H350 H341 H319 H315 H336 H412	GHS08 GHS07 Dgr	H350 H341 H319 H315 H336 H412			
602-028-00-4	tetrachloroethylene	204-825-9	127-18-4	Carc. 2 Aquatic Chronic 2	H351 H411	GHS08 GHS09 Wng	H351 H411			
602-029-00-X	3-chloropropene; allyl chloride	203-457-6	107-05-1	Flam. Liq. 2 Carc. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H225 H351 H341 H332 H312 H302 H373 ** H319 H335 H315 H315 H400	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H351 H341 H332 H312 H302 H373 ** H319 H335 H315 H400			D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-030-00-5	1,3-dichloropropene; [1] (Z)-1,3-dichloropropene [2]	208-826-5 [1] 233-195-8 [2]	542-75-6 [1] 10061-01-5 [2]	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H301 H332 H312 H319 H335 H315 H317 H400 H410	GHS02 GHS06 GHS09 Dgr	H226 H301 H332 H312 H319 H335 H315 H317 H410		C D	
602-031-00-0	1,1-dichloropropene	209-253-3	563-58-6	Flam. Liq. 2 Acute Tox. 3 * Aquatic Chronic 3	H225 H301 H412	GHS02 GHS06 Dgr	H225 H301 H412			
602-032-00-6	3-chloro-2-methylpropene	209-251-2	563-47-3	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H225 H332 H302 H314 H317 H411	GHS02 GHS05 GHS07 GHS09 Dgr	H225 H332 H302 H314 H317 H411			
602-033-00-1	chlorobenzene	203-628-5	108-90-7	Flam. Liq. 3 Acute Tox. 4 * Aquatic Chronic 2	H226 H332 H411	GHS02 GHS07 GHS09 Wng	H226 H332 H411	*		
602-034-00-7	1,2-dichlorobenzene; o-dichlorobenzene	202-425-9	95-50-1	Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H410	*		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-035-00-2	1,4-dichlorobenzene; <i>p</i> -dichlorobenzene	203-400-5	106-46-7	Carc. 2 Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H319 H400 H410	GHS08 GHS09 Wng	H351 H319 H410			
602-036-00-8	chloroprene (stabilised); 2-chlorobuta-1,3-diene (stabilised)	204-818-0	126-99-8	Flam. Liq. 2 Carc. 1B Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H350 H332 H302 H373 ** H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H332 H302 H373 ** H319 H335 H315		D	
602-037-00-3	α -chlorotoluene; benzyl chloride	202-853-6	100-44-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * STOT RE 2 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H350 H331 H302 H373 ** H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H350 H331 H302 H373 ** H335 H315 H318			
602-038-00-9	α , α , α -trichlorotoluene; benzotrichloride	202-634-5	98-07-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H350 H331 H302 H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H350 H331 H302 H335 H315 H318			
602-039-00-4	polychlorobiphenyls; PCB	215-648-1	1336-36-3	STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H373 ** H400 H410	GHS08 GHS09 Wng	H373 ** H410	STOT RE 2; H373: C \geq 0,005 %	C	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-040-00-X	2-chlorotoluene; [1] 3-chlorotoluene; [2] 4-chlorotoluene; [3] chlorotoluene [4]	202-424-3 [1] 203-580-5 [2] 203-397-0 [3] 246-698-2 [4]	95-49-8 [1] 108-41-8 [2] 106-43-4 [3] 25168-05-2 [4]	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411			C
602-041-00-5	pentachloronaphthalene	215-320-8	1321-64-8	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H312 H302 H319 H315 H410			C
602-042-00-0	1,2,3,4,5,6-hexachlorcyclohexanes with the exception of those specified elsewhere in this Annex	—	—	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H301 H312 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H301 H312 H410			A C
602-043-00-6	lindane (ISO); γ-HCH or γ-BHC; γ-1,2,3,4,5,6-hexachlorocyclohexane	200-401-2	58-89-9	Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Lact. Aquatic Acute 1 Aquatic Chronic 1	H301 H332 H312 H373 ** H362 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H332 H312 H373 ** H362 H410	M=10		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-044-00-1	camphechlor (ISO); toxaphene;	232-283-3	8001-35-2	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H301 H312 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H301 H312 H335 H315 H410			
602-045-00-7	DDT (ISO); clofenotane (INN); dicophane; 1,1,1-trichloro-2,2-bis(4-chlorophenyl) ethane; dichlorodiphenyltrichloroethane	200-024-3	50-29-3	Carc. 2 Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H301 H372 ** H410			
602-046-00-2	heptachlor (ISO); 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetra- hydro-4,7-methanoindene	200-962-3	76-44-8	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H311 H301 H373 ** H410			
602-047-00-8	chlordane (ISO); 1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetra- hydro-4,7-methanoindan	200-349-0	57-74-9	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H312 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H312 H302 H410			
602-048-00-3	aldrin (ISO)	206-215-8	309-00-2	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H311 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H311 H301 H372 ** H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-049-00-9	dieldrin (ISO)	200-484-5	60-57-1	Carc. 2 Acute Tox. 1 Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H310 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H310 H301 H372 ** H410			
602-050-00-4	(1 α ,4 α ,4 $\alpha\beta$,5 β ,8 β ,8 $\alpha\beta$)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene; isodrin	207-366-2	465-73-6	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410			
602-051-00-X	endrin (ISO); 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4:5,8-dimethanonaphthalene	200-775-7	72-20-8	Acute Tox. 2 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H300 H311 H400 H410	GHS06 GHS09 Dgr	H300 H311 H410			
602-052-00-5	endosulfan (ISO); 1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6-ylenedimethyl sulphite	204-079-4	115-29-7	Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H319 H400 H410	GHS06 GHS09 Dgr	H311 H301 H319 H410			
602-053-00-0	isobenzan (ISO); 1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methanoisobenzofuran	206-045-4	297-78-9	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1	H310 H300 H400	GHS06 GHS09 Dgr	H310 H300 H400			
602-054-00-6	3-iodpropene; allyl iodide	209-130-4	556-56-9	Flam. Liq. 2 Skin Corr. 1B	H226 H314	GHS02 GHS05 Dgr	H226 H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-055-00-1	bromoethane; ethyl bromide	200-825-8	74-96-4	Flam. Liq. 2 Carc. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H351 H332 H302	GHS02 GHS08 GHS07 Dgr	H225 H351 H332 H302			
602-056-00-7	α, α,α-trifluorotoluene; benzotrifluoride	202-635-0	98-08-8	Flam. Liq. 2 Aquatic Chronic 2	H225 H411	GHS02 GHS09 Dgr	H225 H411			
602-057-00-2	α-bromotoluene; benzyl bromide	202-847-3	100-39-0	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315			
602-058-00-8	α, α-dichlorotoluene; benzylidene chloride; benzal chloride	202-709-2	98-87-3	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H351 H331 H302 H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H351 H331 H302 H335 H315 H318			
602-059-00-3	1-chlorobutane; butyl chloride	203-696-6	109-69-3	Flam. Liq. 2	H225	GHS02 Dgr	H225			
602-060-00-9	bromobenzene	203-623-8	108-86-1	Flam. Liq. 3 Skin Irrit. 2 Aquatic Chronic 2	H226 H315 H411	GHS02 GHS07 GHS09 Wng	H226 H315 H411			
602-061-00-4	hexafluoropropene; hexafluoropropylene	204-127-4	116-15-4	Press. Gas Acute Tox. 4 * STOT SE 3	H332 H335	GHS07 Wng	H332 H335			U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-062-00-X	1,2,3-trichloropropane	202-486-1	96-18-4	Carc. 1B Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H350 H360F *** H332 H312 H302	GHS08 GHS07 Dgr	H350 H360F *** H332 H312 H302			D
602-063-00-5	heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindane	213-831-0	1024-57-3	Carc. 2 Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H301 H373 ** H410			
602-064-00-0	1,3-dichloro-2-propanol	202-491-9	96-23-1	Carc. 1B Acute Tox. 3 * Acute Tox. 4 *	H350 H301 H312	GHS06 GHS08 Dgr	H350 H301 H312			
602-065-00-6	hexachlorobenzene	204-273-9	118-74-1	Carc. 1B STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H372 ** H400 H410	GHS08 GHS09 Dgr	H350 H372 ** H410			
602-066-00-1	tetrachloro-p-benzoquinone	204-274-4	118-75-2	Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H400 H410	GHS07 GHS09 Wng	H319 H315 H410			
602-067-00-7	1,3-dichlorbenzene	208-792-1	541-73-1	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
602-068-00-2	ethylene bis(trichloroacetate)	219-732-9	2514-53-6	Skin Irrit. 2	H315	GHS07 Wng	H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-069-00-8	dichloroacetylene	—	7572-29-4	Unst. Expl. Carc. 2 STOT RE 2 *	H200 H351 H373 **	GHS01 GHS08 Wng	H200 H351 H373 **			
602-070-00-3	3-chloro-4,5,α, α,α-pentafluorotoluene	401-930-3	77227-99-7	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H226 H332 H302 H400	GHS02 GHS07 GHS09 Wng	H226 H332 H302 H400			
602-071-00-9	bromobenzylbromotoluene, reaction mass of isomers	402-210-1	99688-47-8	STOT RE 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 ** H317 H400 H410	GHS08 GHS07 GHS09 Wng	H373 ** H317 H410			
602-072-00-4	dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC)	278-404-3	76253-60-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
602-073-00-X	1,4-dichlorobut-2-ene	212-121-8	764-41-0	Carc. 1B Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H330 H311 H301 H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H350 H330 H311 H301 H314 H410	Carc. 1B; H350: C ≥ 0,01 % STOT SE 3; H335: C ≥ 5 %		
602-074-00-5	pentachlorobenzene	210-172-0	608-93-5	Flam. Sol. 1 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H228 H302 H400 H410	GHS02 GHS07 GHS09 Dgr	H228 H302 H410			T

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-075-00-0	4,4,5,5-tetrachloro-1,3-dioxolan-2-one	404-060-2	22432-68-4	Acute Tox. 2 * Acute Tox. 4 * Skin Corr. 1B	H330 H302 H314	GHS06 GHS05 Dgr	H330 H302 H314			
602-076-00-6	2,3,4-trichlorobut-1-ene	219-397-9	2431-50-7	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H331 H302 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H331 H302 H319 H335 H315 H410	Carc. 2; H351: C ≥ 0,1 %		
602-077-00-1	dodecachloropentacyclo[5.2.1.0 ^{2,6} .0 ^{3,9} .0 ^{5,8}] decane; mirex	219-196-6	2385-85-5	Carc. 2 Repr. 2 Lact. Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H361fd H362 H312 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H361fd H362 H312 H302 H410			
602-078-00-7	hexachlorocyclopentadiene	201-029-3	77-47-4	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H330 H311 H302 H314 H400 H410	GHS06 GHS05 GHS09 Dgr	H330 H311 H302 H314 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-079-00-2	2,3-dichloropropene; 2,3-dichloropropylene	201-153-8	78-88-6	Flam. Liq. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H225 H341 H332 H312 H302 H335 H315 H318 H412	GHS02 GHS08 GHS05 GHS07 Dgr	H225 H341 H332 H312 H302 H335 H315 H318 H412			
602-080-00-8	alkanes, C ₁₀₋₁₃ , chloro	287-476-5	85535-84-8	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
602-081-00-3	2-chloro-4,5-difluorobenzoic acid	405-380-5	—	Acute Tox. 4 * Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1	H312 H302 H318 H317	GHS05 GHS07 Dgr	H312 H302 H318 H317			
602-082-00-9	2,2,6,6-tetrakis(bromomethyl)-4-oxaheptane-1,7-diol	408-020-5	109678-33-3	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
602-083-00-4	diphenyl ether, pentabromo derivative pentabromodiphenyl ether	251-084-2	32534-81-9	STOT RE 2 * Lact. Aquatic Acute 1 Aquatic Chronic 1	H373 ** H362 H400 H410	GHS08 GHS09 Wng	H373 ** H362 H410			
602-084-00-X	1,1-dichloro-1-fluoroethane	404-080-1	1717-00-6	Aquatic Chronic 3 Ozone	H412 EU-H059	—	H412	EUH059		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-085-00-5	2-bromopropane	200-855-1	75-26-3	Flam. Liq. 2 Repr. 1A STOT RE 2 *	H225 H360F *** H373 **	GHS02 GHS08 Dgr	H225 H360F *** H373 **	EUH066		
602-086-00-0	trifluoriodomethane; trifluoromethyl iodide	219-014-5	2314-97-8	Muta. 2	H341	GHS08 Wng	H341			
602-087-00-6	1,2,4-trichlorobenzene	204-428-0	120-82-1	Acute Tox. 4 * Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			
602-088-00-1	2,3-dibromopropan-1-ol; 2,3-dibromo-1-propanol	202-480-9	96-13-9	Carc. 1B Repr. 2 Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 3	H350 H361f *** H311 H332 H302 H412	GHS08 GHS07 Dgr	H350 H361f *** H311 H332 H302 H412			
602-089-00-7	4-bromo-2-chlorofluorobenzene	405-580-2	60811-21-4	Acute Tox. 4 * Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			
602-090-00-2	1-allyl-3-chloro-4-fluorobenzene	406-630-6	121626-73-1	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
602-091-00-8	1,3-dichloro-4-fluorobenzene	406-160-1	1435-48-9	Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2	H302 H373 ** H315 H411	GHS08 GHS07 Wng	H302 H373 ** H315 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
602-092-00-3	1-bromo-3,4,5-trifluorobenzene	418-480-9	138526-69-9	Flam. Liq. 3 Carc. 2 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H226 H351 H315 H318 H411	GHS02 GHS08 GHS05 GHS09 Dgr	H226 H351 H315 H318 H411			
602-093-00-9	α , α , α , 4-tetrachlorotoluene; <i>p</i> -chlorobenzotrichloride	226-009-1	5216-25-1	Carc. 1B Repr. 2 STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2	H350 H361f *** H372 ** H312 H302 H335 H315	GHS08 GHS07 Dgr	H350 H361f *** H372 ** H312 H302 H335 H315			
602-094-00-4	diphenylether; octabromo derivate	251-087-9	32536-52-0	Repr. 1B	H360Df	GHS08 Dgr	H360Df			
602-096-00-5	malachite green hydrochloride; [1] malachite green oxalate [2]	209-322-8 [1] 219-441-7 [2]	569-64-2 [1] 2437-29-8 [2]	Repr. 2 Acute Tox. 4 * Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d *** H302 H318 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H361d *** H302 H318 H410			
602-097-00-0	1-bromo-9-(4,4,5,5,5-pentafluoropentylthio)nonane	422-850-5	148757-89-5	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
603-001-00-X	methanol	200-659-6	67-56-1	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT SE 1	H225 H331 H311 H301 H370 **	GHS02 GHS06 GHS08 Dgr	H225 H331 H311 H301 H370 **	* STOT SE 1; H370: C \geq 10 % STOT SE 2; H371: 3 % \leq C < 10 %		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-002-00-5	ethanol; ethyl alcohol	200-578-6	64-17-5	Flam. Liq. 2	H225	GHS02 Dgr	H225			
603-003-00-0	propan-1-ol; n-propanol	200-746-9	71-23-8	Flam. Liq. 2 Eye Dam. 1 STOT SE 3	H225 H318 H336	GHS02 GHS05 GHS07 Dgr	H225 H318 H336			
603-004-00-6	butan-1-ol; n-butanol	200-751-6	71-36-3	Flam. Liq. 3 Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H226 H302 H335 H315 H318 H336	GHS02 GHS05 GHS07 Dgr	H226 H302 H335 H315 H318 H336			
603-005-00-1	2-methylpropan-2-ol; tert-butyl alcohol	200-889-7	75-65-0	Flam. Liq. 2 Acute Tox. 4 *	H225 H332	GHS02 GHS07 Dgr	H225 H332			
603-006-00-7	pentanol isomers, with the exception fo those specified elsewhere in this Annex	250-378-8		Flam. Liq. 3 Acute Tox. 4 * STOT SE 3	H226 H332 H335	GHS02 GHS07 Wng	H226 H332 H335	EUH066		C
603-007-00-2	2-methylbutan-2-ol; tert-pentanol	200-908-9	75-85-4	Flam. Liq. 2 Acute Tox. 4 * STOT SE 3 Skin Irrit. 2	H225 H332 H335 H315	GHS02 GHS07 Dgr	H225 H332 H335 H315			
603-008-00-8	4-methylpentan-2-ol; methyl isobutyl carbinol	203-551-7	108-11-2	Flam. Liq. 3 STOT SE 3	H226 H335	GHS02 GHS07 Wng	H226 H335		STOT SE 3; H335: C ≥ 25 %	
603-009-00-3	cyclohexanol	203-630-6	108-93-0	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2	H332 H302 H335 H315	GHS07 Wng	H332 H302 H335 H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-010-00-9	2-methylcyclohexanol, mixed isomers; [1] <i>cis</i> -2-methylcyclohexanol; [2] <i>trans</i> -2-methylcyclohexanol [3]	209-512-0 [1] 231-187-9 [2] 231-186-3 [3]	583-59-5 [1] 7443-70-1 [2] 7443-52-9 [3]	Acute Tox. 4 *	H332	GHS07 Wng	H332			C
603-011-00-4	2-methoxyethanol; ethylene glycol monomethyl ether	203-713-7	109-86-4	Flam. Liq. 3 Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H360- FD H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H226 H360FD H332 H312 H302			
603-012-00-X	2-ethoxyethanol; ethylene glycol monoethyl ether	203-804-1	110-80-5	Flam. Liq. 3 Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H360- FD H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H226 H360FD H332 H312 H302			
603-013-00-5	2-isopropoxyethanol; ethylene glycol monoisopropyl ether	203-685-6	109-59-1	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2	H332 H312 H319	GHS07 Wng	H332 H312 H319			
603-014-00-0	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	203-905-0	111-76-2	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H332 H312 H302 H319 H315	GHS07 Wng	H332 H312 H302 H319 H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-015-00-6	allyl alcohol	203-470-7	107-18-6	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H225 H331 H311 H301 H319 H335 H315 H400	GHS02 GHS06 GHS09 Dgr	H225 H331 H311 H301 H319 H335 H315 H400			
603-016-00-1	4-hydroxy-4-methylpentan-2-one; diacetone alcohol	204-626-7	123-42-2	Eye Irrit. 2	H319	GHS07 Wng	H319		Eye Irrit. 2; H319: C ≥ 10 %	
603-018-00-2	furfuryl alcohol	202-626-1	98-00-0	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H332 H312 H302	GHS07 Wng	H332 H312 H302		*	
603-019-00-8	dimethyl ether	204-065-8	115-10-6	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
603-020-00-3	ethyl methyl ether	—	540-67-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U
603-021-00-9	methyl vinyl ether	203-475-4	107-25-5	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			D U
603-022-00-4	diethyl ether; ether	200-467-2	60-29-7	Flam. Liq. 1 Acute Tox. 4 * STOT SE 3	H224 H302 H336	GHS02 GHS07 Dgr	H224 H302 H336	EUH019 EUH066		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-023-00-X	ethylene oxide; oxirane	200-849-9	75-21-8	Flam. Gas 1 Press. Gas Carc. 1B Muta. 1B Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H220 H350 H340 H331 H319 H335 H315	GHS02 GHS04 GHS06 GHS08 Dgr	H220 H350 H340 H331 H319 H335 H315			U
603-024-00-5	1,4-dioxane	204-661-8	123-91-1	Flam. Liq. 2 Carc. 2 Eye Irrit. 2 STOT SE 3	H225 H351 H319 H335	GHS02 GHS08 GHS07 Dgr	H225 H351 H319 H335	EUH019 EUH066		D
603-025-00-0	tetrahydrofuran	203-726-8	109-99-9	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335	EUH019	Eye Irrit. 2; H319: C ≥ 25 % STOT SE 3; H335: C ≥ 25 %	
603-026-00-6	1-chloro-2,3-epoxypropane; epichlorhydrin	203-439-8	106-89-8	Flam. Liq. 3 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H226 H350 H331 H311 H301 H314 H317	GHS02 GHS06 GHS08 GHS05 Dgr	H226 H350 H331 H311 H301 H314 H317		*	
603-027-00-1	ethanediol; ethylene glycol	203-473-3	107-21-1	Acute Tox. 4 *	H302	GHS07 Wng	H302			
603-028-00-7	2-chloroethanol; ethylene chlorohydrin	203-459-7	107-07-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H330 H310 H300	GHS06 Dgr	H330 H310 H300			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-029-00-2	bis(2-chloroethyl) ether	203-870-1	111-44-4	Carc. 2 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H351 H330 H310 H300	GHS06 GHS08 Dgr	H351 H330 H310 H300			
603-030-00-8	2-aminoethanol; ethanolamine	205-483-3	141-43-5	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H332 H312 H302 H314	GHS05 GHS07 Dgr	H332 H312 H302 H314		STOT SE 3; H335: C ≥ 5 %	
603-031-00-3	1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME	203-794-9	110-71-4	Flam. Liq. 2 Repr. 1B Acute Tox. 4 *	H225 H360- FD H332	GHS02 GHS08 GHS07 Dgr	H225 H360FD H332	EUH019		
603-032-00-9	ethylene dinitrate; ethylene glycol dinitrate	211-063-0	628-96-6	Unst. Expl. Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 *	H200 H330 H310 H300 H373 **	GHS01 GHS06 GHS08 Dgr	H200 H330 H310 H300 H373 **			
603-033-00-4	oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate	211-745-8	693-21-0	Unst. Expl Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 3	H200 H330 H310 H300 H373 ** H412	GHS01 GHS06 GHS08 Dgr	H200 H330 H310 H300 H373 ** H412			
603-033-01-1	oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate; [>25 % phlegmatiser]	211-745-8	693-21-0	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 3	H201 H330 H310 H300 H373 ** H412	GHS01 GHS06 GHS08 Dgr	H201 H330 H310 H300 H373 ** H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-034-00-X	glycerol trinitrate; nitroglycerine	200-240-8	55-63-0	Unst. Expl. Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H200 H330 H310 H300 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H200 H330 H310 H300 H373 ** H411			
603-034-01-7	glycerol trinitrate; nitroglycerine; [>40 % phlegmatiser]	200-240-8	55-63-0	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H201 H330 H310 H300 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 ** H411			
603-035-00-5	pentaerythritol tetranitrate; pentaerythrite tetranitrate; P.E.T.N.	201-084-3	78-11-5	Unst. Expl.	H200	GHS01 Dgr	H200			
603-035-01-2	pentaerythritol tetranitrate; pentaerythrite tetranitrate; P.E.T.N.; [>20 % phlegmatiser]	201-084-3	78-11-5	Expl. 1.1	H201	GHS01 Dgr	H201		T	
603-036-00-0	mannitol hexanitrate; nitromannite	239-924-6	15825-70-4	Unst. Expl.	H200	GHS01 Dgr	H200			
603-036-01-8	mannitol hexanitrate; nitromannite; [≥40 % phlegmatiser]	239-924-6	15825-70-4	Expl. 1.1	H201	GHS01 Dgr	H201			
603-037-00-6	cellulose nitrate;	—	—	Expl. 1.1	H201	GHS01 Dgr	H201	EUH001	T	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-038-00-1	allyl glycidyl ether; allyl 2,3-epoxypropyl ether; prop-2-en-1-yl 2,3-epoxypropyl ether	203-442-4	106-92-3	Flam. Liq. 3 Carc. 2 Muta. 2 Repr. 2 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H226 H351 H341 H361f *** H332 H302 H335 H315 H318 H317 H412	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H351 H341 H361f *** H332 H302 H335 H315 H318 H317 H412			
603-039-00-7	butyl glycidyl ether; butyl 2,3-epoxypropyl ether	219-376-4	2426-08-6	Flam. Liq. 3 Carc. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Sens. 1 Aquatic Chronic 3	H226 H351 H341 H332 H302 H335 H317 H412	GHS02 GHS08 GHS07 Wng	H226 H351 H341 H332 H302 H335 H317 H412			
603-040-00-2	sodium methanolate; sodium methoxide; [1] potassium methanolate; potassium methoxide; [2] lithium methanolate; lithium methoxide [3]	204-699-5 [1] 212-736-1 [2] 212-737-7 [3]	124-41-4 [1] 865-33-8 [2] 865-34-9 [3]	Self-heat 1 Skin Corr. 1B	H251 H314	GHS02 GHS05 Dgr	H251 H314	EUH014		T
603-041-00-8	potassium ethanolate; potassium ethoxide; [1] sodium ethanolate; sodium ethoxide [2]	213-029-0 [1] 205-487-5 [2]	917-58-8 [1] 141-52-6 [2]	Self-heat 1 Skin Corr. 1B	H251 H314	GHS02 GHS05 Dgr	H251 H314	EUH014		T
603-042-00-3	aluminium-tri-isopropoxide	209-090-8	555-31-7	Flam. Sol. 1	H228	GHS02 Dgr	H228			T

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-043-00-9	triarimol (ISO); 2,4-dichloro- α -(pyrimidin-5-yl) benzhydryl alcohol	—	26766-27-8	Acute Tox. 4 *	H302	GHS07 Wng	H302			
603-044-00-4	dicofol (ISO); 2,2,2-trichloro-1,1-bis(4-chlorophenyl)ethanol	204-082-0	115-32-2	Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H315 H317 H400 H410	GHS07 GHS09 Wng	H312 H302 H315 H317 H410			
603-045-00-X	diisopropyl ether; [1] dipropyl ether [2]	203-560-6 [1] 203-869-6 [2]	108-20-3 [1] 111-43-3 [2]	Flam. Liq. 2 STOT SE 3	H225 H336	GHS02 GHS07 Dgr	H225 H336	EUH019 EUH066		C
603-046-00-5	bis (chloromethyl) ether; oxybis(chloromethane)	208-832-8	542-88-1	Flam. Liq. 2 Carc. 1A Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 4 *	H225 H350 H330 H311 H302	GHS02 GHS06 GHS08 Dgr	H225 H350 H330 H311 H302		Carc. 1A; H350: C \geq 0,001 %	
603-047-00-0	2-dimethylaminoethanol; N,N-dimethylethanolamine	203-542-8	108-01-0	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H332 H312 H302 H314		STOT SE 3; H335: C \geq 5 %	
603-048-00-6	2-diethylaminoethanol; N,N-diethylethanolamine	202-845-2	100-37-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H332 H312 H302 H314		STOT SE 3; H335: C \geq 5 %	
603-049-00-1	chlorfenethol (ISO); 1,1-bis (4-chlorophenyl) ethanol	201-246-3	80-06-8	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-050-00-7	1-(2-butoxypropoxy)propan-2-ol	246-011-6	24083-03-2	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			
603-051-00-2	2-ethylbutan-1-ol	202-621-4	97-95-0	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			
603-052-00-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether	225-878-4	5131-66-8	Eye Irrit. 2 Skin Irrit. 2	H319 H315	GHS07 Wng	H319 H315			
603-053-00-3	2-methylpentane-2,4-diol	203-489-0	107-41-5	Eye Irrit. 2 Skin Irrit. 2	H319 H315	GHS07 Wng	H319 H315			
603-054-00-9	di-n-butyl ether; dibutyl ether	205-575-3	142-96-1	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H226 H319 H335 H315 H412	GHS02 GHS07 Wng	H226 H319 H335 H315 H412		STOT SE 3; H335: C ≥ 10 %	
603-055-00-4	propylene oxide; 1,2-epoxypropane; methyloxirane	200-879-2	75-56-9	Flam. Liq. 1 Carc. 1B Muta. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H224 H350 H340 H332 H312 H302 H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H224 H350 H340 H332 H312 H302 H319 H335 H315			
603-056-00-X	[(p-tolyloxy)methyl]oxirane; [1] [(m-tolyloxy)methyl]oxirane; [2] 2,3-epoxypropyl o-tolyl ether; [3] [(tolyloxy)methyl]oxirane; cresyl glycidyl ether [4]	218-574-8 [1] 218-575-3 [2] 218-645-3 [3] 247-711-4 [4]	2186-24-5 [1] 2186-25-6 [2] 2210-79-9 [3] 26447-14-3 [4]	Muta. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H341 H315 H317 H411	GHS08 GHS07 GHS09 Wng	H341 H315 H317 H411			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-057-00-5	benzyl alcohol	202-859-9	100-51-6	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302			
603-058-00-0	1,3-propylene oxide	207-964-3	503-30-0	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302			
603-059-00-6	hexan-1-ol	203-852-3	111-27-3	Acute Tox. 4 *	H302	GHS07 Wng	H302			
603-060-00-1	2,2'-bioxirane; 1,2:3,4-diepoxybutane	215-979-1	1464-53-5	Carc. 1B Muta. 1B Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H350 H340 H330 H311 H301 H314	GHS06 GHS08 GHS05 Dgr	H350 H340 H330 H311 H301 H314			
603-061-00-7	tetrahydro-2-furyl-methanol; tetrahydrofurfuryl alcohol	202-625-6	97-99-4	Eye Irrit. 2	H319	GHS07 Wng	H319			
603-062-00-2	tetrahydrofuran-2,5-diyl-dimethanol	203-239-0	104-80-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335: C ≥ 10 %	
603-063-00-8	2,3-epoxypropan-1-ol; glycidol; oxiranemethanol	209-128-3	556-52-5	Carc. 1B Muta. 2 Repr. 1B Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H350 H341 H360F *** H331 H312 H302 H319 H319 H335 H315	GHS06 GHS08 Dgr	H350 H341 H360F *** H331 H312 H302 H319 H335 H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-064-00-3	1-methoxy-2-propanol; monopropylene glycol methyl ether	203-539-1	107-98-2	Flam. Liq. 3	H226	GHS02 Wng	H226			
603-065-00-9	resorcinol diglycidyl ether; 1,3-bis(2,3-epoxypropoxy)benzene	202-987-5	101-90-6	Carc. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H351 H341 H312 H302 H319 H315 H317 H412	GHS08 GHS07 Wng	H351 H341 H312 H302 H319 H315 H317 H412			
603-066-00-4	1,2-epoxy-4-epoxyethylcyclohexane; vinylcyclohexane diepoxide	203-437-7	106-87-6	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Carc. 2	H331 H311 H301 H351	GHS06 GHS08 Dgr	H331 H311 H301 H351	*		
603-067-00-X	phenyl glycidyl ether; 2,3-epoxypropyl phenyl ether; 1,2-epoxy-3-phenoxypropane	204-557-2	122-60-1	Carc. 1B Muta. 2 Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H350 H341 H332 H335 H315 H317 H412	GHS08 GHS07 Dgr	H350 H341 H332 H335 H315 H317 H412			
603-068-00-5	2,3-epoxypropyl-2-ethylcyclohexyl ether; ethylcyclohexylglycidyl ether	—	130014-35-6	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			
603-069-00-0	2,4,6-tris(dimethylaminomethyl)phenol	202-013-9	90-72-2	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H302 H319 H315	GHS07 Wng	H302 H319 H315			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-070-00-6	2-amino-2-methylpropanol	204-709-8	124-68-5	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H319 H315 H412	GHS07 Wng	H319 H315 H412			
603-071-00-1	2,2'-iminodiethanol; diethanolamine	203-868-0	111-42-2	Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Eye Dam. 1	H302 H373 ** H315 H318	GHS08 GHS05 GHS07 Dgr	H302 H373 ** H315 H318			
603-072-00-7	1,4-bis(2,3 epoxypropoxy)butane; butanedioldiglycidyl ether	219-371-7	2425-79-8	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H332 H312 H319 H315 H317	GHS07 Wng	H332 H312 H319 H315 H317			
603-073-00-2	bis-[4-(2,3-epoxypropoxy)phenyl]propane	216-823-5	1675-54-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317	Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %		
603-074-00-8	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	500-033-5	25068-38-6	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H315 H317 H411	GHS07 GHS09 Wng	H319 H315 H317 H411	Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %		
603-075-00-3	chlormethyl methyl ether; chlorodimethyl ether	203-480-1	107-30-2	Flam. Liq. 2 Carc. 1A Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H350 H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H225 H350 H332 H312 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-076-00-9	but-2-yne-1,4-diol; 2-butyne-1,4-diol	203-788-6	110-65-6	Skin Corr. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * STOT RE 2 * Skin Sens. 1	H314 H331 H301 H312 H373 ** H317	GHS06 GHS05 GHS08 Dgr	H314 H331 H301 H312 H373 ** H317		Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 25 % ≤ C < 50 % Eye Irrit. 2; H319: 25 % ≤ C < 50 %	D
603-077-00-4	1-dimethylaminopropan-2-ol; dimepranol (INN)	203-556-4	108-16-7	Flam. Liq. 3 Acute Tox. 4 * Skin Corr. 1B	H226 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H302 H314			
603-078-00-X	prop-2-yn-1-ol; propargyl alcohol	203-471-2	107-19-7	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H226 H331 H311 H301 H314 H411	GHS02 GHS06 GHS05 GHS09 Dgr	H226 H331 H311 H301 H314 H411			
603-079-00-5	2,2'-(methylimino)diethanol; N-methyldiethanolamine	203-312-7	105-59-9	Eye Irrit. 2	H319	GHS07 Wng	H319			
603-080-00-0	2-methylaminoethanol; N-methylethanolamine; N-methyl-2-ethanolamine; N-methyl-2-amino ethanol; 2-(methylamino)ethanol	203-710-0	109-83-1	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314		STOT SE 3; H335: C ≥ 5 %	
603-081-00-6	2,2'-thiodiethanol; thiodiglycol	203-874-3	111-48-8	Eye Irrit. 2	H319	GHS07 Wng	H319			
603-082-00-1	1-aminopropan-2-ol; isopropanolamine	201-162-7	78-96-6	Skin Corr. 1B	H314	GHS05 Dgr	H314			
603-083-00-7	1,1'-iminodipropan-2-ol; di-isopropanolamine	203-820-9	110-97-4	Eye Irrit. 2	H319	GHS07 Wng	H319			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-084-00-2	styrene oxide; (epoxyethyl)benzene; phenyloxirane	202-476-7	96-09-3	Carc. 1B Acute Tox. 4 * Eye Irrit. 2	H350 H312 H319	GHS08 GHS07 Dgr	H350 H312 H319			
603-085-00-8	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	200-143-0	52-51-7	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	H312 H302 H335 H315 H318 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H335 H315 H318 H400			
603-086-00-3	ethirimol (ISO); 5-butyl-2-ethylamino-6-methylpyrimidin-4-ol	245-949-3	23947-60-6	Acute Tox. 4 *	H312	GHS07 Wng	H312			
603-087-00-9	2-ethylhexane-1,3-diol; octylene glycol; ethoexadiol	202-377-9	94-96-2	Eye Dam. 1	H318	GHS05 Dgr	H318			
603-088-00-4	2-(octylthio)ethanol; 2-hydroxyethyl octyl sulphide	222-598-4	3547-33-9	Eye Dam. 1	H318	GHS05 Dgr	H318			
603-089-00-X	7,7-dimethyl-3-oxa-6-azaocan-1-ol	400-390-6	—	Skin Corr. 1A Acute Tox. 4 *	H314 H302	GHS05 GHS07 Dgr	H314 H302			
603-090-00-5	2-(2-bromoethoxy)anisole	402-010-4	4463-59-6	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
603-091-00-0	exo-1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol	402-470-6	87172-89-2	Acute Tox. 4 * Eye Dam. 1	H302 H318	GHS05 GHS07 Dgr	H302 H318			
603-092-00-6	2-methyl-4-phenylpentanol	402-770-7	92585-24-5	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-093-00-1	cinmethylin (ISO); <i>exo</i> -(±)-1-methyl-2-(2-methylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane	402-410-9	87818-31-3	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Dgr	H332 H411			
603-094-00-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	241-536-7	17557-23-2	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
603-095-00-2	2-(propyloxy)ethanol; EGPE	220-548-6	2807-30-9	Acute Tox. 4 * Eye Irrit. 2	H312 H319	GHS07 Wng	H312 H319			
603-096-00-8	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	203-961-6	112-34-5	Eye Irrit. 2	H319	GHS07 Wng	H319			
603-097-00-3	1,1',1"-nitriлотripropan-2-ol; triisopropanolamine	204-528-4	122-20-3	Eye Irrit. 2 Aquatic Chronic 3	H319 H412	GHS07 Wng	H319 H412			
603-098-00-9	2-phenoxyethanol	204-589-7	122-99-6	Acute Tox. 4 * Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
603-099-00-4	3-(N-methyl-N-(4-methylamino-3-nitrophenyl)amino)propane-1,2-diol hydrochloride	403-440-5	93633-79-5	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
603-100-00-8	1,2-dimethoxypropane	404-630-0	7778-85-0	Flam. Liq. 2	H225	GHS02 Dgr	H225	EUH019		
603-101-00-3	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (<i>cis</i> and <i>trans</i>)	405-040-6	—	Eye Irrit. 2	H319	GHS07 Wng	H319			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-102-00-9	1,2-epoxybutane	203-438-2	106-88-7	Flam. Liq. 2 Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H225 H351 H332 H312 H302 H319 H335 H315 H412	GHS02 GHS08 GHS07 Dgr	H225 H351 H332 H312 H302 H319 H335 H315 H412			
603-103-00-4	oxirane, mono[(C ₁₂₋₁₄ -alkyloxy)methyl] derivs.	271-846-8	68609-97-2	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
603-104-00-X	fenarimol (ISO); 2,4'-dichloro- α -(pyrimidin-5-yl)benzhydryl alcohol	262-095-7	60168-88-9	Repr. 2 Lact. Aquatic Chronic 2	H361fd H362 H411	GHS08 GHS09 Wng	H361fd H362 H411			
603-105-00-5	furan	203-727-3	110-00-9	Flam. Liq. 1 Carc. 1B Muta. 2 Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Aquatic Chronic 3	H224 H350 H341 H332 H302 H373 ** H315 H412	GHS02 GHS08 GHS07 Dgr	H224 H350 H341 H332 H302 H373 ** H315 H412	EUH019		
603-106-00-0	2-methoxypropanol	216-455-5	1589-47-5	Flam. Liq. 3 Repr. 1B STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H226 H360D *** H335 H315 H318	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H360D *** H335 H315 H318			
603-107-00-6	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	203-906-6	111-77-3	Repr. 2	H361d ***	GHS08 Wng	H361d ***			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-108-00-1	2-methylpropan-1-ol; iso-butanol	201-148-0	78-83-1	Flam. Liq. 3 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H226 H335 H315 H318 H336	GHS02 GHS05 GHS07 Dgr	H226 H335 H315 H318 H336			
603-117-00-0	propan-2-ol; isopropyl alcohol; isopropanol	200-661-7	67-63-0	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336			
603-118-00-6	6-dimethylaminohexan-1-ol	404-680-3	1862-07-3	Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 3	H302 H314 H412	GHS05 GHS07 Dgr	H302 H314 H412			
603-119-00-1	1,1'-(1,3-phenylenedioxy)bis(3-(2-(prop-2-enyl)phenoxy)propan-2-ol)	405-840-5	—	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
603-120-00-7	2-methyl-5-phenylpentanol	405-890-8	25634-93-9	Eye Irrit. 2 Skin Irrit. 2	H319 H315	GHS07 Wng	H319 H315			
603-121-00-2	4-[4-(1,3-dihydroxyprop-2-yl)phenylamino]-1,8-dihydroxy-5-nitroanthraquinone	406-057-1	114565-66-1	Carc. 2 Skin Sens. 1 Aquatic Chronic 4	H351 H317 H413	GHS08 GHS07 Wng	H351 H317 H413			
603-122-00-8	sodium 2-ethylhexanolate	406-150-7	38411-13-1	Flam. Sol. 1 Skin Corr. 1B Aquatic Chronic 3	H228 H314 H412	GHS02 GHS05 Dgr	H228 H314 H412		T	
603-123-00-3	4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]decan-2-ol	406-330-5	122760-84-3	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	GHS07 GHS09 Wng	H315 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-124-00-9	1,4-bis[2-(vinyloxy)ethoxy]benzene	406-900-3	84563-49-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
603-125-00-4	2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)pent-4-en-2-ol	407-850-5	89544-40-1	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
603-126-00-X	2-((4-methyl-2-nitrophenyl)amino)ethanol	408-090-7	100418-33-5	Acute Tox. 4 * Skin Sens. 1 Aquatic Chronic 3	H302 H317 H412	GHS07 Wng	H302 H317 H412			
603-127-00-5	butan-2-ol; [1] (S)-butan-2-ol; [2] (R)-butan-2-ol; [3] (±)-butan-2-ol [4]	201-158-5 [1] 224-168-1 [2] 238-967-8 [3] 240-029-8 [4]	78-92-2 [1] 4221-99-2 [2] 14898-79-4 [3] 15892-23-6 [4]	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 STOT SE 3	H226 H319 H335 H336	GHS02 GHS07 Wng	H226 H319 H335 H336			C
603-128-00-0	2-(phenylmethoxy)naphthalene	405-490-3	613-62-7	Aquatic Chronic 4	H413	—	H413			
603-129-00-6	1-tert-butoxypropan-2-ol	406-180-0	57018-52-7	Flam. Liq. 3 Eye Dam. 1	H226 H318	GHS02 GHS05 Dgr	H226 H318			
603-130-00-1	reaction mass of isomers of: α-((dimethyl) biphenyl)-ω-hydroxypoly(oxyethylene)	406-325-8	—	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
603-131-00-7	reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1)	407-290-1	—	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-132-00-2	2-hydroxymethyl-9-methyl-6-(1-methylethyl)-1,4-dioxaspiro[4.5]decane	408-200-3	63187-91-7	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H315 H318 H412	GHS05 Dgr	H315 H318 H412			
603-133-00-8	reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]propane-1,2-diol; 3,3'-(2-chloro-5-nitro-1,4-phenylenedimino)bis(propan-1,2-diol)	408-240-1	—	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
603-134-00-3	reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by C ₁ -C ₁₀ alkyl groups. The alkyl groups are bonded randomly between C ₁ and C ₆ . Linear C ₁₂ and C ₁₄ , 50/50 used.	410-450-3	—	Aquatic Chronic 4	H413	—	H413			
603-135-00-9	bis[[2,2',2''-nitrilotris-[ethanolato]]-1-N,O]-bis[2-(2-methoxyethoxy)ethoxy]-titanium	410-500-4	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
603-136-00-4	3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol	410-910-3	104226-19-9	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
603-137-00-X	reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol	411-130-6	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
603-138-00-5	3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol	403-140-4	103694-68-4	Aquatic Chronic 3	H412	—	H412			
603-139-00-0	bis(2-methoxyethyl) ether	203-924-4	111-96-6	Flam. Liq. 3 Repr. 1B	H226 H360FD	GHS02 GHS08 Dgr	H226 H360FD	EUH019		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-140-00-6	2,2' -oxybisethanol; diethylene glycol	203-872-2	111-46-6	Acute Tox. 4 *	H302	GHS07 Wng	H302			
603-141-00-1	reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]pentadecane; dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]heptadecane	413-780-6	—	Aquatic Chronic 3	H412	—	H412			
603-142-00-7	2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo [2.2.1]heptane	407-360-1	116230-20-7	Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Eye Dam. 1	H312 H302 H373 ** H315 H318	GHS06 GHS08 GHS05 Dgr	H312 H302 H373 ** H315 H318			
603-143-00-2	R—2,3-epoxy-1-propanol	404-660-4	57044-25-4	Self-react. C **** Carc. 1B Muta. 2 Repr. 1B Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H242 H350 H341 H360F *** H331 H312 H302 H314	GHS02 GHS06 GHS08 GHS05 Dgr	H242 H350 H341 H360F *** H331 H312 H302 H314			
603-144-00-8	reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol; 6,9-dimethyl-2-methylen-5,9-cyclododecadien-1-ol	413-530-6	111850-00-1	Aquatic Chronic 2	H411	GHS09	H411			
603-145-00-3	2-isopropyl-2-(1-methylbutyl)-1,3-dimethoxypropane	406-970-5	129228-11-1	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
603-146-00-9	2-[(2-[2-(dimethylamino)ethoxy]ethyl)methylamino]ethanol	406-080-7	83016-70-0	Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 3	H302 H314 H412	GHS05 GHS07 Dgr	H302 H314 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-147-00-4	(-)- <i>trans</i> -4-(4'-fluorophenyl)-3-hydroxymethyl- <i>N</i> -methylpiperidine	406-030-4	105812-81-5	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
603-148-00-X	1,4-bis[(vinyloxy)methyl]cyclohexane	413-370-7	17351-75-6	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
603-149-00-5	reaction mass of diastereoisomers of 1-(1-hydroxyethyl)-4-(1-methylethyl)cyclohexane	407-640-3	63767-86-2	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H319 H315 H411	GHS07 GHS09 Wng	H319 H315 H411			
603-150-00-0	(±) <i>trans</i> -3,3-dimethyl-5-(2,2,3-trimethylcyclopent-3-en-1-yl)-pent-4-en-2-ol	411-580-3	107898-54-4	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
603-151-00-6	(±)-2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propan-1-ol	413-570-4	—	Aquatic Chronic 3	H412	—	H412			
603-152-00-1	2-(4- <i>tert</i> -butylphenyl)ethanol	410-020-5	5406-86-0	Repr. 2 STOT RE 2 * Eye Dam. 1 Aquatic Chronic 2	H361f *** H373 ** H318 H411	GHS08 GHS05 GHS09 Dgr	H361f *** H373 ** H318 H411			
603-153-00-7	3-((2-nitro-4-(trifluoromethyl)phenyl)amino)propane-1,2-diol	410-010-0	104333-00-8	Acute Tox. 4 * Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
603-154-00-2	1-[(2- <i>tert</i> -butyl)cyclohexyloxy]-2-butanol	412-300-2	139504-68-0	Aquatic Chronic 2	H411	GHS09	H411			
603-155-00-8	Reaction products of 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-hydroxyphenol with ((C ₁₀₋₁₆ , rich in C ₁₂₋₁₃ alkyloxy)methyl)oxyrane	410-560-1	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-156-00-3	2-(2,4-dichlorophenyl)-2-(2-propenyl)oxirane	411-210-0	89544-48-9	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
603-157-00-9	6,9-bis(hexadecyloxymethyl)-4,7-dioxanone-1,2,9-triol	411-450-6	143747-72-2	Aquatic Chronic 4	H413	—	H413			
603-158-00-4	reaction mass of 4 diastereoisomers of 2,7-dimethyl-10-(1-methylethyl)-1-oxaspiro[4.5]deca-3,6-diene	412-460-3	—	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
603-159-00-X	2-cyclododecylpropan-1-ol	411-410-8	118562-73-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
603-160-00-5	1,2-diethoxypropane	412-180-1	10221-57-5	Flam. Liq. 2	H225	GHS02 Dgr	H225	EUH019		
603-161-00-0	1,3-diethoxypropane	413-140-6	3459-83-4	Flam. Liq. 3	H226	GHS02 Wng	H226			
603-162-00-6	α [2-[[[(2-hydroxyethyl)methylamino]acetyl]amino]propyl]- ω nonylphenoxy]poly[oxo(methyl-1,2-ethanediy)]	413-420-8	144736-29-8	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H314 H317 H411			
603-163-00-1	2-phenyl-1,3-propanediol	411-810-2	1570-95-2	Eye Dam. 1	H318	GHS05 Dgr	H318			
603-164-00-7	2-butyl-4-chloro-4,5-dihydro-5-hydroxymethyl-1-[2'-(2-triphenylmethyl-1,2,3,4-2H-tetrazol-5-yl)-1,1'-biphenyl-4-methyl]-1H-imidazole	412-420-5	133909-99-6	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-165-00-2	reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol	417-470-1	—	Muta. 2 Skin Sens. 1	H341 H317	GHS08 GHS07 Wng	H341 H317			
603-166-00-8	R-1-chloro-2,3-epoxypropane	424-280-2	51594-55-9	Flam. Liq. 3 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H226 H350 H331 H311 H301 H314 H317	GHS02 GHS06 GHS08 GHS05 Dgr	H226 H350 H331 H311 H301 H314 H317			
603-167-00-3	3,3',5,5'-tetra-tert-butylbiphenyl-2,2'-diol	407-920-5	6390-69-8	Aquatic Chronic 4	H413	GHS05 Dgr	H413			
603-168-00-9	3-(2-ethylhexyloxy)propane-1,2-diol	408-080-2	70445-33-9	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
603-169-00-4	(±)-trans-4-(4-fluorophenyl)-3-hydroxymethyl-N-methylpiperidine	415-550-0	109887-53-8	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-170-00-X	reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol; 2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)-pent-1-en-3-ol; 2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol	415-990-3	67739-11-1	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			
603-171-00-5	5-thiazolylmethanol	414-780-9	38585-74-9	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
603-172-00-0	mono-2-[2-(4-dibenzo[b,f][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxy)ethanol <i>trans</i> -butenedioate	415-180-1	773058-82-5	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
603-173-00-6	4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0]octane	421-750-9	57280-22-5	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
603-174-00-1	4-cyclohexyl-2-methyl-2-butanol	420-630-3	83926-73-2	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
603-175-00-7	2-(2-hexyloxyethoxy)ethanol; DEGHE; diethylene glycol monoethyl ether; 3,6-dioxo-1-dodecanol; hexyl carbitol; 3,6-dioxadodecan-1-ol	203-988-3	112-59-4	Acute Tox. 4 * Eye Dam. 1	H312 H318	GHS05 GHS07 Dgr	H312 H318			
603-176-00-2	1,2-bis(2-methoxyethoxy)ethane; TEGDME; triethylene glycol dimethyl ether; triglyme	203-977-3	112-49-2	Repr. 1B	H360- Df	GHS08 Dgr	H360Df	EUH019		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-177-00-8	1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether; [1] 2-ethoxy-1-methylethyl acetate; 2PG1EEA [2]	216-374-5 [1] 259-370-9 [2]	1569-02-4 [1] 54839-24-6 [2]	Flam. Liq. 3 STOT SE 3	H226 H336	GHS02 GHS07 Wng	H226 H336			
603-178-00-3	2-hexyloxyethanol; ethylene glycol monoethyl ether; n-hexylglycol	203-951-1	112-25-4	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			
603-179-00-9	ergocalciferol (ISO); Vitamin D2	200-014-9	50-14-6	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1	H330 H311 H301 H372 **	GHS06 GHS08 Dgr	H330 H311 H301 H372 **			
603-180-00-4	colecalfiferol; Vitamin D3	200-673-2	67-97-0	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1	H330 H311 H301 H372 **	GHS06 GHS08 Dgr	H330 H311 H301 H372 **			
603-181-00-X	<i>tert</i> -butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	216-653-1	1634-04-4	Flam. Liq. 2 Skin Irrit. 2	H225 H315	GHS02 GHS07 Dgr	H225 H315			
603-183-00-0	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether; butoxytriethylene glycol	205-592-6	143-22-6	Eye Dam. 1	H318	GHS05 Dgr	H318		Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %	
603-184-00-6	2-(hydroxymethyl)-2-[[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol	416-380-1	146925-83-9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
603-185-00-1	2,4-dichloro-3-ethyl-6-nitrophenol	420-740-1	99817-36-4	Acute Tox. 3 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H318 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H301 H318 H317 H410			
603-186-00-7	trans-(5RS,6SR)-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol	419-050-3	79944-37-9	Skin Sens. 1	H317	GHS07 Wng	H317			
603-187-00-2	2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl)vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride	419-360-9	163661-77-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
603-189-00-3	reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitrotris(2-propanol) and ethylene glycol	405-250-8	—	Aquatic Chronic 2	H411	GHS09	H411			
603-191-00-4	2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol	419-740-4	137658-79-8	Aquatic Chronic 4	H413	—	H413			
603-195-00-6	2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol	430-810-3	154825-62-4	Aquatic Chronic 3	H412	—	H412			
603-196-00-1	2-(7-ethyl-1H-indol-3-yl)ethanol	431-020-1	41340-36-7	Acute Tox. 4 * STOT RE 2 * Aquatic Chronic 2	H302 H373 ** H411	GHS08 GHS07 GHS09 Wng	H302 H373 ** H411			
603-197-00-7	tebuconazole (ISO); 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	403-640-2	107534-96-3	Repr. 2 Acute Tox. 4 * Aquatic Chronic 2	H361d *** H302 H411	GHS08 GHS07 GHS09 Wng	H361d *** H302 H411			
603-199-00-8	etoxazol (ISO); (RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole	—	153233-91-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410	M=100		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-001-00-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	203-632-7	108-95-2	Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Skin Corr. 1B	H341 H331 H311 H301 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H341 H331 H311 H301 H373 ** H314		* Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	
604-002-00-8	pentachlorophenol	201-778-6	87-86-5	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H311 H301 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H330 H311 H301 H319 H335 H315 H410			
604-003-00-3	sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2]	205-025-2 [1] 231-911-3 [2]	131-52-2 [1] 7778-73-6 [2]	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H311 H301 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H330 H311 H301 H319 H335 H315 H410			
604-004-00-9	m-cresol; [1] o-cresol; [2] p-cresol; [3] mix-cresol [4]	203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4]	108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314		*	C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-005-00-4	1,4-dihydroxybenzene; hydroquinone; quinol	204-617-8	123-31-9	Carc. 2 Muta. 2 Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H351 H341 H302 H318 H317 H400	GHS08 GHS05 GHS07 GHS09 Dgr	H351 H341 H302 H318 H317 H400			
604-006-00-X	3,4-xylenol; [1] 2,5-xylenol; [2] 2,4-xylenol; [3] 2,3-xylenol; [4] 2,6-xylenol; [5] xylenol; [6] 2,4(or 2,5)-xylenol [7]	202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7]	95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H311 H301 H314 H411	GHS06 GHS05 GHS09 Dgr	H311 H301 H314 H411			C
604-007-00-5	2-naphthol	205-182-7	135-19-3	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H332 H302 H400	GHS07 GHS09 Wng	H332 H302 H400			
604-008-00-0	2-chlorophenol; [1] 4-chlorophenol; [2] 3-chlorophenol; [3] chlorophenol [4]	202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4]	95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4]	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H332 H312 H302 H411	GHS07 GHS09 Wng	H332 H312 H302 H411			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-009-00-6	pyrogallol; 1,2,3-trihydroxybenzene	201-762-9	87-66-1	Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 3	H341 H332 H312 H302 H412	GHS08 GHS07 Wng	H341 H332 H312 H302 H412		*	
604-010-00-1	resorcinol; 1,3-benzenediol	203-585-2	108-46-3	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1	H302 H319 H315 H400	GHS07 GHS09 Wng	H302 H319 H315 H400		*	
604-011-00-7	2,4-dichlorophenol	204-429-6	120-83-2	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 2	H311 H302 H314 H411	GHS06 GHS05 GHS09 Dgr	H311 H302 H314 H411			
604-012-00-2	4-chloro- <i>o</i> -cresol; 4-chloro-2-methyl phenol	216-381-3	1570-64-5	Acute Tox. 3 * Skin Corr. 1A Aquatic Acute 1	H331 H314 H400	GHS06 GHS05 GHS09 Dgr	H331 H314 H400		STOT SE 3; H335: C ≥ 1 %	
604-013-00-8	2,3,4,6-tetrachlorophenol	200-402-8	58-90-2	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H301 H319 H315 H400 H410	GHS06 GHS09 Dgr	H301 H319 H315 H410		* Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	
604-014-00-3	chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol	200-431-6	59-50-7	Acute Tox. 4 * Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H312 H302 H318 H317 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H318 H317 H400		*	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-015-00-9	2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene	200-733-8	70-30-4	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410		*	
604-016-00-4	1,2-dihydroxybenzene; pyrocatechol	204-427-5	120-80-9	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H312 H302 H319 H315	GHS07 Wng	H312 H302 H319 H315			
604-017-00-X	2,4,5-trichlorophenol	202-467-8	95-95-4	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H315 H410		* Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	
604-018-00-5	2,4,6-trichlorophenol	201-795-9	88-06-2	Carc. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H319 H315 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H319 H315 H410			
604-019-00-0	dichlorophen (ISO)	202-567-1	97-23-4	Acute Tox. 4 * Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H400 H410	GHS07 GHS09 Wng	H302 H319 H410			
604-020-00-6	2-phenylphenol (ISO) biphenyl-2-ol; 2-hydroxybiphenyl;	201-993-5	90-43-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H319 H335 H315 H400	GHS07 GHS09 Wng	H319 H335 H315 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-021-00-1	sodium 2-biphenylate; 2-phenylphenol, sodium salt	205-055-6	132-27-4	Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	H302 H335 H315 H318 H400	GHS05 GHS07 GHS09 Wng	H302 H335 H315 H318 H400			
604-022-00-7	2,2-dimethyl-1,3-benzodioxol-4-ol	400-900-7	22961-82-6	Eye Dam. 1	H318	GHS05 Dgr	H318			
604-023-00-2	2,4-dichloro-3-ethylphenol	401-060-4	—	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410			
604-024-00-8	4,4-isobutylethylidenediphenol	401-720-1	6807-17-6	Repr. 1B Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H360F *** H319 H400 H410	GHS08 GHS09 Dgr	H360F *** H319 H410			
604-025-00-3	2,5-bis(1,1-dimethylbutyl)hydroquinone	400-220-0	—	Aquatic Chronic 2	H411	GHS09	H411			
604-026-00-9	2,2-spirobi(6-hydroxy-4,4,7-trimethylchromane)	400-270-3	—	Aquatic Chronic 2	H411	GHS09	H411			
604-027-00-4	2-methyl-5-(1,1,3,3-tetramethylbutyl)hydroquinone	400-530-6	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
604-028-00-X	4-amino-3-fluorophenol	402-230-0	399-95-1	Carc. 1B Acute Tox. 4 * Skin Sens. 1 Aquatic Chronic 2	H350 H302 H317 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-029-00-5	1-naphtol	201-969-4	90-15-3	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H312 H302 H335 H315 H318	GHS05 GHS07 Dgr	H312 H302 H335 H315 H318			
604-030-00-0	bisphenol A; 4,4'-isopropylidenediphenol	201-245-8	80-05-7	Repr. 2 STOT SE 3 Eye Dam. 1 Skin Sens. 1	H361f *** H335 H318 H317	GHS08 GHS05 GHS07 Dgr	H361f *** H335 H318 H317			
604-031-00-6	guaiacol	201-964-7	90-05-1	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H302 H319 H315	GHS07 Wng	H302 H319 H315			
604-032-00-1	thymol	201-944-8	89-83-8	Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 2	H302 H314 H411	GHS05 GHS07 GHS09 Dgr	H302 H314 H411			
604-033-00-7	isobutyl but-3-enoate	401-170-2	24342-03-8	Flam. Liq. 3	H226	GHS02 Wng	H226			
604-034-00-2	4,4'-thiodi-o-cresol	403-330-7	24197-34-0	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
604-035-00-8	4-nonylphenol, reaction products with formaldehyde and dodecane-1-thiol	404-160-6	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
604-036-00-3	4,4'-oxybis(ethylenethio)diphenol	404-590-4	90884-29-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-037-00-9	3,5-xylenol; 3,5-dimethylphenol	203-606-5	108-68-9	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314			
604-038-00-4	4-chloro-3,5-dimethylphenol; [1] chloroxylenol [2]	201-793-8 [1] 215-316-6 [2]	88-04-0 [1] 1321-23-9 [2]	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H302 H319 H315 H317	GHS07 Wng	H302 H319 H315 H317			
604-039-00-X	ethyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy]phenoxy]propionate; fenoxaprop-ethyl	266-362-9	66441-23-4	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
604-040-00-5	fomesafen (ISO); 5-[2-chloro-4-(trifluoromethyl)phenoxy]-N-(methylsulphonyl)-2-nitrobenzamide	276-439-9	72178-02-0	Acute Tox. 4 *	H302	GHS07 Wng	H302			
604-041-00-0	acifluorfen (ISO); 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid [1] sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate; acifluorfen-sodium [2]	256-634-5 [1] 263-560-7 [2]	50594-66-6 [1] 62476-59-9 [2]	Acute Tox. 4 * Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H315 H318 H410			
604-042-00-6	4-nitrosophenol	203-251-6	104-91-6	Muta. 2 Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H341 H302 H318 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H341 H302 H318 H411			
604-043-00-1	monobenzene; 4-hydroxyphenyl benzyl ether; hydroquinone monobenzyl ether	203-083-3	103-16-2	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
604-044-00-7	mequinol; 4-methoxyphenol; hydroquinone monomethyl ether	205-769-8	150-76-5	Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1	H302 H319 H317	GHS07 Wng	H302 H319 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-045-00-2	2,3,5-trimethylhydroquinone	211-838-3	700-13-0	Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H335 H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H332 H335 H315 H318 H317 H410			
604-046-00-8	4-(4-isopropoxyphenylsulfonyl)phenol	405-520-5	95235-30-6	Aquatic Chronic 2	H411	GHS09	H411			
604-047-00-3	4-(4-tolyloxy)biphenyl	405-730-7	51601-57-1	STOT RE 2 * Aquatic Chronic 4	H373 ** H413	GHS08 Wng	H373 ** H413			
604-048-00-9	4,4',4''-(ethan-1,1,1-triyl)triphenol	405-800-7	27955-94-8	Aquatic Chronic 2	H411	GHS09	H411			
604-049-00-4	4-4'-methylenebis(oxyethylenethio)diphenol	407-480-4	93589-69-6	Aquatic Chronic 2	H411	GHS09	H411			
604-051-00-5	3,5-bis((3,5-di-tert-butyl-4-hydroxybenzyl)-2,4,6-trimethylphenol	401-110-5	87113-78-8	Aquatic Chronic 3	H412	—	H412			
604-052-00-0	2,2'-methylenebis(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol)	403-800-1	103597-45-1	Aquatic Chronic 4	H413	—	H413			
604-053-00-6	2-methyl-4-(1,1-dimethylethyl)-6-(1-methylpentadecyl)-phenol	410-760-9	157661-93-3	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
604-054-00-1	reaction mass of: 2-methoxy-4-(tetrahydro-4-methylene-2H-pyran-2-yl)-phenol; 4-(3,6-dihydro-4-methyl-2H-pyran-2-yl)-2-methoxyphenol	412-020-0	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-055-00-7	2,2'-((3,3',5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxymethylene))-bis-oxirane	413-900-7	85954-11-6	Muta. 2	H341	GHS08 Wng	H341			
604-056-00-2	2-(2-hydroxy-3,5-dinitroanilino)ethanol	412-520-9	99610-72-7	Flam. Sol. 2 Repr. 2 Acute Tox. 4 *	H228 H361f *** H302	GHS02 GHS07 GHS08 Dgr	H228 H361f *** H302			
604-057-00-8	reaction mass of: isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-dodecylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-tetracosylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-5,6-didodecyl-phenol. n=5 or 6	401-680-5	—	Aquatic Chronic 2	H411	GHS09	H411			
604-058-00-3	1,2-bis(3-methylphenoxy)ethane	402-730-9	54914-85-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
604-059-00-9	2-n-hexadecylhydroquinone	406-400-5	—	STOT RE 2 * Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 4	H373 ** H315 H317 H413	GHS08 GHS07 Wng	H373 ** H315 H317 H413			
604-060-00-4	9,9-bis(4-hydroxyphenyl)fluorene	406-950-6	3236-71-3	Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H400 H410	GHS07 GHS09 Wng	H319 H315 H410			
604-061-00-X	reaction mass of: 2-chloro-5-sec-tetradecylhydroquinones where sec-tetradecyl= 1-methyltridecyl; 1-ethyldodecyl; 1-propylundecyl; 1-butyldecyl; 1-pentylnonyl; 1-hexyloctyl	407-740-7	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H315 H317 H412	GHS07 Wng	H315 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-062-00-5	2,4-dimethyl-6-(1-methyl-pentadecyl)phenol	411-220-5	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
604-063-00-0	5,6-dihydroxyindole	412-130-9	3131-52-0	Acute Tox. 4 * Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
604-064-00-6	2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-((hexyloxy)-phenol	411-380-6	147315-50-2	Aquatic Chronic 4	H413	—	H413			
604-065-00-1	4,4',4''-(1-methylpropan-1-yl-3-ylidene)tris(2-cyclohexyl-5-methylphenol)	407-460-5	111850-25-0	Aquatic Chronic 2	H411	GHS09	H411			
604-066-00-7	reaction mass of: phenol, 6-(1,1-dimethylethyl)-4-tetrapropyl-2-[(2-hydroxy-5-tetrapropylphenyl)methyl] (C ₄₁ -compound) and methane, 2,2'-bis[6-(1,1-dimethyl-ethyl)-1-hydroxy-4-tetrapropyl-phenyl]- (C ₄₅ -compound); 2,6-bis(1,1-dimethylethyl)-4-tetra-propyl-phenol and 2-(1,1-dimethylethyl)-4-tetra-propyl-phenol; 2,6-bis[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol and 2-[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl)methyl]-6-[1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol	414-550-8	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
604-067-00-2	reaction mass of: 2,2'-[[[2-hydroxyethyl)imino]bis(methylene)bis[4-dodecylphenol]; formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 2); formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 3, 4 and higher)	414-520-4	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
604-068-00-8	(±)-4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]-1-hydroxyethyl]phenol hydrochloride	415-170-5	90274-24-1	Acute Tox. 4 * Acute Tox. 4 * Skin Sens. 1	H332 H302 H317	GHS07 Wng	H332 H302 H317			
604-069-00-3	2-(1-methylpropyl)-4-tert-butylphenol	421-740-4	51390-14-8	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411			
604-070-00-9	triclosan; 2,4,4'-trichloro-2'-hydroxy-diphenyl-ether; 5-chloro-2-(2,4-dichlorophenoxy)phenol	222-182-2	3380-34-5	Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H400 H410	GHS07 GHS09 Wng	H319 H315 H410	M=100		
605-001-00-5	formaldehyde ...%	200-001-8	50-00-0	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H351 H331 H311 H301 H314 H317	GHS06 GHS08 GHS05 Dgr	H351 H331 H311 H301 H314 H317	* Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % STOT SE 3; H335: C ≥ 5 % Skin Sens. 1; H317: C ≥ 0,2 %	B D	
605-002-00-0	1,3,5-trioxan; trioxymethylene	203-812-5	110-88-3	Flam. Sol. 1 Repr. 2 STOT SE 3	H228 H361d *** H335	GHS02 GHS08 GHS07 Dgr	H228 H361d *** H335		T	
605-003-00-6	acetaldehyde; ethanal	200-836-8	75-07-0	Flam. Liq. 1 Carc. 2 Eye Irrit. 2 STOT SE 3	H224 H351 H319 H335	GHS02 GHS08 GHS07 Dgr	H224 H351 H319 H335			
605-004-00-1	2,4,6-trimethyl-1,3,5-trioxan; paraldehyde	204-639-8	123-63-7	Flam. Liq. 3	H226	GHS02 Dgr	H226			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
605-005-00-7	2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane; metaldehyde	203-600-2	108-62-3	Flam. Sol. 2 Acute Tox. 4 *	H228 H302	GHS02 GHS07 Wng	H228 H302			
605-006-00-2	butyraldehyde	204-646-6	123-72-8	Flam. Liq. 2	H225	GHS02 Dgr	H225			
605-007-00-8	1,1-dimethoxyethane; dimethyl acetal	208-589-8	534-15-6	Flam. Liq. 2	H225	GHS02 Dgr	H225			
605-008-00-3	acrylaldehyde; acrolein; prop-2-enal	203-453-4	107-02-8	Flam. Liq. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H225 H330 H311 H301 H314 H400	GHS02 GHS06 GHS05 GHS09 Dgr	H225 H330 H311 H301 H314 H400			D
605-009-00-9	crotonaldehyde; 2-butenal; [1] (E)-2-butenal; (E)-crotonaldehyde [2]	224-030-0 [1] 204-647-1 [2]	4170-30-3 [1] 123-73-9 [2]	Flam. Liq. 2 Muta. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	H225 H341 H330 H311 H301 H373 ** H335 H315 H318 H400	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H341 H330 H311 H301 H373 ** H335 H315 H318 H400			
605-010-00-4	2-furaldehyde	202-627-7	98-01-1	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H351 H331 H301 H312 H319 H335	GHS06 GHS08 Dgr	H351 H331 H301 H312 H319 H335		*	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
605-011-00-X	2-chlorobenzaldehyde; o-chlorobenzaldehyde	201-956-3	89-98-5	Skin Corr. 1B	H314	GHS05 Dgr	H314			
605-012-00-5	benzaldehyde	202-860-4	100-52-7	Acute Tox. 4 *	H302	GHS07 Wng	H302			
605-013-00-0	chloralose (INN); (R)-1,2-O-(2,2,2-trichloroethylidene)- α -D-glucofuranose; glucochloralose; anhydroglucochloral	240-016-7	15879-93-3	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302			
605-014-00-6	chloral hydrate; 2,2,2-trichloroethane-1,1-diol	206-117-5	302-17-0	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2	H301 H319 H315	GHS06 Dgr	H301 H319 H315			
605-015-00-1	1,1-diethoxyethane; acetal	203-310-6	105-57-7	Flam. Liq. 2 Eye Irrit. 2 Skin Irrit. 2	H225 H319 H315	GHS02 GHS07 Dgr	H225 H319 H315			
605-016-00-7	glyoxal...%; ethandial...%	203-474-9	107-22-2	Muta. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H341 H332 H319 H315 H317	GHS07 GHS08 Wng	H341 H332 H319 H315 H317	*	B	
605-017-00-2	1,3-dioxolane	211-463-5	646-06-0	Flam. Liq. 2	H225	GHS02 Dgr	H225			
605-018-00-8	propanal; propionaldehyde	204-623-0	123-38-6	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H319 H335 H315	GHS02 GHS07 Dgr	H225 H319 H335 H315			
605-019-00-3	citral	226-394-6	5392-40-5	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
605-020-00-9	safrole; 5-allyl-1,3-benzodioxole	202-345-4	94-59-7	Carc. 1B Muta. 2 Acute Tox. 4 *	H350 H341 H302	GHS08 GHS07 Dgr	H350 H341 H302			
605-021-00-4	formaldehyde, reaction products with butylphenol	294-145-9	91673-30-2	Skin Sens. 1	H317	GHS07 Wng	H317			
605-022-00-X	glutaral; glutaraldehyde; 1,5-pentanedial	203-856-5	111-30-8	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1	H331 H301 H314 H334 H317 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H331 H301 H314 H334 H317 H400		* Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 10 % Eye Dam. ; H318: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % STOT SE; H335: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	
605-025-00-6	chloroacetaldehyde	203-472-8	107-20-0	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H351 H330 H311 H301 H314 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H330 H311 H301 H314 H400		STOT SE 3; H335: C ≥ 5 %	
605-026-00-1	2,5,7,7-tetramethyloctanal	405-690-0	114119-97-0	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	GHS07 GHS09 Wng	H315 H317 H411			
605-027-00-7	reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-5-carboxaldehyde	410-480-7	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
605-028-00-2	β -methyl-3-(1-methylethyl)-benzenepropanal	412-050-4	125109-85-5	Aquatic Chronic 2	H411	GHS09	H411			
605-029-00-8	2-cyclohexylpropanal	412-270-0	2109-22-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
605-030-00-3	1-(p-methoxyphenyl)acetaldehyde oxime	411-510-1	3353-51-3	Skin Sens. 1	H317	GHS07 Wng	H317			
605-031-00-9	reaction mass of: 2,2-dimethoxyethanal [this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70.4 % hydrate; water(Including free water and water in hydrated 2,2-dimethoxyethanal)]	421-890-0	—	Skin Sens. 1	H317	GHS07 Wng	H317			
606-001-00-8	acetone; propan-2-one; propanone	200-662-2	67-64-1	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		
606-002-00-3	butanone; ethyl methyl ketone	201-159-0	78-93-3	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		
606-003-00-9	heptan-3-one; butyl ethyl ketone	203-388-1	106-35-4	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2	H226 H332 H319	GHS02 GHS07 Wng	H226 H332 H319			
606-004-00-4	4-methylpentan-2-one; isobutyl methyl ketone	203-550-1	108-10-1	Flam. Liq. 2 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H225 H332 H319 H335	GHS02 GHS07 Dgr	H225 H332 H319 H335	EUH066		
606-005-00-X	2,6-dimethylheptan-4-one; di-isobutyl ketone	203-620-1	108-83-8	Flam. Liq. 3 STOT SE 3	H226 H335	GHS02 GHS07 Wng	H226 H335		STOT SE 3; H335: C \geq 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-006-00-5	pentan-3-one; diethyl ketone	202-490-3	96-22-0	Flam. Liq. 2 STOT SE 3 STOT SE 3	H225 H335 H336	GHS02 GHS07 Dgr	H225 H335 H336	EUH066		
606-007-00-0	3-methylbutan-2-one; methyl isopropyl ketone	209-264-3	563-80-4	Flam. Liq. 2	H225	GHS02 Dgr	H225			
606-009-00-1	4-methylpent-3-en-2-one; mesityl oxide	205-502-5	141-79-7	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302		*	
606-010-00-7	cyclohexanone	203-631-1	108-94-1	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332			
606-011-00-2	2-methylcyclohexanone	209-513-6	583-60-8	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332			
606-012-00-8	3,5,5-trimethylcyclohex-2-enone; isophorone	201-126-0	78-59-1	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H351 H312 H302 H319 H335	GHS08 GHS07 Wng	H351 H312 H302 H319 H335		STOT SE 3; H335: C ≥ 10 %	
606-013-00-3	p-benzoquinone; quinone	203-405-2	106-51-4	Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H331 H301 H319 H335 H315 H400	GHS06 GHS09 Dgr	H331 H301 H319 H335 H315 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-014-00-9	chlorophacinone (ISO); 2-(2-(4-chlorophenyl)phenylacetyl)indan-1,3-dione	223-003-0	3691-35-8	Acute Tox. 1 Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H331 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H310 H300 H331 H372 ** H410			
606-016-00-X	pindone (ISO); 2-pivaloylindan-1,3-dione	201-462-8	83-26-1	Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H372 ** H410			
606-017-00-5	diketene; diketen	211-617-1	674-82-8	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332			D
606-018-00-0	dichlone (ISO); 2,3-dichloro-1,4-naphthoquinone	204-210-5	117-80-6	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H315 H410			
606-019-00-6	chlordecone (ISO); perchloropentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}] decan-5-one; decachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}] decan-4-one	205-601-3	143-50-0	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H351 H311 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H311 H301 H410			
606-020-00-1	5-methylheptan-3-one	208-793-7	541-85-5	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3	H226 H319 H335	GHS02 GHS07 Wng	H226 H319 H335		STOT SE 3; H335: C ≥ 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-021-00-7	N-methyl-2-pyrrolidone	212-828-1	872-50-4	Eye Irrit. 2 Skin Irrit. 2	H319 H315	GHS07 Wng	H319 H315			
606-022-00-2	1-phenyl-3-pyrazolidone	202-155-1	92-43-3	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
606-023-00-8	4-methoxy-4-methylpentan-2-one	203-512-4	107-70-0	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H332	GHS02 GHS07 Wng	H226 H332			
606-024-00-3	heptan-2-one; methyl amyl ketone	203-767-1	110-43-0	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*)	H226 H332 H302	GHS02 GHS07 Wng	H226 H332 H302			
606-025-00-9	cyclopentanone	204-435-9	120-92-3	Flam. Liq. 3 Eye Irrit. 2 Skin Irrit. 2	H226 H319 H315	GHS02 GHS07 Wng	H226 H319 H315			
606-026-00-4	5-methylhexan-2-one; isoamyl methyl ketone	203-737-8	110-12-3	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H332	GHS02 GHS07 Wng	H226 H332			
606-027-00-X	heptan-4-one; di-n-propyl ketone	204-608-9	123-19-3	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H332	GHS02 GHS07 Wng	H226 H332			
606-028-00-5	2,4-dimethylpentan-3-one; di-isopropyl ketone	209-294-7	565-80-0	Flam. Liq. 2 Acute Tox. 4 (*)	H225 H332	GHS02 GHS07 Dgr	H225 H332			
606-029-00-0	pentane-2,4-dione; acetylacetone	204-634-0	123-54-6	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H302	GHS02 GHS07 Wng	H226 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-030-00-6	hexan-2-one; methyl butyl ketone; butyl methyl ketone; methyl- <i>n</i> -butyl ketone	209-731-1	591-78-6	Flam. Liq. 3 Repr. 2 STOT RE 1 STOT SE 3	H226 H361f (*)(* [*]) H372 (*)(* [*]) H336	GHS02 GHS08 GHS07 Dgr	H226 H361f (* [*]) (*)(* [*]) H372 (*)(* [*]) H336			
606-031-00-1	3-propanolide; 1,3-propiolactone	200-340-1	57-57-8	Carc. 1B Acute Tox. 2 (* [*]) Eye Irrit. 2 Skin Irrit. 2	H350 H330 H319 H315	GHS06 GHS08 Dgr	H350 H330 H319 H315			
606-032-00-7	hexachloroacetone	204-129-5	116-16-5	Acute Tox. 4 (* [*]) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
606-033-00-2	2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione; methazole	243-761-6	20354-26-1	Acute Tox. 4 (* [*]) Acute Tox. 4 (* [*]) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H312 H302 H319 H315 H411	GHS07 GHS09 Wng	H312 H302 H319 H315 H411			
606-034-00-8	metribuzin (ISO); 4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4 <i>H</i>)-one; 4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio-1,2,4-triazin-5-one	244-209-7	21087-64-9	Acute Tox. 4 (* [*]) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
606-035-00-3	chloridazon (ISO); 5-amino-4-chloro-2-phenylpyridazine-3-(2 <i>H</i>)-one; pyrazon	216-920-2	1698-60-8	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-036-00-9	quinomethionate; chinomethionat (ISO); 6-methyl-1,3-dithiolo(4,5-b)quinoxalin-2-one	219-455-3	2439-01-2	Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361f (*)(*)(*) H332 H312 H302 H373 (*)(*) H319 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H361f (*) (*)(*) H332 H312 H302 H373 (*) H319 H317 H410			
606-037-00-4	triadimefon (ISO); 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1,2,4-triazol-1-yl)butanone	256-103-8	43121-43-3	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
606-038-00-X	diphacinone (ISO); 2-diphenylacetylindan-1,3-dione	201-434-5	82-66-6	Acute Tox. 2 (*) STOT RE 1	H300 H372 (*)(*)	GHS06 GHS08 Dgr	H300 H372 (*)			
606-039-00-5	5(or 6)-tert-butyl-2'-chloro-6'-ethylamino-3',7'-dimethylspiro(isobenzofuran-1(1H),9'-xanthene)-3-one	400-680-2	—	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H400 H410	GHS07 GHS09 Wng	H332 H410			
606-040-00-0	(N-benzyl-N-ethyl)amino-3-hydroxyacetophenone hydrochloride	401-840-4	55845-90-4	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
606-041-00-6	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6	71868-10-5	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
606-042-00-1	acetophenone	202-708-7	98-86-2	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-043-00-7	2,4-di- <i>tert</i> -butylcyclohexanone	405-340-7	13019-04-0	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
606-044-00-2	2,4,6-trimethylbenzophenone	403-150-9	954-16-5	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H400 H410	GHS07 GHS09 Wng	H302 H319 H410			
606-045-00-8	oxadiazon (ISO); 3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one	243-215-7	19666-30-9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-046-00-3	reaction mass of <i>cis</i> - and <i>trans</i> -cyclohexadec-8-en-1-one	401-700-2	3100-36-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-047-00-9	2-benzyl-2-dimethylamino-4-morpholinobutylphenone	404-360-3	119313-12-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-048-00-4	2'-anilino-3'-methyl-6'-dipentylaminospiro(isobenzofuran-1(1H),9'-xanthen)-3-one	406-480-1	—	Aquatic Chronic 4	H413	—	H413			
606-049-00-X	4-(<i>trans</i> -4-propylcyclohexyl)acetophenone	406-700-6	78531-61-0	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
606-050-00-5	6-anilino-1-benzoyl-4-(4- <i>tert</i> -pentylphenoxy)naphtho[1,2,3- <i>de</i>]quinoline-2,7-(3H)-dione	412-480-2	72453-58-8	Aquatic Chronic 2	H411	GHS09	H411			
606-051-00-0	4-pentylcyclohexanone	406-670-4	61203-83-6	Aquatic Chronic 2	H411	GHS09	H411			
606-052-00-6	4-(<i>N,N</i> -dibutylamino)-2-hydroxy-2'-carboxybenzophenone	410-410-5	54574-82-2	Aquatic Chronic 3	H412	—	H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-053-00-1	flurtamone (ISO); (RS)-5-methylamino-2-phenyl-4-(<i>a, a,a</i> -trifluoro- <i>m</i> -tolyl)furan-3(2 <i>H</i>)-one	—	96525-23-4	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-054-00-7	isoxaflutole (ISO); 5-cyclopropyl-1,2-oxazol-4-yl <i>a, a,a</i> -trifluoro-2-mesyl- <i>p</i> -tolyl ketone	—	141112-29-0	Repr. 2 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H400 H410	GHS08 GHS09 Wng	H361d (*) (*)(*) H410			
606-055-00-2	1-(2,3-dihydro-1,3,3,6-tetramethyl-1-(1-methylethyl)-1 <i>H</i> -inden-5-yl)ethanone	411-180-9	92836-10-7	Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 2	H302 H373 (*)(*) H411	GHS08 GHS07 GHS09 Wng	H302 H373 (*) H411			
606-056-00-8	4-chloro-3',4'-dimethoxybenzophenone	404-610-1	116412-83-0	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-057-00-3	4-propylcyclohexanone	406-810-4	40649-36-3	Skin Irrit. 2 Aquatic Chronic 3	H315 H412	GHS07 Wng	H315 H412			
606-058-00-9	4'-fluoro-2,2-dimethoxyacetophenone	407-500-1	21983-80-2	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
606-059-00-4	2,4-difluoro- α -(1 <i>H</i> -1,2,4-triazol-1-yl)acetophenone hydrochloride	412-390-3	86386-75-6	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1	H302 H318 H317	GHS05 GHS07 Dgr	H302 H318 H317			
606-060-00-X	reaction mass of: <i>trans</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethylnaphthalene-2-yl)-1,3-dioxolane; <i>cis</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethylnaphthalene-2-yl)-1,3-dioxolane	412-950-7	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-061-00-5	(3-chlorophenyl)-(4-methoxy-3-nitrophenyl) methanone	423-290-4	66938-41-8	Muta. 2 Aquatic Acute 1 Aquatic Chronic 1	H341 H400 H410	GHS08 GHS09 Wng	H341 H410			
606-062-00-0	tetrahydrothiopyran-3-carboxaldehyde	407-330-8	61571-06-0	Repr. 1B Eye Dam. 1 Aquatic Chronic 3	H360D D (*)(*) (*) H318 H412	GHS08 GHS05 Dgr	H360D (*) (*) H318 H412			
606-063-00-6	(E)-3-(2-chlorophenyl)-2-(4-fluorophenyl) propenal	410-980-5	112704-51-5	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
606-064-00-1	pregn-5-ene-3,20-dione bis(ethylene ketal)	407-450-0	7093-55-2	Aquatic Chronic 4	H413	—	H413			
606-065-00-7	1-(4-morpholinophenyl)butan-1-one	413-790-0	—	Aquatic Chronic 2	H411	GHS09	H411			
606-066-00-2	(E)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone	410-440-9	164058-20-2	Aquatic Chronic 2	H411	GHS09	H411			
606-067-00-8	reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-4-yl)ethanone; 1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1H-benz(f)inden-4-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-5-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1H-benz(g)inden-5-yl)ethanone	414-870-8	96792-67-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-068-00-3	2,7,11-trimethyl-1,3-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al	415-770-7	1638-05-7	STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3	H373 (*)(*) H317 H412	GHS08 GHS07 Wng	H373 (*)(*) H317 H412			
606-069-00-9	spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethyl-hexahydro-3',9'-methanonaphthalene)]	415-460-1	154171-76-3	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-070-00-4	butoxydim (ISO); 5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one	414-790-3	138164-12-2	Repr. 2 Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H361fd H302 H315 H400 H410	GHS08 GHS07 GHS09 Wng	H361fd H302 H315 H410			
606-071-00-X	17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)and- rosta-1,4-diene-3-one	421-050-3	13258-43-0	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-072-00-5	3-acetyl-1-phenyl-pyrrolidine-2,4-dione	421-600-2	719-86-8	STOT RE 2 (*) Aquatic Chronic 2	H373 (*)(*) H411	GHS08 GHS09 Wng	H373 (*) H411			
606-073-00-0	4,4'-bis(dimethylamino)benzophenone; Michler's ketone	202-027-5	90-94-8	Carc. 1B Muta. 2 Eye Dam. 1	H350 H341 H318	GHS08 GHS05 Dgr	H350 H341 H318			
606-075-00-1	1-benzyl-5-ethoxyimidazolidine-2,4-dione	417-340-4	65855-02-9	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
606-076-00-7	1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione	418-630-3	136465-99-1	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
606-077-00-2	(3S,4S)-3-hexyl-4-[(R)-2-hydroxytridecyl]-2-oxetanone	418-650-2	104872-06-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-078-00-8	1-octylazepin-2-one	420-040-6	59227-88-2	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H314 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-079-00-3	2- <i>n</i> -butyl-benzo[<i>d</i>]isothiazol-3-one	420-590-7	4299-07-4	Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H317 H410			
606-080-00-9	Reaction product of: 3-hydroxy-5,7-di- <i>tert</i> -butylbenzofuran-2-one with <i>o</i> -xylene	417-100-9	—	Aquatic Chronic 4	H413		H413			
606-081-00-4	(3β, 5α, 6β)-3-(acetyloxy)-5-bromo-6-hydroxy-androstan-17-one	419-790-7	4229-69-0	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
606-082-00-X	reaction mass of: butan-2-one oxime; syn- <i>O,O'</i> -di(butan-2-one oxime)diethoxysilane	406-930-7		STOT RE 1 Skin Sens. 1 Aquatic Chronic 3	H372 (*)(* H317 H412	GHS08 GHS07 Dgr	H372 (*)(* H317 H412			
606-083-00-5	2-chloro-5- <i>sec</i> -hexadecylhydroquinone	407-750-1	137193-60-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H319 H315 H317 H412	GHS07 Wng	H319 H315 H317 H412			
606-084-00-0	1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione	414-540-3	484-33-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-085-00-6	(1 <i>R</i> ,4 <i>S</i>)-2-azabicyclo[2.2.1]hept-5-en-3-one	418-530-1	79200-56-9	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1	H302 H318 H317	GHS05 GHS07 Dgr	H302 H318 H317			
606-086-00-1	1-(3,3-dimethylcyclohexyl)pent-4-en-1-one	422-330-8	56973-87-6	Aquatic Chronic 2	H411	GHS09	H411			
606-087-00-7	6-ethyl-5-fluoro-4(3 <i>H</i>)-pyrimidone	422-460-5	137234-87-8	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
606-088-00-2	2,4,4,7-tetramethyl-6-octen-3-one	422-520-0	74338-72-0	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
606-089-00-8	reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone; 1,4-diamino-2,3-bis-phenoxyanthraquinone	423-220-2	12223-77-7	Aquatic Chronic 4	H413	—	H413			
606-091-00-9	6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one	421-320-0	118289-55-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
606-092-00-4	reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a)(Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	422-320-3		Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-001-00-0	formic acid ... %	200-579-1	64-18-6	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	B
607-002-00-6	acetic acid ... %	200-580-7	64-19-7	Flam. Liq. 3 Skin Corr. 1A	H226 H314	GHS02 GHS05 Dgr	H226 H314		Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-003-00-1	chloroacetic acid	201-178-4	79-11-8	Acute Tox. 3 (*) Skin Corr. 1B Aquatic Acute 1	H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H301 H314 H400			
607-004-00-7	TCA (ISO); trichloroacetic acid	200-927-2	76-03-9	Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410		STOT SE 3; H335: C ≥ 1 %	
607-005-00-2	TCA-sodium (ISO); sodium trichloroacetate	211-479-2	650-51-1	STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H335 H400 H410	GHS07 GHS09 Wng	H335 H410			
607-006-00-8	oxalic acid	205-634-3	144-62-7	Acute Tox. 4 (*) Acute Tox. 4 (*)	H312 H302	GHS07 Wng	H312 H302		(*)	
607-007-00-3	salts of oxalic acid	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*)	H312 H302	GHS07 Wng	H312 H302		(*)	A
607-008-00-9	acetic anhydride	203-564-8	108-24-7	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H226 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H332 H302 H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Dam. 1; H318: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 1 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-009-00-4	phthalic anhydride	201-607-5	85-44-9	Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H302 H335 H315 H318 H334 H317	GHS08 GHS05 GHS07 Dgr	H302 H335 H315 H318 H334 H317			
607-010-00-X	propionic anhydride	204-638-2	123-62-6	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
607-011-00-5	acetyl chloride	200-865-6	75-36-5	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314	EUH014		
607-012-00-0	benzoyl chloride	202-710-8	98-88-4	Skin Corr. 1B	H314	GHS05 Dgr	H314			
607-013-00-6	dimethyl carbonate	210-478-4	616-38-6	Flam. Liq. 2	H225	GHS02 Dgr	H225			
607-014-00-1	methyl formate	203-481-7	107-31-3	Flam. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3	H224 H332 H302 H319 H335	GHS02 GHS07 Dgr	H224 H332 H302 H319 H335			
607-015-00-7	ethyl formate	203-721-0	109-94-4	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3	H225 H332 H302 H319 H335	GHS02 GHS07 Dgr	H225 H332 H302 H319 H335			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-016-00-2	propyl formate; [1] isopropyl formate [2]	203-798-0 [1] 210-901-2 [2]	110-74-7 [1] 625-55-8 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 STOT SE 3	H225 H319 H335 H336	GHS02 GHS07 Dgr	H225 H319 H335 H336			C
607-017-00-8	butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3]	209-772-5 [1] 212-105-0 [2] 208-818-1 [3]	592-84-7 [1] 762-75-4 [2] 542-55-2 [3]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335			C
607-018-00-3	isopentyl formate; [1] 2-methylbutyl formate [2]	203-769-2 [1] 252-343-2 [2]	110-45-2 [1] 35073-27-9 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335			C
607-019-00-9	methyl chloroformate	201-187-3	79-22-1	Flam. Liq. 2 Acute Tox. 2 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H225 H330 H312 H302 H314	GHS02 GHS06 GHS05 Dgr	H225 H330 H312 H302 H314			
607-020-00-4	ethyl chloroformate	208-778-5	541-41-3	Flam. Liq. 2 Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B	H225 H330 H302 H314	GHS02 GHS06 GHS05 Dgr	H225 H330 H302 H314			
607-021-00-X	methyl acetate	201-185-2	79-20-9	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		
607-022-00-5	ethyl acetate	205-500-4	141-78-6	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		
607-023-00-0	vinyl acetate	203-545-4	108-05-4	Flam. Liq. 2	H225	GHS02 Dgr	H225			D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-024-00-6	propyl acetate; [1] isopropyl acetate [2]	203-686-1 [1] 203-561-1 [2]	109-60-4 [1] 108-21-4 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		C
607-025-00-1	n-butyl acetate	204-658-1	123-86-4	Flam. Liq. 3 STOT SE 3	H226 H336	GHS02 GHS07 Wng	H226 H336	EUH066		
607-026-00-7	sec-butyl acetate; [1] isobutyl acetate; [2] tert-butyl acetate [3]	203-300-1 [1] 203-745-1 [2] 208-760-7 [3]	105-46-4 [1] 110-19-0 [2] 540-88-5 [3]	Flam. Liq. 2	H225	GHS02 Dgr	H225	EUH066		C
607-027-00-2	methyl propionate	209-060-4	554-12-1	Flam. Liq. 2 Acute Tox. 4 (*)	H225 H332	GHS02 GHS07 Dgr	H225 H332			
607-028-00-8	ethyl propionate	203-291-4	105-37-3	Flam. Liq. 2	H225	GHS02 Dgr	H225			
607-029-00-3	n-butyl propionate; [1] sec-butyl propionate; [2] iso-butyl propionate [3]	209-669-5 [1] [2] 208-746-0 [3]	590-01-2 [1] 591-34-4 [2] 540-42-1 [3]	Flam. Liq. 3	H226	GHS02 Wng	H226			C
607-030-00-9	propyl propionate	203-389-7	106-36-5	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H332	GHS02 GHS07 Wng	H226 H332			
607-031-00-4	butyl butyrate	203-656-8	109-21-7	Flam. Liq. 3	H226	GHS02 Wng	H226			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-032-00-X	ethyl acrylate	205-438-8	140-88-5	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H332 H312 H302 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H335 H315 H317		Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 %	D
607-033-00-5	n-butyl methacrylate	202-615-1	97-88-1	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H226 H319 H335 H315 H317	GHS02 GHS07 Wng	H226 H319 H335 H315 H317			D
607-034-00-0	methyl acrylate; methyl propenoate	202-500-6	96-33-3	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H332 H312 H302 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H335 H315 H317			D
607-035-00-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	201-297-1	80-62-6	Flam. Liq. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H335 H315 H317	GHS02 GHS07 Dgr	H225 H335 H315 H317			D
607-036-00-1	2-methoxyethyl acetate; methylglycol acetate	203-772-9	110-49-6	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H360- FD H332 H312 H302	GHS08 GHS07 Dgr	H360FD H332 H312 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-037-00-7	2-ethoxyethyl acetate; ethylglycol acetate	203-839-2	111-15-9	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H360- FD H332 H312 H302	GHS08 GHS07 Dgr	H360FD H332 H312 H302			
607-038-00-2	2-butoxyethyl acetate; butylglycol acetate	203-933-3	112-07-2	Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312	GHS07 Wng	H332 H312			
607-039-00-8	2,4-D (ISO); 2,4-dichlorophenoxyacetic acid	202-361-1	94-75-7	Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H302 H335 H318 H317 H412	GHS05 GHS07 Dgr	H302 H335 H318 H317 H412			
607-040-00-3	salts of 2,4-D	—	—	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			A
607-041-00-9	2,4,5-T (ISO); 2,4,5-trichlorophenoxy acetic acid	202-273-3	93-76-5	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H410			
607-042-00-4	salts and esters of 2,4,5-T; salts and esters of 2,4,5-trichlorophenoxy acetic acid	—	—	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H410			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-043-00-X	dicamba (ISO); 2,5-dichloro-6-methoxybenzoic acid; 3,6-dichloro-2-methoxybenzoic acid	217-635-6	1918-00-9	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
607-044-00-5	3,6-dichloro- <i>o</i> -anisic acid, compound with dimethylamine (1:1); [1] potassium 3,6-dichloro- <i>o</i> -anisate [2]	218-951-7 [1] 233-002-7 [2]	2300-66-5 [1] 10007-85-9 [2]	Eye Irrit. 2 Aquatic Chronic 3	H319 H412	GHS07 Wng	H319 H412			
607-045-00-0	dichlorprop (ISO); 2-(2,4-dichlorophenoxy) propionic acid	204-390-5	120-36-5	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1	H312 H302 H315 H318	GHS05 GHS07 Dgr	H312 H302 H315 H318			
607-046-00-6	salts of dichlorprop	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			A
607-047-00-1	fenoprop (ISO); 2-(2,4,5-trichlorophenoxy)propionic acid	202-271-2	93-72-1	Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			
607-048-00-7	salts of fenoprop; salts of 2-(2,4,5-trichlorophenoxy)propionic acid	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410			A
607-049-00-2	mecoprop (ISO); 2-(4-chloro- <i>o</i> -tolylxy) propionic acid; (<i>RS</i>)-2-(4-chloro- <i>o</i> -tolylxy)propionic acid; [1] 2-(4-chloro-2-methylphenoxy)propionic acid [2]	230-386-8 [1] 202-264-4 [2]	7085-19-0 [1] 708519-0 [2]	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H315 H318 H410	M=100		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-050-00-8	salts of mecoprop	—	—	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H315 H318 H410			A
607-051-00-3	MCPA (ISO); 4-chloro- <i>o</i> -tolylxyacetic acid	202-360-6	94-74-6	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1	H302 H315 H318	GHS05 GHS07 Dgr	H302 H315 H318			
607-052-00-9	salts and esters of MCPA	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			A
607-053-00-4	MCPB (ISO); 4-(4-chloro- <i>o</i> -tolylxy) butyric acid	202-365-3	94-81-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-054-00-X	salts and esters of MCPB	—	—	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			A
607-055-00-5	endothal-sodium (ISO); disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate	204-959-8	129-67-9	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H301 H312 H319 H335 H315	GHS06 Dgr	H301 H312 H319 H335 H315			
607-056-00-0	warfarin (ISO); [1] (<i>S</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone; [2] (<i>R</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone [3]	201-377-6 [1] 226-907-3 [2] 226-908-9 [3]	81-81-2 [1] 5543-57-7 [2] 5543-58-8 [3]	Repr. 1A STOT RE 1 Aquatic Chronic 3	H360D (*) (*) H372 (*) (*) H412	GHS08 Dgr	H360D (*) (*) H372 (*) H412			
607-057-00-6	coumachlor (ISO); 3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxycoumarin	201-378-1	81-82-3	STOT RE 2 (*) Aquatic Chronic 3	H373 (*) H412	GHS08 Wng	H373 (*) H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-058-00-1	coumafuryl (ISO); fumarin; (RS)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin; 4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin	204-195-5	117-52-2	Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 3	H301 H372 (*)(*) H412	GHS06 GHS08 Dgr	H301 H372 (*) H412			
607-059-00-7	coumatetraalyl; 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin	227-424-0	5836-29-3	Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Chronic 3	H310 H300 H372 (*)(*) H412	GHS06 GHS08 Dgr	H310 H300 H372 (*) H412			
607-060-00-2	dicoumarol; 4,4'-dihydroxy-3,3'-methylenebis(2H-chromen-2-one)	200-632-9	66-76-2	STOT RE 1 Acute Tox. 4 (*) Aquatic Chronic 2	H372 (*)(*) H302 H411	GHS08 GHS07 GHS09 Dgr	H372 (*) H302 H411			
607-061-00-8	acrylic acid; prop-2-enoic acid	201-177-9	79-10-7	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1	H226 H332 H312 H302 H314 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H332 H312 H302 H314 H400	STOT SE 3; H335: C ≥ 1 %	D	
607-062-00-3	n-butyl acrylate	205-480-7	141-32-2	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H226 H319 H335 H315 H317	GHS02 GHS07 Wng	H226 H319 H335 H315 H317			D
607-063-00-9	isobutyric acid	201-195-7	79-31-2	Acute Tox. 4 (*) Acute Tox. 4 (*)	H312 H302	GHS07 Wng	H312 H302			
607-064-00-4	benzyl chloroformate	207-925-0	501-53-1	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410	STOT SE 3; H335: C ≥ 5 %		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-065-00-X	bromoacetic acid	201-175-8	79-08-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1A Aquatic Acute 1	H331 H311 H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H400			
607-066-00-5	dichloroacetic acid	201-207-0	79-43-6	Skin Corr. 1A Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400			
607-067-00-0	dichloroacetyl chloride	201-199-9	79-36-7	Skin Corr. 1A Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400			
607-068-00-6	iodoacetic acid	200-590-1	64-69-7	Acute Tox. 3 (*) Skin Corr. 1A	H301 H314	GHS06 GHS05 Dgr	H301 H314			
607-069-00-1	ethyl bromoacetate	203-290-9	105-36-2	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*)	H330 H310 H300	GHS06 Dgr	H330 H310 H300			
607-070-00-7	ethyl chloroacetate	203-294-0	105-39-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1	H331 H311 H301 H400	GHS06 GHS09 Dgr	H331 H311 H301 H400			
607-071-00-2	ethyl methacrylate	202-597-5	97-63-2	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H319 H335 H315 H317		D	
607-072-00-8	2-hydroxyethyl acrylate	212-454-9	818-61-1	Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1	H311 H314 H317 H400	GHS06 GHS05 GHS09 Dgr	H311 H314 H317 H400	(*) Skin Sens. 1; H317: C ≥ 0,2 %	D	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-073-00-3	4-CPA (ISO); 4-chlorophenoxyacetic acid	204-581-3	122-88-3	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-074-00-9	chlorfenac(ISO); 2,3,6-trichlorophenylacetic acid	201-599-3	85-34-7	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-075-00-4	chlorfenprop-methyl; methyl 2-chloro-3-(4-chlorophenyl)propionate	238-413-5	14437-17-3	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
607-076-00-X	dodine(ISO); dodecylguanidinium acetate	219-459-5	2439-10-3	Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H315 H410			
607-077-00-5	erbon (ISO); 2-(2,4,5-trichlorophenoxy)ethyl 2,2-dichloropropionate	—	136-25-4	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-078-00-0	fluenetil (ISO); 2-fluoroethyl biphenyl-4-ylacetate	—	4301-50-2	Acute Tox. 1 Acute Tox. 2 (*)	H310 H300	GHS06 Dgr	H310 H300			
607-079-00-6	kelevan (ISO); ethyl 5-(perchloro-5-hydroxypentacyclo [5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}]decan-5-yl)-4-oxopentanoate; ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypentacyclo(5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8})dec-4-yl)-4-oxovalerate	—	4234-79-1	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H311 H302 H411	GHS06 GHS09 Dgr	H311 H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-080-00-1	chloroacetyl chloride	201-171-6	79-04-9	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Skin Corr. 1A Aquatic Acute 1	H331 H311 H301 H372 (*)(*) H314 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H331 H311 H301 H372 (*) H314 H400	EUH014 EUH029		
607-081-00-7	fluoroacetic acid	205-631-7	144-49-0	Acute Tox. 2 (*) Aquatic Acute 1	H300 H400	GHS06 GHS09 Dgr	H300 H400			
607-082-00-2	fluoroacetates, soluble	—	—	Acute Tox. 2 (*) Aquatic Acute 1	H300 H400	GHS06 GHS09 Dgr	H300 H400			A
607-083-00-8	2,4-DB (ISO); 4-(2,4-dichlorophenoxy)butyric acid	202-366-9	94-82-6	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-084-00-3	salts of 2,4-DB	—	—	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			A
607-085-00-9	benzyl benzoate	204-402-9	120-51-4	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-086-00-4	diallyl phthalate	205-016-3	131-17-9	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-088-00-5	methacrylic acid; 2-methylpropenoic acid	201-204-4	79-41-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314		STOT SE 3; H335: C ≥ 1 %	D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-089-00-0	propionic acid ... %	201-176-3	79-09-4	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H319: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	B
607-090-00-6	thioglycolic acid	200-677-4	68-11-1	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B	H331 H311 H301 H314	GHS06 GHS05 Dgr	H331 H311 H301 H314		(*)	
607-091-00-1	trifluoroacetic acid . . . %	200-929-3	76-05-1	Acute Tox. 4 (*)	H332	GHS05	H332		*	B
				Skin Corr. 1A Aquatic Chronic 3	H314 H412	GHS07 Dgr	H314 H412			
607-092-00-7	methyl lactate; [1] methyl (±)-lactate; [2] methyl (R)-lactate; [3] methyl (S)-(-)-lactate [4]	208-930-0 [1] 218-449-8 [2] 241-420-6 [3] 248-704-9 [4]	547-64-8 [1] 2155-30-8 [2] 17392-83-5 [3] 27871-49-4 [4]	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3	H226 H319 H335	GHS02 GHS07 Wng	H226 H319 H335			C
607-093-00-2	propionyl chloride	201-170-0	79-03-8	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314	EUH014		B D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-094-00-8	peracetic acid . . . %	201-186-8	79-21-0	Flam. Liq. 3 Org. Perox. D (*)(*)(* Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1	H226 H242 H332 H312 H302 H314 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H242 H332 H312 H302 H314 H400		(*) STOT SE 3; H335: C ≥ 1 %	B D
607-095-00-3	maleic acid	203-742-5	110-16-7	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H302 H319 H335 H315	GHS07 Wng	H302 H319 H335 H315			
607-096-00-9	maleic anhydride	203-571-6	108-31-6	Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H302 H314 H334 H317	GHS08 GHS05 GHS07 Dgr	H302 H314 H334 H317			
607-097-00-4	benzene-1,2,4-tricarboxylic acid 1,2-anhydride; trimellitic anhydride	209-008-0	552-30-7	STOT SE 3 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H335 H318 H334 H317	GHS08 GHS05 GHS07 Dgr	H335 H318 H334 H317			
607-098-00-X	benzene-1,2:4,5-tetracarboxylic dianhydride; benzene-1,2:4,5-tetracarboxylic dianhydride; pyromellitic dianhydride	201-898-9	89-32-7	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H318 H334 H317	GHS08 GHS05 Dgr	H318 H334 H317			
607-099-00-5	1,2,3,6-tetrahydrophthalic anhydride; [1] cis-1,2,3,6-tetrahydrophthalic anhydride; [2] 3,4,5,6-tetrahydrophthalic anhydride; [3] tetrahydrophthalic anhydride [4]	201-605-4 [1] 213-308-7 [2] 219-374-3 [3] 247-570-9 [4]	85-43-8 [1] 935-79-5 [2] 2426-02-0 [3] 26266-63-7 [4]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H334 H317 H412	GHS08 GHS05 Dgr	H318 H334 H317 H412			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-100-00-9	benzophenone-3,3',4,4'-tetracarboxylic dianhydride; 4,4'-carbonyldi(phthalic anhydride)	219-348-1	2421-28-5	Eye Irrit. 2 STOT SE 3	H319 H335	GHS07 Wng	H319 H335		Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	
607-101-00-4	1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride	204-077-3	115-27-5	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		Skin Irrit. 2; H315: C ≥ 1 % Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	
607-102-00-X	cyclohexane-1,2-dicarboxylic anhydride; [1] cis-cyclohexane-1,2-dicarboxylic anhydride; [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3]	201-604-9 [1] 236-086-3 [2] 238-009-9 [3]	85-42-7 [1] 13149-00-3 [2] 14166-21-3 [3]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H318 H334 H317	GHS08 GHS05 Dgr	H318 H334 H317			C
607-103-00-5	succinic anhydride	203-570-0	108-30-5	Eye Irrit. 2 STOT SE 3	H319 H335	GHS07 Wng	H319 H335		Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	
607-104-00-0	cyclopentane-1,2,3,4-tetracarboxylic dianhydride	227-964-7	6053-68-5	Eye Irrit. 2 STOT SE 3	H319 H335	GHS07 Wng	H319 H335		Eye Irrit. 2; H319: C ≥ 1 % STOT SE 3; H335: C ≥ 1 %	
607-105-00-6	8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1] 1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2] (1α,2α,3β,6β)-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3]	204-957-7 [1] 212-557-9 [2] 220-384-5 [3]	129-64-6 [1] 826-62-0 [2] 2746-19-2 [3]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H318 H334 H317	GHS08 GHS05 Dgr	H318 H334 H317			C
607-106-00-1	8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride	—	123748-85-6	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H302 H319 H335 H315 H334	GHS08 GHS07 Dgr	H302 H319 H335 H315 H334		STOT SE 3; H335: C ≥ 10 %	C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-107-00-7	2-ethylhexyl acrylate	203-080-7	103-11-7	STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H335 H315 H317	GHS07 Wng	H335 H315 H317			D
607-108-00-2	2-hydroxy-1-methylethylacrylate; [1] 2-hydroxypropylacrylate; [2] acrylic acid, monoester with propane-1,2-diol [3]	220-852-9 [1] 213-663-8 [2] 247-118-0 [3]	2918-23-2 [1] 999-61-1 [2] 25584-83-2 [3]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1	H331 H311 H301 H314 H317	GHS06 GHS05 Dgr	H331 H311 H301 H314 H317	(*) Skin Sens. 1; H317: C ≥ 0,2 %		C D
607-109-00-8	hexamethylene diacrylate; hexane-1,6-diol diacrylate	235-921-9	13048-33-4	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-110-00-3	pentaerythritol triacrylate	222-540-8	3524-68-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-111-00-9	2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	239-701-3	15625-89-5	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-112-00-4	2,2-dimethyltrimethylene diacrylate; neopentyl glycol diacrylate	218-741-5	2223-82-7	Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H311 H319 H315 H317	GHS06 Dgr	H311 H319 H315 H317	(*)		D
607-113-00-X	isobutyl methacrylate	202-613-0	97-86-9	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H226 H319 H335 H315 H317 H400	GHS02 GHS07 GHS09 Wng	H226 H319 H335 H315 H317 H400			D
607-114-00-5	ethylene dimethacrylate	202-617-2	97-90-5	STOT SE 3 Skin Sens. 1	H335 H317	GHS07 Wng	H335 H317	STOT SE 3; H335: C ≥ 10 %		D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-115-00-0	isobutyl acrylate	203-417-8	106-63-8	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1	H226 H332 H312 H315 H317	GHS02 GHS07 Wng	H226 H332 H312 H315 H317			D
607-116-00-6	cyclohexyl acrylate	221-319-3	3066-71-5	STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H335 H315 H411	GHS07 GHS09 Wng	H335 H315 H411		STOT SE 3; H335: C ≥ 10 %	D
607-117-00-1	2,3-epoxypropyl acrylate; glycidyl acrylate	203-440-3	106-90-1	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1	H331 H311 H301 H314 H317	GHS06 GHS05 Dgr	H331 H311 H301 H314 H317		(*) Skin Sens. 1; H317: C ≥ 0,2 %	D
607-118-00-7	1-methyltrimethylene diacrylate; 1,3-butylene glycol diacrylate	243-105-9	19485-03-1	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H312 H314 H317	GHS05 GHS07 Dgr	H312 H314 H317			D
607-119-00-2	tetramethylene diacrylate; 1,4-butylene glycol diacrylate	213-979-6	1070-70-8	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H312 H314 H317	GHS05 GHS07 Dgr	H312 H314 H317			D
607-120-00-8	2,2'-oxydiethyl diacrylate; diethylene glycol diacrylate	223-791-6	4074-88-8	Acute Tox. 3 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H311 H319 H315 H317	GHS06 Dgr	H311 H319 H315 H317		(*) Skin Sens. 1; H317: C ≥ 0,2 %	D
607-121-00-3	8,9,10-trinorborn-2-yl acrylate	—	10027-06-2	Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1	H312 H315 H317	GHS07 Wng	H312 H315 H317			D
607-122-00-9	pentaerythritol tetraacrylate	225-644-1	4986-89-4	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-123-00-4	2,3-epoxypropyl methacrylate; glycidyl methacrylate	203-441-9	106-91-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H332 H312 H302 H319 H315 H317	GHS07 Wng	H332 H312 H302 H319 H315 H317			D
607-124-00-X	2-hydroxyethyl methacrylate	212-782-2	868-77-9	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-125-00-5	2-hydroxypropyl methacrylate; [1] 3-hydroxypropyl methacrylate [2]	213-090-3 [1] 220-426-2 [2]	923-26-2 [1] 2761-09-3 [2]	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			C D
607-126-00-0	2,2'-(ethylenedioxy)diethyl diacrylate; triethylene glycol diacrylate	216-853-9	1680-21-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-127-00-6	2-diethylaminoethyl methacrylate	203-275-7	105-16-8	Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H332 H319 H315 H317	GHS07 Wng	H332 H319 H315 H317			D
607-128-00-1	2-tert-butylaminoethyl methacrylate	223-228-4	3775-90-4	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			D
607-129-00-7	ethyl lactate; ethyl DL-lactate; [1] ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)-lactate [2]	202-598-0 [1] 211-694-1 [2]	97-64-3 [1] 687-47-8 [2]	Flam. Liq. 3 STOT SE 3 Eye Dam. 1	H226 H335 H318	GHS02 GHS05 GHS07 Dgr	H226 H335 H318			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-130-00-2	pentyl acetate; [1] isopentyl acetate; [2] 1-methylbutyl acetate; [3] 2-methylbutyl acetat; [4] 2(or 3)-methylbutyl acetate [5]	211-047-3 [1] 204-662-3 [2] 210-946-8 [3] 210-843-8 [4] 282-263-3 [5]	628-63-7 [1] 123-92-2 [2] 626-38-0 [3] 624-41-9 [4] 84145-37-9 [5]	Flam. Liq. 3	H226	GHS02 Wng	H226	EUH066		C
607-131-00-8	isopentyl propionate; [1] pentyl propionate; [2] 2-methylbutyl propionate [3]	203-322-1 [1] 210-852-7 [2] 219-449-0 [3]	105-68-0 [1] 624-54-4 [2] 2438-20-2 [3]	Flam. Liq. 3	H226	GHS02 Wng	H226			C
607-132-00-3	2-dimethylaminoethyl methacrylate	220-688-8	2867-47-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H312 H302 H319 H315 H317	GHS07 Wng	H312 H302 H319 H315 H317			D
607-133-00-9	monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex	—	—	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H319 H335 H315 H411	GHS07 GHS09 Wng	H319 H335 H315 H411		STOT SE 3; H335: C ≥ 10 %	A
607-134-00-4	monoalkyl or monoaryl or monoalkylaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex	—	—	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335: C ≥ 10 %	A
607-135-00-X	butyric acid	203-532-3	107-92-6	Skin Corr. 1B	H314	GHS05 Dgr	H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-136-00-5	butyryl chloride	205-498-5	141-75-3	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314			
607-137-00-0	methyl acetoacetate	203-299-8	105-45-3	Eye Irrit. 2	H319	GHS07 Wng	H319			
607-138-00-6	butyl chloroformate; chloroformic acid butyl ester	209-750-5	592-34-7	Flam. Liq. 3 Acute Tox. 3 (*) Skin Corr. 1B	H226 H331 H314	GHS02 GHS06 GHS05 Dgr	H226 H331 H314			
607-139-00-1	2-chloropropionic acid	209-952-3	598-78-7	Acute Tox. 4 (*) Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314			
607-140-00-7	isobutyryl chloride	201-194-1	79-30-1	Flam. Liq. 2 Skin Corr. 1A	H225 H314	GHS02 GHS05 Dgr	H225 H314			
607-141-00-2	oxydiethylene bis(chloroformate)	203-430-9	106-75-2	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H302 H315 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H315 H318 H411			
607-142-00-8	propyl chloroformate; chloroformic acid propylester; <i>n</i> -propyl chloroformate	203-687-7	109-61-5	Flam. Liq. 2 Acute Tox. 3 (*) Skin Corr. 1B	H225 H331 H314	GHS02 GHS06 GHS05 Dgr	H225 H331 H314			
607-143-00-3	valeric acid	203-677-2	109-52-4	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412			
607-144-00-9	adipic acid	204-673-3	124-04-9	Eye Irrit. 2	H319	GHS07 Wng	H319			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-145-00-4	methanesulphonic acid	200-898-6	75-75-2	Skin Corr. 1B	H314	GHS05 Dgr	H314			
607-146-00-X	fumaric acid	203-743-0	110-17-8	Eye Irrit. 2	H319	GHS07 Wng	H319			
607-147-00-5	oxalic acid diethylester; diethyl oxalate	202-464-1	95-92-1	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
607-148-00-0	guanidinium chloride; guanadine hydrochloride	200-002-3	50-01-1	Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2	H302 H319 H315	GHS07 Wng	H302 H319 H315			
607-149-00-6	urethane (INN); ethyl carbamate	200-123-1	51-79-6	Carc. 1B	H350	GHS08 Dgr	H350			
607-150-00-1	endothal (ISO); 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid	205-660-5	145-73-3	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H301 H312 H319 H335 H315	GHS06 Dgr	H301 H312 H319 H335 H315			
607-151-00-7	propargite (ISO); 2-(4-tert-butylphenoxy) cyclohexyl prop-2-ynyl sulphite	219-006-1	2312-35-8	Carc. 2 Acute Tox. 3 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H331 H315 H318 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H331 H315 H318 H410		M=10	
607-152-00-2	2,3,6-TBA (ISO); 2,3,6-trichlorobenzoic acid	200-026-4	50-31-7	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-153-00-8	benazolin (ISO); 4-chloro-2,3-dihydro-2-oxo-1,3-benzothiazol-3-ylacetic acid	223-297-0	3813-05-6	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H319 H315 H412	GHS07 Wng	H319 H315 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-154-00-3	ethyl N-benzoyl-N-(3,4-dichlorophenyl)-DL-alaninate; benzoylprop-ethyl (ISO)	244-845-5	22212-55-1	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-155-00-9	3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6H)-pyran-2-carboxylic acid; blasticidin-s	—	2079-00-7	Acute Tox. 2 (*)	H300	GHS06 Dgr	H300			
607-156-00-4	chlorfenson (ISO); 4-chlorophenyl 4-chlorobenzenesulfonate	201-270-4	80-33-1	Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			
607-157-00-X	3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin; difenacoum	259-978-4	56073-07-5	Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H300 H372 (*)(* H400 H410	GHS06 GHS08 GHS09 Dgr	H300 H372 (*)(* H410			
607-158-00-5	sodium salt of chloroacetic acid; sodium chloroacetate	223-498-3	3926-62-3	Acute Tox. 3 (*) Skin Irrit. 2 Aquatic Acute 1	H301 H315 H400	GHS06 GHS09 Dgr	H301 H315 H400			
607-159-00-0	chlorobenzilate (ISO); ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate; ethyl 4,4'-dichlorobenzilate	208-110-2	510-15-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-160-00-6	isobutyl 2-(4-(4-chlorophenoxy)phenoxy)propionate; clofop-isobutyl (ISO)	—	51337-71-4	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-161-00-1	diethanolamine salt of 4-CPA	—	—	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-162-00-7	2,2-dichloropropionic acid; dalapon	200-923-0	75-99-0	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H302 H315 H318 H412	GHS05 GHS07 Dgr	H302 H315 H318 H412			
607-163-00-2	3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione; dehydracetic acid	208-293-9	520-45-6	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-164-00-8	sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethonolate; sodium dehydracetate	224-580-1	4418-26-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-165-00-3	diclofop-methyl (ISO) methyl 2-(4-(2,4-dichlorophenoxy)phenoxy)propionate; methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate;	257-141-8	51338-27-3	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
607-166-00-9	medinoterb acetate (ISO); 6-tert-butyl-3-methyl-2,4-dinitrophenyl acetate	219-634-6	2487-01-6	Acute Tox. 3 (*) Acute Tox. 4 (*)	H301 H312	GHS06 Dgr	H301 H312			
607-167-00-4	sodium 3-chloroacrylate	—	4312-97-4	Acute Tox. 4 (*) Acute Tox. 4 (*)	H312 H302	GHS07 Wng	H312 H302			
607-168-00-X	dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methylnaphthalene-1,2-dicarboxylate; propylisome	—	83-59-0	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H311 H302 H400 H410	GHS06 GHS09 Dgr	H311 H302 H410			
607-169-00-5	sodium fluoroacetate	200-548-2	62-74-8	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1	H330 H310 H300 H400	GHS06 GHS09 Dgr	H330 H310 H300 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-170-00-0	bis(1,2,3-trithiacyclohexyldimethylammonium) oxalate; thiocyclam-oxalate	250-859-2	31895-22-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
607-172-00-1	4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; brodifacoum	259-980-5	56073-10-0	Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H372 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H310 H300 H372 (*) H410			
607-173-00-7	dimethyl 3-methyl-4-(5-nitro-3-ethoxycarbonyl-2-thienyl)azophenylnitrilodipropionate	400-460-6	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
607-174-00-2	reaction mass of dodecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate and tetradecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate	400-580-9	—	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
607-175-00-8	methyl 2-(2-nitrobenzylidene)acetoacetate	400-650-9	39562-27-1	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-176-00-3	reaction mass of α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -hydroxypoly(oxyethylene) and α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	400-830-7	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-177-00-9	methyl 2-(3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)3-methylureidosulphonyl)benzoate	401-190-1	101200-48-0	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-178-00-4	methyl α -((4,6-dimethoxypyrimidin-2-yl)ureidosulphonyl)- <i>o</i> -toluate	401-340-6	83055-99-6	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-179-00-X	(benzothiazol-2-ylthio)succinic acid	401-450-4	95154-01-1	Skin Sens. 1	H317	GHS07 Wng	H317			
607-180-00-5	potassium 2-hydroxycarbazole-1-carboxylate	401-630-2	96566-70-0	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Chronic 3	H302 H319 H335 H412	GHS07 Wng	H302 H319 H335 H412			
607-181-00-0	3,5-dichloro-2,4-difluorobenzoyl fluoride	401-800-6	101513-70-6	Acute Tox. 3 (*) Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3	H331 H314 H302 H317 H412	GHS06 GHS05 Dgr	H331 H314 H302 H317 H412	EUH029		
607-182-00-6	methyl 3-sulphamoyl-2-thenoate	402-050-2	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-183-00-1	zinc 2-hydroxy-5-C13-18alkylbenzoate	402-280-3	—	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H319 H315 H411	GHS07 GHS09 Wng	H319 H315 H411			
607-184-00-7	S-(3-trimethoxysilyl)propyl 19-isocyanato-11-(6-isocyanatohexyl)-10,12-dioxo-2,9,11,13-tetraazanonadecanethioate	402-290-8	85702-90-5	Flam. Liq. 3 Resp. Sens. 1 Skin Sens. 1	H226 H334 H317	GHS02 GHS08 Dgr	H226 H334 H317			
607-185-00-2	ethyl <i>trans</i> -3-dimethylaminoacrylate	402-650-4	1117-37-9	Skin Sens. 1	H317	GHS07 Wng	H317			
607-186-00-8	quinclorac (ISO); 3,7-dichloroquinoline-8-carboxylic acid	402-780-1	84087-01-4	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-187-00-3	bis(2,2,6,6-tetramethyl-4-piperidyl) succinate	402-940-0	62782-03-0	Eye Irrit. 2 Aquatic Chronic 3	H319 H412	GHS07 Wng	H319 H412			
607-188-00-9	hydrogen sodium N-carboxylatoethyl-N-octadec-9-enylmaleamate	402-970-4	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-189-00-4	trimethylenediaminetetraacetic acid	400-400-9	1939-36-2	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H318 H410			
607-190-00-X	methyl acrylamidomethoxyacetate (containing $\geq 0,1$ % acrylamid)	401-890-7	77402-03-0	Carc. 1B Muta. 1B Acute Tox. 4 (*) Eye Irrit. 2	H350 H340 H302 H319	GHS08 GHS07 Dgr	H350 H340 H302 H319			
607-191-00-5	isobutyl 3,4-epoxybutyrate	401-920-9	100181-71-3	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
607-192-00-0	disodium N-carboxymethyl-N-(2-(2-hydroxyethoxy)ethyl)glycinate	402-360-8	92511-22-3	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-194-00-1	propylene carbonate	203-572-1	108-32-7	Eye Irrit. 2	H319	GHS07 Wng	H319			
607-195-00-7	2-methoxy-1-methylethyl acetate	203-603-9	108-65-6	Flam. Liq. 3 Eye Irrit. 2	H226 H319	GHS02 GHS07 Wng	H226 H319			
607-196-00-2	heptanoic acid	203-838-7	111-14-8	Skin Corr. 1B	H314	GHS05 Dgr	H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-197-00-8	nonanoic acid	203-931-2	112-05-0	Skin Corr. 1B	H314	GHS05 Dgr	H314			
607-198-00-3	propyl 3,4,5-trihydroxybenzoate	204-498-2	121-79-9	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
607-199-00-9	octyl 3,4,5-trihydroxybenzoate	213-853-0	1034-01-1	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
607-200-00-2	dodecyl 3,4,5-trihydroxybenzoate	214-620-6	1166-52-5	Skin Sens. 1	H317	GHS07 Wng	H317			
607-201-00-8	thiocarbonyl chloride	207-341-6	463-71-8	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H331 H302 H319 H335 H315	GHS06 Dgr	H331 H302 H319 H335 H315			
607-203-00-9	2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate	279-452-8	80387-97-9	Repr. 1B Skin Sens. 1 Aquatic Chronic 3	H360D (*) (*) H317 H412	GHS08 GHS07 Dgr	H360D (*) (*) H317 H412			
607-204-00-4	(chlorophenyl)(chlorotolyl)methane, mixed isomers	400-140-6	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-205-00-X	methyl chloroacetate	202-501-1	96-34-4	Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H226 H331 H301 H335 H315 H318	GHS02 GHS06 GHS05 Dgr	H226 H331 H301 H335 H315 H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-206-00-5	isopropyl chloroacetate	203-301-7	105-48-6	Flam. Liq. 3 Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H226 H301 H319 H335 H315	GHS02 GHS06 Dgr	H226 H301 H319 H335 H315			
607-207-00-0	haloxyfop-etotyl (ISO); 2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate; haloxyfop-(2-ethoxyethyl)	402-560-5	87237-48-7	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-208-00-6	4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers	403-000-2	91853-67-7	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
607-209-00-1	reaction mass of O,O'-diisopropyl (pentathio)dithioformate and O,O'-diisopropyl (trithio)dithioformate and O,O'-diisopropyl (tetrathio)dithioformate	403-030-6	—	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
607-210-00-7	methyl acrylamidoglycolate (containing ≥ 0,1 % acrylamide)	403-230-3	77402-05-2	Carc. 1B Muta. 1B Skin Corr. 1B Skin Sens. 1	H350 H340 H314 H317	GHS08 GHS05 GHS07 Dgr	H350 H340 H314 H317			
607-211-00-2	methyl 3-(3-tert-butyl-4-hydroxy-5-methylphenyl)propionate	403-270-1	6386-39-6	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-212-00-8	poly(oxypropylenecarbonyl-co-oxy(ethylene)ethylene)carbonyl), containing 27 % hydroxyvalerate	403-300-3	—	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-213-00-3	ethyl 3,3-bis(<i>tert</i> -pentylperoxy)butyrate	403-320-2	67567-23-1	Org. Perox. D (*) (*) (*) Flam. Liq. 3 Aquatic Chronic 2	H242 H226 H411	GHS02 GHS09 Dgr	H242 H226 H411			
607-214-00-9	N,N-hydrazinodiacetic acid	403-510-5	19247-05-3	Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3	H301 H373 (*) (*) H317 H412	GHS06 GHS08 Dgr	H301 H373 (*) (*) H317 H412			
607-215-00-4	3-(3- <i>tert</i> -butyl-4-hydroxyphenyl)propionic acid	403-920-4	107551-67-7	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
607-216-00-X	glutamic acid, reaction products with N-(C ₁₂₋₁₄ alkyl)propylenediamine	403-950-8	—	Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H330 H302 H314 H400 H410	GHS06 GHS05 GHS09 Dgr	H330 H302 H314 H410			
607-217-00-5	2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxindacen-3-yl)phenoxy)acetate	403-960-2	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
607-218-00-0	dichlorprop-P (ISO); (+)-R-2-(2,4-dichlorophenoxy)propionic acid	403-980-1	15165-67-0	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H302 H315 H318 H317	GHS05 GHS07 Dgr	H302 H315 H318 H317			
607-219-00-6	bis(2-ethylhexyl) dithiodiacetate	404-510-8	62268-47-7	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
607-221-00-7	6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphenalen-1-yl)naphthalene-2-carboxylic acid	404-550-6	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-222-00-2	6-(2,3-dimethylmaleimido)hexyl methacrylate	404-870-6	63740-41-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-223-00-8	transfluthrin (ISO); 2,3,5,6-tetrafluorobenzyl <i>trans</i> -2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate	405-060-5	118712-89-3	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
607-224-00-3	methyl 2-(3-nitrobenzylidene)acetoacetate	405-270-7	39562-17-9	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
607-225-00-9	3-azidosulfonylbenzoic acid	405-310-3	15980-11-7	Self-React. C (*) (*)(*)(*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1	H241 H373 (*)(*) H318 H317	GHS02 GHS08 GHS05 GHS07 Dgr	H241 H373 (*) H318 H317			
607-226-00-4	reaction mass of 2-acryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate and 2-methacryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate	405-360-6	—	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H315 H318 H317 H412	GHS05 GHS07 Dgr	H315 H318 H317 H412			
607-227-00-X	potassium 2-amino-2-methylpropionate octahydrate	405-560-3	120447-91-8	Acute Tox. 4 (*) Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314			
607-228-00-5	bis(2-methoxyethyl) phthalate	204-212-6	117-82-8	Repr. 1B	H360- Df	GHS08 Dgr	H360Df			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-229-00-0	diethylcarbamoyl chloride	201-798-5	88-10-8	Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H351 H332 H302 H319 H335 H315	GHS08 GHS07 Wng	H351 H332 H302 H319 H335 H315			
607-230-00-6	2-ethylhexanoic acid	205-743-6	149-57-5	Repr. 2	H361d (*)(*)(*)	GHS08 Wng	H361d (*) (*)(*)			
607-231-00-1	3,6-dichloropyridine-2-carboxylic acid; clopyralid	216-935-4	1702-17-6	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
607-232-00-7	pyridate (ISO); O-(6-chloro-3-phenylpyridazin-4-yl) S-octyl thiocarbonate	259-686-7	55512-33-9	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
607-233-00-2	hexyl acrylate	219-698-5	2499-95-8	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H335 H315 H317 H411	GHS07 GHS09 Wng	H319 H335 H315 H317 H411			
607-234-00-8	flurenol (ISO); 9-hydroxy-9H-fluorene-9-carboxylic acid	207-397-1	467-69-6	Aquatic Chronic 2	H411	GHS09	H411			
607-235-00-3	mecrilate; methyl 2-cyanoacrylate	205-275-2	137-05-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315	STOT SE 3; H335: C ≥ 10 %		
607-236-00-9	ethyl 2-cyanoacrylate	230-391-5	7085-85-0	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315	STOT SE 3; H335: C ≥ 10 %		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-237-00-4	benzyl 2-chloro-4-(trifluoromethyl)thiazole-5-carboxylate; flurazole	276-942-3	72850-64-7	Aquatic Chronic 2	H411	GHS09	H411			
607-238-00-X	tau-fluvalinate (ISO); cyano-(3-phenoxyphenyl)methyl N-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate	—	102851-06-9	Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			
607-239-00-5	fenprothrin (ISO); α-cyano-3-phenoxybenzyl 2,2,3,3-tetramethylcyclopropanecarboxylate	254-485-0	39515-41-8	Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H301 H312 H400 H410	GHS06 GHS09 Dgr	H330 H301 H312 H410			
607-240-00-0	cis-1,2,3,6-tetrahydro-4-methylphthalic anhydride; [1] 1,2,3,6-tetrahydro-4-methylphthalic anhydride; [2] 1,2,3,6-tetrahydro-3-methylphthalic anhydride; [3] tetrahydromethylphthalic anhydride; [4] 1,2,3,6-tetrahydromethylphthalic anhydride; [5] tetrahydro-4-methylphthalic anhydride; [6] 2,3,5,6-tetrahydro-2-methylphthalic anhydride [7]	216-906-6 [1] 222-323-8 [2] 226-247-6 [3] 234-290-7 [4] 247-830-1 [5] 251-823-9 [6] 255-853-3 [7]	1694-82-2 [1] 3425-89-6 [2] 5333-84-6 [3] 11070-44-3 [4] 26590-20-5 [5] 34090-76-1 [6] 42498-58-8 [7]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H318 H334 H317	GHS08 GHS05 Dgr	H318 H334 H317			C
607-241-00-6	hexahydro-4-methylphthalic anhydride; [1] hexahydromethylphthalic anhydride; [2] hexahydro-1-methylphthalic anhydride; [3] hexahydro-3-methylphthalic anhydride [4]	243-072-0 [1] 247-094-1 [2] 256-356-4 [3] 260-566-1 [4]	19438-60-9 [1] 25550-51-0 [2] 48122-14-1 [3] 57110-29-9 [4]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H318 H334 H317	GHS08 GHS05 Dgr	H318 H334 H317			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-242-00-1	tetrachlorophthalic anhydride	204-171-4	117-08-8	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H334 H317 H400 H410	GHS08 GHS05 GHS09 Dgr	H318 H334 H317 H410			
607-243-00-7	sodium 3,6-dichloro- <i>o</i> -anisate; [1] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2,2'-iminodiethanol (1:1); [2] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2-aminoethanol (1:1) [3]	217-846-3 [1] 246-590-5 [2] 258-527-9 [3]	1982-69-0 [1] 25059-78-3 [2] 53404-28-7 [3]	Aquatic Chronic 3	H412	—	H412			
607-244-00-2	isooctyl acrylate	249-707-8	29590-42-9	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H410	STOT SE 3; H335: C ≥ 10 %		
607-245-00-8	<i>tert</i> -butyl acrylate	216-768-7	1663-39-4	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H225 H332 H312 H302 H335 H315 H317 H412	GHS02 GHS07 Dgr	H225 H332 H312 H302 H335 H315 H317 H412		D	
607-246-00-3	allyl methacrylate; 2-methyl-2-propenoic acid 2-propenyl ester	202-473-0	96-05-9	Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1	H226 H331 H312 H302 H400	GHS02 GHS06 GHS09 Dgr	H226 H331 H312 H302 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-247-00-9	dodecyl methacrylate	205-570-6	142-90-5	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H319 H335 H315 H410		STOT SE 3; H335: C ≥ 10 %	
607-248-00-4	naptalam-sodium (ISO); sodium N-naphth-1-ylphthalamate	205-073-4	132-67-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-249-00-X	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate	256-032-2	42978-66-5	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H335 H315 H317 H411	GHS07 GHS09 Wng	H319 H335 H315 H317 H411		STOT SE 3; H335: C ≥ 10 %	
607-250-00-5	4H-3,1-benzoxazine-2,4(1H)-dione	204-255-0	118-48-9	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
607-251-00-0	2-methoxypropyl acetate	274-724-2	70657-70-4	Flam. Liq. 3 Repr. 1B STOT SE 3	H226 H360D D (*) (*) H335	GHS02 GHS08 GHS07 Dgr	H226 H360D (*) (*) H335			
607-252-00-6	lambda-cyhalothrin (ISO); reaction mass of (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate and (R)-α-cyano-3-phenoxybenzyl(Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1)	415-130-7	91465-08-6	Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H301 H312 H400 H410	GHS06 GHS09 Dgr	H330 H301 H312 H410			
607-253-00-1	α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; cyfluthrin	269-855-7	68359-37-5	Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H300 H331 H400 H410	GHS06 GHS09 Dgr	H300 H331 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-254-00-7	α -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; beta-cyfluthrin	269-855-7	68359-37-5	Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H400 H410	GHS06 GHS09 Dgr	H330 H300 H410			
607-255-00-2	fluroxypyr (ISO); 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid	—	69377-81-7	Aquatic Chronic 3	H412	—	H412			
607-256-00-8	azoxystrobin (ISO); methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	—	131860-33-8	Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H400 H410	GHS06 GHS09 Dgr	H331 H410			
607-257-00-3	isopropyl propionate	211-300-8	637-78-5	Flam. Liq. 2	H225	GHS02 Dgr	H225			
607-258-00-9	dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioximidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate	403-990-6	70950-45-7	Aquatic Chronic 4	H413	—	H413			
607-259-00-4	methyl 2R,3S-(-)-3-(4-methoxyphenyl)oxiranecarboxylate	404-130-2	105560-93-8	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
607-260-00-X	ethyl 2-(3-nitrobenzylidene)acetoacetate	404-490-0	39562-16-8	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
607-261-00-5	iso(C10-C14)alkyl (3,5-di-tert-butyl-4-hydroxyphenyl)methylthioacetate	404-800-4	118832-72-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-262-00-0	7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid	405-050-0	86393-33-1	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-263-00-6	potassium iron(III) 1,3-propanediamine-N, N,N',N'-tetraacetate hemihydrate	405-680-6	—	Self-heat. 2 (*) (*)(*)(*) Aquatic Chronic 2	H252 H411	GHS02 GHS09 Wng	H252 H411			
607-264-00-1	2-chloro-4-(methylsulfonyl)benzoic acid	406-520-8	53250-83-2	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-265-00-7	ethyl-2-chloro-2,2-diphenylacetate	406-580-5	52460-86-3	Skin Irrit. 2 Aquatic Chronic 3	H315 H412	GHS07 Wng	H315 H412			
607-266-00-2	reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di- <i>tert</i> -butylbenzoate]; 3,5-di- <i>tert</i> -butyl-salicylic acid	406-890-0	130296-87-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-267-00-8	<i>tert</i> -butyl (5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i>)-3-bromomethyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0] oct-2-ene-2-carboxylate	407-620-4	33610-13-8	Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H334 H317 H412	GHS08 Dgr	H334 H317 H412			
607-268-00-3	2-methylpropyl (R)-2-hydroxypropanoate	407-770-0	61597-96-4	Eye Irrit. 2	H319	GHS07 Wng	H319			
607-269-00-9	(R)-2-(4-hydroxyphenoxy)propanoic acid	407-960-3	94050-90-5	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-270-00-4	3,9-bis(2-(3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethylethyl)-2,4,8,10-tetraoxaspiro[5.5]undecane	410-730-5	90498-90-1	Acute Tox. 4 (*)	H312	GHS07 Wng	H312			
607-271-00-X	2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane	417-420-9	156324-82-2	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-272-00-5	fluroxypyr-meptyl (ISO); methylheptyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1] fluroxypyr-butometyl (ISO); 2-butoxy-1-methylethyl, O-(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2]	279-752-9 [1] [2]	81406-37-3 [1] 154486-27-8 [2]	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-273-00-0	ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate	404-520-2	—	Aquatic Chronic 3	H412	—	H412			
607-274-00-6	2-(N-benzyl-N-methylamino)ethyl 3-amino-2-butenolate	405-350-1	54527-73-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-275-00-1	sodium benzoxybenzene-4-sulfonate	405-450-5	66531-87-1	Skin Sens. 1	H317	GHS07 Wng	H317			
607-276-00-7	bis[(1-methylimidazol)-(2-ethyl-hexanoate)], zinc complex	405-635-0	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			
607-277-00-2	reaction mass of: 2-(hexylthio)ethylamine hydrochloride; sodium propionate	405-720-2	—	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			
607-278-00-8	reaction mass of isomers of: sodium phenethylnaphthalenesulfonate; sodium naphthylethylbenzenesulfonate	405-760-0	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
607-279-00-3	reaction mass of n-octadecylaminodiethyl bis(hydrogen maleate); n-octadecylaminodiethyl hydrogen maleate hydrogenphthalate	405-960-8	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-280-00-9	sodium 4-chloro-1-hydroxybutane-1-sulfonate	406-190-5	54322-20-2	Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1	H302 H319 H317	GHS07 Wng	H302 H319 H317			
607-281-00-4	reaction mass of branched and linear C7-C ₉ alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]propionates	407-000-3	127519-17-9	Aquatic Chronic 2	H411	GHS09	H411			
607-282-00-X	2-acetoxymethyl-4-benzyloxybut-1-yl acetate	407-140-5	131266-10-9	Aquatic Chronic 3	H412	—	H412			
607-283-00-5	E-ethyl-4-oxo-4-phenylcrotonate	408-040-4	15121-89-8	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H312 H302 H315 H318 H317 H410			
607-284-00-0	reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate); lithium 3,3'-(1,4-phenylenebis-(carbonylimino-3,1-propanediyl-imino))bis(10-amino-6,13-dichloro)-4,11-triphenodioxazinedisulfonate (9:1)	410-040-4	136213-76-8	Aquatic Chronic 2	H411	GHS09	H411			
607-285-00-6	reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid; sodium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate; potassium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate	410-065-0	—	Skin Sens. 1	H317	GHS07 Wng				
607-286-00-1	reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxy-naphthyl)azo)phenyl]azo]phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate	410-070-8	141880-36-6	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-287-00-7	O'-methyl O-(1-methyl-2-methacryloyloxyethyl)-1,2,3,6-tetrahydrophthalate	410-140-8	—	Aquatic Chronic 3	H412	—	H412			
607-288-00-2	tetrasodium (c-(3-(1-(3-(e-6-dichloro-5-cyanopyrimidin-f-yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenylsulfamoyl)phthalocyanine-a,b,d-trisulfonato(6-))nickelato II, where a is 1 or 2 or 3 or 4, b is 8 or 9 or 10 or 11, c is 15 or 16 or 17 or 18, d is 22 or 23 or 24 or 25 and where e and f together are 2 and 4 or 4 and 2 respectively	410-160-7	148732-74-5	Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H319 H317 H412	GHS07 Wng	H319 H317 H412			
607-289-00-8	3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid	410-370-9	105488-33-3	Aquatic Chronic 4	H413	—	H413			
607-290-00-3	reaction mass (ratio not known) of: ammonium 1-C14-C18-alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate; ammonium 2-C14-C18-alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate	410-540-2	—	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
607-291-00-9	dodecyl-ω-(C5/C6-cycloalkyl)alkyl carboxylate	410-630-1	104051-92-5	Aquatic Chronic 4	H413	—	H413			
607-292-00-4	reaction mass of: [1-(methoxymethyl)-2-(C12-alkoxy)-ethoxy]acetic acid; [1-(methoxymethyl)-2-(C14-alkoxy)-ethoxy]acetic acid	410-640-6	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			
607-293-00-X	reaction mass of: N-aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate; N-aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate	410-650-0	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
607-294-00-5	sodium 2-benzoyloxy-1-hydroxyethane-sulfonate	410-680-4	—	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-295-00-0	reaction mass of: tetrasodium phosphonothane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate	410-800-5	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-296-00-6	reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid	410-830-9	—	Aquatic Chronic 4	H413	—	H413			
607-297-00-1	(<i>E-E</i>)-3,3'-(1,4-phenylenedimethylidene)bis(2-oxobornane-10-sulfonic acid)	410-960-6	92761-26-7	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-298-00-7	2-(trimethylammonium)ethoxycarboxybenzene-4-sulfonate	411-010-3	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-299-00-2	methyl 3-(acetylthio)-2-methyl-propanoate	411-040-7	97101-46-7	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
607-300-00-6	trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-(<i>b</i> -sulfamoyl- <i>c</i> , <i>d</i> -sulfonatophthalocyanin- <i>a</i> -yl-K4,N29,N30,N31,N32-sulfonylamino)benzoato(5-)]cuprate(II) where <i>a</i> =1,2,3,4 <i>b</i> =8,9,10,11 <i>c</i> =15,16,17,18 <i>d</i> =22,23,24,25	411-430-7	—	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
607-301-00-1	reaction mass of: dodecanoic acid; poly(1-7)lactate esters of dodecanoic acid	411-860-5	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-302-00-7	reaction mass of: tetradecanoic acid; poly(1-7)lactate esters of tetradecanoic acid	411-910-6	—	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H315 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-303-00-2	1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid	413-760-7	93107-30-3	Repr. 2 Aquatic Chronic 3	H361f (*)(*)(*) H412	GHS08 Wng	H361f (*) (*)(*) H412			
607-304-00-8	fluazifop-butyl (ISO); butyl (RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate	274-125-6	69806-50-4	Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H360D (*)(*)(*) (*) H400 H410	GHS08 GHS09 Dgr	H360D (*) (*)(*) H410			
607-305-00-3	fluazifop-P-butyl (ISO); butyl (R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate	—	79241-46-6	Repr. 2 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H400 H410	GHS08 GHS09 Wng	H361d (*) (*)(*) H410			
607-306-00-9	chlozolate (ISO); ethyl (RS)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate	282-714-4	84332-86-5	Carc. 2 Aquatic Chronic 2	H351 H411	GHS08 GHS09 Wng	H351 H411			
607-307-00-4	vinclozolin (ISO); N-3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione	256-599-6	50471-44-8	Carc. 2 Repr. 1B Skin Sens. 1 Aquatic Chronic 2	H351 H360FD H317 H411	GHS08 GHS07 GHS09 Dgr	H351 H360FD H317 H411			
607-308-00-X	esters of 2,4-D	—	—	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			A
607-309-00-5	carfentrazone-ethyl (ISO); ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]propionate	—	128639-02-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-310-00-0	kresoxim-methyl (ISO); methyl (E)-2-methoxyimino-[2-(o-tolyloxy-methyl)phenyl]acetate	—	143390-89-0	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
607-311-00-6	benazolin-ethyl; ethyl 4-chloro-2-oxo-2H-benzothiazole-3-acetate	246-591-0	25059-80-7	Aquatic Chronic 2	H411	GHS09	H411			
607-312-00-1	methoxyacetic acid	210-894-6	625-45-6	Repr. 1B Acute Tox. 4 (*) Skin Corr. 1B	H360-FD H302 H314	GHS08 GHS05 GHS07 Dgr	H360FD H302 H314		STOT SE 3; H335: C ≥ 5 %	
607-313-00-7	neodecanoyl chloride	254-875-0	40292-82-8	Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B	H330 H302 H314	GHS06 GHS06 Dgr	H330 H302 H314		STOT SE 3; H335: C ≥ 5 %	
607-314-00-2	ethofumesate (ISO); (±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-yl methanesulfonate	247-525-3	26225-79-6	Aquatic Chronic 2	H411	GHS09	H411			
607-315-00-8	glyphosate (ISO); N-(phosphonomethyl)glycine	213-997-4	1071-83-6	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
607-316-00-3	glyphosate-trimesium; glyphosate-trimethylsulfonium	—	81591-81-3	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-317-00-9	bis(2-ethylhexyl) phthalate; di-(2-ethylhexyl) phthalate; DEHP	204-211-0	117-81-7	Repr. 1B	H360-FD	GHS08 Dgr	H360FD			
607-318-00-4	dibutyl phthalate; DBP	201-557-4	84-74-2	Repr. 1B Aquatic Acute 1	H360-Df H400	GHS08 GHS09 Dgr	H360Df H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-319-00-X	deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate	258-256-6	52918-63-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410			
607-320-00-5	bis[4-(ethenyl-oxo)butyl] 1,3-benzenedicarboxylate	413-930-0	130066-57-8	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
607-321-00-0	(S)-methyl-2-chloropropionate	412-470-8	73246-45-4	Flam. Liq. 3 STOT RE 2 (*) Eye Irrit. 2	H226 H373 (*)(* H319	GHS02 GHS08 Wng	H226 H373 (*)(* H319			
607-322-00-6	4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid	413-120-7	107144-30-9	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-323-00-1	2-(1-(2-hydroxy-3,5-di- <i>tert</i> -pentyl-phenyl)ethyl)-4,6-di- <i>tert</i> -pentylphenyl acrylate	413-850-6	123968-25-2	Aquatic Chronic 4	H413	—	H413			
607-324-00-7	reaction mass of: N,N-di(hydrogenated alkyl C14-C18)phtalamic acid; dihydrogenated alkyl (C14-C18)amine	413-800-3	—	Aquatic Chronic 4	H413	—	H413			
607-325-00-2	(S)-2-chloropropionic acid	411-150-5	29617-66-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			
607-326-00-8	reaction mass of: isobutyl hydrogen 2-(α -2,4,6-trimethylnon-2-enyl)succinate; isobutyl hydrogen 2-(β -2,4,6-trimethylnon-2-enyl)succinate	410-720-0	141847-13-4	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
607-327-00-3	2-(2-iodoethyl)-1,3-propanediol diacetate	411-780-0	127047-77-2	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-328-00-9	methyl 4-bromomethyl-3-methoxybenzoate	410-310-1	70264-94-7	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H410			
607-329-00-4	reaction mass of: sodium 2-(C12-18— <i>n</i> -alkyl)amino-1,4-butandioate; sodium 2-octadecenyl-amino-1,4-butandioate	411-250-9	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-330-00-X	(<i>S</i>)-2,3-dihydro-1 <i>H</i> -indole-2-carboxylic acid	410-860-2	79815-20-6	Repr. 2 STOT RE 2 (*) Skin Sens. 1	H361f (*)(*)(*) H373 (*)(*) H317	GHS08 GHS07 Wng	H361f (*) (*)(*) H373 (*) H317			
607-331-00-5	reaction mass of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate; 1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-diyl)piperidin-1-yl)oxy]octane	406-750-9	—	Aquatic Chronic 4	H413	—	H413			
607-332-00-0	cyclopentyl chloroformate	411-460-0	50715-28-1	Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1	H226 H331 H302 H373 (*)(*) H318 H317	GHS02 GHS06 GHS08 GHS05 Dgr	H226 H331 H302 H373 (*) H318 H317			
607-333-00-6	reaction mass of: dodecyl <i>N</i> -(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate; tetradecyl <i>N</i> -(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate	405-670-1	—	Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H373 (*)(*) H314 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H302 H373 (*) H314 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-334-00-1	ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate	405-880-3	100501-62-0	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
607-335-00-7	methyl (R)-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate	406-250-0	72619-32-0	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
607-336-00-2	4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]dec-2-yl acetate	406-560-6	122760-85-4	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	GHS07 GHS09 Wng	H315 H317 H411			
607-337-00-8	di-tert-(C12-14)-alkylammonium 2-benzothiazolylthiosuccinate	406-052-4	125078-60-6	Flam. Liq. 3 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H226 H302 H315 H318 H411	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H302 H315 H318 H411			
607-338-00-3	2-methylpropyl 2-hydroxy-2-methylbut-3-enoate	406-235-9	72531-53-4	Eye Irrit. 2 Skin Irrit. 2	H319 H315	GHS07 Wng	H319 H315			
607-339-00-9	2,3,4,5-tetrachlorobenzoylchloride	406-760-3	42221-52-3	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H302 H314 H317	GHS05 GHS07 Dgr	H302 H314 H317			
607-340-00-4	1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate	406-990-4	—	Aquatic Chronic 2	H411	GHS09	H411			
607-341-00-X	(9S)-9-amino-9-deoxyerythromycin	406-790-7	26116-56-3	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
607-342-00-5	4-chlorobutyl veratrate	410-950-1	69788-75-6	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-343-00-0	4,7-methanooctahydro-1H-indene-diyl-dimethyl bis(2-carboxybenzoate)	407-410-2	—	Aquatic Chronic 4	H413	—	H413			
607-344-00-6	reaction mass of: 3-(N-(3-dimethylamino-propyl)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid; N-[dimethyl-3-(C ₄₋₈ -perfluoroalkylsulfonamido)propylammonium]propionate; 3-(N-(3-dimethyl-propylammonium)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid propionate	407-810-7	—	STOT RE 2 (*)	H373 (*)	GHS08 Wng	H373 (*)			
607-345-00-1	potassium 2-(2,4-dichlorophenoxy)-(R)-propionate	413-580-9	113963-87-4	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H302 H315 H318 H317	GHS05 GHS07 Dgr	H302 H315 H318 H317			
607-346-00-7	3-icosyl-4-henicosylidene-2-oxetanone	401-210-9	83708-14-9	Aquatic Chronic 4	H413	—	H413			
607-347-00-2	sodium (R)-2-(2,4-dichlorophenoxy)propionate	413-340-3	119299-10-4	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H302 H315 H318 H317	GHS05 GHS07 Dgr	H302 H315 H318 H317			
607-348-00-8	magnesium bis((R)-2-(2,4-dichlorophenoxy)propionate)	413-360-2	—	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H302 H315 H318 H317	GHS05 GHS07 Dgr	H302 H315 H318 H317			
607-349-00-3	mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate	411-270-8	—	Aquatic Chronic 3	H412		H412			
607-350-00-9	bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane	412-060-9	136210-32-7	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
607-351-00-4	methyl O-(4-amino-3,5-dichloro-6-fluoropyridin-2-yloxy)acetate	407-550-4	69184-17-4	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-352-00-X	4,4'-oxydiphthalic anhydride	412-830-4	1823-59-2	Aquatic Chronic 3	H412	—	H412			
607-353-00-5	reaction mass of: ethyl <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>endo</i> -2-carboxylate; ethyl <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>exo</i> -2-carboxylate	407-520-0	80657-64-3	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
607-354-00-0	ethyl 2-cyclohexylpropionate	412-280-5	2511-00-4	Aquatic Chronic 2	H411	GHS09	H411			
607-355-00-6	<i>p</i> -tolyl 4-chlorobenzoate	411-530-0	15024-10-9	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
607-356-00-1	ethyl <i>trans</i> -2,2,6-trimethylcyclohexanecarboxylate	412-540-8	—	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
607-357-00-7	reaction mass of: <i>trans</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran; <i>cis</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran	412-450-9	131766-73-9	Skin Sens. 1	H317	GHS07 Wng	H317			
607-358-00-2	(1 <i>S</i> ,3 <i>S</i> ,5 <i>R</i> ,6 <i>R</i>)-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate	412-670-5	54275-93-3	Resp. Sens. 1	H334	GHS08 Dgr	H334			
607-359-00-8	(1 <i>S</i> ,4 <i>R</i> ,6 <i>R</i> ,7 <i>R</i>)-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate	412-800-0	76109-32-5	Resp. Sens. 1	H334	GHS08 Dgr	H334			
607-360-00-3	sodium 3-acetoacetylamino-4-methoxytolyl-6-sulfonate	411-680-7	133167-77-8	Skin Sens. 1	H317	GHS07 Wng	H317			
607-361-00-9	methyl (R)-2-(4-hydroxyphenoxy)propionate	411-950-4	96562-58-2	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-362-00-4	reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate	413-500-2	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	GHS05 GHS09 Dgr	H315 H318 H411			
607-363-00-X	methyl-3-methoxyacrylate	412-900-4	5788-17-0	Skin Sens. 1	H317	GHS07 Wng	H317			
607-364-00-5	3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxas-indacen-2,6-dione	413-330-9	134724-55-3	Aquatic Chronic 4	H413		H413			
607-365-00-0	2-(2-amino-1,3-thiazol-4-yl)-(Z)-2-methoxyiminoacetyl chloride hydrochloride	410-620-7	119154-86-8	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H302 H314 H317	GHS05 GHS07 Dgr	H302 H314 H317			
607-366-00-6	3,5-dimethylbenzoyl chloride	413-010-9	6613-44-1	Skin Corr. 1B Skin Sens. 1	H314 H317	GHS05 GHS07 Dgr	H314 H317			
607-367-00-1	potassium bis(N-carboxymethyl)-N-methylglycinato-(2-)N,O,O,N)-ferrate-(1-) monohydrate	411-640-9	153352-59-1	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-368-00-7	1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5-carbomethoxyethylthio-1H-1,2,4-triazole	411-650-3	110895-43-7	Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-369-00-2	reaction mass of: <i>trans</i> -(2 <i>R</i>)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; <i>cis</i> -(2 <i>R</i>)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid	411-660-8	147027-04-1	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H302 H315 H318 H317	GHS05 GHS07 Dgr	H302 H315 H318 H317			
607-370-00-8	2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-dimethylethyl)-4-methylphenol	412-210-3	41620-33-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-371-00-3	3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2 <i>H</i>)isoindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate	413-410-3	88150-62-3	Aquatic Chronic 4	H413	—	H413			
607-372-00-9	ethoxylated bis phenol A di-(norbornene carboxylate)	412-410-0	—	Aquatic Chronic 3	H412	—	H412			
607-373-00-4	(±) tetrahydrofurfuryl (<i>R</i>)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	414-200-4	119738-06-6	Muta. 2 Repr. 1B Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H341 H360Df H302 H373 (*) H400 H410	GHS08 GHS07 GHS09 Dgr	H341 H360Df H302 H373 (*) H410			
607-374-00-X	5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride	417-220-1	37441-29-5	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-375-00-5	reaction mass of: <i>cis</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; <i>trans</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin	421-960-0	90035-08-8	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H372 (*) H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H372 (*) H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-376-00-0	benzyl 2,4-dibromobutanoate	420-710-8	23085-60-1	Repr. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361f (*)(* [*])(* [*]) H315 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H361f (*) (*)(* [*]) H315 H317 H410			
607-377-00-6	<i>trans</i> -4-cyclohexyl-L-proline monohydrochloride	419-160-1	90657-55-9	Repr. 2 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H361f (*)(* [*])(* [*]) H302 H315 H318 H317	GHS08 GHS05 GHS07 Dgr	H361f (*) (*)(* [*]) H302 H315 H318 H317			
607-378-00-1	ammonium (Z)- α -methoxyimino-2-furylacetate	405-990-1	97148-39-5	Flam. Sol. 2	H228	GHS02 Dgr	H228		T	
607-379-00-7	reaction mass of: 2-[N-(2-hydroxyethyl)stearamido]ethyl stearate; sodium [bis[2-(stearoyloxy)ethyl]amino]methylsulfonate; sodium [bis(2-hydroxyethyl)amino]methylsulfonate; N,N-bis(2-hydroxyethyl)stearamide	401-230-8		Aquatic Chronic 3	H412	—	H412			
607-380-00-2	reaction mass of: ammonium-1,2-bis(hexyloxy-carbonyl)ethanesulfonate; ammonium-1-hexyloxy-carbonyl-2-octyloxy-carbonylethanesulfonate; ammonium-2-hexyloxy-carbonyl-1-octyloxy-carbonylethanesulfonate	407-320-3	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H315 H318 H412	GHS05 Dgr	H315 H318 H412			
607-381-00-8	reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with C ₇ -alkanoic acids and 2-ethylhexanoic acid	413-710-4	—	Aquatic Chronic 4	H413	—	H413			
607-382-00-3	2-((4-amino-2-nitrophenyl)amino)benzoic acid	411-260-3	117907-43-4	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-383-00-9	reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate; 2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate	415-430-8	86403-32-9	Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H318 H317 H410			
607-384-00-4	reaction mass of: esters of C14-C15 branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid; C15 branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate; C13 branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate	413-750-2	171090-93-0	Aquatic Chronic 4	H413	—	H413			
607-385-00-X	Copolymer of vinyl-alcohol and vinyl acetate partially acetylated with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate	414-590-6	125229-74-5	Aquatic Chronic 2	H411	GHS09	H411			
607-386-00-5	reaction mass of: tetradecanoic acid (42,5-47,5 %); poly(1-7)lactate esters of tetradecanoic acid (52,5- 57,5 %)	412-580-6	174591-51-6	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H410			
607-387-00-0	reaction mass of: dodecanoic acid (35-40 %); poly(1-7)lactate esters of dodecanoic acid (60-65 %)	412-590-0	58856-63-6	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H410			
607-388-00-6	4-ethylamino-3-nitrobenzoic acid	412-090-2	2788-74-1	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3	H302 H317 H412	GHS07 Wng	H302 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-389-00-1	trisodium N,N-bis(carboxymethyl)-3-amino-2-hydroxypropionate	414-130-4	119710-96-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
607-390-00-7	1,2,3,4-tetrahydro-6-nitro-quinoxaline	414-270-6	41959-35-7	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
607-391-00-2	dimethylcyclopropane-1,1-dicarboxylate	414-240-2	6914-71-2	Aquatic Chronic 3	H412	—	H412			
607-392-00-8	2-phenoxyethyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-dimethyl-6-oxo-3-pyridinyl)azo)benzoate	414-260-1	88938-37-8	Aquatic Chronic 4	H413	—	H413			
607-393-00-3	3-(cis-1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid	415-750-8	106447-44-3	Skin Sens. 1	H317	GHS07 Wng	H317			
607-394-00-9	5-methylpyrazine-2-carboxylic acid	413-260-9	5521-55-1	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-395-00-4	reaction mass of: sodium 1-tridecyl-4-allyl-(2 or 3)-sulfobutanedioate; sodium 1-dodecyl-4-allyl-(2 or 3)-sulfobutanedioate	410-230-7	—	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H314 H317 H411			
607-396-00-X	bis(1,2,2,6,6-pentamethyl-4-piperidinyl) 2-(4-methoxybenzylidene)malonate	414-840-4	147783-69-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-397-00-5	reaction mass of: Ca salicylates (branched C10-14 and C18-30 alkylated); Ca phenates (branched C10-14 and C18-30 alkylated); Ca sulfurized phenates (branched C10-14 and C18-30 alkylated)	415-930-6	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-398-00-0	ethyl N-(5-chloro-3-(4-(diethylamino)-2-methylphenylimino)-4-methyl-6-oxo-1,4-cyclohexadienyl)carbamate	414-820-5	125630-94-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-399-00-6	2,2-dimethyl 3-methyl-3-butenyl propanoate	415-610-6	104468-21-5	Skin Irrit. 2 Aquatic Chronic 3	H315 H412	GHS07 Wng	H315 H412			
607-400-00-X	methyl 3-[[[dibutylamino]thioxomethyl]thio]propanoate	414-400-1	32750-89-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-401-00-5	ethyl 3-hydroxy-5-oxo-3-cyclohexene-1-carboxylate	414-450-4	88805-65-6	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H315 H318 H317	GHS05 GHS07 Dgr	H315 H318 H317			
607-402-00-0	methyl N-(phenoxy-carbonyl)-L-valinate	414-500-5	153441-77-1	Aquatic Chronic 3	H412	—	H412			
607-403-00-6	reaction mass of: bis(1S,2S,4S)-(1-benzyl-4-tert-butoxycarboxamido-2-hydroxy-5-phenyl)pentylammonium succinate; isopropyl alcohol	414-810-0	—	STOT RE 2 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H318 H400 H410	GHS08 GHS05 GHS09 Dgr	H373 (*)(*) H318 H410			
607-404-00-1	reaction mass of: ((Z)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid; di-((E)-3,7-dimethyl-2,6-octadienyl) butandioate; di-((Z)-3,7-dimethyl-2,6-octadienyl) butandioate; (Z)-3,7-dimethyl-2,6-octadienyl butandioate; ((E)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid	415-190-4	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-405-00-7	2-hexyldecyl-p-hydroxybenzoate	415-380-7	148348-12-3	Aquatic Chronic 2	H411	GHS09	H411			
607-406-00-2	potassium 2,5-dichlorobenzoate	415-700-5	184637-62-5	Acute Tox. 4 (*) Eye Dam. 1	H302 H318	GHS05 GHS07 Dgr	H302 H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-407-00-8	ethyl 2-carboxy-3-(2-thienyl)propionate	415-680-8	143468-96-6	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H315 H318 H317	GHS05 GHS07 Dgr	H315 H318 H317			
607-408-00-3	potassium N-(4-fluorophenyl)glycinate	415-710-1	184637-63-6	STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H373 (*)(*) H318 H317 H412	GHS08 GHS05 GHS07 Dgr	H373 (*) H318 H317 H412			
607-409-00-9	reaction mass of: (3R)-[1S-(1 α , 2 α , 6 β -((2S)-2-methyl-1-oxo-butoxy)-8 α)]hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid; inert biomass from <i>Aspergillus terreus</i>	415-840-7	—	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
607-410-00-4	mono[2-(dimethylamino)ethyl]monohydrogen-2-(hexadec-2-enyl)butanedioate and/or mono[2-(dimethylamino)ethyl]monohydrogen-3-(hexadec-2-enyl)butanedioate	415-880-5	779343-34-9	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H410			
607-411-00-X	oxiranemethanol, 4-methylbenzene-sulfonate, (S)-	417-210-7	70987-78-9	Carc. 1B Muta. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H350 H341 H318 H317 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H350 H341 H318 H317 H411			
607-412-00-5	ethyl 2-(1-cyanocyclohexyl)acetate	415-970-4	133481-10-4	Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Chronic 3	H302 H373 (*)(*) H412	GHS08 GHS07 Wng	H302 H373 (*) H412			
607-413-00-0	trans-4-phenyl-L-proline	416-020-1	96314-26-0	Repr. 2 Skin Sens. 1	H361f (*)(*)(*) H317	GHS08 GHS07 Wng	H361f (*) (*)(*) H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-414-00-6	tris(2-ethylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate	402-070-1	88122-99-0	Aquatic Chronic 4	H413	—	H413			
607-415-00-1	poly-(methyl methacrylate)-co-(butylmethacrylate)-co-(4-acryloxybutyl-isopropenyl- α , α -dimethylbenzyl carbamate)-co-(maleicanhydride)	419-590-1	—	Flam. Sol. 1 Skin Sens. 1	H228 H317	GHS02 GHS07 Dgr	H228 H317			T
607-416-00-7	4-(2-carboxymethylthio)ethoxy-1-hydroxy-5-isobutyloxycarbonylamino-N-(3-dodecyloxypropyl)-2-naphthamide	420-730-7	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-418-00-8	2-ethylhexyl 4-aminobenzoate	420-170-3	26218-04-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-419-00-3	(3'-carboxymethyl-5-(2-(3-ethyl-3H-benzothiazol-2-ylidene)-1-methyl-ethylidene)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinyliden-3-yl)-acetic acid	422-240-9	166596-68-5	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
607-420-00-9	2,2-bis(hydroxymethyl)butanoic acid	424-090-1	10097-02-6	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
607-421-00-4	cypermethrin <i>cis/trans</i> +/- 40/60; (RS)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	257-842-9	52315-07-8	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H335 H400 H410	GHS07 GHS09 Wng	H332 H302 H335 H410			
607-422-00-X	α -cypermethrin	257-842-9	67375-30-8	Acute Tox. 3 (*) STOT RE 2 (*) STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H301 H373 (*)(* H335 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H373 (*)(* H335 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-423-00-5	esters of mecoprop and of mecoprop-P	—	—	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			A
607-424-00-0	trifloxystrobin (ISO); (E,E)- α -methoxyimino-(2-[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester	—	141517-21-7	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
607-425-00-6	metalaxyl (ISO); methyl-N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-DL-alaninate	260-979-7	57837-19-1	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3	H302 H317 H412	GHS07 Wng	H302 H317 H412			
607-426-00-1	1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1] n-pentyl-isopentylphthalate; [2] di-n-pentyl phthalate; [3] diisopentylphthalate [4]	284-032-2 [1] [2] 205-017-9 [3] 210-088-4 [4]	84777-06-0 [1] [2] 131-18-0 [3] 605-50-5 [4]	Repr. 1B Aquatic Acute 1	H360-FD H400	GHS08 GHS09 Dgr	H360FD H400			
607-427-00-7	bromoxynil heptanoate (ISO); 2,6-dibromo-4-cyanophenyl heptanoate	260-300-4	56634-95-8	Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H332 H302 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H361d (*) (*)(*) H332 H302 H317 H410			
607-430-00-3	BBP; benzyl butyl phthalate e	201-622-7	85-68-7	Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H360-Df H400 H410	GHS08 GHS09 Dgr	H360Df H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-431-00-9	prallethrin (ISO); ETOC; 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	245-387-9	23031-36-9	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H302 H400 H410	GHS06 GHS09 Dgr	H331 H302 H410			
607-432-00-4	S-metolachlor; reaction mass of (S)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (80-100 %); [1] (R)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (0-20 %) [2]	[1] [2]	87392-12-9 [1] 178961-20-1 [2]	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
607-433-00-X	cypermethrin <i>cis/trans</i> +/- 80/20; (RS)- α -cyano-3-phenoxybenzyl (1RS; 3RS; 1RS, 3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	257-842-9	52315-07-8	Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H335 H315 H317 H400 H410	GHS07 GHS09 Wng	H302 H335 H315 H317 H410			
607-434-00-5	mecoprop-P [1] and its salts; (R)-2-(4-chloro-2-methylphenoxy)propionic acid	240-539-0	16484-77-8	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
607-435-00-0	2S-isopropyl-5R-methyl-1R-cyclohexyl 2,2-dihydroxyacetate	416-810-6	111969-64-3	STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 2	H373 (*)(*) H318 H411	GHS08 GHS05 GHS09 Dgr	H373 (*) H318 H411			
607-436-00-6	2-hydroxy-3-(2-ethyl-4-methylimidazolyl)propyl neodecanoate	417-350-9	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-437-00-1	3-(4-aminophenyl)-2-cyano-2-propenoic acid	417-480-6	252977-62-1	Skin Sens. 1	H317	GHS07 Wng	H317			
607-438-00-7	methyl-2-[(aminosulfonyl)methyl]benzoate	419-010-5	112941-26-1	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
607-439-00-2	methyl tetrahydro-2-furancarboxylate	420-670-1	37443-42-8	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-440-00-8	methyl 2-aminosulfonyl-6-(trifluoromethyl)pyridine-3-c arboxylate	421-220-7	144740-59-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
607-441-00-3	3-[3-(2-dodecyloxy-5-methylphenylcarbamoyl)-4-hydroxy-1-naphthylthio]propionic acid	421-490-6	167684-63-1	Aquatic Chronic 4	H413	—	H413			
607-442-00-9	benzyl [hydroxy-(4-phenylbutyl)phosphiny] acetate	416-050-5	87460-09-1	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-443-00-4	bis(2,4-di- <i>tert</i> -butyl-6-methylphenyl)ethyl phosphate	416-140-4	145650-60-8	Aquatic Chronic 4	H413	—	H413			
607-444-00-X	reaction mass of: <i>cis</i> -1,4-dimethylcyclohexyl dibenzoate; <i>trans</i> -1,4-dimethylcyclohexyl dibenzoate	416-230-3	35541-81-2	Aquatic Chronic 4	H413	—	H413			
607-445-00-5	Iron (III) tris(4-methylbenzenesulfonate)	420-960-8	77214-82-5	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-446-00-0	methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate	416-240-8	155522-12-6	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
607-447-00-6	sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate	416-370-5	156738-27-1	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-448-00-1	2,3,5,6-tetrafluorbenzoesäure	416-800-1	652-18-6	Skin Irrit. 2 Eye Dam. 1	H315 H318	GHS05 Dgr	H315 H318			
607-449-00-7	reaction mass of: 4,4',4''-[(2,4,6-trioxo-1,3,5-(2H,4H,6H)-triazine-1,3,5-triyl)tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)]iminocarbonyloxy-2,1-ethanediy](ethylamino)]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate]; 4,4',4'',4'''-[[5,5'-[carbonylbis[imino(1,5,5-trimethyl-3,1-cyclohexanediy)]methylene]]-2,4,6-trioxo-1,3,5-(2H,4H,6H)-triazine-1,1',3,3'-tetrayl]tetrakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)]iminocarbonyloxy-2,1-ethanediy(ethylamino)]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl)naphthalenesulfonate]	417-080-1	—	Self-react. D (*) (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H242 H317 H400 H410	GHS02 GHS07 GHS09 Dgr	H242 H317 H410			
607-450-00-2	2-mercaptobenzothiazolyl-(Z)-(2-aminothiazol-4-yl)-2-(tert-butoxycarbonyl) isopropoxyiminoacetate	419-040-9	89604-92-2	Aquatic Chronic 4	H413	—	H413			
607-451-00-8	4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo)phenylcarbonylamino]benzenesulfonic acid, sodium salt	417-640-5	161935-19-9	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
607-453-00-9	4-benzyl-2,6-dihydroxy-4-aza-heptylene bis(2,2-dimethyloctanoate)	418-100-1	172964-15-7	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
607-454-00-4	reaction mass of: <i>trans</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid; <i>cis</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid	418-170-3	116193-72-7	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
607-455-00-X	1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethyl-propylamino)-anthraquinone-2-sulfonic acid, sodium/lithium salt	419-520-8	172890-93-6	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-456-00-5	3-amino-4-chlorobenzoic acid, hexadecyl ester	419-700-6	143269-74-3	Aquatic Chronic 2	H411	GHS09	H411			
607-457-00-0	tetrasodium dihydrogen 1,1"-dihydroxy-8,8"-[p-phenylbis(imino-(6-[4-(2-aminoethyl)piperazin-1-yl])-1,3,5-triazine-4,2-diylimino)]bis(2,2'-azonaphthalene-1',3,6-trisulfonate)	420-350-1	172277-97-3	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
607-458-00-6	reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate; 2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate; 2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenyleneoxy]ethanol]]	420-850-1	—	Aquatic Chronic 2	H411	GHS09	H411			
607-459-00-1	isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino} benzoate	418-930-4	—	Aquatic Chronic 4	H413	—	H413			
607-460-00-7	3-tridecyloxy-propyl-ammonium 9-octadecenoate	418-990-1	778577-53-0	STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H319 H315 H400 H410	GHS08 GHS07 GHS09 Wng	H373 (*) H319 H315 H410			
607-461-00-2	reaction mass of: pentasodium 2-{4-[3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino]-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate; pentasodium 2-{4-[3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino]-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate	421-160-1	—	Aquatic Chronic 3	H412	—	H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-462-00-8	reaction mass of: 1-hexyl acetate; 2-methyl-1-pentyl acetate; 3-methyl-1-pentyl acetate; 4-methyl-1-pentyl acetate; other mixed linear and branched C6-alkyl acetates	421-230-1	88230-35-7	Aquatic Chronic 2	H411	GHS09	H411			
607-463-00-3	3-(phenothiazin-10-yl)propionic acid	421-260-5	362-03-8	Aquatic Chronic 2	H411	GHS09	H411			
607-464-00-9	reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid; 5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid	421-280-4		Aquatic Chronic 3	H412	—	H412			
607-465-00-4	tris(2-hydroxyethyl)ammonium 7-{4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxy-phenylazo} naphthalene-1,3-disulfonate	421-440-3	778583-04-3	Aquatic Chronic 3	H412	—	H412			
607-466-00-X	reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl]-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate	421-480-1	—	Aquatic Chronic 2	H411	GHS09	H411			
607-467-00-5	1,1,3,3-tetrabutyl-1,3-dinitoxydicaprylate	419-430-9	56533-00-7	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H373 (*)(*) H314 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H312 H302 H373 (*) H314 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-468-00-0	reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate	419-450-8	—	Skin Sens. 1	H317	GHS07 Wng	H317			
607-469-00-6	disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate	419-460-2	120029-06-3	Aquatic Chronic 3	H412	—	H412			
607-470-00-1	potassium sodium 6,13-dichloro-3,10-bis{2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoazine-4,11-disulfonate	414-100-0	154336-20-6	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
607-472-00-2	ammonium iron(III) trimethylenediamine-tetraacetate hemihydrate	400-660-3	111687-36-6	Aquatic Chronic 2	H411	GHS09	H411			
607-474-00-3	(4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid	410-430-4	117573-89-4	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-475-00-9	reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1)	412-940-2	148878-18-6	Skin Sens. 1	H317	GHS07 Wng	H317			
607-476-00-4	trisodium N,N-bis(carboxymethyl)-β-alanine	414-070-9	129050-62-0	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412			
607-478-00-5	tetramethylammonium hydrogen phthalate	416-900-5	79723-02-7	Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1	H301 H373 (*)(*) H400	GHS06 GHS08 GHS09 Dgr	H301 H373 (*) H400			
607-479-00-0	hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate	418-550-9	168689-49-4	Aquatic Chronic 4	H413	—	H413			
607-480-00-6	1,2-benzenedicarboxylic acid; di-C7-11-branched and linear alkylesters	271-084-6	68515-42-4	Repr. 1B	H360- Df	GHS08 Dgr	H360Df			
607-487-00-4	reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl) benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate	402-660-9	—	Repr. 1B Aquatic Chronic 3	H360- D (*) (*) (*) H412	GHS08 Dgr	H360D (*) (*) (*) H412			
607-488-00-X	ethyl (2-acetyl-amino-5-fluoro-4-isothiocyanatophenoxy)acetate	414-210-9	147379-38-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-489-00-5	reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate; 2-ethylhexyl epoxyoleate; 2-ethylhexyl diepoxylinoleate; 2-ethylhexyl triepoxylinolenate	414-890-7	71302-79-9	Skin Sens. 1	H317	GHS07 Wng	H317			
607-490-00-0	N-[2-hydroxy-3-(C ₁₂₋₁₆ -alkyloxy)propyl]-N-methyl glycinate	415-060-7	—	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
607-492-00-1	2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate	415-490-5	141773-73-1	Aquatic Chronic 2	H411	GHS09	H411			
607-493-00-7	methyl (3aR,4R,7aR)-2-methyl-4-(1S,2R,3-triacetoxypentyl)-3a,7a-dihydro-4H-pyrano [3,4-d]oxazole-6-carboxylate	415-670-3	78850-37-0	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-494-00-2	bis(2-ethylhexyl)octylphosphonate	417-170-0	52894-02-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
607-495-00-8	sodium 4-sulfophenyl-6-((1-oxononyl)amino)hexanoate	417-550-6	168151-92-6	Skin Sens. 1	H317	GHS07 Wng	H317			
607-496-00-3	2,2'-methylenebis(4,6-di-tert-butyl-phenyl)-2-ethylhexyl phosphite	418-310-3	126050-54-2	Aquatic Chronic 4	H413	—	H413			
607-497-00-9	cerium oxide isostearate	419-760-3	—	Aquatic Chronic 4	H413	—	H413			
607-498-00-4	(E)-3,7-dimethyl-2,6-octadienylhexadecanoate	421-370-3	3681-73-0	Skin Irrit. 2 Aquatic Chronic 4	H315 H413	GHS07 Wng	H315 H413			
607-499-00-X	bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediy-bis(2-hexadecenylsuccinate)	421-660-1	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-500-00-3	calcium 2,2,bis[(5-tetrapropylene-2-hydroxy)phenyl]ethanoate	421-670-4	—	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 H410	GHS07 GHS09 Wng	H315 H410			
607-501-00-9	reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	421-820-9	192268-65-8	Aquatic Chronic 4	H413	—	H413			
607-502-00-4	(N-benzyl-N,N,N-tributyl)ammonium 4-dodecylbenzenesulfonate	422-200-0	178277-55-9	Skin Corr. 1B Acute Tox. 4 (*) Aquatic Chronic 2	H314 H302 H411	GHS05 GHS07 GHS09 Dgr	H314 H302 H411			
607-503-00-X	2,4,6-tri-n-propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorinane	422-210-5	68957-94-8	Skin Corr. 1B	H314	GHS05 Dgr	H314			
607-505-00-0	pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonato-ethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphtalene-1,3,6-trisulfonate	422-930-1		Aquatic Chronic 3	H412	—	H412			
607-506-00-6	reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate; disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate	422-970-8		Aquatic Chronic 2	H411	GHS09	H411			
607-507-00-1	potassium, sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonatophenylazo]-benzenesulfonate	422-980-2	187026-95-5	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-508-00-7	disodium 3,3'-[iminobis[sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylenesulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)]	423-110-4	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
607-512-00-9	trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl]phenylazo]benzenesulfonate	423-970-0	182926-43-8	Aquatic Chronic 3	H412	—	H412			
607-513-00-4	reaction mass of: trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid sodium salt; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid	423-200-3	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
607-515-00-5	reaction mass of: disodium hexyldiphenyl ether disulphonate; disodium dihexyldiphenyl ether disulphonate	429-650-7	147732-60-3	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			
607-516-00-0	N,N'-bis(trifluoroacetyl)-S,S'-bis-L-homocysteine	429-670-6	105996-54-1	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
607-517-00-6	(S)- α -(acetylthio)benzenepropanoic acid	430-300-0	76932-17-7	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1	H302 H318 H317	GHS05 GHS07 Dgr	H302 H318 H317			
607-526-00-5	cartap (ISO); 1,3-bis(carbamoylthio)-2-(dimethylamino)propane	—	15263-53-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
607-527-00-0	reaction mass of: 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-tridecafluorooctyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-pentacosafuorotetradecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate	423-180-6	—	STOT RE 2 (*)	H373 (*)(*)	GHS08 Wng	H373 (*)(*)			
607-696-00-0	pentyl formate	211-340-6	638-49-3	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3	H226 H319 H335	GHS02 GHS07 Dgr	H226 H319 H335			C
607-697-00-6	tert-butyl propionate	—	20487-40-5	Flam. Liq. 2	H225	GHS02 Dgr	H225			C
608-001-00-3	acetonitrile; cyanomethane	200-835-2	75-05-8	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2	H225 H332 H312 H302 H319	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319			
608-002-00-9	trichloroacetonitrile	208-885-7	545-06-2	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H331 H311 H301 H411	GHS06 GHS09 Dgr	H331 H311 H301 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-003-00-4	acrylonitrile	203-466-5	107-13-1	Flam. Liq. 2 Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H225 H350 H331 H311 H301 H335 H315 H318 H317 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H331 H311 H301 H335 H315 H318 H317 H411	(*)	D	
608-004-00-X	2-hydroxy-2-methylpropionitrile; 2-cyanopropan-2-ol; acetone cyanohydrin	200-909-4	75-86-5	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410			
608-005-00-5	n-butyronitrile	203-700-6	109-74-0	Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H225 H331 H311 H301	GHS02 GHS06 Dgr	H225 H331 H311 H301			
608-006-00-0	bromoxynil (ISO) 3,5-dibromo-4-hydroxybenzonnitrile; bromoxynil phenol	216-882-7	1689-84-5	Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H330 H301 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(*) H330 H301 H317 H410	M=10		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-007-00-6	ioxynil (ISO) 4-hydroxy-3,5-diiodobenzonitrile	216-881-1	1689-83-4	Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H331 H301 H312 H373 (*)(*) H319 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(*) H331 H301 H312 H373 (*) H319 H410	M=10		
608-008-00-1	chloroacetonitrile	203-467-0	107-14-2	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H331 H311 H301 H411	GHS06 GHS09 Dgr	H331 H311 H301 H411			
608-009-00-7	malononitrile	203-703-2	109-77-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			
608-010-00-2	methacrylonitrile; 2-methyl-2-propene nitrile	204-817-5	126-98-7	Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1	H225 H331 H311 H301 H317	GHS02 GHS06 Dgr	H225 H331 H311 H301 H317	(*) Skin Sens. 1; H317: C ≥ 0,2 %	D	
608-011-00-8	oxalonitrile; cyanogen	207-306-5	460-19-5	Flam. Gas 1 Press. Gas Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H220 H331 H400 H410	GHS02 GHS04 GHS06 GHS09 Dgr	H220 H331 H410		U	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-012-00-3	benzonnitrile	202-855-7	100-47-0	Acute Tox. 4 (*) Acute Tox. 4 (*)	H312 H302	GHS07 Wng	H312 H302			
608-013-00-9	2-chlorobenzonnitrile	212-836-5	873-32-5	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2	H312 H302 H319	GHS07 Wng	H312 H302 H319			
608-014-00-4	chlorothalonil (ISO); tetrachloroisophthalonitrile	217-588-1	1897-45-6	Carc. 2 Acute Tox. 2 (*) Eye Dam. 1 STOT SE 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H318 H335 H317 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H330 H318 H335 H317 H410		M=10	
608-015-00-X	dichlobenil (ISO); 2,6-dichlorobenzonnitrile	214-787-5	1194-65-6	Acute Tox. 4 (*) Aquatic Chronic 2	H312 H411	GHS07 GHS09 Wng	H312 H411			
608-016-00-5	1,4-Dicyano-2,3,5,6-tetra-chloro-benzene	401-550-8	1897-41-2	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
608-017-00-0	bromoxynil octanoate (ISO); 2,6-dibromo-4-cyanophenyl octanoate	216-885-3	1689-99-2	Repr. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(* H331 H302 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(* H331 H302 H317 H410		M=10	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-018-00-6	ioxynil octanoate (ISO); 4-cyano-2,6-diiodophenyl octanoate	223-375-4	3861-47-0	Repr. 2 Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H301 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(*) H301 H319 H317 H410		M=10	
608-019-00-1	2,2'-dimethyl-2,2'-azodipropiononitrile; ADZN	201-132-3	78-67-1	Self-react. C Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H242 H332 H302 H412	GHS02 GHS07 Dgr	H242 H332 H302 H412			T
608-021-00-2	3-(2-(diaminomethyleneamino)thiazol-4-ylmethylthio)propionitrile	403-710-2	76823-93-3	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
608-022-00-8	3,7-dimethyloctanenitrile	403-620-3	40188-41-8	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	GHS07 GHS09 Wng	H315 H317 H411			
608-023-00-3	fenbuconazole (ISO); 4-(4-chlorophenyl)-2-phenyl-2-[(1H-1,2,4-triazol-1-yl)methyl]butanenitrile	406-140-2	114369-43-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
608-024-00-9	2-(4-(N-butyl-N-phenethylamino)phenyl)ethylene-1,1,2-tricarbonitrile	407-650-8	97460-76-9	Aquatic Chronic 4	H413	—	H413			
608-025-00-4	2-nitro-4,5-bis(benzyloxy)phenylacetonitrile	410-970-0	117568-27-1	Aquatic Chronic 4	H413	—	H413			
608-026-00-X	3-cyano-3,5,5-trimethylcyclohexanone	411-490-4	7027-11-4	Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3	H302 H373 (*)(*) H317 H412	GHS08 GHS07 Wng	H302 H373 (*) H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-027-00-5	reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(2-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(3-ethylphenyl)-2,2-dimethylpropanenitrile	412-660-0	—	Aquatic Chronic 2	H411	GHS09	H411			
608-028-00-0	4-(2-cyano-3-phenylamino acryloyloxymethyl)-cyclohexyl-methyl 2-cyano-3-phenylamino)-acrylate	413-510-7	147374-67-2	STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H373 (*) H317 H411	GHS08 GHS09 Wng	H373 (*) H317 H411			
608-029-00-6	1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarbonitrile	411-990-2	68612-94-2	Skin Sens. 1	H317	GHS07 Wng	H317			
608-030-00-1	N-acetyl-N-[5-cyano-3-(2-dibutylamino-4-phenylthiazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl]benzamide	412-340-0	147741-93-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
608-031-00-7	2-benzyl-2-methyl-3-butenitrile	407-870-4	97384-48-0	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
608-033-00-8	N-butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarboximide	407-970-8	75511-91-0	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
608-034-00-3	chlorfenapyr; 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile	—	122453-73-0	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H302 H400 H410	GHS06 GHS09 Dgr	H331 H302 H410			
608-035-00-9	(±)-α-[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile	419-290-9	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-036-00-4	3-(2-{4-[2-(4-cyanophenyl)vinyl]phenyl}vinyl)benzonnitrile	419-060-8	79026-02-1	Aquatic Chronic 4	H413	—	H413			
608-037-00-X	reaction mass of: (E)-2,12-tridecadiennitrile; (E)-3,12-tridecadiennitrile; (Z)-3,12-tridecadiennitrile	422-190-8		Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
608-038-00-5	2,2,4-trimethyl-4-phenyl-butane-nitrile	422-580-8	75490-39-0	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
608-039-00-0	2-phenylhexanenitrile	423-460-8	3508-98-3	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
608-040-00-6	4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-1H-pyrazole-3-carbonitrile)	423-490-1	130755-46-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
608-041-00-1	4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ene-3-yl)methyl)(1,1'-biphenyl)-2-carbonitrile	423-500-4	138401-24-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
608-043-00-2	3-(cis-3-hexenyloxy)propanenitril	415-220-6	142653-61-0	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H302 H400 H410	GHS06 GHS09 Dgr	H331 H302 H410			
608-065-00-2	salts of bromoxynil with the exception of those specified elsewhere in this Annex	—	—	Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H330 H301 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(*)(*) H330 H301 H317 H410	M=10	A	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
608-066-00-8	salts of ioxynil with the exception of those specified elsewhere in this Annex	—	—	Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*)(*) H331 H301 H312 H373 (*)(*) H319 H400 H410	GHS06 GHS08 GHS09 Dgr	H361d (*) (*)(*) H331 H301 H312 H373 (*) H319 H410		M=10	A
609-001-00-6	1-nitropropane	203-544-9	108-03-2	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302		(*)	
609-002-00-1	2-nitropropane	201-209-1	79-46-9	Flam. Liq. 3 Carc. 1B Acute Tox. 4 (*) Acute Tox. 4 (*)	H226 H350 H332 H302	GHS02 GHS08 GHS07 Dgr	H226 H350 H332 H302			
609-003-00-7	nitrobenzene	202-716-0	98-95-3	Carc. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 2	H351 H361f (*)(*)(*) H331 H311 H301 H372 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H351 H361f (*) (*)(*) H331 H311 H301 H372 (*) H411			
609-004-00-2	dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4]	246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4]	25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4]	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 (*) H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-005-00-8	1,3,5-trinitrobenzene	202-752-7	99-35-4	Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H201 H330 H310 H300 H373 (*)(*) H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 (*)(*) H410			
609-006-00-3	4-nitrotoluene	202-808-0	99-99-0	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(*) H411			
609-007-00-9	2,4-dinitrotoluene; dinitrotoluene, technical grade; [1] dinitrotoluene [2]	204-450-0 [1] 246-836-1 [2]	121-14-2 [1] 25321-14-6 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H350 H341 H361f (*)(*)(*) H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H350 H341 H361f (*)(*) H331 H311 H301 H373 (*)(*) H411			
609-008-00-4	2,4,6-trinitrotoluene; TNT	204-289-6	118-96-7	Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H201 H331 H311 H301 H373 (*)(*) H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 (*)(*) H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-009-00-X	2,4,6-trinitrophenol; picric acid	201-865-9	88-89-1	Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301			
609-010-00-5	salts of picric acid	—	—	Unst. Expl Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301		T	
609-011-00-0	2,4,6-trinitroanisole	—	606-35-9	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H201 H332 H312 H302 H411	GHS01 GHS07 GHS09 Wng	H201 H332 H312 H302 H411			
609-012-00-6	2,4,6-trinitro- <i>m</i> -cresol	210-027-1	602-99-3	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H201 H332 H312 H302	GHS01 GHS07 Wng	H201 H332 H312 H302			
609-013-00-1	2,4,6-trinitro- <i>m</i> -xylene	211-187-5	632-92-8	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*)	H201 H332 H312 H302 H373 (*)(*)	GHS01 GHS08 GHS07 Wng	H201 H332 H312 H302 H373 (*)(*)			
609-015-00-2	4-nitrophenol; <i>p</i> -nitrophenol	202-811-7	100-02-7	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*)	H332 H312 H302 H373 (*)(*)	GHS08 GHS07 Wng	H332 H312 H302 H373 (*)(*)			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-016-00-8	dinitrophenol (reaction mass of isomers); [1] 2,4(or 2,6)-dinitrophenol [2]	247-096-2 [1] 275-732-9 [2]	25550-58-7 [1] 71629-74-8 [2]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H410			
609-018-00-9	2,4,6-trinitroresorcinol; styphnic acid	201-436-6	82-71-3	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H201 H332 H312 H302	GHS01 GHS07 Wng	H201 H332 H312 H302		T	
609-019-00-4	lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate	239-290-0	15245-44-0	Unst. Expl Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H200 H360- Df H332 H302 H373 (*)(*) H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H200 H360Df H332 H302 H373 (*) H410		1	
609-019-01-1	lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate (≥ 20 % phlegmatiser)	239-290-0	15245-44-0	Expl. 1.1 Repr. 1A Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H201 H360- Df H332 H302 H373 (*)(*) H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H201 H360Df H332 H302 H373 (*) H410		1	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-020-00-X	DNOC (ISO); 4,6-dinitro- <i>o</i> -cresol	208-601-1	534-52-1	Muta. 2 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H330 H310 H300 H315 H318 H317 H400 H410	GHS06 GHS08 GHS05 GHS07 GHS09 Dgr	H341 H330 H310 H300 H315 H318 H317 H410	EUH044		
609-021-00-5	sodium salt of DNOC; sodium 4,6-dinitro- <i>o</i> -cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro- <i>o</i> -cresolate [2]	219-007-7 [1] [2]	2312-76-7 [1] 5787-96-2 [2]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(*) H410			
609-022-00-0	ammonium salt of DNOC; ammonium 4,6-dinitro- <i>o</i> -tolyl oxide	221-037-0	2980-64-5	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 (*)(*) H410			
609-023-00-6	dinocap (ISO)	254-408-0	39300-45-3	Repr. 1B Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H360D (*)(*) (*) H332 H373 (*)(*) H315 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H360D (*)(*) H332 H373 (*)(*) H315 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-024-00-1	binapacryl (ISO); 2-sec-butyl-4,6-dinitrophenyl-3-methylcrotonate	207-612-9	485-31-4	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H360-D (*) (*) (*) H312 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H360D (*) (*) (*) H312 H302 H410			
609-025-00-7	dinoseb(ISO); 6-sec-butyl-2,4-dinitrophenol	201-861-7	88-85-7	Repr. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H360-Df H311 H301 H319 H400 H410	GHS06 GHS08 GHS09 Dgr	H360Df H311 H301 H319 H410	EUH044		
609-026-00-2	salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex	—	—	Repr. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H360-Df H311 H301 H319 H400 H410	GHS06 GHS08 GHS09 Dgr	H360Df H311 H301 H319 H410	EUH044		A
609-027-00-8	dinocton; reaction mass of isomers: methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate	—	63919-26-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
609-028-00-3	dinex (ISO); 2-cyclohexyl-4,6-dinitrophenol	205-042-5	131-89-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-029-00-9	salts and esters of dinex	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			A
609-030-00-4	dinoterb (ISO); 2-tert-butyl-4,6-dinitrophenol	215-813-8	1420-07-1	Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H360D (*) (*) (*) H300 H311 H400 H410	GHS06 GHS08 GHS09 Dgr	H360D (*) (*) H300 H311 H410	EUH044		
609-031-00-X	salts and esters of dinoterb	—	—	Repr. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H360D (*) (*) (*) H300 H311 H400 H410	GHS06 GHS08 GHS09 Dgr	H360D (*) (*) H300 H311 H410			A
609-032-00-5	bromofenoxim (ISO); 3,5-dibromo-4-hydroxybenzaldehyde-O-(2,4-dinitrophenyl)-oxime	236-129-6	13181-17-4	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
609-033-00-0	dinosam (ISO); 2-(1-methylbutyl)-4,6-dinitrophenol	—	4097-36-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-034-00-6	salts and esters of dinosam	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410			A
609-035-00-1	nitroethane	201-188-9	79-24-3	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*)	H226 H332 H302	GHS02 GHS07 Wng	H226 H332 H302	(*)		
609-036-00-7	nitromethane	200-876-6	75-52-5	Flam. Liq. 3 Acute Tox. 4 (*)	H226 H302	GHS02 GHS07 Wng	H226 H302	(*)		
609-037-00-2	5-nitroacenaphthene	210-025-0	602-87-9	Carc. 1B	H350	GHS08 Dgr	H350			
609-038-00-8	2-nitronaphthalene	209-474-5	581-89-5	Carc. 1B Aquatic Chronic 2	H350 H411	GHS08 GHS09 Dgr	H350 H411			
609-039-00-3	4-nitrobiphenyl	202-204-7	92-93-3	Carc. 1B Aquatic Chronic 2	H350 H411	GHS08 GHS09 Dgr	H350 H411			
609-040-00-9	nitrofen (ISO); 2,4-dichlorophenyl 4-nitrophenyl ether	217-406-0	1836-75-5	Carc. 1B Repr. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H360D (*) (*) (*) H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H360D (*) (*) (*) H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-041-00-4	2,4-dinitrophenol	200-087-7	51-28-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1	H331 H311 H301 H373 (*) H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H400			
609-042-00-X	pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine	254-938-2	40487-42-1	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
609-043-00-5	quintozene (ISO); pentachloronitrobenzene	201-435-0	82-68-8	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
609-044-00-0	tecnazene (ISO); 1,2,4,5-tetrachloro-3-nitrobenzene	204-178-2	117-18-0	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
609-045-00-6	reaction mass of: 4,6-dinitro-2-(3-octyl) phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate; dinoocton-6	—	8069-76-9	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
609-046-00-1	trifluralin (ISO) (containing < 0.5 ppm NPDA); α, α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine (containing < 0.5 ppm NPDA); 2,6-dinitro-N,N-dipropyl-4-trifluoromethylaniline (containing < 0.5 ppm NPDA); N,N-dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0.5 ppm NPDA)	216-428-8	1582-09-8	Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H317 H400 H410	GHS07 GHS09 Wng	H319 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-047-00-7	2-nitroanisole	202-052-1	91-23-6	Carc. 1B Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			
609-048-00-2	sodium 3-nitrobenzenesulphonate	204-857-3	127-68-4	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
609-049-00-8	2,6-dinitrotoluene	210-106-0	606-20-2	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3	H350 H341 H361f (*)(*)(*) H331 H311 H301 H373 (*)(*) H412	GHS06 GHS08 Dgr	H350 H341 H361f (*) (*)(*) H331 H311 H301 H373 (*) H412			
609-050-00-3	2,3-dinitrotoluene	210-013-5	602-01-7	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361f (*)(*)(*) H331 H311 H301 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361f (*) (*)(*) H331 H311 H301 H373 (*) H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-051-00-9	3,4-dinitrotoluene	210-222-1	610-39-9	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H350 H341 H361f (*)(*)(*) H331 H311 H301 H373 (*)(*)(*) H411	GHS06 GHS08 GHS09 Dgr	H350 H341 H361f (*) (*)(*)(*) H331 H311 H301 H373 (*)(*)(*) H411			
609-052-00-4	3,5-dinitrotoluene	210-566-2	618-85-9	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3	H350 H341 H361f (*)(*)(*)(*) H331 H311 H301 H373 (*)(*)(*)(*) H412	GHS06 GHS08 Dgr	H350 H341 H361f (*) (*)(*)(*)(*) H331 H311 H301 H373 (*)(*)(*)(*) H412			
609-053-00-X	hydrazine-trinitromethane	414-850-9	—	Expl. 1.1 (*)(*)(*)(*)(*) Self-react. A Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1	H201 H240 H350 H331 H301 H317	GHS01 GHS06 GHS08 Dgr	H201 H240 H350 H331 H301 H317			
609-054-00-5	2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5]	200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] [5]	66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] [5]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*)(*)(*)(*) H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(*)(*)(*) H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-055-00-0	2,5-dinitrotoluene	210-581-4	619-15-8	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H350 H341 H361f (*)(*)(*) H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H350 H341 H361f (*) (*)(*) H331 H311 H301 H373 (*)(*) H411			
609-056-00-6	2,2-dibromo-2-nitroethanol	412-380-9	69094-18-4	Expl. 1.1 Carc. 2 Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H201 H351 H302 H373 (*)(*) H314 H317 H400 H410	GHS01 GHS08 GHS05 GHS07 GHS09 Dgr	H201 H351 H302 H373 (*)(*) H314 H317 H410	(*) STOT SE 3; H335: C ≥ 1 %	T	
609-057-00-1	3-chloro-2,4-difluoronitrobenzene	411-980-8	3847-58-3	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H317 H410			
609-058-00-7	2-nitro-2-phenyl-1,3-propanediol	410-360-4	5428-02-4	STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H372 (*)(*) H312 H302 H317 H411	GHS08 GHS07 GHS09 Dgr	H372 (*)(*) H312 H302 H317 H411	EUH070		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-059-00-2	2-chloro-6-(ethylamino)-4-nitrophenol	411-440-1	131657-78-8	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
609-060-00-8	4-[(3-hydroxypropyl)amino]-3-nitrophenol	406-305-9	92952-81-3	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
609-061-00-3	(E,Z)-4-chlorophenyl(cyclopropyl)ketone O-(4-nitrophenylmethyl)oxime	406-100-4	94097-88-8	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
609-062-00-9	2-bromo-2-nitropropanol	407-030-7	24403-04-1	Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H311 H302 H373 (*)(*) H314 H317 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H311 H302 H373 (*) H314 H317 H410			
609-063-00-4	2-[(4-chloro-2-nitrophenyl)amino]ethanol	413-280-8	59320-13-7	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
609-064-00-X	mesotrione(ISO); 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione	—	104206-82-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
609-065-00-5	2-nitrotoluene	201-853-3	88-72-2	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 2	H350 H340 H361f (*)(*)(*) H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H340 H361f (*) (*)(*) H302 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
609-066-00-0	lithium sodium 3-amino-10-{4-(10-amino-6,13-dichloro-4,11-disulfonatobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-3-ylamino)-6-[methyl(2-sulfonato-ethyl)amino]-1,3,5-triazin-2-ylamino}-6,13-dichlorobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate	418-870-9	154212-58-5	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 2 (*) (*)	H332 H312 H302 H371 (*)(*)	GHS08 GHS07 Dgr	H332 H312 H302 H371 (*)			
609-067-00-6	sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfophenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine	416-280-6	156769-97-0	Skin Sens. 1	H317	GHS07 Wng	H317			
609-068-00-1	musk xylene; 5-tert-butyl-2,4,6-trinitro-m-xylene	201-329-4	81-15-2	Expl. 1.1 Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H351 H400 H410	GHS01 GHS08 GHS09 Wng	H201 H351 H410			T
609-070-00-2	1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene	415-580-4	130841-23-5	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
609-071-00-8	reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine; 2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol	423-520-3	156137-33-6	Skin Sens. 1	H317	GHS07 Wng	H317			
610-001-00-3	trichloronitromethane; chloropicrin	200-930-9	76-06-2	Acute Tox. 2 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H330 H302 H319 H335 H315	GHS06 Dgr	H330 H302 H319 H335 H315			
610-002-00-9	1,1-dichloro-1-nitroethane	209-854-0	594-72-9	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H331 H311 H301	GHS06 Dgr	H331 H311 H301			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
610-003-00-4	chlorodinitrobenzene	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H410			C
610-004-00-X	2-chloro-1,3,5-trinitrobenzene	201-864-3	88-88-0	Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H201 H330 H310 H300 H400 H410	GHS01 GHS06 GHS09 Dgr	H201 H330 H310 H300 H410			
610-005-00-5	1-chloro-4-nitrobenzene	202-809-6	100-00-5	Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H351 H341 H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H351 H341 H331 H311 H301 H373 (*) H411			
610-006-00-0	chloronitroanilines with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2	H330 H310 H300 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 (*) H411			A C
610-007-00-6	1-chloro-1-nitropropane	209-990-0	600-25-9	Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H302	GHS07 Wng	H332 H302		(*)	
610-008-00-1	2,6-dichloro-4-nitroanisole	403-350-6	17742-69-7	Acute Tox. 3 (*) Aquatic Chronic 2	H301 H411	GHS06 GHS09 Dgr	H301 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
610-009-00-7	2-chloro-4-nitroaniline	204-502-2	121-87-9	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
610-010-00-2	2-bromo-1-(2-furyl)-2-nitroethylene	406-110-9	35950-52-8	Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 (*)(*) H314 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H302 H373 (*) H314 H317 H410			
611-001-00-6	azobenzene	203-102-5	103-33-3	Carc. 1B Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H332 H302 H373 (*)(*) H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H341 H332 H302 H373 (*) H410			
611-002-00-1	azoxybenzene	207-802-1	495-48-7	Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H302	GHS07 Wng	H332 H302			
611-003-00-7	fenaminsulf (ISO); sodium 4-dimethylaminobenzenediazosulphonate	205-419-4	140-56-7	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H301 H312 H412	GHS06 Dgr	H301 H312 H412			
611-004-00-2	methyl-ONN-azoxymethyl acetate; methyl azoxy methyl acetate	209-765-7	592-62-1	Carc. 1B Repr. 1B	H350 H360D (*)(*) (*)	GHS08 Dgr	H350 H360D (*)(*) (*)(*)			
611-005-00-8	disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl)azo]salicylato(4-)}cuprate(2-); CI Direct Brown 95	240-221-1	16071-86-6	Carc. 1B	H350	GHS08 Dgr	H350			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-006-00-3	4- <i>o</i> -tolylazo- <i>o</i> -toluidine; 4-amino-2',3-dimethylazobenzene; fast garnet GBC base; AAT; <i>o</i> -aminoazotoluene	202-591-2	97-56-3	Carc. 1B Skin Sens. 1	H350 H317	GHS08 Dgr	H350 H317			
611-007-00-9	tricyclazole (ISO); 5-methyl-1,2,4-triazolo(3,4-b)benzo-1,3-thiazole;	255-559-5	41814-78-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
611-008-00-4	4-aminoazobenzene; 4-phenylazoaniline	200-453-6	60-09-3	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
611-009-00-X	sodium (1-(5-(4-(4-anilino-3-sulphophenylazo)-2-methyl-5-methylsulphonamidophenylazo)-4-hydroxy-2-oxido-3-(phenylazo)phenylazo)-5-nitro-4-sulphonato-2-naphtholato)iron(II)	401-220-3	—	Acute Tox. 4 (*) Aquatic Chronic 3	H332 H412	GHS07 Wng	H332 H412			
611-010-00-5	2'-(2-cyano-4,6-dinitrophenylazo)-5'-(<i>N,N</i> -dipropylamino)propionanilide	403-010-7	106359-94-8	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
611-011-00-0	<i>N,N,N',N'</i> -tetramethyl-3,3'-(propylenebis(iminocarbonyl-4,1-phenylenazo(1,6-dihydro-2-hydroxy-4-methyl-6-oxopyridine-3,1-diyll))di(propylammonium) dilactate	403-340-1	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dg	H318 H411			
611-012-00-6	reaction mass of 2,2-iminodiethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and 2-methylaminoethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and <i>N,N</i> -diethylpropane-1,3-diamine 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate	403-410-1	114565-65-0	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-013-00-1	trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-methyl-4-(2-methoxy-4-(3-sulfonatophenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate	403-650-7	117409-78-6	Expl. 1.3 (*) (*) (*) (*) Aquatic Chronic 2	H203 H411	GHS01 GHS09 Dgr	H203 H411			
611-014-00-7	(tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatostilben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide	404-250-5	115099-55-3	Skin Sens. 1	H317	GHS07 Wng	H317			
611-015-00-2	tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate	404-320-5	116889-78-2	Skin Sens. 1	H317	GHS07 Wng	H317			
611-016-00-8	reaction mass of 1,1'-((dihydroxyphenylene) bis(azo-3,1-phenylenazo(1-(3-dimethylaminopropyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-dimethylaminopropyl)-5-(3-((4-(1-(3-dimethylaminopropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or 2,6 or 3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridyl)pyridinium dichloride	404-540-1	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-017-00-3	2-(4-(diethylaminopropylcarbamoyl)phenylazo)-3-oxo-N-(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide	404-910-2	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-018-00-9	tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate	405-130-5	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-019-00-4	tetalithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate	405-150-4	106028-58-4	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-020-00-X	tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate	405-170-3	116340-05-7	Acute Tox. 3 (*) Skin Sens. 1 Aquatic Chronic 3	H301 H317 H412	GHS06 Dgr	H301 H317 H412			
611-021-00-5	2-(4-(4-cyano-3-methylisothiazol-5-ylazo)-N-ethyl-3-methylanilino)ethyl acetate	405-480-9	—	Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Aquatic Chronic 4	H302 H373 (*)(*) H315 H413	GHS08 GHS07 Wng	H302 H373 (*) H315 H413			
611-022-00-0	4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate	404-980-4	—	Self-react. C Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H242 H331 H301 H312 H373 (*)(*) H318 H317 H400 H410	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H242 H331 H301 H312 H373 (*) H318 H317 H410			T
611-023-00-6	disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo) naphthalene-2-sulfonate	404-600-7	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-024-00-1	Benzidine based azo dyes; 4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex	—	—	Carc. 1B	H350	GHS08 Dgr	H350			A
611-025-00-7	disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate; C.I. Direct Black 38	217-710-3	1937-37-7	Carc. 1B Repr. 2	H350 H361d (*)(*)(*)	GHS08 Dgr	H350 H361d (*) (*)(*)			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-026-00-2	tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate]; C.I. Direct Blue 6	220-012-1	2602-46-2	Carc. 1B Repr. 2	H350 H361d (*)(*)(*)	GHS08 Dgr	H350 H361d (*) (*)(*)			
611-027-00-8	disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[4-aminonaphthalene-1-sulphonate]; C.I. Direct Red 28	209-358-4	573-58-0	Carc. 1B Repr. 2	H350 H361d (*)(*)(*)	GHS08 Dgr	H350 H361d (*) (*)(*)			
611-028-00-3	C,C'-azodi(formamide)	204-650-8	123-77-3	Resp. Sens. 1	H334	GHS08 Dgr	H334			G
611-029-00-9	<i>o</i> -dianisidine based azo dyes; 4,4'-diarylaZO-3,3'-dimethoxybiphenyl dyes with the exception of those mentioned elsewhere in this Annex	—	—	Carc. 1B	H350	GHS08 Dgr	H350			A H
611-030-00-4	<i>o</i> -tolidine based dyes; 4,4'-diarylaZO-3,3'-dimethylbiphenyl dyes, with the exception of those mentioned elsewhere in this Annex	—	—	Carc. 1B	H350	GHS08 Dgr	H350			A H
611-031-00-X	4,4'-(4-iminocyclohexa-2,5-dienylidene-methylene)dianiline hydrochloride; C.I. Basic Red 9	209-321-2	569-61-9	Carc. 1B	H350	GHS08 Dgr	H350			
611-032-00-5	1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1	219-603-7	2475-45-8	Carc. 1B Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1	H350 H315 H318 H317	GHS08 GHS05 GHS07 Dgr	H350 H315 H318 H317			
611-033-00-0	hexasodium [4,4"-azoxybis(2,2'-disulfonato- <i>st</i> illbene-4,4'-diylazo)]-bis[5'-sulfonatobenzene-2,2'-diolato-O(2),O(2),N(1)]-copper(II)	400-020-3	82027-60-9	Aquatic Chronic 2	H411	GHS09	H411			
611-034-00-6	N-(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenyl)acetamide	402-430-8	105076-77-5	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-035-00-1	tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate	403-660-1	107246-80-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-036-00-7	2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)-N-methyl-m-toluidino)ethyl acetate	405-440-0	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-037-00-2	3(or 5)-(4-(N-benzyl-N-ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate	406-055-0	124584-00-5	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			
611-038-00-8	trisodium 1-hydroxynaphthalene-2-azo-4'(5',5"-dimethylbiphenyl)-4"-azo(4"-phenylsulfonyloxybenzene)- 2',2",4-trisulfonate	406-820-9	—	Eye Irrit. 2	H319	GHS07 Wng	H319			
611-039-00-3	7-[[[(4,6-dichloro-1,3,5-triazin-2-yl)amino]-4-hydroxy-3-(4-((2-sulfoxyethyl)sulfonyl)phenylazo)naphthalene-2-sulfonic acid	407-050-6	117715-57-8	Skin Sens. 1	H317	GHS07 Wng	H317			
611-040-00-9	3-(5-acetylamino-4-(4-[4,6-bis(3-diethylaminopropylamino)-1,3,5-triazin-2-ylamino]phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalenesulfonic acid	407-670-7	115099-58-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
611-041-00-4	2-[[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]-N-(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)-3-oxobutanamide	407-680-1	98809-11-1	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
611-042-00-X	trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate	411-770-6	136213-71-3	Aquatic Chronic 3	H412	—	H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-043-00-5	reaction mass of: trisodium N(1')-N(2):N(1'')-N(2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate; trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate; trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3'''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate (2:1:1)	402-850-1	—	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
611-044-00-0	reaction mass of: <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-); <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-); <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1-); <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-); <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-); <i>tert</i> -alkyl(C ₁₂ -C ₁₄)ammonium ((1-(4(or 5)-nitro-2-oxido)phenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-)	403-720-7	117527-94-3	Aquatic Chronic 2	H411	GHS09	H411			
611-045-00-6	2-[4-[N-(4-acetoxybutyl)-N-ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene	404-830-8	—	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-046-00-1	4,4'-diamino-2-methylazobenzene	407-590-2	43151-99-1	Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H373 (*)(*) H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H373 (*) H317 H410			
611-047-00-7	reaction mass of: 2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)	407-890-3	111381-11-4	Aquatic Chronic 4	H413	—	H413			
611-048-00-2	reaction mass of: 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)	407-900-6	111381-12-5	Aquatic Chronic 4	H413	—	H413			
611-049-00-8	reaction mass of 7-[4-(3-diethylaminopropylamino)-6-(3-diethylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phenylazophenylazo)-naphthalene-2-sulfonate, acetic acid, lactic acid (2:1:1)	408-000-6	118658-98-3	STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 3	H373 (*)(*) H317 H412	GHS08 Wng	H373 (*) H317 H412			
611-051-00-9	2-(4-(N-ethyl-N-(2-hydroxyethyl)amino-2-methylphenyl)azo-6-methoxy-3-methylbenzothiazolium chloride	411-110-7	136213-74-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
611-052-00-4	monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalensulfonate], iron complex	400-720-9	—	Aquatic Chronic 3	H412	—	H412			
611-053-00-X	2,2'-azobis[2-methylpropionamidine] dihydrochloride	221-070-0	2997-92-4	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
611-055-00-0	C.I. Disperse Yellow 3; N-[4-[(2-hydroxy-5-methylphenyl)azo]phenyl]acetamide	220-600-8	2832-40-8	Carc. 2 Skin Sens. 1	H351 H317	GHS08 GHS07 Wng	H351 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-056-00-6	C.I. Solvent Yellow 14; 1-phenylazo-2-naphthol	212-668-2	842-07-9	Carc. 2 Muta. 2 Skin Sens. 1 Aquatic Chronic 4	H351 H341 H317 H413	GHS08 GHS07 Wng	H351 H341 H317 H413			
611-057-00-1	6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile	400-340-3	85136-74-9	Carc. 1B Aquatic Chronic 4	H350 H413	GHS08 Wng	H350 H413			
611-058-00-7	(6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methylethyl)ammonium] formate	402-060-7	108225-03-2	Carc. 1B Eye Dam. 1 Aquatic Chronic 2	H350 H318 H411	GHS08 GHS05 GHS09 Dgr	H350 H318 H411			
611-059-00-2	octasodium 2-(6-(4-chloro-6-(3-(N-methyl-N-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate	412-960-1	148878-21-1	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
611-060-00-8	reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatophthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatophthalen-2-ylazo]-isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatophthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatophthalen-2-ylazo]-isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatophthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatophthalen-2-ylazo]-isophthalic acid	413-180-4	187285-15-0	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-061-00-3	disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonato-phenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate	412-530-3	—	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
611-062-00-9	octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo)naphthalene-1,5-disulfonate	413-550-5	—	Skin Irrit. 2 Eye Dam. 1	H315 H318	GHS05 Dgr	H315 H318			
611-063-00-4	trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4''-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3'',1'''-tetraolato-O,O',O'',O''']copper(II)	413-590-3	164058-22-4	Carc. 1B	H350	GHS08 Dgr	H350			
611-064-00-X	4-(3,4-dichlorophenylazo)-2,6-di-sec-butylphenol	410-600-8	124719-26-2	STOT RE 2 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H315 H400 H410	GHS08 GHS07 GHS09 Wng	H373 (*)(*) H315 H410			
611-065-00-5	4-(4-nitrophenylazo)-2,6-di-sec-butylphenol	410-610-2	111850-24-9	STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H319 H315 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H373 (*)(*) H319 H315 H317 H410			
611-066-00-0	tetrasodium 5-[4-chloro-6-(N-ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate	411-540-5	130201-57-9	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-067-00-6	reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate; bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate	406-910-8	—	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
611-068-00-1	tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate	400-690-7	85665-98-1	Aquatic Chronic 2	H411	GHS09	H411			
611-069-00-7	N,N-di-[poly(oxyethylene)-co-poly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienylazo)]-3-methylaniline	413-380-1	—	Aquatic Chronic 2	H411	GHS09	H411			
611-070-00-2	reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-); trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-)	405-665-4	—	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
611-071-00-8	tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate	406-073-9	131013-81-5	Acute Tox. 3 (*) Aquatic Chronic 3	H301 H412	GHS06 Dgr	H301 H412			
611-072-00-3	2,4-bis[2,2'-(2-(N,N-dimethylamino)ethoxy-carbonyl)phenylazo]-1,3-dihydroxybenzene, dihydrochloride	407-010-8	118208-02-9	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H411			
611-073-00-9	dimethyl 3,3'-(N-(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino)dipropionate	407-310-9	122630-55-1	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-074-00-4	reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II); sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II)	407-100-7	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-075-00-X	reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate; tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate (2:1)	406-000-0	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
611-076-00-5	3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole	406-280-4	117584-16-4	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
611-077-00-0	dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2,04,04',-3,3'-[3,3'-dihydroxy-1:2-κ-2-O3,O3'-biphenyl-4,4'-ylenebisazo-1:2-(N3,N4-η:N3',N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-)	407-230-4	126637-70-5	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
611-078-00-6	(2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato)) dicopper(II) acetate lactate	407-240-9	159604-94-1	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-079-00-1	disodium 7-[4-chloro-6-(N-ethyl-o-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate	410-390-8	147703-64-8	Eye Dam. 1	H318	GHS05 Dgr	H318			
611-080-00-7	sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate	410-150-2	147703-65-9	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-081-00-2	tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(N1,N7-N)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II)	411-470-5	141048-13-7	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
611-082-00-8	reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-); pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato]ferrate(1-)	407-570-3	—	Aquatic Chronic 2	H411	GHS09	H411			
611-083-00-3	reaction mass of: 2-[N-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate; 2-[N-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate (1:1)	411-560-4	—	STOT RE 1 Skin Sens. 1 Aquatic Chronic 2	H372 (*)(*) H317 H411	GHS08 GHS07 GHS09 Dgr	H372 (*)(* H317 H411			
611-084-00-9	reaction mass of: N-(4-chlorophenyl)-4-(2,5-dichloro-4-(dimethylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide; N-(4-chlorophenyl)-4-(2,5-dichloro-4-(methylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide	412-550-2	—	Aquatic Chronic 4	H413	—	H413			
611-085-00-4	reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine	411-880-4	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-086-00-X	monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate	411-360-7	—	Aquatic Chronic 3	H412	—	H412			
611-087-00-5	reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxyl-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-phenoxyethane; 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethyloxy-2-(ethylphenol)	411-710-9	—	Aquatic Chronic 4	H413	—	H413			
611-088-00-0	reaction mass of: trilitium 4-amino-3-((4-((4-(2-amino-4-hydroxyphenyl)azo)phenyl)amino)-3-sulfo-phenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate; trilitium 4-amino-3-((4-((4-(4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfo-phenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate	411-890-9	—	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
611-089-00-6	2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methylbenzothiazolium methylsulfate	411-100-2	136213-73-5	STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H317 H400 H410	GHS08 GHS07 GHS09 Wng	H373 (*) H317 H410			
611-090-00-1	2,5-dibutoxy-4-(morpholin-4-yl)benzenediazonium 4-methylbenzenesulfonate	413-290-2	93672-52-7	Self-react. C Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H242 H302 H318 H317 H412	GHS02 GHS05 GHS07 Dgr	H242 H302 H318 H317 H412			T
611-091-00-7	sodium (1,0-1,95)/lithium (0,05-1) 5-((5-((5-chloro-6-fluoro-pyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethylsulfonate	413-470-0	134595-59-8	Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-092-00-2	<i>tert</i> -(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-dimethyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-methyl-5-hydroxy-(1 <i>H</i>)pyrazol-1-yl)benzenesulfonamidato)chromate	413-210-6	—	Aquatic Chronic 2	H411	GHS09	H411			
611-093-00-8	sodium 2-(4-(4-fluoro-6-(2-sulfo-ethylamino)-[1,3,5]triazin-2-ylamino)-2-ureidophenylazo)-5-(4-sulfophenylazo)benzene-1-sulfonate	410-770-3	146177-84-6	Skin Sens. 1	H317	GHS07 Wng	H317			
611-094-00-3	reaction mass of: 2-[2-acetylamino-4-[<i>N,N</i> -bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-5,6-dichloro-1,3-benzothiazole; 2-[2-acetylamino-4-[<i>N,N</i> -bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-6,7-dichloro-1,3-benzotriazole (1:1)	411-600-0	143145-93-1	Aquatic Chronic 4	H413	—	H413			
611-095-00-9	hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diyl]]]bis[3-carboxypyridinium] dihydroxide	412-240-7	89797-03-5	Aquatic Chronic 2	H411	GHS09	H411			
611-096-00-4	methyl <i>N</i> -[3-acetylamino)-4-(2-cyano-4-nitrophenylazo)phenyl]- <i>N</i> -[(1-methoxy)acetyl] glycinate	413-040-2	149850-30-6	Skin Sens. 1	H317	GHS07 Wng	H317			
611-097-00-X	reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -(5-amino-sulfonyl-2-hydroxyphenylazo)benzene and: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -[4-(4-nitro-2-sulfophenylamino)phenylazo]benzene (<i>n</i> =2,5,6)	414-150-3	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-098-00-5	tetrakis(tetramethylammonium) 3,3'-(6-(2-hydroxyethylamino)1,3,5-triazine-2,4-diyl-bisimino(2-methyl-4,1-phenyleneazo))bis-naphthalene-1,5-disulfonate	405-950-3	131013-83-7	Acute Tox. 3 (*) Aquatic Chronic 3	H301 H412	GHS06 Dgr	H301 H412			
611-099-00-0	(methylenebis(4,1-phenylenazo(1-(3-(dimethylamino)propyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl)))-1,1'-dipyridinium dichloride dihydrochloride	401-500-5	118658-99-4	Carc. 1B Aquatic Chronic 2	H350 H411	GHS08 GHS09 Dgr	H350 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-100-00-4	potassium sodium 3,3'-(3(or4)-methyl-1,2-phenylenebis(imino(6-chloro)-1,3,5-triazine-4,2-diylimino(2-acetamido-5-methoxy)-4,1-phenylenazo)dinaphthalene-1,5-disulfonate	403-810-6	140876-13-7	Eye Dam. 1	H318	GHS05 Dgr	H318			
611-101-00-X	2'-(4-chloro-3-cyano-5-formyl-2-thienyl)azo-5'-diethylaminoacetanilide	405-200-5	104366-25-8	Skin Sens. 1	H317	GHS07 Wng	H317			
611-103-00-0	trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II)	407-110-1	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
611-104-00-6	reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo)phenolato)ferrate(1-); trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-); disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylenediazo)dibenzenesulfonate	406-870-1	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-105-00-1	sodium 4-(4-chloro-6-(N-ethylanilino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1H-pyrazol-4-ylazo)benzenesulfonate	407-800-2	136213-75-7	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-106-00-7	hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[p-phenylenebis[imino(6-chloro-1,3,5-triazine-4,2-diyl)imino]]dinaphthalene-2-sulfonate	410-180-6	157627-99-1	Eye Dam. 1	H318	GHS05 Dgr	H318			
611-107-00-2	potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate	412-490-7	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-108-00-8	disodium 5-((4-((4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate	413-600-6	6527-62-4	Aquatic Chronic 3	H412	—	H412			
611-109-00-3	reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1)	407-710-3	—	Aquatic Chronic 2	H411	GHS09	H411			
611-110-00-9	tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene	408-210-8	124605-82-9	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-111-00-4	disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-(sulfoxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-)]	414-230-8	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-112-00-X	tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfonatophthalen-2-ylazo)naphthalene-2,7-disulfonate	413-070-6	—	Skin Sens. 1	H317	GHS07 Wng	H317			
611-113-00-5	lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino)benzoato(2-)))(2-((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-)	414-280-0	149626-00-6	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-114-00-0	lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3H-pyrazol-3-onato(2-))(3-((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1H-pyrazol-4-yl)azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-)	414-250-7	149564-66-9	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			
611-115-00-6	trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-)	414-290-5	149564-65-8	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
611-116-00-1	reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatophthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatophthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatophthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatophthalene-2-ylazo)-naphthalene-2,7-disulfonate	414-620-8	—	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
611-117-00-7	1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt	415-100-3	149850-29-3	Skin Sens. 1	H317	GHS07 Wng	H317			
611-118-00-2	sodium 1,2-bis[4-[4-(4-sulfophenylazo)-2-sulfophenylazo]-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt	413-990-8		Skin Sens. 1	H317	GHS07 Wng	H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-119-00-8	tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxynaphthalene-2,7-disulfonate	415-400-4	148878-22-2	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
611-120-00-3	5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonicacid sodium salt	418-340-7	157707-94-3	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
611-121-00-9	main component 6 (isomer): asym. 1:2 Cr (III)-complex of: A: 3-hydroxy-4-(2-hydroxynaphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol; main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxynaphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol	417-280-9	30785-74-1	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
611-122-00-4	hexasodium (di[N-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfo-anilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](di-sulfo)-phthalocyaninato)nickel	417-250-5	151436-99-6	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
611-123-00-X	3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyl-diethylammonium lactate	424-310-4	178452-66-9	Eye Dam. 1	H318	GHS05 Dgr	H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-124-00-5	reaction mass of: pentasodium 5-amino-3-(5-(4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate; pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-(4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate; tetrasodium 5-amino-3-[5-(4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate	424-320-9		Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
611-125-00-0	reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethensulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex; Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex	423-940-7	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
611-126-00-6	2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3 <i>H</i> -imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride	424-120-1	174514-06-8	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
611-127-00-1	pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate	423-790-2	—	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			G

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-128-00-7	N,N'-bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonicacid-5-hydroxynaphth-4-ylamino]-1,3,5-triazin-2-yl}-N-(2-hydroxyethyl)ethane-1,2-diamine, sodium salt	419-500-9	171599-85-2	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			
611-129-00-2	reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo] benzoic acid; 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid	418-230-9	163879-69-4	Expl. 1.3 (*) (*) Repr. 2 STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H203 H361f (*) H373 (*) H317 H411	GHS01 GHS08 GHS07 GHS09 Dgr	H203 H361f (*) (*) H373 (*) H317 H411			
611-130-00-8	tetra-ammonium 2-[6-[7-(2-carboxylatophenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate	418-520-5	183130-96-3	Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H400 H410	GHS07 GHS09 Wng	H319 H410			
611-131-00-3	2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one	420-580-2	151798-26-4	Repr. 1B Aquatic Chronic 4	H360D (*) (*) H413	GHS08 Dgr	H360D (*) (*) H413			
611-132-00-9	pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonylamino]-5'-nitro-3,3'-disulfonatophthalene-2-azobenzene-1,2'-diolato} chromate (III)	419-210-2	178452-71-6	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
611-133-00-4	Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt	419-260-5	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
611-134-00-X	trisodium 2-(α [2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenehydrazino)-4-sulfonatobenzoate, copper complex	423-770-3	—	Eye Dam. 1 Aquatic Chronic 2	H318 H411	GHS05 GHS09 Dgr	H318 H411			
611-135-00-5	reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfoxy)ethyl)sulfonyl]] benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative, mixed potassium/sodium salt	424-250-9	—	Eye Dam. 1 Aquatic Chronic 3	H318 H412	GHS05 Dgr	H318 H412			
611-136-00-0	2-(4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)-2-aminopropyl formate	424-260-3	—	Repr. 2 Eye Dam. 1 Aquatic Chronic 2	H361f (*)(*)(*) H318 H411	GHS05 GHS08 GHS09 Dgr	H361f (*) (*)(*) H318 H411			
611-137-00-6	6-tert-butyl-7-chloro-3-tridecyl-7,7a-dihydro-1H-pyrazolo[5,1-c]-1,2,4-triazole	419-870-1	159038-16-1	Aquatic Chronic 4	H413	—	H413			
611-138-00-1	2-(4-aminophenyl)-6-tert-butyl-1H-pyrazolo[1,5-b][1,2,4]triazole	415-910-7	152828-25-6	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
611-140-00-2	azafenidin (ISO); 2-(2,4-dichloro-5-prop-2-ynyloxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2H)-one	—	68049-83-2	Repr. 1B STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H360Df H373 (*)(*) H400 H410	GHS08 GHS09 Dgr	H360Df H373 (*) H410		M=1000	
612-001-00-9	mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Gas 1 Press. Gas Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H220 H332 H335 H315 H318	GHS02 GHS04 GHS05 GHS07 Dgr	H220 H332 H335 H315 H318		(*) Skin Irrit. 2; H315: C \geq 5 % Eye Dam. 1; H318: C \geq 5 % Eye Irrit. 2; H319: 0,5 % \leq C < 5 % STOT SE 3; H335: C \geq 5 %	U 5

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-001-01-6	mono-methylamine ...%; [1] di-methylamine ...%; [2] tri-methylamine ...% [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Liq. 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H224 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H332 H302 H314		(*) STOT SE 3; H335: C ≥ 5 %	B
612-002-00-4	ethylamine	200-834-7	75-04-7	Flam. Gas 1 Press. Gas Eye Irrit. 2 STOT SE 3	H220 H319 H335	GHS02 GHS04 GHS07 Dgr	H220 H319 H335			U
612-003-00-X	diethylamine	203-716-3	109-89-7	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314		STOT SE 3; H335: C ≥ 1 %	
612-004-00-5	triethylamine	204-469-4	121-44-8	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314		STOT SE 3; H335: C ≥ 1 %	
612-005-00-0	butylamine	203-699-2	109-73-9	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314		STOT SE 3; H335: C ≥ 1 %	
612-006-00-6	ethylenediamine; 1,2-diaminoethane	203-468-6	107-15-3	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H226 H312 H302 H314 H334 H317	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H312 H302 H314 H334 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-007-00-1	2-aminopropane; isopropylamine	200-860-9	75-31-0	Flam. Liq. 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H224 H319 H335 H315	GHS02 GHS07 Dgr	H224 H319 H335 H315			
612-008-00-7	aniline	200-539-3	62-53-3	Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H351 H341 H331 H311 H301 H372 (*)(*) H318 H317 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H341 H331 H311 H301 H372 (*)(*) H318 H317 H400	(*) STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %		
612-009-00-2	salts of aniline	—	—	Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H351 H341 H331 H311 H301 H372 (*)(*) H318 H317 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H341 H331 H311 H301 H372 (*)(*) H318 H317 H400	(*) STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %	A	
612-010-00-8	chloroanilines (with exception of those specified elsewhere in this Annex)	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*)(*) H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(*) H410			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-011-00-3	4-nitrosoaniline	211-535-6	659-49-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			
612-012-00-9	<i>o</i> -nitroaniline; [1] <i>m</i> -nitroaniline; [2] <i>p</i> -nitroaniline [3]	201-855-4 [1] 202-729-1 [2] 202-810-1 [3]	88-74-4 [1] 99-09-2 [2] 100-01-6 [3]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3	H331 H311 H301 H373 (*) H412	GHS06 GHS08 Dgr	H331 H311 H301 H373 (*) H412			C
612-013-00-4	3-aminobenzene sulphonic acid; metanilic acid	204-473-6	121-47-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			
612-014-00-X	sulphanilic acid; 4-aminobenzenesulphonic acid	204-482-5	121-57-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H319 H315 H317	GHS07 Wng	H319 H315 H317			
612-015-00-5	<i>N</i> -methylaniline	202-870-9	100-61-8	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*) H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H410			
612-016-00-0	<i>N,N</i> -dimethylaniline	204-493-5	121-69-7	Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H351 H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H351 H331 H311 H301 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-017-00-6	N-methyl-N,2,4,6-tetranitroaniline; tetryl	207-531-9	479-45-8	Expl. 1.1 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H201 H331 H311 H301 H373 (*)(*)	GHS01 GHS06 GHS08 Dgr	H201 H331 H311 H301 H373 (*)(*)			
612-018-00-1	bis(2,4,6-trinitrophenyl)amine; hexyl	205-037-8	131-73-7	Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2	H201 H330 H310 H300 H373 (*)(*) H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 (*)(*) H411			
612-019-00-7	dipicrylamine, ammonium salt	220-639-0	2844-92-0	Expl. 1.1 Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2	H201 H330 H310 H300 H373 (*)(*) H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 (*)(*) H411	EUH001		
612-020-00-2	1-naphthylamine	205-138-7	134-32-7	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
612-022-00-3	2-naphthylamine	202-080-4	91-59-8	Carc. 1A Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411		Carc. 1A; H350: C ≥ 0,01 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-023-00-9	phenylhydrazine; [1] phenylhydrazinium chloride; [2] phenylhydrazine hydrochloride; [3] phenylhydrazinium sulphate (2:1) [4]	202-873-5 [1] 200-444-7 [2] 248-259-0 [3] 257-622-2 [4]	100-63-0 [1] 59-88-1 [2] 27140-08-5 [3] 52033-74-6 [4]	Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H350 H341 H331 H311 H301 H372 (*)(* H319 H315 H317 H400	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H372 (*)(* H319 H315 H317 H400			
612-024-00-4	<i>m</i> -toluidine; 3-aminotoluene	203-583-1	108-44-1	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1	H331 H311 H301 H373 (*)(* H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(* H400			
612-025-00-X	nitrotoluidines, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*)(* H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(* H411		C	
612-026-00-5	diphenylamine	204-539-4	122-39-4	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 (*)(* H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(* H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-027-00-0	xylidines with the exception of those specified elsewhere in this Annex; dimethyl anilines with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*) H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H411			C
612-028-00-6	<i>p</i> -phenylenediamine	203-404-7	106-50-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H319 H317 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H319 H317 H410			
612-029-00-1	benzene-1,4-diamine dihydrochloride; <i>p</i> -phenylenediamine dihydrochloride	210-834-9	624-18-0	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H319 H317 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H319 H317 H410			
612-030-00-7	2-methyl- <i>p</i> -phenylenediamine sulphate [1]	210-431-8 [1] 228-871-4 [2]	615-50-9 [1] 6369-59-1 [2]	Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H301 H332 H312 H317 H411	GHS06 GHS09 Dgr	H301 H332 H312 H317 H411			
612-031-00-2	<i>N,N</i> -dimethylbenzene-1,3-diamine; [1] 4-amino- <i>N,N</i> -dimethylaniline; 3-amino- <i>N,N'</i> -dimethylaniline [2]	220-623-3 [1] 202-807-5 [2]	2836-04-6 [1] 99-98-9 [2]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H331 H311 H301	GHS06 Dgr	H331 H311 H301			C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-032-00-8	<i>N,N,N',N'</i> -tetramethyl- <i>p</i> -phenylenediamine	202-831-6	100-22-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			
612-033-00-3	2-aminophenol	202-431-1	95-55-6	Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*)	H341 H332 H302	GHS08 GHS07 Wng	H341 H332 H302			
612-034-00-9	2-amino-4,6-dinitrophenol; picramic acid (< 20 % water)	202-544-6	96-91-3	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H201 H332 H312 H302 H412	GHS01 GHS07 Wng	H201 H332 H312 H302 H412			T
612-034-01-6	2-amino-4,6-dinitrophenol; picramic acid; [≥ 20 % water]	202-544-6	96-91-3	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H332 H312 H302 H412	GHS07 Wng	H332 H312 H302 H412			G
612-035-00-4	2-methoxyaniline; <i>o</i> -anisidine	201-963-1	90-04-0	Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*)	H350 H341 H331 H311 H301	GHS06 GHS08 Dgr	H350 H341 H331 H311 H301			
612-036-00-X	3,3'-dimethoxybenzidine; <i>o</i> -dianisidine	204-355-4	119-90-4	Carc. 1B Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			
612-037-00-5	salts of 3,3'-dimethoxybenzidine; salts of <i>o</i> -dianisidine	—	—	Carc. 1B Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-038-00-0	2-nitro- <i>p</i> -anisidine; 4-methoxy-2-nitroaniline	202-547-2	96-96-8	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 3	H330 H310 H300 H373 (*)(*) H412	GHS06 GHS08 Dgr	H330 H310 H300 H373 (*)(*) H412			
612-039-00-6	2-ethoxyaniline; <i>o</i> -phenetidine	202-356-4	94-70-2	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H331 H311 H301 H373 (*)(*)	GHS06 GHS08 Dgr	H331 H311 H301 H373 (*)(*)			
612-040-00-1	2,4-dinitroaniline	202-553-5	97-02-9	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Chronic 2	H330 H310 H300 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 (*)(*) H411			
612-041-00-7	4,4'- <i>bi-o</i> -toluidine	204-358-0	119-93-7	Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411			
612-042-00-2	benzidine; 1,1'-biphenyl-4,4'-diamine; 4,4'-diaminobiphenyl; biphenyl-4,4'-ylenediamine	202-199-1	92-87-5	Carc. 1A Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410		Carc. 1A; H350: C ≥ 0,01 %	
612-043-00-8	<i>N,N'</i> -dimethylbenzidine	—	2810-74-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			
612-044-00-3	<i>N,N'</i> -diacetylbenzidine	210-338-2	613-35-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H332 H312 H302	GHS07 Wng	H332 H312 H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-046-00-4	allylamine	203-463-9	107-11-9	Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H225 H331 H311 H301 H411	GHS02 GHS06 GHS09 Dgr	H225 H331 H311 H301 H411			
612-047-00-X	benzylamine	202-854-1	100-46-9	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			
612-048-00-5	dipropylamine	205-565-9	142-84-7	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314	STOT SE 3; H335: C ≥ 1 %		
612-049-00-0	di-n-butylamine; [1] di-sec-butylamine [2]	203-921-8 [1] 210-937-9 [2]	111-92-2 [1] 626-23-3 [2]	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302			
612-050-00-6	cyclohexylamine	203-629-0	108-91-8	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H226 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H312 H302 H314			
612-051-00-1	4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline	202-974-4	101-77-9	Carc. 1B Muta. 2 STOT SE 1 STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H350 H341 H370 (*)(*) H373 (*)(*) H317 H411	GHS08 GHS07 GHS09 Dgr	H350 H341 H370 (*) H373 (*) H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-052-00-7	(S)- <i>sec</i> -butylamine; (S)-2-aminobutane; [1] (R)- <i>sec</i> -butylamine; (R)-2-aminobutane; [2] <i>sec</i> -butylamine; 2-aminobutane [3]	208-164-7 [1] 236-232-6 [2] 237-732-7 [3]	513-49-5 [1] 13250-12-9 [2] 13952-84-6 [3]	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Acute 1	H225 H332 H302 H314 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H225 H332 H302 H314 H400			C
612-053-00-2	N-ethylaniline	203-135-5	103-69-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H331 H311 H301 H373 (*)(*)	GHS06 GHS08 Dgr	H331 H311 H301 H373 (*)(*)			
612-054-00-8	N,N-diethylaniline	202-088-8	91-66-7	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*)(*) H411	(*)		
612-055-00-3	N-methyl- <i>o</i> -toluidine; [1] N-methyl- <i>m</i> -toluidine; [2] N-methyl- <i>p</i> -toluidine [3]	210-260-9 [1] 211-795-0 [2] 210-769-6 [3]	611-21-2 [1] 696-44-6 [2] 623-08-5 [3]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3	H331 H311 H301 H373 (*)(*) H412	GHS06 GHS08 Dgr	H331 H311 H301 H373 (*)(*) H412			C
612-056-00-9	N,N-dimethyl- <i>p</i> -toluidine; [1] N,N-dimethyl- <i>m</i> -toluidine; [2] N,N-dimethyl- <i>o</i> -toluidine [3]	202-805-4 [1] 204-495-6 [2] 210-199-8 [3]	99-97-8 [1] 121-72-2 [2] 609-72-3 [3]	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 3	H331 H311 H301 H373 (*)(*) H412	GHS06 GHS08 Dgr	H331 H311 H301 H373 (*)(*) H412	(*)		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-057-00-4	piperazine	203-808-3	110-85-0	Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H314 H334 H317 H412	GHS08 GHS05 Dgr	H314 H334 H317 H412			
612-058-00-X	2,2'-iminodiethylamine; diethylenetriamine	203-865-4	111-40-0	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H312 H302 H314 H317	GHS05 GHS07 Dgr	H312 H302 H314 H317			
612-059-00-5	3,6-diazaoctanethylenediamin; triethylenetetramine	203-950-6	112-24-3	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H314 H317 H412	GHS05 GHS07 Dgr	H312 H314 H317 H412			
612-060-00-0	3,6,9-triazaundecamethylenediamine; tetraethylenepentamine	203-986-2	112-57-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H312 H302 H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H317 H411			
612-061-00-6	3-aminopropyldimethylamine; N,N-dimethyl-1,3-diaminopropane	203-680-9	109-55-7	Flam. Liq. 3 Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H226 H302 H314 H317	GHS02 GHS05 GHS07 Dgr	H226 H302 H314 H317			
612-062-00-1	3-aminopropyldiethylamine; N,N-diethyl-1,3-diaminopropane	203-236-4	104-78-9	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H226 H312 H302 H314 H317	GHS02 GHS05 GHS07 Dgr	H226 H312 H302 H314 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-063-00-7	3,3'-iminodi(propylamine); dipropylentriamine	200-261-2	56-18-8	Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Skin Sens. 1	H330 H311 H302 H314 H317	GHS06 GHS05 Dgr	H330 H311 H302 H314 H317			
612-064-00-2	3,6,9,12-tetra-azatetradecamethylenediamine; pentachylenhexamine	223-775-9	4067-16-7	Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H317 H410			
612-065-00-8	polyethylenepolyamines with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H317 H410			
612-066-00-3	dicyclohexylamine	202-980-7	101-83-7	Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410			
612-067-00-9	3-aminomethyl-3,5,5-trimethylcyclohexylamine	220-666-8	2855-13-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H302 H314 H317 H412	GHS05 GHS07 Dgr	H312 H302 H314 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-068-00-4	3,3'-dichlorobenzidine; 3,3'-dichlorobiphenyl-4,4'-ylenediamine	202-109-0	91-94-1	Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H312 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H312 H317 H410			
612-069-00-X	salts of 3,3'-dichlorobenzidine; salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine	—	—	Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H312 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H312 H317 H410			A
612-070-00-5	salts of benzidine	208-519-6 208-520-1 244-236-4 252-984-8	531-85-1 531-86-2 21136-70-9 36341-27-2	Carc. 1A Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			A
612-071-00-0	salts of 2-naphthylamine	209-030-0 210-313-6	553-00-4 612-52-2	Carc. 1A Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411			A
612-072-00-6	biphenyl-4-ylamine; xenylamine; 4-aminobiphenyl	202-177-1	92-67-1	Carc. 1A Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			
612-073-00-1	salts of biphenyl-4-ylamine; salts of xenylamine; salts of 4-aminobiphenyl	—	—	Carc. 1A Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-074-00-7	benzyl dimethylamine	203-149-1	103-83-3	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 3	H226 H332 H312 H302 H314 H412	GHS02 GHS05 GHS07 Dgr	H226 H332 H312 H302 H314 H412			
612-075-00-2	2-aminoethyl dimethylamine; 2-dimethylaminoethylamine	203-541-2	108-00-9	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H225 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H312 H302 H314			
612-076-00-8	ethyl dimethylamine	209-940-8	598-56-1	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H225 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H302 H314			
612-077-00-3	dimethylnitrosoamine; N-nitrosodimethylamine	200-549-8	62-75-9	Carc. 1B Acute Tox. 2 (*) Acute Tox. 3 (*) STOT RE 1 Aquatic Chronic 2	H350 H330 H301 H372 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H350 H330 H301 H372 (*) H411		Carc. 1B; H350: C ≥ 0,001 %	
612-078-00-9	2,2'-dichloro-4,4'-methylenedianiline; 4,4'-methylene bis(2-chloroaniline)	202-918-9	101-14-4	Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			
612-079-00-4	salts of 2,2'-dichloro-4,4'-methylenedianiline; salts of 4,4'-methylenebis(2-chloroaniline)	—	—	Carc. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-080-00-X	4-amino- <i>N,N</i> -diethylaniline; <i>N,N</i> -diethyl- <i>p</i> -phenylendiamine	202-214-1	93-05-0	Acute Tox. 3 (*) Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314			
612-081-00-5	salts of 4,4'- <i>bi-o</i> -toluidine; salts of 3,3'-dimethylbenzidine; salts of <i>o</i> -toluidine	210-322-5 265-294-7 277-985-0	612-82-8 64969-36-4 74753-18-7	Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411			A
612-082-00-0	thiourea; thiocarbamide	200-543-5	62-56-6	Carc. 2 Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 2	H351 H361d (*)(*)(*) H302 H411	GHS08 GHS07 GHS09 Wng	H351 H361d (*) (*)(*) H302 H411			
612-083-00-6	1-methyl-3-nitro-1-nitrosoguanidine	200-730-1	70-25-7	Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H350 H332 H319 H315 H411	GHS08 GHS07 GHS09 Dgr	H350 H332 H319 H315 H411		Carc. 1B; H350: C ≥ 0,01 %	
612-084-00-1	dapsone; 4,4'-diamino diphenyl sulfone	201-248-4	80-08-0	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
612-085-00-7	4,4'-methylenedi- <i>o</i> -toluidine	212-658-8	838-88-0	Carc. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H317 H410			
612-086-00-2	amitraz (ISO); <i>N,N</i> -bis(2,4-xylyliminomethyl) methylamine	251-375-4	33089-61-1	Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 (*)(*) H317 H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 (*) H317 H410		M=10	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-087-00-8	guazatine (ISO)		108173-90-6	Acute Tox. 2 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H312 H302 H335 H315 H318 H400 H410	GHS06 GHS05 GHS09 Dgr	H330 H312 H302 H335 H315 H318 H410			
612-088-00-3	simazine (ISO); 6-chloro-N,N'-diethyl-1,3,5-triazine-2,4-diamine	204-535-2	122-34-9	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
612-089-00-9	1,5-naphthylenediamine	218-817-8	2243-62-1	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
612-090-00-4	2,2'-(nitrosoimino)bisethanol	214-237-4	1116-54-7	Carc. 1B	H350	GHS08 Dgr	H350			
612-091-00-X	o-toluidine; 2-aminotoluene	202-429-0	95-53-4	Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Aquatic Acute 1	H350 H331 H301 H319 H400	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H319 H400			
612-092-00-5	N,N'-(2,2-dimethylpropylidene)hexamethylenediamine	401-660-6	1000-78-8	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
612-093-00-0	3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline	401-790-3	104147-32-2	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-094-00-6	4-(2-chloro-4-trifluoromethyl)phenoxy-2-fluoroaniline hydrochloride	402-190-4	—	STOT RE 1 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H372 (*)(*) H302 H318 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H372 (*)(*) H302 H318 H317 H410			
612-095-00-1	benzyl-2-hydroxydodecyldimethylammonium benzoate	402-610-6	113694-52-3	Skin Corr. 1B Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H314 H302 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H302 H410			
612-096-00-7	4,4'-carbonimidoylbis[N,N-dimethylaniline]	207-762-5	492-80-8	Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2	H351 H302 H319 H411	GHS08 GHS07 GHS09 Wng	H351 H302 H319 H411			
612-097-00-2	salts of 4,4'-carbonimidoylbis[N,N-dimethylaniline]	—	—	Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2	H351 H302 H319 H411	GHS08 GHS07 GHS09 Wng	H351 H302 H319 H411		A	
612-098-00-8	nitrosodipropylamine	210-698-0	621-64-7	Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411	Carc. 1B; H350: C ≥ 0,001 %		
612-099-00-3	4-methyl- <i>m</i> -phenylenediamine; 2,4-toluenediamine	202-453-1	95-80-7	Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H350 H301 H312 H319 H317 H411	GHS06 GHS08 GHS09 Dgr	H350 H301 H312 H319 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-100-00-7	propylenediamine	201-155-9	78-90-0	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1A	H226 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H312 H302 H314			
612-101-00-2	methenamine; hexamethylenetetramine	202-905-8	100-97-0	Flam. Sol. 2 Resp. Sens. 1 Skin Sens. 1	H228 H334 H317	GHS02 GHS08 Dgr	H228 H334 H317			
612-102-00-8	N,N-bis(3-aminopropyl)methylamine	203-336-8	105-83-9	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B	H331 H311 H302 H314	GHS06 GHS05 Dgr	H331 H311 H302 H314			
612-103-00-3	N,N,N',N'-tetramethylethylenediamine	203-744-6	110-18-9	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H225 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H302 H314			
612-104-00-9	hexamethylenediamine	204-679-6	124-09-4	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Corr. 1B	H312 H302 H335 H314	GHS05 GHS07 Dgr	H312 H302 H335 H314			
612-105-00-4	2-piperazin-1-ylethylamine	205-411-0	140-31-8	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H302 H314 H317 H412	GHS05 GHS07 Dgr	H312 H302 H314 H317 H412			
612-106-00-X	2,6-diethylaniline	209-445-7	579-66-8	Acute Tox. 4 (*)	H302	—	H302			
612-107-00-5	1-phenylethylamine; [1] DL- α -methylbenzylamine [2]	202-706-6 [1] 210-545-8 [2]	98-84-0 [1] 618-36-0 [2]	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-108-00-0	3-aminopropyltriethoxysilane	213-048-4	919-30-2	Acute Tox. 4 (*) Skin Corr. 1B	H302 H314	GHS05 GHS07 Dgr	H302 H314			
612-109-00-6	bis(2-dimethylaminoethyl)(methyl)amine	221-201-1	3030-47-5	Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B	H311 H302 H314	GHS06 GHS05 Dgr	H311 H302 H314			
612-110-00-1	2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	229-962-1	6864-37-5	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Aquatic Chronic 2	H331 H311 H302 H314 H411	GHS06 GHS05 GHS09 Dgr	H331 H311 H302 H314 H411			
612-111-00-7	2-methyl- <i>m</i> -phenylenediamine; 2,6-toluenediamine	212-513-9	823-40-5	Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H341 H312 H302 H317 H411	GHS08 GHS07 GHS09 Wng	H341 H312 H302 H317 H411			
612-112-00-2	<i>p</i> -anisidine; 4-methoxyaniline	203-254-2	104-94-9	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) STOT RE 2 (*) Aquatic Acute 1	H330 H310 H300 H373 (*)(*) H400	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 (*) H400			
612-113-00-8	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	403-240-8	106264-79-3	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-114-00-3	R,R-2-hydroxy-5-(1-hydroxy-2-(4-phenylbut-2-ylamino)ethyl)benzamide hydrogen 2,3-bis(benzoyloxy)succinate	404-390-7	—	Flam. Sol. 1 Skin Sens. 1 Aquatic Chronic 3	H228 H317 H412	GHS02 GHS07 Wng	H228 H317 H412			
612-115-00-9	dimethyldioctadecylammonium hydrogen sulfate	404-050-8	123312-54-9	Eye Irrit. 2 Aquatic Chronic 4	H319 H413	GHS07 Wng	H319 H413			
612-116-00-4	C ₈₋₁₈ alkylbis(2-hydroxyethyl)ammonium bis (2-ethylhexyl)phosphate	404-690-8	68132-19-4	Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H314 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H314 H317 H410			
612-117-00-X	C ₁₂₋₁₄ —tert-alkylamine, methylphosphonic acid salt	404-750-3	119415-07-5	Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2	H302 H314 H411	GHS05 GHS07 GHS09 Dgr	H302 H314 H411			
612-118-00-5	A reaction mass of: (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide	405-080-4	—	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
612-119-00-0	benzyl dimethyloctadecylammonium 3-nitrobenzenesulfonate	405-330-2	—	Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H400 H410	GHS05 GHS09 Dgr	H315 H318 H410			
612-120-00-6	acлонifen (ISO); 2-chloro-6-nitro-3-phenoxyaniline	277-704-1	74070-46-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-121-00-1	amines, polyethylenepoly-; HEPA	268-626-9	68131-73-7	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H317 H410			
612-122-00-7	hydroxylamine	232-259-2	7803-49-8	Unst. Expl. Met. Corr. 1 Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H200 H290 H302 H373 (*)(*) H335 H315 H318 H317 H400	GHS01 GHS08 GHS05 GHS07 GHS09 Dgr	H200 H290 H302 H373 (*) H335 H315 H318 H317 H400		T	
612-123-00-2	hydroxylammonium chloride; hydroxylamine hydrochloride; [1] bis(hydroxylammonium) sulphate; hydroxylamine sulphate (2:1); [2] hydroxylammonium hydrogensulphate; hydroxylamine sulphate (1:1) [3]	226-798-2 [1] 233-118-8 [2] 233-154-4 [3]	5470-11-1 [1] 10039-54-0 [2] 10046-00-1 [3]	Met. Corr. 1 Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H290 H302 H373 (*)(*) H319 H315 H317 H400	GHS08 GHS05 GHS07 GHS09 Wng	H290 H302 H373 (*) H319 H315 H317 H400		G T	
612-124-00-8	N,N,N-trimethylanilinium chloride	205-319-0	138-24-9	Acute Tox. 3 (*) Acute Tox. 3 (*)	H311 H301	GHS06 Dgr	H311 H301			
612-125-00-3	2-methyl- <i>p</i> -phenylenediamine; 2,5-toluenediamine	202-442-1	95-70-5	Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H301 H332 H312 H317 H411	GHS06 GHS09 Dgr	H301 H332 H312 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenhin-diehung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-126-00-9	toluene-2,4-diammonium sulphate; 4-methyl-m-phenylenediamine sulfate	265-697-8	65321-67-7	Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H350 H301 H312 H319 H317 H411	GHS06 GHS08 GHS09 Dgr	H350 H301 H312 H319 H317 H411			
612-127-00-4	3-aminophenol	209-711-2	591-27-5	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H332 H302 H411	GHS07 GHS09 Wng	H332 H302 H411			
612-128-00-X	4-aminophenol	204-616-2	123-30-8	Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H341 H332 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H341 H332 H302 H410			
612-129-00-5	diisopropylamine	203-558-5	108-18-9	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H225 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H302 H314	STOT SE 3; H335: C ≥ 5 %		
612-130-00-0	2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3]	218-255-3 [1] 218-256-9 [2] 270-877-4 [3]	2095-01-4 [1] 2095-02-5 [2] 68479-98-1 [3]	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H373 (*)(*) H319 H400 H410	GHS08 GHS07 GHS09 Wng	H312 H302 H373 (*) H319 H410			C
612-131-00-6	didecyldimethylammonium chloride	230-525-2	7173-51-5	Acute Tox. 4 (*) Skin Corr. 1B	H302 H314	GHS05 GHS07 Dgr	H302 H314			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-132-00-1	N,N'-diphenyl-p-phenylenediamine; N,N'-diphenyl-1,4-benzenediamine	200-806-4	74-31-7	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
612-133-00-7	(4-ammonio- <i>m</i> -tolyl)ethyl(2-hydroxyethyl) ammonium sulphate; 4-(<i>N</i> -ethyl- <i>N</i> -2-hydroxyethyl)-2-methylphenylenediamine sulphate	247-162-0	25646-77-9	Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H373 (*)(*) H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H301 H373 (*)(* H317 H410			
612-134-00-2	<i>N</i> -(2-(4-amino- <i>N</i> -ethyl- <i>m</i> -toluidino)ethyl) methanesulphonamide sesquisulphate; 4-(<i>N</i> -ethyl- <i>N</i> -2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate	247-161-5	25646-71-3	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
612-135-00-8	<i>N</i> -2-naphthylaniline; <i>N</i> -phenyl-2-naphthylamine	205-223-9	135-88-6	Carc. 2 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H351 H319 H315 H317 H411	GHS08 GHS07 GHS09 Wng	H351 H319 H315 H317 H411			
612-136-00-3	<i>N</i> -isopropyl- <i>N'</i> -phenyl- <i>p</i> -phenylenediamine	202-969-7	101-72-4	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410		Skin Sens. 1; H317: C ≥ 0,1 %	
612-137-00-9	4-chloroaniline	203-401-0	106-47-8	Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H311 H301 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-138-00-4	furalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(2-furyl-carbonyl)-DL-alaninate	260-875-1	57646-30-7	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
612-139-00-X	mefenacet (ISO); 2-(benzothiazol-2-yloxy)-N-methyl-N-phenylacetamide	277-328-8	73250-68-7	Aquatic Chronic 2	H411	GHS09	H411			
612-140-00-5	quaternary ammonium compounds, benzyl-C ₈₋₁₈ -alkyldimethyl, chlorides	264-151-6	63449-41-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1	H312 H302 H314 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H400			
612-141-00-0	4,4'-methylenebis(2-ethylaniline); 4,4'-methylenebis(2-ethylbenzeneamine)	243-420-1	19900-65-3	Carc. 2 Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H410			
612-142-00-6	biphenyl-2-ylamine	201-990-9	90-41-5	Carc. 2 Acute Tox. 4 (*) Aquatic Chronic 3	H351 H302 H412	GHS08 GHS07 Wng	H351 H302 H412			
612-143-00-1	N ⁵ ,N ⁵ -diethyltoluene-2,5-diamine monohydrochloride; 4-diethylamino-2-methylaniline monohydrochloride	218-130-3	2051-79-8	Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H319 H317 H400 H410	GHS06 GHS09 Dgr	H301 H319 H317 H410			
612-144-00-7	flumetralin (ISO); N-(2-chloro-6-fluorobenzyl)-N-ethyl- α , α -trifluoro-2,6-dinitro-p-toluidine	—	62924-70-3	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H317 H400 H410	GHS07 GHS09 Wng	H319 H315 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-145-00-2	<i>o</i> -phenylenediamine	202-430-6	95-54-5	Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H341 H301 H332 H312 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H341 H301 H332 H312 H319 H317 H410			
612-146-00-8	<i>o</i> -phenylenediamine dihydrochloride	210-418-7	615-28-1	Carc. 2 Muta. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H341 H301 H332 H312 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H341 H301 H332 H312 H319 H317 H410			
612-147-00-3	<i>m</i> -phenylenediamine	203-584-7	108-45-2	Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H331 H311 H301 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H331 H311 H301 H319 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-148-00-9	<i>m</i> -phenylenediamine dihydrochloride	208-790-0	541-69-5	Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H331 H311 H301 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H331 H311 H301 H319 H317 H410			
612-149-00-4	1,3-diphenylguanidine	203-002-1	102-06-7	Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H361f (*)(*)(*) H302 H319 H335 H315 H411	GHS08 GHS07 GHS09 Wng	H361f (*) (*)(*) H302 H319 H335 H315 H411			
612-150-00-X	spiroxamine (ISO); 8- <i>tert</i> -butyl-1,4-dioxaspiro[4,5]decan-2-ylmethyl(ethyl)(propyl)amine	—	118134-30-8	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H315 H317 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H315 H317 H410			
612-151-00-5	diaminotoluene, technical product — reaction mass of [2] and [3]; methyl-phenylenediamine; [1] 4-methyl- <i>m</i> -phenylene diamine; [2] 2-methyl- <i>m</i> -phenylene diamine [3]	246-910-3 [1] 202-453-1 [2] 212-513-9 [3]	25376-45-8 [1] 95-80-7 [2] 823-40-5 [3]	Carc. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H350 H301 H332 H312 H319 H317 H411	GHS06 GHS08 GHS09 Dgr	H350 H301 H332 H312 H319 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-152-00-0	N,N-diethyl-N',N'-dimethylpropan-1,3-diyl-diamine	406-610-7	62478-82-4	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Chronic 3	H226 H332 H302 H373 (*)(* H314 H412	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H332 H302 H373 (*)(* H314 H412			
612-153-00-6	4-[N-ethyl-N-(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride	407-020-2	132885-85-9	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3	H302 H317 H412	GHS07 Wng	H302 H317 H412			
612-154-00-1	6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzo-2-oxofuran-7,9'-[9H]-xanthene]	410-890-6	95235-29-3	Aquatic Chronic 4	H413	—	H413			
612-155-00-7	2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methylspiro(isobenzo-3-oxofuran)-1-(1H)-9'-xanthene	411-730-8	93071-94-4	Aquatic Chronic 4	H413	—	H413			
612-156-00-2	reaction mass of: trihexadecylmethylammonium chloride; dihexadecyldimethylammonium chloride	405-620-9	—	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
612-157-00-8	(Z)-1-benzo[b]thien-2-ylethanone oxime hydrochloride	410-780-8	—	Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H373 (*)(* H318 H317 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H302 H373 (*)(* H318 H317 H411			
612-158-00-3	reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) C ₁₂ -alkyl group is branched; 4-dodecylsalicylaldoxime	410-820-4	—	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-159-00-9	Reaction products of: trimethylhexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[(C ₁₀ -C ₁₆ -alkyloxy)methyl]oxirane derivatives) and p-toluene-sulfonic acid	410-880-1	—	Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410			
612-160-00-4	p-toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3]	203-403-1 [1] 208-740-8 [2] 208-741-3 [3]	106-49-0 [1] 540-23-8 [2] 540-25-0 [3]	Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H351 H331 H311 H301 H319 H317 H400	GHS06 GHS08 GHS09 Dgr	H351 H331 H311 H301 H319 H317 H400			
612-161-00-X	2,6-xylidine; 2,6-dimethylaniline	201-758-7	87-62-7	Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H351 H332 H312 H302 H335 H315 H411	GHS08 GHS07 GHS09 Wng	H351 H332 H312 H302 H335 H315 H411			
612-162-00-5	dimethyldioctadecylammonium chloride; DODMAC	203-508-2	107-64-2	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
612-163-00-0	metalaxyl-M (ISO); mefenoxam; (R)-2-[(2,6-dimethylphenyl)-methoxyacetylaminopropionic acid methyl ester	—	70630-17-0	Acute Tox. 4 (*) Eye Dam. 1	H302 H318	GHS05 GHS07 Dgr	H302 H318			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-164-00-6	2-butyl-2-ethyl-1,5-diaminopentane	412-700-7	137605-95-9	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H302 H373 (*)(*) H314 H317 H412	GHS08 GHS05 GHS07 Dgr	H312 H302 H373 (*) H314 H317 H412			
612-165-00-1	N,N'-diphenyl-N,N'-bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine	413-810-8	65181-78-4	Aquatic Chronic 2	H411	GHS09	H411			
612-166-00-7	reaction mass of: <i>cis</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1); <i>trans</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1)	411-830-1	114765-88-7	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H317 H412	GHS05 GHS07 Dgr	H318 H317 H412			
612-167-00-2	5-acetyl-3-amino-10,11-dihydro-5 <i>H</i> -dibenz [b,f]azepine-hydrochloride	410-490-1	—	Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H373 (*)(*) H318 H317 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H302 H373 (*) H318 H317 H411			
612-168-00-8	3,5-dichloro-2,6-difluoropyrdine-4-amine	220-630-1	2840-00-8	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H312 H302 H411	GHS07 GHS09 Wng	H312 H302 H411			
612-170-00-9	4-chlorophenyl cyclopropyl ketone O-(4-aminobenzyl)oxime	405-260-2	—	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
612-171-00-4	N,N,N',N'-tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane	410-060-3	130728-76-6	Muta. 2 Skin Sens. 1 Aquatic Chronic 2	H341 H317 H411	GHS08 GHS09 Wng	H341 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-172-00-X	4,4'-methylenebis(N,N'-dimethylcyclohexanamine)	412-840-9	13474-64-1	Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Chronic 3	H302 H373 (*)(*) H314 H412	GHS08 GHS05 GHS07 Dgr	H302 H373 (*)(*) H314 H412			
612-173-00-5	lithium 1-amino-4-(4-tert-butylanilino)anthraquinone-2-sulfonate	411-140-0	125328-86-1	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
612-174-00-0	4,4-dimethoxybutylamine	407-690-6	19060-15-2	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H302 H314 H317 H412	GHS05 GHS07 Dgr	H302 H314 H317 H412			
612-175-00-6	2-(O-aminooxy)ethylamine dihydrochloride	412-310-7	37866-45-8	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
612-176-00-1	polymer of 1,3-dibromopropane and N,N-diethyl-N',N'-dimethyl-1,3-propanediamine	410-570-6	143747-73-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
612-177-00-7	2-naphthylamino-6-sulfomethylamide	412-120-4	104295-55-8	STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H373 (*)(*) H317 H411	GHS08 GHS09 Wng	H373 (*)(*) H317 H411			
612-178-00-2	1,4,7,10-tetraazacyclododecane disulfate	412-080-8	112193-77-8	Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1 Aquatic Chronic 3	H302 H335 H318 H412	GHS05 GHS07 Dgr	H302 H335 H318 H412			
612-179-00-8	1-(2-propenyl)pyridinium chloride	412-740-5	25965-81-5	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-180-00-3	3-aminobenzylamine	412-230-2	4403-70-7	Acute Tox. 4 (*) Skin Corr. 1B Aquatic Chronic 2	H302 H314 H411	GHS05 GHS07 GHS09 Dgr	H302 H314 H411			
612-181-00-9	2-phenylthioaniline	413-030-8	1134-94-7	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
612-182-00-4	1-ethyl-1-methylmorpholinium bromide	418-210-1	65756-41-4	Muta. 2	H341	GHS08 Wng	H341			
612-183-00-X	1-ethyl-1-methylpyrrolidinium bromide	418-200-5	69227-51-6	Muta. 2	H341	GHS08 Wng	H341			
612-184-00-5	6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3H),9-(9H)-xanthen]-3-one	403-830-5	89331-94-2	Aquatic Chronic 3	H412	—	H412			
612-185-00-0	1-[3-[4-((heptadecafluorononyl)oxy)-benzamido]propyl]-N,N,N-trimethylammonium iodide	407-400-8	59493-72-0	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			
612-186-00-6	bis(N-(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate	406-770-8	149057-64-7	STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H318 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H373 (*)(* H318 H317 H410			
612-187-00-1	2,3,4-trifluoroaniline	407-170-9	3862-73-5	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H312 H302 H373 (*)(*) H315 H318 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H312 H302 H373 (*)(* H315 H318 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-188-00-7	4,4'-(9H-fluoren-9-ylidene)bis(2-chloroaniline)	407-560-9	107934-68-9	Aquatic Chronic 2	H411	GHS09	H411			
612-189-00-2	4-amino-2-(aminomethyl)phenol dihydrochloride	412-510-4	135043-64-0	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
612-190-00-8	4,4'-methylenebis(2-isopropyl-6-methylaniline)	415-150-6	16298-38-7	STOT RE 2 (*) Aquatic Chronic 2	H373 (*)(*) H411	GHS08 GHS09 Wng	H373 (*) H411			
612-191-00-3	polymer of allylamine hydrochloride	415-050-2	71550-12-4	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
612-192-00-9	2-isopropyl-4-(N-methyl)aminomethylthiazole	414-800-6	154212-60-9	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H312 H302 H315 H318 H411	GHS05 GHS07 GHS09 Dgr	H312 H302 H315 H318 H411			
612-193-00-4	3-methylaminomethylphenylamine	414-570-7	18759-96-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H317 H410			
612-194-00-X	2-hydroxy-3-[(2-hydroxyethyl)-[2-(1-oxotetradecyl)amino]ethyl]amino]-N,N,N-trimethyl-1-propanammonium chloride	414-670-0	141890-30-4	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-195-00-5	bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedisulfonate	415-210-1	160236-81-7	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H332 H302 H318 H410			
612-196-00-0	4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2]	202-441-6 [1] 221-627-8 [2]	95-69-2 [1] 3165-93-3 [2]	Carc. 1B Muta. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H331 H311 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H410			
612-197-00-6	2,4,5-trimethylaniline; [1] 2,4,5-trimethylaniline hydrochloride [2]	205-282-0 [1] [2]	137-17-7 [1] 21436-97-5 [2]	Carc. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H350 H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H411			
612-198-00-1	4,4'-thiodianiline and its salts	205-370-9	139-65-1	Carc. 1B Acute Tox. 4 (*) Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411			
612-199-00-7	4,4'-oxydianiline and its salts; <i>p</i> -aminophenyl ether	202-977-0	101-80-4	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 2	H350 H340 H361f (*)(* H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H350 H340 H361f (*) (*)(* H331 H311 H301 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-200-00-0	2,4-diaminoanisoole; 4-methoxy- <i>m</i> -phenylenediamine; [1] 2,4-diaminoanisoole sulphate [2]	210-406-1 [1] 254-323-9 [2]	615-05-4 [1] 39156-41-7 [2]	Carc. 1B Muta. 2 Acute Tox. 4 (*) Aquatic Chronic 2	H350 H341 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H341 H302 H411			
612-201-00-6	<i>N,N,N',N'</i> -tetramethyl-4,4'-methylen-dianiline	202-959-2	101-61-1	Carc. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H400 H410	GHS08 GHS09 Dgr	H350 H410			
612-202-00-1	3,4-dichloroaniline	202-448-4	95-76-1	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H318 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H318 H317 H410			
612-204-00-2	C.I. Basic Violet 3; 4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride	208-953-6	548-62-9	Carc. 2 Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H318 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H351 H302 H318 H410			
612-205-00-8	C.I. Basic Violet 3 with $\geq 0,1$ % of Michler's ketone (EC no. 202-027-5)	208-953-6	548-62-9	Carc. 1B Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H318 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H350 H302 H318 H410			
612-206-00-3	famoxadone (ISO); 3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione	—	131807-57-3	STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(* H400 H410	GHS08 GHS09 Wng	H373 (*)(* H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-207-00-9	4-ethoxyaniline; <i>p</i> -phenetidine	205-855-5	156-43-4	Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1	H341 H332 H312 H302 H319 H317	GHS08 GHS07 Wng	H341 H332 H312 H302 H319 H317			
612-209-00-X	6-methoxy- <i>m</i> -toluidine; <i>p</i> -cresidine	204-419-1	120-71-8	Carc. 1B Acute Tox. 4 (*)	H350 H302	GHS08 GHS07 Dgr	H350 H302			
612-210-00-5	5-nitro- <i>o</i> -toluidine; [1] 5-nitro- <i>o</i> -toluidine hydrochloride [2]	202-765-8 [1] 256-960-8 [2]	99-55-8 [1] 51085-52-0 [2]	Carc. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Chronic 3	H351 H331 H311 H301 H412	GHS06 GHS08 Dgr	H351 H331 H311 H301 H412			
612-211-00-0	N-[(benzotriazole-1-yl)methyl]-4-carboxybenzenesulfonamide	416-470-9	170292-97-4	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			
612-212-00-6	2,6-dichloro-4-trifluoromethylaniline	416-430-0	24279-39-8	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H315 H317 H400 H410	GHS07 GHS09 Wng	H332 H302 H315 H317 H410			
612-213-00-1	isobutylidene-(2-(2-isopropyl-4,4-dimethylloxazolidine-3-yl)-1,1-dimethylethyl)amine	419-850-2	148348-13-4	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412			
612-214-00-7	4-(2,2-diphenylethenyl)- <i>N,N</i> -di-phenylbenzenamine	421-390-2	89114-90-9	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
612-215-00-2	3-chloro-2-(isopropylthio)aniline	421-700-6	179104-32-6	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
612-217-00-3	1-methoxy-2-propylamine	422-550-4	37143-54-7	Flam. Liq. 2 Skin Corr. 1B Acute Tox. 4 (*) Aquatic Chronic 3	H225 H314 H302 H412	GHS02 GHS05 GHS07 Dgr	H225 H314 H302 H412			
613-001-00-1	ethyleneimine; aziridine	205-793-9	151-56-4	Flam. Liq. 2 Carc. 1B Muta. 1B Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Skin Corr. 1B Aquatic Chronic 2	H225 H350 H340 H330 H310 H300 H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H340 H330 H310 H300 H314 H411			D
613-002-00-7	pyridine	203-809-9	110-86-1	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302	(*)		
613-003-00-2	1,2,3,4-tetranitrocarbazole	—	6202-15-9	Expl. 1.1 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*)	H201 H332 H312 H302	GHS01 GHS07 Wng	H201 H332 H312 H302			
613-004-00-8	crimidine (ISO); 2-chloro-6-methylpyrimidin-4-yl-dimethylamine	208-622-6	535-89-7	Acute Tox. 2 (*)	H300	GHS06 Dgr	H300			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-007-00-4	desmetryne (ISO); 6-isopropylamino-2-methylamino-4-methylthio-1,3,5-triazine	213-800-1	1014-69-3	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
613-008-00-X	dazomet (ISO); tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione	208-576-7	533-74-4	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H400 H410	GHS07 GHS09 Wng	H302 H319 H410			
613-009-00-5	2,4,6-trichloro-1,3,5-triazine; cyanuric chloride	203-614-9	108-77-0	Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1	H330 H302 H314 H317	GHS06 GHS05 Dgr	H330 H302 H314 H317	EUH014	STOT SE 3; H335: C ≥ 5 %	
613-010-00-0	ametryn (ISO); 2-ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine	212-634-7	834-12-8	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-011-00-6	amitrole (ISO); 1,2,4-triazol-3-ylamine	200-521-5	61-82-5	Repr. 2 STOT RE 2 (*) Aquatic Chronic 2	H361d (*)(*)(*) H373 (*)(*) H411	GHS08 GHS09 Wng	H361d (*) (*)(*) H373 (*) H411			
613-012-00-1	bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide	246-585-8	25057-89-0	Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H302 H319 H317 H412	GHS07 Wng	H302 H319 H317 H412			
613-013-00-7	cyanazine (ISO); 2-(4-chloro-6-ethylamino-1,3,5-triazine-2-ylamino)-2-methylpropionitrile	244-544-9	21725-46-2	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-014-00-2	ethoxyquin(ISO); 6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline	202-075-7	91-53-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-015-00-8	fenazaflor (ISO); phenyl 5,6-dichloro-2-trifluoromethylbenzimidazole-1-carboxylate	238-134-9	14255-88-0	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
613-016-00-3	fuberidazole(ISO); 2-(2-furyl)benzimidazole	223-404-0	3878-19-1	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-017-00-9	bis (8-hydroxyquinolinium) sulphate	205-137-1	134-31-6	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-018-00-4	morfamquat (ISO); 1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridilium ion	—	7411-47-4	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H302 H319 H335 H315 H412	GHS07 Wng	H302 H319 H335 H315 H412			
613-019-00-X	thioquinox(ISO); 2-thio-1,3-dithiolo(4,5,b)quinoxaline	202-272-8	93-75-4	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-020-00-5	tridemorph (ISO); 2,6-dimethyl-4-tridecylmorpholine	246-347-3	24602-86-6	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H360D (*) (*) (*) H332 H302 H315 H400 H410	GHS08 GHS07 GHS09 Dgr	H360D (*) (*) (*) H332 H302 H315 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-021-00-0	dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b) (1,4)dithiazine-2,3-dicarbonitrile	222-098-6	3347-22-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-022-00-6	pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410			A
613-023-00-1	2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1 α [S(*)](Z)],3 β]]-chrysanthemate; pyrethrin I	204-455-8	121-21-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410			
613-024-00-7	2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[1R-[1 α [S(*)](Z)](3 β)]-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; pyrethrin II	204-462-6	121-29-9	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410			
613-025-00-2	cinerin I; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	246-948-0	25402-06-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-026-00-8	cinerin II; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate	204-454-2	121-20-0	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-027-00-3	piperidine	203-813-0	110-89-4	Flam. Liq. 2 Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B	H225 H331 H311 H314	GHS02 GHS06 GHS05 Dgr	H225 H331 H311 H314		(*)	
613-028-00-9	morpholine	203-815-1	110-91-8	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dg	H226 H332 H312 H302 H314			
613-029-00-4	dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid	220-487-5	2782-57-2	Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410	EUH031		T
613-030-00-X	troclosene potassium; [1] troclosene sodium [2]	218-828-8 [1] 220-767-7 [2]	2244-21-5 [1] 2893-78-9 [2]	Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410	EUH031	(*) STOT SE 3; H335: C ≥ 10 % EUH031: C ≥ 10 %	
613-030-01-7	troclosene sodium, dihydrate	220-767-7	51580-86-0	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H410	EUH031		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-031-00-5	symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriion	201-782-8	87-90-1	Ox. Sol. 2 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410	EUH031		
613-032-00-0	methyl-2,3,5,6-tetrachloro-4-pyridylsulphone; 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine	236-035-5	13108-52-6	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1	H312 H302 H319 H317	GHS07 Wng	H312 H302 H319 H317			
613-033-00-6	2-methylaziridine; propyleneimine	200-878-7	75-55-8	Flam. Liq. 2 Carc. 1B Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Eye Dam. 1 Aquatic Chronic 2	H225 H350 H330 H310 H300 H318 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H330 H310 H300 H318 H411		Carc. 1B; H350: C ≥ 0,01 %	
613-034-00-1	1,2-dimethylimidazole	217-101-2	1739-84-0	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1	H302 H315 H318	GHS05 GHS07 Dgr	H302 H315 H318			
613-035-00-7	1-methylimidazole	210-484-7	616-47-7	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Corr. 1B	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314			
613-036-00-2	2-methylpyridine; 2-picoline	203-643-7	109-06-8	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3	H226 H332 H312 H302 H319 H335	GHS02 GHS07 Wng	H226 H332 H312 H302 H319 H335			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-037-00-8	4-methylpyridine; 4-picoline	203-626-4	108-89-4	Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H226 H311 H332 H302 H319 H335 H315	GHS02 GHS06 Dgr	H226 H311 H332 H302 H319 H335 H315			
613-038-00-3	6-phenyl-1,3,5-triazine-2,4-diyl diamine; 6-phenyl-1,3,5-triazine-2,4-diamine; benzoguanamine	202-095-6	91-76-9	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
613-039-00-9	ethylene thiourea; imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9	96-45-7	Repr. 1B Acute Tox. 4 (*)	H360D (*) (*) (*) H302	GHS08 GHS07 Dgr	H360D (*) (*) (*) H302			
613-040-00-4	azacozazole (ISO); 1-[[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	262-102-3	60207-31-0	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-041-00-X	morpholine-4-carbonyl chloride	239-213-0	15159-40-7	Carc. 2 Eye Irrit. 2 Skin Irrit. 2	H351 H319 H315	GHS08 Wng	H351 H319 H315	EUH014		
613-042-00-5	imazalil (ISO); 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	252-615-0	35554-44-0	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H332 H302 H318 H410			
613-043-00-0	imazalil sulphate (ISO) powder; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2]	261-351-5 [1] 281-291-3 [2]	58594-72-2 [1] 83918-57-4 [2]	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-043-01-8	imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate [2]	261-351-5 [1] 281-291-3 [2]	58594-72-2 [1] 83918-57-4 [2]	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Wng	H302 H314 H317 H410		Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 30 % ≤ C < 50 % Eye Dam. 1; H318: 15 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	
613-044-00-6	captan (ISO); 1,2,3,6-tetrahydro-N-(trichloromethylthio)phthalimide	205-087-0	133-06-2	Carc. 2 Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H351 H331 H318 H317 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H331 H318 H317 H400			
613-045-00-1	folpet (ISO); N-(trichloromethylthio)phthalimide	205-088-6	133-07-3	Carc. 2 Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H351 H332 H319 H317 H400	GHS08 GHS07 GHS09 Wng	H351 H332 H319 H317 H400			
613-046-00-7	captafol (ISO); 1,2,3,6-tetrahydro-N-(1,1,2,2-tetrachloroethylthio)phthalimide	219-363-3	2425-06-1	Carc. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H317 H400 H410	GHS08 GHS09 Dgr	H350 H317 H410			
613-047-00-2	1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate; dimetilan (ISO)	211-420-0	644-64-4	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-048-00-8	carbendazim (ISO); methyl benzimidazol-2-ylcarbamate	234-232-0	10605-21-7	Muta. 1B Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H340 H360FD H400 H410	GHS08 GHS09 Dgr	H340 H360FD H410			
613-049-00-3	benomyl (ISO); methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate	241-775-7	17804-35-2	Muta. 1B Repr. 1B STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H340 H360FD H335 H315 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H340 H360FD H335 H315 H317 H410	M=10		
613-050-00-9	carbadox (INN); methyl 3-(quinoxalin-2-ylmethylene)carbazate 1,4-dioxide; 2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide	229-879-0	6804-07-5	Flam. Sol. 1 Carc. 1B Acute Tox. 4 (*)	H228 H350 H302	GHS02 GHS08 GHS07 Dgr	H228 H350 H302			T
613-051-00-4	molinate (ISO); S-ethyl 1-perhydroazepinecarbothioate; S-ethyl perhydroazepine-1-carbothioate	218-661-0	2212-67-1	Carc. 2 Repr. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H361f (*)(*)(*) H332 H302 H373 (*)(*) H317 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H361f (*) (*)(*) H332 H302 H373 (*) H317 H410	M=100		
613-052-00-X	trifenmorph (ISO); 4-tritylmorpholine	215-812-2	1420-06-0	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-053-00-5	anilazine (ISO); 2-chloro-N-(4,6-dichloro-1,3,5-triazin-2-yl)aniline	202-910-5	101-05-3	Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H400 H410	GHS07 GHS09 Wng	H319 H315 H410			
613-054-00-0	thiabendazol (ISO); 2-(thiazole-4-yl)benzimidazole	205-725-8	148-79-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-056-00-1	1,2-dimethyl-3,5-diphenylpyrazolium methylsulphate; difenzoquat methyl sulfate	256-152-5	43222-48-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS09 Wng	H302 H410			
613-057-00-7	dodemorph (ISO); 4-cyclododecyl-2,6-dimethylmorpholine	216-474-9	1593-77-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H319 H335 H315 H411	GHS07 GHS09 Wng	H319 H335 H315 H411			
613-058-00-2	permethrin (ISO); <i>m</i> -phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	258-067-9	52645-53-1	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H317 H400 H410	GHS07 GHS09 Wng	H332 H302 H317 H410		M=1000	
613-059-00-8	profluralin (ISO); N-(cyclopropylmethyl)- α , α , α -trifluoro-2,6-dinitro-N-propyl-p-toluidine	247-656-6	26399-36-0	Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H400 H410	GHS07 GHS09 Wng	H319 H410			
613-060-00-3	resmethrin (ISO); 5-benzyl-3-furylmethyl (\pm)- <i>cis</i> — <i>trans</i> -chrysanthemate	233-940-7	10453-86-8	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-061-00-9	6-(1 α ,5 α ,8 α ,9-pentahydroxy-7 β -isopropyl-2 β ,5 β ,8 β -trimethylperhydro-8 β ,9-epoxy-5,8-ethanocyclopenta[1,2-b]indenyl) pyrrole-2-carboxylate; ryania	239-732-2	15662-33-6	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
613-062-00-4	sabadilla (ISO); veratrine	—	8051-02-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315			
613-063-00-X	secbumeton (ISO); 2-sec-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine	247-554-1	26259-45-0	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H400 H410	GHS07 GHS09 Wng	H302 H319 H410			
613-064-00-5	5-(3,6,9-trioxa-2-undecyloxy)benzo(d)-1,3-dioxolane; sesamex	—	51-14-9	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-065-00-0	simetryn (ISO); 2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine	213-801-7	1014-70-6	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-066-00-6	terbumeton (ISO); 2-tert-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine	251-637-8	33693-04-8	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-067-00-1	propazine(ISO); 2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine	205-359-9	139-40-2	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-068-00-7	atrazine (ISO); 2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine	217-617-8	1912-24-9	STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*)(*) H317 H400 H410	GHS08 GHS09 Wng	H373 (*)(*) H317 H410			
613-069-00-2	ε-caprolactam	203-313-2	105-60-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H332 H302 H319 H335 H315	GHS07 Wng	H332 H302 H319 H335 H315			
613-070-00-8	propylenethiourea	—	2122-19-2	Repr. 2 Acute Tox. 4 (*) Aquatic Chronic 3	H361d (*)(*)(*) H302 H412	GHS08 GHS07 Wng	H361d (*) (*)(*) H302 H412			
613-071-00-3	2-fluoro-5-trifluoromethylpyridine	400-290-2	69045-82-5	Flam. Liq. 3 Skin Sens. 1 Aquatic Chronic 3	H226 H317 H412	GHS02 GHS07 Wng	H226 H317 H412			
613-072-00-9	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	401-280-0	91273-04-0	Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H314 H317 H411			
613-073-00-4	N,N-dimethyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-ylphenylsulphonyl)ethylamine	401-410-6	10357-99-0	STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H373 (*)(*) H317 H411	GHS08 GHS09 Wng	H373 (*)(*) H317 H411			
613-074-00-X	3-(3-methylpent-3-yl)isoxazol-5-ylamine	401-460-9	82560-06-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Eye Dam. 1 Aquatic Chronic 3	H331 H301 H318 H412	GHS06 GHS05 Dgr	H331 H301 H318 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-075-00-5	1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione	401-570-7	89415-87-2	Ox. Sol. 1 (*) (*) Acute Tox. 3 (*) Skin Corr. 1B Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1	H271 H331 H314 H302 H317 H400	GHS03 GHS06 GHS05 GHS09 Dgr	H271 H331 H314 H302 H317 H400			
613-076-00-0	3-chloro-5-trifluoromethyl-2-pyridylamine	401-670-0	79456-26-1	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
613-077-00-6	reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine	401-940-8	—	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2	H302 H319 H411	GHS07 GHS09 Wng	H302 H319 H411			
613-078-00-1	N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	401-990-0	106990-43-6	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-079-00-7	4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers	402-520-7	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H315 H317 H400 H410	GHS07 GHS09 Wng	H312 H302 H315 H317 H410			
613-080-00-2	3-(bis(2-ethylhexyl)aminomethyl)benzothiazole-2(3H)-thione	402-540-6	105254-85-1	Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H317 H410			
613-081-00-8	1-butyl-2-methylpyridinium bromide	402-680-8	26576-84-1	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-082-00-3	2-methyl-1-pentylpyridinium bromide	402-690-2	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H312 H302 H412	GHS07 Wng	H312 H302 H412			
613-083-00-9	2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl)phenylsulfonyl)ethyl dimethylammonium formate	402-120-2	—	Skin Corr. 1B STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H314 H373 (*) H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H314 H373 (*) H317 H410			
613-084-00-4	2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulfonyl)ethyl dimethylammonium hydrogen phosphonate	402-490-5	106359-93-7	Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H400 H410	GHS07 GHS09 Wng	H319 H410			
613-085-00-X	reaction mass of 1,1'-(methylenebis(4,1-phenylene))dipyrrole-2,5-dione and N-(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2H-2-furylidena-mino)benzyl)phenyl)pyrrole-2,5-dione	401-970-1	—	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
613-086-00-5	caffeine	200-362-1	58-08-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-087-00-0	tetrahydrothiophene	203-728-9	110-01-0	Flam. Liq. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H225 H332 H312 H302 H319 H315 H412	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H315 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-088-00-6	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	220-120-9	2634-33-5	Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H302 H315 H318 H317 H400	GHS05 GHS07 GHS09 Dgr	H302 H315 H318 H317 H400		Skin Sens. 1; H317: C ≥ 0,05 %	
613-089-00-1	diquat dibromide; [1] diquat dichloride; [2] 6,7-dihydrodipyrido[1,2-α:2',1'-c]pyrazine- diylum dihydroxide [3]	201-579-4 [1] 223-714-6 [2] 301-467-6 [3]	85-00-7 [1] 4032-26-2 [2] 94021-76-8 [3]	Acute Tox. 2 (*) STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H372 (*) H302 H319 H335 H315 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H372 (*) H302 H319 H335 H315 H317 H410			
613-090-00-7	paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride; [1] paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2]	217-615-7 [1] 218-196-3 [2]	1910-42-5 [1] 2074-50-2 [2]	Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H330 H311 H301 H372 (*) H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H311 H301 H372 (*) H319 H335 H315 H410			
613-091-00-2	morfamquat dichloride; [1] morfamquat sulfate [2]	225-062-8 [1] -[2]	4636-83-3 [1] 29873-36-7 [2]	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H302 H319 H335 H315 H412	GHS07 Wng	H302 H319 H335 H315 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-092-00-8	1,10-phenanthroline	200-629-2	66-71-7	Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			
613-093-00-3	hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate	400-050-7	85153-92-0	Resp. Sens. 1 Skin Sens. 1	H334 H317	GHS08 Dgr	H334 H317			
613-094-00-9	4-methoxy-N,6-dimethyl-1,3,5-triazin-2-ylamine	401-360-5	5248-39-5	Acute Tox. 4 (*) STOT RE 2 (*)	H302 H373 (*)(*)	GHS08 GHS07 Wng	H302 H373 (*)			
613-095-00-4	sodium 3-(2H-benzotriazol-2-yl)-5-sec-butyl-4-hydroxybenzenesulfonate	403-080-9	92484-48-5	Eye Dam. 1	H318	GHS05 Dgr	H318			
613-096-00-X	2-amino-6-ethoxy-4-methylamino-1,3,5-triazine	403-580-7	62096-63-3	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-097-00-5	7-amino-3-((5-carboxymethyl-4-methyl-1,3-thiazol-2-ylthio)methyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid	403-690-5	111298-82-9	Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H334 H317 H412	GHS08 Dgr	H334 H317 H412			
613-098-00-0	N-(n-octyl)-2-pyrrolidone	403-700-8	2687-94-7	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411			
613-099-00-6	1-dodecyl-2-pyrrolidone	403-730-1	2687-96-9	Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H314 H317 H410			
613-100-00-X	2,9-bis(3-(diethylamino)propylsulfamoyl)quino(2,3-b)acridine-7,14-dione	404-230-6	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-101-00-5	N—tert-pentyl-2-benzothiazolesulfenamide	404-380-2	110799-28-5	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
613-102-00-0	dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine	404-200-2	110488-70-5	Aquatic Chronic 2	H411	GHS09	H411			
613-103-00-6	sodium 5-n-butylbenzotriazole	404-450-2	118685-34-0	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H302 H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H314 H317 H411			
613-104-00-1	5-tert-butyl-3-isoxazolylamine hydrochloride	404-840-2	—	Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H373 (*)(*) H318 H412	GHS08 GHS05 GHS07 Dgr	H302 H373 (*) H318 H412			
613-105-00-7	hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino) bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate)	405-160-9	124537-30-0	Acute Tox. 3 (*) Skin Sens. 1 Aquatic Chronic 3	H301 H317 H412	GHS06 Dgr	H301 H317 H412			
613-106-00-2	tetrapotassium 2-(4-(5-(1-(2,5-disulfonato-phenyl)-3-ethoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidene)-3-ethoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzene-1,4-disulfonate	405-240-3	—	Skin Sens. 1	H317	GHS07 Wng	H317			
613-107-00-8	hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-(N-cyanoethyl-N-(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)dibenzene-1,4-disulfonate	405-280-1	76508-02-6	Eye Irrit. 2	H319	GHS07 Wng	H319			
613-108-00-3	benzothiazole-2-thiol	205-736-8	149-30-4	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-109-00-9	bis(piperidinothiocarbonyl) disulphide	202-328-1	94-37-1	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H319 H335 H315 H317	GHS07 Wng	H319 H335 H315 H317			
613-110-00-4	dimepiperate (ISO); S-(1-methyl-1-phenylethyl) piperidine-1-carbothioate	262-784-2	61432-55-1	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
613-111-00-X	1,2,4-triazole	206-022-9	288-88-0	Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2	H361d (*)(*)(*) H302 H319	GHS08 GHS07 Wng	H361d (*)(*)(*) (*) H302 H319			
613-112-00-5	octhilonone (ISO); 2-octyl-2H-isothiazol-3-one	247-761-7	26530-20-1	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H302 H314 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H311 H302 H314 H317 H410		Skin Sens. 1; H317: C ≥ 0,05 %	
613-113-00-0	2-(morpholinothio)benzothiazole	203-052-4	102-77-2	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H315 H317 H411	GHS07 GHS09 Wng	H319 H315 H317 H411			
613-114-00-6	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol; 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	225-208-0	4719-04-4	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317		Skin Sens. 1; H317: C ≥ 0,1 %	
613-115-00-1	hymexazol (ISO); 3-hydroxy-5-methylisoxazole	233-000-6	10004-44-1	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412	GHS05 GHS07 Dgr	H302 H318 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-116-00-7	tolylfluamid (ISO); dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl)methanesulphenamide	211-986-9	731-27-1	Acute Tox. 3 (*) STOT RE 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H373 (*)(*) H319 H335 H315 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H373 (*) H319 H335 H315 H317 H410			
613-117-00-2	diniconazole (ISO); (E)-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-dimethylethyl)-1H-1,2,4-triazol-1-ethanol; (E)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pent-1-en-3-ol	—	76714-88-0	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-118-00-8	flubenzimine (ISO); N-[3-phenyl-4,5-bis[(trifluoromethyl)imino]thiazolidin-2-ylidene]aniline	253-703-1	37893-02-0	Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H319 H400 H410	GHS07 GHS09 Wng	H319 H410			
613-119-00-3	(benzothiazol-2-ylthio)methyl thiocyanate; TCMTB	244-445-0	21564-17-0	Acute Tox. 2 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H330 H302 H319 H315 H317 H400 H410	GHS06 GHS09 Dgr	H330 H302 H319 H315 H317 H410			
613-120-00-9	bioresmethrin; (5-bezylfur-3-yl)methyl(1R)-trans-2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	249-014-0	28434-01-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-121-00-4	chlorsulfuron (ISO); 2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide	265-268-5	64902-72-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-122-00-X	diclobutrazole (ISO); (R ^(*) , R ^(*))-(±)-β-[(2,4-dichlorophenyl)methyl]-α-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol; (2RS, 3RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol	—	75736-33-3	Eye Irrit. 2 Aquatic Chronic 2	H319 H411	GHS07 GHS09 Wng	H319 H411			
613-123-00-5	5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole-3-thione; etem	251-684-4	33813-20-6	Acute Tox. 4 ^(*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-124-00-0	fenpropimorph (ISO); cis-4-[3-(p-tert-butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine	266-719-9	67564-91-4	Repr. 2 Acute Tox. 4 ^(*) Skin Irrit. 2 Aquatic Chronic 2	H361d ^(*) ^(*) ^(*) H302 H315 H411	GHS08 GHS07 GHS09 Wng	H361d ^(*) ^(*) ^(*) H302 H315 H411			
613-125-00-6	hexythiazox(ISO); trans-5-(4-chlorophenyl)-N-cyclohexyl-4-methyl-2-oxo-3-thiazolidine-carboxamide	—	78587-05-0	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-126-00-1	imazapyr (ISO); 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridine carboxylate	—	81334-34-1	Eye Irrit. 2 Aquatic Chronic 3	H319 H412	GHS07 Wng	H319 H412			
613-127-00-7	1,1-dimethylpiperidinium chloride; mepiquat chloride	246-147-6	24307-26-4	Acute Tox. 4 ^(*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-128-00-2	prochloraz (ISO); N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]-1H-imidazole-1-carboxamide	266-994-5	67747-09-5	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-129-00-8	metamitron (ISO); 4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one	255-349-3	41394-05-2	Acute Tox. 4 (*) Aquatic Acute 1	H302 H400	GHS07 GHS09 Wng	H302 H400			
613-131-00-9	pyroquilon (ISO); 1,2,5,6-tetrahydropyrrolo[3,2,1-ij]quinolin-4-one	—	57369-32-1	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
613-132-00-4	hexazinone (ISO); 3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione	257-074-4	51235-04-2	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H400 H410	GHS07 GHS09 Wng	H302 H319 H410			
613-133-00-X	etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole	219-991-8	2593-15-9	Carc. 2 Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H351 H331 H312 H302 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H331 H312 H302 H410			
613-134-00-5	myclobutanil(ISO); 2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl)hexanenitrile	—	88671-89-0	Repr. 2 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 2	H361d (*)(*)(*) H302 H319 H411	GHS08 GHS07 GHS09 Wng	H361d (*)(*)(*) (*) H302 H319 H411			
613-135-00-0	di(benzothiazol-2-yl) disulphide	204-424-9	120-78-5	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410	EUH031		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-136-00-6	N-cyclohexylbenzothiazole-2-sulphenamide	202-411-2	95-33-0	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
613-137-00-1	methabenzthiazuron (ISO); 1-(1,3-benzothiazol-2-yl)1,3-dimethylurea	242-505-0	18691-97-9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-138-00-7	quinoxifen (ISO); 5,7-dichloro-4-(4-fluorophenoxy)quinoline	—	124495-18-7	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
613-139-00-2	metsulfuron-methyl; 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl) benzoic acid	—	74223-64-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-140-00-8	cycloheximide (ISO); 4-((2R)-2-((1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl)piperidine-2,6-dione	200-636-0	66-81-9	Muta. 2 Repr. 1B Acute Tox. 2 (*) Aquatic Chronic 2	H341 H360D (*) H300 H411	GHS06 GHS08 GHS09 Dgr	H341 H360D (*) H300 H411			
613-141-00-3	1,4-diamino-2-(2-butyltetrazol-5-yl)-3-cyanoanthraquinone	401-470-3	93686-63-6	Aquatic Chronic 4	H413	—	H413			
613-142-00-9	<i>trans</i> -N-methyl-2-styryl-[4'-aminomethine-(1-acetyl-1-(2-methoxyphenyl)acetamido)]pyridinium acetate	405-860-4	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-143-00-4	1-(3-phenylpropyl)-2-methylpyridinium bromide	405-930-4	10551-42-5	Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Chronic 3	H302 H319 H412	GHS07 Wng	H302 H319 H412			
613-144-00-X	reaction products of: poly(vinyl acetate), partially hydrolyzed, with (E)-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate	406-460-2	125139-08-4	Aquatic Chronic 3	H412	—	H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-145-00-5	(S)-3-benzyloxycarbonyl-1,2,3,4-tetrahydroisoquinolinium 4-methylbenzenesulfonate	406-960-0	77497-97-3	Aquatic Chronic 2	H411	GHS09	H411			
613-146-00-0	N-ethyl-N-methylpiperidinium iodide	407-780-5	4186-71-4	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
613-147-00-6	4-[2-(1-methyl-2-(4-morpholinyl)ethoxy)ethyl]morpholine	407-940-4	111681-72-2	Eye Dam. 1	H318	GHS05 Dgr	H318			
613-148-00-1	tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthrachinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane	411-240-4	143683-23-2	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
613-149-00-7	pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one	405-700-3	96489-71-3	Acute Tox. 3 (*) Acute Tox. 3 (*) Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410			
613-150-00-2	2,2'-[3,3'-(piperazine-1,4-diyl)dipropyl]bis(1H-benzimidazo[2,1-b]benzo[l,m,n][3,8]phenanthroline-1,3,6-trione	406-295-6	—	Aquatic Chronic 4	H413	—	H413			
613-151-00-8	1-(3-mesyloxy-5-trityloxymethyl-2-D-thiofuryl)thymine	406-360-9	104218-44-2	Aquatic Chronic 4	H413	—	H413			
613-152-00-3	phenyl N-(4,6-dimethoxypyrimidin-2-yl)carbamate	406-600-2	89392-03-0	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-153-00-9	2,3,5-trichloropyridine	407-270-2	16063-70-0	Aquatic Chronic 3	H412	—	H412			
613-154-00-4	2-amino-4-chloro-6-methoxypyrimidine	410-050-9	5734-64-5	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-155-00-X	5-chloro-2,3-difluoropyridine	410-090-7	89402-43-7	Flam. Liq. 3 Acute Tox. 4 (*) Aquatic Chronic 3	H226 H302 H412	GHS02 GHS07 Wng	H226 H302 H412			
613-156-00-5	2-butyl-4-chloro-5-formylimidazole	410-260-0	83857-96-9	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-157-00-0	2,4-diamino-5-methoxymethylpyrimidine	410-330-0	54236-98-5	Acute Tox. 4 (*) STOT RE 2 (*) Eye Irrit. 2	H302 H373 (*)(*) H319	GHS08 GHS07 Wng	H302 H373 (*) H319			
613-158-00-6	2,3-dichloro-5-trifluoromethyl-pyridine	410-340-5	69045-84-7	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H332 H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H332 H302 H318 H317 H411			
613-159-00-1	fenazaquin (ISO); 4-[2-[4-(1,1-dimethylethyl)phenyl]-ethoxy] quinazoline	410-580-0	120928-09-8	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H301 H332 H400 H410	GHS06 GHS09 Dgr	H301 H332 H410			
613-160-00-7	(1S)-2-methyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide	411-000-9	125224-62-6	Skin Sens. 1	H317	GHS07 Wng	H317			
613-163-00-3	azimsulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2H-tetrazol-5-yl)pyrazol-5-ylsulfonyl]urea	—	120162-55-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-164-00-9	flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide	—	142459-58-3	Acute Tox. 4 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 (*)(*) H317 H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 (*)(*) H317 H410			
613-165-00-4	flupyrsulfuron-methyl-sodium (ISO); methyl 2-[[[4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]-6-trifluoromethyl]nicotinate, monosodium salt	—	144740-54-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-166-00-X	flumioxazin (ISO); N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboxamide	—	103361-09-7	Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H360D (*)(*) (*) H400 H410	GHS08 GHS09 Dgr	H360D (*) (*)(*) H410			
613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	—	55965-84-9	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H314 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H317 H410	Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 %		
613-168-00-0	1-vinyl-2-pyrrolidone	201-800-4	88-12-0	Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) STOT SE 3 Eye Dam. 1	H351 H332 H312 H302 H373 (*)(*) H335 H318	GHS06 GHS05 GHS09 Dgr	H351 H332 H312 H302 H373 (*)(*) H335 H318			D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-169-00-6	9-vinylcarbazole	216-055-0	1484-13-5	Muta. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H312 H302 H315 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H341 H312 H302 H315 H317 H410			
613-170-00-1	2,2-ethylmethylthiazolidine	404-500-3	694-64-4	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			
613-171-00-7	hexaconazole (ISO); (RS)-2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)hexan-2-ol	413-050-7	79983-71-4	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H302 H317 H411	GHS07 GHS09 Wng	H302 H317 H411			
613-172-00-2	5-chloro-1,3-dihydro-2H-indol-2-one	412-200-9	17630-75-0	Repr. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 3	H361f (*)(*) H302 H317 H412	GHS08 GHS07 Wng	H361f (*) (*) H302 H317 H412			
613-173-00-8	fluquinconazole (ISO); 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4-(3H)-one	411-960-9	136426-54-5	Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H372 (*) H312 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H372 (*) H312 H315 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-174-00-3	(±) 2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroethylether	407-760-6	112281-77-3	Carc. 2 Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H351 H332 H302 H411	GHS08 GHS07 GHS09 Wng	H351 H332 H302 H411			
613-175-00-9	epoxiconazole(ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane	406-850-2	133855-98-8	Carc. 2 Repr. 2 Aquatic Chronic 2	H351 H361fd H411	GHS08 GHS09 Wng	H351 H361fd H411			
613-176-00-4	2-methyl-2-azabicyclo[2.2.1]heptane	404-810-9	4524-95-2	Flam. Liq. 3 Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B	H226 H312 H302 H373 (*) H314	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H312 H302 H373 (*) H314			
613-177-00-X	8-amino-7-methylquinoline	412-760-4	5470-82-6	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Sens. 1 Aquatic Chronic 2	H312 H302 H317 H411	GHS07 GHS09 Wng	H312 H302 H317 H411			
613-178-00-5	4-ethyl-2-methyl-2-isopentyl-1,3-oxazolidine	410-470-2	137796-06-6	Skin Corr. 1B Skin Sens. 1	H314 H317	GHS05 GHS07 Dgr	H314 H317		STOT SE 3; H335: C ≥ 5 %	
613-179-00-0	lithium 3-oxo-1,2(2H)-benzisothiazol-2-ide	411-690-1	111337-53-2	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H302 H314 H317 H411	GHS05 GHS07 Dgr	H302 H314 H317 H411			
613-180-00-6	N-(1,1-dimethylethyl)bis(2-benzothiazole-sulfen)amide	407-430-1	3741-80-8	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-181-00-1	5,5-dimethyl-perhydro-pyrimidin-2-one α -(4-trifluoromethylstyryl)- α -(4-trifluoromethyl)cinnamylidenehydrazone	405-090-9	67485-29-4	STOT RE 1 Acute Tox. 4 (*) Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H372 (*) H302 H319 H400 H410	GHS08 GHS07 GHS09 Dgr	H372 (*) H302 H319 H410			
613-182-00-7	1-(1-naphthylmethyl)quinolinium chloride	406-220-7	65322-65-8	Carc. 2 Muta. 2 Acute Tox. 4 (*) Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H351 H341 H302 H315 H318 H412	GHS08 GHS05 GHS07 Dgr	H351 H341 H302 H315 H318 H412			
613-183-00-2	reaction mass of: 5-(N-methylperfluorooctylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one; 5-(N-methylperfluoroheptylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one	413-640-4	—	STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H373 (*) H400 H410	GHS08 GHS09 Wng	H373 (*) H410			
613-184-00-8	nitrilotriethyleneammonio propane-2-ol 2-ethylhexanoate	413-670-8	—	Eye Irrit. 2 Skin Sens. 1	H319 H317	GHS07 Wng	H319 H317			
613-185-00-3	2,3,5,6-tetrahydro-2-methyl-2H-cyclopenta[d]-1,2-thiazol-3-one	407-630-9	82633-79-2	Acute Tox. 3 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H318 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H301 H318 H317 H410			
613-186-00-9	(2R,3R)-3-((R)-1-(tert-butyl dimethylsiloxy)ethyl)-4-oxoazetidin-2-yl acetate	408-050-9	76855-69-1	Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H317 H411	GHS07 GHS09 Wng	H319 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-188-00-X	1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone	411-500-7	116256-11-2	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			
613-189-00-5	1,4,7,10-tetrakis(p-toluensulfonyl)-1,4,7,10-tetraazacyclododecane	414-030-0	52667-88-6	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
613-190-00-0	disodium 1-amino-4-(2-(5-chloro-6-fluoropyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate	414-040-5	149530-93-8	Acute Tox. 4 (*) Skin Sens. 1	H302 H317	GHS07 Wng	H302 H317			
613-191-00-6	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	Repr. 1B Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H360F (*)(*)(*) H314 H400 H410	GHS08 GHS05 GHS09 Dgr	H360F (*) (*) H314 H410			
613-193-00-7	pentakis[3-(dimethylammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetramethyl-4,8-diazoniaundecane-1,11-diyl)disulfamoyl]di[phthalocyaninecopper(II)] heptalactate	414-930-3	—	Aquatic Chronic 2	H411	GHS09	H411			
613-194-00-2	6,13-dichloro-3,10-bis[2-[4-fluoro-6-(2-sulfo-phenylamino)-1,3,5-triazin-2-ylamino]propylamino]benzo[5,6][1,4]oxazino[2,3-b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt	418-000-8	163062-28-0	Eye Dam. 1	H318	GHS05 Dgr	H318			
613-195-00-8	2,2-(1,4-phenylene)bis((4H-3,1-benzoxazine-4-one)	418-280-1	18600-59-4	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-196-00-3	5-[[4-chloro-6-[[2-[[4-fluoro-6-[[5-hydroxy-6-[[4-methoxy-2-sulfo-phenyl]azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methylethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphtalene-2,7-disulfonic acid, sodium salt	418-380-5	168113-78-8	Eye Dam. 1	H318	GHS05 Dgr	H318			
613-197-00-9	reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine; 2,4,6-tri(methylcarbamoyl)-1,3,5-triazine; [(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine; [(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine	420-390-1	187547-46-2	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-199-00-X	reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione; reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazin-1-yl]-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione	421-550-1	—	Carc. 1B Repr. 1B Skin Sens. 1 Aquatic Chronic 3	H350 H360D D ^(*) ^(*) ^(*) H317 H412	GHS08 Dgr	H350 H360D ^(*) ^(*) ^(*) H317 H412			
613-200-00-3	Reaction product of: copper, (29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2-)-N29,N30,N31,N32)-, chlorosulfuric acid and 3-(2-sulfooxyethyl-sulfonyl)aniline, sodium salts	420-980-7	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
613-201-00-9	(<i>R</i>)-5-bromo-3-(1-methyl-2-pyrrolidinyl methyl)-1 <i>H</i> -indole	422-390-5	143322-57-0	Repr. 2 STOT RE 1 Acute Tox. 4 ^(*) Acute Tox. 4 ^(*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361f ^(*) ^(*) ^(*) H372 ^(*) ^(*) H332 H302 H317 H400 H410	GHS08 GHS07 GHS09 Dgr	H361f ^(*) ^(*) ^(*) H372 ^(*) ^(*) H332 H302 H317 H410	EUH070		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-202-00-4	pymetrozine (ISO); (E)-4,5-dihydro-6-methyl-4-(3-pyridylmethyl)amino-1,2,4-triazin-3(2H)-one	—	123312-89-0	Carc. 2 Aquatic Chronic 3	H351 H412	GHS08 Wng	H351 H412			
613-203-00-X	pyraflufen-ethyl; [1] pyraflufen [2]	-[1] -[2]	129630-19-9 [1] 129630-17-7 [2]	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-204-00-5	oxadiargyl (ISO); 3-[2,4-dichloro-5-(2-propynyloxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one; 5-tert-butyl-3-[2,4-dichloro-5-(prop-2-ynoxy)phenyl]-1,3,4-oxadiazol-2(3H)-one	254-637-6	39807-15-3	Repr. 2 STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H361d (*)(*) H373 (*) H400 H410	GHS08 GHS09 Wng	H361d (*) (*) H373 (*) H410			
613-205-00-0	propiconazole(ISO); (±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole	262-104-4	60207-90-1	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
613-206-00-6	fenamidone (ISO); (S)-5-methyl-2-methylthio-5-phenyl-3-phenylamino-3,5-dihydroimidazol-4-one	—	161326-34-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-208-00-7	imazamox (ISO); (RS)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methoxymethylnicotinic acid	—	114311-32-9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-209-00-2	cis-1-(3-chloropropyl)-2,6-dimethyl-piperidin hydrochloride	417-430-3	63645-17-0	Acute Tox. 3 (*) STOT RE 2 (*) Skin Sens. 1 Aquatic Chronic 2	H301 H373 (*) H317 H411	GHS06 GHS08 GHS09 Dgr	H301 H373 (*) H317 H411			
613-210-00-8	2-(3-chloropropyl)-2,5,5-trimethyl-1,3-dioxane	417-650-1	88128-57-8	STOT RE 2 (*) Aquatic Chronic 3	H373 (*) H412	GHS08 Wng	H373 (*) H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-211-00-3	N-methyl-4-(<i>p</i> -formylstyryl)pyridinium methylsulfate	418-240-3	74401-04-0	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
613-212-00-9	4-[4-(2-ethylhexyloxy)phenyl](1,4-thiazinane-1,1-dioxide)	418-320-8	133467-41-1	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
613-213-00-4	<i>cis</i> -1-benzoyl-4-[(4-methylsulfonyl)oxy]-L-proline	416-040-0	120807-02-5	Aquatic Chronic 3	H412	—	H412			
613-214-00-X	N,N-di- <i>n</i> -butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolydene)-1,3-dioxindan-5-carboxamide	416-260-7	147613-95-4	Aquatic Chronic 4	H413	—	H413			
613-215-00-5	2-chloromethyl-3,4-dimethoxypyridinium chloride	416-440-5	72830-09-2	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H312 H302 H373 (*)(*) H315 H318 H317 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H312 H302 H373 (*) H315 H318 H317 H411			
613-216-00-0	6- <i>tert</i> -butyl-7-(6-diethylamino-2-methyl-3-pyridylimino)-3-(3-methylphenyl)pyrazolo [3,2- <i>c</i>][1,2,4]triazole	416-490-8	162208-01-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-217-00-6	4-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]-1-[2-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]ethyl]-2,2,6,6-tetramethylpiperidine	416-770-1	73754-27-5	Aquatic Chronic 4	H413	—	H413			
613-218-00-1	6-hydroxyindole	417-020-4	2380-86-1	Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H302 H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H302 H318 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-219-00-7	7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydroxazole	417-140-7	79185-77-6	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
613-220-00-2	trans-(4S,6S)-5,6-dihydro-6-methyl-4H-thieno[2,3-b]thiopyran-4-ol, 7,7-dioxide	417-290-3	147086-81-5	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
613-221-00-8	2-chloro-5-methyl-pyridine	418-050-0	18368-64-4	Acute Tox. 4 (*) Acute Tox. 4 (*) Skin Irrit. 2 Aquatic Chronic 3	H312 H302 H315 H412	GHS07 Wng	H312 H302 H315 H412			
613-222-00-3	4-(1-oxo-2-propenyl)-morpholine	418-140-1	5117-12-4	Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1	H302 H373 (*) H318 H317	GHS08 GHS05 GHS07 Dgr	H302 H373 (*) H318 H317			
613-223-00-9	N-isopropyl-3-(4-fluorophenyl)-1H-indole	418-790-4	93957-49-4	Aquatic Chronic 4	H413	—	H413			
613-224-00-4	2,5-dimercaptomethyl-1,4-dithiane	419-770-8	136122-15-1	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H317 H410			
613-225-00-X	reaction mass of:[2-(anthraquinon-1-ylamino)-6-[(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine; 2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine.	421-290-9	—	STOT RE 2 (*) Aquatic Chronic 4	H373 (*) H413	GHS08 Wng	H373 (*) H413			
613-226-00-5	1-(2-(ethyl(4-(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride	420-950-3	163831-67-2	Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H318 H400 H410	GHS05 GHS09 Dgr	H318 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
613-227-00-0	(±)-[(R ^(*) ,R ^(*)) and (R ^(*) ,S ^(*))]-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran	419-600-2	99199-90-3	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
613-228-00-6	(±)-(R ^(*) ,S ^(*))-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran	419-630-6	793669-26-8	Aquatic Chronic 2	H411	GHS09	H411			
613-230-00-7	florasulam (ISO); 2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c]; pyrimidine-2-sulfonanilide	—	145701-23-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
613-233-00-3	4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane	423-230-7	56552-15-9	Eye Dam. 1	H318	GHS05 Dgr	H318			
614-001-00-4	nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine	200-193-3	54-11-5	Acute Tox. 1 Acute Tox. 3 (*) Aquatic Chronic 2	H310 H301 H411	GHS06 GHS09 Dgr	H310 H301 H411			
614-002-00-X	salts of nicotine	—	—	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*) Aquatic Chronic 2	H330 H310 H300 H411	GHS06 GHS09 Dgr	H330 H310 H300 H411			A
614-003-00-5	strychnine	200-319-7	57-24-9	Acute Tox. 1 Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410			
614-004-00-0	salts of strychnine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H330 H300 H400 H410	GHS06 GHS09 Dgr	H330 H300 H410			A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
614-005-00-6	colchicine	200-598-5	64-86-8	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-006-00-1	brucine; 2,3-dimethoxystrychnine	206-614-7	357-57-3	Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Chronic 3	H330 H300 H412	GHS06 Dgr	H330 H300 H412			
614-007-00-7	brucine sulphate; [1] brucine nitrate; [2] strychnidin-10-one, 2,3-dimethoxy-, mono [(R)-1-methylheptyl 1,2-benzenedicarboxylate]; [3] strychnidin-10-one, 2,3-dimethoxy-, compd. with (S)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1) [4]	225-432-9 [1] 227-317-9 [2] 269-439-5 [3] 269-710-8 [4]	4845-99-2 [1] 5786-97-0 [2] 68239-26-9 [3] 68310-42-9 [4]	Acute Tox. 2 (*) Acute Tox. 2 (*) Aquatic Chronic 3	H330 H300 H412	GHS06 Dgr	H330 H300 H412			A
614-008-00-2	aconitine	206-121-7	302-27-2	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-009-00-8	salts of aconitine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			A
614-010-00-3	atropine	200-104-8	51-55-8	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-011-00-9	salts of atropine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			A
614-012-00-4	hyoscyamine	202-933-0	101-31-5	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-013-00-X	salts of hyoscyamine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			A
614-014-00-5	hyoscine	200-090-3	51-34-3	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*)	H330 H310 H300	GHS06 Dgr	H330 H310 H300			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
614-015-00-0	salts of hyoscine	—	—	Acute Tox. 2 (*) Acute Tox. 1 Acute Tox. 2 (*)	H330 H310 H300	GHS06 Dgr	H330 H310 H300			A
614-016-00-6	pilocarpine	202-128-4	92-13-7	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-017-00-1	salts of pilocarpine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			A
614-018-00-7	papaverine	200-397-2	58-74-2	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
614-019-00-2	salts of papaverine	—	—	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			A
614-020-00-8	physostigmine	200-332-8	57-47-6	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			
614-021-00-3	salts of physostigmine	—	—	Acute Tox. 2 (*) Acute Tox. 2 (*)	H330 H300	GHS06 Dgr	H330 H300			A
614-022-00-9	digitoxin	200-760-5	71-63-6	Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H331 H301 H373 (*)	GHS06 GHS08 Dgr	H331 H301 H373 (*)			
614-023-00-4	ephedrine	206-080-5	299-42-3	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
614-024-00-X	salts of ephedrine	—	—	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			A
614-025-00-5	ouabain	211-139-3	630-60-4	Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H331 H301 H373 (*)	GHS06 GHS08 Dgr	H331 H301 H373 (*)			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
614-026-00-0	strophanthin-K	234-239-9	11005-63-3	Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*)	H331 H301 H373 (*)(*)	GHS06 GHS08 Dgr	H331 H301 H373 (*)(*)			
614-027-00-6	bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β-D-glucopyranosyloxy)-8,14-dihydroxy-, (3β, 6β)-; red squill; scilliroside	208-077-4	507-60-8	Acute Tox. 2 (*)	H300	GHS06 Dgr	H300			
614-028-00-1	reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside	414-420-0	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
614-029-00-7	constitutional isomers of penta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hexa-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hepta-O-allyl-β-D-fructofuranosyl-α-D-glucopyranoside	419-640-0	68784-14-5	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
615-001-00-7	methyl isocyanate	210-866-3	624-83-9	Flam. Liq. 2 Repr. 2 Acute Tox. 2 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H225 H361d (*)(*)(*) H330 H311 H301 H335 H315 H318 H334 H317	GHS02 GHS06 GHS06 GHS08 GHS05 Dgr	H225 H361d (*)(*) (*) H330 H311 H301 H335 H315 H318 H334 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-002-00-2	methyl isothiocyanate	209-132-5	556-61-6	Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H314 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H301 H314 H317 H410			
615-003-00-8	thiocyanic acid	207-337-4	463-56-9	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H332 H312 H302 H412	GHS07 Wng	H332 H312 H302 H412	EUH032		
615-004-00-3	salts of thiocyanic acid	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H332 H312 H302 H412	GHS07 Wng	H332 H312 H302 H412	EUH032	A	
615-005-00-9	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate; [2] o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate [4]	202-966-0 [1] 219-799-4 [2] 227-534-9 [3] 247-714-0 [4]	101-68-8 [1] 2536-05-2 [2] 5873-54-1 [3] 26447-40-5 [4]	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H332 H319 H335 H315 H334 H317	GHS08 GHS07 Dgr	H332 H319 H335 H315 H334 H317	Eye Irrit.; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 %	C 2	
615-006-00-4	2-methyl-m-phenylene diisocyanate; toluene-2,4-di-isocyanate; [1] 4-methyl-m-phenylene diisocyanate; toluene-2,6-di-isocyanate; [2] m-tolylidene diisocyanate; toluene-diisocyanate [3]	202-039-0 [1] 209-544-5 [2] 247-722-4 [3]	91-08-7 [1] 584-84-9 [2] 26471-62-5 [3]	Carc. 2 Acute Tox. 2 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H351 H330 H319 H335 H315 H334 H317 H412	GHS06 GHS08 Dgr	H351 H330 H319 H335 H315 H334 H317 H412	Resp. Sens. 1; H334: C ≥ 0,1 %	C	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-007-00-X	1,5-naphthylene diisocyanate	221-641-4	3173-72-6	Acute Tox. 4 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Aquatic Chronic 3	H332 H319 H335 H315 H334 H412	GHS08 GHS07 Dgr	H332 H319 H335 H315 H334 H412			
615-008-00-5	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate	223-861-6	4098-71-9	Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 2	H331 H319 H335 H315 H334 H317 H411	GHS06 GHS08 GHS09 Dgr	H331 H319 H335 H315 H334 H317 H411	(*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens.1; H317: C ≥ 0,5 %	2	
615-009-00-0	4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate	225-863-2	5124-30-1	Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H331 H319 H335 H315 H334 H317	GHS06 GHS08 Dgr	H331 H319 H335 H315 H334 H317	(*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	2	
615-010-00-6	2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1] 2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2]	241-001-8 [1] 239-714-4 [2]	16938-22-0 [1] 15646-96-5 [2]	Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H331 H319 H335 H315 H334	GHS06 GHS08 Dgr	H331 H319 H335 H315 H334	(*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	C 2	
615-011-00-1	hexamethylene-di-isocyanate	212-485-8	822-06-0	Acute Tox. 3 (*) Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H331 H319 H335 H315 H334 H317	GHS06 GHS08 Dgr	H331 H319 H335 H315 H334 H317	(*) Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	2	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-012-00-7	4-isocyanatosulphonyltoluene; tosyl isocyanate	223-810-8	4083-64-1	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334	EUH014	Eye Irrit.; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	
615-013-00-2	cyanamide; carbanonitril	206-992-3	420-04-2	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H301 H312 H319 H315 H317	GHS06 Dgr	H301 H312 H319 H315 H317			
615-014-00-8	tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacyanoferrate	—	7276-58-6	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
615-015-00-3	1,7,7-trimethylbicyclo(2,2,1)hept-2-yl thiocyanatoacetate; isobornyl thiocyanacetate	204-081-5	115-31-1	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
615-016-00-9	potassium cyanate	209-676-3	590-28-3	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			
615-017-00-4	calcium cyanamide	205-861-8	156-62-7	Acute Tox. 4 (*) STOT SE 3 Eye Dam. 1	H302 H335 H318	GHS05 GHS07 Dgr	H302 H335 H318			
615-018-00-X	2-(2-butoxyethoxy)ethyl thiocyanate	203-985-7	112-56-1	Flam. Liq. 3 Acute Tox. 3 (*) Acute Tox. 3 (*)	H226 H311 H301	GHS02 GHS06 Dgr	H226 H311 H301			
615-019-00-5	dicyclohexylcarbodiimide	208-704-1	538-75-0	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1	H311 H302 H318 H317	GHS06 GHS05 Dgr	H311 H302 H318 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-020-00-0	methylene dithiocyanate	228-652-3	6317-18-6	Acute Tox. 2 (*) Acute Tox. 3 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1	H330 H301 H314 H317 H400	GHS06 GHS05 GHS09 Dgr	H330 H301 H314 H317 H400			
615-021-00-6	1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione; TGIC	219-514-3	2451-62-9	Muta. 1B Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H340 H331 H301 H373 (*) H318 H317 H412	GHS06 GHS08 GHS05 Dgr	H340 H331 H301 H373 (*) H318 H317 H412			
615-022-00-1	methyl 3-isocyanatosulfonyl-2-thiophene-carboxylate	410-550-7	79277-18-2	STOT RE 2 (*) Resp. Sens. 1 Skin Sens. 1	H373 (*) H334 H317	GHS08 Dgr	E; R2 H373 (*) H334 H317	EUH014		
615-023-00-7	2-(isocyanatosulfonylmethyl)benzoic acid methyl ester; (alt.):methyl 2-(isocyanatosulfonylmethyl)benzoate	410-900-9	83056-32-0	Flam. Liq. 3 Muta. 2 Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Resp. Sens. 1	H226 H341 H332 H373 (*) H318 H334	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H341 H332 H373 (*) H318 H334	EUH014		
615-024-00-2	2-phenylethylisocyanate	413-080-0	1943-82-4	Acute Tox. 3 (*) Acute Tox. 4 (*) Skin Corr. 1A Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 2	H331 H302 H314 H334 H317 H411	GHS06 GHS08 GHS05 GHS09 Dgr	H331 H302 H314 H334 H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-025-00-8	4,4'-ethylenediphenyl dicyanate	405-740-1	47073-92-7	Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H373 (*) H318 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H332 H302 H373 (*) H318 H410			
615-026-00-3	4,4'-methylenebis(2,6-dimethylphenyl cyanate)	405-790-4	101657-77-6	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
615-028-00-4	ethyl 2-(isocyanatosulfonyl)benzoate	410-220-2	77375-79-2	(*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H302 H373 (*) H318 H334 H317	GHS08 GHS05 GHS07 Dgr	E, R2 H302 H373 (*) H318 H334 H317	EUH014		
615-029-00-X	2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane	411-280-2	—	Acute Tox. 2 (*) Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H330 H302 H314 H334 H317 H412	GHS06 GHS08 GHS05 Dgr	H330 H302 H314 H334 H317 H412			
615-030-00-5	alkali salts, alkali earth salts and other salts of thiocyanic acid not mentioned elsewhere in this Annex	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 3	H332 H312 H302 H412	GHS07 Wng	H332 H312 H302 H412	EUH032		A
615-031-00-0	thallium salt of thiocyanic acid	222-571-7	3535-84-0	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Chronic 2	H332 H312 H302 H411	GHS07 GHS09 Wng	H332 H312 H302 H411	EUH032		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
615-032-00-6	metal salts of thiocyanic acid not mentioned elsewhere in this Annex	—	—	Acute Tox. 4 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H332 H312 H302 H400 H410	GHS07 GHS09 Wng	H332 H312 H302 H410	EUH032		A
616-001-00-X	N,N-dimethylformamide; dimethyl formamide	200-679-5	68-12-2	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2	H360D (*) (*) (*) H332 H312 H319	GHS08 GHS07 Dgr	H360D (*) (*) (*) H332 H312 H319			
616-002-00-5	2-fluoroacetamide	211-363-1	640-19-7	Acute Tox. 2 (*) Acute Tox. 3 (*)	H300 H311	GHS06 Dgr	H300 H311			
616-003-00-0	acrylamide; prop-2-enamide	201-173-7	79-06-1	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 3 (*) STOT RE 1 Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H350 H340 H361f (*) (*) H301 H372 (*) (*) H332 H312 H319 H315 H317	GHS06 GHS08 Dgr	H350 H340 H361f (*) (*) H301 H372 (*) H332 H312 H319 H315 H317			D
616-004-00-6	allidochlor (ISO); N,N-diallylchloroacetamide	202-270-7	93-71-0	Acute Tox. 4 (*) Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H312 H302 H319 H315 H411	GHS07 GHS09 Wng	H312 H302 H319 H315 H411			
616-005-00-1	chlorthiamid (ISO); 2,6-dichloro (thiobenzamide)	217-637-7	1918-13-4	Acute Tox. 4 (*)	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-006-00-7	dichlofluanid (ISO); N-dichlorofluoromethylthio-N',N'-dimethyl-N-phenylsulphamide	214-118-7	1085-98-9	Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H319 H317 H400 H410	GHS07 GHS09 Wng	H332 H319 H317 H410			
616-007-00-2	diphenamid (ISO); N,N-dimethyl-2,2-diphenylacetamide	213-482-4	957-51-7	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
616-008-00-8	propachlor (ISO); 2-chloro-N-isopropylacetanilide; α-chloro-N-isopropylacetanilide	217-638-2	1918-16-7	Acute Tox. 4 (*) Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H317 H400 H410	GHS07 GHS09 Wng	H302 H319 H317 H410			
616-009-00-3	propanil (ISO); 3',4'-dichloropropionanilide	211-914-6	709-98-8	Acute Tox. 4 (*) Aquatic Acute 1	H302 H400	GHS07 GHS09 Wng	H302 H400			
616-010-00-9	tosylchloramide sodium	204-854-7	127-65-1	Acute Tox. 4 (*) Skin Corr. 1B Resp. Sens. 1	H302 H314 H334	GHS08 GHS05 GHS07 Dg	H302 H314 H334	EUH031		
616-011-00-4	N,N-dimethylacetamide	204-826-4	127-19-5	Repr. 1B Acute Tox. 4 (*) Acute Tox. 4 (*)	H360D (*) (*) (*) H332 H312	GHS08 GHS07 Dgr	H360D (*) (*) (*) H332 H312		Repr. 1B; H360D: C ≥ 5 %	
616-012-00-X	N-(dichlorofluoromethylthio)phthalimide; N-(fluorodichloromethylthio)phthalimide	211-952-3	719-96-0	Skin Irrit. 2	H315	GHS07 Wng	H315			
616-013-00-5	butyraldehyde oxime	203-792-8	110-69-0	Acute Tox. 3 (*) Acute Tox. 4 (*) Eye Irrit. 2	H311 H302 H319	GHS06 Dgr	H311 H302 H319			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-014-00-0	2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime	202-496-6	96-29-7	Carc. 2 Acute Tox. 4 (*) Eye Dam. 1 Skin Sens. 1	H351 H312 H318 H317	GHS08 GHS05 GHS07 Dgr	H351 H312 H318 H317			
616-015-00-6	alachlor (ISO); 2-chloro-2',6'-diethyl-N-(methoxymethyl)acetanilide	240-110-8	15972-60-8	Carc. 2 Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H317 H410		M=10	
616-016-00-1	1-(3,4-dichlorophenylimino) thiosemicarbazide	—	5836-73-7	Acute Tox. 2 (*)	H300	GHS06 Dgr	H300			
616-017-00-7	cartap hydrochloride	239-309-2	15263-52-2	Acute Tox. 4 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H312 H302 H400 H410	GHS07 GHS09 Wng	H312 H302 H410			
616-018-00-2	N,N-diethyl-m-toluamide; deet	205-149-7	134-62-3	Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H302 H319 H315 H412	GHS07 Wng	H302 H319 H315 H412			
616-019-00-8	perfluidone (ISO); 1,1,1-trifluoro-N-(4-phenylsulphonyl- <i>o</i> -tolyl)methanesulphonamide;	253-718-3	37924-13-3	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
616-020-00-3	tebuthiuron (ISO); 1-(5- <i>tert</i> -butyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea	251-793-7	34014-18-1	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-021-00-9	thiazafuron (ISO); 1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)urea	246-901-4	25366-23-8	Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
616-022-00-4	acetamide	200-473-5	60-35-5	Carc. 2	H351	GHS08 Wng	H351			
616-023-00-X	N-hexadecyl(or octadecyl)-N-hexadecyl(or octadecyl)benzamide	401-980-6	—	Skin Irrit. 2 Skin Sens. 1	H315 H317	GHS07 Wng	H315 H317			
616-024-00-5	2-(4,4-dimethyl-2,5-dioxooxazolidin-1-yl)-2-chloro-5-(2-(2,4-di-tert-pentylphenoxy)butyramido)-4,4-dimethyl-3-oxovaleranilide	402-260-4	54942-74-4	Aquatic Chronic 4	H413	—	H413			
616-025-00-0	valinamide	402-840-7	20108-78-5	Repr. 2 Eye Irrit. 2 Skin Sens. 1	H361f (*)(*)(*) H319 H317	GHS08 Wng	H361f (*)(*)(*) (*) H319 H317			
616-026-00-6	thioacetamide	200-541-4	62-55-5	Carc. 1B Acute Tox. 4 (*) Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H350 H302 H319 H315 H412	GHS08 GHS07 Dgr	H350 H302 H319 H315 H412			
616-027-00-1	tris(2-(2-hydroxyethoxy)ethyl)ammonium 3-acetoacetamido-4-methoxybenzenesulfonate	403-760-5	—	Skin Sens. 1	H317	GHS07 Wng	H317			
616-028-00-7	N-(4-(3-(4-cyanophenyl)ureido)-3-hydroxyphenyl)-2-(2,4-di-tert-pentylphenoxy)octanamide	403-790-9	108673-51-4	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
616-029-00-2	N,N'-ethylenebis(vinylsulfonylacetamide)	404-790-1	66710-66-5	Eye Dam. 1 Skin Sens. 1	H318 H317	GHS05 GHS07 Dgr	H318 H317			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-030-00-8	ethidimuron (ISO); 1-(5-ethylsulphonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea	250-010-6	30043-49-3	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
616-031-00-3	dimethachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(2-methoxyethyl)acetamide;	256-625-6	50563-36-5	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
616-032-00-9	diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide	—	83164-33-4	Aquatic Chronic 3	H412	—	H412			
616-033-00-4	cyprofuram (ISO); N-(3-chlorophenyl)-N-(tetrahydro-2-oxo-3-furyl)cyclopropanecarboxamide	274-050-9	69581-33-5	Acute Tox. 3 (*) Acute Tox. 4 (*) Aquatic Acute 1 Aquatic Chronic 1	H301 H312 H400 H410	GHS06 GHS09 Dgr	H301 H312 H410			
616-034-00-X	pyracarbolid; (ISO); 3,4-dihydro-6-methyl-2H-pyran-5-carboxanilide	246-419-4	24691-76-7	Aquatic Chronic 3	H412	—	H412			
616-035-00-5	cymoxanil (ISO); 2-cyano-N-[(ethylamino)carbonyl]-2-(methoxyimino)acetamide	261-043-0	57966-95-7	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
616-036-00-0	2-chloroacetamide	201-174-2	79-07-2	Repr. 2 Acute Tox. 3 (*) Skin Sens. 1	H361f (*)(*)(*) H301 H317	GHS06 GHS08 Dgr	H361f (*)(*)(*) (*) H301 H317		Skin Sens. 1; H317: C ≥ 0,1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-037-00-6	acetochlor (ISO); 2-chloro-N-(ethoxymethyl)-N-(2-ethyl-6-methylphenyl)acetamide	251-899-3	34256-82-1	Acute Tox. 4 (*) STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H332 H335 H315 H317 H400 H410	GHS07 GHS09 Wng	H332 H335 H315 H317 H410			
616-038-00-1	(4-aminophenyl)-N-methylmethylsulfonamide hydrochloride	406-010-5	88918-84-7	Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H318 H317 H411	GHS05 GHS07 GHS09 Dgr	H318 H317 H411			
616-039-00-7	3',5'-dichloro-4'-ethyl-2'-hydroxypalmitanilide	406-200-8	117827-06-2	Skin Sens. 1	H317	GHS07 Wng	H317			
616-040-00-2	potassium N-(4-toluenesulfonyl)-4-toluenesulfonamide	406-650-5	97888-41-0	Eye Dam. 1	H318	GHS05 Dgr	H318			
616-041-00-8	3',5'-dichloro-2-(2,4-di-tert-pentylphenoxy)-4'-ethyl-2'-hydroxyhexananilide	406-840-8	101664-25-9	Aquatic Chronic 4	H413	—	H413			
616-042-00-3	N-(2-(6-ethyl-7-(4-methylphenoxy)-1H-pyrazolo[1,5-b][1,2,4]triazol-2-yl)propyl)-2-octadecyloxybenzamide	407-070-5	142859-67-4	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
616-043-00-9	isoxaben (ISO); N-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide	407-190-8	82558-50-7	Aquatic Chronic 4	H413	—	H413			
616-044-00-4	N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-2-(3-pentadecylphenoxy)-butanamide	402-510-2	—	Aquatic Chronic 2	H411	GHS09	H411			
616-045-00-X	2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide	405-190-2	122371-93-1	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-046-00-5	N-(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-di-tert-pentylphenoxy)octanamide	406-390-2	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-047-00-0	reaction mass of: 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₆)alkylacetamide; 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₈)alkylacetamide	406-640-0	—	Skin Sens. 1	H317	GHS07 Wng	H317			
616-048-00-6	3'-trifluoromethylisobutyranilide	406-740-4	1939-27-1	STOT RE 2 (*) Aquatic Chronic 2	H373 (*)(*) H411	GHS08 GHS09 Wng	H373 (*) H411			
616-049-00-1	2-(2,4-bis(1,1-dimethylethyl)phenoxy)-N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide	408-150-2	99141-89-6	Aquatic Chronic 4	H413	—	H413			
616-050-00-7	lufenuron (ISO); N-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenyl-aminocarbonyl]-2,6-difluorobenzamide	410-690-9	103055-07-8	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
616-051-00-2	reaction mass of: 2,4 -bis(N'-(4-methylphenyl)-ureido)-toluene; 2,6 -bis(N'-(4-methylphenyl)-ureido)-toluene	411-070-0	—	Aquatic Chronic 4	H413	—	H413			
616-052-00-8	formamide	200-842-0	75-12-7	Repr. 1B	H360D (*)(*) (*)	GHS08 Dgr	H360D (*) (*)(*)			
616-053-00-3	N-methylacetamide	201-182-6	79-16-3	Repr. 1B	H360D (*)(*) (*)	GHS08 Dgr	H360D (*) (*)(*)			
616-054-00-9	iprodione (ISO); 3-(3,5-dichlorophenyl)-2,4-dioxo-N-isopropylimidazolidine-1-carboxamide	253-178-9	36734-19-7	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-055-00-4	propyzamide (ISO); 3,5-dichloro-N-(1,1-dimethylprop-2-ynyl)benzamide	245-951-4	23950-58-5	Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H400 H410	GHS08 GHS09 Wng	H351 H410			
616-056-00-X	N-methylformamide	204-624-6	123-39-7	Repr. 1B Acute Tox. 4 (*)	H360D (*) (*) H312	GHS08 GHS07 Dg	H360D (*) (*) H312			
616-057-00-5	reaction mass of: N-[3-hydroxy-2-(2-methylacryloylaminoethoxy)propoxymethyl]-2-methylacrylamide; N-[2,3-bis-(2-methylacryloylaminoethoxy)propoxymethyl]-2-methylacrylamide; methacrylamide; 2-methyl-N-(2-methylacryloylaminoethoxymethyl)-acrylamide; N-(2,3-dihydroxypropoxymethyl)-2-methylacrylamide	412-790-8	—	Carc. 1B Muta. 2 STOT RE 2 (*)	H350 H341 H373 (*)	GHS08 Dgr	H350 H341 H373 (*)			
616-058-00-0	1,3-bis(3-methyl-2,5-dioxo-1H-pyrrolinylmethyl)benzene	412-570-1	119462-56-5	STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H373 (*) H318 H317 H400 H410	GHS08 GHS05 GHS07 GHS09 Dgr	H373 (*) H318 H317 H410			
616-059-00-6	4-((4-(diethylamino)-2-ethoxyphenyl)imino)-1,4-dihydro-1-oxo-N-propyl-2-naphthalenecarboxamide	412-650-6	121487-83-0	Aquatic Chronic 4	H413	—	H413			
616-060-00-1	Condensation product of: 3-(7-carboxyhept-1-yl)-6-hexyl-4-cyclohexene-1,2-dicarboxylic acid with polyamines (primarily aminoethyl-piperazine and triethylenetetramine)	413-770-1	—	Acute Tox. 4 (*) Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H317 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-061-00-7	N,N'-1,6-hexanediylbis(N-(2,2,6,6-tetramethyl-piperidin-4-yl)-formamide	413-610-0	124172-53-8	Eye Irrit. 2 Aquatic Chronic 3	H319 H412	GHS07 Wng	H319 H412			
616-062-00-2	N-[3-[(2-acetyloxyethyl)(phenyl-methyl)amino]-4-methoxyphenyl]acetamide	411-590-8	70693-57-1	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412			
616-063-00-8	3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin-yl)-2,5-pyrrolidindione	411-920-0	106917-30-0	Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1	H331 H302 H373 (*)(*) H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H331 H302 H373 (*) H314 H410			
616-064-00-3	N—tert-butyl-3-methylpicolinamide	406-720-5	32998-95-1	Aquatic Chronic 3	H412	—	H412			
616-065-00-9	3'-(3-acetyl-4-hydroxyphenyl)-1,1-diethylurea	411-970-3	79881-89-3	Acute Tox. 4 (*) STOT RE 2 (*)	H302 H373 (*)(*)	GHS08 GHS07 Wng	H302 H373 (*) (*)			
616-066-00-4	5,6,12,13-tetrachloroanthra(2,1,9-def:6,5,10-d'ef')diisoquinoline-1,3,8,10 (2H,9H)-tetrone	405-100-1	115662-06-1	Repr. 2	H361f (*)(*)(*)	GHS08 Wng	H361f (*) (*)			
616-067-00-X	dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioximidazolidin-1-yl)-4,4-dimethyl-3-oxovaleramido)-4-chlorobenzoate	407-300-4	92683-20-0	Aquatic Chronic 4	H413	—	H413			
616-068-00-5	potassium 4-(11-methacrylamidoundecanamido)benzenesulfonate	406-500-9	174393-75-0	Skin Sens. 1	H317	GHS07 Wng	H317			
616-069-00-0	1-hydroxy-5-(2-methylpropyloxycarbonylamino)-N-(3-dodecyloxypropyl)-2-naphthoamide	406-210-2	110560-22-0	Aquatic Chronic 4	H413	—	H413			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-070-00-6	reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	406-530-2	—	Aquatic Chronic 4	H413	—	H413			
616-071-00-1	reaction mass of: bis(N-cyclohexyl-N'-phenyleneureido)methylene; bis(N-octadecyl-N'-phenyleneureido)methylene; bis(N-dicyclohexyl-N'-phenyleneureido)methylene (1:2:1)	406-550-1	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
616-072-00-7	1-(2-deoxy-5-O-trityl-β-D-threopentofuranosyl)thymine	407-120-6	55612-11-8	Aquatic Chronic 4	H413	—	H413			
616-073-00-2	4'-ethoxy-2-benzimidazoleanilide	407-600-5	120187-29-3	Muta. 2 Aquatic Chronic 4	H341 H413	GHS08 Wng	H341 H413			
616-074-00-8	N-butyl-2-(4-morpholinylcarbonyl)benzamide	407-730-2	104958-67-0	Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H319 H317 H412	GHS07 Wng	H319 H317 H412			
616-075-00-3	D,L-(N,N-diethyl-2-hydroxy-2-phenylacetamide)	408-120-9	65197-96-8	Acute Tox. 4 (*) Eye Dam. 1	H302 H318	GHS05 GHS07 Dgr	H302 H318			
616-076-00-9	tebufenozide (ISO); N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	412-850-3	112410-23-8	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-077-00-4	reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9- <i>def</i> : 6,5,10- <i>d'e'f'</i>]diisoquinolin-2-ylethansulfonic acid; potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9- <i>def</i> : 6,5,10- <i>d'e'f'</i>]diisoquinolin-2-ylethansulfate	411-310-4	—	Eye Dam. 1	H318	GHS05 Dgr	H318			
616-078-00-X	2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]- <i>N</i> -(2-hydroxy-5-methyl-phenyl)hexanamide	411-330-3	104541-33-5	Aquatic Chronic 4	H413	—	H413			
616-079-00-5	1,6-hexanediy-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl)carbamate	411-700-4	140921-24-0	Skin Sens. 1	H317	GHS07 Wng	H317			
616-080-00-0	4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl)carboxamido)ethyl)benzenesulfonamide	411-850-0	119018-29-0	Aquatic Chronic 3	H412	—	H412			
616-081-00-6	5-bromo-8-naphtholactam	413-480-5	24856-00-6	Acute Tox. 4 (*) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H317 H400 H410	GHS07 GHS09 Wng	H302 H317 H410			
616-082-00-1	<i>N</i> -(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4-methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide	413-200-1	129604-78-0	Skin Sens. 1	H317	GHS07 Wng	H317			
616-083-00-7	[2-[(4-nitrophenyl)amino]ethyl]urea	410-700-1	27080-42-8	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
616-084-00-2	2,4-bis[<i>N'</i> -(4-methylphenyl)ureido]toluene	411-790-5	—	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-085-00-8	3-(2,4-dichlorophenyl)-6-fluoro-quinazolin-2,4(1 <i>H</i> ,3 <i>H</i>)-dione	412-190-6	168900-02-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-086-00-3	2-acetylamino-6-chloro-4-[(4-diethylamino)2-methylphenyl-imino]-5-methyl-1-oxo-2,5-cyclohexadiene	412-250-1	102387-48-4	Aquatic Chronic 4	H413	—	H413			
616-087-00-9	reaction mass of: 7,9,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate; 7,7,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecan-1,16-diyl-prop-2-enoate	412-260-6	52658-19-2	Eye Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H319 H317 H411	GHS07 GHS09 Wng	H319 H317 H411			
616-088-00-4	2-aminosulfonyl-N,N-dimethylnicotinamide	413-440-7	112006-75-4	Skin Sens. 1 Aquatic Chronic 3	H317 H412	GHS07 Wng	H317 H412			
616-089-00-X	5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxymethyltetrahydrofuran	415-360-8	41107-56-6	Muta. 2	H341	GHS08 Wng	H341			
616-090-00-5	1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride	415-660-9	70918-74-0	Acute Tox. 3 (*) Acute Tox. 3 (*) Acute Tox. 3 (*) STOT RE 2 (*) Aquatic Chronic 2	H331 H311 H301 H373 (*)(*) H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 (*) H411			
616-091-00-0	1,3,5-tris-[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione	423-400-0	59653-74-6	Muta. 1B Acute Tox. 3 (*) Acute Tox. 4 (*) STOT RE 2 (*) Eye Dam. 1 Skin Sens. 1	H340 H331 H302 H373 (*)(*) H318 H317	GHS06 GHS08 GHS05 Dgr	H340 H331 H302 H373 (*) H318 H317			
616-092-00-6	Polymeric reaction product of bicyclo[2.2.1]hepta-2,5-diene, ethene, 1,4-hexadiene, 1-propene with N,N-di-2-propenylformamide	404-035-6	—	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
616-093-00-1	Reaction products of: aniline-terephthalaldehyde-o-toluidine condensate with maleic anhydride	406-620-1	129217-90-9	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-094-00-7	3,3'-dicyclohexyl-1,1'-methylenbis(4,1-phenylene)diurea	406-370-3	58890-25-8	Skin Sens. 1 Aquatic Chronic 4	H317 H413	GHS07 Wng	H317 H413			
616-095-00-2	3,3'-dioctadecyl-1,1'-methylenbis(4,1-phenylene)diurea	406-690-3	43136-14-7	Aquatic Chronic 4	H413	—	H413			
616-096-00-8	N-(3-hexadecyloxy-2-hydroxyprop-1-yl)-N-(2-hydroxyethyl)palmitamide	408-110-4	110483-07-3	Aquatic Chronic 4	H413	—	H413			
616-097-00-3	N,N'-1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide	411-840-6	83372-55-8	Aquatic Chronic 4	H413	—	H413			
616-098-00-9	1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1H-1,2,4-triazole-3-carboxamide	411-750-7	119126-15-7	Aquatic Chronic 2	H411	GHS09	H411			
616-099-00-4	2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl-N-[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide	414-170-2	135937-20-1	Aquatic Chronic 4	H413	—	H413			
616-100-00-8	1,3-dimethyl-1,3-bis(trimethylsilyl)urea	414-180-7	10218-17-4	Acute Tox. 4 (*) Skin Irrit. 2	H302 H315	GHS07 Wng	H302 H315			
616-101-00-3	(S)-N—tert-butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide	414-600-9	149182-72-9	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
616-102-00-9	reaction mass of: α-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly-(oxyethylene-co-oxypropylene); 1,2-(or 1,3)-bis[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol; 1,2,3-tris[α-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]-ω-oxy-poly-(oxyethylene-co-oxypropylene)]propane]	415-870-0	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-103-00-4	(S,S)-trans-4-(acetylamino)-5,6-dihydro-6-methyl-7,7-dioxo-4H-thieno[2,3-b]thiopyran-2-sulfonamide	415-030-3	120298-38-6	Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H317 H400 H410	GHS07 GHS09 Wng	H317 H410			
616-104-00-X	benalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(phenylacetyl)-DL-alaninate	275-728-7	71626-11-4	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-105-00-5	chlorotoluron (ISO); 3-(3-chloro-p-tolyl)-1,1-dimethylurea	239-592-2	15545-48-9	Carc. 2 Repr. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H361d (*)(*)(*) H400 H410	GHS08 GHS09 Wng	H351 H361d (*)(*)(*) H410			
616-106-00-0	phenmedipham (ISO); methyl 3-(3-methylcarbaniloyloxy)carbanilate	237-199-0	13684-63-4	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-108-00-1	iodosulfuron-methyl-sodium; sodium ([5-iodo-2-(methoxycarbonyl)phenyl]sulfonyl)carbamoyl(4-methoxy-6-methyl-1,3,5-triazin-2-yl)azanide	—	144550-36-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-109-00-7	sulfosulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2-a]pyridin-3-yl)sulfonylurea	—	141776-32-1	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-110-00-2	cyclanilide (ISO); 1-(2,4-dichloroanilinocarbonyl)cyclopropanecarboxylic acid	419-150-7	113136-77-9	Acute Tox. 4 (*) Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			
616-111-00-8	fenhexamid (ISO); N-(2,3-dichlor-4-hydroxyphenyl)-1-methylcyclohexancarboxamid	422-530-5	126833-17-8	Aquatic Chronic 2	H411	GHS09	H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-112-00-3	oxasulfuron (ISO); oxetan-3-yl 2-[[4,6-dimethylpyrimidin-2-yl]- carbamoylsulfamoyl]benzoate	—	144651-06-9	STOT RE 2 (*) Aquatic Acute 1 Aquatic Chronic 1	H373 (*) H400 H410	GHS08 GHS09 Wng	H373 (*) H410			
616-113-00-9	desmedipham (ISO); ethyl 3-phenylcarbamoyloxyphenylcarbamate	237-198-5	13684-56-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410		M=10	
616-114-00-4	dodecanamide, N,N'-(9,9',10,10'-tetrahydro- 9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'- diyl)bis-	418-010-2	136897-58-0	Aquatic Chronic 4	H413	—	H413			
616-115-00-X	N-(3-acetyl-2-hydroxyphenyl)-4-(4-phenyl- butoxy)benzamide	416-150-9	136450-06-1	Aquatic Chronic 4	H413	—	H413			
616-116-00-5	N-(4-dimethylaminopyridinium)-3- methoxy-4-(1-methyl-5-nitroindol-3-ylme- thyl)-N-(o-tolylsulfonyl)benzamidate	416-790-9	143052-96-4	Aquatic Chronic 4	H413	—	H413			
616-117-00-0	N-[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5- diethylaminophenyl]acetamide	416-860-9	777891-21-1	Repr. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361f (*) H317 H400 H410	GHS08 GHS09 Wng	H361f (*) H317 H410			
616-118-00-6	N-(2',6'-dimethylphenyl)-2-piperidinecarbo- xamide hydrochloride	417-950-0	65797-42-4	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
616-119-00-1	2-(1-butyl-3,5-dioxo-2-phenyl-(1,2,4)-triaz- olidin-4-yl)-4,4-dimethyl-3-oxo-N-(2- methoxy-5-(2-(dodecyl-1-sulfonyl))propio- nylamino)-phenyl)-pentanamide	418-060-5	118020-93-2	Aquatic Chronic 4	H413	—	H413			
616-120-00-7	reaction mass of: N-(3-dimethylamino-4- methyl-phenyl)-benzamide; N-(3-dimethylamino-2-methyl-phenyl)-ben- zamide; N-(3-dimethylamino-3-methyl-phenyl)-ben- zamide	420-600-1	—	STOT RE 2 (*) Aquatic Chronic 2	H373 (*) H411	GHS08 GHS09 Wng	H373 (*) H411			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-121-00-2	2,4-dihydroxy-N-(2-methoxyphenyl)benzamide	419-090-1	129205-19-2	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
616-123-00-3	N-[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide	414-740-0	96141-86-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
616-124-00-9	lithium bis(trifluoromethylsulfonyl)imide	415-300-0	90076-65-6	Acute Tox. 3 (*) Acute Tox. 3 (*) Skin Corr. 1B Aquatic Chronic 3	H311 H301 H314 H412	GHS06 GHS05 Dgr	H311 H301 H314 H412			
616-125-00-4	3-cyano-N-(1,1-dimethylethyl)androsta-3,5-diene-17-β-carboxamide	415-730-9	151338-11-3	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	410			
616-127-00-5	reaction mass of: N,N'-Ethane-1,2-diylbis(decanamide); 12-Hydroxy-N-[2-[1-oxydecyl]amino]ethyl octadecanamide; N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecanamide)	430-050-2	—	Skin Sens. 1 Aquatic Chronic 2	H317 H411	GHS07 GHS09 Wng	H317 H411			
616-128-00-0	N-(2-(1-allyl-4,5-dicyanoimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide	417-530-7	123590-00-1	Aquatic Chronic 4	H413	—	H413			
616-129-00-6	N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide	419-710-0	42774-15-2	Acute Tox. 4 (*) Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			
616-130-00-1	N-(3-(2-(4,4-dimethyl-2,5-dioxoimidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide	421-780-2	150919-56-5	Aquatic Chronic 4	H413	—	H413			
616-132-00-2	N-[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide	423-250-6	130016-98-7	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
616-133-00-8	N-cyclohexyl-S,S-dioxobenzo[b]tiophene-2-carboxamide	423-990-1	149118-66-1	Acute Tox. 4 (*) Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H318 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H318 H410			
616-134-00-3	3,3'-bis(dioctyloxyphosphinothioylthio)-N,N'-oxybis(methylene)dipropionamide	401-820-5	793710-14-2	Aquatic Chronic 3	H412	—	H412			
616-135-00-9	(3S,4aS,8aS)-2-[(2R,3S)-3-amino-2-hydroxy-4-phenylbutyl]-N-tert-butyldecahydroisoquinoline-3-carboxamide	430-230-0	136522-17-3	Acute Tox. 4 (*) Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
616-142-00-7	1,3-Bis(vinylsulfonylacetamido)propane	428-350-3	93629-90-4	Muta. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H341 H318 H317 H412	GHS08 GHS05 GHS07 Dgr	H341 H318 H317 H412			
616-143-00-2	N,N'-dihexadecyl-N,N'-bis(2-hydroxyethyl)propanediamide	422-560-9	149591-38-8	Repr. 2 Eye Irrit. 2 Aquatic Chronic 4	H361f (*) (*) H319 H413	GHS08 Wng	H361f (*) (*) H319 H413			
617-001-00-2	di-tert-butyl peroxide	203-733-6	110-05-4	Org. Perox. E Flam. Liq. 2	H242 H225	GHS02 Dgr	H242 H225			
617-002-00-8	α,α-dimethylbenzyl hydroperoxide; cumene hydroperoxide	201-254-7	80-15-9	Org. Perox. E Acute Tox. 3 (*) Acute Tox. 4 (*) Acute Tox. 4 (*) STOT RE 2 (*) Skin Corr. 1B Aquatic Chronic 2	H242 H331 H312 H302 H373 (*) H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H242 H331 H312 H302 H373 (*) H314 H411	Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Dam. 1; H318: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 1 % ≤ C < 3 % STOT SE 3; H335: C < 10 %		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
617-003-00-3	dilauroyl peroxide	203-326-3	105-74-8	Org. Perox. D	H242	GHS02 Dgr	H242			
617-004-00-9	1,2,3,4-tetrahydro-1-naphthyl hydroperoxide	212-230-0	771-29-9	Org. Perox. D Acute Tox. 4 (*) Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H242 H302 H314 H400 H410	GHS02 GHS05 GHS07 GHS09 Dgr	H242 H302 H314 H410		STOT SE 3; H335: C ≥ 5 %	
617-006-00-X	bis(α,α-dimethylbenzyl) peroxide	201-279-3	80-43-3	Org. Perox. F Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H242 H319 H315 H411	GHS02 GHS07 GHS09 Wng	H242 H319 H315 H411			
617-007-00-5	tert-butyl α,α-dimethylbenzyl peroxide	222-389-8	3457-61-2	Org. Perox. E Skin Irrit. 2 Aquatic Chronic 2	H242 H315 H411	GHS02 GHS07 GHS09 Wng	H242 H315 H411			
617-008-00-0	dibenzoyl peroxide; benzoyl peroxide	202-327-6	94-36-0	Org. Perox. B Eye Irrit. 2 Skin Sens. 1	H241 H319 H317	GHS01 GHS02 GHS07 Wng	H241 H319 H317			T
617-010-00-1	1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxycyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4] [> 91 % solution]	201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4]	78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4]	Org. Perox. A Acute Tox. 4 (*) Skin Corr. 1B	H240 H302 H314	GHS01 GHS05 GHS07 Dgr	H240 H302 H314		STOT SE 3; H335: C ≥ 5 %	C T

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
617-010-01-9	1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxybiscyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4] [≤ 91 % solution]	201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4]	78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4]	Org. Perox. C Acute Tox. 4 (*) Skin Corr. 1B	H242 H302 H314	GHS02 GHS05 GHS07 Dgr	H242 H302 H314		STOT SE 3; H335: C ≥ 5 %	C T
617-012-00-2	8-p-menthyl hydroperoxide; p-menthane hydroperoxide	201-281-4	80-47-7	Org. Perox. D Skin Corr. 1B Acute Tox. 4 (*)	H242 H314 H332	GHS02 GHS05 GHS07 Dgr	H242 H314 H332		STOT SE 3; H335: C ≥ 5 %	
617-013-00-8	O,O—tert-butyl O-docosyl monoperoxyoxalate	404-300-6	116753-76-5	Org. Perox. C (*) (*) ^(*) Aquatic Acute 1 Aquatic Chronic 1	H242 H400 H410	GHS02 GHS09 Dgr	H242 H410			
617-014-00-3	6-(nonylamino)-6-oxo-peroxyhexanoic acid	406-680-9	104788-63-8	Org. Perox. C (*) (*) ^(*) Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H242 H318 H317 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H242 H318 H317 H400			
617-015-00-9	bis(4-methylbenzoyl)peroxide	407-950-9	895-85-2	Org. Perox. B (*) (*) ^(*) Aquatic Acute 1 Aquatic Chronic 1	H241 H400 H410	GHS01 GHS02 GHS09 Dgr	H241 H410			
617-016-00-4	3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate	413-910-1	—	Org. Perox. C (*) (*) ^(*) Flam. Liq. 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H242 H226 H315 H400 H410	GHS02 GHS07 GHS09 Dgr	H242 H226 H315 H410			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
617-017-00-X	reaction mass of: 2,2'-bis(<i>tert</i> -pentylperoxy)- <i>p</i> -diisopropylbenzene; 2,2'-bis(<i>tert</i> -pentylperoxy)- <i>m</i> -diisopropylbenzene	412-140-3	32144-25-5	Org. Perox. D (*) ^(*) ^(*) Aquatic Chronic 4	H242 H413	GHS02 Dgr	H242 H413			T
617-018-00-5	reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight	410-840-3	71566-50-2	Org. Perox. C (*) ^(*) ^(*) Aquatic Chronic 2	H242 H411	GHS02 GHS09 Dgr	H242 H411			T
617-019-00-0	6-(phthalimido)peroxyhexanoic acid	410-850-8	128275-31-0	Org. Perox. D Eye Dam. 1 Aquatic Acute 1	H242 H318 H400	GHS02 GHS05 GHS09 DgDgr	H242 H318 H400			T
617-020-00-6	1,3-di(prop-2,2-diyl)benzene bis(neodecanoylperoxide)	420-060-5	117663-11-3	Flam. Liq. 3 Org. Perox. D (*) ^(*) ^(*) Aquatic Chronic 2	H226 H242 H411	GHS02 GHS09 Dgr	H226 H242 H411			
647-001-00-8	glucosidase, β -	232-589-7	9001-22-3	Resp. Sens. 1	H334	GHS08 Dgr	H334			
647-002-00-3	cellulase	232-734-4	9012-54-8	Resp. Sens. 1	H334	GHS08 Dgr	H334			
647-003-00-9	cellobiohydrolase, exo-	253-465-9	37329-65-0	Resp. Sens. 1	H334	GHS08 Dgr	H334			
647-004-00-4	cellulases with the exception of those specified elsewhere in this Annex	—	—	Resp. Sens. 1	H334	GHS08 Dgr	H334			A
647-005-00-X	bromelain, juice	232-572-4	9001-00-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
647-006-00-5	ficin	232-599-1	9001-33-6	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-007-00-0	papain	232-627-2	9001-73-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-008-00-6	pepsin A	232-629-3	9001-75-6	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-009-00-1	rennin	232-645-0	9001-98-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-010-00-7	trypsin	232-650-8	9002-07-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-011-00-2	chymotrypsin	232-671-2	9004-07-3	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-012-00-8	subtilisin	232-752-2	9014-01-1	STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1	H335 H315 H318 H334	GHS08 GHS05 GHS07 Dgr	H335 H315 H318 H334			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
647-013-00-3	proteinase, microbial neutral	232-966-6	9068-59-1	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-014-00-9	proteases with the exception of those specified elsewhere in this Annex	—	—	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H319 H335 H315 H334	GHS08 GHS07 Dgr	H319 H335 H315 H334			
647-015-00-4	amylase, α-	232-565-6	9000-90-2	Resp. Sens. 1	H334	GHS08 Dgr	H334			
647-016-00-X	amylases with the exception of those specified elsewhere in this Annex	—	—	Resp. Sens. 1	H334	GHS08 Dgr	H334			
648-001-00-0	Distillates (coal tar), benzole fraction; Light Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C ₄ to C ₁₀ and distilling in the approximate range of 80 °C to 160 °C (175°F to 320°F).]	283-482-7	84650-02-2	Carc. 1B	H350	GHS08 Dgr	H350			H
648-002-00-6	Tar oils, brown-coal; Light Oil; [The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176°F to 482°F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.]	302-674-4	94114-40-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-003-00-1	Benzol forerunnings (coal); Light Oil Redistillate, low boiling; [The distillate from coke oven light oil having an approximate distillation range below 100 °C (212°F). Composed primarily of C ₄ to C ₆ aliphatic hydrocarbons.]	266-023-5	65996-88-5	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-004-00-7	Distillates (coal tar), benzole fraction, BTX-rich; Light Oil Redistillate, low boiling; [A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167°F to 392°F).]	309-984-9	101896-26-8	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-005-00-2	Aromatic hydrocarbons, C ₆₋₁₀ , C ₈ -rich; Light Oil Redistillate, low boiling	292-697-5	90989-41-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-006-00-8	Solvent naphtha (coal), light; Light Oil Redistillate, low boiling	287-498-5	85536-17-0	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-007-00-3	Solvent naphtha (coal), xylene-styrene cut; Light Oil Redistillate, intermediate boiling	287-502-5	85536-20-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-008-00-9	Solvent naphtha (coal), coumarone-styrene contg.; Light Oil Redistillate, intermediate boiling	287-500-4	85536-19-2	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-009-00-4	Naphtha (coal), distn. residues; Light Oil Redistillate, high boiling; [The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.]	292-636-2	90641-12-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-010-00-X	Aromatic hydrocarbons, C ₈ ; Light Oil Redistillate, high boiling	292-694-9	90989-38-1	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-012-00-0	Aromatic hydrocarbons, C ₈₋₉ , hydrocarbon resin polymn. by-product; Light Oil Redistillate, high boiling; [A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₉ and boiling in the range of approximately 120 °C to 215 °C (248°F to 419°F).]	295-281-1	91995-20-9	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-013-00-6	Aromatic hydrocarbons, C ₉₋₁₂ , benzene distn.; Light Oil Redistillate, high boiling	295-551-9	92062-36-7	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-014-00-1	Extract residues (coal), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194°F to 320°F). It consists predominantly of benzene, toluene and xylenes.]	295-323-9	91995-61-8	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-015-00-7	Extract residues (coal tar), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C-195 °C (185°F-383°F).]	309-868-8	101316-63-6	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-016-00-2	Extract residues (coal), benzole fraction acid; Light Oil Extract Residues, low boiling; [An acid sludge by-product of the sulphuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.]	298-725-2	93821-38-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-017-00-8	Extract residues (coal), light oil alk., distn. overheads; Light Oil Extract Residues, low boiling; [The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oil boiling substantially below 145 °C (293°F). Composed primarily of C ₇ and C ₈ aliphatic and aromatic hydrocarbons.]	292-625-2	90641-02-4	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-018-00-3	Extract residues (coal), light oil alk., acid ext., indene fraction; Light Oil Extract Residues, intermediate boiling	309-867-2	101316-62-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-019-00-9	Extract residues (coal), light oil alk., indene naphtha fraction; Light Oil Extract Residues, high boiling; [The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311°F to 356°F). Composed primarily of indene, indan and trimethylbenzenes.]	292-626-8	90641-03-5	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-020-00-4	Solvent naphtha (coal); Light Oil Extract Residues, high boiling; [The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266°F to 410°F) Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.]	266-013-0	65996-79-4	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-021-00-X	Distillates (coal tar), light oils, neutral fraction; Light Oil Extract Residues, high boiling; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F). May also include unsaturated hydrocarbons such as indene and coumarone.]	309-971-8	101794-90-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-022-00-5	Distillates (coal tar), light oils, acid exts.; Light Oil Extract Residues, high boiling; [This oil is a complex mixture of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and <i>o</i> -, <i>m</i> - and <i>p</i> -cresol and boiling in the range of 140 °C to 215 °C (284°F to 419°F).]	292-609-5	90640-87-2	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-023-00-0	Distillates (coal tar), light oils; Carbolic Oil; [A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302°F to 410°F).]	283-483-2	84650-03-3	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-024-00-6	Tar oils, coal; Carbolic Oil; [The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266°F to 410°F). Composed primarily of naphthalene, alkyl-naphthalenes, phenolic compounds, and aromatic nitrogen bases.]	266-016-7	65996-82-9	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-026-00-7	Extract residues (coal), light oil alk., acid ext.; Carbolic Oil Extract Residue; [The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkylbenzenes.]	292-624-7	90641-01-3	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-027-00-2	Extract residues (coal), tar oil alk.; Carbolic Oil Extract Residue; [The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.]	266-021-4	65996-87-4	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-028-00-8	Extract oils (coal), light oil; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]	292-622-6	90640-99-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-029-00-3	Pyridine, alkyl derivs.; Crude Tar Bases; [The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302°F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.]	269-929-9	68391-11-7	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-030-00-9	Tar bases, coal, picoline fraction; Distillate Bases; [Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257°F to 320°F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.]	295-548-2	92062-33-4	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-031-00-4	Tar bases, coal, lutidine fraction; Distillate Bases	293-766-2	91082-52-9	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-032-00-X	Extract oils (coal), tar base, collidine fraction; Distillate Bases; [The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xylidines.]	273-077-3	68937-63-3	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-033-00-5	Tar bases, coal, collidine fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356°F to 367°F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.]	295-543-5	92062-28-7	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-034-00-0	Tar bases, coal, aniline fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356°F to 392°F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.]	295-541-4	92062-27-6	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-035-00-6	Tar bases, coal, toluidine fraction; Distillate Bases	293-767-8	91082-53-0	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-036-00-1	Distillates (petroleum), alkene-alkyne manuf. pyrolysis oil, mixed with high-temp. coal tar, indene fraction; Redistillates; [A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320°F to 374°F).]	295-292-1	91995-31-2	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-037-00-7	Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374°F to 518°F). Composed primarily of substituted dinuclear aromatics.]	295-295-8	91995-35-6	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-038-00-2	Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate; Redistillates; [The redistillate from the fractional distillation of dephenolated and debased methyl-naphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428°F to 446°F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.]	295-329-1	91995-66-3	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-039-00-8	Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residual oils which has a boiling range of 225 °C to 255 °C (437°F to 491°F). Composed primarily of substituted dinuclear aromatic hydrocarbons.]	310-170-0	122070-79-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-040-00-3	Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues; Redistillates; [Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464°F to 500°F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.]	310-171-6	122070-80-8	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-041-00-9	Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500°F to 554°F).]	309-851-5	101316-45-4	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-042-00-4	Distillates (coal tar), upper, fluorene-rich; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.]	284-900-0	84989-11-7	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-043-00-X	Creosote oil, acenaphthene fraction, acenaphthene-free; Wash Oil Redistillate; [The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkyl-naphthalenes.]	292-606-9	90640-85-0	Carc. 1B	H350	GHS08 Dgr	H350			H
648-044-00-5	Distillates (coal tar), heavy oils; Heavy Anthracene Oil; [Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464°F to 752°F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.]	292-607-4	90640-86-1	Carc. 1B	H350	GHS08 Dgr	H350			H
648-045-00-0	Distillates (coal tar), upper; Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.]	266-026-1	65996-91-0	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-046-00-6	Anthracene oil, acid ext.; Anthracene Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617°F to 689°F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.]	295-274-3	91995-14-1	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-047-00-1	Distillates (coal tar); Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.]	266-027-7	65996-92-1	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-048-00-7	Distillates (coal tar), pitch, heavy oils; Heavy Anthracene Oil; [The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572°F to 878°F). The product may also contain heteroatoms.]	295-312-9	91995-51-6	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-049-00-2	Distillates (coal tar), pitch; Heavy Anthracene Oil; [The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392°F to greater than 752°F).]	309-855-7	101316-49-8	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-050-00-8	Distillates (coal tar), heavy oils, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662°F to 752°F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.]	295-304-5	91995-42-5	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-051-00-3	Distillates (coal tar), pitch, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (7160 to 770°F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.]	295-313-4	91995-52-7	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-052-00-9	Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated; Coal Tar Extract; [A complete combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-296-6	97926-76-6	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-053-00-4	Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-297-1	97926-77-7	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-054-00-X	Pitch; Pitch	263-072-4	61789-60-4	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-055-00-5	Pitch, coal tar, high-temp.; Pitch; [The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.]	266-028-2	65996-93-2	Carc. 1B	H350	GHS08 Dgr	H350			H
648-056-00-0	Pitch, coal tar, high-temp., heat-treated; Pitch; [The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.]	310-162-7	121575-60-8	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-057-00-6	Pitch, coal tar, high-temp., secondary; Pitch Redistillate; [The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284°F to 392°F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.]	302-650-3	94114-13-3	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-058-00-1	Residues (coal tar), pitch distn.; Pitch Redistillate; [Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752°F to 846°F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.]	295-507-9	92061-94-4	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-059-00-7	Tar, coal, high-temp., distn. and storage residues; Coal Tar Solids Residue; [Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.]	295-535-1	92062-20-9	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-060-00-2	Tar, coal, storage residues; Coal Tar Solids Residue; [The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.]	293-764-1	91082-50-7	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-061-00-8	Tar, coal, high-temp., residues; Coal Tar Solids Residue; [Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.]	309-726-5	100684-51-3	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-062-00-3	Tar, coal, high-temp., high-solids; Coal Tar Solids Residue; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.]	273-615-7	68990-61-4	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-063-00-9	Waste solids, coal-tar pitch coking; Coal Tar Solids Residue; [The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.]	295-549-8	92062-34-5	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-064-00-4	Extract residues (coal), brown; Coal Tar Extract; [The residue from extraction of dried coal.]	294-285-0	91697-23-3	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-065-00-X	Paraffin waxes (coal), brown-coal-high-temp. tar; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-454-1	92045-71-1	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-066-00-5	Paraffin waxes (coal), brown-coal-high-temp. tar, hydrotreated; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-455-7	92045-72-2	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-067-00-0	Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-298-7	97926-78-8	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-068-00-6	Tar, coal, low-temp., distn. residues; Tar Oil, intermediate boiling; [Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572°F). Composed primarily of aromatic compounds.]	309-887-1	101 316-85-2	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-069-00-1	Pitch, coal tar, low-temp; Pitch Residue; [A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.]	292-651-4	90669-57-1	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-070-00-7	Pitch, coal tar, low-temp., oxidized; Pitch Residue, oxidised; [The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.]	292-654-0	90669-59-3	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-071-00-2	Pitch, coal tar, low-temp., heat-treated; Pitch Residue, oxidised; Pitch Residue, heat-treated; [A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122°F to 284°F). Composed primarily of a complex mixture of aromatic compounds.]	292-653-5	90669-58-2	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-072-00-8	Distillates (coal-petroleum), condensed-ring arom; Distillates; [The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.]	269-159-3	68188-48-7	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-073-00-3	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-956-6	101794-74-5	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-074-00-9	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-957-1	101794-75-6	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-075-00-4	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-958-7	101794-76-7	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-076-00-X	Pitch, coal tar-petroleum; Pitch Residues; [The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140°F to 356°F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.]	269-109-0	68187-57-5	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-077-00-5	Phenanthrene, distn. residues; Heavy Anthracene Oil Redistillate; [Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644°F to 788°F). It consists predominantly of phenanthrene, anthracene and carbazole.]	310-169-5	122070-78-4	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-078-00-0	Distillates (coal tar), upper, fluorene-free; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.]	284-899-7	84989-10-6	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-079-00-6	Anthracene oil; Anthracene oil; [A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C to 400 °C (572°F to 752°F). Composed primarily of phenanthrene, anthracene and carbazole.]	292-602-7	90640-80-5	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-080-00-1	Residues (coal tar), creosote oil distn.; Wash Oil Redistillate; [The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518°F to 626°F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.]	295-506-3	92061-93-3	Carc. 1B	H350	GHS08 Dgr	H350			H
648-081-00-7	Tar, coal; Coal tar; [The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydrocarbons, phenolic compounds, nitrogen bases and thiophene.]	232-361-7	8007-45-2	Carc. 1A	H350	GHS08 Dgr	H350			H
648-082-00-2	Tar, coal, high-temp.; Coal tar; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.]	266-024-0	65996-89-6	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-083-00-8	Tar, coal, low-temp.; Coal oil; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.]	266-025-6	65996-90-9	Carc. 1A	H350	GHS08 Dgr	H350			H
648-084-00-3	Distillates (coal), coke-oven light oil, naphthalene cut; Naphthalene Oil; [The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298°F).]	285-076-5	85029-51-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-085-00-9	Distillates (coal tar), naphthalene oils; Naphthalene Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392°F to 482°F).]	283-484-8	84650-04-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-086-00-4	Distillates (coal tar), naphthalene oils, naphthalene-low; Naphthalene Oil Redistillate; [A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.]	284-898-1	84989-09-3	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-087-00-X	Distillates (coal tar), naphthalene oil crystn. mother liquor; Naphthalene Oil Redistillate; [A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Contains chiefly naphthalene, thionaphthene and alkyl naphthalenes.]	295-310-8	91995-49-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-088-00-5	Extract residues (coal), naphthalene oil, alk.; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.]	310-166-9	121620-47-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-089-00-0	Extract residues (coal), naphthalene oil, alk., naphthalene-low; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.]	310-167-4	121620-48-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-090-00-6	Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.; Naphthalene Oil Extract Residue; [The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.]	292-612-1	90640-90-7	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-091-00-1	Extract residues (coal), naphthalene oil alk., distn. overheads; Naphthalene Oil Extract Residue; [The distillation from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356°F to 428°F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.]	292-627-3	90641-04-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-092-00-7	Distillates (coal tar), naphthalene oils, methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437°F to 491°F).]	309-985-4	101896-27-9	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-093-00-2	Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455°F to 491°F).]	309-972-3	101794-91-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-094-00-8	Distillates (coal tar), naphthalene oils, acid exts.; Methylnaphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained by debasing the methylnaphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446°F to 491°F). Contains chiefly 1(2)-methylnaphthalene, naphthalene, dimethylnaphthalene and biphenyl.]	295-309-2	91995-48-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-095-00-3	Extract residues (coal), naphthalene oil alk., distn. residues; Methylnaphthalene Oil Extract Residue; [The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428°F to 572°F). Composed primarily of naphthalene, alkylnaphthalenes and aromatic nitrogen bases.]	292-628-9	90641-05-7	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-096-00-9	Extract oils (coal), acidic, tar-base free; Methylnaphthalene Oil Extract Residue; [The extract oil boiling in the range of approximately 220 °C to 265 °C (428°F to 509°F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.]	284-901-6	84989-12-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-097-00-4	Distillates (coal tar), benzole fraction, distn. residues; Wash Oil; [A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302°F to 572°F) or a semi-solid or solid with a melting point up to 70 °C (158°F). It is composed primarily of naphthalene and alkyl naphthalenes.]	310-165-3	121620-46-0	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-098-00-X	Creosote oil, acenaphthene fraction; Wash Oil; [A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464°F to 536°F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.]	292-605-3	90640-84-9	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-099-00-5	Creosote oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392°F to 617°F).]	263-047-8	61789-28-4	Carc. 1B	H350	GHS08 Dgr	H350			H
648-100-00-9	Creosote oil, high-boiling distillate; Wash Oil; [The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41°F).]	274-565-9	70321-79-8	Carc. 1B	H350	GHS08 Dgr	H350			H
648-101-00-4	Creosote; [The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.]	232-287-5	8001-58-9	Carc. 1B	H350	GHS08 Dgr	H350			H
648-102-00-X	Extract residues (coal), creosote oil acid; Wash Oil Extract Residue; [A complex combination of hydrocarbons from the base-free fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482°F to 536°F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.]	310-189-4	122384-77-4	Carc. 1B	H350	GHS08 Dgr	H350			H
648-103-00-5	Anthracene oil, anthracene paste; Anthracene Oil Fraction; [The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.]	292-603-2	90640-81-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-104-00-0	Anthracene oil, anthracene-low; Anthracene Oil Fraction; [The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.]	292-604-8	90640-82-7	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-105-00-6	Residues (coal tar), anthracene oil distn.; Anthracene Oil Fraction; [The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644°F to 752°F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.]	295-505-8	92061-92-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-106-00-1	Anthracene oil, anthracene paste, anthracene fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626°F to 662°F). It contains chiefly anthracene, carbazole and phenanthrene.]	295-275-9	91995-15-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-107-00-7	Anthracene oil, anthracene paste, carbazole fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662°F to 680°F). It contains chiefly anthracene, carbazole and phenanthrene.]	295-276-4	91995-16-3	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-108-00-2	Anthracene oil, anthracene paste, distn. lights; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous light temperature tar and boiling in the range of approximately 290 °C to 340 °C (554°F to 644°F). It contains chiefly trinuclear aromatics and their dihydro derivatives.]	295-278-5	91995-17-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-109-00-8	Tar oils, coal, low-temp.; Tar Oil, high boiling; [A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320°F to 644°F).]	309-889-2	101316-87-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-110-00-3	Extract residues (coal), low temp. coal atar alk.; [The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.]	310-191-5	122384-78-5	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-111-00-9	Phenols, ammonia liquor ext.; Alkaline Extract; [The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1292°F)) destructive distillation of coal. It consists predominantly of a mixture of monohydric and dihydric phenols.]	284-881-9	84988-93-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-112-00-4	Distillates (coal tar), light oils, alk. exts.; Alkaline Extract; [The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]	292-610-0	90640-88-3	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-113-00-X	Extracts, coal tar oil alk.; Alkaline Extract; [The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]	266-017-2	65996-83-0	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-114-00-5	Distillates (coal tar), naphthalene oils, alk. exts.; Alkaline Extract; [The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxid. Composed primarily of the alkali salts of various phenolic compounds.]	292-611-6	90640-89-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-115-00-0	Extract residues (coal), tar oil alk., carbonated, limed; Crude Phenols; [The product obtained by treatment of coal tar oil alkaline extract with CO ₂ and CaO. Composed primarily of CaCO ₃ , Ca(OH) ₂ , Na ₂ CO ₃ and other organic and inorganic impurities.]	292-629-4	90641-06-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-116-00-6	Tar acids, coal, crude; Crude Phenols; [The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.]	266-019-3	65996-85-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-117-00-1	Tar acids, brown-coal, crude; Crude Phenols; [An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.]	309-888-7	101316-86-3	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-118-00-7	Tar acids, brown-coal gasification; Crude Phenols; [A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of C ₆₋₁₀ hydroxy aromatic phenols and their homologs.]	295-536-7	92062-22-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-119-00-2	Tar acids, distn. residues; Distillate Phenols; [A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of C ₈ through C ₁₀ with a softening point of 60 °C to 80 °C (140°F to 176°F).]	306-251-5	96690-55-0	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-120-00-8	Tar acids, methylphenol fraction; Distillate Phenols; [The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-892-9	84989-04-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-121-00-3	Tar acids, polyalkylphenol fraction; Distillate Phenols; [The fraction of tar acids, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437°F to 608°F). Composed primarily of polyalkylphenols.]	284-893-4	84989-05-9	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-122-00-9	Tar acids, xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-895-5	84989-06-0	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-123-00-4	Tar acids, ethylphenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-891-3	84989-03-7	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-124-00-X	Tar acids, 3,5-xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.]	284-896-0	84989-07-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-125-00-5	Tar acids, residues, distillates, first-cut; Distillate Phenols; [The residue from the distillation in the range of 235 °C to 355 °C (481°F to 697°F) of light carbolic oil.]	270-713-1	68477-23-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-126-00-0	Tar acids, cresylic, residues; Distillate Phenols; [The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176°F). Composed primarily of polyalkylphenols, resin gums, and inorganic salts.]	271-418-0	68555-24-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-127-00-6	Phenols, C ₉₋₁₁ ; Distillate Phenols	293-435-2	91079-47-9	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-128-00-1	Tar acids, cresylic; Distillate Phenols; [A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). It contains chiefly phenols and pyridine bases.]	295-540-9	92062-26-5	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-129-00-7	Tar acids, brown-coal, C ₂ -alkylphenol fraction; Distillate Phenols; [The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Composed primarily of <i>m</i> - and <i>p</i> -ethylphenol as well as cresols and xylenols.]	302-662-9	94114-29-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-130-00-2	Extract oils (coal), naphthalene oils; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed naphthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]	292-623-1	90641-00-2	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-131-00-8	Tar bases, quinoline derivs.; Distillate Bases	271-020-7	68513-87-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-132-00-3	Tar bases, coal, quinoline derivs. fraction; Distillate Bases	274-560-1	70321-67-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-133-00-9	Tar bases, coal, distn. residues; Distillate Bases; [The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.]	295-544-0	92062-29-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-134-00-4	Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of a polyethylene/polypropylene mixture with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158°F to 248°F).]	309-745-9	100801-63-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-135-00-X	Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158°F to 248°F).]	309-748-5	100801-65-8	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-136-00-5	Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158°F to 410°F).]	309-749-0	100801-66-9	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-137-00-0	Extract residues (coal), tar oil alk., naphthalene distn. residues; Naphthalene Oil Extract Residue; [The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.]	277-567-8	73665-18-6	Carc. 1B	H350	GHS08 Dgr	H350			HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-138-00-6	Creosote oil, low-boiling distillate; Wash Oil; [The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100°F).]	274-566-4	70321-80-1	Carc. 1B	H350	GHS08 Dgr	H350			H
648-139-00-1	Tar acids, cresylic, sodium salts, caustic solns.; Alkaline Extract	272-361-4	68815-21-4	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-140-00-7	Extract oils (coal), tar base; Acid Extract; [The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.]	266-020-9	65996-86-3	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-141-00-2	Tar bases, coal, crude; Crude Tar Bases; [The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.]	266-018-8	65996-84-1	Carc. 1B	H350	GHS08 Dgr	H350			HJM
648-142-00-8	Residues (coal), liq. solvent extn.; [A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.]	302-681-2	94114-46-2	Carc. 1B	H350	GHS08 Dgr	H350			H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-143-00-3	Coal liquids, liq. solvent extrn. soln.; [The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydrogenated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.]	302-682-8	94114-47-3	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-144-00-9	Coal liquids, liq. solvent extrn.; [The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.]	302-683-3	94114-48-4	Carc. 1B	H350	GHS08 Dgr	H350			H M
648-145-00-4	Tar brown-coal; [An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivatives, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302°F to 680°F).]	309-885-0	101316-83-0	Carc. 1A	H350	GHS08 Dgr	H350			H
648-146-00-X	Tar, brown-coal, low-temp.; [A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.]	309-886-6	101316-84-1	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-147-00-5	Light oil (coal), coke-oven; Crude benzole; [The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.]	266-012-5	65996-78-3	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-148-00-0	Distillates (coal), liq. solvent extn., primary; [The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of C ₄ through C ₁₄ .]	302-688-0	94114-52-0	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-149-00-6	Distillates (coal), solvent extn., hydrocracked; [Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction process and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ through C ₁₄ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.]	302-689-6	94114-53-1	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-150-00-1	Naphtha (coal), solvent extn., hydrocracked; [Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ to C ₉ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.]	302-690-1	94114-54-2	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-151-00-7	Gasoline, coal solvent extn., hydrocracked naphtha; [Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of C ₄ through C ₉ .]	302-691-7	94114-55-3	Carc. 1B	H350	GHS08 Dgr	H350			H
648-152-00-2	Distillates (coal), solvent extn., hydrocracked middle; [Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356°F to 572°F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of C ₉ through C ₁₄ . Nitrogen, sulfur and oxygen-containing compounds are also present.]	302-692-2	94114-56-4	Carc. 1B	H350	GHS08 Dgr	H350			H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-153-00-8	Distillates (coal), solvent extn., hydrocracked hydrogenated middle; [Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356°F to 536°F). Composed primarily of hydrogenated two- ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of C ₉ through C ₁₄ .]	302-693-8	94114-57-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
648-154-00-3	Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated; [Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356°F to 473°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₀ through C ₁₂ .]	302-694-3	94114-58-6	Carc. 2	H351	GHS08 Wng	H350			H
648-155-00-9	Fuels, diesel, coal solvent extn., hydrocracked hydrogenated; [Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392°F to 536°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₁ through C ₁₄ .]	302-695-9	94114-59-7	Carc. 2	H351	GHS08 Wng	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
648-156-00-4	Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low temperature (less than 700 °C (1 292°F) destructive distillation of coal. Composed primarily of C ₆₋₁₀ hydrocarbons.]	292-635-7	90641-11-5	Carc. 1B	H350	GHS08 Dgr	H350			H J
649-001-00-3	Extracts (petroleum), light naphthenic distillate solvent	265-102-1	64742-03-6	Carc. 1B	H350	GHS08 Dgr	H350			H
649-002-00-9	Extracts (petroleum), heavy paraffinic distillate solvent	265-103-7	64742-04-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-003-00-4	Extracts (petroleum), light paraffinic distillate solvent	265-104-2	64742-05-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-004-00-X	Extracts (petroleum), heavy naphthenic distillate solvent	265-111-0	64742-11-6	Carc. 1B	H350	GHS08 Dgr	H350			H
649-005-00-5	Extracts (petroleum), light vacuum gas oil solvent	295-341-7	91995-78-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-006-00-0	hydrocarbons C ₂₆₋₅₅ , arom-rich	307-753-7	97722-04-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-007-00-6	fatty acids, tall-oil, reaction products with iminodiethanol and boric acid	400-160-5	—	Skin Irrit. 2 Aquatic Chronic 2	H315 H411	GHS07 GHS09 Wng	H315 H411			
649-008-00-1	Residues (petroleum), atm. tower; Heavy Fuel oil; [A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-045-2	64741-45-3	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-009-00-7	Gas oils (petroleum), heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	265-058-3	64741-57-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-010-00-2	Distillates (petroleum), heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-063-0	64741-61-3	Carc. 1B	H350	GHS08 Dgr	H350			H
649-011-00-8	Clarified oils (petroleum), catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-064-6	64741-62-4	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-012-00-3	Residues (petroleum), hydrocracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F).]	265-076-1	64741-75-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-013-00-9	Residues (petroleum), thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-081-9	64741-80-6	Carc. 1B	H350	GHS08 Dgr	H350			H
649-014-00-4	Distillates (petroleum), heavy thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₆ and boiling in the range of approximately 260 °C to 480 °C (500°F to 896°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-082-4	64741-81-7	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-015-00-X	Gas oils (petroleum), hydrotreated vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₅₀ and boiling in the range of approximately 230 °C to 600 °C (446°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-162-9	64742-59-2	Carc. 1B	H350	GHS08 Dgr	H350			H
649-016-00-5	Residues (petroleum), hydrodesulfurized atmospheric tower; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-181-2	64742-78-5	Carc. 1B	H350	GHS08 Dgr	H350			H
649-017-00-0	Gas oils (petroleum), hydrodesulfurized heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-189-6	64742-86-5	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-018-00-6	Residues (petroleum), steam-cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₁₄ and boiling above approximately 260 °C (500°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-193-8	64742-90-1	Carc. 1B	H350	GHS08 Dgr	H350			H
649-019-00-1	Residues (petroleum), atmospheric; Heavy Fuel oil; [A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	269-777-3	68333-22-2	Carc. 1B	H350	GHS08 Dgr	H350			H
649-020-00-7	Clarified oils (petroleum), hydrodesulfurized catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	269-782-0	68333-26-6	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-021-00-2	Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.]	269-783-6	68333-27-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-022-00-8	Distillates (petroleum), hydrodesulfurized heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	269-784-1	68333-28-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-023-00-3	Fuel oil, residues-straight-run gas oils, high-sulfur; Heavy Fuel oil	270-674-0	68476-32-4	Carc. 1B	H350	GHS08 Dgr	H350			H
649-024-00-9	Fuel oil, residual; Heavy Fuel oil; [The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.]	270-675-6	68476-33-5	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-025-00-4	Residues (petroleum), catalytic reformer fractionator residue distn.; Heavy Fuel oil; [A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750°F).]	270-792-2	68478-13-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-026-00-X	Residues (petroleum), heavy coker gas oil and vacuum gas oil; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-796-4	68478-17-1	Carc. 1B	H350	GHS08 Dgr	H350			H
649-027-00-5	Residues (petroleum), heavy coker and light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-983-0	68512-61-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-028-00-0	Residues (petroleum), light vacuum; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-984-6	68512-62-9	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-029-00-6	Residues (petroleum), steam-cracked light; Heavy Fuel oil; [A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than C ₇ and boiling in the range of approximately 101 °C to 555 °C (214°F to 1030°F).]	271-013-9	68513-69-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-030-00-1	Fuel oil, No 6; Heavy Fuel oil; [A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100°F) to a maximum of 9000 SUS at 37.7 °C (100°F).]	271-384-7	68553-00-4	Carc. 1B	H350	GHS08 Dgr	H350			H
649-031-00-7	Residues (petroleum), topping plant, low-sulfur; Heavy Fuel oil; [A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.]	271-763-7	68607-30-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-032-00-2	Gas oils (petroleum), heavy atmospheric; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₃₅ and boiling in the range of approximately 121 °C to 510 °C (250°F to 950°F).]	272-184-2	68783-08-4	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-033-00-8	Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.; Heavy Fuel oil; [A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vacuum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	272-187-9	68783-13-1	Carc. 1B	H350	GHS08 Dgr	H350			H
649-034-00-3	Distillates (petroleum), petroleum residues vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.]	273-263-4	68955-27-1	Carc. 1B	H350	GHS08 Dgr	H350			H
649-035-00-9	Residues (petroleum), steam-cracked, resinous; Heavy Fuel oil; [A complex residuum from the distillation of steam-cracked petroleum residues.]	273-272-3	68955-36-2	Carc. 1B	H350	GHS08 Dgr	H350			H
649-036-00-4	Distillates (petroleum), intermediate vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₄₂ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	274-683-0	70592-76-6	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-037-00-X	Distillates (petroleum), light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₅ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F).]	274-684-6	70592-77-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-038-00-5	Distillates (petroleum), vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of C ₁₅ through C ₅₀ and boiling in the range of approximately 270 °C to 600 °C (518°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	274-685-1	70592-78-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-039-00-0	Gas oils (petroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks, It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₁₈ to C ₄₄ and boiling in the range of approximately 304 °C to 548 °C (579°F to 1018°F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	285-555-9	85117-03-9	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-040-00-6	Residues (petroleum), steam-cracked, distillates; Heavy Fuel oil; [A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.]	292-657-7	90669-75-3	Carc. 1B	H350	GHS08 Dgr	H350			H
649-041-00-1	Residues (petroleum), vacuum, light; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₄ and boiling above approximately 390 °C (734°F).]	292-658-2	90669-76-4	Carc. 1B	H350	GHS08 Dgr	H350			H
649-042-00-7	Fuel oil, heavy, high-sulfur; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cycloaliphatic hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	295-396-7	92045-14-2	Carc. 1B	H350	GHS08 Dgr	H350			H
649-043-00-2	Residues (petroleum), catalytic cracking; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F).]	295-511-0	92061-97-7	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-044-00-8	Distillates (petroleum), intermediate catalytic cracked, thermally degraded; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428°F to 842°F). This stream is likely to contain organic sulfur compounds.]	295-990-6	92201-59-7	Carc. 1B	H350	GHS08 Dgr	H350			H
649-045-00-3	Residual oils (petroleum); Heavy Fuel oil; [A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.]	298-754-0	93821-66-0	Carc. 1B	H350	GHS08 Dgr	H350			H
649-046-00-9	Residues, steam cracked, thermally treated; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356°F).]	308-733-0	98219-64-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-047-00-4	Distillates (petroleum), hydrosulfurized full-range middle; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F).]	309-863-0	101316-57-8	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-048-00-X	Residues (petroleum), catalytic reformer fractionator; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₅ and boiling in the range of approximately 160 °C to 400 °C (320°F to 725°F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.]	265-069-3	64741-67-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-049-00-5	Petroleum; Crude oil; [A complex combination of hydrocarbons. It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.]	232-298-5	8002-05-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-050-00-0	Distillates (petroleum), light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.]	265-051-5	64741-50-0	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-051-00-6	Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.]	265-052-0	64741-51-1	Carc. 1A	H350	GHS08 Dgr	H350			H
649-052-00-1	Distillates (petroleum), light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-053-6	64741-52-2	Carc. 1A	H350	GHS08 Dgr	H350			H
649-053-00-7	Distillates (petroleum), heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-054-1	64741-53-3	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-054-00-2	Distillates (petroleum), acid-treated heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-117-3	64742-18-3	Carc. 1A	H350	GHS08 Dgr	H350			H
649-055-00-8	Distillates (petroleum), acid-treated light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-118-9	64742-19-4	Carc. 1A	H350	GHS08 Dgr	H350			H
649-056-00-3	Distillates (petroleum), acid-treated heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of a least 100 SUS at 100°F (19cSt at 40 °C).]	265-119-4	64742-20-7	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-057-00-9	Distillates (petroleum), acid-treated light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-121-5	64742-21-8	Carc. 1A	H350	GHS08 Dgr	H350			H
649-058-00-4	Distillates (petroleum), chemically neutralized heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.]	265-127-8	64742-27-4	Carc. 1A	H350	GHS08 Dgr	H350			H
649-059-00-X	Distillates (petroleum), chemically neutralized light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C).]	265-128-3	64742-28-5	Carc. 1A	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-060-00-5	Distillates (petroleum), chemically neutralized heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-135-1	64742-34-3	Carc. 1A	H350	GHS08 Dgr	H350			H
649-061-00-0	Distillates (petroleum), chemically neutralized light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS a 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-136-7	64742-35-4	Carc. 1A	H350	GHS08 Dgr	H350			H
649-062-00-6	Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C ₃ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C ₂ through C ₄ , predominantly C ₃ .]	270-755-0	68477-73-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-063-00-1	Gases (petroleum), catalytic cracker; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-756-6	68477-74-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-064-00-7	Gases (petroleum), catalytic cracker, C _{1,5} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₅ .]	270-757-1	68477-75-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-065-00-2	Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, C _{2,4} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₆ , predominantly C ₂ through C ₄ .]	270-758-7	68477-76-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-066-00-8	Gases (petroleum), catalytic reformer, C _{1,4} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₄ .]	270-760-8	68477-79-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-067-00-3	Gases (petroleum), C _{3,5} olefinic-paraffinic alkylation feed; Petroleum gas; [A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.]	270-765-5	68477-83-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-068-00-9	Gases (petroleum), C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .]	270-767-6	68477-85-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-069-00-4	Gases (petroleum), deethanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.]	270-768-1	68477-86-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-070-00-X	Gases (petroleum), deisobutanizer tower overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	270-769-7	68477-87-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-071-00-5	Gases (petroleum), depropanizer dry, propene-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.]	270-772-3	68477-90-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-072-00-0	Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	270-773-9	68477-91-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-073-00-6	Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ , predominantly propane.]	270-777-0	68477-94-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-074-00-1	Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	270-778-6	68477-95-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-075-00-7	Gases (petroleum), isomerized naphtha fractionator, C ₄ -rich, hydrogen sulfide-free; Petroleum gas	270-782-8	68477-99-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-076-00-2	Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-802-5	68478-21-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-077-00-8	Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-803-0	68478-22-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-078-00-3	Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-804-6	68478-24-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-079-00-9	Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	270-806-7	68478-26-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-080-00-4	Tail gas (petroleum), saturate gas plant mixed stream, C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly butane and isobutane.]	270-813-5	68478-32-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-081-00-X	Tail gas (petroleum), saturate gas recovery plant, C _{1,2} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ , predominantly methane and ethane.]	270-814-0	68478-33-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-082-00-5	Tail gas (petroleum), vacuum residues thermal cracker; Petroleum gas; [A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-815-6	68478-34-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-083-00-0	Hydrocarbons, C _{3,4} -rich, petroleum distillate; Petroleum gas; [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₃ through C ₄ .]	270-990-9	68512-91-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-084-00-6	Gases (petroleum), full-range straight-run naphtha dehexanizer off; petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-000-8	68513-15-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-085-00-1	Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich; Petroleum gas; [A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ . It may also contain small amounts of hydrogen and hydrogen sulfide.]	271-001-3	68513-16-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-086-00-7	Gases (petroleum), light straight-run naphtha stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-002-9	68513-17-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-087-00-2	Residues (petroleum), alkylation splitter, C ₄ -rich; Petroleum gas; [A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C ₄ through C ₅ , predominantly butane and boiling in the range of approximately - 11.7 °C to 27.8 °C (11°F to 82°F).]	271-010-2	68513-66-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-088-00-8	Hydrocarbons, C ₁₋₄ ; Petroleum gas; [A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately minus 164 °C to minus 0.5 °C (-263°F to 31°F).]	271-032-2	68514-31-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-089-00-3	Hydrocarbons, C ₁₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately -164 °C to -0.5 °C (-263°F to 31°F).]	271-038-5	68514-36-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-090-00-9	Hydrocarbons, C ₁₋₃ ; Petroleum gas; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ and boiling in the range of approximately minus 164 °C to minus 42 °C (-263°F to -44°F).]	271-259-7	68527-16-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-091-00-4	Hydrocarbons, C ₁₋₄ , debutanizer fraction; Petroleum gas	271-261-8	68527-19-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-092-00-X	Gases (petroleum), C ₁₋₅ , wet; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	271-624-0	68602-83-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-093-00-5	Hydrocarbons, C ₂₋₄ ; Petroleum gas	271-734-9	68606-25-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-094-00-0	Hydrocarbons, C ₃ ; Petroleum gas	271-735-4	68606-26-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-095-00-6	Gases (petroleum), alkylation feed; Petroleum gas; [A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	271-737-5	68606-27-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-096-00-1	Gases (petroleum), depropanizer bottoms fractionation off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.]	271-742-2	68606-34-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-097-00-7	Gases (petroleum), refinery blend; Petroleum gas; [A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-183-7	68783-07-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-098-00-2	Gases (petroleum), catalytic cracking; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	272-203-4	68783-64-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-099-00-8	Gases (petroleum), C ₂₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ and boiling in the range of approximately - 51 °C to - 34 °C (-60°F to - 30°F).]	272-205-5	68783-65-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-100-00-1	Gases (petroleum), crude oil fractionation off; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-871-7	68918-99-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-101-00-7	Gases (petroleum), dehexanizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-872-2	68919-00-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-102-00-2	Gases (petroleum), light straight run gasoline fractionation stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-878-5	68919-05-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-103-00-8	Gases (petroleum), naphtha unfiner desulfurization stripper off; Petroleum gas; [A complex combination of hydrocarbons produced by a naphtha unfiner desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-879-0	68919-06-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-104-00-3	Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.]	272-882-7	68919-09-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-105-00-9	Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of the charge to the C ₃ -C ₄ splitter. It consists predominantly of C ₃ hydrocarbons.]	272-893-7	68919-20-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-106-00-4	Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-883-2	68919-10-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-107-00-X	Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-169-3	68952-76-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-108-00-5	Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-170-9	68952-77-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-109-00-0	Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-175-6	68952-81-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-110-00-6	Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-176-1	68952-82-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-111-00-1	Gases (petroleum, light steam-cracked, butadiene conc.); Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process, It consists of hydrocarbons having a carbon number predominantly of C ₄ .]	273-265-5	68955-28-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-112-00-7	Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	273-270-2	68955-34-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-113-00-2	Hydrocarbons, C ₄ ; Petroleum gas	289-339-5	87741-01-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-114-00-8	Alkanes, C ₁₋₄ , C ₃ -rich; Petroleum gas	292-456-4	90622-55-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-115-00-3	Gases (petroleum), steam-cracker C ₃ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (-94°F to 32°F).]	295-404-9	92045-22-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-116-00-9	Hydrocarbons, C ₄ , steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C ₄ , predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4°F to 41°F).]	295-405-4	92045-23-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-117-00-4	Petroleum gases, liquefied, sweetened, C ₄ fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C ₄ saturated and unsaturated hydrocarbons.]	295-463-0	92045-80-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			HKSU
649-118-00-X	Hydrocarbons, C ₄ , 1,3-butadiene- and isobutene-free; Petroleum gas	306-004-1	95465-89-7	Flam. Gas 1 Press. Gas Carc. 1B	H220 H350	GHS02 GHS04 GHS08 Dgr	H220 H350			H K U
649-119-00-5	Raffinates (petroleum), steam-cracked C ₄ fraction cuprous ammonium acetate extn., C _{3.5} and C _{3.5} unsatd., butadiene-free; Petroleum gas	307-769-4	97722-19-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-120-00-0	Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen. Carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ may also be present.]	270-746-1	68477-65-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-121-00-6	Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ , including benzene, may also be present.]	270-747-7	68477-66-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-122-00-1	Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ .]	270-748-2	68477-67-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-123-00-7	Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-749-8	68477-68-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-124-00-2	Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	270-759-2	68477-77-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-125-00-8	Gases (petroleum), C ₆₋₈ catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-761-3	68477-80-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-126-00-3	Gases (petroleum), C ₆₋₈ catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ and hydrogen.]	270-762-9	68477-81-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-127-00-9	Gases (petroleum), C ₆₋₈ catalytic reformer recycle, hydrogen-rich; Refinery gas	270-763-4	68477-82-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-128-00-4	Gases (petroleum), C ₂ -return stream; Refinery gas; [A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.]	270-766-0	68477-84-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-129-00-X	Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	270-774-4	68477-92-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-130-00-5	Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C ₁ through C ₃ .]	270-776-5	68477-93-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-131-00-0	Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C ₂ hydrocarbons.]	270-779-1	68477-96-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-132-00-6	Gases (petroleum), hydrogen-rich; Refinery gas; [A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C ₂ hydrocarbons.]	270-780-7	68477-97-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-133-00-1	Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich; Refinery gas; [A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-781-2	68477-98-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-134-00-7	Gases (petroleum), recycle, hydrogen-rich; Refinery gas; [A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .]	270-783-3	68478-00-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-135-00-2	Gases (petroleum), reformer make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-784-9	68478-01-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-136-00-8	Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	270-785-4	68478-02-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-137-00-3	Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .]	270-787-5	68478-03-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-138-00-9	Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-788-0	68478-04-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-139-00-4	Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-789-6	68478-05-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-140-00-X	Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	270-805-1	68478-25-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-141-00-5	Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-807-2	68478-27-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-142-00-0	Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-808-8	68478-28-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	
649-143-00-6	Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-809-3	68478-29-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		H K U	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-144-00-1	Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-810-9	68478-30-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-145-00-7	Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.]	270-999-8	68513-14-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-146-00-2	Gases (petroleum), reformer effluent high-pressure flash drum off; Refinery gas; [A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-003-4	68513-18-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-147-00-8	Gases (petroleum), reformer effluent low-pressure flash drum off; Refinery gas; [A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-005-5	68513-19-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-148-00-3	Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₂ , hydrogen, nitrogen, and carbon monoxide.]	271-258-1	68527-15-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-149-00-9	Gases (petroleum), benzene unit hydrotr-eater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ . It may contain trace amounts of benzene.]	271-623-5	68602-82-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-150-00-4	Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	271-625-6	68602-84-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-151-00-X	Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-750-6	68607-11-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-152-00-5	Gases (petroleum), hydrocracking low-pressure separator; Refinery gas; [A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	272-182-1	68783-06-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-153-00-0	Gases (petroleum), refinery; Refinery gas; [A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	272-338-9	68814-67-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-154-00-6	Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	272-343-6	68814-90-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-155-00-1	Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ .]	272-775-5	68911-58-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-156-00-7	Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .]	272-776-0	68911-59-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-157-00-2	Gases (petroleum), distillate unifier desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the unifier desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.]	272-873-8	68919-01-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-158-00-8	Gases (petroleum), fluidized catalytic cracker fractionation off; Refinery gas; [A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-874-3	68919-02-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-159-00-3	Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.]	272-875-9	68919-03-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-160-00-9	Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-876-4	68919-04-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-161-00-4	Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.]	272-880-6	68919-07-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-162-00-X	Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-881-1	68919-08-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-163-00-5	Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-884-8	68919-11-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-164-00-0	Gases (petroleum), unifier stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifier unit.]	272-885-3	68919-12-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-165-00-6	Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.]	273-173-5	68952-79-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-166-00-1	Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	273-174-0	68952-80-7	Press. Gas Flam. Gas 1 Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-167-00-7	Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-269-7	68955-33-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-168-00-2	Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-563-5	68989-88-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-169-00-8	Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .]	295-397-2	92045-15-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-170-00-3	Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	295-398-8	92045-16-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-171-00-9	Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	295-399-3	92045-17-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-172-00-4	Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	295-400-7	92045-18-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-173-00-X	Gases (petroleum), naphtha steam cracking high-pressure residual; Refinery gas; [A complex combination obtained as a mixture of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ with which natural gas may also be mixed.]	295-401-2	92045-19-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-174-00-5	Gases (petroleum), residue visbaking off; Refinery gas; [A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	295-402-8	92045-20-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-175-00-0	Foot's oil (petroleum), acid-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	300-225-7	93924-31-3	Flam. Gas 1 Press. Gas Carc. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-176-00-6	Foot's oil (petroleum), clay-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	300-226-2	93924-32-4	Flam. Gas 1 Press. Gas Carc. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-177-00-1	Gases (petroleum), C ₃₋₄ ; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60°F to 30°F.)]	268-629-5	68131-75-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-178-00-7	Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber; Petroleum gas; [The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .]	269-617-2	68307-98-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-179-00-2	Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .]	269-618-8	68307-99-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-180-00-8	Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-619-3	68308-00-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-181-00-3	Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-620-9	68308-01-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-182-00-9	Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-630-3	68308-10-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-183-00-4	Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-623-5	68308-03-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-184-00-X	Tail gas (petroleum), gas recovery plant; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-624-0	68308-04-3	Press. Gas Flam. Gas 1 Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-185-00-5	Tail gas (petroleum), gas recovery plant deethanizer; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbon having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-625-6	68308-05-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-186-00-0	Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-626-1	68308-06-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-187-00-6	Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-627-7	68308-07-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-188-00-1	Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-629-8	68308-09-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-189-00-7	Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-631-9	68308-11-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-190-00-2	Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-632-4	68308-12-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-191-00-8	Gases (petroleum), catalytic cracked overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ and boiling in the range of approximately - 48 °C to 32 °C (-54°F to 90°F).]	270-071-2	68409-99-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-193-00-9	Alkanes, C ₁₋₂ ; Petroleum gas	270-651-5	68475-57-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-194-00-4	Alkanes, C ₂₋₃ ; Petroleum gas	270-652-0	68475-58-1	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-195-00-X	Alkanes, C ₃₋₄ ; Petroleum gas	270-653-6	68475-59-2	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-196-00-5	Alkanes, C ₄₋₅ ; Petroleum gas	270-654-1	68475-60-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-197-00-0	Fuel gases; Petroleum gas; [A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.]	270-667-2	68476-26-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-198-00-6	Fuel gases, crude oil of distillates; Petroleum gas; [A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 217 °C to - 12 °C (-423°F to 10°F).]	270-670-9	68476-29-9	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-199-00-1	Hydrocarbons, C ₃₋₄ ; Petroleum gas	270-681-9	68476-40-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-200-00-5	Hydrocarbons, C ₄₋₅ ; Petroleum gas	270-682-4	68476-42-6	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-201-00-0	Hydrocarbons, C ₂₋₄ , C ₃ -rich; Petroleum gas	270-689-2	68476-49-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-202-00-6	Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).]	270-704-2	68476-85-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			HKSU

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-203-00-1	Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).]	270-705-8	68476-86-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			HKSU
649-204-00-7	Gases (petroleum), C ₃₋₄ , isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly isobutane.]	270-724-1	68477-33-8	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-205-00-2	Distillates (petroleum), C ₃₋₆ , piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C ₃ through C ₆ . It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly piperylenes.]	270-726-2	68477-35-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-206-00-8	Gases (petroleum), butane splitter overheads; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	270-750-3	68477-69-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-207-00-3	Gases (petroleum), C ₂ ; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.]	270-751-9	68477-70-3	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-208-00-9	Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, C ₄ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .]	270-752-4	68477-71-4	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-209-00-4	Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, C _{3,5} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	270-754-5	68477-72-5	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U
649-210-00-X	Tail gas (petroleum), isomerized naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-628-2	68308-08-7	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			H K U

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-211-00-5	Foots oil (petroleum), carbon-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-126-0	97862-76-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-212-00-0	Distillates (petroleum), sweetened middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-088-7	64741-86-2	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-213-00-6	Gas oils (petroleum), solvent-refined; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-092-9	64741-90-8	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-214-00-1	Distillates (petroleum), solvent-refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-093-4	64741-91-9	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-215-00-7	Gas oils (petroleum), acid-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-112-6	64742-12-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-216-00-2	Distillates (petroleum), acid-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).]	265-113-1	64742-13-8	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-217-00-8	Distillates (petroleum), acid-treated light; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-114-7	64742-14-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-218-00-3	Gas oils (petroleum), chemically neutralized; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-129-9	64742-29-6	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-219-00-9	Distillates (petroleum), chemically neutralized middle; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).]	265-130-4	64742-30-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-220-00-4	Distillates (petroleum), clay-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-139-3	64742-38-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-221-00-X	Distillates (petroleum), hydrotreated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-148-2	64742-46-7	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-222-00-5	Gas oils (petroleum), hydrodesulfurized; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-182-8	64742-79-6	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-223-00-0	Distillates (petroleum), hydrodesulfurized middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-183-3	64742-80-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-224-00-6	Fuels, diesel; Gasoil — unspecified; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 163 °C to 357 °C (325°F to 675°F).]	269-822-7	68334-30-5	Carc. 2	H351	GHS08 Wng	H351			H N
649-225-00-1	Fuel oil, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F) to a maximum of 37,9 SUS at 37,7 °C (100°F).]	270-671-4	68476-30-2	Carc. 2	H351	GHS08 Wng	H351			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-226-00-7	Fuel oil, No 4; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100°F) to a maximum of 125 SUS at 37,7 °C (100°F).]	270-673-5	68476-31-3	Carc. 2	H351	GHS08 Wng	H351			H
649-227-00-2	Fuels, diesel, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F).]	270-676-1	68476-34-6	Carc. 2	H351	GHS08 Wng	H351			H
649-228-00-8	Distillates (petroleum), catalytic reformer fractionator residue, high-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 343 °C to 399 °C (650°F to 750°F).]	270-719-4	68477-29-2	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-229-00-3	Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550°F to 700°F).]	270-721-5	68477-30-5	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-230-00-9	Distillates (petroleum), catalytic reformer fractionator residue, low-boiling; Gasoil — unspecified; [The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550°F).]	270-722-0	68477-31-6	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-231-00-4	Distillates (petroleum), highly refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₀ .]	292-615-8	90640-93-0	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-232-00-X	Distillates (petroleum) catalytic reformer, heavy arom. conc.; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₆ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).]	295-294-2	91995-34-5	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-233-00-5	Gas oils, paraffinic; Gasoil — unspecified; [A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374°F to 594°F).]	300-227-8	93924-33-5	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-234-00-0	Naphtha (petroleum), solvent-refined hydrosulfurized heavy; Gasoil — unspecified	307-035-3	97488-96-5	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-235-00-6	Hydrocarbons, C ₁₆₋₂₀ , hydrotreated middle distillate, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 290 °C to 350 °C (554°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).]	307-659-6	97675-85-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-236-00-1	Hydrocarbons, C ₁₂₋₂₀ , hydrotreated paraffinic, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₀ and boiling in the range of approximately 230 °C to 350 °C (446°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).]	307-660-1	97675-86-0	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-237-00-7	Hydrocarbons, C ₁₁₋₁₇ , solvent-extd. light naphthenic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 2.2 cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).]	307-757-9	97722-08-2	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-238-00-2	Gas oils, hydrotreated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₇ and boiling in the range of approximately 330 °C to 340 °C (626°F to 644°F).]	308-128-1	97862-78-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-239-00-8	Distillates (petroleum), carbon-treated light paraffinic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₈ .]	309-667-5	100683-97-4	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-240-00-3	Distillates (petroleum), intermediate paraffinic, carbon-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	309-668-0	100683-98-5	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-241-00-9	Distillates (petroleum), intermediate paraffinic, clay-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	309-669-6	100683-99-6	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-242-00-4	Alkanes, C ₁₂₋₂₆ -branched and linear	292-454-3	90622-53-0	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-243-00-X	Lubricating greases; Grease; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₅₀ . May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.]	278-011-7	74869-21-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-244-00-5	Slack wax (petroleum); Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	265-165-5	64742-61-6	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-245-00-0	Slack wax (petroleum), acid-treated; Slack wax; [A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	292-659-8	90669-77-5	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-246-00-6	Slack wax (petroleum), clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	292-660-3	90669-78-6	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-247-00-1	Slack wax (petroleum), hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	295-523-6	92062-09-4	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-248-00-7	Slack wax (petroleum), low-melting; Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-524-1	92062-10-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-249-00-2	Slack wax (petroleum), low-melting, hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-525-7	92062-11-8	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-250-00-8	Slack wax (petroleum), low-melting, carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-155-9	97863-04-2	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-251-00-3	Slack wax (petroleum), low-melting, clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-156-4	97863-05-3	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-252-00-9	Slack wax (petroleum), low-melting, silicic acid-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-158-5	97863-06-4	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-253-00-4	Slack wax (petroleum), carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.]	309-723-9	100684-49-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-254-00-X	Petrolatum; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .]	232-373-2	8009-03-8	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-255-00-5	Petrolatum (petroleum), oxidized; Petrolatum; [A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.]	265-206-7	64743-01-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-256-00-0	Petrolatum (petroleum), alumina-treated; Petrolatum; [A complex combination of hydrocarbons obtained when petrolatum is treated with Al ₂ O ₃ to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .]	285-098-5	85029-74-9	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-257-00-6	Petrolatum (petroleum), hydrotreated; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	295-459-9	92045-77-7	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-258-00-1	Petrolatum (petroleum), carbon-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	308-149-6	97862-97-0	Carc. 1B	H350	GHS08 Dgr	H350			H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-259-00-7	Petrolatum (petroleum), silicic acid-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	308-150-1	97862-98-1	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-260-00-2	Petrolatum (petroleum), clay-treated; Petrolatum; [A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than C ₂₅ .]	309-706-6	100684-33-1	Carc. 1B	H350	GHS08 Dgr	H350			H N
649-261-00-8	Gasoline, natural; Low boiling point naphtha; [A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 20 °C to 120 °C (-4°F to 248°F).]	232-349-1	8006-61-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-262-00-3	Naphtha; Low boiling point naphtha; [Refined, partly refined, or unrefined petroleum products by the distillation of natural gas. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).]	232-443-2	8030-30-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-263-00-9	Ligroine; Low boiling point naphtha; [A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58°F to 275°F).]	232-453-7	8032-32-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-264-00-4	Naphtha (petroleum), heavy straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-041-0	64741-41-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-265-00-X	Naphtha (petroleum), full-range straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 220 °C (-4°F to 428°F).]	265-042-6	64741-42-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-266-00-5	Naphtha (petroleum), light straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).]	265-046-8	64741-46-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-267-00-0	Solvent naphtha (petroleum), light aliph.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 35 °C to 160 °C (95°F to 320°F).]	265-192-2	64742-89-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-268-00-6	Distillates (petroleum), straight-run light; Low boiling point naphtha; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₇ and boiling in the range of approximately - 88 °C to 99 °C (-127°F to 210°F).]	270-077-5	68410-05-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-269-00-1	Gasoline, vapor-recovery; Low boiling point naphtha; [A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 196 °C (-4°F to 384°F).]	271-025-4	68514-15-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-270-00-7	Gasoline, straight-run, topping-plant; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97°F to 380°F).]	271-727-0	68606-11-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-271-00-2	Naphtha (petroleum), unsweetened; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 0 °C to 230 °C (25°F to 446°F).]	272-186-3	68783-12-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-272-00-8	Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads; Low boiling point naphtha; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ .]	272-931-2	68921-08-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-273-00-3	Naphtha (petroleum), heavy straight run, arom.-contg.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).]	309-945-6	101631-20-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-274-00-9	Naphtha (petroleum), full-range alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consist of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).]	265-066-7	64741-64-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-275-00-4	Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ to C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 150 °C to 220 °C (302°F to 428°F).]	265-067-2	64741-65-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-276-00-X	Naphtha (petroleum), light alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 90 °C to 160 °C (194°F to 320°F).]	265-068-8	64741-66-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-277-00-5	Naphtha (petroleum), isomerization; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic C ₄ through C ₆ hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.]	265-073-5	64741-70-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-278-00-0	Naphtha (petroleum), solvent-refined light; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).]	265-086-6	64741-84-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-279-00-6	Naphtha (petroleum), solvent-refined heavy; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-095-5	64741-92-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-280-00-1	Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ .]	270-088-5	68410-71-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-281-00-7	Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ .]	270-349-3	68425-35-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-282-00-2	Naphtha (petroleum), full-range alkylate, butane-contg.; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ with some butanes and boiling in the range of approximately 35 °C to 200 °C (95°F to 428°F).]	271-267-0	68527-27-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-283-00-8	Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydro-treated; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydrotreated light distillate from steam-cracked naphtha.]	295-315-5	91995-53-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-284-00-3	Naphtha (petroleum), C ₄₋₁₂ butane-alkylate, isooctane-rich; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ , rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95°F to 410°F).]	295-430-0	92045-49-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-285-00-9	Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201°F to 210°F).]	295-436-3	92045-55-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-286-00-4	Naphtha (petroleum), isomerization, C ₆ -fraction; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140°F to 151°F).]	295-440-5	92045-58-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-287-00-X	Hydrocarbons, C ₆₋₇ , naphtha-cracking, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 70 °C to 100 °C (158°F to 212°F).]	295-446-8	92045-64-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-288-00-5	Hydrocarbons, C ₆ -rich, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149°F to 158°F).]	309-871-4	101316-67-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-289-00-0	Naphtha (petroleum), heavy catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F). It contains a relatively large proportion of unsaturated hydrocarbons.]	265-055-7	64741-54-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-290-00-6	Naphtha (petroleum), light catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). It contains a relatively large proportion of unsaturated hydrocarbons.]	265-056-2	64741-55-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-291-00-1	Hydrocarbons, C ₃₋₁₁ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₁₁ and boiling in a range approximately up to 204 °C (400°F).]	270-686-6	68476-46-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-292-00-7	Naphtha (petroleum), catalytic cracked light distd.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-185-8	68783-09-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-293-00-2	Distillates (petroleum), naphtha steam cracking-derived, hydrotreated light arom.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predominantly of aromatic hydrocarbons.]	295-311-3	91995-50-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-294-00-8	Naphtha (petroleum), heavy catalytic cracked, sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 60 °C to 200 °C (140°F to 392°F).]	295-431-6	92045-50-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-295-00-3	Naphtha (petroleum), light catalytic cracked sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approximately 35 °C to 210 °C (95°F to 410°F).]	295-441-0	92045-59-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-296-00-9	Hydrocarbons, C ₈₋₁₂ , catalytic-cracking, chem. neutralized; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).]	295-794-0	92128-94-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-297-00-4	Hydrocarbons, C ₈₋₁₂ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ and boiling in the range of approximately 140 °C to 210 °C (284°F to 410°F).]	309-974-4	101794-97-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-298-00-X	Hydrocarbons, C ₈₋₁₂ , catalytic cracking, chem. neutralized, sweetened; Low boiling point cat-cracked naphtha	309-987-5	101896-28-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-299-00-5	Naphtha (petroleum), light catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.]]	265-065-1	64741-63-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-300-00-9	Naphtha (petroleum), heavy catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-070-9	64741-68-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-301-00-4	Distillates (petroleum), catalytic reformed deparaffinizer; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 63 °C - 57°F to 145°F.)]	270-660-4	68475-79-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-302-00-X	Hydrocarbons, C ₂₋₆ , C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha	270-687-1	68476-47-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-303-00-5	Residues (petroleum), C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha; [A complex residuum from the catalytic reforming of C ₆₋₈ feed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	270-794-3	68478-15-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-304-00-0	Naphtha (petroleum), light catalytic reformed, arom.-free; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 35 °C to 120 °C (95°F to 248°F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.]	270-993-5	68513-03-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-305-00-6	Distillates (petroleum), catalytic reformed straight-run naphtha overheads; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-008-1	68513-63-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-306-00-1	Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80°F to 410°F).]	271-058-4	68514-79-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-307-00-7	Naphtha (petroleum, full-range reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).]	272-895-8	68919-37-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-308-00-2	Naphtha (petroleum), catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 220 °C (90°F to 430°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol.% or more benzene.]	273-271-8	68955-35-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-309-00-8	Distillates (petroleum), catalytic reformed hydrotreated light, C ₈₋₁₂ arom. fraction; Low boiling point cat-reformed naphtha; [A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 160 °C to 180 °C (320°F to 356°F).]	285-509-8	85116-58-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-310-00-3	Aromatic hydrocarbons, C ₈ , catalytic reforming-derived; Low boiling point cat-reformed naphtha	295-279-0	91995-18-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-311-00-9	Aromatic hydrocarbons, C ₇₋₁₂ , C ₈ -rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ (primarily C ₈) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266°F to 392°F).]	297-401-8	93571-75-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-312-00-4	Gasoline, C ₅₋₁₁ , high-octane stabilized reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 45 °C to 185 °C (113°F to 365°F).]	297-458-9	93572-29-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-313-00-X	Hydrocarbons, C ₇₋₁₂ , C _{>9} -arom.-rich, reforming heavy fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 120 °C to 210 °C (248°F to 380°F) and C ₉ and higher aromatic hydrocarbons.]	297-465-7	93572-35-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-314-00-5	Hydrocarbons, C ₅₋₁₁ , nonaroms.-rich, reforming light fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 35 °C to 125 °C (94°F to 257°F), benzene and toluene.]	297-466-2	93572-36-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-315-00-0	Foots oil (petroleum), silicic acid-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-127-6	97862-77-6	Carc. 1B	H350 H304	GHS08 Dgr	H350 H304			H L
649-316-00-6	Naphtha (petroleum), light thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 10 °C to 130 °C (14°F to 266°F).]	265-075-6	64741-74-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-317-00-1	Naphtha (petroleum), heavy thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 220 °C (148°F to 428°F).]	265-085-0	64741-83-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-318-00-7	Distillates (petroleum), heavy arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of C ₅ . This stream may contain benzene.]	267-563-4	67891-79-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-319-00-2	Distillates (petroleum), light arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of C ₅ . This stream may contain benzene.]	267-565-5	67891-80-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-320-00-8	Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of C ₉ and boiling at approximately 204 °C (400°F).]	270-344-6	68425-29-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-321-00-3	Aromatic hydrocarbons, C ₆₋₈ , naphtha-raffinate pyrolyzate-derived; Low boiling point thermally cracked naphtha; A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ , including benzene.]	270-658-3	68475-70-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-322-00-9	Distillates (petroleum), thermal cracked naphtha and gas oil; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of C ₅ and boiling in the range of approximately 33 °C to 60 °C (91°F to 140°F).]	271-631-9	68603-00-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-323-00-4	Distillates (petroleum), thermal cracked naphtha and gas oil, C ₅ -dimer-contg.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of C ₅ with some dimerized C ₅ olefins and boiling in the range of approximately 33 °C to 184 °C (91°F to 363°F).]	271-632-4	68603-01-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-324-00-X	Distillates (petroleum), thermal cracked naphtha and gas oil, extractive; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88°F to 104°F).]	271-634-5	68603-03-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-325-00-5	Distillates (petroleum), light thermal cracked, debutanized arom.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.]	273-266-0	68955-29-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-326-00-0	Naphtha (petroleum), light thermal cracked, sweetened; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68°F to 212°F).]	295-447-3	92045-65-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-327-00-6	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₃ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-150-3	64742-48-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-328-00-1	Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-151-9	64742-49-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-329-00-7	Naphtha (petroleum), hydrodesulfurized light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-178-6	64742-73-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-330-00-2	Naphtha (petroleum), hydrodesulfurized heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-185-4	64742-82-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-331-00-8	Distillates (petroleum), hydrotreated middle, intermediate boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 127 °C to 188 °C (262°F to 370°F).]	270-092-7	68410-96-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-332-00-3	Distillates (petroleum), light distillate hydrotreating process, low-boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ and boiling in the range of approximately 3 °C to 194 °C (37°F to 382°F).]	270-093-2	68410-97-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-333-00-9	Distillates (petroleum), hydrotreated heavy naphtha, deisohexanizer overheads; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 68 °C (-57°F to 155°F).]	270-094-8	68410-98-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-334-00-4	Solvent naphtha (petroleum), light arom., hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).]	270-988-8	68512-78-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-335-00-X	Naphtha (petroleum), hydrodesulfurized thermal cracked light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 195 °C (73°F to 383°F).]	285-511-9	85116-60-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-336-00-5	Naphtha (petroleum), hydrotreated light, cycloalkane-contg.; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	285-512-4	85116-61-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-337-00-0	Naphtha (petroleum), heavy steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha	295-432-1	92045-51-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-338-00-6	Naphtha (petroleum), hydrodesulfurized full-range; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 250 °C (86°F to 482°F).]	295-433-7	92045-52-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-339-00-1	Naphtha (petroleum), hydrotreated light steam-cracked; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).]	295-438-4	92045-57-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-340-00-7	Hydrocarbons, C ₄₋₁₂ , naphtha-cracking, hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 230 °C (86°F to 446°F).]	295-443-1	92045-61-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-341-00-2	Solvent naphtha (petroleum), hydrotreated light naphthenic; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 73 °C to 85 °C (163°F to 185°F).]	295-529-9	92062-15-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-342-00-8	Naphtha (petroleum), light steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately 50 °C to 200 °C (122°F to 392°F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulphur and oxygenated compounds.]	296-942-7	93165-55-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-343-00-3	Hydrocarbons, C ₆₋₁₁ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-852-0	93763-33-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-344-00-9	Hydrocarbons, C ₉₋₁₂ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-853-6	93763-34-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-345-00-4	Stoddard solvent; Low boiling point naphtha — unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odors and that boils in a range of approximately 300°F to 400°F.]	232-489-3	8052-41-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-346-00-X	Natural gas condensates (petroleum); Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of C ₂ to C ₂₀ . It is a liquid at atmospheric temperature and pressure.]	265-047-3	64741-47-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-347-00-5	Natural gas (petroleum), raw liq. mix; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₈ .]	265-048-9	64741-48-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-348-00-0	Naphtha (petroleum), light hydrocracked; Low boiling naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ , and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).]	265-071-4	64741-69-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-349-00-6	Naphtha (petroleum), heavy hydrocracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ , and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F).]	265-079-8	64741-78-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-350-00-1	Naphtha (petroleum), sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately minus 10 °C to 230 °C (14°F to 446°F).]	265-089-2	64741-87-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-351-00-7	Naphtha (petroleum), acid-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-115-2	64742-15-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-352-00-2	Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-122-0	64742-22-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-353-00-8	Naphtha (petroleum), chemically neutralized light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-123-6	64742-23-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-354-00-3	Naphtha (petroleum), catalytic dewaxed; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).]	265-170-2	64742-66-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-355-00-9	Naphtha (petroleum), light steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). This stream is likely to contain 10 vol.% or more benzene.]	265-187-5	64742-83-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-356-00-4	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).]	265-199-0	64742-95-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-357-00-X	Aromatic hydrocarbons, C ₆₋₁₀ , acid-treated, neutralized; Low boiling point naphtha — unspecified	268-618-5	68131-49-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-358-00-5	Distillates (petroleum), C ₃₋₅ , 2-methyl-2-butene-rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ , predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly 2-methyl-2-butene.]	270-725-7	68477-34-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-359-00-0	Distillates (petroleum), polymd. steam-cracked petroleum distillates, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .]	270-735-1	68477-50-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-360-00-6	Distillates (petroleum), steam-cracked, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .]	270-736-7	68477-53-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-361-00-1	Distillates (petroleum), steam-cracked, C ₅₋₁₀ fraction, mixed with light steam-cracked petroleum naphtha C ₅ fraction; Low boiling point naphtha — unspecified	270-738-8	68477-55-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-362-00-7	Extracts (petroleum), cold-acid, C ₄₋₆ ; Low boiling point naphtha — unspecified; [A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .]	270-741-4	68477-61-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-363-00-2	Distillates (petroleum), depentanizer overheads; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-771-8	68477-89-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-364-00-8	Residues (petroleum), butane splitter bottoms; Low boiling point naphtha — unspecified; [A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-791-7	68478-12-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-365-00-3	Residual oils (petroleum), deisobutanizer tower; Low boiling point naphtha — unspecified; [A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-795-9	68478-16-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-366-00-9	Naphtha (petroleum), full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₅ and boiling in the range of approximately 43 °C to 250 °C (110°F to 500°F).]	270-991-4	68513-02-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-367-00-4	Naphtha (petroleum), steam-cracked middle arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 130 °C to 220 °C (266°F to 428°F).]	271-138-9	68516-20-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-368-00-X	Naphtha (petroleum), clay-treated full-range straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately -20 °C to 220 °C (-4°F to 429°F).]	271-262-3	68527-21-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-369-00-5	Naphtha (petroleum), clay-treated light straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities, present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 93 °C to 180 °C (200°F to 356°F).]	271-263-9	68527-22-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-370-00-0	Naphtha (petroleum), light steam-cracked arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₉ and boiling in the range of approximately 110 °C to 165 °C (230°F to 329°F).]	271-264-4	68527-23-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-371-00-6	Naphtha (petroleum), light steam-cracked, debenzenized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 80 °C to 218 °C (176°F to 424°F).]	271-266-5	68527-26-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-372-00-1	Naphtha (petroleum), arom.-contg.; Low boiling point naphtha — unspecified	271-635-0	68603-08-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-373-00-7	Gasoline, pyrolysis, debutanizer bottoms; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than C ₅ .]	271-726-5	68606-10-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-374-00-2	Naphtha (petroleum), light, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 20 °C to 100 °C (-4°F to 212°F).]	272-206-0	68783-66-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-375-00-8	Natural gas condensates; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₈ .]	272-896-3	68919-39-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H J
649-376-00-3	Distillates (petroleum), naphtha unifier stripper; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by stripping the products from the naphtha unifier. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	272-932-8	68921-09-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-377-00-9	Naphtha (petroleum), catalytic reformed light, arom.-free fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of C ₅ to C ₈ and boiling in the range of approximately 66 °C to 121 °C (151°F to 250°F).]	285-510-3	85116-59-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-378-00-4	Gasoline; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C ₃ and boiling in the range of 30 °C to 260 °C (86°F to 500°F).]	289-220-8	86290-81-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-379-00-X	Aromatic hydrocarbons, C ₇₋₈ , dealkylation products, distn. residues; Low boiling point naphtha — unspecified	292-698-0	90989-42-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-380-00-5	Hydrocarbons, C ₄₋₆ , depentanizer lights, arom. hydrotreater; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the depentanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ , predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77°F to 104°F).]	295-298-4	91995-38-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-381-00-0	Distillates (petroleum), heat-soaked steam-cracked naphtha, C ₅ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .]	295-302-4	91995-41-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-382-00-6	Extracts (petroleum), catalytic reformed light naphtha solvent; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₈ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).]	295-331-2	91995-68-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-383-00-1	Naphtha (petroleum), hydrodesulfurized light, dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C ₇ paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194°F to 212°F).]	295-434-2	92045-53-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-384-00-7	Naphtha (petroleum), light, C ₅ -rich, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ , predominantly C ₅ , and boiling in the range of approximately minus 10 °C to 35 °C (14°F to 95°F).]	295-442-6	92045-60-8	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-385-00-2	Hydrocarbons, C ₈₋₁₁ , naphtha-cracking, toluene cut; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₁ and boiling in the range of approximately 130 °C to 205 °C (266°F to 401°F).]	295-444-7	92045-62-0	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-386-00-8	Hydrocarbons, C ₄₋₁₁ , naphtha-cracking, arom.-free; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 205 °C (86°F to 401°F).]	295-445-2	92045-63-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-387-00-3	Naphtha (petroleum), light heat-soaked, steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon numbers predominantly in the range of C ₄ through C ₆ and boiling in the range of approximately 0 °C to 80 °C (32°F to 176°F).]	296-028-8	92201-97-3	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-388-00-9	Distillates (petroleum), C ₆ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of C ₅ through C ₇ , rich in C ₆ , and boiling in the range of approximately 60 °C to 70 °C (140°F to 158°F).]	296-903-4	93165-19-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-389-00-4	Gasoline, pyrolysis, hydrogenated; Low boiling point naphtha-unspecified; [A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68°F to 392°F).]	302-639-3	94114-03-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-390-00-X	Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction, polymd., distn. lights; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the polymerized C ₈ through C ₁₂ fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .]	305-750-5	95009-23-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-391-00-5	Extracts (petroleum) heavy naphtha solvent, clay-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₈ and boiling in the range of approximately 80 °C to 180 °C (175°F to 356°F).]	308-261-5	97926-43-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-392-00-0	Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 95 °C to 200 °C (203°F to 392°F).]	308-713-1	98219-46-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-393-00-6	Naphtha (petroleum), light steam-cracked, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 35 °C to 80 °C (95°F to 176°F).]	308-714-7	98219-47-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-394-00-1	Distillates (petroleum), C ₇₋₉ , C ₈ -rich, hydrodesulfurized dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₇ through C ₉ , predominantly C ₈ paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248°F to 266°F).]	309-862-5	101316-56-7	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-395-00-7	Hydrocarbons, C ₆₋₈ , hydrogenated sorption-dearomatized, toluene raffination; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ and boiling in the range of approximately 80 °C to 135 °C (176°F to 275°F).]	309-870-9	101316-66-9	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-396-00-2	Naphtha (petroleum), hydrodesulfurized full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 196 °C (73°F to 385°F).]	309-879-8	101316-76-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-397-00-8	Naphtha (petroleum), sweetened light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 20 °C to 130 °C (68°F to 266°F).]	309-976-5	101795-01-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-398-00-3	Hydrocarbons, C ₃₋₆ , C ₅ -rich, steam-cracked naphtha; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly C ₅ .]	310-012-0	102110-14-5	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-399-00-9	Hydrocarbons, C ₅ -rich, dicyclopentadiene-contg.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers of C ₅ and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86°F to 338°F).]	310-013-6	102110-15-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-400-00-2	Residues (petroleum), steam-cracked light, arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than C ₅ . It consists predominantly of aromatic hydrocarbons having carbon numbers greater than C ₅ and boiling above approximately 40 °C (104°F).]	310-057-6	102110-55-4	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-401-00-8	Hydrocarbons, C \geq 5, C ₅₋₆ -rich; Low boiling point naphtha — unspecified	270-690-8	68476-50-6	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-402-00-3	Hydrocarbons, C ₅ -rich; Low boiling point naphtha — unspecified	270-695-5	68476-55-1	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-403-00-9	Aromatic hydrocarbons, C ₈₋₁₀ ; Low boiling point naphtha — unspecified	292-695-4	90989-39-2	Carc. 1B Asp. Tox. 1	H350 H304	GHS08 Dgr	H350 H304			H P
649-404-00-4	Kerosine (petroleum); Straight run kerosine; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (320°F to 554°F).]	232-366-4	8008-20-6	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-405-00-X	Solvent naphtha (petroleum), medium aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 140 °C to 220 °C (284°F to 428°F).]	265-191-7	64742-88-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-406-00-5	Solvent naphtha (petroleum) heavy aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₆ and boiling in the range of approximately 190 °C to 290 °C (374°F to 554°F).]	265-200-4	64742-96-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-407-00-0	Kerosine (petroleum), straight-run wide-cut; Straight run kerosine; [A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158°F to 428°F).]	295-418-5	92045-37-9	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-408-00-6	Distillates (petroleum), steam-cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₆ and boiling in the range of approximately 90 °C to 290 °C (190°F to 554°F).]	265-194-3	64742-91-2	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-409-00-1	Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₈₋₁₀ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of C ₈ through C ₁₀ and boiling in the range of approximately 129 °C to 194 °C (264°F to 382°F).]	270-728-3	68477-39-4	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-410-00-7	Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₁₀₋₁₂ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₁₀ through C ₁₂ .]	270-729-9	68477-40-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-411-00-2	Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction; Cracked kerosine; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .]	270-737-2	68477-54-3	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-412-00-8	Kerosine (petroleum), hydrodesulfurized thermal cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of C ₈ to C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (284°F to 541°F).]	285-507-7	85116-55-8	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-413-00-3	Aromatic hydrocarbons, C _{≥10} , steam-cracking, hydrotreated; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than C ₁₀ and boiling in the range of approximately 150 °C to 320 °C (302°F to 608°F).]	292-621-0	90640-98-5	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-414-00-9	Naphtha (petroleum), steam-cracked, hydrotreated, C ₉₋₁₀ -arom.-rich; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₉ through C ₁₀ and boiling in the range of approximately 140 °C to 200 °C (284°F to 392°F).]	292-637-8	90641-13-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-415-00-4	Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-866-7	101316-61-4	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-416-00-X	Distillates (petroleum), catalytic cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-938-8	101631-13-4	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-417-00-5	Solvent naphtha (petroleum), hydrocracked heavy arom.; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 235 °C to 290 °C (455°F to 554°F).]	309-881-9	101316-80-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-418-00-0	Distillates (petroleum), steam-cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-940-9	101631-15-6	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-419-00-6	Distillates (petroleum), alkylate; Kerosine — unspecified; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 205 °C to 320 °C (401°F to 608°F).]	265-074-0	64741-73-7	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-420-00-1	Extracts (petroleum), heavy naphtha solvent; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).]	265-099-7	64741-98-6	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-421-00-7	Distillates (petroleum), chemically neutralized light; Kerosine — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-132-5	64742-31-0	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-422-00-2	Distillates (petroleum), hydrotreated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-149-8	64742-47-8	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-423-00-8	Kerosine (petroleum), hydrodesulfurized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-184-9	64742-81-0	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-424-00-3	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 165 °C to 290 °C (330°F to 554°F).]	265-198-5	64742-94-5	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-425-00-9	Naphtha (petroleum), heavy coker; Kerosine — unspecified; [A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₅ and boiling in the range of approximately 157 °C to 288 °C (315°F to 550°F).]	269-778-9	68333-23-3	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-426-00-4	Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction; Kerosine — unspecified; [A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ to C ₁₃ and boiling in the range of approximately 98 °C to 218 °C (208°F to 424°F).]	285-508-2	85116-57-0	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-427-00-X	Kerosine (petroleum), sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of 130 °C to 290 °C (266°F to 554°F).]	294-799-5	91770-15-9	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-428-00-5	Kerosine (petroleum), solvent-refined sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302°F to 500°F).]	295-416-4	92045-36-8	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-429-00-0	Hydrocarbons, C ₉₋₁₆ , hydrotreated, dearomatized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-854-1	93763-35-0	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-430-00-6	Kerosine (petroleum), solvent-refined hydrodesulfurized; Kerosine — unspecified	307-033-2	97488-94-3	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-431-00-1	Distillates (petroleum), hydrodesulfurized full-range middle coker; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (248°F to 541°F).]	309-864-6	101316-58-9	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-432-00-7	Solvent naphtha (petroleum), hydrodesulfurized heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 180 °C to 240 °C (356°F to 464°F).]	309-882-4	101316-81-8	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-433-00-2	Solvent naphtha (petroleum), hydrodesulfurized medium; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 175 °C to 220 °C (347°F to 428°F).]	309-884-5	101316-82-9	Asp. Tox. 1	H304	GHS08 Dgr	H304			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-434-00-8	Kerosine (petroleum), hydrotreated; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkylbenzenes having carbon numbers predominantly in the range of C ₁₂ through C ₁₆ and boiling in the range of approximately 230 °C to 270 °C (446°F to 518°F).]	309-944-0	101631-19-0	Asp. Tox. 1	H304	GHS08 Dgr	H304			H
649-435-00-3	Distillates (petroleum), light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.]	265-060-4	64741-59-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-436-00-9	Distillates (petroleum), intermediate catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.]	265-062-5	64741-60-2	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-437-00-4	Distillates (petroleum), light hydrocracked; Cracked gasoil; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ and boiling in the range of approximately 160 °C to 320 °C (320°F to 608°F).]	265-078-2	64741-77-1	Carc. 2	H351	GHS08 Wng	H351			H
649-438-00-X	Distillates (petroleum), light thermal cracked; Cracked gasoil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₂ and boiling in the range of approximately 160 °C to 370 °C (320°F to 698°F).]	265-084-5	64741-82-8	Carc. 1B	H350	GHS08 Dgr	H350			H
649-439-00-5	Distillates (petroleum), hydrosulfurized light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.]	269-781-5	68333-25-5	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-440-00-0	Distillates (petroleum), light steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ .]	270-662-5	68475-80-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-441-00-6	Distillates (petroleum), cracked steam-cracked petroleum distillates; Cracked gasoil; [A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ to low molecular weight polymers.]	270-727-8	68477-38-3	Carc. 1B	H350	GHS08 Dgr	H350			H
649-442-00-1	Gas oils (petroleum), steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₉ and boiling in the range of from approximately 205 °C to 400 °C (400°F to 752°F).]	271-260-2	68527-18-4	Carc. 1B	H350	GHS08 Dgr	H350			H
649-443-00-7	Distillates (petroleum), hydrodesulfurized thermal cracked middle; Cracked gasoil; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ to C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	285-505-6	85116-53-6	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-444-00-2	Gas oils (petroleum), thermal-cracked, hydrosulfurized; Cracked gasoil	295-411-7	92045-29-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-445-00-8	Residues (petroleum), hydrogenated steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32°F to 662°F).]	295-514-7	92062-00-5	Carc. 1B	H350	GHS08 Dgr	H350			H
649-446-00-3	Residues (petroleum), steam-cracked naphtha distn.; Cracked gasoil; [A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297°F to 572°F) and produces a finished oil having a viscosity of 18cSt at 50 °C.]	295-517-3	92062-04-9	Carc. 1B	H350	GHS08 Dgr	H350			H
649-447-00-9	Distillates (petroleum), light catalytic cracked, thermally degraded; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374°F to 644°F). This stream is likely to contain organic sulfur compounds.]	295-991-1	92201-60-0	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-448-00-4	Residues (petroleum), steam-cracked heat-soaked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302°F to 662°F).]	297-905-8	93763-85-0	Carc. 1B	H350	GHS08 Dgr	H350			H
649-449-00-X	Hydrocarbons, C ₁₆₋₂₀ , solvent-dewaxed hydrocracked paraffinic distn. residue; Cracked gasoil; [A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).]	307-662-2	97675-88-2	Carc. 2	H351	GHS08 Wng	H351			H
649-450-00-5	Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized; Cracked gasoil; [A complex combination of hydrocarbons obtained by catalytic dehydrodesulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₀ and boiling in the range of approximately 270 °C to 370 °C (518°F to 698°F).]	308-278-8	97926-59-5	Carc. 1B	H350	GHS08 Dgr	H350			H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-451-00-0	Distillates (petroleum), hydrodesulfurized middle coker; Cracked gasoil; [A complex combination of hydrocarbons by fractionation from hydrodesulfurised coker distillate stocks. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₁ and boiling in the range of approximately 200 °C to 360 °C (392°F to 680°F).]	309-865-1	101316-59-0	Carc. 1B	H350	GHS08 Dgr	H350			H
649-452-00-6	Distillates (petroleum), heavy steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482°F to 752°F).]	309-939-3	101631-14-5	Carc. 1B	H350	GHS08 Dgr	H350			H
649-453-00-1	Distillates (petroleum), heavy hydrocracked; Baseoil — unspecified; [A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of C ₁₅ -C ₃₉ and boiling in the range of approximately 260 °C to 600 °C (500°F to 1112°F).]	265-077-7	64741-76-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-454-00-7	Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).]	265-090-8	64741-88-4	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-455-00-2	Distillates (petroleum), solvent-refined light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-091-3	64741-89-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-456-00-8	Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the solvent soluble fraction from C ₃ -C ₄ solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-096-0	64741-95-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-457-00-3	Distillates (petroleum), solvent-refined heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt a 40 °C). It contains relatively few normal paraffins.]	265-097-6	64741-96-4	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-458-00-9	Distillates (petroleum), solvent-refined light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-098-1	64741-97-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-459-00-4	Residual oils (petroleum,) solvent-refined; Baseoil — unspecified; [A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-101-6	64742-01-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-460-00-X	Distillates (petroleum), clay-treated paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-137-2	64742-36-5	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-461-00-5	Distillates (petroleum), clay-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-138-8	64742-37-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-462-00-0	Residual oils (petroleum), clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-143-5	64742-41-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-463-00-6	Distillates (petroleum), clay-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-146-1	64742-44-5	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-464-00-1	Distillates (petroleum), clay-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-147-7	64742-45-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-465-00-7	Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-155-0	64742-52-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-466-00-2	Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-156-6	64742-53-6	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-157-1	64742-54-7	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-468-00-3	Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-158-7	64742-55-8	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-469-00-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-159-2	64742-56-9	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-470-00-4	Residual oils (petroleum), hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-160-8	64742-57-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-471-00-X	Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-166-0	64742-62-7	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-472-00-5	Distillates (petroleum), solvent-dewaxed heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of not less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-167-6	64742-63-8	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-473-00-0	Distillates (petroleum), solvent-dewaxed light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-168-1	64742-64-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-474-00-6	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity not less than 100 SUS at 100°F (19cSt at 40 °C).]	265-169-7	64742-65-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-475-00-1	Naphthenic oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-172-3	64742-68-3	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-476-00-7	Naphthenic oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-173-9	64742-69-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-477-00-2	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).]	265-174-4	64742-70-7	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-478-00-8	Paraffin oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-176-5	64742-71-8	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-479-00-3	Naphthenic oils (petroleum), complex dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removing straight chain paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-179-1	64742-75-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-480-00-9	Naphthenic oils (petroleum), complex dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-180-7	64742-76-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-481-00-4	Lubricating oils (petroleum), C ₂₀₋₅₀ , hydro-treated neutral oil-based, high-viscosity; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-736-3	72623-85-9	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-482-00-X	Lubricating oils (petroleum), C ₁₅₋₃₀ , hydro-treated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-737-9	72623-86-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-483-00-5	Lubricating oils (petroleum), C ₂₀₋₅₀ , hydro-treated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-738-4	72623-87-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-484-00-0	Lubricating oils; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C ₁₅ through C ₅₀ .]	278-012-2	74869-22-0	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-485-00-6	Distillates (petroleum), complex dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	292-613-7	90640-91-8	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-486-00-1	Distillates (petroleum), complex dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	292-614-2	90640-92-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-487-00-7	Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	292-616-3	90640-94-1	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-488-00-2	Hydrocarbons, C ₂₀₋₅₀ , solvent dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	292-617-9	90640-95-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-489-00-8	Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .]	292-618-4	90640-96-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-490-00-3	Distillates (petroleum), solvent dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .]	292-620-5	90640-97-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-491-00-9	Residual oils (petroleum), hydrotreated solvent dewaxed; Baseoil — unspecified	292-656-1	90669-74-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-492-00-4	Residual oils (petroleum), catalytic dewaxed; Baseoil — unspecified	294-843-3	91770-57-9	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-493-00-X	Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₅ through C ₃₉ and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.]	295-300-3	91995-39-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-494-00-5	Distillates (petroleum), dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₂₉ and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.]	295-301-9	91995-40-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-495-00-0	Distillates (petroleum), hydrocracked solvent-refined, dewaxed; Baseoil — unspecified; [A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.]	295-306-6	91995-45-8	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-496-00-6	Distillates (petroleum), solvent-refined light naphthenic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.]	295-316-0	91995-54-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-497-00-1	Lubricating oils (petroleum), C ₁₇₋₃₅ , solvent-extd., dewaxed, hydrotreated; Baseoil — unspecified	295-423-2	92045-42-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-498-00-7	Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined; Baseoil — unspecified	295-424-8	92045-43-7	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-499-00-2	Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716°F).]	295-499-7	92061-86-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-500-00-6	Paraffin oils (petroleum), solvent-refined dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.]	295-810-6	92129-09-4	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-501-00-1	Lubricating oils (petroleum), base oils, paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100°F (23cSt at 40 °C).]	297-474-6	93572-43-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-502-00-7	Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed; Baseoil — unspecified	297-857-8	93763-38-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-503-00-2	Hydrocarbons, C ₂₀₋₅₀ , residual oil hydrogenation vacuum distillate; Baseoil — unspecified	300-257-1	93924-61-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-504-00-8	Distillates (petroleum), solvent-refined hydrotreated heavy; hydrogenated; Baseoil — unspecified	305-588-5	94733-08-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-505-00-3	Distillates (petroleum), solvent-refined hydrocracked light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).]	305-589-0	94733-09-2	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-506-00-9	Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrocracked distillate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).]	305-594-8	94733-15-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-507-00-4	Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrogenated raffinate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).]	305-595-3	94733-16-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-508-00-X	Hydrocarbons, C ₁₃₋₃₀ , arom.-rich, solvent-extd. naphthenic distillate; Baseoil — unspecified	305-971-7	95371-04-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-509-00-5	Hydrocarbons, C ₁₆₋₃₂ , arom. rich, solvent-extd. naphthenic distillate; Baseoil — unspecified	305-972-2	95371-05-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-510-00-0	Hydrocarbons, C ₃₇₋₆₈ , dewaxed deasphalted hydrotreated vacuum distn. residues; Baseoil — unspecified	305-974-3	95371-07-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-511-00-6	Hydrocarbons, C ₃₇₋₆₅ , hydrotreated deasphalted vacuum distn. residues; Baseoil — unspecified	305-975-9	95371-08-7	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-512-00-1	Distillates (petroleum), hydrocracked solvent-refined light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).]	307-010-7	97488-73-8	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-513-00-7	Distillates (petroleum), solvent-refined hydrogenated heavy; Baseoil — unspecified; [A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₉ through C ₄₀ and boiling in the range of approximately 390 °C to 550 °C (734°F to 1022°F).]	307-011-2	97488-74-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-514-00-2	Lubricating oils (petroleum), C ₁₈₋₂₇ , hydrocracked solvent-dewaxed; Baseoil — unspecified	307-034-8	97488-95-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-515-00-8	Hydrocarbons, C ₁₇₋₃₀ , hydrotreated solvent-deasphalted atm. distn. residue, distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₀ and boiling in the range of approximately 300 °C to 400 °C (572°F to 752°F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212°F).]	307-661-7	97675-87-1	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-516-00-3	Hydrocarbons, C ₁₇₋₄₀ , hydrotreated solvent-deasphalted distn. residue, vacuum distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₄₀ and boiling in the range of approximately 300 °C to 500 °C (592°F to 932°F).]	307-755-8	97722-06-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-517-00-9	Hydrocarbons, C ₁₃₋₂₇ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₇ and boiling in the range of approximately 240 °C to 400 °C (464°F to 752°F).]	307-758-4	97722-09-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-518-00-4	Hydrocarbons, C ₁₄₋₂₉ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₉ and boiling in the range of approximately 250 °C to 425 °C (482°F to 797°F).]	307-760-5	97722-10-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-519-00-X	Hydrocarbons, C ₂₇₋₄₂ , dearomatized; Baseoil — unspecified	308-131-8	97862-81-2	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-520-00-5	Hydrocarbons, C ₁₇₋₃₀ , hydrotreated distillates, distn. lights; Baseoil — unspecified	308-132-3	97862-82-3	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-521-00-0	Hydrocarbons, C ₂₇₋₄₅ , naphthenic vacuum distn.; Baseoil — unspecified	308-133-9	97862-83-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-522-00-6	Hydrocarbons, C ₂₇₋₄₅ , dearomatized; Baseoil — unspecified	308-287-7	97926-68-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-523-00-1	Hydrocarbons, C ₂₀₋₅₈ , hydrotreated; Baseoil — unspecified	308-289-8	97926-70-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-524-00-7	Hydrocarbons, C ₂₇₋₄₂ , naphthenic; Baseoil — unspecified	308-290-3	97926-71-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-525-00-2	Residual oils (petroleum), carbon-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.]	309-710-8	100684-37-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-526-00-8	Residual oils (petroleum), clay-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.]	309-711-3	100684-38-6	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-527-00-3	Lubricating oils (petroleum), C _{>25} , solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212°F).]	309-874-0	101 316-69-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-528-00-9	Lubricating oils (petroleum), C ₁₇₋₃₂ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₂ and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104°F).]	309-875-6	101 316-70-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-529-00-4	Lubricating oils (petroleum), C ₂₀₋₃₅ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₃₅ and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104°F).]	309-876-1	101 316-71-6	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-530-00-X	Lubricating oils (petroleum), C ₂₄₋₅₀ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₄ through C ₅₀ and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104°F).]	309-877-7	101316-72-7	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-531-00-5	Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.; Distillate aromatic extract (treated); [An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.]	272-175-3	68783-00-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-532-00-0	Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	272-180-0	68783-04-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-533-00-6	Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.]	272-342-0	68814-89-1	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-534-00-1	Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100°F).]	292-631-5	90641-07-9	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-535-00-7	Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₃₃ and boiling in the range of approximately 350 °C to 480 °C (662°F to 896°F).]	292-632-0	90641-08-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-536-00-2	Extracts (petroleum), light paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₆ and boiling in the range of approximately 280 °C to 400 °C (536°F to 752°F).]	292-633-6	90641-09-1	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-537-00-8	Extracts (petroleum), hydrotreated light paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	295-335-4	91995-73-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-538-00-3	Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ . This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	295-338-0	91995-75-4	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-539-00-9	Extracts (petroleum), light paraffinic distillate solvent, acid-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	295-339-6	91995-76-5	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-540-00-4	Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₄₀ and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.]	295-340-1	91995-77-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-541-00-X	Extracts (petroleum), light vacuum gas oil solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	295-342-2	91995-79-8	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-542-00-5	Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ . This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.]	296-437-1	92704-08-0	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-543-00-0	Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.]	297-827-4	93763-10-1	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-544-00-6	Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.]	297-829-5	93763-11-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-545-00-1	Extracts (petroleum), light paraffinic distillate solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	309-672-2	100684-02-4	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-546-00-7	Extracts (petroleum), light paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	309-673-8	100684-03-5	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-547-00-2	Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	309-674-3	100684-04-6	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-548-00-8	Extracts (petroleum), light vacuum gas oil solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	309-675-9	100684-05-7	Carc. 1B	H350	GHS08 Dgr	H350			H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
649-549-00-3	Foots oil (petroleum); Foots oil; [A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	265-171-8	64742-67-2	Carc. 1B	H350	GHS08 Dgr	H350			H L
649-550-00-9	Foots oil (petroleum), hydrotreated; Foots oil	295-394-6	92045-12-0	Carc. 1B	H350	GHS08 Dgr	H350			H L
650-002-00-6	turpentine, oil	232-350-7	8006-64-2	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H226 H332 H312 H302 H304 H319 H315 H317 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H226 H332 H312 H302 H304 H319 H315 H317 H411			
650-003-00-1	fenson (ISO); 4-chlorophenyl benzenesulphonate;	201-274-6	80-38-6	Acute Tox. 4 * Eye Irrit. 2 Aquatic Chronic 2	H302 H319 H411	GHS07 GHS09 Wng	H302 H319 H411			
650-004-00-7	norbormide (ISO); 5-(α -hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene)bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide	213-589-6	991-42-4	Acute Tox. 4 *	H302	GHS07 Wng	H302			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
650-005-00-2	(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone	201-501-9	83-79-4	Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H301 H319 H335 H315 H400 H410	GHS06 GHS09 Dgr	H301 H319 H335 H315 H410			
650-006-00-8	benquinox (ISO); p-benzoquinone 1-benzoylhydrazone 4-oxime	207-807-9	495-73-8	Acute Tox. 3 * Acute Tox. 4 *	H301 H312	GHS06 Dgr	H301 H312			
650-007-00-3	chlordimeform (ISO); N ₂ -(4-chloro-o-tolyl)-N ₁ ,N ₁ -dimethylformamidine	228-200-5	6164-98-3	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H312 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H312 H302 H410			
650-008-00-9	drazoxolon (ISO); 4-(2-chlorophenylhydrazone)-3-methyl-5-isoxazolone	227-197-8	5707-69-7	Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H301 H400 H410	GHS06 GHS09 Dgr	H301 H410			
650-009-00-4	chlordimeform hydrochloride; N'-(4-chloro-o-tolyl)-N,N-dimethylformamidine monohydrochloride; N ² -(4-chloro-o-tolyl)-N ¹ ,N ¹ -dimethylformamidine hydorchloride	243-269-1	19750-95-9	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H410			
650-010-00-X	benzyl violet 4B; α-[4-(4-dimethylamino-α-[4-[ethyl(3-sodiumsulphonatobenzyl)amino] phenyl]benzylidene)cyclohexa-2,5-dienylidene(ethyl) ammonio]toluene-3-sulphonate	216-901-9	1694-09-3	Carc. 2	H351	GHS08 Wng	H351			
650-012-00-0	erionite	—	12510-42-8	Carc. 1A	H350	GHS08 Dgr	H350			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
650-013-00-6	asbestos	— — — — — —	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5	Carc. 1A STOT RE 1	H350 H372 **	GHS08 Dgr	H350 H372 **			
650-014-00-1	diethyl 2,4-dihydroxycyclodisiloxane-2,4-diylbis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate	401-770-4	—	Skin Corr. 1B Acute Tox. 4 *	H314 H302	GHS05 GHS07 Dgr	H314 H302			
650-015-00-7	rosin; colophony	232-475-7 232-484-6 277-299-1	8050-09-7 8052-10-6 73138-82-6	Skin Sens. 1	H317	GHS07 Wng	H317			
650-016-00-2	Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO +BaO) content greater than 18 % by weight]	—	—	Carc. 2 Skin Irrit. 2	H351 H315	GHS08 GHS07 Wng	H351 H315			AQR
650-017-00-8	Refractory Ceramic Fibres; Special Purpose Fibres, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+ MgO +BaO) content less or equal to 18 % by weight]	—	—	Carc. 1B Skin Irrit. 2	H350i H315	GHS08 GHS07 Dgr	H350i H315			A R

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
650-018-00-3	Reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid	406-230-1	—	Flam. Liq. 3 Carc. 2 Skin Corr. 1B Acute Tox. 4 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H351 H314 H332 H317 H400 H410	GHS02 GHS08 GHS05 GHS07 GHS09 Dgr	H226 H351 H314 H332 H317 H410			
650-031-00-4	bis(4-hydroxy-N-methylanilinium) sulphate	200-237-1	55-55-0	Acute Tox. 4 * STOT RE 2 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H373 ** H317 H400 H410	GHS08 GHS07 GHS09 Wng	H302 H373 ** H317 H410			
650-032-00-X	cyproconazole (ISO); (2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol	—	94361-06-5	Repr. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H361d *** H302 H400 H410	GHS08 GHS07 GHS09 Wng	H361d *** H302 H410			
650-033-00-5	(S)- α -cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate; esfenvalerate	—	66230-04-4	Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H317 H400 H410	GHS06 GHS09 Dgr	H331 H301 H317 H410			
650-041-00-9	triasulfuron (ISO) ; 1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea	—	82097-50-5	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
650-042-00-4	reaction product of: polyethylene-polyamine-(C ₁₆ -C ₁₈)-alkylamides with monothio-(C ₂)-alkyl phosphonates	417-450-2	—	Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H319 H315 H317 H412	GHS07 Wng	H319 H315 H317 H412			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
650-043-00-X	reaction product of: 3,5-bis- <i>tert</i> -butylsalicylic acid and aluminiumsulfate	420-310-3	—	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410			
650-044-00-5	mixed linear and branched C ₁₄₋₁₅ alcohols ethoxylated, reaction product with epichlorohydrin	420-480-9	158570-99-1	Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H317 H400 H410	GHS07 GHS09 Wng	H315 H317 H410			
650-045-00-0	reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra- <i>n</i> -propanolate	417-110-3	—	Flam. Liq. 2 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H225 H315 H318 H411	GHS02 GHS05 GHS09 Dgr	H225 H315 H318 H411			
650-046-00-6	di(tetramethylammonium)(29 <i>H</i> ,31 <i>H</i> -phthalocyanin- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)disulfonamide disulfonate, cuprate(2-)-complex, derivatives	416-180-2	12222-04-7	Acute Tox. 4 * STOT RE 2 * Aquatic Chronic 2	H302 H373 ** H411	GHS08 GHS07 GHS09 Wng	H302 H373 ** H411			
650-047-00-1	dibenzylphenylsulfonium hexafluoroantimonate	417-760-8	134164-24-2	STOT RE 1 Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H372 ** H302 H318 H317 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H372 ** H302 H318 H317 H411			
650-048-00-7	reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid	420-070-1	—	Org. Perox. D **** Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A Aquatic Acute 1	H242 H332 H312 H302 H314 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H242 H332 H312 H302 H314 H400			

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung		Kennzeichnung			Spezifische Konzentrationsgrenzen, M-Faktoren	Anmerkungen
				Gefahrenklasse, Gefahrenkategorie und Gefahrenkodierung	Kodierung der Gefahrenhinweise	Piktogramm, Kodierung der Signalworte	Kodierung der Gefahrenhinweise	Kodierung der ergänzenden Gefahrenmerkmale		
650-049-00-2	2-alkoxyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl	417-960-5	—	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H315 H318 H317 H400 H410	GHS05 GHS07 GHS09 Dgr	H315 H318 H317 H410			
650-050-00-8	reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate; 1,3-butanediol bis[3-(3'-(1,1-dimethylethyl)-4'-hydroxy-phenyl)propionate] isomers; 1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers	423-600-8	—	Aquatic Chronic 2	H411	GHS09	H411			
650-055-00-5	silver sodium zirconium hydrogenphosphate	422-570-3	155925-27-2	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			

Tabelle 3.2

Die Liste der harmonisierten Einstufung und Kennzeichnung gefährlicher Stoffe aus Anhang I der Richtlinie 67/548/EWG

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
001-001-00-9	hydrogen	215-605-7	1333-74-0	F+; R12	F+ R: 12 S: (2-)9-16-33		
001-002-00-4	aluminium lithium hydride	240-877-9	16853-85-3	F; R15	F R: 15 S: (2-)7/8-24/25-43		
001-003-00-X	sodium hydride	231-587-3	7646-69-7	F; R15	F R: 15 S: (2-)7/8-24/25-43		
001-004-00-5	calcium hydride	232-189-2	7789-78-8	F; R15	F R: 15 S: (2-)7/8-24/25-43		
003-001-00-4	lithium	231-102-5	7439-93-2	F; R15 R14 C; R34	F; C R: 14/15-34 S: (1/2-)8-43-45		
003-002-00-X	n-hexyllithium	404-950-0	21369-64-2	F; R15-17 R14 C; R35	F; C R: 14/15-17-35 S: (1/2-)6-16-26-30-36/37/39-43-45		
004-001-00-7	beryllium	231-150-7	7440-41-7	Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43	T+ R: 49-25-26-36/37/ 38-43-48/23 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
004-002-00-2	beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex	—	—	Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43 N; R51-53	T+; N R: 49-25-26-36/37/ 38-43-48/23-51/53 S: 53-45-61		AE
004-003-00-8	beryllium oxide	215-133-1	1304-56-9	Carc. Cat. 2; R49 T+; R26 T; R25-48/23 Xi; R36/37/ 38 R43	T+ R: 49-25-26-36/37/ 38-43-48/23 S: 53-45		E
005-001-00-X	boron trifluoride	231-569-5	7637-07-2	R14 T+; R26 C; R35	T+; C R: 14-26-35 S: (1/2-)9-26-28-36/ 37/39-45		
005-002-00-5	boron trichloride	233-658-4	10294-34-5	R14 T+; R26/28 C; R34	T+ R: 14-26/28-34 S: (1/2-)9-26-28-36/ 37/39-45		
005-003-00-0	boron tribromide	233-657-9	10294-33-4	R14 T+; R26/28 C; R35	T+; C R: 14-26/28-35 S: (1/2-)9-26-28-36/ 37/39-45		
005-004-00-6	trialkylboranes	—	—	F; R17 C; R34	F; C R: 17-34 S: (1/2-)7-23-26-36/ 37/39-43-45		A
005-005-00-1	trimethyl borate	204-468-9	121-43-7	R10 Xn; R21	Xn R: 10-21 S: (2-)23-25		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
005-006-00-7	dibutyltin hydrogen borate	401-040-5	75113-37-0	T; R48/25 Xn; R21/22 Xi; R41 R43 N; R50-53	T; N R: 21/22-41-43-48/ 25-50/53 S: (1/2-)22-26-36/37- 45-60-61		
005-009-00-3	tetrabutylammonium butyltriphenylborate	418-080-4	120307-06-4	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-56-61		
005-010-00-9	N,N-dimethylanilinium tetrakis(pentafluorophenyl)borate	422-050-6	118612-00-3	Carc. Cat. 3; R40 Xn; R22 Xi; R38-41	Xn R: 22-38-40-41 S: (2-)22-26-36/37/39		
005-012-00-X	diethyl[4-[1,5,5-tris(4-diethylaminophenyl)penta-2,4-dienylidene]cyclohexa-2,5-dienylidene]ammonium butyltriphenylborate	418-070-1	141714-54-7	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
006-001-00-2	carbon monoxide	211-128-3	630-08-0	F+; R12 Repr. Cat. 1; R61 T; R23-48/23	F+; T R: 61-12-23-48/23 S: 53-45		E
006-002-00-8	phosgene; carbonyl chloride	200-870-3	75-44-5	T+; R26 C; R34	T+ R: 26-34 S: (1/2-)9-26-36/37/ 39-45		
006-003-00-3	carbon disulphide	200-843-6	75-15-0	F; R11 Repr. Cat. 3; R62-63 T; R48/23 Xi; R36/38	F; T R: 11-36/38-48/23- 62-63 S: (1/2-)16-33-36/37- 45	Repr. Cat. 3; R62-63: C ≥ 1 % T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 %	
006-004-00-9	calcium carbide	200-848-3	75-20-7	F; R15	F R: 15 S: (2-)8-43		
006-005-00-4	thiram (ISO); tetramethylthiuram disulphide	205-286-2	137-26-8	Xn; R20/22- 48/22 Xi; R36/38 R43 N; R50-53	Xn; N R: 20/22-36/38-43- 48/22-50/53 S: (2-)26-36/37-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-006-00-X	hydrogen cyanide; hydrocyanic acid	200-821-6	74-90-8	F+; R12 T+; R26 N; R50-53	F+; T+; N R: 12-26-50/53 S: (1/2-)7/9-16-36/ 37-38-45-60-61		
006-006-01-7	hydrogen cyanide ...%; hydrocyanic acid ...%	200-821-6	74-90-8	T+; R26/27/ 28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)7/9-36/37- 38-45-60-61		B
006-007-00-5	salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide	—	—	T+; R26/27/ 28 R32 N; R50-53	T+; N R: 26/27/28-32-50/ 53 S: (1/2-)7-28-29-45- 60-61		A
006-008-00-0	antu (ISO); 1-(1-naphthyl)-2-thiourea	201-706-3	86-88-4	T+; R28 Carc. Cat. 3; R40	T+ R: 28-40 S: (1/2-)25-36/37-45		
006-009-00-6	1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate; isolan	204-318-2	119-38-0	T+; R27/28	T+ R: 27/28 S: (1/2-)28-36/37/39- 45		
006-010-00-1	5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate; dimetan	204-525-8	122-15-6	T; R25	T R: 25 S: (1/2-)36/37-45		
006-011-00-7	carbaryl (ISO); 1-naphthyl methylcarbamate	200-555-0	63-25-2	Carc. Cat. 3; R40 Xn; R22 N; R50	Xn; N R: 22-40-50 S: (2-)22-24-36/37- 46-61		
006-012-00-2	ziram (ISO); zinc bis dimethyldithiocarbamate	205-288-3	137-30-4	T+; R26 Xn; R22-48/ 22 Xi; R37-41 R43 N; R50-53	T+; N R: 22-26-37-41-43- 48/22-50/53 S: (1/2-)22-26-28-36/ 37/39-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-013-00-8	metam-sodium (ISO); sodium methylthiocarbamate	205-293-0	137-42-8	Xn; R22 R31 C; R34 R43 N; R50-53	C; N R: 22-31-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61		
006-014-00-3	nabam (ISO); disodium ethylenebis(N, N'-dithiocarbamate)	205-547-0	142-59-6	Xn; R22 Xi; R37 R43 N; R50-53	Xn; N R: 22-37-43-50/53 S: (2-)8-24/25-46-60- 61		
006-015-00-9	diuron (ISO); 3-(3,4-dichlorophenyl)-1,1-dimethylurea	206-354-4	330-54-1	Carc. Cat. 3; R40 Xn; R22-48/ 22 N; R50-53	Xn; N R: 22-40-48/22-50/ 53 S: (2-)13-22-23-37- 46-60-61		
006-016-00-4	propoxur (ISO); 2-isopropoxyphenyl N-methylcarbamate; 2-isopropoxyphenyl methylcarbamate	204-043-8	114-26-1	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)37-45-60-61		
006-017-00-X	aldicarb (ISO); 2-methyl-2-(methylthio)propanal-O-(N-methylcarbamoyl) oxime	204-123-2	116-06-3	T+; R26/28 T; R24 N; R50-53	T+; N R: 24-26/28-50/53 S: (1/2-)22-36/37-45- 60-61		
006-018-00-5	aminocarb (ISO); 4-dimethylamino-3-tolyl methylcarbamate	217-990-7	2032-59-9	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61		
006-019-00-0	di-allate (ISO); S-(2,3-dichloroallyl)-N,N-diisopropylthiocarbamate	218-961-1	2303-16-4	Carc. Cat. 3; R40 Xn; R22 N; R50-53	Xn; N R: 22-40-50/53 S: (2-)25-36/37-60-61		
006-020-00-6	barban (ISO); 4-chlorbut-2-ynyl N-(3-chlorophenyl)carbamate	202-930-4	101-27-9	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-021-00-1	linuron (ISO); 3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea	206-356-5	330-55-2	Repr. Cat. 2; R61 Repr. Cat. 3; R62 Carc. Cat. 3; R40 Xn; R22-48/ 22 N; R50-53	T; N R: 61-22-40-48/22- 62-50/53 S: 53-45-60-61		E
006-022-00-7	decarbofuran (ISO); 2,3-dihydro-2-methylbenzofuran-7-yl methylcarbamate	—	1563-67-3	T; R23/24/25	T R: 23/24/25 S: (1/2-)13-36/37-45		
006-023-00-2	mercaptodimethur (ISO); methiocarb (ISO); 3,5-dimethyl-4-methylthiophenyl N-methylcarbamate	217-991-2	2032-65-7	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)22-37-45-60- 61		
006-024-00-8	proxan-sodium (ISO); sodium O-isopropylidithiocarbonate	205-443-5	140-93-2	Xn; R22 Xi; R38 N; R51-53	Xn; N R: 22-38-51/53 S: (2-)13-61		
006-025-00-3	allethrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1RS,3RS;1RS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate; bioallethrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2- dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [1] S-bioallethrin; (S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2-dime- thyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate; [2] esbiothrin; (RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1R,3R)-2,2- dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [3]	209-542-4 [1] 249-013-5 [2] - [3]	584-79-2 [1] 28434-00-6 [2] 84030-86-4 [3]	Xn; R20/22 N; R50-53	Xn; N R: 20/22-50/53 S: (2-)36-60-61		C
006-026-00-9	carbofuran (ISO); 2,3-dihydro-2,2-dimethylbenzofuran-7-yl N-methylcarbamate	216-353-0	1563-66-2	T+; R26/28 N; R50-53	T+; N R: 26/28-50/53 S: (1/2-)36/37-45-60- 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-028-00-X	dinobuton (ISO); 2-(1-methylpropyl)-4,6-dinitrophenyl isopropyl carbonate	213-546-1	973-21-7	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)37-45-60-61		
006-029-00-5	dioxacarb (ISO); 2-(1,3-dioxolan-2-yl)phenyl N-methylcarbamate	230-253-4	6988-21-2	T; R25 N; R51-53	T; N R: 25-51/53 S: (1/2-)37-45-61		
006-030-00-0	EPTC (ISO); S-ethyl dipropylthiocarbamate	212-073-8	759-94-4	Xn; R22	Xn R: 22 S: (2-)23		
006-031-00-6	formetanate (ISO); 3-[(EZ)-dimethylaminomethyleneamino]phenyl methylcarbamate	244-879-0	22259-30-9	T+; R26/28 R43 N; R50-53	T+; N R: 26/28-43-50/53 S: (1/2-)24-28-37/39-45-60-61		
006-032-00-1	monolinuron (ISO); 3-(4-chlorophenyl)-1-methoxy-1-methylurea	217-129-5	1746-81-2	Xn; R22-48/ 22 N; R50-53	Xn; N R: 22-48/22-50/53 S: (2-)22-60-61		
006-033-00-7	metoxuron (ISO); 3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea	243-433-2	19937-59-8	N; R50-53	N R: 50/53 S: 60-61		
006-034-00-2	pebulate (ISO); N-butyl-N-ethyl-S-propylthiocarbamate	214-215-4	1114-71-2	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)23-61		
006-035-00-8	pirimicarb (ISO); 5,6-dimethyl-2-dimethylamino-pyrimidin-4-yl N,N-dimethylcarbamate	245-430-1	23103-98-2	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)22-37-45-60-61		
006-036-00-3	benzthiazuron (ISO); 1-benzothiazol-2-yl-3-methylurea	217-685-9	1929-88-0	Xn; R22	Xn R: 22 S: (2-)24/25		
006-037-00-9	promecarb (ISO); 3-isopropyl-5-methylphenyl N-methylcarbamate	220-113-0	2631-37-0	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)24-37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-038-00-4	sulfallate (ISO); 2-chloroallyl N,N-dimethyldithiocarbamate	202-388-9	95-06-7	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		E
006-039-00-X	tri-allate (ISO); S-2,3,3-trichloroallyl diisopropylthiocarbamate	218-962-7	2303-17-5	Xn; R22-48/ 22 R43 N; R50-53	Xn; N R: 22-43-48/22-50/ 53 S: (2-)24-37-60-61		
006-040-00-5	3-methylpyrazol-5-yl-dimethylcarbamate; monometilan	—	2532-43-6	T; R23/24/25	T R: 23/24/25 S: (1/2-)13-45		
006-041-00-0	dimethylcarbamoyl chloride	201-208-6	79-44-7	Carc. Cat. 2; R45 T; R23 Xn; R22 Xi; R36/37/ 38	T R: 45-22-23-36/37/ 38 S: 53-45	Carc. Cat. 2; R45: C ≥ 0,001 %	E
006-042-00-6	monuron (ISO); 3-(4-chlorophenyl)-1,1-dimethylurea	205-766-1	150-68-5	Carc. Cat. 3; R40 Xn; R22 N; R50-53	Xn; N R: 22-40-50/53 S: (2-)36/37-60-61		
006-043-00-1	3-(4-chlorophenyl)-1,1-dimethyluronium trichloroacetate; monuron-TCA	—	140-41-0	Xi; R36/38 Carc. Cat. 3; R40 N; R50-53	Xn; N R: 36/38-40-50/53 S: (2-)36/37-60-61		
006-044-00-7	isoproturon (ISO); 3-(4-isopropylphenyl)-1,1-dimethylurea	251-835-4	34123-59-6	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
006-045-00-2	methomyl (ISO); 1-(methylthio)ethylideneamino N-methylcarbamate	240-815-0	16752-77-5	T+;R28 N; R50-53	T+; N R: 28-50/53 S: (1/2-)22-36/37-45- 60-61		
006-046-00-8	bendiocarb (ISO); 2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate	245-216-8	22781-23-3	T; R23/25 Xn; R21 N; R50-53	T; N R: 21-23/25-50/53 S: (1/2-)22-36/37-45- 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-047-00-3	bufencarb (ISO); reaction mass of 3-(1-methylbutyl)phenyl N-methylcarbamate and 3-(1-ethylpropyl)phenyl N-methylcarbamate	—	8065-36-9	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61		
006-048-00-9	ethiofencarb (ISO); 2-(ethylthiomethyl)phenyl N-methylcarbamate	249-981-9	29973-13-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
006-049-00-4	dixanthogen; O,O-diethyl dithiobis(thioformate)	207-944-4	502-55-6	Xn; R22	Xn R: 22 S: (2-)24		
006-050-00-X	1,1-dimethyl-3-phenyluronium trichloroacetate; fenuron-TCA	—	4482-55-7	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)60-61		
006-051-00-5	ferbam (ISO); iron tris(dimethyldithiocarbamate)	238-484-2	14484-64-1	Xi; R36/37/ 38 N; R50-53	Xi; N R: 36/37/38-50/53 S: (2-)60-61		
006-052-00-0	formetanate hydrochloride; 3-(N,N-dimethylaminomethyleneamino)phenyl N-methylcarbamate	245-656-0	23422-53-9	T+; R26/28 R43 N; R50-53	T+; N R: 26/28-43-50/53 S: (1/2-)24-28-37/39- 45-60-61		
006-053-00-6	isoprocarb (ISO); 2-isopropylphenyl N-methylcarbamate	220-114-6	2631-40-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
006-054-00-1	mexacarbate (ISO); 3,5-dimethyl-4-dimethylaminophenyl N-methylcarbamate	206-249-3	315-18-4	T+; R28 Xn; R21 N; R50-53	T+; N R: 21-28-50/53 S: (1/2-)36/37-45-60- 61		
006-055-00-7	xylylcarb (ISO); 3,4-dimethylphenyl N-methylcarbamate; 3,4-xylyl methylcarbamate; MPMC	219-364-9	2425-10-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
006-056-00-2	metolcarb (ISO); m-tolyl methylcarbamate; MTMC	214-446-0	1129-41-5	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-057-00-8	nitrapyrin (ISO); 2-chloro-6-trichloromethylpyridine	217-682-2	1929-82-4	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)24-61		
006-058-00-3	noruron (ISO); 1,1-dimethyl-3-(perhydro-4,7-methanoinden-5-yl)urea	—	2163-79-3	Xn; R22	Xn R: 22 S: (2-)		
006-059-00-9	oxamyl (ISO); N,N'-dimethylcarbamoyl(methylthio)methylenamine N-methylcarbamate;	245-445-3	23135-22-0	T+; R26/28 Xn; R21 N; R51-53	T+; N R: 21-26/28-51/53 S: (1/2-)36/37-45-61		
006-060-00-4	oxycarboxin (ISO); 2,3-dihydro-6-methyl-5-(N-phenylcarbamoyl)-1,4-oxothiine 4,4-dioxide	226-066-2	5259-88-1	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
006-061-00-X	S-ethyl N-(dimethylaminopropyl)thiocarbamatehydrochloride; prothiocarb hydrochloride	243-193-9	19622-19-6	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
006-062-00-5	methyl 3,4-dichlorophenylcarbanilate; SWEP.	—	1918-18-9	Xn; R22	Xn R: 22 S: (2-)		
006-063-00-0	thiobencarb (ISO); S-4-chlorobenzyl diethylthiocarbamate;	248-924-5	28249-77-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
006-064-00-6	thiofanox (ISO); 3,3-dimethyl-1-(methylthio)butanone-O-(N-methylcarbamoyl)oxime;	254-346-4	39196-18-4	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)27-36/37-45-60-61		
006-065-00-1	3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one-O-(N-methylcarbamoyl)oxime; triamid	—	15271-41-7	T+; R28 T; R24 N; R51-53	T+; N R: 24-28-51/53 S: (1/2-)28-36/37-45-61		
006-066-00-7	vernolate (ISO); S-propyl dipropylthiocarbamate;	217-681-7	1929-77-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-067-00-2	XMC; 3,5-xylyl methylcarbamate	—	2655-14-3	Xn; R22	Xn R: 22 S: (2-)		
006-068-00-8	diazomethane	206-382-7	334-88-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		
006-069-00-3	thiophanate-methyl (ISO); 1,2-di-(3-methoxycarbonyl-2-thioureido)benzene	245-740-7	23564-05-8	Muta. Cat. 3; R68 Xn; R20 R43 N; R50-53	Xn; N R: 20-43-50/53-68 S: (2-)36/37-46-60-61		
006-070-00-9	furmecyclox (ISO); N-cyclohexyl-N-methoxy-2,5-dimethyl-3-furamide;	262-302-0	60568-05-0	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		
006-071-00-4	cyclooct-4-en-1-yl methyl carbonate	401-620-8	87731-18-8	R43	Xi R: 43 S: (2-)24-37		
006-072-00-X	prosulfocarb(ISO); S-benzyl N,N-dipropylthiocarbamate;	401-730-6	52888-80-9	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)24-37-61		
006-073-00-5	3-(dimethylamino)propylurea	401-950-2	31506-43-1	Xi; R41	Xi R: 41 S: (2-)26-39		
006-074-00-0	2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate	402-440-2	2094-99-7	T+; R26 C; R34 Xn; R48/20 R42/43 N; R50-53	T+; N R: 26-34-42/43-48/ 20-50/53 S: (1/2-)7-15-28-36/ 37/39-38-45-60-61		
006-076-00-1	mancozeb (ISO)	—	8018-01-7	Xi; R37 R43	Xi R: 37-43 S: (2-)8-24/25-46		
006-077-00-7	maneb (ISO)	235-654-8	12427-38-2	Xi; R37 R43	Xi R: 37-43 S: (2-)8-24/25-46		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-078-00-2	zineb (ISO); zinc ethylenebis(dithiocarbamate) (polymeric)	235-180-1	12122-67-7	Xi; R37 R43	Xi R: 37-43 S: (2-)8-24/25-46		
006-079-00-8	disulfiram; tetraethylthiuramdisulfide	202-607-8	97-77-8	Xn; R22-48/ 22 R43 N; R50-53	Xn; N R: 22-43-48/22-50/ 53 S: (2-)24-37-60-61		
006-080-00-3	tetramethylthiuram monosulphide	202-605-7	97-74-5	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)24-26-37-61		
006-081-00-9	zinc bis(dibutyl)dithiocarbamate)	205-232-8	136-23-2	Xi; R36/37/ 38 R43 N; R50-53	Xi; N R: 36/37/38-43-50/ 53 S: (2-)24-37-60-61		
006-082-00-4	zinc bis(diethyl)dithiocarbamate)	238-270-9	14324-55-1	Xn; R22 Xi; R36/37/ 38 R43 N; R50-53	Xn; N R: 22-36/37/38-43- 50/53 S: (2-)24-37-60-61		
006-083-00-X	butocarboxim (ISO); 3-(methylthio)-2-butanone O-[(methylamino)carbonyl]oxime	252-139-3	34681-10-2	R10 T; R23/24/25 Xi; R36 N; R50-53	T; N R: 10-23/24/25-36- 50/53 S: (1/2-)36/37-45-60- 61		
006-084-00-5	carbosulfan (ISO); 2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio] methylcarbamate;	259-565-9	55285-14-8	T; R23/25 R43 N; R50-53	T; N R: 23/25-43-50/53 S: (1/2-)24-37-38-45- 60-61		
006-085-00-0	fenobucarb (ISO); 2-butyphenyl methylcarbamate;	223-188-8	3766-81-2	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
006-086-00-6	ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate; fenoxycarb	276-696-7	72490-01-8	N; R50-53	N R: 50/53 S: 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
006-087-00-1	2,3-dihydro-2,2-dimethyl-7-benzofuryl 2,4-dimethyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate; furathiocarb	265-974-3	65907-30-4	T+; R26 T; R25 Xn; R48/22 Xi; R36/38 R43 N; R50-53	T+; N R: 25-26-36/38-43-48/22-50/53 S: (1/2-)28-36/37-38-45-60-61		
006-088-00-7	benfuracarb; ethyl N-[2,3-dihydro-2,2-dimethylbenzofuran-7-yloxy-carbonyl(methyl)aminothio]-N-isopropyl- β-alaninate	—	82560-54-1	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)36/37-45-60-61		
006-089-00-2	chlorine dioxide	233-162-8	10049-04-4	O; R8 R6 T+; R26 C; R34 N; R50	O; T+; N R: 6-8-26-34-50 S: (1/2-)23-26-28-36/37/39-38-45-61	N; R50: C ≥ 0,02 %	5
006-089-01-X	chlorine dioxide . . . %	233-162-8	10049-04-4	T; R25 C; R34 N; R50	T; N R: 25-34-50 S: (1/2-)23-26-28-36/37/39-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 3 % ≤ C < 10 % Xi; R36: 0,3 % ≤ C < 3 % N; R50: C ≥ 3 %	B
006-090-00-8	2-(3-iodoprop-2-yn-1-yloxy)ethyl phenylcarbamate	408-010-0	88558-41-2	Xn; R20 Xi; R41 R52-53	Xn R: 20-41-52/53 S: (2-)22-26-39-61		
007-001-00-5	ammonia, anhydrous	231-635-3	7664-41-7	R10 ⊗ T; R23 C; R34 N; R50	T; N R: 10-23-34-50 S: (1/2-)9-16-26-36/37/39-45-61		
007-001-01-2	ammonia%	215-647-6	1336-21-6	C; R34 N; R50	C; N R: 34-50 S: (1/2-)26-36/37/39-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	B
007-002-00-0	nitrogen dioxide; [1] dinitrogen tetraoxide [2]	233-272-6 [1] 234-126-4 [2]	10102-44-0 [1] 10544-72-6 [2]	T+; R26 C; R34	T+ R: 26-34 S: (1/2-)9-26-28-36/37/39-45	T+; R26: C ≥ 10 % T; R23: 1 % ≤ C < 10 % Xn; R20: 0,1 % ≤ C < 1 %	5

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
007-003-00-6	chlormequat chloride (ISO); 2-chloroethyltrimethylammonium chloride	213-666-4	999-81-5	Xn; R21/22	Xn R: 21/22 S: (2-)36/37		
007-004-00-1	nitric acid ... %	231-714-2	7697-37-2	O; R8 C; R35	O; C R: 8-35 S: (1/2-)23-26-36-45	C; R35: C ≥ 20 % C; R34: 5 % ≤ C < 20 % Footnote: O; R8: C ≥ 70 %	B
007-006-00-2	ethyl nitrite	203-722-6	109-95-5	E; R2 Xn; R20/21/ 22	E; Xn R: 2-20/21/22 S: (2-)		
007-007-00-8	ethyl nitrate	210-903-3	625-58-1	E; R2 ⊗	E R: 2 S: (2-)23-24/25		
007-008-00-3	hydrazine	206-114-9	302-01-2	R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43 N; R50-53	T; N R: 45-10-23/24/25- 34-43-50/53 S: 53-45-60-61	C; R34: C ≥ 10 % Xi; R36/38: 3 % ≤ C < 10 %	E
007-009-00-9	dicyclohexylammonium nitrite	221-515-9	3129-91-7	Xn; R20/22	Xn R: 20/22 S: (2-)15-41	Xn; R20/22: C ≥ 10 %	
007-010-00-4	sodium nitrite	231-555-9	7632-00-0	O; R8 T; R25 N; R50	O; T; N R: 8-25-50 S: (1/2-)45-61	T; R25: C ≥ 5 % Xn; R22: 1 % ≤ C < 5 %	
007-011-00-X	potassium nitrite	231-832-4	7758-09-0	O; R8 T; R25 N; R50	O; T; N R: 8-25-50 S: (1/2-)45-61	T; R25: C ≥ 5 % Xn; R22: 1 % ≤ C < 5 %	
007-012-00-5	N,N-dimethylhydrazine	200-316-0	57-14-7	F; R11 Carc. Cat. 2; R45 T; R23/25 C; R34 N; R51-53	F; T; N R: 45-11-23/25-34- 51/53 S: 53-45-61		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
007-013-00-0	1,2-dimethylhydrazine	—	540-73-8	Carc. Cat. 2; R45 T; R23/24/25 N; R51-53	T; N R: 45-23/24/25-51/ 53 S: 53-45-61	Carc. Cat. 2; R45: C ≥ 0,01 %	E
007-014-00-6	salts of hydrazine	—	—	Carc. Cat. 2; R45 T; R23/24/25 R43 N; R50-53	T; N R: 45-23/24/25-43- 50/53 S: 53-45-60-61		AE
007-015-00-1	O-ethylhydroxylamine	402-030-3	624-86-2	F; R11 T; R23/24/ 25-48/23 Xi; R36 R43 N; R50	F; T; N R: 11-23/24/25-36- 43-48/23-50 S: (1/2-)16-26-36/37/ 39-45-60-61		
007-016-00-7	butyl nitrite	208-862-1	544-16-1	F; R11 T; R23/25	F; T R: 11-23/25 S: (1/2-)16-24-45		
007-017-00-2	isobutyl nitrite	208-819-7	542-56-3	F; R11 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22	F; T R: 11-20/22-45-68 S: 53-45		E
007-018-00-8	sec-butyl nitrite	213-104-8	924-43-6	F; R11 Xn; R20/22	F; Xn R: 11-20/22 S: (2-)16-24-46		
007-019-00-3	tert-butyl nitrite	208-757-0	540-80-7	F; R11 Xn; R20/22	F; Xn R: 11-20/22 S: (2-)16-24-46		
007-020-00-9	pentyl nitrite; [1] 'amyl nitrite', mixed isomers [2]	207-332-7 [1] 203-770-8 [2]	463-04-7 [1] 110-46-3 [2]	F; R11 Xn; R20/22	F; Xn R: 11-20/22 S: (2-)16-24-46		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
007-021-00-4	hydrazobenzene; 1,2-diphenylhydrazine	204-563-5	122-66-7	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		E
007-022-00-X	hydrazine bis(3-carboxy-4-hydroxybenzensulfonate)	405-030-1	—	Carc. Cat. 2; R45 Xn; R22 C; R34 R43 R52-53	T R: 45-22-34-43-52/ 53 S: 53-45-61		E
007-023-00-5	sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate	405-510-0	—	Xi; R38 R43	Xi R: 38-43 S: (2-)24-37		
007-024-00-0	2-(decylthio)ethylammonium chloride	405-640-8	36362-09-1	Xn; R48/22 Xi; R38-41 N; R50-53	Xn; N R: 38-41-48/22-50/ 53 S: (2-)26-36/37/39- 60-61		
007-025-00-6	(4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride	406-090-1	81880-96-8	Muta. Cat. 3; R68 T; R25-48/25 R43 N; R50-53	T; N R: 25-43-48/25-68- 50/53 S: (1/2-)22-36/37/39- 45-60-61		
007-026-00-1	oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylacetylhydrazide	413-230-5	122035-71-6	Xi; R41 R43	Xi R: 41-43 S: (2-)8-22-24-26-30- 37/39		
007-027-00-7	1,6-bis(3,3-bis((1-methylpentylidenimino)propyl)ureido)hexane	420-190-2	771478-66-1	C; R34 Xn; R21/22- 48/21 R43 N; R50-53	C; N R: 21/22-34-43-48/ 21-50/53 S: (1/2-)7-26-36/37/ 39-45-60-61		
008-001-00-8	oxygen	231-956-9	7782-44-7	O; R8	O R: 8 S: (2-)17		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
008-003-00-9	hydrogen peroxide solution ... %	231-765-0	7722-84-1	R5 O; R8 C; R35 Xn; R20/22	O; C R: 5-8-20/22-35 S: (1/2-)17-26-28-36/ 37/39-45	Xn; R20: C ≥ 50 % Xn; R22: C ≥ 8 % C; R35: C ≥ 70 % C; R34: 50 % ≤ C < 70 % Xi; R37/38: 35 % ≤ C < 50 % Xi; R41: 8 % ≤ C < 50 % Xi; R36: 5 % ≤ C < 8 % Footnote: O; R8: C ≥ 50 % R5: C ≥ 70 %	B
009-001-00-0	fluorine	231-954-8	7782-41-4	R7 ☉ T+; R26 C; R35	T+; C R: 7-26-35 S: (1/2-)9-26-36/37/ 39-45		
009-002-00-6	hydrogen fluoride	231-634-8	7664-39-3	T+; R26/27/ 28 C; R35	T+; C R: 26/27/28-35 S: (1/2-)7/9-26-36/37/ 39-45		
009-003-00-1	hydrofluoric acid ... %	231-634-8	7664-39-3	T+; R26/27/ 28 C; R35	T+; C R: 26/27/28-35 S: (1/2-)7/9-26-36/ 37-45	C; R35: C ≥ 7 % C; R34: 1 % ≤ C < 7 % Xi; R36: 0,1 % ≤ C < 1 %	B
009-004-00-7	sodium fluoride	231-667-8	7681-49-4	T; R25 Xi; R36/38 R32	T R: 25-32-36/38 S: (1/2-)22-36-45		
009-005-00-2	potassium fluoride	232-151-5	7789-23-3	T; R23/24/25	T R: 23/24/25 S: (1/2-)26-45		
009-006-00-8	ammonium fluoride	235-185-9	12125-01-8	T; R23/24/25	T R: 23/24/25 S: (1/2-)26-45		
009-007-00-3	sodium bifluoride; sodium hydrogen difluoride	215-608-3	1333-83-1	T; R25 C; R34	T; C R: 25-34 S: (1/2-)22-26-37-45	T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
009-008-00-9	potassium bifluoride; potassium hydrogen difluoride	232-156-2	7789-29-9	T; R25 C; R34	T; C R: 25-34 S: (1/2-)22-26-37-45	T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 %	
009-009-00-4	ammonium bifluoride; ammonium hydrogen difluoride	215-676-4	1341-49-7	T; R25 C; R34	T; C R: 25-34 S: (1/2-)22-26-37-45	T; R25: C ≥ 10 % Xn; R22: 1 % ≤ C < 10 % C; R34: C ≥ 1 % Xi; R36/38: 0,1 % ≤ C < 1 %	
009-010-00-X	fluoroboric acid ... %	240-898-3	16872-11-0	C; R34	C R: 34 S: (1/2-)26-27-45	C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 %	B
009-011-00-5	fluorosilicic acid ... %	241-034-8	16961-83-4	C; R34	C R: 34 S: (1/2-)26-27-45		B
009-012-00-0	alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3]	240-934-8 [1] 240-896-2 [2] 240-968-3 [3]	16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3]	T; R23/24/25	T R: 23/24/25 S: (1/2-)26-45	T; R23/24/25: C ≥ 10 % Xn; R20/21/22: 1 % ≤ C < 10 %	A
009-013-00-6	fluorosilicates, with the exception of those specified elsewhere in this annex	—	—	Xn; R22	Xn R: 22 S: (2-)13-24/25	Xn; R22: C ≥ 10 %	A
009-014-00-1	lead hexafluorosilicate	247-278-1	25808-74-6	Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53	T; N R: 61-62-20/22-33- 50/53 S: 53-45-60-61		E 1
009-015-00-7	sulphuryl difluoride	220-281-5	2699-79-8	T; R23 Xn; R48/20 N; R50	T; N R: 23-48/20-50 S: (1/2-)45-63-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
009-016-00-2	trisodium hexafluoroaluminate; cryolite	237-410-6 239-148-8	13775-53-6 15096-52-3	T; R48/23/25 Xn; R20/22 N; R51-53	T; N R: 20/22-48/23/25- 51/53 S: (1/2-)22-37-45-61		C
009-017-00-8	potassium mu-fluoro-bis(triethylaluminium)	400-040-2	12091-08-6	F; R11-14/15 C; R35 Xn; R20	F; C R: 11-14/15-20-35 S: (1/2-)16-30-36/39- 43-45		
009-018-00-3	magnesium hexafluorosilicate	241-022-2	16949-65-8	T; R25	T R: 25 S: (1/2-)24/25-45	T; R25: C \geq 10 % Xn; R22: 1 % \leq C < 10 %	
011-001-00-0	sodium	231-132-9	7440-23-5	F; 15 R14 C; R34	F; C R: 14/15-34 S: (1/2-)5-8-43-45		
011-002-00-6	sodium hydroxide; caustic soda	215-185-5	1310-73-2	C; R35	C R: 35 S: (1/2-)26-37/39-45	C; R35: C \geq 5 % C; R34: 2 % \leq C < 5 % Xi; R36/38: 0,5 % \leq C < 2 %	
011-003-00-1	sodium peroxide	215-209-4	1313-60-6	O; R8 C; R35	O; C R: 8-35 S: (1/2-)8-27-39-45		
011-004-00-7	sodium azide	247-852-1	26628-22-8	T+; R28 R32 N; R50-53	T+; N R: 28-32-50/53 S: (1/2-)28-45-60-61		
011-005-00-2	sodium carbonate	207-838-8	497-19-8	Xi; R36	Xi R: 36 S: (2-)22-26		
011-006-00-8	sodium cyanate	213-030-6	917-61-3	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)24/25-61		
011-007-00-3	propoxycarbazone-sodium	—	181274-15-7	N; R50-53	N R: 50/53 S: 60-61	N; R50-53: C \geq 2,5 % N; R51-53: 0,25 % \leq C < 2,5 % R52-53: 0,025 % \leq C < 0,25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
012-001-00-3	magnesium powder (pyrophoric)	231-104-6	7439-95-4	F; R15-17	F R: 15-17 S: (2-)7/8-43		
012-002-00-9	magnesium, powder or turnings	231-104-6	—	F; R11-15	F R: 11-15 S: (2-)7/8-43		
012-003-00-4	magnesium alkyls	—	—	R14 F; R17 C; R34	F; C R: 14-17-34 S: (1/2-)16-43-45		A
013-001-00-6	aluminium powder (pyrophoric)	231-072-3	7429-90-5	F; R15-17	F R: 15-17 S: (2-)7/8-43		
013-002-00-1	aluminium powder (stabilised)	231-072-3	—	F; R15 R10 ⊗	F R: 10-15 S: (2-)7/8-43		
013-003-00-7	aluminium chloride, anhydrous	231-208-1	7446-70-0	C; R34	C R: 34 S: (1/2-)7/8-28-45		
013-004-00-2	aluminium alkyls	—	—	R14 F; R17 C; R34	F; C R: 14-17-34 S: (1/2-)16-43-45		A
013-005-00-8	diethyl(ethyl-dimethylsilanolato)aluminium	401-160-8	55426-95-4	F; R 15-17 R14 C; R35	F; C R: 14/15-17-35 S: (1/2-)6-16-30-36/ 39-43-45		
013-006-00-3	(ethyl-3-oxobutanoato-O'1,O'3)(2-dimethylaminoethanolato)(1-methoxypropan-2-olato)aluminium(III), dimerised	402-370-2	—	R10 Xi; R41	Xi R: 10-41 S: (2-)26-39		
013-007-00-9	poly(oxo(2-butoxyethyl-3-oxobutanoato-O'1,O'3)aluminium)	403-430-0	—	Xi; R41	Xi R: 41 S: (2-)26-39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
013-008-00-4	di-n-octylaluminium iodide	408-190-0	7585-14-0	R14 F; R17 C; R34 N; R50-53	F; C; N R: 14-17-34-50/53 S: (1/2-)6-16-26-36/ 37/39-43-45-60-61		
013-009-00-X	sodium((n-butyl)x(ethyl)y-1,5-dihydro)aluminat) x = 0.5, y = 1.5	418-720-2	—	F; R11-15-17 R14 Xn; R20 C; R35	F; C R: 11-14/15-17-20- 35 S: (1/2-)6-16-26-30- 36/37/39-43-45		
014-001-00-9	trichlorosilane	233-042-5	10025-78-2	F+; R12 R14 F; R17 Xn; R20/22 R29 C; R35	F+; C R: 12-14-17-20/22- 29-35 S: (2-)7/9-16-26-36/ 37/39-43-45	Xn; R20/22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
014-002-00-4	silicon tetrachloride	233-054-0	10026-04-7	R14 Xi; R36/37/ 38	Xi R: 14-36/37/38 S: (2-)7/8-26		
014-003-00-X	dimethyldichlorosilane	200-901-0	75-78-5	F; R11 Xi; R36/37/ 38	F; Xi R: 11-36/37/38 S: (2-)		
014-004-00-5	trichloro(methyl)silane; methyltrichlorosilane	200-902-6	75-79-6	R14 F; R11 Xi; R36/37/ 38	F; Xi R: 11-14-36/37/38 S: (2-)26-39	Xi; R36/37/38: C ≥ 1 %	
014-005-00-0	tetraethyl silicate; ethyl silicate	201-083-8	78-10-4	R10 Xn; R20 Xi; R36/37	Xn R: 10-20-36/37 S: (2-)		
014-006-00-6	bis(4-fluorophenyl)-methyl-(1,2,4-triazol-4-ylmethyl)silane hydrochloride	401-380-4	—	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
014-007-00-1	triethoxyisobutylsilane	402-810-3	17980-47-1	Xi; R38	Xi R: 38 S: (2-)24		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
014-008-00-7	(chloromethyl)bis(4-fluorophenyl)methylsilane	401-200-4	85491-26-5	N; R51-53	N R: 51/53 S: 61		
014-009-00-2	isobutylisopropyldimethoxysilane	402-580-4	111439-76-0	R10 Xn; R20 Xi; R38	Xn R: 10-20-38 S: (2-)25-26-36/37		
014-010-00-8	disodium metasilicate	229-912-9	6834-92-0	C; R34 Xi; R37	C R: 34-37 S: (1/2-)13-24/25-36/ 37/39-45		
014-011-00-3	cyclohexyldimethoxymethylsilane	402-140-1	17865-32-6	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)24-61		
014-012-00-9	bis(3-(trimethoxysilyl)propyl)amine	403-480-3	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)24-26-39-61		
014-013-00-4	α -hydroxypoly(methyl-(3-(2,2,6,6-tetramethylpiperidin-4-yloxy)propyl)siloxane)	404-920-7	—	Xn; R21/22 C; R34 N; R51-53	C; N R: 21/22-34-51/53 S: (1/2-)26-36/37/39- 45-61		
014-014-00-X	etacelasil (ISO); 6-(2-chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-tetraoxa-6-silaundecane;	253-704-7	37894-46-5	Repr. Cat. 2; R61 Xn; R22-48/ 22	T R: 61-22-48/22 S: 53-45		E
014-015-00-5	α -trimethylsilylanyl- ω -trimethylsiloxypoly[oxy(methyl-3-(2-(2-methoxypropoxy)propoxy)propylsilanediyl]-co-oxy(dimethylsilane))	406-420-4	69430-40-6	R53	R: 53 S: 61		
014-016-00-0	reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tetramethyldisiloxane; 1,3-dihex-n-en-1-yl-1,1,3,3-tetramethyldisiloxane	406-490-6	—	N; R51-53	N R: 51/53 S: 61		
014-017-00-6	flusilazole (ISO); bis(4-fluorophenyl)(methyl)(1H-1,2,4-triazol-1-ylmethyl)silane	—	85509-19-9	Carc. Cat. 3; R40 Repr. Cat. 2; R61 Xn; R22 N; R51-53	T; N R: 61-22-40-51/53 S: 53-45-61		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
014-018-00-1	octamethylcyclotetrasiloxane	209-136-7	556-67-2	Repr. Cat. 3; R62 R53	Xn R: 53-62 S: (2-)36/37-46-51-61		
014-019-00-7	reaction mass of: 4-[[bis-(4-fluorophenyl)methylsilyl]methyl]-4H-1,2,4-triazole; 1-[[bis-(4-fluorophenyl)methylsilyl]methyl]-1H-1,2,4-triazole	403-250-2	—	Carc. Cat. 3; R40 Repr. Cat. 2; R61 Xn; R22 N; R51-53	T; N R: 61-22-40-51/53 S: 53-45-61		E
014-020-00-2	bis(1,1-dimethyl-2-propynyloxy)dimethylsilane	414-960-7	53863-99-3	Xn; R20	Xn R: 20 S: (2)		
014-021-00-8	tris(isopropenyloxy)phenyl silane	411-340-8	52301-18-5	N; R50-53	N R: 50/53 S: 60-61		
014-022-00-3	reaction product of: (2-hydroxy-4-(3-propenoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane)	401-530-9	—	F; R11 T; R39/23/ 24/25 Xn; R20/21/ 22	F; T R: 11-20/21/22-39/ 23/24/25 S: (1/2-)16-29-36/37- 45		
014-023-00-9	α , ω -dihydroxypoly(hex-5-en-1-ylmethylsiloxane)hoxysilane with (hydrolysis product of silica and methyltrimethoxysilane)iazole	408-160-7	125613-45-8	N; R51-53	N R: 51/53 S: 61		
014-024-00-4	1-((3-(3-chloro-4-fluorophenyl)propyl)dimethylsilyl)-4-ethoxybenzene	412-620-2	121626-74-2	N; R51-53	N R: 51/53 S: 61		
014-025-00-X	4-[3-(diethoxymethylsilyl)propoxy]-2,2,6,6-tetramethylpiperidine	411-400-3	102089-33-8	Xn; R22-48/ 21 Xi; R38-41 R52-53	Xn R: 22-38-41-48/21- 52/53 S: (2-)26-36/37/39-61		
014-026-00-5	dichloro-(3-(3-chloro-4-fluorophenyl)propyl)methylsilane	407-180-3	770722-36-6	C; R35	C R: 35 S: (1/2-)26-36/37/39- 45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
014-027-00-0	chloro(3-(3-chloro-4-fluorophenyl)propyl)dimethylsilane	410-270-5	770722-46-8	C; R35	C R: 35 S: (1/2-)8-26-28-36/ 37/39-45		
014-028-00-6	α -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyloxy- ω -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyl poly(dimethylsiloxane)	415-290-8	193159-06-7	R43	Xi R: 43 S: (2-)24-37		
014-029-00-1	O,O'-(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime]	421-870-1	156145-66-3	Repr. Cat. 3; R62 Xn; R22-48/ 22	Xn R: 22-48/22-62 S: (2-)36/37		
014-030-00-7	[(dimethylsilylene)bis((1,2,3,3a,7a- η)-1H-inden-1-ylidene)dimethyl]hafnium	422-060-0	137390-08-0	T+; R28	T+ R: 28 S: (1/2-)6-22-28-36/ 37-45		
014-031-00-2	bis(1-methylethyl)-dimethoxysilane	421-540-7	18230-61-0	R10 Xi; R38 R43 R52-53	Xi R: 10-38-43-52/53 S: (2-)24-37-61		
014-032-00-8	dicyclopentylmethoxysilane	404-370-8	126990-35-0	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61		
015-001-00-1	white phosphorus	231-768-7	12185-10-3	F; R17 T+; R26/28 C; R35 N; R50	F; T+; C; N R: 17-26/28-35-50 S: (1/2-)5-26-38-45- 61		
015-002-00-7	red phosphorus	231-768-7	7723-14-0	F; R11 R16 R52-53	F R: 11-16-52/53 S: (2-)7-43-61		
015-003-00-2	calcium phosphide; tricalcium diphosphide	215-142-0	1305-99-3	F; R15/29 T+; R28 N; R50	F; T+; N R: 15/29-28-50 S: (1/2-)22-43-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-004-00-8	aluminium phosphide	244-088-0	20859-73-8	F; R15/29 T+; R28 R32 N; R50	F; T+; N R: 15/29-28-32-50 S: (1/2-)3/9/14-30-36/ 37-45-61		
015-005-00-3	magnesium phosphide; trimagnesium diphosphide	235-023-7	12057-74-8	F; R15/29 T+; R28 N; R50	F; T+; N R: 15/29-28-50 S: (1/2-)22-43-45-61		
015-006-00-9	trizinc diphosphide; zinc phosphide	215-244-5	1314-84-7	F; R15/29 T+; R28 R32 N; R50-53	F; T+; N R: 15/29-28-32-50/ 53 S: (1/2-)3/9/14-30-36/ 37-45-60-61		
015-007-00-4	phosphorus trichloride	231-749-3	7719-12-2	R14 T+; R26/28 Xn; R48/20 C; R35 R29	T+; C R: 14-26/28-35-48/ 20 S: (1/2-)7/8-26-36/37/ 39-45		
015-008-00-X	phosphorus pentachloride	233-060-3	10026-13-8	R14 T+; R26 Xn; R22-48/ 20 C; R34 R29	T+ R: 14-22-26-34-48/ 20 S: (1/2-)7/8-26-36/37/ 39-45		
015-009-00-5	phosphoryl trichloride	233-046-7	10025-87-3	R14 T+; R26 T; R48/23 Xn; R22 C; R35 R29	T+; C R: 14-22-26-35-48/ 23 S: (1/2-)7/8-26-36/37/ 39-45		
015-010-00-0	phosphorus pentoxide	215-236-1	1314-56-3	C; R35	C R: 35 S: (1/2-)22-26-45		
015-011-00-6	phosphoric acid ... %, orthophosphoric acid ... %	231-633-2	7664-38-2	C; R34	C R: 34 S: (1/2-)26-45	C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-012-00-1	tetraphosphorus trisulphide; phosphorus sesquisulphid	215-245-0	1314-85-8	F; R11 Xn; R22 N; R50	F; Xn; N R: 11-22-50 S: (2-)7-16-24/25-61		
015-013-00-7	triethyl phosphate	201-114-5	78-40-0	Xn; R22	Xn R: 22 S: (2-)25		
015-014-00-2	tributyl phosphate	204-800-2	126-73-8	Carc. Cat. 3; R40 Xn; R22 Xi; R38	Xn R: 22-38-40 S: (2-)36/37-46		
015-015-00-8	tricresyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-); tritolyl phosphate (o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-);	201-103-5	78-30-8	T; R39/23/ 24/25 N; R51-53	T; N R: 39/23/24/25-51/ 53 S: (1/2-)20/21-28-45- 61	T; R39/23/24/25: C ≥ 1 % Xn; R68/20/21/22: 0,2 % ≤ C < 1 %	C
015-016-00-3	tricresyl phosphate (m-m-m-, m-m-p-, m-p-p-, p-p-p-); tritolyl phosphate (m-m-m-, m-m-p-, m-p-p-, p-p-p-);	201-105-6	78-32-0	Xn; R21/22 N; R51-53	Xn; N R: 21/22-51/53 S: (2-)28-61	Xn; R21/22: C ≥ 5 %	C
015-019-00-X	dichlorvos (ISO); 2,2-dichlorovinyl dimethyl phosphate	200-547-7	62-73-7	T+; R26 T; R24/25 R43 N; R50	T+; N R: 24/25-26-43-50 S: (1/2-)28-36/37-45- 61		
015-020-00-5	mevinphos (ISO); 2-methoxycarbonyl-1-methylvinyl dimethyl phosphate	232-095-1	7786-34-7	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37- 45-60-61	N; R50-53: C ≥ 0,0025 % N; R51-53: 0,00025 % ≤ C < 0,0025 % R52-53: 0,000025 % ≤ C < 0,00025 %	
015-021-00-0	trichlorfon (ISO); dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate	200-149-3	52-68-6	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-022-00-6	phosphamidon (ISO); 2-chloro-2-diethylcarbomoyl-1-methylvinyl dimethyl phosphate	236-116-5	13171-21-6	T+; R28 T; R24 Muta. Cat. 3; R68 N; R50-53	T+; N R: 24-28-50/53-68 S: (1/2-)23-36/37-45-60-61		
015-023-00-1	pyrazoxon; diethyl 3-methylpyrazol-5-yl phosphate	—	108-34-9	T+; R26/27/ 28	T+ R: 26/27/28 S: (1/2-)13-28-45		
015-024-00-7	triamiphos (ISO); 5-amino-3-phenyl-1,2,4-triazol-1-yl-N,N,N',N'-tetramethylphosphonic diamide	—	1031-47-6	T+; R27/28	T+ R: 27/28 S: (1/2-)22-28-36/37-45		
015-025-00-2	TEPP (ISO); tetraethyl pyrophosphate	203-495-3	107-49-3	T+; R27/28 N; R50	T+; N R: 27/28-50 S: (1/2-)36/37/39-38-45-61		
015-026-00-8	schradan (ISO); octamethylpyrophosphoramidate	205-801-0	152-16-9	T+; R27/28	T+ R: 27/28 S: (1/2-)36/37-38-45		
015-027-00-3	sulfotep (ISO); O,O,O,O-tetraethyl dithiopyrophosphate	222-995-2	3689-24-5	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37-45-60-61	N; R50-53: $C \geq 0,025 \%$ N; R51-53: $0,0025 \% \leq C < 0,025 \%$ R52-53: $0,00025 \% \leq C < 0,0025 \%$	
015-028-00-9	demeton-O (ISO); O,O-diethyl-O-2-ethylthioethyl phosphorothioate	206-053-8	298-03-3	T+; R27/28 N; R50	T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61		
015-029-00-4	demeton-S (ISO); diethyl-S-2-ethylthioethyl phosphorothioate	204-801-8	126-75-0	T+; R27/28	T+ R: 27/28 S: (1/2-)28-36/37-45		
015-030-00-X	demeton-O-methyl (ISO); O-2-ethylthioethyl O,O-dimethyl phosphorothioate	212-758-1	867-27-6	T; R25	T R: 25 S: (1/2-)24-36/37-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-031-00-5	demeton-S-methyl (ISO); S-2-ethylthioethyl dimethyl phosphorothioate	213-052-6	919-86-8	T; R24/25 N; R51-53	T; N R: 24/25-51/53 S: (1/2-)28-36/37-45-61		
015-032-00-0	prothoate (ISO); O,O-diethyl isopropylcarbamoylmethyl phosphorodithioate	218-893-2	2275-18-5	T+; R27/28 R52-53	T+ R: 27/28-52/53 S: (1/2-)28-36/37-45-61		
015-033-00-6	phorate (ISO); O,O-diethyl ethylthiomethyl phosphorodithioate	206-052-2	298-02-2	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: $C \geq 0,025 \%$ N; R51-53: $0,0025 \% \leq C < 0,025 \%$ R52-53: $0,00025 \% \leq C < 0,0025 \%$	
015-034-00-1	parathion (ISO); O,O-diethyl O-4-nitrophenyl phosphorothioate	200-271-7	56-38-2	T+; R26/28 T; R24-48/25 N; R50-53	T+; N R: 24-26/28-48/25-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$	
015-035-00-7	parathion — methyl (ISO); O,O-dimethyl O-4-nitrophenyl phosphorothioate	206-050-1	298-00-0	R5 R10 T+; R26/28 T; R24 Xn; R48/22 N; R50-53	T+; N R: 5-10-24-26/28-48/22-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$	
015-036-00-2	O-ethyl O-4-nitrophenyl phenylphosphonothioate; EPN	218-276-8	2104-64-5	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)22-36/37-45-60-61		
015-037-00-8	phenkapton (ISO); S-(2,5-dichlorophenylthiomethyl) O,O-diethyl phosphorodithioate	218-892-7	2275-14-1	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		
015-038-00-3	coumaphos (ISO); O-3-chloro-4-methylcoumarin-7-yl O,O-diethyl phosphorothioate	200-285-3	56-72-4	T+; R28 Xn; R21 N; R50-53	T+; N R: 21-28-50/53 S: (1/2-)28-36/37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-039-00-9	azinphos-methyl (ISO); O,O-dimethyl-4-oxobenzotriazin-3-ylmethyl phosphorodithioate	201-676-1	86-50-0	T+; R26/28 T; R24 R43 N; R50-53	T+; N R: 24-26/28-43-50/ 53 S: (1/2-)28-36/37-45- 60-61		
015-040-00-4	diazinon (ISO); O,O-diethyl O-2-isopropyl-6-methylpyrimidin-4-yl phosphorothioate	206-373-8	333-41-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24/25-60-61		
015-041-00-X	malathion (ISO); 1,2-bis (ethoxycarbonyl) ethyl O,O-dimethyl phosphorodithioate	204-497-7	121-75-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24-60-61	N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$	
015-042-00-5	chlorthion O-(3-chloro-4-nitrophenyl) O,O-dimethyl phosphorothioate	207-902-5	500-28-7	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61	N; R50-53: $C \geq 0,25 \%$ N; R51-53: $0,025 \% \leq C < 0,25 \%$ R52-53: $0,0025 \% \leq C < 0,025 \%$	
015-043-00-0	phosnichlor (ISO); O-4-chloro-3-nitrophenyl O,O-dimethyl phosphorothioate	—	5826-76-6	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)13		
015-044-00-6	carbophenothion (ISO); 4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate	212-324-1	786-19-6	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61		
015-045-00-1	mecarbam (ISO); N-ethoxycarbonyl-N-methylcarbamoylmethyl O,O-diethyl phosphorodithioate	219-993-9	2595-54-2	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)36/37-45-60- 61		
015-046-00-7	oxydemeton-methyl; S-2-(ethylsulphinyl)ethyl O,O-dimethyl phosphorothioate	206-110-7	301-12-2	T; R24/25 N; R50	T; N R: 24/25-50 S: (1/2-)23-36/37-45- 61		
015-047-00-2	ethion (ISO); O,O,O',O'-tetraethyl S,S'-methylenedi (phosphorodithioate); diethion	209-242-3	563-12-2	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)25-36/37-45- 60-61	N; R50-53: $C \geq 0,0025 \%$ N; R51-53: $0,00025 \% \leq C < 0,0025 \%$ R52-53: $0,000025 \% \leq C < 0,00025 \%$	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-048-00-8	fenthion (ISO); O,O-dimethyl-O-(4-methylthion- <i>m</i> -tolyl) phosphorothioate	200-231-9	55-38-9	Muta. Cat. 3; R68 T; R23-48/25 Xn; R21/22 N; R50-53	T; N R: 21/22-23-48/25-50/53-68 S: (1/2-)36/37-45-60-61		
015-049-00-3	endothion (ISO); S-5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate	220-472-3	2778-04-3	T; R24/25	T R: 24/25 S: (1/2-)36/37-45		
015-050-00-9	thiometon (ISO); S-2-ethylthioethyl O,O-dimethyl phosphorodithioate	211-362-6	640-15-3	T; R25 Xn; R21	T R: 21-25 S: (1/2-)36/37-45		
015-051-00-4	dimethoate (ISO); O,O-dimethyl methylcarbamoylmethyl phosphorodithioate	200-480-3	60-51-5	Xn; R21/22	Xn R: 21/22 S: (2-)36/37		
015-052-00-X	fenchlorphos (ISO); O,O-dimethyl O-2,4,5-trichlorophenyl phosphorothioate	206-082-6	299-84-3	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)25-36/37-60-61		
015-053-00-5	menazon (ISO); S-[(4,6-diamino-1,3,5-triazin-2-yl)methyl] O, O-dimethyl phosphorodithioate	201-123-4	78-57-9	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
015-054-00-0	fenitrothion (ISO); O,O-dimethyl O-4-nitro- <i>m</i> -tolyl phosphorothioate	204-524-2	122-14-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
015-055-00-6	naled (ISO); 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	206-098-3	300-76-5	Xn; R21/22 Xi; R36/38 N; R50	Xn; N R: 21/22-36/38-50 S: (2-)36/37-61	N; R50: C ≥ 0,025 %	
015-056-00-1	azinphos-ethyl (ISO); O,O-diethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate	220-147-6	2642-71-9	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61		
015-057-00-7	formothion (ISO); N-formyl-N-methylcarbamoylmethyl O,O-dimethyl phosphorodithioate	219-818-6	2540-82-1	Xn; R21/22	Xn R: 21/22 S: (2-)36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-058-00-2	morphothion (ISO); O,O-dimethyl-S-(morpholinocarbonylmethyl) phosphorodithioate	205-628-0	144-41-2	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		
015-059-00-8	vamidotion (ISO); O,O-dimethyl S-2-(1-methylcarbamoylethylthio) ethyl phosphorothioate	218-894-8	2275-23-2	T; R25 Xn; R21 N; R50	T; N R: 21-25-50 S: (1/2-)36/37-45-61		
015-060-00-3	disulfoton (ISO); O,O-diethyl 2-ethylthioethyl phosphorodithioate	206-054-3	298-04-4	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61		
015-061-00-9	dimefox (ISO); tetramethylphosphorodiamidic fluoride	204-076-8	115-26-4	T+; R27/28	T+ R: 27/28 S: (1/2-)23-28-36/37-38-45		
015-062-00-4	mipafox (ISO); N,N'- di-isopropylphosphorodiamidic fluoride	206-742-3	371-86-8	T+; R39/26/ 27/28	T+ R: 39/26/27/28 S: (1/2-)13-45		
015-063-00-X	dioxathion (ISO); 1,4-dioxan-2,3-diyl-O,O',O'-tetraethyl di(phosphorodithioate)	201-107-7	78-34-2	T+; R26/28 T; R24 N; R50-53	T+; N R: 24-26/28-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-064-00-5	bromophos-ethyl (ISO); O-4-bromo-2,5-dichlorophenyl O,O-diethyl phosphorothioate	225-399-0	4824-78-6	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)28-36/37-45-60-61		
015-065-00-0	S-[2-(ethylsulphinyl)ethyl] O,O-dimethyl phosphorodithioate	—	2703-37-9	T+; R26/27/ 28 N; R51-53	T+; N R: 26/27/28-51/53 S: (1/2-)13-28-45-61		
015-066-00-6	omethoate (ISO); O,O-dimethyl S-methylcarbamoylmethyl phosphorothioate	214-197-8	1113-02-6	T; R25 Xn; R21 N; R50	T; N R: 21-25-50 S: (1/2-)23-36/37-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-067-00-1	phosalone (ISO); S-(6-chloro-2-oxobenzoxazolin-3-ylmethyl) O,O-diethyl phosphorodithioate	218-996-2	2310-17-0	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)36/37-45-60-61		
015-068-00-7	dichlofenthion (ISO); O-2,4-dichlorophenyl O,O-diethyl phosphorothioate	202-564-5	97-17-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
015-069-00-2	methidathion (ISO); 2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl-O, O-dimethylphosphorodithioate	213-449-4	950-37-8	T+; R28 Xn; R21 N; R50-53	T+; N R: 21-28-50/53 S: (1/2-)22-28-36/37-45-60-61		
015-070-00-8	cyanthoate (ISO); S-(N-(1-cyano-1-methylethyl)carbamoylmethyl) O,O-diethyl phosphorothioate	223-099-4	3734-95-0	T+; R28 T; R24	T+ R: 24-28 S: (1/2-)36/37-45		
015-071-00-3	chlorfenvinphos (ISO); 2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate	207-432-0	470-90-6	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61		
015-072-00-9	monocrotophos (ISO); dimethyl-1-methyl-2-(methylcarbamoyl)vinyl phosphate	230-042-7	6923-22-4	Muta. Cat. 3; R68 T+; R26/28 T; R24 N; R50-53	T+; N R: 24-26/28-50/53-68 S: (1/2-)36/37-45-60-61		
015-073-00-4	dicrotophos (ISO); (Z)-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate	205-494-3	141-66-2	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61		
015-074-00-X	crufomate (ISO); 4-tert-butyl-2-chlorophenyl methyl methylphosphoramidate	206-083-1	299-86-5	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
015-075-00-5	S-[2-(isopropylsulphinyl)ethyl] O,O-dimethyl phosphorothioate	—	2635-50-9	T; R23/24/25	T R: 23/24/25 S: (1/2-)13-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-076-00-0	potasan; O, O-diethyl O-(4-methylcoumarin-7-yl) phosphorothioate	—	299-45-6	T+; R26/27/ 28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)13-28-45-60- 61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-077-00-6	2,2-dichlorovinyl 2-ethylsulphinylethyl methyl phosphate	—	7076-53-1	T; R23/24/25	T R: 23/24/25 S: (1/2-)13-45		
015-078-00-1	demeton-S-methylsulphon (ISO); S-2-ethylsulphonylethyl dimethyl phosphorothioate	241-109-5	17040-19-6	T; R25 Xn; R21 N; R51-53	T; N R: 21-25-51/53 S: (1/2-)22-28-36/37- 45-61		
015-079-00-7	acephate (ISO); O,S-dimethyl acetylphosphoramidothioate	250-241-2	30560-19-1	Xn; R22	Xn R: 22 S: (2-)36		
015-080-00-2	amidithion (ISO); 2-methoxyethylcarbamoylmethyl O,O-dimethyl phosphoro- dithioate	—	919-76-6	Xn; R22	Xn R: 22 S: (2-)24-36		
015-081-00-8	O,O,O',O'-tetrapropyl dithiopyrophosphate	221-817-0	3244-90-4	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
015-082-00-3	azothoate (ISO); O-4-(4-chlorophenylazo)phenyl O,O-dimethyl phosphoro- thioate	227-419-3	5834-96-8	Xn; R20/22	Xn R: 20/22 S: (2-)13		
015-083-00-9	bensulide (ISO); O,O-diisopropyl 2-phenylsulphonylaminoethyl phosphorodi- thioate	212-010-4	741-58-2	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24-36-60-61		
015-084-00-4	chlorpyrifos (ISO); O,O-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	220-864-4	2921-88-2	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)45-60-61	N; R50-53: C ≥ 0,0025 % N; R51-53: 0,00025 % ≤ C < 0,0025 % R52-53: 0,000025 % ≤ C < 0,00025 %	
015-085-00-X	chlorphonium chloride (ISO); tributyl (2,4-dichlorobenzyl) phosphonium chloride	204-105-4	115-78-6	T; R25 Xn; R21 Xi; R36/38	T R: 21-25-36/38 S: (1/2-)36/37/39-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-086-00-5	coumithoate (ISO); O,O-diethyl O-7,8,9,10-tetrahydro-6-oxo-benzo(c)chromen-3-yl phosphorothioate	—	572-48-5	T; R25	T R: 25 S: (1/2-)28-36/37-45		
015-087-00-0	cyanophos (ISO); O-4-cyanophenyl O,O-dimethyl phosphorothioate	220-130-3	2636-26-2	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
015-088-00-6	dialifos (ISO); 2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate	233-689-3	10311-84-9	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61		
015-089-00-1	ethoate-methyl (ISO); ethylcarbamoylmethyl O,O-dimethyl phosphorodithioate	204-121-1	116-01-8	Xn; R21/22	Xn R: 21/22 S: (2-)36/37		
015-090-00-7	fensulfthion (ISO); O,O-diethyl O-4-methylsulfinylphenyl phosphorothioate	204-114-3	115-90-2	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)23-28-36/37-45-60-61		
015-091-00-2	fonofos (ISO); O-ethyl phenyl ethylphosphonodithioate	213-408-0	944-22-9	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61		
015-092-00-8	phosacetim (ISO); O,O-bis(4-chlorophenyl) N-acetimidoylphosphoramidothioate	223-874-7	4104-14-7	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61		
015-093-00-3	leptophos (ISO); O-4-bromo-2,5-dichlorophenyl O-methyl phenylphosphorothioate	244-472-8	21609-90-5	T; R25-39/25 Xn; R21 N; R50-53	T; N R: 21-25-39/25-50/53 S: (1/2-)25-36/37/39-45-60-61		
015-094-00-9	mephosfolan (ISO); diethyl 4-methyl-1,3-dithiolan-2-ylidenephosphoramidate	213-447-3	950-10-7	T+; R27/28 N; R51-53	T+; N R: 27/28-51/53 S: (1/2-)36/37/39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-095-00-4	methamidophos (ISO); O,S-dimethyl phosphoramidothioate	233-606-0	10265-92-6	T+; R26/28 T; R24 N; R50	T+; N R: 24-26/28-50 S: (1/2-)28-36/37-45-61		
015-096-00-X	oxydisulfoton (ISO); O, O-diethyl S-2-ethylsulphinylethyl phosphorodithioate	219-679-1	2497-07-6	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
015-097-00-5	phenthoate (ISO); ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate	219-997-0	2597-03-7	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)22-36/37-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-098-00-0	trichloronate (ISO); O-ethyl O-2,4,5-trichlorophenyl ethylphosphonothioate	206-326-1	327-98-0	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)23-28-36/37-45-60-61		
015-099-00-6	pirimiphos-ethyl (ISO); O,O-diethyl O-2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate	245-704-0	23505-41-1	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)23-36/37-45-60-61		
015-100-00-X	phoxim (ISO); α-(diethoxyphosphinothioylimino) phenylacetone nitrile	238-887-3	14816-18-3	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)36-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-101-00-5	phosmet (ISO); O,O-dimethyl phthalimidomethyl S-phosphorodithioate	211-987-4	732-11-6	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)22-36/37-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-102-00-0	tris(2-chloroethyl) phosphate	204-118-5	115-96-8	Carc. Cat. 3; R40 Xn; R22 N; R51-53	Xn; N R: 22-40-51/53 S: (2-)36/37-61		
015-103-00-6	phosphorus tribromide	232-178-2	7789-60-8	R14 C; R34 Xi; R37	C R: 14-34-37 S: (1/2-)26-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-104-00-1	diphosphorus pentasulphide; phosphorus pentasulphide	215-242-4	1314-80-3	F; R11 R29 Xn; R20/22 N; R50	F; Xn; N R: 11-20/22-29-50 S: (2-)61		
015-105-00-7	triphenyl phosphite	202-908-4	101-02-0	Xi; R36/38 N; R50-53	Xi; N R: 36/38-50/53 S: (2-)28-60-61	Xi; R36/38; C ≥ 5 %	
015-106-00-2	hexamethylphosphoric triamide; hexamethylphosphoramidate	211-653-8	680-31-9	Carc. Cat. 2; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45	Carc. Cat. 2; R45; C ≥ 0,01 %	
015-107-00-8	ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate	236-152-1	13194-48-4	T+; R26/27 T; R25 R43 N; R50-53	T+; N R: 25-26/27-43-50/ 53 S: (1/2-)27/28-36/37/ 39-45-60-61		
015-108-00-3	bromophos (ISO); O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate	218-277-3	2104-96-3	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-) 46-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-109-00-9	crotoxyphos (ISO); 1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate	231-720-5	7700-17-6	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45- 60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
015-110-00-4	cyanofenphos (ISO); O-4-cyanophenyl O-ethyl phenylphosphonothioate	—	13067-93-1	T; R25-39/25 Xn; R21 Xi; R36 N; R51-53	T; N R: 21-25-36-39/25- 51/53 S: (1/2-)36/37-45-61		
015-111-00-X	phosfolan (ISO); diethyl 1,3-dithiolan-2-ylidenephosphoramidate	213-423-2	947-02-4	T+; R27/28	T+ R: 27/28 S: (1/2-)28-36/37-45		
015-112-00-5	thionazin (ISO); O,O-diethyl O-pyrazin-2-yl phosphorothioate;	206-049-6	297-97-2	T+; R27/28	T+ R: 27/28 S: (1/2-)36/37/39-38- 45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-114-00-6	chlormephos (ISO); S-chloromethyl O,O-diethyl phosphorodithioate	246-538-1	24934-91-6	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)28-36/37-45-60-61		
015-115-00-1	chlorthiophos (ISO)	244-663-6	21923-23-9	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)28-36/37-45-60-61		
015-116-00-7	demephion-O (ISO); O,O-dimethyl O-2-methylthioethyl phosphorothioate	211-666-9	682-80-4	T+; R28 T; R24	T+ R: 24-28 S: (1/2-)28-36/37-45		
015-117-00-2	demephion-S (ISO); O,O-dimethyl S-2-methylthioethyl phosphorothioate	219-971-9	2587-90-8	T+; R28 T; R24	T+ R: 24-28 S: (1/2-)28-36/37-45		
015-118-00-8	demeton	—	8065-48-3	T+; R27/28 N; R50	T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61		
015-119-00-3	dimethyl 4-(methylthio)phenyl phosphate	—	3254-63-5	T+; R27/28	T+ R: 27/28 S: (1/2-)28-36/37-45		
015-120-00-9	ditalimfos (ISO); O,O-diethyl phthalimidophosphonothioate;	225-875-8	5131-24-8	Xi; R38 R43	Xi R: 38-43 S: (2-)36/37		
015-121-00-4	edifenphos (ISO); O-ethyl S,S-diphenyl phosphorodithioate	241-178-1	17109-49-8	T; R23/25 Xn; R21 R43 N; R50-53	T; N R: 21-23/25-43-50/ 53 S: (1/2-)36/37-45-60-61		
015-122-00-X	etrimfos (ISO); O-6-ethoxy-2-ethylpyrimidin-4-yl O,O-dimethylphosphorothioate;	253-855-9	38260-54-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-123-00-5	fenamiphos (ISO); ethyl-4-methylthio- <i>m</i> -tolyl isopropyl phosphoramidate	244-848-1	22224-92-6	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)23-28-36/37-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-124-00-0	fosthietan (ISO); diethyl 1,3-dithietan-2-ylidenephosphoramidate;	244-437-7	21548-32-3	T+; R27/28	T+ R: 27/28 S: (1/2-)36/37-45		
015-125-00-6	glyphosine (ISO); N,N-bis(phosphonomethyl)glycine	219-468-4	2439-99-8	Xi; R41	Xi R: 41 S: (2-)26		
015-126-00-1	heptenophos (ISO); 7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate	245-737-0	23560-59-0	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)23-28-37-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-127-00-7	iprobenfos (ISO); S-benzyl diisopropyl phosphorothioate	247-449-0	26087-47-8	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
015-128-00-2	IPSP; S-ethylsulphinylmethyl O,O-diisopropylphosphorodithioate	—	5827-05-4	T+; R27 T; R25 N; R50-53	T+; N R: 25-27-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-129-00-8	isofenphos (ISO); O-ethyl O-2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate	246-814-1	25311-71-1	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)36/37-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-130-00-3	isothioate (ISO) S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate;	—	36614-38-7	T; R24/25	T R: 24/25 S: (1/2-)28-36/37-45		
015-131-00-9	isoxathion (ISO); O,O-diethyl O-5-phenylisoxazol-3-ylphosphorothioate	242-624-8	18854-01-8	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-132-00-4	S-(chlorophenylthiomethyl) O,O-dimethylphosphorodithioate; methylcarbophenothione	—	953-17-3	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)28-36/37-45-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-133-00-X	piperophos (ISO); S-2-methylpiperidinocarbonylmethyl-O,O-dipropyl phosphorodithioate	—	24151-93-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
015-134-00-5	pirimiphos-methyl (ISO); O-(2-diethylamino-6-methylpyrimidin-4-yl) O,O-dimethyl phosphorothioate	249-528-5	29232-93-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
015-135-00-0	profenofos (ISO); O-(4-bromo-2-chlorophenyl) O-ethyl S-propyl phosphorothioate	255-255-2	41198-08-7	Xn; R20/21/22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)36/37-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-136-00-6	<i>trans</i> -isopropyl-3-[[[(ethylamino)methoxyfosfinothioyl]oxy]crotonate; isopropyl 3-[[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate; propetamphos (ISO)	250-517-2	31218-83-4	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)37-45-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
015-137-00-1	pyrazophos (ISO); O,O-diethyl O-(6-ethoxycarbonyl-5-methylpyrazolo[2,3-a]pyrimidin-2-yl) phosphorothioate	236-656-1	13457-18-6	Xn; R20/22 N; R50-53	Xn; N R: 20/22-50/53 S: (2-)36/37-46-60-61		
015-138-00-7	quinalphos (ISO); O,O-diethyl-O-quinoxalin-2-yl phosphorothioate	237-031-6	13593-03-8	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)22-36/37-45-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-139-00-2	terbufos (ISO) S— <i>tert</i> -butylthiomethyl O, O-diethylphosphorodithioate;	235-963-8	13071-79-9	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)36/37-45-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
015-140-00-8	triazophos (ISO); O,O-diethyl-O-1-phenyl-1H,2,4-triazol-3-yl phosphorothioate	245-986-5	24017-47-8	T; R23/25 Xn; R21 N; R50-53	T; N R: 21-23/25-50/53 S: (1/2-)36/37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-141-00-3	ethylenediammonium O,O-bis(octyl) phosphorodithioate, mixed isomers	400-520-1	—	C; R34 Xn; R22 N; R50-53	C; N R: 22-34-50/53 S: (1/2-)24/25-26-28-39-45-60-61		
015-142-00-9	butyl (dialkyloxy(dibutoxyphosphoryloxy))titanium (trialkyloxy)titanium phosphate	401-100-0	—	F; R11 Xi; R36 N; R51-53	F; Xi; N R: 11-36-51/53 S: (2-)7/9-16-26-43-61		
015-143-00-4	reaction mass of 2-chloroethyl chloropropyl 2-chloroethylphosphonate, mixture reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate, reaction mass of isomers	401-740-0	—	Xn; R22	Xn R: 22 S: (2-)		
015-144-00-X	reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate	402-090-0	87025-52-3	C; R34	C R: 34 S: (1/2-)26-36/37/39-45		
015-145-00-5	reaction mass of copper(I) O,O-diisopropyl phosphorodithioate and copper(I) O-isopropyl O-(4-methylpent-2-yl) phosphorodithioate and copper(I) O,O-bis(4-methylpent-2-yl) phosphorodithioate	401-520-4	—	N; R50-53	N R: 50/53 S: 60-61		
015-146-00-0	S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	401-850-9	—	N; R50-53	N R: 50/53 S: 60-61		
015-147-00-6	reaction mass of C ₁₂₋₁₄ -tert-alkylammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide)	400-930-0	—	Xi; R38-41 N; R51-53 R43	Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61		
015-148-00-1	2-(diphosphonomethyl)succinic acid	403-070-4	51395-42-7	C; R34 R43	C R: 34-43 S: (1/2-)26-36/37/39-45		
015-149-00-7	reaction mass of: hexyldioctylphosphineoxide; dihexyloctylphosphineoxide; trioctylphosphineoxide	403-470-9	—	C; R34 N; R50-53	C; N R: 34-50/53 S: (1/2-)26-36/37/39-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-150-00-2	(2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide	404-940-6	86608-70-0	Xn; R22 Xi; R41 R33 R52-53	Xn R: 22-33-41-52/53 S: (2-)22-26-39-61		
015-151-00-8	tris(isopropyl/tert-butylphenyl) phosphate	405-010-2	—	N; R51-53	N R: 51/53 S: 61		
015-152-00-3	dioxabenzofos (ISO); 2-methoxy-4 <i>H</i> -1,3,2-benzodioxaphosphorin 2-sulphide;	223-292-3	3811-49-2	T; R24/25-39/25 N; R51-53	T; N R: 24/25-39/25-51/53 S: (1/2-)36/37-38-45-61		
015-153-00-9	isazofos (ISO); O-(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) O,O-diethyl phosphorothioate;	255-863-8	42509-80-8	T+; R26 T; R24/25 Xn; R48/20 R43 N; R50-53	T+; N R: 24/25-26-43-48/20-50/53 S: (1/2-)28-36/37-38-45-59-61		
015-154-00-4	2-chloroethylphosphonic acid; ethephon	240-718-3	16672-87-0	Xn; R20/21 C; R34 R52-53	C R: 20/21-34-52/53 S: (1/2-)26-28-36/37/39-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
015-155-00-X	ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate; glufosinate ammonium	278-636-5	77182-82-2	Xn; R22	Xn R: 22 S: (2-)		
015-156-00-5	methyl 3-[(dimethoxyphosphinothioyl)oxy]methacrylate; [1] methacrifos (ISO); methyl (<i>E</i>)-3-[(dimethoxyphosphinothioyl)oxy]methacrylate [2]	250-366-9 [1] - [2]	30864-28-9 [1] 62610-77-9 [2]	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)36/37-60-61		
015-157-00-0	phosphonic acid; [1] phosphorous acid [2]	237-066-7 [1] 233-663-1 [2]	13598-36-2 [1] 10294-56-1 [2]	Xn; R22 C; R35	C R: 22-35 S: (1/2-)26-36/37/39-45		
015-158-00-6	(η-cyclopentadienyl)(η-cumenyl)iron(1+)hexafluorophosphate (1-)	402-340-9	32760-80-8	R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-159-00-1	hydroxyphosphonoacetic acid	405-710-8	23783-26-8	Xn; R22-48/ 22 C; R34 R43	C R: 22-34-43-48/22 S: (1/2-)22-26-36/37/ 39-45		
015-160-00-7	vanadyl pyrophosphate	406-260-5	58834-75-6	Xi; R36 R43 R52-53	Xi R: 36-43-52/53 S: (2-)24-26-37-61		
015-161-00-2	divanadyl pyrophosphate	407-130-0	65232-89-5	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61		
015-162-00-8	vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped	407-350-7	—	Xn; R20-48/ 22 Xi; R41 N; R51-53	Xn; N R: 20-41-48/22-51/ 53 S: (2-)22-26-36/39-61		
015-163-00-3	bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphin-oxide	412-010-6	145052-34-2	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
015-164-00-9	calcium P,P'-(1-hydroxyethylene)bis(hydrogen phosphonate) dihydrate	400-480-5	36669-85-9	R52-53	R: 52/53 S: 61		
015-165-00-4	reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyl-disulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate	404-986-7	—	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)15-26-39-60- 61		
015-166-00-X	3,9-bis(2,6-di-tert-butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane	410-290-4	80693-00-1	R53	R: 53 S: 61		
015-167-00-5	3-(hydroxyphenylphosphinyl)propanoic acid	411-200-6	14657-64-8	Xi; R41	Xi R: 41 S: (2-)26-39		
015-168-00-0	fosthiazate (ISO); (RS)-S—sec-butyl-O-ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate	—	98886-44-3	T; R23/25-39 Xn; R21 Xi; R41 R43 N; R50-53	T; N R: 21-23/25-39-41- 43-50/53 S: (1/2-)53-45-25-26- 39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-169-00-6	tributyltetradecylphosphonium tetrafluoroborate	413-520-1	—	Xn; R22-48/22 C; R34 R43 N; R50-53	C; N R: 22-34-43-48/22-50/53 S: (1/2-)26-28-36/37/39-45-60-61		
015-170-00-1	reaction mass of: di-(1-octane- <i>N,N,N</i> -trimethylammonium) octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium di-octylphosphate; 1-octane- <i>N,N,N</i> -trimethylammonium octylphosphate	407-490-9	—	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-36/37/39-45		
015-171-00-7	<i>O,O,O</i> -tris(2(or 4)- <i>C</i> _{9,10} -isoalkylphenyl) phosphorothioate	406-940-1	—	N; R51-53	N R: 51/53 S: 61		
015-172-00-2	reaction mass of: bis(isotridecylammonium)mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate; isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate	406-240-6	—	R10 C; R34 N; R51-53	C; N R: 10-34-51/53 S: (1/2-)23-26-28-36/37/39-45-61		
015-173-00-8	methyl [2-(1,1-dimethylethyl)-6-methoxypyrimidin-4-yl] ethylphosphonothioate	414-080-3	117291-73-3	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)23-36-60-61		
015-174-00-3	1-chloro- <i>N,N</i> -diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine	411-370-1	82857-68-9	T; R25 Xi; R41 N; R51-53	T; N R: 25-41-51/53 S: (1/2-)26-37/39-41-45-61		
015-175-00-9	<i>tert</i> -butyl (triphenylphosphoranylidene) acetate	412-880-7	35000-38-5	T; R25 Xn; R48/22 Xi; R36 R43 N; R51-53	T; N R: 25-36-43-48/22-51/53 S: (1/2-)26-36/37/39-45-61		
015-176-00-4	<i>P,P,P,P</i> -tetrakis-(<i>o</i> -methoxyphenyl)propane-1,3-diphosphine	413-430-2	116163-96-3	N; R50-53	N R: 50/53 S: 60-61		
015-177-00-X	((4-phenylbutyl)hydroxyphosphoryl)acetic acid	412-170-7	83623-61-4	Xn; R48/22 Xi; R41 R43	Xn R: 41-43-48/22 S: (2-)22-26-36/37/39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
015-178-00-5	(R)- α -phenylethylammonium (-)-(1R, 2S)-(1,2-epoxypropyl)phosphonate monohydrate	418-570-8	25383-07-7	Repr. Cat. 3; R62 N; R51-53	Xn; N R: 62-51/53 S: (2-)22-36/37-61		
015-179-00-0	UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated C ₁₆₋₁₈ tallow alkylamine	422-720-8	166242-53-1	Carc. Cat. 3; R40 Xn; R22-48/ 22 C; R34 R43 N; R50-53	C; N R: 22-34-40-43-48/ 22-50/53 S: (1/2-)26-36/37/39- 45-60-61		
015-180-00-6	[R-(R*,S*)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt	415-820-8	137590-32-0	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
015-181-00-1	phosphine	232-260-8	7803-51-2	F+; R12 R17 T+; R26 C; R34 N; R50	F+; T+; N R: 12-17-26-34-50 S: (1/2-)28-36/37-45- 61-63		
015-184-00-8	Salts of glyphosate, with the exception of those specified elsewhere in this Annex	—	—	N; R51-53	N R: 51/53 S: 61		A
015-186-00-9	chlorpyrifos-methyl (ISO), O, O-dimethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate	227-011-5	5598-13-0	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)36/37-60-61	N; R50-53: C \geq 0,0025 % N; R51-53: 0,00025 % \leq C < 0,0025 % R52-53: 0,000025 % \leq C < 0,00025 %	
015-187-00-4	reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, N-oxide; trisodium ((tetrahydro-2-hydroxy-4H-1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, N-oxide, P-oxide	417-540-1	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
015-189-00-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	423-340-5	162881-26-7	R43 R53	Xi R: 43-53 S: (2-)22-24-37-61		
016-001-00-4	hydrogen sulphide	231-977-3	7783-06-4	F+; R12 T+; R26 N; R50	F+; T+; N R: 12-26-50 S: (1/2-)9-16-36-38- 45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-002-00-X	barium sulphide	244-214-4	21109-95-5	R31 Xn; R20/22 N; R50	Xn; N R: 20/22-31-50 S: (2-)28-61		
016-003-00-5	barium polysulphides	256-814-3	50864-67-0	R31 Xi; R36/37/ 38 N; R50	Xi; N R: 31-36/37/38-50 S: (2-)28-61		
016-004-00-0	calcium sulphide	243-873-5	20548-54-3	R31 Xi; R36/37/ 38 N; R50	Xi; N R: 31-36/37/38-50 S: (2-)28-61		
016-005-00-6	calcium polysulphides	215-709-2	1344-81-6	R31 Xi; R36/37/ 38 N; R50	Xi; N R: 31-36/37/38-50 S: (2-)28-61		
016-006-00-1	dipotassium sulphide; potassium sulphide	215-197-0	1312-73-8	R31 C; R34 N; R50	C; N R: 31-34-50 S: (1/2-)26-45-61		
016-007-00-7	potassium polysulphides	253-390-1	37199-66-9	R31 C; R34 N; R50	C; N R: 31-34-50 S: (1/2-)26-45-61		
016-008-00-2	ammonium polysulphides	232-989-1	9080-17-5	R31 C; R34 N; R50	C; N R: 31-34-50 S: (1/2-)26-45-61	C; R34: C ≥ 5 % Xi; R36/38: 1 % ≤ C < 5 % R31: C ≥ 1 %	
016-009-00-8	disodium sulphide; sodium sulphide	215-211-5	1313-82-2	R31 C; R34 N; R50	C; N R: 31-34-50 S: (1/2-)26-45-61		
016-010-00-3	sodium polysulphides	215-686-9	1344-08-7	T; R25 R31 C; R34 N; R50	T; N R: 25-31-34-50 S: (1/2-)26-36/37/39- 45-61		
016-011-00-9	sulphur dioxide	231-195-2	7446-09-5	T; R23 C; R34	T R: 23-34 S: (1/2-)9-26-36/37/ 39-45	T; R23: C ≥ 20 % Xn; R20: 5 % ≤ C < 20 %	5

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-012-00-4	disulphur dichloride; sulfur monochloride	233-036-2	10025-67-9	R14 T; R25 Xn; R20 R29 C; R35 N; R50	T; C; N R: 14-20-25-29-35-50 S: (1/2-)26-36/37/39-45-61	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
016-013-00-X	sulphur dichloride	234-129-0	10545-99-0	R14 C; R34 Xi; R37 N; R50	C; N R: 14-34-37-50 S: (1/2-)26-45-61		
016-014-00-5	sulphur tetrachloride	—	13451-08-6	R14 C; R34 N; R50	C; N R: 14-34-50 S: (1/2-)26-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
016-015-00-0	thionyl dichloride; thionyl chloride	231-748-8	7719-09-7	R14 Xn; R20/22 R29 C; R35	C R: 14-20/22-29-35 S: (1/2-)26-36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
016-016-00-6	sulphuryl chloride	232-245-6	7791-25-5	R14 C; R34 Xi; R37	C R: 14-34-37 S: (1/2-)26-45		
016-017-00-1	chlorosulphonic acid	232-234-6	7790-94-5	R14 C; R35 Xi; R37	C R: 14-35-37 S: (1/2-)26-45		
016-018-00-7	fluorosulphonic acid	232-149-4	7789-21-1	Xn; R20 C; R35	C R: 20-35 S: (1/2-)26-45		
016-019-00-2	oleum ... % SO ₃	—	—	R14 C; R35 Xi; R37	C R: 14-35-37 S: (1/2-)26-30-45		B
016-020-00-8	sulphuric acid ... %	231-639-5	7664-93-9	C; R35	C R: 35 S: (1/2-)26-30-45	C; R35: C ≥ 15 % Xi; R36/38: 5 % ≤ C < 15 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-021-00-3	methanethiol; methyl mercaptan	200-822-1	74-93-1	F+; R12 T; R23 N; R50-53	F+; T; N R: 12-23-50/53 S: (2-)16-25-60-61		
016-022-00-9	ethanethiol; ethyl mercaptan	200-837-3	75-08-1	F; R11 Xn; R20 N; R50-53	F; Xn; N R: 11-20-50/53 S: (2-)16-25-60-61		
016-023-00-4	dimethyl sulphate	201-058-1	77-78-1	Carc. Cat. 2; R45 Muta. Cat. 3; R68 T+; R26 T; R25 C; R34 R43	T+ R: 45-25-26-34-43- 68 S: 53-45	Car. Cat. 2; R45: C ≥ 0,01 % Muta. Cat. 3, R68: C ≥ 0,01 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	E
016-024-00-X	dimexano (ISO); bis(methoxythiocarbonyl) disulphide	215-993-8	1468-37-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
016-025-00-5	disul (ISO); 2-(2,4-dichlorophenoxy)ethyl hydrogensulphate; 2,4-DES	205-259-5	149-26-8	Xn; R22 Xi; R38-41	Xn R: 22-38-41 S: (2-)26		
016-026-00-0	sulphamidic acid; sulphamic acid; sulfamic acid	226-218-8	5329-14-6	Xi; R36/38 R52-53	Xi R: 36/38-52/53 S: (2-)26-28-61		
016-027-00-6	diethyl sulphate	200-589-6	64-67-5	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R20/21/ 22 C; R34	T R: 45-46-20/21/22- 34 S: 53-45		E
016-028-00-1	sodium dithionite; sodium hydrosulphite	231-890-0	7775-14-6	R7 R31 Xn; R22	Xn R: 7-22-31 S: (2-)7/8-26-28-43		
016-029-00-7	p-toluenesulphonic acid, containing more than 5 % H ₂ SO ₄	—	—	C; R34	C R: 34 S: (1/2-)26-37/39-45	C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Xi; R36/37/38	Xi R: 36/37/38 S: (2-)26-37		
016-031-00-8	tetrahydrothiophene-1,1-dioxide; sulpholane	204-783-1	126-33-0	Xn; R22	Xn R: 22 S: (2-)25		
016-032-00-3	1,3-propanesultone; 1,2-oxathiolane 2,2-dioxide	214-317-9	1120-71-4	Carc. Cat. 2; R45 Xn; R21/22	T R: 45-21/22 S: 53-45	Carc. Cat. 2; R45: C ≥ 0,01 %	E
016-033-00-9	dimethylsulfamoylchloride	236-412-4	13360-57-1	Carc. Cat. 2; R45 T+; R26 Xn; R21/22 C; R34	T+ R: 45-21/22-26-34 S: 53-45		E
016-034-00-4	tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis (naphthalene-1,5-disulphonate)	400-010-9	81898-60-4	R43	Xi R: 43 S: (2-)22-24-37		
016-035-00-X	pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate	400-120-7	—	Xi; R36	Xi R: 36 S: (2-)22-26		
016-036-00-5	tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate	400-130-1	—	R42 N; R51-53	Xn; N R: 42-51/53 S: (2-)22-61		
016-037-00-0	disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate	400-350-8	85153-93-1	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
016-038-00-6	disodium 6-((4-chloro-6-(N-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo)naphthalene-3-sulphonate	400-380-1	86393-35-3	R43	Xi R: 43 S: (2-)22-24-37		
016-039-00-1	tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino)benzene-1,4-disulphonate	400-430-2	—	R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-040-00-7	reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate	400-570-4	—	Xi; R36	Xi R: 36 S: (2-)26		
016-041-00-2	calcium 2,5-dichloro-4-(4-((5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate	400-710-4	—	Xn; R20	Xn R: 20 S: (2-)		
016-042-00-8	tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7- disulphonate	400-790-0	85665-97-0	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)22-24/25-37		
016-043-00-3	dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2-sulphonate	401-010-1	—	R43	Xi R: 43 S: (2-)24-37		
016-044-00-9	disodium S,S-hexane-1,6-diyl di(thiosulphate) dihydrate	401-320-7	—	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
016-045-00-4	lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2,7-disulphonate	401-560-2	108624-00-6	R43	Xi R: 43 S: (2-)22-24-37		
016-046-00-X	sodium hydrogensulphate	231-665-7	7681-38-1	Xi; R41	Xi R: 41 S: (2-)24-26		
016-047-00-5	hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatophenylazo)naphthalene-1,3,5- trisulphonate	401-650-1	85665-96-9	R43	Xi R: 43 S: (2-)22-24-37		
016-048-00-0	sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate	401-870-8	—	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-049-00-6	calcium octadecylxylenesulphonate	402-040-8	—	C; R34 N; R51-53	C; N R: 34-51/53 S: (1/2-)26-28-36/37/ 39-45-61		
016-050-00-1	potassium sodium 5-(4-chloro-6-(N-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino) phenyl-N-methyl) amino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonatophenylazo)naphthalene-2,7-disulphonat	402-150-6	—	Xi; R36 R43	Xi R: 36-43 S: (2-)22-24-26-37		
016-051-00-7	trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6- trisulphonate	402-170-5	106359-91-5	R43	Xi R: 43 S: (2-)22-24-37		
016-052-00-2	benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate	402-240-5	102561-46-6	Xn; R20 N; R51-53	Xn; N R: 20-51/53 S: (2-)22-61		
016-053-00-8	(C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)ammonium 2-((C ₁₆ or C ₁₈ -n-alkyl)(C ₁₆ or C ₁₈ -n-alkyl)carbamoyl)benzenesulphonate	402-460-1	—	Xi; R38 R43 R53	Xi R: 38-43-53 S: (2-)24-37-61		
016-054-00-3	sodium 4-(2,4,4-trimethylpentylcarboxyloxy)benzenesulphonate	400-030-8	—	T; R23-48/23 Xn; R22 Xi; R36/37 R43	T R: 22-23-36/37-43- 48/23 S: (1/2-)22-24-36-45		
016-055-00-9	tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate)	400-510-7	—	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
016-056-00-4	potassium hydrogensulphate	231-594-1	7646-93-7	C; R34 Xi; R37	C R: 34-37 S: (1/2-)26-36/37/39- 45		
016-057-00-X	styrene-4-sulfonyl chloride	404-770-2	2633-67-2	Xi; R38-41 R43	Xi R: 38-41-43 S: (2-)24-26-37/39		
016-058-00-5	thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, <i>tert</i> -nonanethiol and C ₁₂₋₁₄ — <i>tert</i> -alkylamine	404-820-3	—	Xi; R38 R43 R52-53	Xi R: 38-43-52/53 S: (2-)36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-059-00-0	N,N,N',N'-tetramethyldithiobis(ethylene)diamine dihydrochloride	405-300-9	17339-60-5	Xn; R22 Xi; R36 R43 N; R50-53	Xn; N R: 22-36-43-50/53 S: (2-)26-36/37-60-61		
016-060-00-6	diammonium peroxodisulphate; ammonium persulphate	231-786-5	7727-54-0	O; R8 Xn; R22 Xi; R36/37/ 38 R42/43	O; Xn R: 8-22-36/37/38-42/ 43 S: (2-)22-24-26-37		
016-061-00-1	dipotassium peroxodisulphate; potassium persulphate	231-781-8	7727-21-1	O; R8 Xn; R22 Xi; R36/37/ 38 R42/43	O; Xn R: 8-22-36/37/38-42/ 43 S: (2-)22-24-26-37		
016-062-00-7	bensultap (ISO); 1,3-bis(phenylsulfonylthio)-2-(N,N-dimethylamino)propane	—	17606-31-4	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
016-063-00-2	sodium metabisulphite	231-673-0	7681-57-4	Xn; R22 Xi; R41 R31	Xn R: 22-31-41 S: (2-)26-39-46		
016-064-00-8	sodium hydrogensulphite . . . %; sodium bisulphite . . . %	231-548-0	7631-90-5	Xn; R22 R31	Xn R: 22-31 S: (2-)25-46		B
016-065-00-3	sodium 1-amino-4-[2-methyl-5-(4-methylphenylsulfonylamino)phenylamino]anthraquinone-2-sulfonate	400-100-8	84057-97-6	N; R51-53	N R: 51/53 S: 61		
016-066-00-9	tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophenylazo)-2-sulfonatobenzylidenehydrazino)benzoate]copper(II)	404-070-7	116912-62-0	R52-53	R: 52/53 S: 61		
016-067-00-4	(4-methylphenyl)mesitylene sulfonate	407-530-5	67811-06-7	R53	R: 53 S: 61		
016-068-00-X	sodium 3,5-bis(tetradecyloxy-carbonyl)benzenesulfinate	407-720-8	155160-86-4	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-069-00-5	3,5-bis-(tetradecyloxy-carbonyl)benzenesulfinic acid	407-990-7	141915-64-2	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
016-070-00-0	4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenyl-sulfone	408-220-2	—	R53	R: 53 S: 61		
016-071-00-6	trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfo-phenylamino)-1,3,5-triazin-2-yl)amino)propyl) amino)-4,11-triphenoxydioxazinedisulfonate	410-130-3	136248-03-8	R43	Xi R: - 43 S: (2-)22-24-37		
016-072-00-1	3-amino-4-hydroxy-N-(2-methoxyethyl)-benzenesulfonamide	411-520-6	112195-27-4	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61		
016-073-00-7	tetrakis(phenylmethyl)thioperoxydi(carbothioamide)	404-310-0	10591-85-2	R53	R: 53 S: 61		
016-074-00-2	6-fluoro-2-methyl-3-(4-methylthiobenzyl)indene	405-410-7	—	Xi; R38-41 R43 N; R51-53	Xi; N R: 38-41-43-51/53 S: (2-)26-36/37/39-61		
016-075-00-8	2,2'-diallyl-4,4'-sulfonyldiphenol	411-570-9	41481-66-7	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
016-076-00-3	2,3-bis((2-mercaptoethyl)thio)-1-propanethiol	411-290-7	131538-00-6	Xn; R22-48/ 22 N; R50-53	Xn; N R: 22-48/22-50/53 S: (2-)23-24/25-36-60-61		
016-077-00-9	2-chloro-p-toluenesulfochloride	412-890-1	42413-03-6	C; R34 R43 R52-53	C R: 34-43-52/53 S: (1/2-)23-26-36/37/ 39-45-61		
016-078-00-4	4-methyl-N,N-bis(2-((4-methylphenyl)sulfonyl)amino)ethyl)benzenesulfonamide	413-300-5	56187-04-3	R53	R: 53 S: 61		
016-079-00-X	N,N-bis(2-(p-toluenesulfonyloxy)ethyl)-p-toluenesulfonamide	412-920-3	16695-22-0	R43 R53	Xi R: 43-53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-080-00-5	sodium 2-anilino-5-(2-nitro-4-(N-phenylsulfamoyl))anilino-benzenesulfonate	412-320-1	31 361-99-6	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
016-081-00-0	hexahydrocyclopenta[c]pyrrole-1-(1H)-ammonium N-ethoxycarbonyl-N-(p-tolylsulfonyl)azanide	418-350-1	—	Muta. Cat. 3; R68 Xn; R22 Xi; R36 R43 N; R51-53	Xn; N R: 22-36-43-68-51/ 53 S: (2-)26-36/37-61		
016-082-00-6	ethoxysulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxyphenoxy-sulfonyl)urea	—	126801-58-9	N; R50-53	N R: 50/53 S: 60-61		
016-083-00-1	acibenzolar-S-methyl; benzo[1,2,3]thiadiazole-7-carbothioic acid S-methyl ester	420-050-0	135158-54-2	Xi; R36/37/ 38 R43 N; R50-53	Xi; N R: 36/37/38-43-50/ 53 S: (2-)24/25-37-46- 59-60-61		
016-084-00-7	prosulfuron; 1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)phenylsulfonyl]urea	—	94125-34-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
016-085-00-2	flazasulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl)urea	—	104040-78-0	N; R50-53	N R: 50/53 S: 60-61		
016-086-00-8	tetrasodium 10-amino-6,13-dichloro-3-(3-(4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate	402-590-9	109125-56-6	Xi; R41	Xi R: 41 S: (2-)22-26-39		
016-087-00-3	reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyl-disulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate; propylene carbonate	403-490-8	104558-95-4	Xi; R36 R43 N; R50-53	Xi; N R: 36-43-50/53 S: (2-)24-26-37-60- 61		
016-088-00-9	4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid	407-280-7	71297-11-5	R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
016-089-00-4	reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3,3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene	413-840-1	—	E; R2 F; R11 R53	E R: 2-11-53 S: (2-)33-35-40-61		
016-090-00-X	4-methyl-N-(methylsulfonyl)benzenesulfonamide	415-040-8	14653-91-9	Xn; R22 Xi; R37-41	Xn R: 22-37-41 S: (2-)26-39		
016-091-00-5	C ₁₂₋₁₄ — <i>tert</i> -alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylanilino)-anthracen-2-sulfonate	414-110-5	—	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
016-093-00-6	reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chroman-yl)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate); 4-(7-hydroxy-2,4,4-trimethyl-2-chroman-yl)resorcinolbis(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate) (2:1)	414-770-4	140698-96-0	F; R11 Carc. Cat. 3; R40	F; Xn R: 11-40 S: (2-)7-36/37		
016-095-00-7	reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:2); Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3)	417-980-4	—	F; R11 Carc. Cat. 3; R40	F; Xn R: 11-40 S: (2-)7-36/37		
016-096-00-2	thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoyl-sulfamoyl)thiophene-2-carboxylate	—	79277-27-3	N; R50-53	N R: 50/53 S: 60-61		
017-001-00-7	chlorine	231-959-5	7782-50-5	T; R23 Xi; R36/37/ 38 N; R50	T; N R: 23-36/37/38-50 S: (1/2-)9-45-61		
017-002-00-2	hydrogen chloride	231-595-7	7647-01-0	T; R23 C; R35	T; C R: 23-35 S: (1/2-)9-26-36/37/ 39-45		5
017-002-01-X	hydrochloric acid ... %	231-595-7	—	C; R34 Xi; R37	C R: 34-37 S: (1/2-)26-45	C; R34-37: C ≥ 25 % Xi; R36/37/38: 10 % ≤ C < 25 %	B

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
017-003-00-8	barium chlorate	236-760-7	13477-00-4	O; R9 Xn; R20/22 N; R51-53	O; Xn; N R: 9-20/22-51/53 S: (2-)13-27-61		
017-004-00-3	potassium chlorate	223-289-7	3811-04-9	O; R9 Xn; R20/22 N; R51-53	O; Xn; N R: 9-20/22-51/53 S: (2-)13-16-27-61		
017-005-00-9	sodium chlorate	231-887-4	7775-09-9	O; R9 Xn; R22 N; R51-53	O; Xn; N R: 9-22-51/53 S: (2-)13-17-46-61		
017-006-00-4	perchloric acid ... %	231-512-4	7601-90-3	R5 O; R8 C; R35	O; C R: 5-8-35 S: (1/2-)23-26-36-45	C; R35: C ≥ 50 % C; R34: 10 % ≤ C < 50 % Xi; R36/38: 1 % ≤ C < 10 % Footnote O; R5-8: C > 50 %	B
017-007-00-X	barium perchlorate	236-710-4	13465-95-7	O; R9 Xn; R20/22	O; Xn R: 9-20/22 S: (2-)27		
017-008-00-5	potassium perchlorate	231-912-9	7778-74-7	O; R9 Xn; R22	O; Xn R: 9-22 S: (2-)13-22-27		
017-009-00-0	ammonium perchlorate	232-235-1	7790-98-9	O; R9 R44 ☉	O R: 9-44 S: (2-)14-16-27-36/37		G
017-010-00-6	sodium perchlorate	231-511-9	7601-89-0	O; R9 Xn; R22	O; Xn R: 9-22 S: (2-)13-22-27		
017-011-00-1	sodium hypochlorite, solution ... % Cl active	231-668-3	7681-52-9	C; R34 R31 N; R50	C; N R: 31-34-50 S: (1/2-)28-45-50-61	R31: C ≥ 5 %	B
017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	O; R8 ☉ Xn; R22 R31 C; R34 N; R50	O; C; N R: 8-22-31-34-50 S: (1/2-)26-36/37/39-45-61	C; R34: C ≥ 10 % Xi; R37/38-41: 3 % ≤ C < 10 % Xi; R36: 0,5 % ≤ C < 3 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
017-013-00-2	calcium chloride	233-140-8	10043-52-4	Xi; R36	Xi R: 36 S: (2-)22-24		
017-014-00-8	ammonium chloride	235-186-4	12125-02-9	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)22		
017-015-00-3	(2-(aminomethyl)phenyl)acetylchloride hydrochloride	417-410-4	61807-67-8	Xn; R22 C; R35 R43	C R: 22-35-43 S: (1/2-)26-36/37/39-45		
017-016-00-9	methyltriphenylphosphonium chloride	418-400-2	1031-15-8	Xn; R21/22 Xi; R38-41 N; R51-53	Xn; N R: 21/22-38-41-51/53 S: (2-)22-26-36/37/39-61		
017-017-00-4	(Z)-13-docosenyl-N,N-bis(2-hydroxyethyl)-N-methyl-ammonium-chloride	426-210-6	120086-58-0	C; R34 N; R50-53	C; N R: 34-50/53 S: (2-)26-36/37/39-45-60-61		
017-018-00-X	N,N,N-trimethyl-2,3-bis(stearoyloxy)propylammonium chloride	405-660-7	—	N; R51-53	N R: 51/53 S: 61		
017-019-00-5	(R)-1,2,3,4-tetrahydro-6,7-dimethoxy-1-veratryloquinoline hydrochloride	415-110-8	54417-53-7	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
017-020-00-0	ethyl propoxy aluminium chloride	421-790-7	13014-29-4	F; R15 R 14 C; R35	F; C R: 14/15-35 S: (1/2-)16-23-26-30-36/37/39-43-45		
017-021-00-6	behenamidopropyl-dimethyl-(dihydroxypropyl) ammonium chloride	423-420-1	136920-10-0	Xi; R41 R43 N; R50-53	Xi; N R: 41-43-50/53 S: (2-)26-36/37/39-60-61		
019-001-00-2	potassium	231-119-8	7440-09-7	F; R15 R14 C; R34	F; C R: 14/15-34 S: (1/2-)5-8-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
019-002-00-8	potassium hydroxide; caustic potash	215-181-3	1310-58-3	Xn; R22 C; R35	C R: 22-35 S: (1/2-)26-36/37/39-45	C; R35: C ≥ 5 % C; R34: 2 % ≤ C < 5 % Xi; R36/38: 0.5 % ≤ C < 2 %	
020-001-00-X	calcium	231-179-5	7440-70-2	F; R15	F R: 15 S: (2-)8-24/25-43		
020-002-00-5	calcium cyanide	209-740-0	592-01-8	T+; R28 R32 N; R50-53	T+; N R: 28-32-50/53 S: (1/2-)7/8-23-36/ 37-45-60-61		
020-003-00-0	reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)dihydroxide; tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide; poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide]	420-470-4	—	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)24-26-37		
022-001-00-5	titanium tetrachloride	231-441-9	7550-45-0	R14 C; R34	C R: 14-34 S: (1/2-)7/8-26-36/37/ 39-45		
022-002-00-0	titanium(4+) oxalate	403-260-7	—	Xi; R41	Xi R: 41 S: (2-)26-39		
022-003-00-6	bis(η ⁵ -cyclopentadienyl)-bis(2,6-difluoro-3-[pyrrol-1-yl]-phenyl)titanium	412-000-1	125051-32-3	F; R11 Repr. Cat. 3; R62 Xn; R48/22 N; R51-53	F; Xn; N R: 11-48/22-62-51/ 53 S: (2-)7-22-33-36/37-61		
023-001-00-8	divanadium pentaoxide; vanadium pentoxide	215-239-8	1314-62-1	Muta. Cat. 3; R68 Repr. Cat. 3; R63 T; R48/23 Xn; R20/22 Xi; R37 N; R51-53	T; N R: 20/22-37-48/23-51/53-63-68 S: (1/2-)36/37-38-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
024-001-00-0	chromium (VI) trioxide	215-607-8	1333-82-0	O; R9 Carc. Cat. 1; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T+; R26 T; R24/25-48/23 C; R35 R42/43 N; R50-53	O; T+; N R: 45-46-9-24/25-26-35-42/43-48/23-62-50/53 S: 53-45-60-61	C: R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	E
024-002-00-6	potassium dichromate	231-906-6	7778-50-9	O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53	T+; N; O R: 45-46-60-61-8-21-25-26-34-42/43-48/23-50/53 S: 53-45-60-61	C; R34: C ≥ 10 %; Xi; R36/37/38: 5 % ≤ C < 10 %	E 3
024-003-00-1	ammonium dichromate	232-143-1	7789-09-5	E; R2 O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53	E; T+; N R: 45-46-60-61-2-8-21-25-26-34-42/43-48/23-50/53 S: 53-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 %	E 3

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
024-004-00-7	sodium dichromate anhydrate	234-190-3	10588-01-9	O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; 50-53	T+; N; O R: 45-46-60-61-8-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 %	E 3
024-004-01-4	sodium dichromate, dihydrate	234-190-3	7789-12-0	O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53	T+; N; O R: 45-46-60-61-8-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 % R42/43: C ≥ 0,2 %	E 3
024-005-00-2	chromyl dichloride; chromic oxychloride	239-056-8	14977-61-8	O; R8 Carc. Cat. 2; R49 Muta. Cat. 2; R46 C; R35 R43 N; R50-53	O; T; C; N R: 49-46-8-35-43-50/ 53 S: 53-45-60-61	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 0,5 % ≤ C < 5 % R43: C ≥ 0,5 %	3
024-006-00-8	potassium chromate	232-140-5	7789-00-6	Carc. Cat. 2; R49 Muta. Cat. 2; R46 Xi; R36/37/ 38 R43 N; R50-53	T; N R: 49-46-36/37/38- 43-50/53 S: 53-45-60-61	R43: C ≥ 0,5 %	3

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
024-007-00-3	zinc chromates including zinc potassium chromate	—	—	Carc. Cat. 1; R45 Xn; R22 R43 N; R50-53	T; N R: 45-22-43-50/53 S: 53-45-60-61		AE
024-008-00-9	calcium chromate	237-366-8	13765-19-0	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		E
024-009-00-4	strontium chromate	232-142-6	7789-06-2	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		E
024-010-00-X	dichromium tris(chromate); chromium III chromate; chromic chromate	246-356-2	24613-89-6	O; R8 Carc. Cat. 2; R45 C; R35 R43 N; R50-53	O; T; C; N R: 45-8-35-43-50/53 S: 53-45-60-61		
024-011-00-5	ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-(N-phenylcarbamoyl)-2-naphtholato)chromate(1-)	400-110-2	109125-51-1	F; R11 N; R50-53	F; N R: 11-50/53 S: (2-)33-60-61		
024-012-00-0	trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)chromate(1-)	400-810-8	—	Muta. Cat. 3; R68	Xn R: 68 S: (2-)22-36/37		
024-013-00-6	trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-)	402-500-8	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
024-014-00-1	trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato)chromate(1-)	402-870-0	93952-24-0	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
024-015-00-7	disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-)	404-930-1	—	Xn; R20 Xi; R41 N; R51-53	Xn; N R: 20-41-51/53 S: (2-)26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
024-016-00-2	tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-)	405-110-6	88377-66-6	Xn; R48/22 R53	Xn R: 48/22-53 S: (2-)22-36-61		
024-017-00-8	Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex	—	—	Carc. Cat. 2; R49 R43 N; R50-53	T; N R: 49-43-50/53 S: 53-45-60-61		A
024-018-00-3	sodium chromate	231-889-5	7775-11-3	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/23 Xn; R21 C; R34 R42/43 N; R50-53	T+; N R: 45-46-60-61-21- 25-26-34-42/43-48/ 23-50/53 S: 53-45-60-61	R42/43: C ≥ 0,2 %	E 3
024-019-00-9	Main component: acetoacetic acid anilide/3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-{6"-[1-(phenylcarbamoyl)ethylazo]-5"--(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2"-diolato}chromate (III); by-product 1: acetoacetic acid anilide/acetoacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III); by-product 2: 3-amino-1-hydroxybenzene/3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III)	419-230-1	—	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
024-020-00-4	trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphthylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4'-diolato)]chromate(III)	418-220-4	—	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
025-001-00-3	manganese dioxide	215-202-6	1313-13-9	Xn; R20/22	Xn R: 20/22 S: (2-)25		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
025-002-00-9	potassium permanganate	231-760-3	7722-64-7	O; R8 Xn; R22 N; R50-53	O; Xn; N R: 8-22-50/53 S: (2-)60-61		
025-003-00-4	manganese sulphate	232-089-9	7785-87-7	Xn; R48/20/ 22 N; R51-53	Xn; N R: 48/20/22-51/53 S: (2-)22-61		
025-004-00-X	bis(N,N',N''-trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate	411-760-1	116633-53-5	N; R51-53	N R: 51/53 S: 61		
025-005-00-5	reaction mass of: tri-sodium [29H, 31H-phthalocyanine-C,C,C-trisulfonato (6-)-N29,N30,N31,N32] manganate (3-); tetrasodium [29H,31H-phthalocyanine-C,C,C,C-tetrasulfonato (6-)-N29,N30,N31,N32], manganate (3-); pentasodium [29H,31H-phthalocyanine-C,C,C,C,C-pentasulfonato (6-)-N29,N30,N31,N32] manganate (3-)	417-660-4	—	N; R50-53	N R: 50/53 S: 60-61		
026-001-00-6	(η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate	407-840-0	100011-37-8	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)22-26-39-61		
026-002-00-1	(η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethane-sulfonate	407-880-9	117549-13-0	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)26-61		
027-001-00-9	cobalt	231-158-0	7440-48-4	R42/43 R53	Xn R: 42/43-53 S: (2-)22-24-37-61		
027-002-00-4	cobalt oxide	215-154-6	1307-96-6	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
027-003-00-X	cobalt sulphide	215-273-3	1317-42-6	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
027-004-00-5	cobalt dichloride	231-589-4	7646-79-9	Carc. Cat. 2; R49 Xn; R22 R42/43 N; R50-53	T; N R: 49-22-42/43-50/ 53 S: (2-)22-53-45-60- 61	Carc. Cat. 2; R49: C ≥ 0,01 % Xn; R22: C ≥ 2,5 %	E 1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
027-005-00-0	cobalt sulphate	233-334-2	10124-43-3	Carc. Cat. 2; R49 Xn; R22 R42/43 N; R50-53	T; N R: 49-22-42/43-50/ 53 S: (2-)22-53-45-60- 61	Carc. Cat. 2; R49: C ≥ 0,01 %	E 1
028-001-00-1	tetracarbonylnickel; nickel tetracarbonyl	236-669-2	13463-39-3	F; R11 Carc. Cat. 3; R40 Repr. Cat. 2; R61 T+; R26 N; R50-53	F; T+; N R: 61-11-26-40-50/ 53 S: 53-45-60-61		E
028-002-00-7	nickel	231-111-4	7440-02-0	Carc. Cat. 3; R40 R43	Xn R: 40-43 S: (2-)22-36		
028-003-00-2	nickel monoxide	215-215-7	1313-99-1	Carc. Cat. 1; R49 R43 R53	T R: 49-43-53 S: 53-45-61		
028-004-00-8	nickel dioxide	234-823-3	12035-36-8	Carc. Cat. 1; R49 R43 R53	T R: 49-43-53 S: 53-45-61		
028-005-00-3	dinickel trioxide	215-217-8	1314-06-3	Carc. Cat. 1; R49 R43 R53	T R: 49-43-53 S: 53-45-61		
028-006-00-9	nickel sulphide	240-841-2	16812-54-7	Carc. Cat. 1; R49 R43 N; R50-53	T; N R: 49-43-50/53 S: 53-45-60-61		
028-007-00-4	nickel subsulphide; trinickel disulphide	234-829-6	12035-72-2	Carc. Cat. 1; R49 R43 N; R51-53	T; N R: 49-43-51/53 S: 53-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
028-008-00-X	nickel dihydroxide	235-008-5	12054-48-7	Carc. Cat. 3; R40 Xn; R20/22 R43 N; R50-53	Xn; N R: 20/22-40-43-50/ 53 S: (2-)22-36-60-61		
028-009-00-5	nickel sulphate	232-104-9	7786-81-4	Carc. Cat. 3; R40 Xn; R22 R42/43 N; R50-53	Xn; N R: 22-40-42/43-50/ 53 S: (2-)22-36/37-60-61		
028-010-00-0	nickel carbonate	222-068-2	3333-67-3	Carc. Cat. 3; R40 Xn; R22 R43 N; R50-53	Xn; N R: 22-40-43-50/53 S: (2-)22-36/37-60-61		
029-001-00-4	copper chloride; copper (I) chloride; cuprous chloride	231-842-9	7758-89-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-60-61		
029-002-00-X	dicopper oxide; copper (I) oxide	215-270-7	1317-39-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-60-61		
029-003-00-5	Naphthenic acids, copper salts; copper naphthenate	215-657-0	1338-02-9	R10 Xn; R22 N; R50-53	Xn; N R: 10-22-50/53 S: (2-)60-61		
029-004-00-0	copper sulphate	231-847-6	7758-98-7	Xn; R22 Xi; R36/38 N; R50-53	Xn; N R: 22-36/38-50/53 S: (2-)22-60-61		
029-005-00-6	(tris(chloromethyl)phthalocyaninato)copper(II), reaction products with N-methylpiperazine and methoxyacetic acid	401-260-1	—	Xi; R36	Xi R: 36 S: (2-)26		
029-006-00-1	tris(octadec-9-enylammonium) (trisulfonatophthalocyaninato) copper(II)	403-210-4	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)22-26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
029-007-00-7	(trisodium (2-((3-(6-(2-chloro-5-sulfonato)anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonato-phenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide	404-670-9	89797-01-3	E; R2 R43	E; Xi R: 2-43 S: (2-)22-24-35-37		
029-008-00-2	copper(II) methanesulfonate	405-400-2	54253-62-2	Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-50/53 S: (2-)26-36/37/39-60-61		
029-009-00-8	phthalocyanine-N-[3-(diethylamino)propyl]sulfonamide copper complex	413-650-9	93971-95-0	R52-53	R: 52/53 S: 61		
029-010-00-3	reaction mass of compounds from (dodecakis(p-tolylthio)phthalocyaninato)copper(II) to (hexadecakis(p-tolylthio)phthalocyaninato)copper(II)	407-700-9	101408-30-4	R43	Xi R: 43 S: (2-)24-37		
029-011-00-9	sodium [29H,31H-phthalocyaninato-(2-)-N29,N30,N31,N32]-((3-(N-methyl-N-(2-hydroxyethyl)amino)propyl)amino)sulfonyl-sulfonato, copper complex	412-730-0	150522-10-4	C; R34	C R: 34 S: (1/2-)22-26-36/37/39-45		
029-012-00-4	sodium ((N-(3-trimethylammonio)propyl)sulfamoyl)methylsulfonatophthalocyaninato)copper(II)	407-340-2	124719-24-0	Xi; R41	Xi R: 41 S: (2-)26-39		
029-013-00-X	trisodium(2-(α-(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonato-phenylazo)benzylidenehydrazino)-4-sulfonatobenzoato)copper(II)	407-580-8	130201-51-3	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)24-37-61		
030-001-00-1	zinc powder — zinc dust (pyrophoric)	231-175-3	7440-66-6	F; R15-17 N; R50-53	F; N R: 15-17-50/53 S: (2-)43-46-60-61		
030-001-01-9	zinc powder — zinc dust (stabilised)	231-175-3	7440-66-6	N; R50-53	N R: 50/53 S: 60-61		
030-003-00-2	zinc chloride	231-592-0	7646-85-7	C; R34 Xn; R22 N; R50-53	C; N R: 22-34-50/53 S: (1/2-)26-36/37/39-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
030-004-00-8	dimethylzinc; [1] diethylzinc [2]	208-884-1 [1] 209-161-3 [2]	544-97-8 [1] 557-20-0 [2]	F; R17 R14 C; R34 N; R50-53	F; C; N R: 14-17-34-50/53 S: (1/2-)16-43-45-60-61		
030-005-00-3	diamminediisocyanatozinc	401-610-3	—	Xn; R22 Xi; R41 R42/43 N; R50	Xn; N R: 22-41-42/43-50 S: (2-)22-26-36/37/39-41-61		
030-006-00-9	zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1] zinc sulphate (anhydrous) [2]	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]	Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-50/53 S: (2-)22-26-39-46-60-61		
030-007-00-4	bis(3,5-di- <i>tert</i> -butylsalicylato-O ¹ ,O ²)zinc	403-360-0	42405-40-3	F; R11 Xn; R22 N; R50-53	F; Xn; N R: 11-22-50/53 S: (2-)7-22-60-61		
030-008-00-X	hydroxo(2-(benzenesulfonamido)benzoato)zinc(II)	403-750-0	113036-91-2	Xn; R20 N; R51-53	Xn; N R: 20-51/53 S: (2-)22-57-61		
030-011-00-6	trizinc bis(orthophosphate)	231-944-3	7779-90-0	N; R50-53	N R: 50/53 S: 60-61		
030-013-00-7	zinc oxide	215-222-5	1314-13-2	N; R50-53	N R: 50/53 S: 60-61		
033-001-00-X	arsenic	231-148-6	7440-38-2	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)20/21-28-45-60-61		
033-002-00-5	arsenic compounds, with the exception of those specified elsewhere in this Annex	—	—	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)20/21-28-45-60-61	T; R23/25: C ≥ 0,2 % Xn; R20/22: 0,1 % ≤ C < 0,2 %	A 1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
033-003-00-0	diarsenic trioxide; arsenic trioxide	215-481-4	1327-53-3	Carc. Cat. 1; R45 T+; R28 C; R34 N; R50-53	T+; N R: 45-28-34-50/53 S: 53-45-60-61		E
033-004-00-6	diarsenic pentaoxide; arsenic pentoxide; arsenic oxide	215-116-9	1303-28-2	Carc. Cat. 1; R45 T; R23/25 N; R50-53	T; N R: 45-23/25-50/53 S: 53-45-60-61		E
033-005-00-1	arsenic acid and its salts	—	—	Carc. Cat. 1; R45 T; R23/25 N; R50-53	T; N R: 45-23/25-50/53 S: 53-45-60-61		AE
033-006-00-7	arsine	232-066-3	7784-42-1	F+; R12 T+; R26 Xn; R48/20 N; R50-53	F+; T+; N R: 12-26-48/20-50/ 53 S: (1/2-)9-16-28-33- 36/37-45-60-61		
033-007-00-2	tert-butylarsine	423-320-6	4262-43-5	F; R17 T+; R26	F; T+ R: 17-26 S: (1/2-)9-28-36/37- 43-45		
034-001-00-2	selenium	231-957-4	7782-49-2	T; R23/25 R33 R53	T R: 23/25-33-53 S: (1/2-)20/21-28-45- 61		
034-002-00-8	selenium compounds except cadmium sulphoselenide	—	—	T; R23/25 R33 N; R50-53	T; N R: 23/25-33-50/53 S: (1/2-)20/21-28-45- 60-61		A
034-003-00-3	sodium selenite	233-267-9	10102-18-8	T+; R28 T; R23 R31 R43 N; R51-53	T+; N R: 23-28-31-43-51/ 53 S: (1/2-)28-36/37-45- 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
035-001-00-5	bromine	231-778-1	7726-95-6	T+; R26 C; R35 N; R50	T+; C; N R: 26-35-50 S: (1/2-)7/9-26-45-61		
035-002-00-0	hydrogen bromide	233-113-0	10035-10-6	C; R35 Xi; R37	C R: 35-37 S: (1/2-)7/9-26-45		
035-002-01-8	hydrobromic acid ... %	—	—	C; R34 Xi; R37	C R: 34-37 S: (1/2-)7/9-26-45	C; R34: C ≥ 40 % Xi; R36/38: 10 % ≤ C < 40 % Xi; R37: C ≥ 10 %	B
035-003-00-6	potassium bromate	231-829-8	7758-01-2	O; R9 Carc. Cat. 2; R45 T; R25	T; O R: 45-9-25 S: 53-45		E
035-004-00-1	2-hydroxyethylammonium perbromide	407-440-6	—	O; R8 Xn; R22 C; R35 R43 N; R50	O; C; N R: 8-22-35-43-50 S: (1/2-)3/7-14-26-36/37/39-45-60-61		
040-001-00-3	zirconium powder (pyrophoric)	231-176-9	7440-67-7	F; R15-17	F R: 15-17 S: (2-)7/8-43		
040-002-00-9	zirconium powder (non pyrophoric)	—	—	F; R15	F R: 15 S: (2-)7/8-43		
042-001-00-9	molybdenum trioxide	215-204-7	1313-27-5	Xn; R48/20/ 22 Xi; R36/37	Xn R: 36/37-48/20/22 S: (2-)22-25		
042-002-00-4	tetrakis(dimethylditetradecylammonium) hexa-μ-oxotetra-μ3-oxodi-μ5-oxotetradecaooctamolybdate(4-)	404-760-8	117342-25-3	T; R23 Xi; R41 R53	T R: 23-41-53 S: (1/2-)26-37/39-45-61		
042-003-00-X	tetrakis(trimethylhexadecylammonium) hexa-μ-oxotetra-μ3-oxodi-μ5-oxotetradecaooctamolybdate(4-)	404-860-1	116810-46-9	F; R11 Xi; R41 N; R50-53	F; Xi; N R: 11-41-50/53 S: (2-)26-39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
042-004-00-5	Reaction product of ammonium molybdate and C ₁₂ -C ₂₄ -diethoxylated alkylamine (1:5-1:3)	412-780-3	—	Xi; R38 R43 N; R51-53	Xi; N R: 38-43-51/53 S: 24/25-37-61		
047-001-00-2	silver nitrate	231-853-9	7761-88-8	⊗ C; R34 N; R50-53	C; N R: 34-50/53 S: (1/2-)26-45-60-61		
048-001-00-5	cadmium compounds, with the exception of cadmium sulphoselenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex	—	—	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)60-61	Xn; R20/21/22: C ≥ 0,1 %	A 1
048-002-00-0	cadmium (non-pyrophoric); [1] cadmium oxide (non-pyrophoric) [2]	231-152-8 [1] 215-146-2 [2]	7440-43-9 [1] 1306-19-0 [2]	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T+; R26 T; R48/23/25 N; R50-53	T+; N R: 45-26-48/23/25- 62-63-68-50/53 S: 53-45-60-61		E
048-003-00-6	cadmium diformate; cadmiumformate	224-729-0	4464-23-7	T; R23/25 R33 Xn; R68 N; R50-53	T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61	T; R23/25: C ≥ 10 % Xn; R20/22: 0,25 % ≤ C < 10 % R33: C ≥ 0,25 %	
048-004-00-1	cadmium cyanide	208-829-1	542-83-6	T+; R26/27/ 28 R32 R33 Xn; R68 N; R50-53	T+; N R: 26/27/28-32-33- 68-50/53 S: (1/2-)7-28-29-45- 60-61	R32: C ≥ 1 % R33: C ≥ 0,1 %	
048-005-00-7	cadmiumhexafluorosilicate(2-); cadmium fluorosilica	241-084-0	17010-21-8	T; R23/25 R33 Xn; R68 N; R50-53	T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61	T; R23/25: C ≥ 10 % Xn; R20/22: 0,1 % ≤ C < 10 % R33: C ≥ 0,1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
048-006-00-2	cadmium fluoride	232-222-0	7790-79-6	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53	T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 %	E
048-007-00-8	cadmium iodide	232-223-6	7790-80-9	T; R23/25 R33 Xn; R68 N; R50-53	T; N R: 23/25-33-68-50/ 53 S: (1/2-)22-45-60-61	T; R23/25: C ≥ 10 % Xn; R20/22: 0.1 % ≤ C < 10 % R33: C ≥ 0.1 %	
048-008-00-3	cadmium chloride	233-296-7	10108-64-2	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53	T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 %	E
048-009-00-9	cadmium sulphate	233-331-6	10124-36-4	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/ 23/25 N; R50-53	T+; N R: 45-46-60-61-25- 26-48/23/25-50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 % T; R25: C ≥ 10 % Xn; R22: 0,1 % ≤ C < 10 % T; R48/23/25: C ≥ 7 % Xn; R48/20/22: 0,1 % ≤ C < 7 %	E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
048-010-00-4	cadmium sulphide	215-147-8	1306-23-6	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T; R48/23/25 Xn; R22 R53	T; R: 45-22-48/23/25- 62-63-68-53 S: 53-45-61	Xn; R22: C ≥ 10 % T; R48/23/25: C ≥ 10 % Xn; R48/20/22: 0,1 % ≤ C < 10 %	E 1
048-011-00-X	cadmium (pyrophoric)	231-152-8	7440-43-9	F; R17 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62-63 T+; R26 T; R48/23/25 N; R50-53	F; T+; N R: 45-17-26-48/23/ 25-62-63-68-50/53 S: 53-45-7/8-43-60- 61		E
050-001-00-5	tin tetrachloride; stannic chloride	231-588-9	7646-78-8	C; R34 R52-53	C R: 34-52/53 S: (1/2-)7/8-26-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
050-002-00-0	cyhexatin (ISO); hydroxytricyclohexylstannane; tri(cyclohexyl)tin hydroxide	236-049-1	13121-70-5	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61		
050-003-00-6	fentin acetate (ISO); triphenyltin acetate	212-984-0	900-95-8	Carc. Cat. 3; R40 Repr. Cat. 3; R63 T+; R26 T; R24/25- 48/23 Xi; R37/38- 41 N; R50-53	T+; N R: 24/25-26-37/38- 40-41-48/23-50/53- 63 S: (1/2-)26-28-36/37/ 39-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
050-004-00-1	fentin hydroxide (ISO); triphenyltin hydroxide	200-990-6	76-87-9	Carc. Cat. 3; R40 Repr. Cat. 3; R63 T+; R26 T; R24/25- 48/23 Xi; R37/38- 41 N; R50-53	T+; N R: 24/25-26-37/38- 40-41-48/23-50/53- 63 S: (1/2-)26-28-36/37/ 39-45-60-61		
050-005-00-7	trimethyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	T+; R26/27/ 28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)26-27-28-45- 60-61	T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 %	A 1
050-006-00-2	triethyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	T+; R26/27/ 28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)26-27-28-45- 60-61	T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 %	A 1
050-007-00-8	tripropyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)26-27-28-45- 60-61	T; R23/24/25: C ≥ 0,5 % Xn; R20/21/22: 0,1 % ≤ C < 0,5 %	A 1
050-008-00-3	tributyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	T; R25-48/ 23/25 Xn; R21 Xi; R36/38 N; R50-53	T; N R: 21-25-36/38-48/ 23/25-50/53 S: (1/2-)35-36/37/39- 45-60-61	T; R25: C ≥ 1 % Xn; R22: 0,25 % ≤ C < 1 % T; R48/23/25: C ≥ 1 % Xn; R48/20/22: 0,25 % ≤ C < 1 % Xn; R21: C ≥ 1 % Xi; R36/38: C ≥ 1 %	A 1
050-009-00-9	fluorotripentylstannane; [1] hexapentyl-distannoxane [2]	243-546-7 [1] 247-143-7 [2]	20153-49-5 [1] 25637-27-8 [2]	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61	Xn; R20/21/22: C ≥ 1 %	1
050-010-00-4	fluorotrihexylstannane	243-547-2	20153-50-8	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61	Xn; R20/21/22: C ≥ 1 %	1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
050-011-00-X	triphenyltin compounds, with the exception of those specified elsewhere in this Annex	—	—	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)26-27-28-45-60-61	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,25 % ≤ C < 1 %	A 1
050-012-00-5	tetracyclohexylstannane; [1] chlorotricyclohexylstannane; [2] butyltricyclohexylstannane [3]	215-910-5 [1] 221-437-5 [2] 230-358-5 [3]	1449-55-4 [1] 3091-32-5 [2] 7067-44-9 [3]	Xn; R20/21/22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)26-28-60-61	Xn; R20/21/22: C ≥ 1 %	A 1
050-013-00-0	triocetyl tin compounds, with the exception of those specified elsewhere in this Annex	—	—	Xi; R36/37/38 R53	Xi R: 36/37/38-53 S: (2-)61	Xi; R36/37/38: C ≥ 1 %	A 1
050-017-00-2	fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide	236-407-7	13356-08-6	T+; R26 Xi; R36/38 N; R50-53	T+; N R: 26-36/38-50/53 S: (1/2-)28-36/37-45-60-61		
050-018-00-8	tin(II) methanesulphonate	401-640-7	53408-94-9	C; R34 Xn; R22 R43	C R: 22-34-43 S: (1/2-)22-26-36/37/39-45		
050-019-00-3	azocyclotin (ISO); 1-(tricyclohexylstannyl)-1H-1,2,4-triazole;	255-209-1	41083-11-8	T+; R26 T; R25 Xi; R37/38-41 N; R50-53	T+; N R: 25-26-37/38-41-50/53 S: (1/2-)26-28-36/37/39-38-45-60-61		
050-020-00-9	triocetyl stannane	413-320-4	869-59-0	T; R48/25 Xi; R38 R53	T R: 38-48/25-53 S: (1/2-)23-36/37-45-61		
051-001-00-8	antimony trichloride	233-047-2	10025-91-9	C; R34 N; R51-53	C; N R: 34-51/53 S: (1/2-)26-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
051-002-00-3	antimony pentachloride	231-601-8	7647-18-9	C; R34 N; R51-53	C; N R: 34-51/53 S: (1/2-)26-45-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
051-003-00-9	antimony compounds, with the exception of the tetroxide (Sb ₂ O ₄), pentoxide (Sb ₂ O ₅), trisulphide (Sb ₂ S ₃), pentasulphide (Sb ₂ S ₅) and those specified elsewhere in this Annex	—	—	Xn; R20/22 N; R51-53	Xn; N R: 20/22-51/53 S: (2-)61	Xn; R20/22: C ≥ 0,25 %	A 1
051-004-00-4	antimony trifluoride	232-009-2	7783-56-4	T; R23/24/25 N; R51-53	T; N R: 23/24/25-51/53 S: (1/2-)7-26-45-61		
051-005-00-X	antimony trioxide	215-175-0	1309-64-4	Carc. Cat. 3; R40	Xn R: 40 S: (2-)22-36/37		
051-006-00-5	diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate	403-500-0	—	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
051-007-00-0	bis(4-dodecylphenyl)iodonium hexafluoroantimonate	404-420-9	71786-70-4	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
053-001-00-3	iodine	231-442-4	7553-56-2	Xn; R20/21 N; R50	Xn; N R: 20/21-50 S: (2-)23-25-61		
053-002-00-9	hydrogen iodide	233-109-9	10034-85-2	C; R35	C R: 35 S: (1/2-)9-26-36/37/ 39-45	C; R35: C ≥ 10 % C; R34: 0,2 % ≤ C < 10 % Xi; R36/37/38: 0,02 % ≤ C < 0,2 %	5
053-002-01-6	hydriodic acid ... %	—	—	C; R34	C R: 34 S: (1/2-)26-45	C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 %	B
053-003-00-4	iodoxybenzene	—	696-33-3	E; R1 ⊗	E R: 1 S: (2-)35		
053-004-00-X	calcium iodoxybenzoate	—	—	E; R1 ⊗	E R: 1 S: (2-)35		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
053-005-00-5	(4-(1-methylethyl)phenyl)-(4-methylphenyl)iodonium tetrakis (pentafluorophenyl)borate (1-)	422-960-3	178233-72-2	Xn; R21/22-48/22 N; R50-53	Xn; N R: 21/22-48/22-50/53 S: (2-)22-36/37-60-61		
056-001-00-1	barium peroxide	215-128-4	1304-29-6	O; R8 Xn; R20/22	O; Xn R: 8-20/22 S: (2-)13-27		
056-002-00-7	barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex	—	—	Xn; R20/22	Xn R: 20/22 S: (2-)28	Xn; R20/22: C ≥ 1 %	A 1
056-003-00-2	barium carbonate	208-167-3	513-77-9	Xn; R22	Xn R: 22 S: (2-)24/25		
056-004-00-8	barium chloride	233-788-1	10361-37-2	T; R25 Xn; R20	T R: 20-25 S: (1/2-)45		
072-001-00-4	hafnium tetra- <i>n</i> -butoxide	411-740-2	22411-22-9	Xi; R41 R43	Xi R: 41-43 S: (2-)24/25-26-37/39		
074-001-00-X	hexasodium tungstate hydrate	412-770-9	12141-67-2	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)22-26-39-61		
074-002-00-5	Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione	408-250-6	—	F; R11 Xn; R20 C; R34 R43 N; R50-53	F; C; N R: 11-20-34-43-50/53 S: (1/2-)16-26-29-33-36/37/39-45-60-61		
076-001-00-5	osmium tetroxide; osmic acid	244-058-7	20816-12-0	T+; R26/27/ 28 C; R34	T+ R: 26/27/28-34 S: (1/2-)7/9-26-45		
078-001-00-0	tetrachloroplatinates with the exception of those specified elsewhere in this Annex	—	—	T; R25 Xi; R41 R42/43	T R: 25-41-42/43 S: (2-)22-26-36/37/39-45		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
078-002-00-6	diammonium tetrachloroplatinate	237-499-1	13820-41-2	T; R25 Xi; R38-41 R42/43	T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45		
078-003-00-1	disodium tetrachloroplatinate	233-051-4	10026-00-3	T; R25 Xi; R38-41 R42/43	T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45		
078-004-00-7	dipotassium tetrachloroplatinate	233-050-9	10025-99-7	T; R25 Xi; R38-41 R42/43	T R: 25-38-41-42/43 S: (2-)22-26-36/37/ 39-45		
078-005-00-2	hexachloroplatinates with the exception of those specified elsewhere in this Annex	—	—	T; R25 Xi; R41 R42/43	T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45		A
078-006-00-8	disodium hexachloroplatinate	240-983-5	16923-58-3	T; R25 Xi; R41 R42/43	T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45		
078-007-00-3	dipotassium hexachloroplatinate	240-979-3	16921-30-5	T; R25 Xi; R41 R42/43	T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45		
078-008-00-9	diammonium hexachloroplatinate	240-973-0	16919-58-7	T; R25 Xi; R41 R42/43	T R: 25-41-42/43 S: (1/2-)22-26-36/37/ 39-45		
078-009-00-4	hexachloroplatinic acid	241-010-7	16941-12-1	T; R25 C; R34 R42/43	T R: 25-34-42/43 S: (1/2-)22-26-36/37/ 39-45		
080-001-00-0	mercury	231-106-7	7439-97-6	T; R23 R33 N; R50-53	T; N R: 23-33-50/53 S: (1/2-)7-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
080-002-00-6	inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex	—	—	T+; R26/27/28 R33 N; R50-53	T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-45-60-61	T+; R26/27/28: C ≥ 2 % T; R23/24/25: 0,5 % ≤ C < 2 % Xn; R20/21/22: 0,1 % ≤ C < 0,5 % R33: C ≥ 0,1 %	A 1
080-003-00-1	dimercury dichloride; mercurous chloride; calomel	233-307-5	10112-91-1	Xn; R22 Xi; R36/37/38 N; R50-53	Xn; N R: 22-36/37/38-50/53 S: (2-)13-24/25-46-60-61		
080-004-00-7	organic compounds of mercury with the exception of those specified elsewhere in this Annex	—	—	T+; R26/27/28 R33 N; R50-53	T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-36-45-60-61	T+; R26/27/28: C ≥ 2 % T; R23/24/25: 0,5 % ≤ C < 2 % Xn; R20/21/22: 0,05 % ≤ C < 0,5 % R33: C ≥ 0,05 %	A 1
080-005-00-2	mercury difulminate; mercuric fulminate; fulminate of mercury	211-057-8	628-86-4	E; R3 T; R23/24/25 R33 N; R50-53	E; T; N R: 3-23/24/25-33-50/53 S: (1/2-)3 — 45-60-61		
080-006-00-8	dimercury dicyanide oxide; mercuric oxycyanide	215-629-8	1335-31-5	E; R3 ⊗ T; R23/24/25 R33 N; R50-53	E; T; N R: 3-23/24/25-33-50/53 S: (1/2-)28-35-45-60-61		
080-007-00-3	dimethylmercury; [1] diethylmercury [2]	209-805-3 [1] 211-000-7 [2]	593-74-8 [1] 627-44-1 [2]	T+; R26/27/28 R33 N; R50-53	T+; N R: 26/27/28-33-50/53 S: (1/2-)13-28-36-45-60-61	T+; R26/27/28: C ≥ 0,5 % T; R23/24/25: 0,1 % ≤ C < 0,5 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % R33: C ≥ 0,05 %	1
080-008-00-9	phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3]	200-242-9 [1] 202-866-7 [2] - [3]	55-68-5 [1] 100-57-2 [2] 8003-05-2 [3]	T; R25-48/24/25 C; R34 N; R50-53	T; N R: 25-34-48/24/25-50/53 S: (1/2-)23-24/25-37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
080-009-00-4	2-methoxyethylmercury chloride	204-659-7	123-88-6	T; R25-48/25 C; R34 N; R50-53	T; N R: 25-34-48/25-50/ 53 S: (1/2-)36/37/39-45- 60-61		
080-010-00-X	mercury dichloride; mercuric chloride	231-299-8	7487-94-7	T+; R28 T; R48/24/25 C; R34 N; R50-53	T+; N R: 28-34-48/24/25- 50/53 S: (1/2-)36/37/39-45- 60-61		
080-011-00-5	phenylmercury acetate	200-532-5	62-38-4	T; R25-48/ 24/25 C; R34 N; R50-53	T; N R: 25-34-48/24/25- 50/53 S: (1/2-)23-24/25-37- 45-60-61		
081-001-00-3	thallium	231-138-1	7440-28-0	T+; R26/28 R33 R53	T+ R: 26/28-33-53 S: (1/2-)13-28-45-61		
081-002-00-9	thallium compounds, with the exception of those specified elsewhere in this Annex	—	—	T+; R26/28 R33 N; R51-53	T+; N R: 26/28-33-51/53 S: (1/2-)13-28-45-61		A
081-003-00-4	dithallium sulphate; thallic sulphate	231-201-3	7446-18-6	T+; R28 T; R48/25 Xi; R38 N; R51-53	T+; N R: 28-38-48/25-51/ 53 S: (1/2-)13-36/37-45- 61		
082-001-00-6	lead compounds with the exception of those specified elsewhere in this Annex	—	—	Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53	T; N R: 61-20/22-33-62- 50/53 S: 53-45-60-61	Repr. Cat. 3; R62: C ≥ 2,5 % Xn; R20/22: C ≥ 1 % R33: C ≥ 0,5 %	AE 1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
082-002-00-1	lead alkyls	—	—	Repr. Cat. 1; R61 Repr. Cat. 3; R62 T+; R26/27/ 28 R33 N; R50-53	T+; N R: 61-26/27/28-33- 62-50/53 S: 53-45-60-61	Repr. Cat. 1; R61: C ≥ 0,1 % T+; R26/27/28: C ≥ 0,25 % T; R23/24/25: 0,1 % ≤ C < 0,25 % Xn; R20/21/22: 0,05 % ≤ C < 0,1 % R33: C ≥ 0,05 %	AE 1
082-003-00-7	lead diazide; lead azide	236-542-1	13424-46-9	E; R3 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53	E; T; N R: 61-3-20/22-33-50/ 53-62 S: 53-45-60-61		E 1
082-004-00-2	lead chromate	231-846-0	7758-97-6	Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53	T; N R: 61-33-40-50/53- 62 S: 53-45-60-61		1
082-005-00-8	lead di(acetate)	206-104-4	301-04-2	Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53	T; N R: 61-33-48/22-50/ 53-62 S: 53-45-60-61		E 1
082-006-00-3	trilead bis(orthophosphate)	231-205-5	7446-27-7	Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53	T; N R: 61-33-48/22-50/ 53-62 S: 53-45-60-61		E 1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
082-007-00-9	lead acetate, basic;	215-630-3	1335-32-6	Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R48/22 R33 N; R50-53	T; N R: 61-33-40-48/22-50/53-62 S: 53-45-60-61		E 1
082-008-00-4	lead(II) methanesulphonate	401-750-5	17570-76-2	Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22-48/20/22 Xi; R38-41 N; R58 R33	T; N R: 61-62-20/22-33-38-41-48/20/22-58 S: 53-45-57-61		E 1
082-009-00-X	Lead sulfochromate yellow; C.I. Pigment Yellow 34; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.]	215-693-7	1344-37-2	Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53	T; N R: 61-33-40-50/53-62 S: 53-45-60-61		1
082-010-00-5	Lead chromate molybdate sulfate red; C.I. Pigment Red 104; [This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.]	235-759-9	12656-85-8	Carc. Cat. 3; R40 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53	T; N R: 61-33-40-50/53-62 S: 53-45-60-61		1

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
082-011-00-0	lead hydrogen arsenate	232-064-2	7784-40-9	Carc. Cat. 1; R45 Repr. Cat. 1; R61 Repr. Cat. 3; R62 T; R23/25 R33 N; R50-53	T; N R: 45-61-23/25-33-50/53-62 S: 53-45-60-61		E 1
092-001-00-8	uranium	231-170-6	7440-61-1	T+; R26/28 R33 R53	T+ R: 26/28-33-53 S: (1/2-)20/21-45-61		
092-002-00-3	uranium compounds	—	—	T+; R26/28 R33 N; R51-53	T+; N R: 26/28-33-51/53 S: (1/2-)20/21-45-61		A
601-001-00-4	methane	200-812-7	74-82-8	F+; R12	F+ R: 12 S: (2-)9-16-33		
601-002-00-X	ethane	200-814-8	74-84-0	F+; R12	F+ R: 12 S: (2-)9-16-33		
601-003-00-5	propane	200-827-9	74-98-6	F+; R12	F+ R: 12 S: (2-)9-16		
601-004-00-0	butane; [1] and isobutane [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	F+; R12	F+ R: 12 S: (2-)9-16		C
601-004-01-8	butane (containing \geq 0.1 % butadiene (203-450-8)); [1] isobutane (containing \geq 0.1 % butadiene (203-450-8)) [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46	F+; T R: 45-46-12 S: 53-45		CS
601-005-00-6	2,2-dimethylpropane; neopentane	207-343-7	463-82-1	F+; R12 N; R51-53	F+; N R: 12-51/53 S: (2-)9-16-33-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-006-00-1	pentane; [1] isopentane; 2-methylbutane [2]	203-692-4 [1] 201-142-8 [2]	109-66-0 [1] 78-78-4 [2]	F+; R12 Xn; R65 R66 R67 N; R51-53	F+; Xn; N R: 12-51/53-65-66- 67 S: (2-)9-16-29-33-61- 62		C
601-007-00-7	hexane, reaction mass of isomers (containing < 5 % <i>n</i> -hexane (203-777-6))	—	—	F; R11 Xn; R65 Xi; R38 R67 N; R51-53	F; Xn; N R: 11-38-51/53-65- 67 S: (2-)9-16-29-33-61- 62		C
601-008-00-2	heptane [and isomers] [1]	205-563-8 [1] 203-548-0 [2] 207-346-3 [3] 209-230-8 [4] 209-280-0 [5] 209-643-3 [6] 209-680-5 [7] 209-730-6 [8] 210-529-0 [9] 250-610-8 [10]	142-82-5 [1] 108-08-7 [2] 464-06-2 [3] 562-49-2 [4] 565-59-3 [5] 589-34-4 [6] 590-35-2 [7] 591-76-4 [8] 617-78-7 [9] 31394-54-4 [10]	F; R11 Xn; R65 Xi; R38 R67 N; R50-53	F; Xn; N R: 11-38-50/53-65- 67 S: (2-)9-16-29-33-60- 61-62		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-009-00-8	octane [and isomers] [1]	203-892-1 [1] 208-759-1 [2] 209-207-2 [3] 209-243-9 [4] 209-266-4 [5] 209-292-6 [6] 209-504-7 [7] 209-547-1 [8] 209-649-6 [9] 209-650-1 [10] 209-660-6 [11] 209-689-4 [12]	111-65-9 [1] 540-84-1 [2] 560-21-4 [3] 563-16-6 [4] 564-02-3 [5] 565-75-3 [6] 583-48-2 [7] 584-94-1 [8] 589-43-5 [9] 589-53-7 [10] 589-81-1 [11] 590-73-8 [12] 592-13-2 [13] 592-27-8 [14] 594-82-1 [15] 609-26-7 [16] 619-99-8 [17] 1067-08-9 [18] 26635-64-3 [19]	F; R11 Xn; R65 Xi; R38 R67 N; R50-53	F; Xn; N R: 11-38-50/53-65-67 S: (2-)9-16-29-33-60-61-62		C
		209-745-8 [13] 209-747-9 [14] 209-855-6 [15] 210-187-2 [16] 210-621-0 [17] 213-923-0 [18] 247-861-0 [19]					

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-010-00-3	ethylene	200-815-3	74-85-1	F+; R12 R67	F+ R: 12-67 S: (2-)9-16-33-45		
601-011-00-9	propene; propylene	204-062-1	115-07-1	F+; R12	F+ R: 12 S: (2-)9-16-33		
601-012-00-4	but-1-ene; [1] butene, mixed-1-and-2-isomers; [2] 2-methylpropene; [3] (Z)-but-2-ene; [4] (E)-but-2-ene [5]	203-449-2 [1] 203-452-9 [2] 204-066-3 [3] 209-673-7 [4] 210-855-3 [5]	106-98-9 [1] 107-01-7 [2] 115-11-7 [3] 590-18-1 [4] 624-64-6 [5]	F+; R12	F+ R: 12 S: (2-)9-16-33		C
601-013-00-X	1,3-butadiene; buta-1,3-diene	203-450-8	106-99-0	F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46	F+; T R: 45-46-12 S: 53-45		D
601-014-00-5	isoprene (stabilised) 2-methyl-1,3-butadiene	201-143-3	78-79-5	F+; R12 Carc. Cat. 2; R45 Muta. Cat. 3; R68 R52-53	F+; T R: 45-12-68-52/53 S: 53-45-61		D
601-015-00-0	acetylene; ethyne	200-816-9	74-86-2	R5 R6 F+; R12	F+ R: 5-6-12 S: (2-)9-16-33		
601-016-00-6	cyclopropane	200-847-8	75-19-4	F+; R12	F+ R: 12 S: (2-)9-16-33		
601-017-00-1	cyclohexane	203-806-2	110-82-7	F; R11 Xn; R65 Xi; R38 R67 N; R50-53	F; Xn; N R: 11-38-65-67-50/ 53 S: (2-)9-16-25-33-60- 61-62		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-018-00-7	methylcyclohexane	203-624-3	108-87-2	F; R11 Xn; R65 Xi; R38 R67 N; R51-53	F; Xn; N R: 11-38-51/53-65-67 S: (2-)9-16-33-61-62		
601-019-00-2	1,4-dimethylcyclohexane	209-663-2	589-90-2	F; R11 Xn; R65 Xi; R38 R67 N; R51-53	F; Xn; N R: 11-38-51/53-65-67 S: (2-)9-16-33-61-62		
601-020-00-8	benzene	200-753-7	71-43-2	F; R11 Carc. Cat. 1; R45 Muta. Cat. 2; R46 T; R48/23/ 24/25 Xn; R65 Xi; R36/38	F; T R: 45-46-11-36/38-48/23/24/25-65 S: 53-45		E
601-021-00-3	toluene	203-625-9	108-88-3	F; R11 Repr. Cat. 3; R63 Xn; R48/20-65 Xi; R38 R67	F; Xn R: 11-38-48/20-63-65-67 S: (2-)36/37-46-62		
601-022-00-9	<i>o</i> -xylene; [1] <i>p</i> -xylene; [2] <i>m</i> -xylene; [3] xylene [4]	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]	R10 Xn; R20/21 Xi; R38	Xn R: 10-20/21-38 S: (2-)25	Xn; R20/21: C ≥ 12,5 %	C
601-023-00-4	ethylbenzene	202-849-4	100-41-4	F; R11 Xn; R20	F; Xn R: 11-20 S: (2-)16-24/25-29		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-024-00-X	cumene; [1] propylbenzene [2]	202-704-5 [1] 203-132-9 [2]	98-82-8 [1] 103-65-1 [2]	R10 Xn; R65 Xi; R37 N; R51-53	Xn; N R: 10-37-51/53-65 S: (2-)24-37-61-62		C
601-025-00-5	mesitylene; 1,3,5-trimethylbenzene	203-604-4	108-67-8	R10 Xi; R37 N; R51-53	Xi; N R: 10-37-51/53 S: (2-)61	Xi; R37: C ≥ 25 %	
601-026-00-0	styrene	202-851-5	100-42-5	R10 Xn; R20 Xi; R36/38	Xn R: 10-20-36/38 S: (2-)23	Xn; R20: C ≥ 12,5 % Xi; R36/38: C ≥ 12,5 %	D
601-027-00-6	2-phenylpropene; α-methylstyrene	202-705-0	98-83-9	R10 Xi; R36/37 N; R51-53	Xi; N R: 10-36/37-51/53 S: (2-)61	Xi; R36/37: C ≥ 25 %	
601-028-00-1	2-methylstyrene; 2-vinyltoluene	210-256-7	611-15-4	Xn; R20 N; R51-53	Xn; N R: 20-51/53 S: (2-)24-61		
601-029-00-7	dipentene; limonene; [1] (R)-p-mentha-1,8-diene; d-limonene; [2] (S)-p-mentha-1,8-diene; l-limonene; [3] trans-1-methyl-4-(1-methylvinyl)cyclohexene; [4] (±)-1-methyl-4-(1-methylvinyl)cyclohexene [5]	205-341-0 [1] 227-813-5 [2] 5989-54-8 [3] 227-815-6 [3] 229-977-3 [4] 231-732-0 [5]	138-86-3 [1] 5989-27-5 [2] 5989-54-8 [3] 6876-12-6 [4] 7705-14-8 [5]	R10 Xi; R38 R43 N; R50-53	Xi; N R: 10-38-43-50/53 S: (2-)24-37-60-61		C
601-030-00-2	cyclopentane	206-016-6	287-92-3	F; R11 R52-53	F R: 11-52/53 S: (2-)9-16-29-33-61		
601-031-00-8	2,4,4-trimethylpent-1-ene	203-486-4	107-39-1	F; R11 N; R51-53	F; N R: 11-51/53 S: (2-)9-16-29-33-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-032-00-3	benzo[a]pyrene; benzo[def]chrysene	200-028-5	50-32-8	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 R43 N; R50-53	T; N R: 45-46-60-61-43- 50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 %	
601-033-00-9	benz[a]anthracene	200-280-6	56-55-3	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
601-034-00-4	benz[e]acephenanthrylene	205-911-9	205-99-2	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
601-035-00-X	benzo[j]fluoranthene	205-910-3	205-82-3	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
601-036-00-5	benzo[k]fluoranthene	205-916-6	207-08-9	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
601-037-00-0	n-hexane	203-777-6	110-54-3	F; R11 Repr. Cat. 3; R62 Xn; R65-48/ 20 Xi; R38 R67 N; R51-53	F; Xn; N R: 11-38-48/20-62- 65-67-51/53 S: (2-)9-16-29-33-36/ 37-61-62	Xn; R48/20: C ≥ 5 %	
601-041-00-2	dibenz[a,h]anthracene	200-181-8	53-70-3	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 %	
601-042-00-8	biphenyl; diphenyl	202-163-5	92-52-4	Xi; R36/37/ 38 N; R50-53	Xi; N R: 36/37/38-50/53 S: (2-)23-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-043-00-3	1,2,4-trimethylbenzene	202-436-9	95-63-6	R10 Xn; R20 Xi; R36/37/ 38 N; R51-53	Xn; N R: 10-20-36/37/38- 51/53 S: (2-)26-61		
601-044-00-9	3a,4,7,7a-tetrahydro-4,7-methanoindene	201-052-9	77-73-6	F; R11 Xn; R20/22 Xi; R36/37/ 38 N; R51-53	F; Xn; N R: 11-20/22-36/37/ 38-51/53 S: (2-)36/37-61		
601-045-00-4	1,2,3,4-tetrahydronaphthalene	204-340-2	119-64-2	R19 Xi; R36/38 N; R51-53	Xi; N R: 19-36/38-51/53 S: (2-)26-28-61		
601-046-00-X	7-methylocta-1,6-diene	404-210-7	42152-47-6	R10 N; R50-53	N R: 10-50/53 S: (2-)60-61		
601-047-00-5	<i>m</i> -mentha-1,3(8)-diene	404-150-1	17092-80-7	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
601-048-00-0	chrysene	205-923-4	218-01-9	Carc. Cat. 2; R45 Muta. Cat. 3; R68 N; R50-53	T; N R: 45-68-50/53 S: 53-45-60-61		
601-049-00-6	benzo[e]pyrene	205-892-7	192-97-2	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
601-051-00-7	4-phenylbut-1-ene	405-980-7	768-56-9	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
601-052-00-2	naphthalene	202-049-5	91-20-3	Carc. Cat. 3; R40 Xn; R22 N; R50-53	Xn; N R: 22-40-50/53 S: (2-)36/37-46-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-053-00-8	nonylphenol; [1] 4-nonylphenol, branched [2]	246-672-0 [1] 284-325-5 [2]	25154-52-3 [1] 84852-15-3 [2]	Repr. Cat. 3; R62-63 Xn; R22 C; R34 N; R50-53	C; N R: 22-34-62-63-50/ 53 S: (1/2-)26-36/37/39- 45-46-60-61		
601-054-00-3	reaction mass of isomers of: dibenzylbenzene; dibenzyl(methyl)benzene; dibenzyl(dimethyl)benzene; dibenzyl(trimethyl)benzene	405-570-8	—	N; R50-53	N R: 50/53 S: 60-61		
601-055-00-9	reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes; di-(2-tetradecyl)naphthalenes; tri-(2-tetradecyl)naphthalenes	410-190-0	132983-41-6	Xi; R36 R53	Xi R: 36-53 S: (2-)26-61		
601-056-00-4	reaction mass of isomers of: methyldiphenylmethane; dimethyldiphenylmethane	405-470-4	73807-39-3	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)37-60-61		
601-057-00-X	N-dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dime- thylammonium tosylate	421-130-8	156679-41-3	Xi; R41 R43 N; R50-53	Xi; N R: 41-43-50/53 S: (2-)24-26-37/39- 60-61		
601-058-00-5	di-L-para-menthene	417-870-6	83648-84-4	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)23-24-37-60- 61		
601-059-00-0	methyl 2-benzylidene-3-oxobutyrate	420-940-9	15768-07-7	Xi; R36/38 N; R51-53	Xi; N R: 36/38-51/53 S: (2-)26-37/39-61		
601-060-00-6	1,2-bis[4-fluoro-6-(4-sulfo-5-(2-(4-sulfonaphthalene-3-ylazo)- 1-hydroxy-3,6-disulfo-8-aminonaphthalene-7-ylazo)phenyla- mino)-1,3,5-triazin-2ylamino]ethane; x-sodium, y-potassium salts x = 7,755 y = 0,245	417-610-1	155522-09-1	R43	Xi R: 43 S: (2-)22-24-37		
601-061-00-1	(ethyl-1,2-ethanediy)[2-[[[(2-hydroxyethyl)methylamino]ace- tyl]-propyl]ω-(nonylphenoxy)poly]oxy-(methyl-1,2-ethane- diyl)	418-960-8	—	C; R34 R43 N; R51-53	C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-062-00-7	reaction mass of: branched triacontane; branched dotriacontane; branched tetratriacontane; branched hexatriacontane	417-030-9	151006-59-6	R53	R: 53 S: 61		
601-063-00-2	reaction mass of isomers of branched tetracosane	417-060-2	151006-61-0	Xn; R20 R53	Xn R: 20-53 S: (2-)61		
601-064-00-8	branched hexatriacontane	417-070-7	151006-62-1	R53	R: 53 S: 61		
601-065-00-3	reaction mass of: (1'- α ,3'- α ,6'- α -2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane); (1' α ,3' β ,6' α)-2,2,3',7',7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane)	416-930-9	—	Xn; R48/22 Xi; R41 N; R51-53	Xn; N R: 41-48/22-51/53 S: (2-)22-26-37/39-61		
601-066-00-9	1-(4-(<i>trans</i> -4-heptylcyclohexyl)phenyl)ethanone	426-820-2	78531-60-9	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
601-067-00-4	triethyl arsenate	427-700-2	15606-95-8	Carc. Cat. 1; R45 T; R23/25 N; R50-53	T; N R: 45-23/25-50/53 S: 53-45-60-61		E
601-068-00-X	1,2-diacetoxybut-3-ene	421-720-5	18085-02-4	Xn; R22	Xn R: 22 S: (2-)		
601-069-00-5	2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide	422-680-1	287933-44-2	R52-53	R: 52/53 S: 61		
601-071-00-6	1-dimethoxymethyl-2-nitro-benzene	423-830-9	20627-73-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
601-073-00-7	1-bromo-3,5-difluorobenzene	416-710-2	461-96-1	R10 Xn; R22-48/ 22 Xi; R38 R43 N; R50-53	Xn; N R: 10-22-38-43-48/ 22-50/53 S: (2-)24-36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
601-074-00-2	reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo[2.2.2]octane; 1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane; spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]; spiro[cyclohex-3-en-1-yl-[4,5,6,6a-tetrahydro-4,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan]	422-040-1	—	Xi; R36/38 N; R51-53	Xi; N R: 36/38-51/53 S: (2-)26-37-61		
602-001-00-7	chloromethane; methyl chloride	200-817-4	74-87-3	F+; R12 Carc. Cat. 3; R40 Xn; R48/20	F+; Xn R: 12-40-48/20 S: (2-)9-16-33		
602-002-00-2	bromomethane; methylbromide	200-813-2	74-83-9	Muta. Cat. 3; R68 T; R23/25 Xn; R48/20 Xi; R36/37/ 38 N; R50 N; R59	T; N R: 23/25-36/37/38- 48/20-50-59-68 S: (1/2-)15-27-36/39- 38-45-59-61		
602-003-00-8	dibromomethane	200-824-2	74-95-3	Xn; R20 R52-53	Xn R: 20-52/53 S: (2-)24-61	Xn; R20: C ≥ 12,5 %	
602-004-00-3	dichloromethane; methylene chloride	200-838-9	75-09-2	Carc. Cat. 3; R40	Xn R: 40 S: (2-)23-24/25-36/37		
602-005-00-9	methyl iodide; iodomethane	200-819-5	74-88-4	Carc. Cat. 3; R40 Xn; R21 T; R23/25 Xi; R37/38	T R: 21-23/25-37/38- 40 S: (1/2-)36/37-38-45		
602-006-00-4	trichloromethane; chloroform	200-663-8	67-66-3	Xn; R22-48/ 20/22 Xi; R38 Carc. Cat. 3; R40	Xn R: 22-38-40-48/20/ 22 S: (2-)36/37	Xn; R22: C ≥ 5 % Xn; R48/20/22: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-007-00-X	bromoform; tribromomethane	200-854-6	75-25-2	T; R23 Xi; R36/38 N; R51-53	T; N R: 23-36/38-51/53 S: (1/2-)28-45-61		
602-008-00-5	carbon tetrachloride; tetrachloromethane	200-262-8	56-23-5	Carc. Cat. 3; R40 T; R23/24/ 25-48/23 N; R59 R52-53	T; N R: 23/24/25-40-48/ 23-59-52/53 S: (1/2-)23-36/37-45- 59-61	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 % T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 %	
602-009-00-0	chloroethane	200-830-5	75-00-3	F+; R12 Carc. Cat. 3; R40 R52-53	F+; Xn R: 12-40-52/53 S: (2-)9-16-33-36/37- 61		
602-010-00-6	1,2-dibromoethane	203-444-5	106-93-4	Carc. Cat. 2; R45 T; R23/24/25 Xi; R36/37/ 38 N; R51-53	T; N R: 45-23/24/25-36/ 37/38-51/53 S: 53-45-61	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,1 % ≤ C < 1 %	E
602-011-00-1	1,1-dichloroethane	200-863-5	75-34-3	F; R11 Xn; R22 Xi; R36/37 R52-53	F; Xn R: 11-22-36/37-52/ 53 S: (2-)16-23-61	Xn; R22: C ≥ 12,5 %	
602-012-00-7	1,2-dichloroethane; ethylene dichloride	203-458-1	107-06-2	F; R11 Carc. Cat. 2; R45 Xn; R22 Xi; R36/37/ 38	F; T R: 45-11-22-36/37/ 38 S: 53-45		E
602-013-00-2	1,1,1-trichloroethane; methyl chloroform	200-756-3	71-55-6	Xn; R20 N; R59	Xn; N R: 20-59 S: (2-)24/25-59-61		F
602-014-00-8	1,1,2-trichloroethane	201-166-9	79-00-5	Carc. Cat. 3; R40 Xn; R20/21/ 22 R66	Xn R: 20/21/22-40-66 S: (2-)9-36/37-46	Xn; R20/21/22: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-015-00-3	1,1,2,2-tetrachloroethane	201-197-8	79-34-5	T+; R26/27 N; R51-53	T+; N R: 26/27-51/53 S: (1/2-)38-45-61		
602-016-00-9	1,1,2,2-tetrabromoethane	201-191-5	79-27-6	T+; R26 Xi; R36 R52-53	T+ R: 26-36-52/53 S: (1/2-)24-27-45-61		
602-017-00-4	pentachloroethane	200-925-1	76-01-7	Carc. Cat. 3; R40 T; R48/23 N; R51-53	T; N R: 40-48/23-51/53 S: (1/2-)23-36/37-45-61	T; R48/23: C ≥ 1 % Xn; R48/20: 0,2 % ≤ C < 1 %	
602-018-00-X	1-chloropropane; [1] 2-chloropropane [2]	208-749-7 [1] 200-858-8 [2]	540-54-5 [1] 75-29-6 [2]	F; R11 Xn; R20/21/ 22	F; Xn R: 11-20/21/22 S: (2-)9-29		C
602-019-00-5	1-bromopropane; n-propyl bromide	203-445-0	106-94-5	F; R11 Repr. Cat. 2; R60 Repr. Cat. 3; R63 Xn; R48/20 Xi; R36/37/ 38 R67	F; T R: 60-11-36/37/38-48/20-63-67 S: 53-45		E
602-020-00-0	1,2-dichloropropane; propylene dichloride	201-152-2	78-87-5	F; R11 Xn; R20/22	F; Xn R: 11-20/22 S: (2-)16-24		
602-021-00-6	1,2-dibromo-3-chloropropane	202-479-3	96-12-8	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 1; R60 T; R25 Xn; R48/20/ 22 R52-53	T R: 45-46-60-25-48/ 20/22-52/53 S: 53-45-61		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-022-00-1	1-chloropentane; [1] 2-chloropentane; [2] 3-chloropentane [3]	208-846-4 [1] 210-885-7 [2] 210-467-4 [3]	543-59-9 [1] 625-29-6 [2] 616-20-6 [3]	F; R11 Xn; R20/21/ 22	F; Xn R: 11-20/21/22 S: (2-)9-29		C
602-023-00-7	vinyl chloride; chloroethylene	200-831-0	75-01-4	F+; R12 Carc. Cat. 1; R45	F+; T R: 45-12 S: 53-45		D
602-024-00-2	bromoethylene	209-800-6	593-60-2	F+; R12 Carc. Cat. 2; R45	F+; T R: 45-12 S: 53-45		
602-025-00-8	1,1-dichloroethylene; vinylidene chloride	200-864-0	75-35-4	F+; R12 Carc. Cat. 3; R40 Xn; R20	F+; Xn R: 12-20-40 S: (2-)7-16-29-36/37- 46	Xn; R20: C ≥ 12,5 %	D
602-026-00-3	1,2-dichloroethylene; [1] cis-dichloroethylene; [2] trans-dichloroethylene [3]	208-750-2 [1] 205-859-7 [2] 205-860-2 [3]	540-59-0 [1] 156-59-2 [2] 156-60-5 [3]	F; R11 Xn; R20 R52-53	F; Xn R: 11-20-52/53 S: (2-)7-16-29-61	Xn; R20: C ≥ 12,5 %	C
602-027-00-9	trichloroethylene; trichloroethene	201-167-4	79-01-6	Carc. Cat. 2; R45 Muta. Cat. 3; R68 R67 Xi; R36/38 R52-53	T R: 45-36/38-52/53- 67 S: 53-45-61		
602-028-00-4	tetrachloroethylene	204-825-9	127-18-4	Carc. Cat. 3; R40 N; R51-53	Xn; N R: 40-51/53 S: (2-)23-36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-029-00-X	3-chloropropene; allyl chloride	203-457-6	107-05-1	F; R11 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R20/21/ 22-48/20 Xi; R36/37/ 38 N; R50	F; Xn; N R: 11-20/21/22-36/ 37/38-40-48/20-68- 50 S: (2-)16-25-26-36/ 37-46-61		D
602-030-00-5	1,3-dichloropropene; [1] (Z)-1,3-dichloropropene [2]	208-826-5 [1] 233-195-8 [2]	542-75-6 [1] 10061-01-5 [2]	R10 T; R25 Xn; R20/21 Xi; R36/37/ 38 R43 N; R50-53	T; N R: 10-20/21-25-36/ 37/38-43-50/53 S: (1/2-)36/37-45-60- 61		DC
602-031-00-0	1,1-dichloropropene	209-253-3	563-58-6	F; R11 T; R25 R52-53	F; T R: 11-25-52/53 S: (1/2-)16-29-33-45- 61		
602-032-00-6	3-chloro-2-methylpropene	209-251-2	563-47-3	F; R11 Xn; R20/22 C; R34 R43 N; R51-53	F; C; N R: 11-20/22-34-43- 51/53 S: (2-)9-16-26-29-36/ 37/39-45-61		
602-033-00-1	chlorobenzene	203-628-5	108-90-7	R10 Xn; R20 N; R51-53	Xn; N R: 10-20-51/53 S: (2-)24/25-61	Xn; R20: C ≥ 5 %	
602-034-00-7	1,2-dichlorobenzene; o-dichlorobenzene	202-425-9	95-50-1	Xn; R22 Xi; R36/37/ 38 N; R50-53	Xn; N R: 22-36/37/38-50/ 53 S: (2-)23-60-61	Xn; R22: C ≥ 5 %	
602-035-00-2	1,4-dichlorobenzene; p-dichlorobenzene	203-400-5	106-46-7	Carc. Cat. 3; R40 Xi; R36 N; R50-53	Xn; N R: 36-40-50/53 S: (2-)36/37-46-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-036-00-8	chloroprene (stabilised); 2-chlorobuta-1,3-diene (stabilised)	204-818-0	126-99-8	F; R11 Carc. Cat. 2; R45 Xn; R20/22- 48/20 Xi; R36/37/ 38	F; T R: 45-11-20/22-36/ 37/38-48/20 S: 53-45		D E
602-037-00-3	α-chlorotoluene; benzyl chloride	202-853-6	100-44-7	Carc. Cat. 2; R45 T; R23 Xn; R22-48/ 22 Xi; R37/38- 41	T R: 45-22-23-37/38- 41-48/22 S: 53-45		E
602-038-00-9	α, α,α-trichlorotoluene; benzotrichloride	202-634-5	98-07-7	Carc. Cat. 2; R45 T; R23 Xn; R22 Xi; R37/38- 41	T R: 45-22-23-37/38- 41 S: 53-45		E
602-039-00-4	polychlorobiphenyls; PCB	215-648-1	1336-36-3	R33 N; R50-53	N R: 33-50/53 S: (2-)-60-61	R33: C ≥ 0,005 %	C
602-040-00-X	2-chlorotoluene; [1] 3-chlorotoluene; [2] 4-chlorotoluene; [3] chlorotoluene [4]	202-424-3 [1] 203-580-5 [2] 203-397-0 [3] 246-698-2 [4]	95-49-8 [1] 108-41-8 [2] 106-43-4 [3] 25168-05-2 [4]	Xn; R20 N; R51-53	Xn; N R: 20-51/53 S: (2-)24/25-61		C
602-041-00-5	pentachloronaphthalene	215-320-8	1321-64-8	Xn; R21/22 Xi; R36/38 N; R50-53	Xn; N R: 21/22-36/38-50/ 53 S: (2-)-60-61		C
602-042-00-0	1,2,3,4,5,6-hexachlorcyclohexanes with the exception of those specified elsewhere in this Annex	—	—	Carc. Cat. 3; R40 T; R25 Xn; R21 N; R50-53	T; N R: 21-25-40-50/53 S: (1/2-)22-36/37-45- 60-61		A C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-043-00-6	lindane (ISO) γ-HCH or γ-BHC; γ-1,2,3,4,5,6-hexachlorocyclohexane;	200-401-2	58-89-9	T; R25 Xn; R20/21-48/22 R64 N; R50-53	T; N R: 20/21-25-48/22-64-50/53 S: (1/2-)36/37-45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
602-044-00-1	camphechlor (ISO) toxaphene;	232-283-3	8001-35-2	Carc. Cat. 3; R40 T; R25 Xn; R21 Xi; R37/38 N; R50-53	T; N R: 21-25-37/38-40-50/53 S: (1/2-)36/37-45-60-61		
602-045-00-7	DDT (ISO); clofenotane (INN); dicophane; 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane; dichlorodiphenyltrichloroethane	200-024-3	50-29-3	T; R25-48/25 Carc. Cat. 3; R40 N; R50-53	T; N R: 25-40-48/25-50/53 S: (1/2-)22-36/37-45-60-61		
602-046-00-2	heptachlor (ISO); 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene	200-962-3	76-44-8	T; R24/25 Carc. Cat. 3; R40 R33 N; R50-53	T; N R: 24/25-33-40-50/53 S: (1/2-)36/37-45-60-61		
602-047-00-8	chlordane (ISO); 1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro-4,7-methanoindan	200-349-0	57-74-9	Carc. Cat. 3; R40 Xn; R21/22 N; R50-53	Xn; N R: 21/22-40-50/53 S: (2-)36/37-60-61		
602-048-00-3	aldrin (ISO)	206-215-8	309-00-2	T; R24/25-48/24/25 Carc. Cat. 3; R40 N; R50-53	T; N R: 24/25-40-48/24/25-50/53 S: (1/2-)22-36/37-45-60-61		
602-049-00-9	dieldrin (ISO)	200-484-5	60-57-1	T+; R27 T; R25-48/25 Carc. Cat. 3; R40 N; R50-53	T+; N R: 25-27-40-48/25-50/53 S: (1/2-)22-36/37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-050-00-4	(1 α ,4 α ,4 $\alpha\beta$,5 β ,8 β ,8 $\alpha\beta$)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene; isodrin	207-366-2	465-73-6	T+; R26/27/28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)13-28-45-60-61		
602-051-00-X	endrin (ISO); 1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octa-hydro-1,4:5,8-dimethanonaphthalene	200-775-7	72-20-8	T+; R28 T; R24 N; R50-53	T+; N R: 24-28-50/53 S: (1/2-)22-36/37-45-60-61		
602-052-00-5	endosulfan (ISO); 1,2,3,4,7,7-hexachloro-8,9,10-trinorborn-2-en-5,6-ylenedi-methyl sulphite	204-079-4	115-29-7	T; R24/25 Xi; R36 N; R50-53	T; N R: 24/25-36-50/53 S: (1/2-)28-36/37-45-60-61		
602-053-00-0	isobenzan (ISO); 1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methanoisobenzofuran	206-045-4	297-78-9	T+; R27/28 N; R50	T+; N R: 27/28-50 S: (1/2-)28-36/37-45-61		
602-054-00-6	3-iodpropene; allyl iodide	209-130-4	556-56-9	R10 C; R34	C R: 10-34 S: (1/2-)7-26-45		
602-055-00-1	bromoethane; ethyl bromide	200-825-8	74-96-4	F; R11 Carc. Cat. 3; R40 Xn; R20/22	F; Xn R: 11-20/22-40 S: (2-)36/37		
602-056-00-7	α , α , α -trifluorotoluene; benzotrifluoride	202-635-0	98-08-8	F; R11 N; R51-53	F; N R: 11-51/53 S: (2-)16-23-61		
602-057-00-2	α -bromotoluene; benzyl bromide	202-847-3	100-39-0	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)39		
602-058-00-8	α , α -dichlorotoluene; benzylidene chloride; benzal chloride	202-709-2	98-87-3	Carc. Cat. 3; R40 T; R23 Xn; R22 Xi; R37/38- 41	T R: 22-23-37/38-40- 41 S: (1/2-)36/37-38-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-059-00-3	1-chlorobutane; butyl chloride	203-696-6	109-69-3	F; R11	F R: 11 S: (2-)9-16-29		
602-060-00-9	bromobenzene	203-623-8	108-86-1	R10 Xi; R38 N; R51-53	Xi; N R: 10-38-51/53 S: (2-)61		
602-061-00-4	hexafluoropropene; hexafluoropropylene	204-127-4	116-15-4	Xn; R20 Xi; R37	Xn R: 20-37 S: (2-)41		
602-062-00-X	1,2,3-trichloropropane	202-486-1	96-18-4	Carc. Cat. 2; R45 Repr. Cat. 2; R60 Xn; R20/21/ 22	T R: 45-60-20/21/22 S: 53-45		E D
602-063-00-5	heptachlor epoxide; 2,3-epoxy-1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro- 4,7-methanoindane	213-831-0	1024-57-3	T; R25 Carc. Cat. 3; R40 R33 N; R50-53	T; N R: 25-33-40-50/53 S: (1/2-)36/37-45-60- 61		
602-064-00-0	1,3-dichloro-2-propanol	202-491-9	96-23-1	Carc. Cat. 2; R45 T; R25 Xn; R21	T R: 45-21-25 S: 53-45		E
602-065-00-6	hexachlorobenzene	204-273-9	118-74-1	Carc. Cat. 2; R45 T; R48/25 N; R50-53	T; N R: 45-48/25-50/53 S: 53-45-60-61		E
602-066-00-1	tetrachloro- <i>p</i> -benzoquinone	204-274-4	118-75-2	Xi; R36/38 N; R50-53	Xi; N R: 36/38-50/53 S: (2-)37-60-61		
602-067-00-7	1,3-dichlorbenzene	208-792-1	541-73-1	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-068-00-2	ethylene bis(trichloroacetate)	219-732-9	2514-53-6	Xi; R38	Xi R: 38 S: (2-)		
602-069-00-8	dichloroacetylene	—	7572-29-4	E; R2 Carc. Cat. 3; R40 Xn; R48/20	E; Xn R: 2-40-48/20 S: (2-)36/37		
602-070-00-3	3-chloro-4,5,α, α,α-pentafluorotoluene	401-930-3	77227-99-7	R10 Xn; R20/22 N; R50-58	Xn; N R: 10-20/22-50-58 S: (2-)51-60-61		
602-071-00-9	bromobenzylbromotoluene, reaction mass of isomers	402-210-1	99688-47-8	Xn; R48/22 R43 N; R50-53	Xn; N R: 43-48/22-50/53 S: (2-)24-37-41-60-61		
602-072-00-4	dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC)	278-404-3	76253-60-6	N; R50-53	N R: 50/53 S: 60-61		
602-073-00-X	1,4-dichlorobut-2-ene	212-121-8	764-41-0	Carc. Cat. 2; R45 T+; R26 T; R24/25 C; R34 N; R50-53	T+; N R: 45-24/25-26-34-50/53 S: 53-45-60-61	Carc. Cat. 2; R45: C ≥ 0,01 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	E
602-074-00-5	pentachlorobenzene	210-172-0	608-93-5	F; R11 Xn; R22 N; R50-53	F; Xn; N R: 11-22-50/53 S: (2-)41-46-50-60-61		
602-075-00-0	4,4,5,5-tetrachloro-1,3-dioxolan-2-one	404-060-2	22432-68-4	T+; R26 Xn; R22 C; R34	T+ R: 22-26-34 S: (1/2-)9-26-28-36/37/39-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-076-00-6	2,3,4-trichlorobut-1-ene	219-397-9	2431-50-7	Carc. Cat. 3; R40 T; R23 Xn; R22 Xi; R36/37/ 38 N; R50-53	T; N R: 22-23-36/37/38- 40-50/53 S: (1/2-)36/37-45-60- 61	Carc. Cat. 3; R40: C ≥ 0,1 %	
602-077-00-1	dodecachloropentacyclo[5.2.1.0 ^{2,6} .0 ^{3,9} .0 ^{5,8}]decane; mirex	219-196-6	2385-85-5	Carc. Cat. 3; R40 Repr. Cat. 3; R62-63 R64 Xn; R21/22 N; R50/53	Xn; N R: 21/22-40-50/53- 62-63-64 S: (2-)13-36/37-46- 60-61		
602-078-00-7	hexachlorocyclopentadiene	201-029-3	77-47-4	T+; R26 T; R24 Xn; R22 C; R34 N; R50-53	T+; N R: 22-24-26-34-50/ 53 S: (1/2-)25-39-45-53- 60-61		
602-079-00-2	2,3-dichloropropene; 2,3-dichloropropylene	201-153-8	78-88-6	F; R11 Muta. Cat. 3; R68 Xn; R20/21/ 22 Xi; R37/38- 41 R52-53	F; Xn R: 11-20/21/22-37/ 38-41-52/53-68 S: (2-)9-16-23-26-36/ 37/39-61		
602-080-00-8	alkanes, C ₁₀₋₁₃ , chloro	287-476-5	85535-84-8	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)24-36/37-60-61		
602-081-00-3	2-chloro-4,5-difluorobenzoic acid	405-380-5	—	Xn; R21/22 Xi; R41 R43	Xn R: 21/22-41-43 S: (2-)26-36/37/39		
602-082-00-9	2,2,6,6-tetrakis(bromomethyl)-4-oxaheptane-1,7-diol	408-020-5	109678-33-3	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-41- 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-083-00-4	diphenyl ether, pentabromo derivative pentabromodiphenyl ether	251-084-2	32534-81-9	Xn; R48/21/22 R64 N; R50-53	Xn; N R: 48/21/22-50/53-64 S: (1/2-)36/37-45-60-61		
602-084-00-X	1,1-dichloro-1-fluoroethane	404-080-1	1717-00-6	R52-53 N; R59	N R: 52/53-59 S: 59-61		
602-085-00-5	2-bromopropane	200-855-1	75-26-3	F; R11 Repr. Cat. 1; R60 Xn; R48/20 R66	F; T R: 60-11-48/20-66 S: 53-45		E
602-086-00-0	trifluoriodomethane; trifluoromethyl iodide	219-014-5	2314-97-8	Muta. Cat. 3; R68	Xn R: 68 S: (2-)36/37		
602-087-00-6	1,2,4-trichlorobenzene	204-428-0	120-82-1	Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-50/53 S: (2-)23-37/39-60-61		
602-088-00-1	2,3-dibromopropan-1-ol; 2,3-dibromo-1-propanol	202-480-9	96-13-9	Carc. Cat. 2; R45 Repr. Cat. 3; R62 T; R24 Xn; R20/22 R52-53	T R: 45-20/22-24-52/ 53-62 S: 53-45-61		E
602-089-00-7	4-bromo-2-chlorofluorobenzene	405-580-2	60811-21-4	Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-50/53 S: (2-)26-36/37-60-61		
602-090-00-2	1-allyl-3-chloro-4-fluorobenzene	406-630-6	121626-73-1	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)23-37-61		
602-091-00-8	1,3-dichloro-4-fluorobenzene	406-160-1	1435-48-9	Xn; R22-48/ 20/22 Xi; R38 N; R51-53	Xn; N R: 22-38-48/20/22- 51/53 S: (2-)36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
602-092-00-3	1-bromo-3,4,5-trifluorobenzene	418-480-9	138526-69-9	R10 Carc. Cat. 3; R40 Xi; R38-41 N; R51-53	Xn; N R: 10-38-40-41-51/ 53 S: (2-)23-26-36/37/ 39-61		
602-093-00-9	α , α , α ,4-tetrachlorotoluene; <i>p</i> -chlorobenzotrichloride	226-009-1	5216-25-1	Carc. Cat. 2; R45 Repr. Cat. 3; R62 T; R48/23 Xn; R21/22 Xi; R37/38	T R: 45-21/22-37/38- 48/23-62 S: 53-45		E
602-094-00-4	diphenylether; octabromo derivate	251-087-9	32536-52-0	Repr. Cat. 2; R61 Repr. Cat. 3; R62	T R: 61-62 S: 53-45		
602-096-00-5	malachite green hydrochloride; [1] malachite green oxalate [2]	209-322-8 [1] 219-441-7 [2]	569-64-2 [1] 2437-29-8 [2]	Repr. Cat. 3; R63 Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-63-50/53 S: (2-)26-36/37-39- 46-60-61		
602-097-00-0	1-bromo-9-(4,4,5,5,5-pentafluoropentylthio)nonane	422-850-5	148757-89-5	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
603-001-00-X	methanol	200-659-6	67-56-1	F; R11 T; R23/24/ 25-39/23/ 24/25	F; T R: 11-23/24/25-39/ 23/24/25 S: (1/2-)7-16-36/37- 45	T; R23/24/25: C \geq 20 % Xn; R20/21/22: 3 % \leq C < 20 % T; R39/23/24/25: C \geq 10 % Xn; R68/20/21/22: 3 % \leq C < 10 %	
603-002-00-5	ethanol; ethyl alcohol	200-578-6	64-17-5	F; R11	F R: 11 S: (2-)7-16		
603-003-00-0	propan-1-ol; <i>n</i> -propanol	200-746-9	71-23-8	F; R11 Xi; R41 R67	F; Xi R: 11-41-67 S: (2-)7-16-24-26-39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-004-00-6	butan-1-ol; <i>n</i> -butanol	200-751-6	71-36-3	R10 Xn; R22 Xi; R37/38-41 R67	Xn R: 10-22-37/38-41-67 S: (2-)7/9-13-26-37/39-46		
603-005-00-1	2-methylpropan-2-ol; <i>tert</i> -butyl alcohol	200-889-7	75-65-0	F; R11 Xn; R20	F; Xn R: 11-20 S: (2-)9-16		
603-006-00-7	pentanol isomers, with the exception fo those specified elsewhere in this Annex	250-378-8		R10 Xn; R20 Xi; R37 R66	Xn R: 10-20-37-66 S: (2-)46		C
603-007-00-2	2-methylbutan-2-ol; <i>tert</i> -pentanol	200-908-9	75-85-4	F; R11 Xn; R20 Xi; R37/38	F; Xn R: 11-20-37/38 S: (2-)46		
603-008-00-8	4-methylpentan-2-ol; methyl isobutyl carbinol	203-551-7	108-11-2	R10 Xi; R37	Xi R: 10-37 S: (2-)24/25	Xi; R37: C ≥ 25 %	
603-009-00-3	cyclohexanol	203-630-6	108-93-0	Xn; R20/22 Xi; R37/38	Xn R: 20/22-37/38 S: (2-)24/25		
603-010-00-9	2-methylcyclohexanol, mixed isomers; [1] <i>cis</i> -2-methylcyclohexanol; [2] <i>trans</i> -2-methylcyclohexanol [3]	209-512-0 [1] 231-187-9 [2] 231-186-3 [3]	583-59-5 [1] 7443-70-1 [2] 7443-52-9 [3]	Xn; R20	Xn R: 20 S: (2-)24/25		C
603-011-00-4	2-methoxyethanol; ethylene glycol monomethyl ether	203-713-7	109-86-4	R10 Repr. Cat. 2; R60-61 Xn; R20/21/22	T R: 60-61-10-20/21/22 S: 53-45		E
603-012-00-X	2-ethoxyethanol; ethylene glycol monoethyl ether	203-804-1	110-80-5	R10 Repr. Cat. 2; R60-61 Xn; R20/21/22	T R: 60-61-10-20/21/22 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-013-00-5	2-isopropoxyethanol; ethylene glycol monoisopropyl ether	203-685-6	109-59-1	Xn; R20/21 Xi; R36	Xn R: 20/21-36 S: (2-)24/25		
603-014-00-0	2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve	203-905-0	111-76-2	Xn; R20/21/ 22 Xi; R36/38	Xn R: 20/21/22-36/38 S: (2-)36/37-46		
603-015-00-6	allyl alcohol	203-470-7	107-18-6	R10 T; R23/24/25 Xi; R36/37/ 38 N; R50	T; N R: 10-23/24/25-36/ 37/38-50 S: (1/2-)36/37/39-38- 45-61		
603-016-00-1	4-hydroxy-4-methylpentan-2-one; diacetone alcohol	204-626-7	123-42-2	Xi; R36	Xi R: 36 S: (2-)24/25	Xi; R36: C ≥ 10 %	
603-018-00-2	furfuryl alcohol	202-626-1	98-00-0	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)	Xn; R20/21/22: C ≥ 5 %	
603-019-00-8	dimethyl ether	204-065-8	115-10-6	F+; R12	F+ R: 12 S: (2-)9-16-33		
603-020-00-3	ethyl methyl ether	—	540-67-0	F+; R12	F+ R: 12 S: (2-)9-16-33		
603-021-00-9	methyl vinyl ether	203-475-4	107-25-5	F+; R12	F+ R: 12 S: (2-)9-16-33		D
603-022-00-4	diethyl ether; ether	200-467-2	60-29-7	F+; R12 R19 Xn; R22 R66 R67	F+; Xn R: 12-19-22-66-67 S: (2-)9-16-29-33		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-023-00-X	ethylene oxide; oxirane	200-849-9	75-21-8	F+; R12 ⊗ Carc. Cat. 2; R45 Muta. Cat. 2; R46 T; R23 Xi; R36/37/ 38	F+; T R: 45-46-12-23-36/ 37/38 S: 53-45		E
603-024-00-5	1,4-dioxane	204-661-8	123-91-1	F; R11-19 Carc. Cat. 3; R40 Xi; R36/37 R66	F; Xn R: 11-19-36/37-40- 66 S: (2-)9-16-36/37-46		D
603-025-00-0	tetrahydrofuran	203-726-8	109-99-9	F; R11-19 Xi; R36/37	F; Xi R: 11-19-36/37 S: (2-)16-29-33	Xi; R36/37: C ≥ 25 %	
603-026-00-6	1-chloro-2,3-epoxypropane; epichlorhydrin	203-439-8	106-89-8	R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43	T R: 45-10-23/24/25- 34-43 S: 53-45	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,1 % ≤ C < 1 %	E
603-027-00-1	ethanediol; ethylene glycol	203-473-3	107-21-1	Xn; R22	Xn R: 22 S: (2-)		
603-028-00-7	2-chloroethanol; ethylene chlorohydrin	203-459-7	107-07-3	T+; R26/27/ 28	T+ R: 26/27/28 S: (1/2-)7/9-28-45		
603-029-00-2	bis(2-chloroethyl) ether	203-870-1	111-44-4	R10 ⊗ Carc. Cat. 3; R40 T+; R26/27/ 28	T+ R: 10-26/27/28-40 S: (1/2-)7/9-27-28- 36/37-45		
603-030-00-8	2-aminoethanol; ethanolamine	205-483-3	141-43-5	Xn; R20/21/ 22 C; R34	C R: 20/21/22-34 S: (1/2-)26-36/37/39- 45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-031-00-3	1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME	203-794-9	110-71-4	F; R11 R19 Repr. Cat. 2; R60 Repr. Cat. 2; R61 Xn; R20	F; T R: 60-61-11-19-20 S: 53-45		E
603-032-00-9	ethylene dinitrate; ethylene glycol dinitrate	211-063-0	628-96-6	E; R2 ⊗ T+; R26/27/ 28 R33	E; T+ R: 2-26/27/28-33 S: (1/2-)33-35-36/37- 45		
603-033-00-4	oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate	211-745-8	693-21-0	E; R3 T+; R26/27/ 28 R33 R52-53	E; T+ R: 3-26/27/28-33-52/ 53 S: (1/2-)33-35-36/37- 45-61		
603-034-00-X	glycerol trinitrate; nitroglycerine	200-240-8	55-63-0	E; R3 T+; R26/27/ 28 R33 N; R51-53	E; T+; N R: 3-26/27/28-33-51/ 53 S: (1/2-)33-35-36/37- 45-61		
603-035-00-5	pentaerythritol tetranitrate; P.E.T.N.	201-084-3	78-11-5	E; R3	E R: 3 S: (2-)35		
603-036-00-0	mannitol hexanitrate; nitromannite	239-924-6	15825-70-4	E; R3	E R: 3 S: (2-)35		
603-037-00-6	cellulose nitrate; nitrocellulose, containing more than 12,6 % nitrogen	—	—	E; R3 ⊗ R1	E R: 1-3 S: (2-)35		
603-037-01-3	cellulose nitrate; nitrocellulose, containing a maximum of 12,6 % nitrogen	—	—	F; R11 ⊗	F R: 11 S: (2-)16-33-37/39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-038-00-1	allyl glycidyl ether; allyl 2,3-epoxypropyl ether; prop-2-en-1-yl 2,3-epoxypropyl ether	203-442-4	106-92-3	R10 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Repr. Cat. 3; R62 Xn; R20/22 Xi; R37/38-41 R43 R52-53	Xn R: 10-20/22-37/38-40-41-43-52/53-62-68 S: (2-)24/25-26-36/37/39-61		
603-039-00-7	butyl glycidyl ether; butyl 2,3-epoxypropyl ether	219-376-4	2426-08-6	R10 Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R20/22 Xi; R37 R43 R52-53	Xn R: 10-20/22-37-40-43-52/53-68 S: (2-)24/25-36/37-61		
603-040-00-2	sodium methanolate; sodium methoxide; [1] potassium methanolate; potassium methoxide; [2] lithium methanolate; lithium methoxide [3]	204-699-5 [1] 212-736-1 [2] 212-737-7 [3]	124-41-4 [1] 865-33-8 [2] 865-34-9 [3]	F; R11 C; R34 R14	F; C R: 11-14-34 S: (1/2-)8-16-26-43-45		
603-041-00-8	potassium ethanolate; potassium ethoxide; [1] sodium ethanolate; sodium ethoxide [2]	213-029-0 [1] 205-487-5 [2]	917-58-8 [1] 141-52-6 [2]	F; R11 C; R34 R14	F; C R: 11-14-34 S: (1/2-)8-16-26-43-45		
603-042-00-3	aluminium-tri-isopropoxide	209-090-8	555-31-7	F; R11	F R: 11 S: (2-)8-16		
603-043-00-9	triarimol (ISO); 2,4-dichloro- α -(pyrimidin-5-yl) benzhydryl alcohol	—	26766-27-8	Xn; R22	Xn R: 22 S: (2-)		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-044-00-4	dicofol (ISO); 2,2,2-trichloro-1,1-bis(4-chlorophenyl)ethanol	204-082-0	115-32-2	Xn; R21/22 Xi; R38 R43 N; R50-53	Xn; N R: 21/22-38-43-50/ 53 S: (2-)36/37-60-61		
603-045-00-X	diisopropyl ether; [1] dipropyl ether [2]	203-560-6 [1] 203-869-6 [2]	108-20-3 [1] 111-43-3 [2]	F; R11 R19 R66 R67	F R: 11-19-66-67 S: (2-)9-16-29-33		C
603-046-00-5	bis (chloromethyl) ether; oxybis(chloromethane)	208-832-8	542-88-1	R10 ⊗ Carc. Cat. 1; R45 T+; R26 T; R24 Xn; R22	T+ R: 45-10-22-24-26 S: 53-45	Carc. Cat. 1; R45: C ≥ 0,001 %	E
603-047-00-0	2-dimethylaminoethanol; N,N-dimethylethanolamine	203-542-8	108-01-0	R10 Xn; R20/21/ 22 C; R34	C R: 10-20/21/22-34 S: (1/2-)25-26-36/37/ 39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
603-048-00-6	2-diethylaminoethanol; N,N-diethylethanolamine	202-845-2	100-37-8	R10 Xn; R20/21/ 22 C; R34	C R: 10-20/21/22-34 S: (1/2-)25-26-36/37/ 39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
603-049-00-1	chlorfenethol (ISO); 1,1-bis (4-chlorophenyl) ethanol	201-246-3	80-06-8	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)36-61		
603-050-00-7	1-(2-Butoxypropoxy)propan-2-ol	246-011-6	24083-03-2	Xn; R21/22	Xn R: 21/22 S: (2-)		
603-051-00-2	2-ethylbutan-1-ol	202-621-4	97-95-0	Xn; R21/22	Xn R: 21/22 S: (2-)		
603-052-00-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether	225-878-4	5131-66-8	Xi; R36/38	Xi R: 36/38 S: (2-)		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-053-00-3	2-methylpentane-2,4-diol	203-489-0	107-41-5	Xi; R36/38	Xi R: 36/38 S: (2-)	Xi; R36/38: C ≥ 10 %	
603-054-00-9	di-n-butyl ether; dibutyl ether	205-575-3	142-96-1	R10 Xi; R36/37/ 38 R52-53	Xi R: 10-36/37/38-52/ 53 S: (2-)61	Xi; R36/37/38: C ≥ 10 %	
603-055-00-4	propylene oxide; 1,2-epoxypropane; methyloxirane	200-879-2	75-56-9	F+; R12 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R20/21/ 22 Xi; R36/37/ 38	F+; T R: 45-46-12-20/21/ 22-36/37/38 S: 53-45	E	
603-056-00-X	[(p-tolyloxy)methyl]oxirane; [1] [(m-tolyloxy)methyl]oxirane; [2] 2,3-epoxypropyl o-tolyl ether; [3] [(tolyloxy)methyl]oxirane; cresyl glycidyl ether [4]	218-574-8 [1] 218-575-3 [2] 218-645-3 [3] 247-711-4 [4]	2186-24-5 [1] 2186-25-6 [2] 2210-79-9 [3] 26447-14-3 [4]	Muta. Cat. 3; R68 Xi; R38 R43 N; R51-53	Xn; N R: 38-43-51/53-68 S: (2-)36/37-61	C	
603-057-00-5	benzyl alcohol	202-859-9	100-51-6	Xn; R20/22	Xn R: 20/22 S: (2-)26		
603-058-00-0	1,3-propylene oxide	207-964-3	503-30-0	F; R11 Xn; R20/21/ 22	F; Xn R: 11-20/21/22 S: (2-)9-16-26-29		
603-059-00-6	hexan-1-ol	203-852-3	111-27-3	Xn; R22	Xn R: 22 S: (2-)24/25		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-060-00-1	2,2'-bioxirane; 1,2:3,4-diepoxybutane	215-979-1	1464-53-5	Carc. Cat. 2; R45 Muta. Cat. 2; R46 T+; R26 T; R24/25 C; R34	T+ R: 45-46-24/25-26-34 S: 53-45		E
603-061-00-7	tetrahydro-2-furylmethanol; tetrahydrofurfuryl alcohol	202-625-6	97-99-4	Xi; R36	Xi R: 36 S: (2-)39	Xi; R36: C ≥ 10 %	
603-062-00-2	tetrahydrofuran-2,5-diyl dimethanol	203-239-0	104-80-3	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)39	Xi; R36/37/38: C ≥ 10 %	
603-063-00-8	2,3-epoxypropan-1-ol; glycidol; oxiranemethanol	209-128-3	556-52-5	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 2; R60 T; R23 Xn; R21/22 Xi; R36/37/ 38	T R: 45-60-21/22-23-36/37/38-68 S: 53-45		E
603-064-00-3	1-methoxy-2-propanol; monopropylene glycol methyl ether	203-539-1	107-98-2	R10	R: 10 S: (2-)24		
603-065-00-9	resorcinol diglycidyl ether; 1,3-bis(2,3-epoxypropoxy)benzene	202-987-5	101-90-6	Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R21/22 Xi; R36/38 R43 R52-53	Xn R: 21/22-36/38-40-43-52/53-68 S: (2-)23-36/37-61		
603-066-00-4	1,2-epoxy-4-epoxyethylcyclohexane; vinylcyclohexane diepoxide	203-437-7	106-87-6	T; R23/24/25 Xn; R68	T R: 23/24/25-68 S: (1/2-)23-24-45	T; R23/24/25: C ≥ 1 %: Xn; R20/21/22: 0,1 % ≤ C < 1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-067-00-X	phenyl glycidyl ether; 2,3-epoxypropyl phenyl ether; 1,2-epoxy-3-phenoxypropane	204-557-2	122-60-1	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20 Xi; R37/38 R43 R52-53	T R: 45-20-37/38-43- 68-52/53 S: 53-45-61		E
603-068-00-5	2,3-epoxypropyl-2-ethylcyclohexyl ether; ethylcyclohexylglycidyl ether	—	130014-35-6	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)26-28-37/39		
603-069-00-0	2,4,6-tris(dimethylaminomethyl)phenol	202-013-9	90-72-2	Xn; R22 Xi; R36/38	Xn R: 22-36/38 S: (2-)26-28		
603-070-00-6	2-amino-2-methylpropanol	204-709-8	124-68-5	Xi; R36/38 R52-53	Xi R: 36/38-52/53 S: (2-)61	Xi; R36/38: C ≥ 10 %	
603-071-00-1	2,2'-iminodiethanol; diethanolamine	203-868-0	111-42-2	Xn; R22-48/ 22 Xi; R38-41	Xn R: 22-38-41-48/22 S: (2-)26-36/37/39-46		
603-072-00-7	1,4-bis(2,3 epoxypropoxy)butane; butanedioldiglycidyl ether	219-371-7	2425-79-8	Xn; R20/21 Xi; R36/38 R43	Xn R: 20/21-36/38-43 S: (2-)26-28-37/39		
603-073-00-2	bis-[4-(2,3-epoxipropoxy)phenyl]propane	216-823-5	1675-54-3	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)28-37/39	Xi; R36/38: C ≥ 5 %	
603-074-00-8	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	500-033-5	25068-38-6	Xi; R36/38 R43 N; R51-53	Xi; N R: 36/38-43-51/53 S: (2-)28-37/39-61	Xi; R36/38: C ≥ 5 %	
603-075-00-3	chlormethyl methyl ether; chlorodimethyl ether	203-480-1	107-30-2	F; R11 Carc. Cat. 1; R45 Xn; R20/21/ 22	F; T R: 45-11-20/21/22 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-076-00-9	but-2-yne-1,4-diol; 2-butyne-1,4-diol	203-788-6	110-65-6	C; R34 T; R23/25 Xn; R21-48/ 22 R43	C; T R: 21-23/25-34-43- 48/22 S: (1/2-)25-26-36/37/ 39-45-46	C; R34: C ≥ 50 % Xi; R36/38: 25 % ≤ C < 50 %	D
603-077-00-4	1-dimethylaminopropan-2-ol; dimepranol (INN)	203-556-4	108-16-7	R10 Xn; R22 C; R34	C R: 10-22-34 S: (1/2-)23-26-36-45		
603-078-00-X	prop-2-yn-1-ol; propargyl alcohol	203-471-2	107-19-7	R10 T; R23/24/25 C; R34 N; R51-53	T; N R: 10-23/24/25-34- 51/53 S: (1/2-)26-28-36-45- 61		
603-079-00-5	2,2'-(methylimino)diethanol; N-methyldiethanolamine	203-312-7	105-59-9	Xi; R36	Xi R: 36 S: (2-)24		
603-080-00-0	2-methylaminoethanol; N-methylethanolamine; N-methyl-2-ethanolamine; N-methyl-2-amino ethanol; 2-(methylamino)ethanol	203-710-0	109-83-1	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-36/37/39- 45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
603-081-00-6	2,2'-thiodiethanol; thiodiglycol	203-874-3	111-48-8	Xi; R36	Xi R: 36 S: (2-)		
603-082-00-1	1-aminopropan-2-ol; isopropanolamine	201-162-7	78-96-6	C; R34	C R: 34 S: (1/2-)23-26-36-45		
603-083-00-7	1,1'-iminodipropan-2-ol; di-isopropanolamine	203-820-9	110-97-4	Xi; R36	Xi R: 36 S: (2-)26		
603-084-00-2	styrene oxide; (epoxyethyl)benzene; phenyloxirane	202-476-7	96-09-3	Carc. Cat. 2; R45 Xn; R21 Xi; R36	T R: 45-21-36 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-085-00-8	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	200-143-0	52-51-7	Xn; R21/22 Xi; R37/38-41 N; R50	Xn; N R: 21/22-37/38-41-50 S: (2-)26-37/39-61		
603-086-00-3	ethirimol (ISO); 5-butyl-2-ethylamino-6-methylpyrimidin-4-ol	245-949-3	23947-60-6	Xn; R21	Xn R: 21 S: (2-)36/37		
603-087-00-9	2-ethylhexane-1,3-diol; octylene glycol; ethoexadiol	202-377-9	94-96-2	Xi; R41	Xi R: 41 S: (2-)25-26-39-46		
603-088-00-4	2-(octylthio)ethanol; 2-hydroxyethyl octyl sulphide	222-598-4	3547-33-9	Xi; R41	Xi R: 41 S: (2-)26		
603-089-00-X	7,7-dimethyl-3-oxa-6-azaoctan-1-ol	400-390-6	—	C; R35 Xn; R22	C R: 22-35 S: (1/2-)26-28-36/37/39-45		
603-090-00-5	2-(2-bromoethoxy)anisole	402-010-4	4463-59-6	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
603-091-00-0	exo-1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol	402-470-6	87172-89-2	Xn; R22 Xi; R41	Xn R: 22-41 S: (2-)26-39		
603-092-00-6	2-methyl-4-phenylpentanol	402-770-7	92585-24-5	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
603-093-00-1	cinmethylin (ISO) exo-(±)-1-methyl-2-(2-methylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane	402-410-9	87818-31-3	Xn; R20 N; R51-53	Xn; N R: 20-51/53 S: (2-)23-61		
603-094-00-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	241-536-7	17557-23-2	Xi; R38 R43	Xi R: 38-43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-095-00-2	2-(propyloxy)ethanol; EGPE	220-548-6	2807-30-9	Xn; R21 Xi; R36	Xn R: 21-36 S: (2-)26-36/37-46		
603-096-00-8	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	203-961-6	112-34-5	Xi; R36	Xi R: 36 S: (2-)24-26		
603-097-00-3	1,1',1"-nitriлотripropan-2-ol; triisopropanolamine	204-528-4	122-20-3	Xi; R36 R52-53	Xi R: 36-52/53 S: (2-)26-61		
603-098-00-9	2-phenoxyethanol	204-589-7	122-99-6	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)26		
603-099-00-4	3-(N-methyl-N-(4-methylamino-3-nitrophenyl)amino)propane-1,2-diol hydrochloride	403-440-5	93633-79-5	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
603-100-00-8	1,2-dimethoxypropane	404-630-0	7778-85-0	F; R11-19	F R: 11-19 S: (2-)9-16-24/25-33		
603-101-00-3	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	405-040-6	—	Xi; R36	Xi R: 36 S: (2-)25-26		
603-102-00-9	1,2-epoxybutane	203-438-2	106-88-7	F; R11 Carc. Cat. 3; R40 Xn; R20/21/ 22 Xi; R36/37/ 38 R52-53	F; Xn R: 11-20/21/22-36/ 37/38-40-52/53 S: (2-)9-16-29-36/37- 61		
603-103-00-4	oxirane, mono[(C ₁₂₋₁₄ -alkyloxy)methyl] derivs.	271-846-8	68609-97-2	Xi; R38 R43	Xi R: 38-43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-104-00-X	fenarimol (ISO); 2,4'-dichloro- α -(pyrimidin-5-yl)benzhydryl alcohol	262-095-7	60168-88-9	Repr. Cat. 3; R62-63 R64 N; R51-53	Xn; N R: 51/53-62-63-64 S: (2-)36/37-61		
603-105-00-5	furan	203-727-3	110-00-9	F+; R12 R19 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22- 48/22 Xi; R38 R52-53	F+; T R: 45-12-19-20/22- 38-48/22-68-52/53 S: 53-45-61		E
603-106-00-0	2-methoxypropanol	216-455-5	1589-47-5	R10 Repr. Cat. 2; R61 Xi; R37/38- 41	T R: 61-10-37/38-41 S: 53-45		
603-107-00-6	2-(2-methoxyethoxy)ethanol; diethylene glycol monomethyl ether	203-906-6	111-77-3	Repr. Cat. 3; R63	Xn R: 63 S: (2-)36/37		
603-108-00-1	2-methylpropan-1-ol; iso-butanol	201-148-0	78-83-1	R10 Xi; R37/38- 41 R67	Xi R: 10-37/38-41-67 S: (2-)7/9-13-26-37/ 39-46		
603-117-00-0	propan-2-ol; isopropyl alcohol; isopropanol	200-661-7	67-63-0	F; R11 Xi; R36 R67	F; Xi R: 11-36-67 S: (2-)7-16-24/25-26		
603-118-00-6	6-dimethylaminohexan-1-ol	404-680-3	1862-07-3	Xn; R22 C; R34 R52-53	C R: 22-34-52/53 S: (1/2-)26-36/37/39- 45-61		
603-119-00-1	1,1'-(1,3-phenylenedioxy)bis(3-(2-(prop-2-enyl)phenoxy)propan-2-ol)	405-840-5	—	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-120-00-7	2-methyl-5-phenylpentanol	405-890-8	25634-93-9	Xi; R36/38	Xi R: 36/38 S: (2-)26-37		
603-121-00-2	4-[4-(1,3-dihydroxyprop-2-yl)phenylamino]-1,8-dihydroxy-5-nitroanthraquinone	406-057-1	114565-66-1	Carc. Cat. 3; R40 R43 R53	Xn R: 40-43-53 S: (2-)36/37-61		
603-122-00-8	sodium 2-ethylhexanoate	406-150-7	38411-13-1	F; R11 C; R34 R52-53	F; C R: 11-34-52/53 S: (1/2-)7-26-36/37/ 39-45-61		
603-123-00-3	4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]decan-2-ol	406-330-5	122760-84-3	Xi; R38 R43 N; R51-53	Xi; N R: 38-43-51/53 S: (2-)24-37-61		
603-124-00-9	1,4-bis[2-(vinylloxy)ethoxy]benzene	406-900-3	84563-49-5	N; R50-53	N R: 50/53 S: 60-61		
603-125-00-4	2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)pent-4-en-2-ol	407-850-5	89544-40-1	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)26-39-61		
603-126-00-X	2-((4-methyl-2-nitrophenyl)amino)ethanol	408-090-7	100418-33-5	Xn; R22 R43 R52-53	Xn R: 22-43-52/53 S: (2-)36/37-61		
603-127-00-5	butan-2-ol; [1] (S)-butan-2-ol; [2] (R)-butan-2-ol; [3] (±)-butan-2-ol [4]	201-158-5 [1] 224-168-1 [2] 238-967-8 [3] 240-029-8 [4]	78-92-2 [1] 4221-99-2 [2] 14898-79-4 [3] 15892-23-6 [4]	R10 Xi; R36/37 R67	Xi R: 10-36/37-67 S: (2-)7/9-13-24/25- 26-46		C
603-128-00-0	2-(phenylmethoxy)naphthalene	405-490-3	613-62-7	R53	R: 53 S: 61		
603-129-00-6	1-tert-butoxypropan-2-ol	406-180-0	57018-52-7	R10 Xi; R41	Xi R: 10-41 S: (2-)26-39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-130-00-1	reaction mass of isomers of: α -((dimethyl)biphenyl)- ω -hydroxypoly(oxyethylene)	406-325-8	—	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)39-61		
603-131-00-7	reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1)	407-290-1	—	Xi; R41	Xi R: 41 S: (2-)26-39		
603-132-00-2	2-hydroxymethyl-9-methyl-6-(1-methylethyl)-1,4-dioxaspiro [4.5]decane	408-200-3	63187-91-7	Xi; R38-41 R52-53	Xi R: 38-41-52/53 S: (2-)26-37/39-61		
603-133-00-8	reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]-propane-1,2-diol; 3,3'-(2-chloro-5-nitro-1,4-phenylenediimino)bis(propan-1,2-diol)	408-240-1	—	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-36-61		
603-134-00-3	reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by C ₁ -C ₁₀ alkyl groups. The alkyl groups are bonded randomly between C ₁ and C ₆ . Linear C ₁₂ and C ₁₄ , 50/50 used.	410-450-3	—	R53	R: 53 S: 61		
603-135-00-9	bis[[2,2',2''-nitrilotris-[ethanolato]]-1-N,O]-bis[2-(2-methoxyethoxy)ethoxy]-titanium	410-500-4	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
603-136-00-4	3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol	410-910-3	104226-19-9	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
603-137-00-X	reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol	411-130-6	—	Xi; R41	Xi R: 41 S: (2-)26-39		
603-138-00-5	3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol	403-140-4	103694-68-4	R52-53	R: 52/53 S: 61		
603-139-00-0	bis(2-methoxyethyl) ether	203-924-4	111-96-6	R10 R19 Repr. Cat. 2; R60-61	T R: 60-61-10-19 S: 53-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-140-00-6	2,2' -oxybisethanol; diethylene glycol	203-872-2	111-46-6	Xn; R22	Xn R: 22 S: (2-)46		
603-141-00-1	reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]pentadecane; dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethanoxy)]heptadecane	413-780-6	—	R52-53	R: 52/53 S: 61		
603-142-00-7	2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo[2.2.1]heptane	407-360-1	116230-20-7	Xn; R21/22-48/20 Xi; R38-41	Xn R: 21/22-38-41-48/20 S: (2-)26-36/37/39		
603-143-00-2	R-2,3-epoxy-1-propanol	404-660-4	57044-25-4	E; R2 Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 2; R60 T; R23 Xn; R21/22 C; R34	E; T R: 45-60-2-21/22-23-34-68 S: 53-45		E
603-144-00-8	reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol; 6,9-dimethyl-2-methylen-5,9-cyclododecadien-1-ol	413-530-6	111850-00-1	N; R51-53	N R: 51/53 S: 61		
603-145-00-3	2-isopropyl-2-(1-methylbutyl)-1,3-dimethoxypropane	406-970-5	129228-11-1	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)36/37-61		
603-146-00-9	2-[(2-[2-(dimethylamino)ethoxy]ethyl)methylamino]ethanol	406-080-7	83016-70-0	Xn; R22 C; R34 R52-53	C R: 22-34-52/53 S: (1/2-)23-26-36/37/39-45-61		
603-147-00-4	(-)-trans-4-(4'-fluorophenyl)-3-hydroxymethyl-N-methylpiperidine	406-030-4	105812-81-5	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)22-24-26-37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-148-00-X	1,4-bis[(vinyloxy)methyl]cyclohexane	413-370-7	17351-75-6	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
603-149-00-5	reaction mass of diastereoisomers of 1-(1-hydroxyethyl)-4-(1-methylethyl)cyclohexane	407-640-3	63767-86-2	Xi; R36/38 N; R51-53	Xi; N R: 36/38-51/53 S: (2-)26-37-61		
603-150-00-0	(±) <i>trans</i> -3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol	411-580-3	107898-54-4	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)24/25-37-60-61		
603-151-00-6	(±)-2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propan-1-ol	413-570-4	—	R52-53	R: 52/53 S: 61		
603-152-00-1	2-(4- <i>tert</i> -butylphenyl)ethanol	410-020-5	5406-86-0	Repr. Cat. 3; R62 Xn; R48/22 Xi; R41 N; R51-53	Xn; N R: 41-48/22-62-51/ 53 S: (2-)26-36/37/39-61		
603-153-00-7	3-((2-nitro-4-(trifluoromethyl)phenyl)amino)propane-1,2-diol	410-010-0	104333-00-8	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
603-154-00-2	1-[(2- <i>tert</i> -butyl)cyclohexyloxy]-2-butanol	412-300-2	139504-68-0	N; R51-53	N R: 51/53 S: 61		
603-155-00-8	Reaction products of 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-hydroxyphenol with ((C ₁₀₋₁₆ , rich in C ₁₂₋₁₃ alkyloxy)methyl)oxirane	410-560-1	—	N; R50-53	N R: 50/53 S: 60-61		
603-156-00-3	2-(2,4-dichlorophenyl)-2-(2-propenyl)oxirane	411-210-0	89544-48-9	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
603-157-00-9	6,9-bis(hexadecyloxymethyl)-4,7-dioxanonane-1,2,9-triol	411-450-6	143747-72-2	R53	R: 53 S: 61		
603-158-00-4	reaction mass of 4 diastereoisomers of 2,7-dimethyl-10-(1-methylethyl)-1-oxaspiro[4.5]deca-3,6-diene	412-460-3	—	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-159-00-X	2-cyclododecylpropan-1-ol	411-410-8	118562-73-5	N; R50-53	N R: 50/53 S: 60-61		
603-160-00-5	1,2-diethoxypropane	412-180-1	10221-57-5	F; R11 R19	F R: 11-19 S: (2-)9-16-24-33		
603-161-00-0	1,3-diethoxypropane	413-140-6	3459-83-4	R10	R: 10 S: (2-)9-24		
603-162-00-6	α [2-[[[(2-hydroxyethyl)methylamino]acetyl]amino]propyl]- ω -(nonylphenoxy)poly[oxo(methyl-1,2-ethanediyl)]	413-420-8	144736-29-8	C; R34 R43 N; R51-53	C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61		
603-163-00-1	2-phenyl-1,3-propanediol	411-810-2	1570-95-2	Xi; R41	Xi R: 41 S: (2-)26-39		
603-164-00-7	2-butyl-4-chloro-4,5-dihydro-5-hydroxymethyl-1-[2'-(2-triphenylmethyl-1,2,3,4-2H-tetrazol-5-yl)-1,1'-biphenyl-4-methyl]-1H-imidazole	412-420-5	133909-99-6	R53	R: 53 S: 61		
603-165-00-2	reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol	417-470-1	—	Muta. Cat. 3; R68 R43	Xn R: 43-68 S: (2-)36/37		
603-166-00-8	R-1-chloro-2,3-epoxypropane	424-280-2	51594-55-9	R10 Carc. Cat. 2; R45 T; R23/24/25 C; R34 R43	T R: 45-10-23/24/25- 34-43 S: 53-45		E
603-167-00-3	3,3',5,5'-tetra- <i>tert</i> -butylbiphenyl-2,2'-diol	407-920-5	6390-69-8	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-168-00-9	3-(2-ethylhexyloxy)propane-1,2-diol	408-080-2	70445-33-9	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
603-169-00-4	(±)- <i>trans</i> -4-(4-fluorophenyl)-3-hydroxymethyl- <i>N</i> -methylpiperidine	415-550-0	109887-53-8	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)22-26-39-61		
603-170-00-X	reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol; 2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)-pent-1-en-3-ol; 2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol	415-990-3	67739-11-1	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
603-171-00-5	5-thiazolylmethanol	414-780-9	38585-74-9	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
603-172-00-0	mono-2-[2-(4-dibenzo[<i>b,f</i>][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxyethanol <i>trans</i> -butenedioate	415-180-1	773058-82-5	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)22-26-39-61		
603-173-00-6	4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0]octane	421-750-9	57280-22-5	Xi; R36 R43	Xi R: 36-43 S: (2-)26-36/37		
603-174-00-1	4-cyclohexyl-2-methyl-2-butanol	420-630-3	83926-73-2	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
603-175-00-7	2-(2-hexyloxyethoxy)ethanol; DEGHE; diethylene glycol monohexyl ether; 3,6-dioxa-1-dodecanol; hexyl carbitol; 3,6-dioxadodecan-1-ol	203-988-3	112-59-4	Xn; R21 Xi; R41	Xn R: 21-41 S: (2-)26-36/37/39-46		
603-176-00-2	1,2-bis(2-methoxyethoxy)ethane; TEGDME; triethylene glycol dimethyl ether; triglyme	203-977-3	112-49-2	R19 Repr. Cat. 2; R61 Repr. Cat. 3; R62	T R: 61-19-62 S: 53-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-177-00-8	1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether; [1] 2-ethoxy-1-methylethyl acetate; 2PG1EEA [2]	216-374-5 [1] 259-370-9 [2]	1569-02-4 [1] 54839-24-6 [2]	R10 R67	R: 10-67 S: (2-)24		
603-178-00-3	2-hexyloxyethanol; ethylene glycol monoethyl ether; n-hexylglycol	203-951-1	112-25-4	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-36/37/39-45		
603-179-00-9	ergocalciferol (ISO); Vitamin D2	200-014-9	50-14-6	T+; R26 T; R24/25-48/25	T+ R: 24/25-26-48/25 S: (1/2-)28-36/37-45		
603-180-00-4	colecalfiferol; Vitamin D3	200-673-2	67-97-0	T+; R26 T; R24/25-48/25	T+ R: 24/25-26-48/25 S: (1/2-)28-36/37-45		
603-181-00-X	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	216-653-1	1634-04-4	F; R11 Xi; R38	F; Xi R: 11-38 S: (2-)9-16-24		
603-183-00-0	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether; butoxytriethylene glycol	205-592-6	143-22-6	Xi; R41	Xi R: 41 S: (2-)26-39-46	Xi; R41: C ≥ 30 % Xi; R36: 20 % ≤ C < 30 %	
603-184-00-6	2-(hydroxymethyl)-2-[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol	416-380-1	146925-83-9	N; R50-53	N R: 50/53 S: 60-61		
603-185-00-1	2,4-dichloro-3-ethyl-6-nitrophenol	420-740-1	99817-36-4	T; R25 Xi; R41 R43 N; R50-53	T; N R: 25-41-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
603-186-00-7	trans-(5RS,6SR)-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol	419-050-3	79944-37-9	R43	Xi R: 43 S: (2-)22-24/25-26-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
603-187-00-2	2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl)vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride	419-360-9	163661-77-6	N; R50-53	N R: 50/53 S: 60-61		
603-189-00-3	reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitrilotris(2-propanol) and ethylene glycol	405-250-8	—	N; R51-53	N R: 51/53 S: 61		
603-191-00-4	2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol	419-740-4	137658-79-8	R53	R: 53 S: 61		
603-195-00-6	2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol	430-810-3	154825-62-4	R52-53	R: 52/53 S: 61		
603-196-00-1	2-(7-ethyl-1H-indol-3-yl)ethanol	431-020-1	41340-36-7	Xn; 22-48/22 N; R51-53	Xn; N R: 22-48/22-51/53 S: (2-)36/37/39-61		
603-197-00-7	tebuconazole (ISO); 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	403-640-2	107534-96-3	Repr. Cat. 3; R63 Xn; R22 N; R51-53	Xn; N R: 22-51/53-63 S: (2-)22-36/37-61		
603-199-00-8	etoxazol (ISO); (RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole	—	153233-91-1	N; R50-53	N R: 50/53 S: 60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
604-001-00-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	203-632-7	108-95-2	Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/ 21/22 C; R34	T; R: 23/24/25-34-48/ 20/21/22-68 S: (1/2-)24/25-26-28- 36/37/39-45	T; R23/24/25: C ≥ 10 % Xn; R20/21/22: 3 % ≤ C < 10 % C; R34: C ≥ 3 % Xi; R36/38: 1 % ≤ C < 3 %	
604-002-00-8	pentachlorophenol	201-778-6	87-86-5	Carc. Cat. 3; R40 T+; R26 T; R24/25 Xi; R36/37/ 38 N; R50-53	T+; N R: 24/25-26-36/37/ 38-40-50/53 S: (1/2-)22-36/37-45- 52-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-003-00-3	sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2]	205-025-2 [1] 231-911-3 [2]	131-52-2 [1] 7778-73-6 [2]	Carc. Cat. 3; R40 T+; R26 T; R24/25 Xi; R36/37/ 38 N; R50-53	T+; N R: 24/25-26-36/37/ 38-40-50/53 S: (1/2-)22-28-36/37- 45-52-60-61		
604-004-00-9	<i>m</i> -cresol; [1] <i>o</i> -cresol; [2] <i>p</i> -cresol; [3] mix-cresol [4]	203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4]	108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4]	T; R24/25 C; R34	T R: 24/25-34 S: (1/2-)36/37/39-45	T; R24/25: C ≥ 5 % Xn; R21/22: 1 % ≤ C < 5 % C; R34: C ≥ 5 % Xi; R36/38: 1 % ≤ C < 5 %	C
604-005-00-4	1,4-dihydroxybenzene; hydroquinone; quinol	204-617-8	123-31-9	Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R22 Xi; R41 R43 N; R50	Xn; N R: 22-40-41-43-50- 68 S: (2-)26-36/37/39-61		
604-006-00-X	3,4-xylenol; [1] 2,5-xylenol; [2] 2,4-xylenol; [3] 2,3-xylenol; [4] 2,6-xylenol; [5] xylenol; [6] 2,4(or 2,5)-xylenol [7]	202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7]	95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7]	T; R24/25 C; R34 N; R51-53	T; N R: 24/25-34-51/53 S: (1/2-)26-36/37/39- 45-61		C
604-007-00-5	2-naphthol	205-182-7	135-19-3	Xn; R20/22 N; R50	Xn; N R: 20/22-50 S: (2-)24/25-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-008-00-0	2-chlorophenol; [1] 4-chlorophenol; [2] 3-chlorophenol; [3] chlorophenol [4]	202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4]	95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4]	Xn; R20/21/22 N; R51-53	Xn; N R: 20/21/22-51/53 S: (2-)28-61		C
604-009-00-6	pyrogallol; 1,2,3-trihydroxybenzene	201-762-9	87-66-1	Muta. Cat. 3; R68 Xn; R20/21/22 R52-53	Xn R: 20/21/22-68-52/53 S: (2-)36/37-61	Xn; R20/21/22: C ≥ 10 %	
604-010-00-1	resorcinol; 1,3-benzenediol	203-585-2	108-46-3	Xn; R22 Xi; R36/38 N; R50	Xn; N R: 22-36/38-50 S: (2-)26-61	Xn; R22: C ≥ 10 %	
604-011-00-7	2,4-dichlorophenol	204-429-6	120-83-2	T; R24 Xn; R22 C; R34 N; R51-53	T; N R: 22-24-34-51/53 S: (1/2-)26-36/37/39-45-61		
604-012-00-2	4-chloro- <i>o</i> -cresol; 4-chloro-2-methyl phenol	216-381-3	1570-64-5	T; R23 C; R35 N; R50	T; C; N R: 23-35-50 S: (1/2-)26-36/37/39-45-61	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
604-013-00-8	2,3,4,6-tetrachlorophenol	200-402-8	58-90-2	T; R25 Xi; R36/38 N; R50-53	T; N R: 25-36/38-50/53 S: (1/2-)26-28-37-45-60-61	T; R25: C ≥ 5 % Xn; R22: 0,5 % ≤ C < 5 % Xi; R36/38: C ≥ 5 %	
604-014-00-3	chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol	200-431-6	59-50-7	Xn; R21/22 Xi; R41 R43 N; R50	Xn; N R: 21/22-41-43-50 S: (2-)26-36/37/39-61	Xn; R21/22: C ≥ 10 %	
604-015-00-9	2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene	200-733-8	70-30-4	T; R24/25 N; R50-53	T; N R: 24/25-50/53 S: (1/2-)20-37-45-60-61	T; R24/25: C ≥ 2 % Xn; R21/22: 0,2 % ≤ C < 2 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-016-00-4	1,2-dihydroxybenzene; pyrocatechol	204-427-5	120-80-9	Xn; R21/22 Xi; R36/38	Xn R: 21/22-36/38 S: (2-)22-26-37		
604-017-00-X	2,4,5-trichlorophenol	202-467-8	95-95-4	Xn; R22 Xi; R36/38 N; R50-53	Xn; N R: 22-36/38-50/53 S: (2-)26-28-60-61	Xn; R22: C ≥ 20 % Xi; R36/38: C ≥ 5 %	
604-018-00-5	2,4,6-trichlorophenol	201-795-9	88-06-2	Carc. Cat. 3; R40 Xn; R22 Xi; R36/38 N; R50-53	Xn; N R: 22-36/38-40-50/ 53 S: (2-)36/37-60-61		
604-019-00-0	dichlorophen (ISO)	202-567-1	97-23-4	Xn; R22 Xi; R36 N; R50-53	Xn; N R: 22-36-50/53 S: (2-)26-60-61		
604-020-00-6	2-phenylphenol (ISO); biphenyl-2-ol; 2-hydroxybiphenyl;	201-993-5	90-43-7	Xi; R36/37/ 38 N; R50	Xi; N R: 36/37/38-50 S: (2-)22-61		
604-021-00-1	sodium 2-biphenylate; 2-phenylphenol, sodium salt	205-055-6	132-27-4	Xn; R22 Xi; R37/38- 41 N; R50	Xn; N R: 22-37/38-41-50 S: (2-)22-26-61		
604-022-00-7	2,2-dimethyl-1,3-benzodioxol-4-ol	400-900-7	22961-82-6	Xi; R41	Xi R: 41 S: (2-)24-26-39		
604-023-00-2	2,4-dichloro-3-ethylphenol	401-060-4	—	C; R34 N; R50-53	C; N R: 34-50/53 S: (1/2-)26-36/39-45- 60-61		
604-024-00-8	4,4-isobutylethylidenediphenol	401-720-1	6807-17-6	Repr. Cat. 2; R60 Xi; R36 N; R50-53	T; N R: 60-36-50/53 S: 53-45-60-61		
604-025-00-3	2,5-bis(1,1-dimethylbutyl)hydroquinone	400-220-0	—	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-026-00-9	2,2-spirobi(6-hydroxy-4,4,7-trimethylchromane)	400-270-3	—	N; R51-53	N R: 51/53 S: 61		
604-027-00-4	2-methyl-5-(1,1,3,3-tetramethylbutyl)hydroquinone	400-530-6	—	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24/25-26-37-61		
604-028-00-X	4-amino-3-fluorophenol	402-230-0	399-95-1	Carc. Cat. 2; R45 Xn; R22 R43 N; R51-53	T; N R: 45-22-43-51/53 S: 53-45-61		E
604-029-00-5	1-naphtol	201-969-4	90-15-3	Xn; R21/22 Xi; R37/38-41	Xn R: 21/22-37/38-41 S: (2-)22-26-37/39		
604-030-00-0	bisphenol A; 4,4'-isopropylidenediphenol	201-245-8	80-05-7	Repr. Cat. 3; R62 Xi; R37-41 R43	Xn R: 37-41-43-62 S: (2-)26-36/37-39-46		
604-031-00-6	guaiacol	201-964-7	90-05-1	Xn; R22 Xi; R36/38	Xn R: 22-36/38 S: (2-)26		
604-032-00-1	thymol	201-944-8	89-83-8	Xn; R22 C; R34 N; R51-53	C; N R: 22-34-51/53 S: (1/2-)26-28-36/37/39-45-61		
604-033-00-7	isobutyl but-3-enoate	401-170-2	24342-03-8	R10	R: 10 S: (2-)		
604-034-00-2	4,4'-thiodi-o-cresol	403-330-7	24197-34-0	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
604-035-00-8	4-nonylphenol, reaction products with formaldehyde and dodecane-1-thiol	404-160-6	—	R43 R53	X R: 43-53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-036-00-3	4,4'-oxybis(ethylenethio)diphenol	404-590-4	90884-29-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
604-037-00-9	3,5-xylenol; 3,5-dimethylphenol	203-606-5	108-68-9	T; R24/25 C; R34	T R: 24/25-34 S: (1/2-)26-28-36/37/ 39-45		
604-038-00-4	4-chloro-3,5-dimethylphenol; [1] chloroxylenol [2]	201-793-8 [1] 215-316-6 [2]	88-04-0 [1] 1321-23-9 [2]	Xn; R22 Xi; R36/38 R43	Xn R: 22-36/38-43 S: (2-)24-37		
604-039-00-X	ethyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy]phenoxy]propionate; fenoxaprop-ethyl	266-362-9	66441-23-4	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
604-040-00-5	fomesafen (ISO); 5-[2-chloro-4-(trifluoromethyl)phenoxy]-N-(methylsulphonyl)-2-nitrobenzamide	276-439-9	72178-02-0	Xn; R22	Xn R: 22 S: (2-)		
604-041-00-0	acifluorfen (ISO); 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid [1] sodium 5-[2-chloro-4-(trifluoromethyl) phenoxy]-2-nitrobenzoate; acifluorfen-sodium [2]	256-634-5 [1] 263-560-7 [2]	50594-66-6 [1] 62476-59-9 [2]	Xn; R22 Xi; R38-41 N; R50-53	Xn; N R: 22-38-41-50/53 S: (2-)24-39-60-61		
604-042-00-6	4-nitrosophenol	203-251-6	104-91-6	Muta. Cat. 3; R68 Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53-68 S: (2-)26-36/37/39- 47-49-61		
604-043-00-1	monobenzone; 4-hydroxyphenyl benzyl ether; hydroquinone monobenzyl ether	203-083-3	103-16-2	Xi; R36 R43	Xi R: 36-43 S: (2-)24/25-26-37		
604-044-00-7	mequinol; 4-methoxyphenol; hydroquinone monomethyl ether	205-769-8	150-76-5	Xn; R22 Xi; R36 R43	Xn R: 22-36-43 S: (2-)24/25-26-37/ 39-46		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-045-00-2	2,3,5-trimethylhydroquinone	211-838-3	700-13-0	Xn; R20 Xi; R37/38-41 R43 N; R50-53	Xn; N R: 20-37/38-41-43-50/53 S: (2-)24-26-37/39-60-61		
604-046-00-8	4-(4-isopropoxyphenylsulfonyl)phenol	405-520-5	95235-30-6	N; R51-53	N R: 51/53 S: 61		
604-047-00-3	4-(4-tolyloxy)biphenyl	405-730-7	51601-57-1	Xn; R48/22 R53	Xn R: 48/22-53 S: (2-)22-36-61		
604-048-00-9	4,4',4''-(ethan-1,1,1-triyl)triphenol	405-800-7	27955-94-8	N; R51-53	N R: 51/53 S: 61		
604-049-00-4	4-4'-methylenebis(oxyethylenethio)diphenol	407-480-4	93589-69-6	N; R51-53	N R: 51/53 S: 61		
604-051-00-5	3,5-bis((3,5-di-tert-butyl-4-hydroxy)benzyl)-2,4,6-trimethylphenol	401-110-5	87113-78-8	R52-53	R: 52/53 S: 61		
604-052-00-0	2,2'-methylenebis(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol)	403-800-1	103597-45-1	R53	R: 53 S: 61		
604-053-00-6	2-methyl-4-(1,1-dimethylethyl)-6-(1-methyl-pentadecyl)-phenol	410-760-9	157661-93-3	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
604-054-00-1	reaction mass of: 2-methoxy-4-(tetrahydro-4-methylene-2H-pyran-2-yl)-phenol; 4-(3,6-dihydro-4-methyl-2H-pyran-2-yl)-2-methoxyphenol	412-020-0	—	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
604-055-00-7	2,2'-((3,3',5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxy-methylene))-bis-oxirane	413-900-7	85954-11-6	Muta. Cat. 3; R68	Xn R: 68 S: (2-)22-36-37		
604-056-00-2	2-(2-hydroxy-3,5-dinitroanilino)ethanol	412-520-9	99610-72-7	F; R11 Repr. Cat. 3; R62 Xn; R22	F; Xn R: 11-22-62 S: (2-)22-33-36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-057-00-8	reaction mass of: isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-dodecylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-tetracosylphenol; isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-5,6-didodecylphenol. n=5 or 6	401-680-5	—	N; R51-53	N R: 51/53 S: 61		
604-058-00-3	1,2-bis(3-methylphenoxy)ethane	402-730-9	54914-85-1	N; R50-53	N R: 50/53 S: 60-61		
604-059-00-9	2-n-hexadecylhydroquinone	406-400-5	—	Xn; R48/22 Xi; R38 R43 R53	Xn R: 38-43-48/22-53 S: (2-)22-36/37-61		
604-060-00-4	9,9-bis(4-hydroxyphenyl)fluorene	406-950-6	3236-71-3	Xi; R36-38 N; R50-53	Xi; N R: 36/38-50/53 S: (2-)26-37-60-61		
604-061-00-X	reaction mass of: 2-chloro-5-sec-tetradecylhydroquinones where sec-tetradecyl= 1-methyltridecyl; 1-ethyldodecyl; 1-propylundecyl; 1-butyldecyl; 1-pentylononyl; 1-hexyloctyl	407-740-7	—	Xi; R38 R43 R52-53	Xi R: 38-43-52/53 S: (2-)24-37-61		
604-062-00-5	2,4-dimethyl-6-(1-methyl-pentadecyl)phenol	411-220-5	—	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
604-063-00-0	5,6-dihydroxyindole	412-130-9	3131-52-0	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)22-26-36/37/ 39-61		
604-064-00-6	2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-((hexyl)oxy)-phenol	411-380-6	147315-50-2	R53	R: 53 S: 61		
604-065-00-1	4,4',4''-(1-methylpropan-1-yl-3-ylidene)tris(2-cyclohexyl-5-methylphenol)	407-460-5	111850-25-0	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
604-066-00-7	reaction mass of: phenol, 6-(1,1-dimethylethyl)-4-tetrapropyl-2-[(2-hydroxy-5-tetra-propylphenyl)methyl (C ₄₁ -compound) and methane, 2,2'-bis[6-(1,1-dimethyl-ethyl)-1-hydroxy-4-tetrapropyl-phenyl)]- (C ₄₅ -compound); 2,6-bis(1,1-dimethylethyl)-4-tetra-propyl-phenol and 2-(1,1-dimethylethyl)-4-tetrapropyl-phenol; 2,6-bis[6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl methyl]-4-(tetrapropyl)phenol and 2-[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenylmethyl)-6-[1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol	414-550-8	—	N; R50-53	N R: 50/53 S: 60-61		
604-067-00-2	reaction mass of: 2,2'-[[[(2-hydroxyethyl)imino]bis(methylene) bis[4-dodecylphenol]; formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 2); formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 3, 4 and higher)	414-520-4	—	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61		
604-068-00-8	(±)-4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]-1-hydroxyethyl]phenol hydrochloride	415-170-5	90274-24-1	Xn; R20/22 R43	Xn R: 20/22-43 S: (2-)24-26-37		
604-069-00-3	2-(1-methylpropyl)-4-tert-butylphenol	421-740-4	51390-14-8	C; R34 N; R51-53	C; N R: 34-51/53 S: (1/2-)26-36/37/39-45-61		
604-070-00-9	triclosan; 2,4,4'-trichloro-2'-hydroxy-diphenyl-ether; 5-chloro-2-(2,4-dichlorophenoxy)phenol	222-182-2	3380-34-5	Xi; R36/38 N; R50-53	Xi; N R: 36/38-50/53 S: 26-39-46-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
605-001-00-5	formaldehyde ...%	200-001-8	50-00-0	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	T R: 23/24/25-34-40-43 S: (1/2-)26-36/37/39-45-51	T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 5 % ≤ C < 25 % C; R34: C ≥ 25 % Xi; R36/37/38: 5 % ≤ C < 25 % R43: C ≥ 0,2 %	B D
605-002-00-0	1,3,5-trioxan; trioxymethylene	203-812-5	110-88-3	F; R11 Repr. Cat. 3; R63 Xi; R37	F; Xn R: 11-37-63 S: (2-)36/37-46		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
605-003-00-6	acetaldehyde; ethanal	200-836-8	75-07-0	F+; R12 Carc. Cat. 3; R40 Xi; R36/37	F+; Xn R: 12-36/37-40 S: (2-)16-33-36/37		
605-004-00-1	2,4,6-trimethyl-1,3,5-trioxan; paraldehyde	204-639-8	123-63-7	F; R11 ⊗	F R: 11 S: (2-)9-16-29-33		
605-005-00-7	2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane; metaldehyde	203-600-2	108-62-3	R10 ⊗ Xn; R22	Xn R: 10-22 S: (2-)13-25-46		
605-006-00-2	butyraldehyde	204-646-6	123-72-8	F; R11	F R: 11 S: (2-)9-29-33		
605-007-00-8	1,1-dimethoxyethane; dimethyl acetal	208-589-8	534-15-6	F; R11	F R: 11 S: (2-)9-16-33		
605-008-00-3	acrylaldehyde; acrolein; prop-2-enal	203-453-4	107-02-8	F; R11 T+; R26 T; R24/25 C; R34 N; R50	F; T+; N R: 11-24/25-26-34-50 S: 23-26-28-36/37/ 39-45-61		D
605-009-00-9	crotonaldehyde; 2-butenal; [1] (E)-2-butenal; (E)-crotonaldehyde [2]	224-030-0 [1] 204-647-1 [2]	4170-30-3 [1] 123-73-9 [2]	F; R11 Muta. Cat. 3; R68 T+; R26 T; R24/25 Xn; R48/22 Xi; R37/38-41 N; R50	F; T+; N R: 11-24/25-26-37/ 38-41-48/22-50-68 S: (1/2-)26-28-36/37/ 39-45-61		
605-010-00-4	2-furaldehyde	202-627-7	98-01-1	Carc. Cat. 3; R40 T; R23/25 Xn; R21 Xi; R36/37	T R: 21-23/25-36/37-40 S: (1/2-)26-36/37/39-45	T; R23/25: C ≥ 5 % Xn; R20/22: 1 % ≤ C < 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
605-011-00-X	2-chlorobenzaldehyde; o-chlorobenzaldehyde	201-956-3	89-98-5	C; R34	C R: 34 S: (1/2-)26-45		
605-012-00-5	benzaldehyde	202-860-4	100-52-7	Xn; R22	Xn R: 22 S: (2-)24		
605-013-00-0	chloralose (INN); (R)-1,2-O-(2,2,2-trichloroethylidene)- α -D-glucofuranose; glucochloralose; anhydroglucochloral	240-016-7	15879-93-3	Xn; R20/22	Xn R: 20/22 S: (2-)16-24/25-28		
605-014-00-6	chloral hydrate; 2,2,2-trichloroethane-1,1-diol	206-117-5	302-17-0	T; R25 Xi; R36/38	T R: 25-36/38 S: (1/2-)25-45		
605-015-00-1	1,1-diethoxyethane; acetal	203-310-6	105-57-7	F; R11 Xi; R36/38	F; Xi R: 11-36/38 S: (2-)9-16-33	Xi; R36/38: C \geq 10 %	
605-016-00-7	glyoxal...%; ethandial...%	203-474-9	107-22-2	Muta. Cat. 3; R68 Xn; R20 Xi; R36/38 R43	Xn R: 20-36/38-43-68 S: (2-)36/37	Xn; R20: C \geq 10 % Xi; R36/38: C \geq 10 %	B
605-017-00-2	1,3-dioxolane	211-463-5	646-06-0	F; R11	F R: 11 S: (2-)16		
605-018-00-8	propanal; propionaldehyde	204-623-0	123-38-6	F; R11 Xi; R36/37/ 38	F; Xi R: 11-36/37/38 S: (2-)9-16-29		
605-019-00-3	citral	226-394-6	5392-40-5	Xi; R38 R43	Xi R: 38-43 S: (2-)24/25-37		
605-020-00-9	safrole; 5-allyl-1,3-benzodioxole	202-345-4	94-59-7	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R22	T R: 45-22-68 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
605-021-00-4	formaldehyde, reaction products with butylphenol	294-145-9	91673-30-2	R43	Xi R: 43 S: (2-)24-37		
605-022-00-X	glutaral; glutaraldehyde; 1,5-pentanedial	203-856-5	111-30-8	T; R23/25 C; R34 R42/43 N; R50	T; N R: 23/25-34-42/43-50 S: (1/2-)26-36/37/39-45-61	T; R25: C ≥ 50 % Xn; R22: 2 % ≤ C < 50 % T; R23: C ≥ 25 % Xn; R20: 2 % ≤ C < 25 % C; R34: C ≥ 10 % Xi; R37/38-41: 2 % ≤ C < 10 % Xi; R36/37/38: 0,5 % ≤ C < 2 % R43: C ≥ 0,5 %	
605-025-00-6	chloroacetaldehyde	203-472-8	107-20-0	Carc. Cat. 3; R40 T+; R26 T; R24/25 C; R34 N; R50	T+; N R: 24/25-26-34-40-50 S: (1/2-)26-28-36/37/39-45-61		
605-026-00-1	2,5,7,7-tetramethyloctanal	405-690-0	114119-97-0	Xi; R38 R43 N; R51-53	Xi; N R: 38-43-51/53 S: (2-)24-37-61		
605-027-00-7	reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indene-5-carboxaldehyde	410-480-7	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
605-028-00-2	β-methyl-3-(1-methylethyl)-benzenepropanal	412-050-4	125109-85-5	N; R51-53	N R: 51/53 S: 61		
605-029-00-8	2-cyclohexylpropanal	412-270-0	2109-22-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
605-030-00-3	1-(p-methoxyphenyl)acetaldehyde oxime	411-510-1	3353-51-3	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
605-031-00-9	reaction mass of: 2,2-dimethoxyethanal [(this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70.4 % hydrate; water(Including free water and water in hydrated 2,2-dimethoxyethanal)]	421-890-0	—	R43	Xi R: 43 S: (2-)24-37		
606-001-00-8	acetone; propan-2-one; propanone	200-662-2	67-64-1	F; R11 Xi; R36 R66 R67	F; Xi R: 11-36-66-67 S: (2-)9-16-26		
606-002-00-3	butanone; ethyl methyl ketone	201-159-0	78-93-3	F; R11 Xi; R36 R66 R67	F; Xi R: 11-36-66-67 S: (2-)9-16		
606-003-00-9	heptan-3-one; butyl ethyl ketone	203-388-1	106-35-4	R10 Xn; R20 Xi; R36	Xn R: 10-20-36 S: (2-)24		
606-004-00-4	4-methylpentan-2-one; isobutyl methyl ketone	203-550-1	108-10-1	F; R11 Xn; R20 Xi; R36/37 R66	F; Xn R: 11-20-36/37-66 S: (2-)9-16-29		
606-005-00-X	2,6-dimethylheptan-4-one; di-isobutyl ketone	203-620-1	108-83-8	R10 Xi; R37	Xi R: 10-37 S: (2-)24	Xi; R37: C ≥ 10 %	
606-006-00-5	pentan-3-one; diethyl ketone	202-490-3	96-22-0	F; R11 Xi; R37 R66 R67	F; Xi R: 11-37-66-67 S: (2-)9-16-25-33		
606-007-00-0	3-methylbutan-2-one; methyl isopropyl ketone	209-264-3	563-80-4	F; R11	F R: 11 S: (2-)9-16-33		
606-009-00-1	4-methylpent-3-en-2-one; mesityl oxide	205-502-5	141-79-7	R10 Xn; R20/21/ 22	Xn R: 10-20/21/22 S: (2-)25	Xn; R20/21/22: C ≥ 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-010-00-7	cyclohexanone	203-631-1	108-94-1	R10 Xn; R20	Xn R: 10-20 S: (2-)25		
606-011-00-2	2-methylcyclohexanone	209-513-6	583-60-8	R10 Xn; R20	Xn R: 10-20 S: (2-)25		
606-012-00-8	3,5,5-trimethylcyclohex-2-enone; isophorone	201-126-0	78-59-1	Carc. Cat. 3; R40 Xn; R21/22 Xi; R36/37	Xn R: 21/22-36/37-40 S: (2-)13-23-36/37/ 39-46	Xi; R36/37: C ≥ 10 %	
606-013-00-3	p-benzoquinone; quinone	203-405-2	106-51-4	T; R23/25 Xi; R36/37/ 38 N; R50	T; N R: 23/25-36/37/38- 50 S: (1/2-)26-28-45-61		
606-014-00-9	chlorophacinone (ISO); 2-(2-(4-chlorophenyl)phenylacetyl)indan-1,3-dione	223-003-0	3691-35-8	T+; R27/28 T; R23-48/ 24/25 N; R50-53	T+; N R: 23-27/28-48/24/ 25-50/53 S: (1/2-)36/37-45-60- 61		
606-016-00-X	pindone (ISO); 2-pivaloylindan-1,3-dione	201-462-8	83-26-1	T; R25-48/25 N; R50-53	T; N R: 25-48/25-50/53 S: (1/2-)37-45-60-61		
606-017-00-5	diketene; diketen	211-617-1	674-82-8	R10 Xn; R20	Xn R: 10-20 S: (2-)3		D
606-018-00-0	dichlone (ISO); 2,3-dichloro-1,4-naphthoquinone	204-210-5	117-80-6	Xn; R22 Xi; R36/38 N; R50-53	Xn; N R: 22-36/38-50/53 S: (2-)26-60-61		
606-019-00-6	chlordecone (ISO); perchloropentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}]decan-5-one; decachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}]decan-4-one	205-601-3	143-50-0	Carc. Cat. 3; R40 T; R24/25 N; R50-53	T; N R: 24/25-40-50/53 S: (1/2-)22-36/37-45- 60-61		
606-020-00-1	5-methylheptan-3-one	208-793-7	541-85-5	R10 Xi; R36/37	Xi R: 10-36/37 S: (2-)23	Xi; R36/37: C ≥ 10 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-021-00-7	N-methyl-2-pyrrolidone	212-828-1	872-50-4	Xi; R36/38	Xi R: 36/38 S: (2-)41	Xi; R36/38: C ≥ 10 %	
606-022-00-2	1-phenyl-3-pyrazolidone	202-155-1	92-43-3	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
606-023-00-8	4-methoxy-4-methylpentan-2-one	203-512-4	107-70-0	R10 Xn; R20	Xn R: 10-20 S: (2-)23-24/25		
606-024-00-3	heptan-2-one; methyl amyl ketone	203-767-1	110-43-0	R10 Xn; R20/22	Xn R: 10-20/22 S: (2-)24/25		
606-025-00-9	cyclopentanone	204-435-9	120-92-3	R10 Xi; R36/38	Xi R: 10-36/38 S: (2-)23		
606-026-00-4	5-methylhexan-2-one; isoamyl methyl ketone	203-737-8	110-12-3	R10 Xn; R20	Xn R: 10-20 S: (2-)23-24/25		
606-027-00-X	heptan-4-one; di-n-propyl ketone	204-608-9	123-19-3	R10 Xn; R20	Xn R: 10-20 S: (2-)24/25		
606-028-00-5	2,4-dimethylpentan-3-one; di-isopropyl ketone	209-294-7	565-80-0	F; R11 Xn; R20	F; Xn R: 11-20 S: (2-)9-16-24/25		
606-029-00-0	pentane-2,4-dione; acetylacetone	204-634-0	123-54-6	R10 Xn; R22	Xn R: 10-22 S: (2-)21-23-24/25		
606-030-00-6	hexan-2-one; methyl butyl ketone; butyl methyl ketone; methyl-n-butyl ketone	209-731-1	591-78-6	R10 Repr. Cat. 3; R62 T; R48/23 R67	T R: 10-48/23-62-67 S: (1/2-)36/37-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-031-00-1	3-propanolide; 1,3-propiolactone	200-340-1	57-57-8	Carc. Cat. 2; R45 T+; R26 Xi; R36/38	T+ R: 45-26-36/38 S: 53-45		E
606-032-00-7	hexachloroacetone	204-129-5	116-16-5	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)24/25-61		
606-033-00-2	2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidinedione; methazole	243-761-6	20354-26-1	Xn; R21/22 Xi; R36/38 N; R51-53	Xn; N R: 21/22-36/38-51/ 53 S: (2-)36/37-61		
606-034-00-8	metribuzin (ISO); 4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4H)-one; 4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio- 1,2,4-triazin-5-one	244-209-7	21087-64-9	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
606-035-00-3	chloridazon (ISO); 5-amino-4-chloro-2-phenylpyridazine-3-(2H)-one; pyrazon	216-920-2	1698-60-8	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
606-036-00-9	quinomethionate; chinomethionat (ISO); 6-methyl-1,3-dithiolo(4,5- <i>b</i>)quinoxalin-2-one	219-455-3	2439-01-2	Repr. Cat. 3; R62 Xn; R20/21/ 22-48/22 Xi; R36 R43 N; R50-53	Xn; N R: 20/21/22-36-43- 48/22-50/53-62 S: (2-)24-37-60-61		
606-037-00-4	triadimefon (ISO); 1-(4-chlorophenoxy)-3,3-dimethyl-1-(1,2,4-triazol-1-yl)buta- none	256-103-8	43121-43-3	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)24-37-61		
606-038-00-X	diphacinone (ISO); 2-diphenylacetyllindan-1,3-dione	201-434-5	82-66-6	T+; R28 T; R48/23/ 24/25	T+ R: 28-48/23/24/25 S: (1/2-)36/37-45		
606-039-00-5	5(or 6)- <i>tert</i> -butyl-2'-chloro-6'-ethylamino-3',7'-dimethylspiro (isobenzofuran-1(1H),9'-xanthene)-3-one	400-680-2	—	Xn; R20 N; R50-53	Xn; N R: 20-50/53 S: (2-)60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-040-00-0	(N-benzyl-N-ethyl)amino-3-hydroxyacetophenone hydrochloride	401-840-4	55845-90-4	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
606-041-00-6	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6	71868-10-5	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-61		
606-042-00-1	acetophenone	202-708-7	98-86-2	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)26		
606-043-00-7	2,4-di-tert-butylcyclohexanone	405-340-7	13019-04-0	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
606-044-00-2	2,4,6-trimethylbenzophenone	403-150-9	954-16-5	Xn; R22 Xi; R36 N; R50-53	Xn; N R: 22-36-50/53 S: (2-)26-60-61		
606-045-00-8	oxadiazon (ISO); 3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one	243-215-7	19666-30-9	N; R50-53	N R: 50/53 S: 60-61		
606-046-00-3	reaction mass of cis- and trans-cyclohexadec-8-en-1-one	401-700-2	3100-36-5	N; R50-53	N R: 50/53 S: 60-61		
606-047-00-9	2-benzyl-2-dimethylamino-4-morpholinobutyrophenone	404-360-3	119313-12-1	N; R50-53	N R: 50/53 S: 60-61		
606-048-00-4	2'-anilino-3'-methyl-6'-dipentylaminospiro(isobenzofuran-1(1H),9'-xanthen)-3-one	406-480-1	—	R53	R: 53 S: 61		
606-049-00-X	4-(trans-4-propylcyclohexyl)acetophenone	406-700-6	78531-61-0	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
606-050-00-5	6-anilino-1-benzoyl-4-(4-tert-pentylphenoxy)naphto[1,2,3-de]quinoline-2,7-(3H)-dione	412-480-2	72453-58-8	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-051-00-0	4-pentylcyclohexanone	406-670-4	61203-83-6	N; R51-53	N R: 51/53 S: 61		
606-052-00-6	4-(N,N-dibutylamino)-2-hydroxy-2'-carboxybenzophenone	410-410-5	54574-82-2	R52-53	R: 52/53 S: 61		
606-053-00-1	flurtamone (ISO); (RS)-5-methylamino-2-phenyl-4-(α , α , α -trifluoro- <i>m</i> -tolyl) furan-3(2H)-one	—	96525-23-4	N; R50-53	N R: 50/53 S: 60-61		
606-054-00-7	isoxaflutole (ISO); 5-cyclopropyl-1,2-oxazol-4-yl α , α , α -trifluoro-2-mesyl- <i>p</i> -tolyl ketone	—	141112-29-0	Repr. Cat. 3; R63 N; R50-53	Xn; N R: 50/53-63 S: (2-)36/37-60-61		
606-055-00-2	1-(2,3-dihydro-1,3,3,6-tetramethyl-1-(1-methylethyl)-1H- inden-5-yl)ethanone	411-180-9	92836-10-7	Xn; R22-48/ 22 N; R51-53	Xn; N R: 22-48/22-51/53 S: (2-)24-36-61		
606-056-00-8	4-chloro-3',4'-dimethoxybenzophenone	404-610-1	116412-83-0	N; R50-53	N R: 50/53 S: 60-61		
606-057-00-3	4-propylcyclohexanone	406-810-4	40649-36-3	Xi; R38 R52-53	Xi R: 38-52/53 S: (2-)25-37-61		
606-058-00-9	4'-fluoro-2,2-dimethoxyacetophenone	407-500-1	21983-80-2	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
606-059-00-4	2,4-difluoro- α -(1H-1,2,4-triazol-1-yl)acetophenone hydro- chloride	412-390-3	86386-75-6	Xn; R22 Xi; R41 R43	Xn R: 22-41-43 S: (2-)22-26-36/37/39		
606-060-00-X	reaction mass of: <i>trans</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro- 5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane; <i>cis</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl- naphthalene-2-yl)-1,3-dioxolane	412-950-7	—	N; R50-53	N R: 50/53 S: 60-61		
606-061-00-5	(3-chlorophenyl)-(4-methoxy-3-nitrophenyl)methanone	423-290-4	66938-41-8	Muta. Cat. 3; R68 N; R50-53	Xn; N R: 68-50/53 S: (2-)22-36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-062-00-0	tetrahydrothiopyran-3-carboxaldehyde	407-330-8	61571-06-0	Repr. Cat. 2; R61 Xi; R41 R52-53	T R: 61-41-52/53 S: 53-45-61		
606-063-00-6	(E)-3-(2-chlorophenyl)-2-(4-fluorophenyl)propenal	410-980-5	112704-51-5	Xi; R36 R43	Xi R: 36-43 S: (2-)24-26-37		
606-064-00-1	pregn-5-ene-3,20-dione bis(ethylene ketal)	407-450-0	7093-55-2	R53	R: 53 S: 61		
606-065-00-7	1-(4-morpholinophenyl)butan-1-one	413-790-0	—	N; R51-53	N R: 51/53 S: 61		
606-066-00-2	(E)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone	410-440-9	164058-20-2	N; R51-53	N R: 51/53 S: 61		
606-067-00-8	reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-4-yl)ethanone; 1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1H-benz(f)inden-4-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1H-benz(g)inden-5-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1H-benz(g)inden-5-yl)ethanone	414-870-8	96792-67-5	N; R50-53	N R: 50/53 S: 60-61		
606-068-00-3	2,7,11-trimethyl-13-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al	415-770-7	1638-05-7	Xn; R48/22 R43 R52-53	Xn R: 43-48/22-52/53 S: (2-)22-36/37-61		
606-069-00-9	spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethyl-hexahydro-3',9'-methanonaphthalene)]	415-460-1	154171-76-3	N; R51-53	N R: 51/53 S: 24-61		
606-070-00-4	butoxydim (ISO); 5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one	414-790-3	138164-12-2	Repr. Cat. 3; R62-63 Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-62-63-50/ 53 S: (2-)22-36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-071-00-X	17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)androsta-1,4-diene-3-one	421-050-3	13258-43-0	N; R50-53	N R: 50/53 S: 22-60-61		
606-072-00-5	3-acetyl-1-phenyl-pyrrolidine-2,4-dione	421-600-2	719-86-8	Xn; R48/22 N; R51-53	Xn; N R: 48/22-51/53 S: (2-)22-36/37-61		
606-073-00-0	4,4'-bis(dimethylamino)benzophenone; Michler's ketone	202-027-5	90-94-8	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xi; R41	T R: 45-41-68 S: 53-45		
606-075-00-1	1-benzyl-5-ethoxyimidazolidine-2,4-dione	417-340-4	65855-02-9	Xn; R22	Xn R: 22 S: (2-)22		
606-076-00-7	1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione	418-630-3	136465-99-1	Xi; R41 R43	Xi R: 41-43 S: (2-)24-26-37/39		
606-077-00-2	(3S,4S)-3-hexyl-4-[(R)-2-hydroxytridecyl]-2-oxetanone	418-650-2	104872-06-2	N; R50-53	N R: 50/53 S: 60-61		
606-078-00-8	1-octylazepin-2-one	420-040-6	59227-88-2	C; R34 R43 N; R51-53	C; N R: 34-43-51/53 S: (1/2-)26-36/37/39-45-61		
606-079-00-3	2-n-butyl-benzo[d]isothiazol-3-one	420-590-7	4299-07-4	C; R34 R43 N; R50-53	C; N R: 34-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
606-080-00-9	Reaction product of: 3-hydroxy-5,7-di-tert-butylbenzofuran-2-one with o-xylene	417-100-9	—	R53	R: 53 S: 61		
606-081-00-4	(3 β , 5 α , 6 β)-3-(acetyloxy)-5-bromo-6-hydroxy-androstan-17-one	419-790-7	4229-69-0	R43 R52-53	Xi R: 43-52/53 S: (2-)22-36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
606-082-00-X	reaction mass of: butan-2-one oxime; syn-O,O'-di(butan-2-one oxime)diethoxysilane	406-930-7		T; R48/25 R43 R52-53	T R: 43-48/25-52/53 S: (1/2-)25-36/37-45-61		
606-083-00-5	2-chloro-5-sec-hexadecylhydroquinone	407-750-1	137193-60-3	Xi; R36/38 R43 R52-53	Xi R: 36/38-43-52/53 S: (2-)24-26-37-61		
606-084-00-0	1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione	414-540-3	484-33-3	N; R50-53	N R: 50/53 S: 60-61		
606-085-00-6	(1R,4S)-2-azabicyclo[2.2.1]hept-5-en-3-one	418-530-1	79200-56-9	Xn; R22 Xi; R41 R43	Xn R: 22-41-43 S: (2-)24-26-37/39		
606-086-00-1	1-(3,3-dimethylcyclohexyl)pent-4-en-1-one	422-330-8	56973-87-6	N; R51-53	N R: 51/53 S: 61		
606-087-00-7	6-ethyl-5-fluoro-4(3H)-pyrimidone	422-460-5	137234-87-8	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
606-088-00-2	2,4,4,7-tetramethyl-6-octen-3-one	422-520-0	74338-72-0	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
606-089-00-8	reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone; 1,4-diamino-2,3-bis-phenoxyanthraquinone	423-220-2	12223-77-7	R53	R: 53 S: 61		
606-091-00-9	6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one	421-320-0	118289-55-7	N; R50-53	N R: 50/53 S: 60-61		
606-092-00-4	reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	422-320-3		N; R50-53	N R: 50/53 S: 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-001-00-0	formic acid ... %	200-579-1	64-18-6	C; R35	C R: 35 S: (1/2-)23-26-45	C; R35: C ≥ 90 % C; R34: 10 % ≤ C < 90 % Xi; R36/38: 2 % ≤ C < 10 %	B
607-002-00-6	acetic acid ... %	200-580-7	64-19-7	R10 C; R35	C R: 10-35 S: (1/2-)23-26-45	C; R35: C ≥ 90 % C; R34: 25 % ≤ C < 90 % Xi; R36/38: 10 % ≤ C < 25 %	B
607-003-00-1	chloroacetic acid	201-178-4	79-11-8	T; R25 C; R34 N; R50	T; N R: 25-34-50 S: (1/2-)23-37-45-61		
607-004-00-7	TCA (ISO); trichloroacetic acid	200-927-2	76-03-9	C; R35 N; R50-53	C; N R: 35-50/53 S: (1/2-)26-36/37/39-45-60-61	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
607-005-00-2	TCA-sodium (ISO); sodium trichloroacetate	211-479-2	650-51-1	Xi; R37 N; R50-53	Xi; N R: 37-50/53 S: (2-)46-60-61		
607-006-00-8	oxalic acid	205-634-3	144-62-7	Xn; R21/22	Xn R: 21/22 S: (2-)24/25	Xn; R21/22: C ≥ 5 %	
607-007-00-3	salts of oxalic acid	—	—	Xn; R21/22	Xn R: 21/22 S: (2-)24/25	Xn; R21/22: C ≥ 5 %	A
607-008-00-9	acetic anhydride	203-564-8	108-24-7	R10 Xn; R20/22 C; R34	C R: 10-20/22-34 S: (1/2-)26-36/37/39-45	C; R34: C ≥ 25 % Xi; R37/38-41: 5 % ≤ C < 25 % Xi; R36: 1 % ≤ C < 5 %	
607-009-00-4	phthalic anhydride	201-607-5	85-44-9	Xn; R22 Xi; R37/38-41 R42/43	Xn R: 22-37/38-41-42/43 S: (2-)23-24/25-26-37/39-46		
607-010-00-X	propionic anhydride	204-638-2	123-62-6	C; R34	C R: 34 S: (1/2-)26-45	C; R34: C ≥ 25 % Xi; R36/38: 10 % ≤ C < 25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-011-00-5	acetyl chloride	200-865-6	75-36-5	F; R11 R14 C; R34	F; C R: 11-14-34 S: (1/2-)9-16-26-45		
607-012-00-0	benzoyl chloride	202-710-8	98-88-4	C; R34	C R: 34 S: (1/2-)26-45		
607-013-00-6	dimethyl carbonate	210-478-4	616-38-6	F; R11	F R: 11 S: (2-)9-16		
607-014-00-1	methyl formate	203-481-7	107-31-3	F+; R12 Xn; R20/22 Xi; R36/37	F+; Xn R: 12-20/22-36/37 S: (2-)9-16-24-26-33		
607-015-00-7	ethyl formate	203-721-0	109-94-4	F; R11 Xn; R20/22 Xi; R36/37	F; Xn R: 11-20/22-36/37 S: (2-)9-16-24-26-33		
607-016-00-2	propyl formate; [1] isopropyl formate [2]	203-798-0 [1] 210-901-2 [2]	110-74-7 [1] 625-55-8 [2]	F; R11 Xi; R36/37 R67	F; Xi R: 11-36/37-67 S: (2-)9-16-24-33		C
607-017-00-8	butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3]	209-772-5 [1] 212-105-0 [2] 208-818-1 [3]	592-84-7 [1] 762-75-4 [2] 542-55-2 [3]	F; R11 Xi; R36/37	F; Xi R: 11-36/37 S: (2-)9-16-24-33		C
607-018-00-3	isopentyl formate; [1] pentyl formate; [2] 2-methylbutyl formate [3]	203-769-2 [1] 211-340-6 [2] 252-343-2 [3]	110-45-2 [1] 638-49-3 [2] 35073-27-9 [3]	R10 Xi; R36/37	Xi R: 10-36/37 S: (2-)24		C
607-019-00-9	methyl chloroformate	201-187-3	79-22-1	F; R11 T+; R26 Xn; R21/22 C; R34	F; T+ R: 11-21/22-26-34 S: (1/2-)14-26-28-36/ 37/39-45-46-63		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-020-00-4	ethyl chloroformate	208-778-5	541-41-3	F; R11 T+; R26 Xn; R22 C; R34	F; T+ R: 11-22-26-34 S: (1/2-)9-16-26-28-33-36/37/39-45		
607-021-00-X	methyl acetate	201-185-2	79-20-9	F; R11 Xi; R36 R66 R67	F; Xi R: 11-36-66-67 S: (2-)16-26-29-33		
607-022-00-5	ethyl acetate	205-500-4	141-78-6	F; R11 Xi; R36 R66 R67	F; Xi R: 11-36-66-67 S: (2-)16-26-33		
607-023-00-0	vinyl acetate	203-545-4	108-05-4	F; R11	F R: 11 S: (2-)16-23-29-33		D
607-024-00-6	propyl acetate; [1] isopropyl acetate [2]	203-686-1 [1] 203-561-1 [2]	109-60-4 [1] 108-21-4 [2]	F; R11 Xi; R36 R66 R67	F; Xi R: 11-36-66-67 S: (2-)16-26-29-33		C
607-025-00-1	<i>n</i> -butyl acetate	204-658-1	123-86-4	R10 R66 R67	R: 10-66-67 S: (2-)25		
607-026-00-7	<i>sec</i> -butyl acetate; [1] <i>isobutyl</i> acetate; [2] <i>tert</i> -butyl acetate [3]	203-300-1 [1] 203-745-1 [2] 208-760-7 [3]	105-46-4 [1] 110-19-0 [2] 540-88-5 [3]	F; R11 R66	F R: 11-66 S: (2-)16-23-25-29-33		C
607-027-00-2	methyl propionate	209-060-4	554-12-1	F; R11 Xn; R20	F; Xn R: 11-20 S: (2-)16-24-29-33		
607-028-00-8	ethyl propionate	203-291-4	105-37-3	F; R11	F R: 11 S: (2-)16-23-24-29-33		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-029-00-3	<i>n</i> -butyl propionate; [1] <i>sec</i> -butyl propionate; [2] <i>tert</i> -butyl propionate; [3] iso-butyl propionate [4]	209-669-5 [1] - [2] - [3] 208-746-0 [4]	590-01-2 [1] 591-34-4 [2] 20487-40-5 [3] 540-42-1 [4]	R10	R: 10 S: (2-)		C
607-030-00-9	propyl propionate	203-389-7	106-36-5	R10 Xn; R20	Xn R: 10-20 S: (2-)24		
607-031-00-4	butyl butyrate	203-656-8	109-21-7	R10	R: 10 S: (2-)		C
607-032-00-X	ethyl acrylate	205-438-8	140-88-5	F; R11 Xn; R20/21/ 22 Xi; R36/37/ 38 R43	F; Xn R: 11-20/21/22-36/ 37/38-43 S: (2-)9-16-33-36/37	Xi; 36/37/38: C ≥ 5 %	D
607-033-00-5	<i>n</i> -butyl methacrylate	202-615-1	97-88-1	R10 Xi; R36/37/ 38 R43	Xi R: 10-36/37/38-43 S: (2-)		D
607-034-00-0	methyl acrylate; methyl propenoate	202-500-6	96-33-3	F; R11 Xn; R20/21/ 22 Xi; R36/37/ 38 R43	F; Xn R: 11-20/21/22-36/ 37/38-43 S: (2-)9-25-26-33-36/ 37-43		D
607-035-00-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	201-297-1	80-62-6	F; R11 Xi; R37/38 R43	F; Xi R: 11-37/38-43 S: (2-)24-37-46		D
607-036-00-1	2-methoxyethyl acetate; methylglycol acetate	203-772-9	110-49-6	Repr. Cat. 2; R60-61 Xn; R20/21/ 22	T R: 60-61-20/21/22 S: 53-45		E
607-037-00-7	2-ethoxyethyl acetate; ethylglycol acetate	203-839-2	111-15-9	⊗ Repr. Cat. 2; R60-61 Xn; R20/21/ 22	T R: 60-61-20/21/22 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-038-00-2	2-butoxyethyl acetate; butylglycol acetate	203-933-3	112-07-2	Xn; R20/21	Xn R: 20/21 S: (2-)24		
607-039-00-8	2,4-D (ISO); 2,4-dichlorophenoxyacetic acid	202-361-1	94-75-7	Xn; R22 Xi; R37-41 R43 R52-53	Xn R: 22-37-41-43-52/ 53 S: (2-)24/25-26-36/ 37/39-46-61		
607-040-00-3	salts of 2,4-D	—	—	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)24/25-26-36/ 37/39-46-61		A
607-041-00-9	2,4,5-T (ISO); 2,4,5-trichlorophenoxy acetic acid	202-273-3	93-76-5	Xn; R22 Xi; R36/37/ 38 N; R50-53	Xn; N R: 22-36/37/38-50/ 53 S: (2-)24-60-61		
607-042-00-4	salts and esters of 2,4,5-T; salts and esters of 2,4,5-trichlorophenoxy acetic acid	—	—	Xn; R22 Xi; R36/37/ 38 N; R50-53	Xn; N R: 22-36/37/38-50/ 53 S: (2-)24-60-61		A
607-043-00-X	dicamba (ISO); 2,5-dichloro-6-methoxybenzoic acid; 3,6-dichloro-2-methoxybenzoic acid	217-635-6	1918-00-9	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)26-61		
607-044-00-5	3,6-dichloro- <i>o</i> -anisic acid, compound with dimethylamine (1:1); [1] potassium 3,6-dichloro- <i>o</i> -anisate [2]	218-951-7 [1] 233-002-7 [2]	2300-66-5 [1] 10007-85-9 [2]	Xi; R36 R52-53	Xi R: 36-52/53 S: (2-)26-61		
607-045-00-0	dichlorprop (ISO); 2-(2,4-dichlorophenoxy) propionic acid	204-390-5	120-36-5	Xn; R21/22 Xi; R38-41	Xn R: 21/22-38-41 S: (2-)26-36/37		
607-046-00-6	salts of dichlorprop	—	—	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)13		A
607-047-00-1	fenoprop (ISO); 2-(2,4,5-trichlorophenoxy)propionic acid	202-271-2	93-72-1	Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-50/53 S: (2-)37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-048-00-7	salts of fenoprop; salts of 2-(2,4,5-trichlorophenoxy)propionic acid	—	—	Xn; R20/21/ 22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61		A
607-049-00-2	mecoprop (ISO); 2-(4-chloro- <i>o</i> -tolylxy) propionic acid; (<i>RS</i>)-2-(4-chloro- <i>o</i> -tolylxy)propionic acid; [1] 2-(4-chloro-2-methylphenoxy)propionic acid [2]	230-386-8 [1] 202-264-4 [2]	7085-19-0 [1] 7085-19-0 [2]	Xn; R22 Xi; R38-41 N; R50-53	Xn; N R: 22-38-41-50/53 S: (2-)13-26-37/39- 60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
607-050-00-8	salts of mecoprop	—	—	Xn; R22 Xi; R38-41 N; R50-53	Xn; N R: 22-38-41-50/53 S: (2-)13-26-37/39- 60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	A
607-051-00-3	MCPA (ISO); 4-chloro- <i>o</i> -tolylxyacetic acid	202-360-6	94-74-6	Xn; R22 Xi; R38-41	Xn R: 22-38-41 S: (2-)26-37-39		
607-052-00-9	salts and esters of MCPA	—	—	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)13		A
607-053-00-4	MCPB (ISO); 4-(4-chloro- <i>o</i> -tolylxy) butyric acid	202-365-3	94-81-5	N; R50-53	N R: 50/53 S: 60-61		
607-054-00-X	salts and esters of MCPB	—	—	Xn; R22	Xn R: 22 S: (2-)24/25		A
607-055-00-5	endothal-sodium (ISO); disodium 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylate	204-959-8	129-67-9	T; R25 Xn; R21 Xi; R36/37/ 38	T R: 21-25-36/37/38 S: (1/2-)36/37/39-45		
607-056-00-0	warfarin (ISO); [1] (<i>S</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone; [2] (<i>R</i>)-4-hydroxy-3-(3-oxo-1-phenylbutyl)-2-benzopyrone [3]	201-377-6 [1] 226-907-3 [2] 226-908-9 [3]	81-81-2 [1] 5543-57-7 [2] 5543-58-8 [3]	Repr. Cat. 1; R61 T; R48/25 R52-53	T R: 61-48/25-52/53 S: 53-45-61		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-057-00-6	coumachlor (ISO); 3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxycoumarin	201-378-1	81-82-3	Xn; R48/22 R52-53	Xn R: 48/22-52/53 S: (2-)37-61		
607-058-00-1	coumafuryl (ISO); fumarin; (RS)-3-(1-(2-furyl)-3-oxobutyl)4-hydroxycoumarin; 4-hydroxy-3-[3-oxo-1-(2-furyl) butyl]coumarin	204-195-5	117-52-2	T; R25-48/25 R52-53	T R: 25-48/25-52/53 S: (1/2-)37-45-61		
607-059-00-7	coumatetrayl; 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin	227-424-0	5836-29-3	T+; R27/28 T; R48/24/25 R52-53	T+ R: 27/28-48/24/25- 52/53 S: (1/2-)28-36/37-45- 61		
607-060-00-2	dicoumarol; 4,4'-dihydroxy-3,3'-methylenebis(2H-chromen-2-one)	200-632-9	66-76-2	T; R48/25 Xn; R22 N; R51-53	T; N R: 22-48/25-51/53 S: (1/2-)37-45-61		
607-061-00-8	acrylic acid; prop-2-enoic acid	201-177-9	79-10-7	R10 Xn; R20/21/ 22 C; R35 N; R50	C; N R: 10-20/21/22-35- 50 S: (1/2-)26-36/37/39- 45-61	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	D
607-062-00-3	n-butyl acrylate	205-480-7	141-32-2	R10 Xi; R36/37/ 38 R43	Xi R: 10-36/37/38-43 S: (2-)9		D
607-063-00-9	isobutyric acid	201-195-7	79-31-2	Xn; R21/22	Xn R: 21/22 S: (2-)		
607-064-00-4	benzyl chloroformate	207-925-0	501-53-1	C; R34 N; R50-53	C; N R: 34-50/53 S: (1/2-)26-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
607-065-00-X	bromoacetic acid	201-175-8	79-08-3	T; R23/24/25 C; R35 N; R50	T; C; N R: 23/24/25-35-50 S: (1/2-)26-36/37/39- 45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-066-00-5	dichloroacetic acid	201-207-0	79-43-6	C; R35 N; R50	C; N R: 35-50 S: (1/2-)26-45-61		
607-067-00-0	dichloroacetyl chloride	201-199-9	79-36-7	C; R35 N; R50	C; N R: 35-50 S: (1/2-)9-26-45-61		
607-068-00-6	iodoacetic acid	200-590-1	64-69-7	T; R25 C; R35	T; C R: 25-35 S: (1/2-)22-36/37/39-45		
607-069-00-1	ethyl bromoacetate	203-290-9	105-36-2	T+; R26/27/ 28	T+ R: 26/27/28 S: (1/2-)7/9-26-45		
607-070-00-7	ethyl chloroacetate	203-294-0	105-39-5	T; R23/24/25 N; R50	T; N R: 23/24/25-50 S: (1/2-)7/9-45-61		
607-071-00-2	ethyl methacrylate	202-597-5	97-63-2	F; R11 Xi; R36/37/ 38 R43	F; Xi R: 11-36/37/38-43 S: (2-)9-16-29-33		D
607-072-00-8	2-hydroxyethyl acrylate	212-454-9	818-61-1	T; R24 C; R34 R43 N; R50	T; N R: 24-34-43-50 S: (1/2-)26-36/39-45-61	T; R24: C ≥ 2 % Xn; R21: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 %	D
607-073-00-3	4-CPA (ISO); 4-chlorophenoxyacetic acid	204-581-3	122-88-3	Xn; R22	Xn R: 22 S: (2-)		
607-074-00-9	chlorfenac (ISO); 2,3,6-trichlorophenylacetic acid	201-599-3	85-34-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)36-61		
607-075-00-4	chlorfenprop-methyl; methyl 2-chloro-3-(4-chlorophenyl)propionate	238-413-5	14437-17-3	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-076-00-X	dodine (ISO); dodecylguanidinium acetate	219-459-5	2439-10-3	Xn; R22 Xi; R36/38 N; R50-53	Xn; N R: 22-36/38-50/53 S: (2-)26-60-61		
607-077-00-5	erbon (ISO); 2-(2,4,5-trichlorophenoxy)ethyl 2,2-dichloropropionate	—	136-25-4	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
607-078-00-0	fluenetil (ISO); 2-fluoroethyl biphenyl-4-ylacetate	—	4301-50-2	T+; R27/28	T+ R: 27/28 S: (1/2-)28-36/ 37-45		
607-079-00-6	kelevan (ISO); ethyl 5-(perchloro-5-hydroxypentacyclo[5,3,0,0 ^{2,6} ,0 ^{3,9} ,0 ^{4,8}] decan-5-yl)-4-oxopentanoate; ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypenta- cyclo(5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8})dec-4-yl)-4-oxovalerate	—	4234-79-1	T; R24 Xn; R22 N; R51-53	T; N R: 22-24-51/53 S: (1/2-)36/37-45-61		
607-080-00-1	chloroacetyl chloride	201-171-6	79-04-9	R14 R29 T; R23/24/ 25-48/23 C; R35 N; R50	T; C; N R: 14-23/24/25-29- 35-48/23-50 S: (1/2-)7/8-9-26-36/ 37/39-45-61		
607-081-00-7	fluoroacetic acid	205-631-7	144-49-0	T+; R28 N; R50	T+; N R: 28-50 S: (1/2-)20-22-26-45- 61		
607-082-00-2	fluoroacetates, soluble	—	—	T+; R28 N; R50	T+; N R: 28-50 S: (1/2-)20-22-26-45- 61		A
607-083-00-8	2,4-DB (ISO); 4-(2,4-dichlorophenoxy)butyric acid	202-366-9	94-82-6	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)25-29-46-61		
607-084-00-3	salts of 2,4-DB	—	—	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)26-29-39-46- 61		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-085-00-9	benzyl benzoate	204-402-9	120-51-4	Xn; R22	Xn R: 22 S: (2-)25		
607-086-00-4	diallyl phthalate	205-016-3	131-17-9	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24/25-60-61		
607-088-00-5	methacrylic acid; 2-methylpropenoic acid	201-204-4	79-41-4	Xn; R21/22 C; R35	C R: 21/22-35 S: (1/2-)26-36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	D
607-089-00-0	propionic acid ... %	201-176-3	79-09-4	C; R34	C R: 34 S: (1/2-)23-36-45	C; R34: C ≥ 25 % Xi; R36/37/38: 10 % ≤ C < 25 %	B
607-090-00-6	thioglycolic acid	200-677-4	68-11-1	T; R23/24/25 C; R34	T R: 23/24/25-34 S: (1/2-)25-27-28-45	T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 %	
607-091-00-1	trifluoroacetic acid . . . %	200-929-3	76-05-1	Xn; R20 C; R35 R52-53	C R: 20-35-52/53 S: (1/2-)9-26-27-28-45-61	Xn; R20: C ≥ 10 %	B
607-092-00-7	methyl lactate; [1] methyl (±)-lactate; [2] methyl (R)-lactate; [3] methyl (S)-(-)-lactate [4]	208-930-0 [1] 218-449-8 [2] 241-420-6 [3] 248-704-9 [4]	547-64-8 [1] 2155-30-8 [2] 17392-83-5 [3] 27871-49-4 [4]	R10 Xi; R36/37	Xi R: 10-36/37 S: (2-)24		C
607-093-00-2	propionyl chloride	201-170-0	79-03-8	F; R11 R14 C; R34	F; C R: 11-14-34 S: (1/2-)9-16-26-45		B D
607-094-00-8	peracetic acid . . . %	201-186-8	79-21-0	R10 O; R7 Xn; R20/21/ 22 C; R35 N; R50	O; C; N R: 7-10-20/21/22-35-50 S: (1/2-)3/7-14-36/37/39-45-61	Xn; R20/21/22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	B D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-095-00-3	maleic acid	203-742-5	110-16-7	Xn; R22 Xi; R36/37/ 38	Xn R: 22-36/37/38 S: (2-)26-28-37		
607-096-00-9	maleic anhydride	203-571-6	108-31-6	Xn; R22 C; R34 R42/43	C R: 22-34-42/43 S: (2-)22-26-36/37/ 39-45		
607-097-00-4	benzene-1,2,4-tricarboxylic acid 1,2-anhydride; trimellitic anhydride	209-008-0	552-30-7	Xi; R37-41 R42/43	Xn R: 37-41-42/43 S: (2-)22-26-36/37/39		
607-098-00-X	benzene-1,2:4,5-tetracarboxylic dianhydride; benzene-1,2:4,5-tetracarboxylic dianhydride; pyromellitic dianhydride	201-898-9	89-32-7	Xi; R41 R42/43	Xn R: 41-42/43 S: (2-)22-24-26-37/39		
607-099-00-5	1,2,3,6-tetrahydrophthalic anhydride; [1] cis-1,2,3,6-tetrahydrophthalic anhydride; [2] 3,4,5,6-tetrahydrophthalic anhydride; [3] tetrahydrophthalic anhydride [4]	201-605-4 [1] 213-308-7 [2] 219-374-3 [3] 247-570-9 [4]	85-43-8 [1] 935-79-5 [2] 2426-02-0 [3] 26266-63-7 [4]	Xi; R41 R42/43 R52-53	Xn R: 41-42/43-52/53 S: (2-)22-24-26-37/ 39-61		C
607-100-00-9	benzophenone-3,3',4,4'-tetracarboxylic dianhydride; 4,4'-carbonyldi(phthalic anhydride)	219-348-1	2421-28-5	Xi; R36/37	Xi R: 36/37 S: (2-)25	Xi; R36/37: C ≥ 1 %	
607-101-00-4	1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride	204-077-3	115-27-5	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)25	Xi; R36/37/38: C ≥ 1 %	
607-102-00-X	cyclohexane-1,2-dicarboxylic anhydride; [1] cis-cyclohexane-1,2-dicarboxylic anhydride; [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3]	201-604-9 [1] 236-086-3 [2] 238-009-9 [3]	85-42-7 [1] 13149-00-3 [2] 14166-21-3 [3]	Xi; R41 R42/43	Xn R: 41-42/43 S: (2-)23-24-26-37/39		C
607-103-00-5	succinic anhydride	203-570-0	108-30-5	Xi; R36/37	Xi R: 36/37 S: (2-)25	Xi; R36/37: C ≥ 1 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-104-00-0	cyclopentane-1,2,3,4-tetracarboxylic dianhydride	227-964-7	6053-68-5	Xi; R36/37	Xi R: 36/37 S: (2-)25	Xi; R36/37: C ≥ 1 %	
607-105-00-6	8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1] 1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2] (1 α ,2 α ,3 β ,6 β)-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3]	204-957-7 [1] 212-557-9 [2] 220-384-5 [3]	129-64-6 [1] 826-62-0 [2] 2746-19-2 [3]	Xi; R41 R42/43	Xn R: 41-42/43 S: (2-)22-24-26-37/39		C
607-106-00-1	8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride	—	123748-85-6	Xn; R22 Xi; R36/37/38 R42	Xn R: 22-36/37/38-42 S: (2-)39	Xi; R36/37/38: C ≥ 10 %	C
607-107-00-7	2-ethylhexyl acrylate	203-080-7	103-11-7	Xi; R37/38 R43	Xi R: 37/38-43 S: (2-)36/37-46		D
607-108-00-2	2-hydroxy-1-methylethylacrylate; [1] 2-hydroxypropylacrylate; [2] acrylic acid, monoester with propane-1,2-diol [3]	220-852-9 [1] 213-663-8 [2] 247-118-0 [3]	2918-23-2 [1] 999-61-1 [2] 25584-83-2 [3]	T; R23/24/25 C; R34 R43	T R: 23/24/25-34-43 S: (1/2-)26-36/37/39-45	T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 %	C D
607-109-00-8	hexamethylene diacrylate; hexane-1,6-diol diacrylate	235-921-9	13048-33-4	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)39		D
607-110-00-3	pentaerythritol triacrylate	222-540-8	3524-68-3	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)39		D
607-111-00-9	2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	239-701-3	15625-89-5	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)39		D
607-112-00-4	2,2-dimethyltrimethylene diacrylate; neopentyl glycol diacrylate	218-741-5	2223-82-7	T; R24 Xi; R36/38 R43	T R: 24-36/38-43 S: (1/2-)28-39-45	T; R24: C ≥ 5 % Xn; R21: 0,2 % ≤ C < 5 %	D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-113-00-X	isobutyl methacrylate	202-613-0	97-86-9	R10 Xi; R36/37/ 38 R43 N; R50	Xi; N R: 10-36/37/38-43- 50 S: (2-)24-37-61		D
607-114-00-5	ethylene dimethacrylate	202-617-2	97-90-5	Xi; R37 R43	Xi R: 37-43 S: (2-)24-37	Xi; R37: C ≥ 10 %	D
607-115-00-0	isobutyl acrylate	203-417-8	106-63-8	R10 Xn; R20/21 Xi; R38 R43	Xn R: 10-20/21-38-43 S: (2-)9-24-37	Xi; R38: C ≥ 10 %	D
607-116-00-6	cyclohexyl acrylate	221-319-3	3066-71-5	Xi; R37/38 N; R51-53	Xi; N R: 37/38-51/53 S: (2-)61	Xi; R37/38: C ≥ 10 %	D
607-117-00-1	2,3-epoxypropyl acrylate; glycidyl acrylate	203-440-3	106-90-1	T; R23/24/25 C; R34 R43	T R: 23/24/25-34-43 S: (1/2-)26-36/37/39- 45	T; R23/24/25: C ≥ 2 % Xn; R20/21/22: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 %	D
607-118-00-7	1-methyltrimethylene diacrylate; 1,3-butylene glycol diacrylate	243-105-9	19485-03-1	Xn; R21 C; R34 R43	C R: 21-34-43 S: (1/2-)26-36/37/39- 45		D
607-119-00-2	tetramethylene diacrylate; 1,4-butylenglycol diacrylate	213-979-6	1070-70-8	Xn; R21 C; R34 R43	C R: 21-34-43 S: (1/2-)26-36/37/39- 45		D
607-120-00-8	2,2'-oxydiethyl diacrylate; diethylene glycol diacrylate	223-791-6	4074-88-8	T; R24 Xi; R36/38 R43	T R: 24-36/38-43 S: (1/2-)28-39-45	T; R24: C ≥ 2 % Xn; R21: 0,2 % ≤ C < 2 % R43: C ≥ 0,2 %	D
607-121-00-3	8,9,10-trinorborn-2-yl acrylate	—	10027-06-2	Xn; R21 Xi; R38 R43	Xn R: 21-38-43 S: (2-)28	Xi; R38: C ≥ 10 %	D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-122-00-9	pentaerythritol tetraacrylate	225-644-1	4986-89-4	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)26-39		D
607-123-00-4	2,3-epoxypropyl methacrylate; glycidyl methacrylate	203-441-9	106-91-2	Xn; R20/21/ 22 Xi; R36/38 R43	Xn R: 20/21/22-36/38- 43 S: (2-)26-28	Xi; R36/38: C ≥ 10 %	D
607-124-00-X	2-hydroxyethyl methacrylate	212-782-2	868-77-9	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)26-28		D
607-125-00-5	2-hydroxypropyl methacrylate; [1] 3-hydroxypropyl methacrylate [2]	213-090-3 [1] 220-426-2 [2]	923-26-2 [1] 2761-09-3 [2]	Xi; R36 R43	Xi R: 36-43 S: (2-)24/25-26-37/39		C D
607-126-00-0	2,2'-(ethylenedioxy)diethyl diacrylate; triethylene glycol diacrylate	216-853-9	1680-21-3	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)26-28		D
607-127-00-6	2-diethylaminoethyl methacrylate	203-275-7	105-16-8	Xn; R20 Xi; R36/38 R43	Xn R: 20-36/38-43 S: (2-)26	Xi; R36/38: C ≥ 10 %	D
607-128-00-1	2-tert-butylaminoethyl methacrylate	223-228-4	3775-90-4	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)26		D
607-129-00-7	ethyl lactate; ethyl DL-lactate; [1] ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)-lactate [2]	202-598-0 [1] 211-694-1 [2]	97-64-3 [1] 687-47-8 [2]	R10 Xi; R37-41	Xi R: 10-37-41 S: (2-)24-26-39		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-130-00-2	pentyl acetate; [1] isopentyl acetate; [2] 1-methylbutyl acetate; [3] 2-methylbutyl acetat; [4] 2(or 3)-methylbutyl acetate [5]	211-047-3 [1] 204-662-3 [2] 210-946-8 [3] 210-843-8 [4] 282-263-3 [5]	628-63-7 [1] 123-92-2 [2] 626-38-0 [3] 624-41-9 [4] 84145-37-9 [5]	R10 R66	R: 10-66 S: (2-)23-25		C
607-131-00-8	isopentyl propionate; [1] pentyl propionate; [2] 2-methylbutyl propionate [3]	203-322-1 [1] 210-852-7 [2] 219-449-0 [3]	105-68-0 [1] 624-54-4 [2] 2438-20-2 [3]	R10	R: 10 S: (2-)23-24		C
607-132-00-3	2-dimethylaminoethyl methacrylate	220-688-8	2867-47-2	Xn; R21/22 Xi; R36/38 R43	Xn R: 21/22-36/38-43 S: (2-)26-28	Xi; R36/38: C ≥ 10 %	D
607-133-00-9	monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex	—	—	Xi; R36/37/38 N; R51-53	Xi; N R: 36/37/38-51/53 S: (2-)26-28-61	Xi; R36/37/38: C ≥ 10 %	A
607-134-00-4	monoalkyl or monoaryl or monoalkylaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex	—	—	Xi; R36/37/38	Xi R: 36/37/38 S: (2-)26-28	Xi; R36/37/38: C ≥ 10 %	A
607-135-00-X	butyric acid	203-532-3	107-92-6	C; R34	C R: 34 S: (1/2-)26-36-45		
607-136-00-5	butyryl chloride	205-498-5	141-75-3	F; R11 C; R34	F; C R: 11-34 S: (1/2-)16-23-26-36-45		
607-137-00-0	methyl acetoacetate	203-299-8	105-45-3	Xi; R36	Xi R: 36 S: (2-)26		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-138-00-6	butyl chloroformate; chloroformic acid butyl ester	209-750-5	592-34-7	R10 T; R23 C; R34	T R: 10-23-34 S: (1/2-)26-36-45		
607-139-00-1	2-chloropropionic acid	209-952-3	598-78-7	Xn; R22 C; R35	C R: 22-35 S: (1/2-)23-26-28-36-45		
607-140-00-7	isobutryl chloride	201-194-1	79-30-1	F; R11 C; R35	F; C R: 11-35 S: (1/2-)16-23-26-36-45		
607-141-00-2	oxydiethylene bis(chloroformate)	203-430-9	106-75-2	Xn; R22 Xi; R38-41 N; R51-53	Xn; N R: 22-38-41-51/53 S: (2-)23-26-61		
607-142-00-8	propyl chloroformate; chloroformic acid propylester; <i>n</i> -propyl chloroformate	203-687-7	109-61-5	R10 ⊗ T; R23 C; R34	T R: 10-23-34 S: (1/2-)26-36-45		
607-143-00-3	valeric acid	203-677-2	109-52-4	C; R34 R52-53	C R: 34-52/53 S: (1/2-)26-36-45-61		
607-144-00-9	adipic acid	204-673-3	124-04-9	Xi; R36	Xi R: 36 S: (2-)		
607-145-00-4	methanesulphonic acid	200-898-6	75-75-2	C; R34	C R: 34 S: (1/2-)26-36-45		
607-146-00-X	fumaric acid	203-743-0	110-17-8	Xi; R36	Xi R: 36 S: (2-)26		
607-147-00-5	oxalic acid diethylester; diethyl oxalate	202-464-1	95-92-1	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)23		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-148-00-0	guanidinium chloride; guanadine hydrochloride	200-002-3	50-01-1	Xn; R22 Xi; R36/38	Xn R: 22-36/38 S: (2-)22		
607-149-00-6	urethane (INN); ethyl carbamate	200-123-1	51-79-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		
607-150-00-1	endothal (ISO); 7-oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid	205-660-5	145-73-3	T; R25 Xn; R21 Xi; R36/37/ 38	T R: 21-25-36/37/38 S: (1/2-)36/37/39-45		
607-151-00-7	propargite (ISO); 2-(4- <i>tert</i> -butylphenoxy) cyclohexyl prop-2-ynyl sulphite	219-006-1	2312-35-8	Carc. Cat. 3; R40 T; R23 Xi; R38-41 N; R50-53	T; N R: 23-38-40-41-50/ 53 S: (1/2-)26-36/37/39- 45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
607-152-00-2	2,3,6-TBA (ISO); 2,3,6-trichlorobenzoic acid	200-026-4	50-31-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
607-153-00-8	benazolin (ISO); 4-chloro-2,3-dihydro-2-oxo-1,3-benzothiazol-3-ylacetic acid	223-297-0	3813-05-6	Xi; R36/38 R52-53	Xi R: 36/38-52/53 S: (2-)22-61		
607-154-00-3	ethyl N-benzoyl-N-(3,4-dichlorophenyl)-DL-alaninate; benzoylprop-ethyl (ISO)	244-845-5	22212-55-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24-60-61		
607-155-00-9	3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6H)-pyran-2-carboxylic acid; blasticidin-s	—	2079-00-7	T+; R28	T+ R: 28 S: (1/2-)24/25-36/37- 45		
607-156-00-4	chlorfenson (ISO); 4-chlorophenyl 4-chlorobenzenesulfonate	201-270-4	80-33-1	Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-50/53 S: (2-)37-60-61		
607-157-00-X	3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxy-coumarin; difenacoum	259-978-4	56073-07-5	T+; R28 T; R48/25 N; R50-53	T+; N R: 28-48/25-50/53 S: (1/2-)36/37-45-60- 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-158-00-5	sodium salt of chloroacetic acid; sodium chloroacetate	223-498-3	3926-62-3	T; R25 Xi; R38 N; R50	T; N R: 25-38-50 S: (1/2-)22-37-45-61		
607-159-00-0	chlorobenzilate (ISO); ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate; ethyl 4,4'-dichlorobenzilate	208-110-2	510-15-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
607-160-00-6	isobutyl 2-(4-(4-chlorophenoxy)phenoxy)propionate; clofop-isobutyl (ISO)	—	51337-71-4	Xn; R22	Xn R: 22 S: (2-)		
607-161-00-1	diethanolamine salt of 4-CPA	—	—	Xn; R22	Xn R: 22 S: (2-)		
607-162-00-7	2,2-dichloropropionic acid; dalapon	200-923-0	75-99-0	Xn; R22 Xi; R38-41 R52-53	Xn R: 22-38-41-52/53 S: (2-)26-39-61		
607-163-00-2	3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione; dehydracetic acid	208-293-9	520-45-6	Xn; R22	Xn R: 22 S: (2-)		
607-164-00-8	sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethonolate; sodium dehydracetate	224-580-1	4418-26-2	Xn; R22	Xn R: 22 S: (2-)		
607-165-00-3	diclofop-methyl (ISO); methyl 2-(4-(2,4-dichlorophenoxy)phenoxy)propionate; methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate;	257-141-8	51338-27-3	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
607-166-00-9	medinoterb acetate (ISO); 6-tert-butyl-3-methyl-2,4-dinitrophenyl acetate	219-634-6	2487-01-6	T; R25 Xn; R21	T R: 21-25 S: (1/2-)36/37-45		
607-167-00-4	sodium 3-chloroacrylate	—	4312-97-4	Xn; R21/22	Xn R: 21/22 S: (2-)36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-168-00-X	dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methylnaphthalene-1,2-dicarboxylate; propylisome	—	83-59-0	T; R24 Xn; R22 N; R50-53	T; N R: 22-24-50/53 S: (1/2-)36/37-45-60-61		
607-169-00-5	sodium fluoroacetate	200-548-2	62-74-8	T+; R26/27/28 N; R50	T+; N R: 26/27/28-50 S: (1/2-)13-22-36/37-45-61		
607-170-00-0	bis(1,2,3-trithiacyclohexyldimethylammonium) oxalate; thiocyclam-oxalate	250-859-2	31895-22-4	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-46-60-61		
607-172-00-1	4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; brodifacoum	259-980-5	56073-10-0	T+; R27/28 T; R48/24/25 N; R50-53	T+; N R: 27/28-48/24/25-50/53 S: (1/2-)36/37-45-60-61		
607-173-00-7	dimethyl (3-methyl-4-(5-nitro-3-ethoxycarbonyl-2-thienyl)azo)phenylnitrilodipropionate	400-460-6	—	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
607-174-00-2	reaction mass of dodecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate and tetradecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,1,1,2)hencosan-20-yl)propionate	400-580-9	—	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)28-61		
607-175-00-8	methyl 2-(2-nitrobenzylidene)acetoacetate	400-650-9	39562-27-1	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-176-00-3	reaction mass of α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -hydroxypoly(oxyethylene) and α -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- ω -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	400-830-7	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)36/37-61		
607-177-00-9	methyl 2-(3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)3-methylureidosulphonyl)benzoate	401-190-1	101200-48-0	R43	Xi R: 43 S: (2-)22-24-37		
607-178-00-4	methyl α -((4,6-dimethoxyimidin-2-yl)ureidosulphonyl)-o-toluate	401-340-6	83055-99-6	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-179-00-X	(benzothiazol-2-ylthio)succinic acid	401-450-4	95154-01-1	R43	Xi R: 43 S: (2-)24-37		
607-180-00-5	potassium 2-hydroxycarbazole-1-carboxylate	401-630-2	96566-70-0	Xn; R22 Xi; R36/37 R52-53	Xn R: 22-36/37-52/53 S: (2-)22-26-61		
607-181-00-0	3,5-dichloro-2,4-difluorobenzoyl fluoride	401-800-6	101513-70-6	T; R23 C; R34 Xn; R22 R29 R43 R52-53	T; C R: 22-23-29-34-43-52/53 S: (1/2-)26-36/37/39-45-61		
607-182-00-6	methyl 3-sulphamoyl-2-thenoate	402-050-2	—	R43	Xi R: 43 S: (2-)24-37		
607-183-00-1	zinc 2-hydroxy-5-C ₁₃₋₁₈ alkylbenzoate	402-280-3	—	Xi; R36/38 N; R51-53	Xi; N R: 36/38-51/53 S: (2-)26-61		
607-184-00-7	S-(3-trimethoxysilyl)propyl 19-isocyanato-11-(6-isocyanato-hexyl)-10,12-dioxo-2,9,11,13-tetraazonadecanethioate	402-290-8	85702-90-5	R10 R42/43	Xn R: 10-42/43 S: (2-)23-24-37		
607-185-00-2	ethyl <i>trans</i> -3-dimethylaminoacrylate	402-650-4	1117-37-9	R43	Xi R: 43 S: (2-)24-37		
607-186-00-8	quinclorac (ISO); 3,7-dichloroquinoline-8-carboxylic acid	402-780-1	84087-01-4	R43	Xi R: 43 S: (2-)24-37		
607-187-00-3	bis(2,2,6,6-tetramethyl-4-piperidyl) succinate	402-940-0	62782-03-0	Xi; R36 R52-53	Xi R: 36-52/53 S: (2-)26-61		
607-188-00-9	hydrogen sodium N-carboxylatoethyl-N-octadec-9-enylmaleamate	402-970-4	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-189-00-4	trimethylenediaminetetraacetic acid	400-400-9	1939-36-2	Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-50/53 S: (2-)22-26-39-60-61		
607-190-00-X	methyl acrylamidomethoxyacetate (containing ≥ 0,1 % acrylamid)	401-890-7	77402-03-0	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Xn; R22 Xi; R36	T R: 45-46-22-36 S: 53-45		E
607-191-00-5	isobutyl 3,4-epoxybutyrate	401-920-9	100181-71-3	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-28-36/37-60-61		
607-192-00-0	disodium N-carboxymethyl-N-(2-(2-hydroxyethoxy)ethyl)glycinate	402-360-8	92511-22-3	Xi; R41	Xi R: 41 S: (2-)26-39		
607-194-00-1	propylene carbonate	203-572-1	108-32-7	Xi; R36	Xi R: 36 S: (2-)		
607-195-00-7	2-methoxy-1-methylethyl acetate	203-603-9	108-65-6	R10 Xi; R36	Xi R: 10-36 S: (2-)25		
607-196-00-2	heptanoic acid	203-838-7	111-14-8	C; R34	C R: 34 S: (1/2-)26-28-36/37/39-45		
607-197-00-8	nonanoic acid	203-931-2	112-05-0	C; R34	C R: 34 S: (1/2-)26-28-36/37/39-45		
607-198-00-3	propyl 3,4,5-trihydroxybenzoate	204-498-2	121-79-9	Xn; R22 R43	Xn R: 22-43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-199-00-9	octyl 3,4,5-trihydroxybenzoate	213-853-0	1034-01-1	Xn; R22 R43	Xn R: 22-43 S: (2-)24-37		
607-200-00-2	dodecyl 3,4,5-trihydroxybenzoate	214-620-6	1166-52-5	R43	Xi R: 43 S: (2-)24-37		
607-201-00-8	thiocarbonyl chloride	207-341-6	463-71-8	T; R23 Xn; R22 Xi; R36/37/ 38	T R: 22-23-36/37/38 S: (1/2-)7-9-36/37-45		
607-203-00-9	2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate	279-452-8	80387-97-9	Repr. Cat. 2; R61 R43 R52-53	T R: 61-43-52/53 S: 53-45-61		
607-204-00-4	(chlorophenyl)(chlorotolyl)methane, mixed isomers	400-140-6	—	N; R50-53	N R: 50/53 S: 60-61		
607-205-00-X	methyl chloroacetate	202-501-1	96-34-4	R10 T; R23/25 Xi; R37/38- 41	T R: 10-23/25-37/38- 41 S: (1/2-)26-37/39-45		
607-206-00-5	isopropyl chloroacetate	203-301-7	105-48-6	R10 T; R25 Xi; R36/37/ 38	T R: 10-25-36/37/38 S: (1/2-)26-37/39-45		
607-207-00-0	haloxyfop-etotyl (ISO) 2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate; haloxyfop-(2-ethoxyethyl)	402-560-5	87237-48-7	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-36-60-61		
607-208-00-6	4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers	403-000-2	91853-67-7	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)37/39-60-61		
607-209-00-1	reaction mass of O,O'-diisopropyl (pentathio)dithioformate and O,O'-diisopropyl (trithio)dithioformate and O,O'-diisopropyl (tetrathio)dithioformate	403-030-6	—	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-210-00-7	methyl acrylamidoglycolate (containing $\geq 0,1$ % acrylamide)	403-230-3	77402-05-2	Carc. Cat. 2; R45 Muta. Cat. 2; R46 C; R34 R43	T R: 45-46-34-43 S: 53-45		
607-211-00-2	methyl 3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionate	403-270-1	6386-39-6	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)36-61		
607-212-00-8	poly(oxypropylenecarbonyl-co-oxy(ethylethylene)carbonyl), containing 27 % hydroxyvalerate	403-300-3	—	R43	Xi R: 43 S: (2-)24-37		
607-213-00-3	ethyl 3,3-bis(<i>tert</i> -pentylperoxy)butyrate	403-320-2	67567-23-1	E; R2 \otimes O; R7 R10 N; R51-53	E; N R: 2-7-10-51/53 S: (2-)3/7-14-33-36/ 37/39-61		
607-214-00-9	N,N-hydrazinodiacetic acid	403-510-5	19247-05-3	T; R25 Xn; R48/22 R43 R52-53	T R: 25-43-48/22-52/ 53 S: (1/2-)26-36/37/39- 45-61		
607-215-00-4	3-(3- <i>tert</i> -butyl-4-hydroxyphenyl)propionic acid	403-920-4	107551-67-7	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)25-26-36		
607-216-00-X	glutamic acid, reaction products with N-(C ₁₂₋₁₄ alkyl)propylenediamine	403-950-8	—	T+; R26 Xn; R22 C; R34 N; R50-53	T+; N R: 22-26-34-50/53 S: (1/2-)26-36/37/39- 38-45-60-61		
607-217-00-5	2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxaindacen-3-yl)phenoxy)acetate	403-960-2	—	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
607-218-00-0	dichlorprop-P (ISO); (+)-R-2-(2,4-dichlorophenoxy)propionic acid	403-980-1	15165-67-0	Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43 S: (2-)24-26-37/39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-219-00-6	bis(2-ethylhexyl) dithiodiacetate	404-510-8	62268-47-7	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)24/25-37-61		
607-221-00-7	6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphenalen-1-yl)naphthalene-2-carboxylic acid	404-550-6	—	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
607-222-00-2	6-(2,3-dimethylmaleimido)hexyl methacrylate	404-870-6	63740-41-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-223-00-8	transfluthrin (ISO); 2,3,5,6-tetrafluorobenzyl <i>trans</i> -2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate	405-060-5	118712-89-3	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)36/37-60-61		
607-224-00-3	methyl 2-(3-nitrobenzylidene)acetoacetate	405-270-7	39562-17-9	Xi; R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
607-225-00-9	3-azidosulfonylbenzoic acid	405-310-3	15980-11-7	E; R2 Xn; R48/22 Xi; R41 R43	E; Xn R: 2-41-43-48/22 S: (2-)22-26-35-36/ 37/39		
607-226-00-4	reaction mass of 2-acryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate and 2-methacryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate	405-360-6	—	Xi; R38-41 R43 R52-53	Xi R: 38-41-43-52/53 S: (2-)24-26-37/39-61		
607-227-00-X	potassium 2-amino-2-methylpropionate octahydrate	405-560-3	120447-91-8	Xn; R22 C; R35	C R: 22-35 S: (1/2-)26-28-36/37/ 39-45		
607-228-00-5	bis(2-methoxyethyl) phthalate	204-212-6	117-82-8	Repr. Cat. 2; R61 Repr. Cat. 3; R62	T R: 61-62 S: 53-45		
607-229-00-0	diethylcarbamoyl chloride	201-798-5	88-10-8	Carc. Cat. 3; R40 Xn; R20/22 Xi; R36/37/ 38	Xn R: 20/22-36/37/38- 40 S: (2-)26-36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-230-00-6	2-ethylhexanoic acid	205-743-6	149-57-5	Repr. Cat. 3; R63	Xn R: 63 S: (2-)36/37		
607-231-00-1	3,6-dichloropyridine-2-carboxylic acid; clopyralid	216-935-4	1702-17-6	Xi; R41 N; R51-53	X; N R: 41-51/53 S: (2-)26-39-61		
607-232-00-7	pyridate (ISO); O-(6-chloro-3-phenylpyridazin-4-yl) S-octyl thiocarbonate	259-686-7	55512-33-9	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
607-233-00-2	hexyl acrylate	219-698-5	2499-95-8	Xi; R36/37/ 38 R43 N; R51-53	Xi; N R: 36/37/38-43-51/ 53 S: (2-)24-26-37-61		
607-234-00-8	flurenol (ISO); 9-hydroxy-9H-fluorene-9-carboxylic acid	207-397-1	467-69-6	N; R51-53	N R: 51/53 S: 61		
607-235-00-3	mecrilate; methyl 2-cyanoacrylate	205-275-2	137-05-3	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)23-24/25-26	Xi; R36/37/38: C ≥ 10 %	
607-236-00-9	ethyl 2-cyanoacrylate	230-391-5	7085-85-0	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)23-24/25-26	Xi; R36/37/38: C ≥ 10 %	
607-237-00-4	benzyl 2-chloro-4-(trifluoromethyl)thiazole-5-carboxylate; flurazole	276-942-3	72850-64-7	N; R51-53	N R: 51/53 S: 61		
607-238-00-X	tau-fluvalinate (ISO); cyano-(3-phenoxyphenyl)methyl N-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate	—	102851-06-9	Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-50/53 S: (2-)24-59-61		
607-239-00-5	fenpropathrin (ISO); α-cyano-3-phenoxybenzyl 2,2,3,3-tetramethylcyclopropane-carboxylate;	254-485-0	39515-41-8	T+; R26 T; R25 Xn; R21 N; R50-53	T+; N R: 21-25-26-50/53 S: (1/2-)28-36/37-38- 45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-240-00-0	<i>cis</i> -1,2,3,6-tetrahydro-4-methylphthalic anhydride; [1] 1,2,3,6-tetrahydro-4-methylphthalic anhydride; [2] 1,2,3,6-tetrahydro-3-methylphthalic anhydride; [3] tetrahydromethylphthalic anhydride; [4] 1,2,3,6-tetrahydromethylphthalic anhydride; [5] tetrahydro-4-methylphthalic anhydride; [6] 2,3,5,6-tetrahydro-2-methylphthalic anhydride [7]	216-906-6 [1] 222-323-8 [2] 226-247-6 [3] 234-290-7 [4] 247-830-1 [5] 251-823-9 [6] 255-853-3 [7]	1694-82-2 [1] 3425-89-6 [2] 5333-84-6 [3] 11070-44-3 [4] 26590-20-5 [5] 34090-76-1 [6] 42498-58-8 [7]	Xi; R41 R42/43	Xn R: 41-42/43 S: (2-)22-24-26-37/39		C
607-241-00-6	hexahydro-4-methylphthalic anhydride; [1] hexahydromethylphthalic anhydride; [2] hexahydro-1-methylphthalic anhydride; [3] hexahydro-3-methylphthalic anhydride [4]	243-072-0 [1] 247-094-1 [2] 256-356-4 [3] 260-566-1 [4]	19438-60-9 [1] 25550-51-0 [2] 48122-14-1 [3] 57110-29-9 [4]	Xi; R41 R42/43	Xn R: 41-42/43 S: (2-)22-24-26-37/39		C
607-242-00-1	tetrachlorophthalic anhydride	204-171-4	117-08-8	Xi; R41 R42/43 N; R50-53	Xn; N R: 41-42/43-50/53 S: (2-)22-24-26-37/ 39-60-61		
607-243-00-7	sodium 3,6-dichloro- <i>o</i> -anisate; [1] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2,2'-iminodiethanol (1:1); [2] 3,6-dichloro- <i>o</i> -anisic acid, compound with 2-aminoethanol (1:1) [3]	217-846-3 [1] 246-590-5 [2] 258-527-9 [3]	1982-69-0 [1] 25059-78-3 [2] 53404-28-7 [3]	R52-53	R: 52/53 S: 61		
607-244-00-2	isooctyl acrylate	249-707-8	29590-42-9	Xi; R36/37/ 38 N; R50-53	Xi; N R: 36/37/38-50/53 S: (2-)26-28-60-61	Xi; R36/37/38: C ≥ 10 %	
607-245-00-8	<i>tert</i> -butyl acrylate	216-768-7	1663-39-4	F; R11 Xn; R20/21/ 22 Xi; R37/38 R43 N; R52-53	F; Xn R: 11-20/21/22-37/ 38-43-52/53 S: (2-)16-25-37-61		D

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-246-00-3	allyl methacrylate; 2-methyl-2-propenoic acid 2-propenyl ester	202-473-0	96-05-9	R10 T; R23 Xn; R21/22 N; R50	T; N R: 10-21/22-23-50 S: (1/2-)36/37-45-61		
607-247-00-9	dodecyl methacrylate	205-570-6	142-90-5	Xi; 36/37/38 N; R50-53	Xi; N R: 36/37/38-50/53 S: (2-)26-28-60-61	Xi; R36/37/38: C ≥ 10 %	
607-248-00-4	naptalam-sodium (ISO); sodium N-naphth-1-ylphthalamate	205-073-4	132-67-2	Xn; R22	Xn R: 22 S: (2-)		
607-249-00-X	(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate	256-032-2	42978-66-5	Xi; R36/37/ 38 R43 N; R51-53	Xi; N R: 36/37/38-43-51/ 53 S: (2-)24-37-61	Xi; R36/37/38: C ≥ 10 %	
607-250-00-5	4H-3,1-benzoxazine-2,4(1H)-dione	204-255-0	118-48-9	Xi; R36 R43	Xi R: 36-43 S: (2-)24-26-37		
607-251-00-0	2-methoxypropyl acetate	274-724-2	70657-70-4	R10 Repr. Cat. 2; R61 Xi; R37	T R: 61-10-37 S: 53-45		
607-252-00-6	lambda-cyhalothrin (ISO); reaction mass of (S)-α-cyano-3-phenoxybenzyl(Z)-(1R)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate and (R)-α-cyano-3-phenoxybenzyl (Z)-(1S)-cis-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1)	415-130-7	91465-08-6	T+; R26 T; R25 Xn; R21 N; R50-53	T+; N R: 21-25-26-50/53 S: (1/2-)28-36/37/39-38-45-60-61		
607-253-00-1	α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; cyfluthrin	269-855-7	68359-37-5	T+; R28 T; R23 N; R50-53	T+; N R: 23-28-50/53 S: (1/2-)36/37/39-45-60-61		
607-254-00-7	α-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; beta-cyfluthrin	269-855-7	68359-37-5	T+; R26/28 N; R50-53	T+; N R: 26/28-50/53 S: (1/2-)36/37/39-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-255-00-2	fluroxypyr (ISO); 4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid	—	69377-81-7	R52-53	R: 52/53 S: 61		
607-256-00-8	azoxystrobin (ISO); methyl (E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate	—	131860-33-8	T; R23 N; 50-53	T; N R: 23-50/53 S: (1/2-)22-45-60-61		
607-257-00-3	isopropyl propionate	211-300-8	637-78-5	F; R11	F R: 11 S: (2-)16-23-24-29-33		
607-258-00-9	dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate	403-990-6	70950-45-7	R53	R: 53 S: 61		
607-259-00-4	methyl 2R,3S-(-)-3-(4-methoxyphenyl)oxiranecarboxylate	404-130-2	105560-93-8	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
607-260-00-X	ethyl 2-(3-nitrobenzylidene)acetoacetate	404-490-0	39562-16-8	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
607-261-00-5	iso(C ₁₀ -C ₁₄)alkyl (3,5-di-tert-butyl-4-hydroxyphenyl)methylthioacetate	404-800-4	118832-72-7	N; R50-53	N R: 50/53 S: 60-61		
607-262-00-0	7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid	405-050-0	86393-33-1	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
607-263-00-6	potassium iron(III) 1,3-propanediamine-N,N,N',N'-tetraacetate hemihydrate	405-680-6	—	E; R2 N; R51-53	E; N R: 2-51/53 S: (2-)35-61		
607-264-00-1	2-chloro-4-(methylsulfonyl)benzoic acid	406-520-8	53250-83-2	Xi; R41	Xi R: 41 S: (2-)26-39		
607-265-00-7	ethyl-2-chloro-2,2-diphenylacetate	406-580-5	52460-86-3	Xi; R38 R52-53	Xi R: 38-52/53 S: (2-)37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-266-00-2	reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di- <i>tert</i> -butylbenzoate]; 3,5-di- <i>tert</i> -butyl-salicylic acid	406-890-0	130296-87-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-60-61		
607-267-00-8	<i>tert</i> -butyl (5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i>)-3-bromomethyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0] oct-2-ene-2-carboxylate	407-620-4	33610-13-8	R42/43 R52-53	Xn R: 42/43-52/53 S: (2-)22-24-37-61		
607-268-00-3	2-methylpropyl (<i>R</i>)-2-hydroxypropanoate	407-770-0	61597-96-4	Xi; R36	Xi R: 36 S: (2-)26		
607-269-00-9	(<i>R</i>)-2-(4-hydroxyphenoxy)propanoic acid	407-960-3	94050-90-5	Xi; R41	Xi R: 41 S: (2-)26-39		
607-270-00-4	3,9-bis(2-(3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethylethyl)-2,4,8,10-tetraoxaspiro[5.5]undecane	410-730-5	90498-90-1	Xn; R21	Xn R: 21 S: (2-)36/37		
607-271-00-X	2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane	417-420-9	156324-82-2	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
607-272-00-5	fluroxypyr-meptyl (ISO); methylheptyl, <i>O</i> -(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1] fluroxypyr-butometyl (ISO); 2-butoxy-1-methylethyl, <i>O</i> -(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2]	279-752-9 [1] - [2]	81406-37-3 [1] 154486-27-8 [2]	N; R50-53	N R: 50/53 S: 60-61		
607-273-00-0	ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate	404-520-2	—	R52-53	R: 52/53 S: 61		
607-274-00-6	2-(<i>N</i> -benzyl- <i>N</i> -methylamino)ethyl 3-amino-2-butenolate	405-350-1	54527-73-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-275-00-1	sodium benzoyloxybenzene-4-sulfonate	405-450-5	66531-87-1	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-276-00-7	bis[(1-methylimidazol)-(2-ethyl-hexanoate)], zinc complex	405-635-0	—	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61		
607-277-00-2	reaction mass of: 2-(hexylthio)ethylamine hydrochloride; sodium propionate	405-720-2	—	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61		
607-278-00-8	reaction mass of isomers of: sodium phenethylnaphthalene- sulfonate; sodium naphthylethylbenzenesulfonate	405-760-0	—	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
607-279-00-3	reaction mass of <i>n</i> -octadecylaminodiethyl bis(hydrogen maleate); <i>n</i> -octadecylaminodiethyl hydrogen maleate hydrogenphthalate	405-960-8	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-280-00-9	sodium 4-chloro-1-hydroxybutane-1-sulfonate	406-190-5	54322-20-2	Xn; R22 Xi; R36 R43	Xn R: 22-36-43 S: (2-)22-26-36/37		
607-281-00-4	reaction mass of branched and linear C ₇ -C ₉ alkyl 3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl] propionates	407-000-3	127519-17-9	N; R51-53	N R: 51/53 S: 61		
607-282-00-X	2-acetoxymethyl-4-benzoyloxybut-1-yl acetate	407-140-5	131266-10-9	R52-53	R: 52/53 S: 61		
607-283-00-5	<i>E</i> -ethyl-4-oxo-4-phenylcrotonate	408-040-4	15121-89-8	Xn; R21/22 Xi; R38-41 R43 N; R50-53	Xn; N R: 21/22-38-41-43- 50/53 S: (2-)26-36/37/39- 60-61		
607-284-00-0	reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate); lithium 3,3'-(1,4-phenylenebis-(carbonylimino-3,1-propanediyl-imino))bis(10-amino-6,13-dichloro)-4,11-triphenodioxazinedisulfonate (9:1)	410-040-4	136213-76-8	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-285-00-6	reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid; sodium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate; potassium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate	410-065-0	—	R43	Xi R: 43 S: (2-)22-24-37		
607-286-00-1	reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxynaphthyl)azo)phenyl]azo]phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate	410-070-8	141880-36-6	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
607-287-00-7	O'-methyl O-(1-methyl-2-methacryloyloxy-ethyl)-1,2,3,6-tetrahydrophthalate	410-140-8	—	R52-53	R: 52/53 S: 61		
607-288-00-2	Tetrasodium (c-(3-(1-(3-(ε-6-dichloro-5-cyanopyrimidin-f-yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenylsulfamoyl)phthalocyanine-a,b,d-trisulfonato(6-))nickelato II, where a is 1 or 2 or 3 or 4, b is 8 or 9 or 10 or 11, c is 15 or 16 or 17 or 18, d is 22 or 23 or 24 or 25 and where ε and f together are 2 and 4 or 4 and 2 respectively	410-160-7	148732-74-5	Xi; R36 R43 R52-53	Xi R: 36-43-52/53 S: (2-)22-26-36/37-61		
607-289-00-8	3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid	410-370-9	105488-33-3	R53	R: 53 S: 61		
607-290-00-3	reaction mass (ratio not known) of: ammonium 1-C ₁₄ -C ₁₈ -alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate; ammonium 2-C ₁₄ -C ₁₈ -alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate	410-540-2	—	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
607-291-00-9	dodecyl-ω-(C ₅ /C ₆ -cycloalkyl)alkyl carboxylate	410-630-1	104051-92-5	R53	R: 53 S: 61		
607-292-00-4	reaction mass of: [1-(methoxymethyl)-2-(C ₁₂ -alkoxy)-ethoxy]acetic acid; [1-(methoxymethyl)-2-(C ₁₄ -alkoxy)-ethoxy]acetic acid	410-640-6	—	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61		
607-293-00-X	reaction mass of: N-aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate; N-aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate	410-650-0	—	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)26-36/37/39-61		
607-294-00-5	sodium 2-benzoyloxy-1-hydroxyethane-sulfonate	410-680-4	—	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-295-00-0	reaction mass of: tetrasodium phosphonoethane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate	410-800-5	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-296-00-6	reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid	410-830-9	—	R53	R: 53 S: 61		
607-297-00-1	(<i>E—E</i>)-3,3'-(1,4-phenylenedimethylidene)bis(2-oxobornane-10-sulfonic acid)	410-960-6	92761-26-7	Xi; R41	Xi R: 41 S: (2-)26-39		
607-298-00-7	2-(trimethylammonium)ethoxycarboxybenzene-4-sulfonate	411-010-3	—	R43	Xi R: 43 S: (2-)22-36/37		
607-299-00-2	methyl 3-(acetylthio)-2-methyl-propanoate	411-040-7	97101-46-7	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
607-300-00-6	trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-(<i>b</i> -sulfamoyl- <i>c</i> , <i>d</i> -sulfonatophthalocyanin- <i>a</i> -yl-K4,N29,N30,N31,N32-sulfonylamino)benzoato(5-)]cuprate(II) where <i>a</i> =1,2,3,4 <i>b</i> =8,9,10,11 <i>c</i> =15,16,17,18 <i>d</i> =22,23,24,25	411-430-7	—	Xi; R41 R43	Xi R: 41-43 S: (2-)26-36/37/39		
607-301-00-1	reaction mass of: dodecanoic acid; poly(1-7)lactate esters of dodecanoic acid	411-860-5	—	R43 N; R51-53	Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61		
607-302-00-7	reaction mass of: tetradecanoic acid; poly(1-7)lactate esters of tetradecanoic acid	411-910-6	—	Xi; R38-41 R43 N; R51-53	Xi; N R: 38-41-43-51/53 S: (2-)24-26-37/39-61		
607-303-00-2	1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid	413-760-7	93107-30-3	Repr. Cat. 3; R62 R52-53	Xn R: 62-52/53 S: (2-)22-36/37-61		
607-304-00-8	fluazifop-butyl (ISO); butyl (RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate	274-125-6	69806-50-4	Repr. Cat. 2; R61 N; R50-53	T; N R: 61-50/53 S: 53-45-60-61		
607-305-00-3	fluazifop-P-butyl (ISO); butyl (R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate	—	79241-46-6	Repr. Cat. 3; R63 N; R50-53	Xn; N R: 50/53-63 S: (2-)29-36/37-46-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-306-00-9	chlozolate (ISO); ethyl (RS)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate	282-714-4	84332-86-5	Carc. Cat. 3; R40 N; R51-53	Xn; N R: 40-51/53 S: (2-)36/37-61		
607-307-00-4	vinclozolin (ISO); N-3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione	256-599-6	50471-44-8	Carc. Cat. 3; R40 Repr. Cat. 2; R60-61 R43 N; R51-53	T; N R: 60-61-40-43-51/ 53 S: 53-45-61		
607-308-00-X	esters of 2,4-D	—	—	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)26-29-36/37- 46-60-61		A
607-309-00-5	carfentrazone-ethyl (ISO); ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]propionate	—	128639-02-1	N; R50-53	N R: 50/53 S: 60-61		
607-310-00-0	kresoxim-methyl (ISO); methyl (E)-2-methoxyimino-[2-(o-tolyloxymethyl)phenyl]acetate	—	143390-89-0	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		
607-311-00-6	benazolin-ethyl; ethyl 4-chloro-2-oxo-2H-benzothiazole-3-acetate	246-591-0	25059-80-7	N; R51-53	N R: 51/53 S: 61		
607-312-00-1	methoxyacetic acid	210-894-6	625-45-6	Repr. Cat. 2; R60-61 Xn; R22 C; R34	T R: 60-61-22-34 S: 53-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	E
607-313-00-7	neodecanoyl chloride	254-875-0	40292-82-8	T+; R26 Xn; R22 C; R34	T+ R: 22-26-34 S: (1/2-)26-28-36/37/ 39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
607-314-00-2	ethofumesate (ISO); (±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-yl methanesulfonate	247-525-3	26225-79-6	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-315-00-8	glyphosate (ISO); N-(phosphonomethyl)glycine	213-997-4	1071-83-6	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
607-316-00-3	glyphosate-trimesium; glyphosate-trimethylsulfonium	—	81591-81-3	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)36/37-46-61		
607-317-00-9	bis(2-ethylhexyl) phthalate; di-(2-ethylhexyl) phthalate; DEHP	204-211-0	117-81-7	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45		
607-318-00-4	dibutyl phthalate; DBP	201-557-4	84-74-2	Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50	T; N R: 61-50-62 S: 53-45-61		
607-319-00-X	deltamethrin (ISO); (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dibromovinyl)- 2,2-dimethylcyclopropanecarboxylate	258-256-6	52918-63-5	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)24-28-36/37/ 39-38-45-60-61		
607-320-00-5	bis[4-(ethenyloxy)butyl] 1,3-benzenedicarboxylate	413-930-0	130066-57-8	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
607-321-00-0	(S)-methyl-2-chloropropionate	412-470-8	73246-45-4	R10 Xn; R48/22 Xi; R36	Xn R: 10-36-48/22 S: (2-)23-26-36		
607-322-00-6	4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid	413-120-7	107144-30-9	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-61		
607-323-00-1	2-(1-(2-hydroxy-3,5-di- <i>tert</i> -pentyl-phenyl)ethyl)-4,6-di- <i>tert</i> - pentylphenyl acrylate	413-850-6	123968-25-2	R53	R: 53 S: 61		
607-324-00-7	reaction mass of: N,N-di(hydrogenated alkyl C ₁₄ -C ₁₈)phtala- mic acid; dihydrogenated alkyl (C ₁₄ -C ₁₈)amine	413-800-3	—	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-325-00-2	(S)-2-chloropropionic acid	411-150-5	29617-66-1	Xn; R21/22 C; R35	C R: 21/22-35 S: (1/2-)23-26-28-36/ 37/39-45		
607-326-00-8	reaction mass of: isobutyl hydrogen 2-(α -2,4,6-trimethylnon-2-enyl)succinate; isobutyl hydrogen 2-(β -2,4,6-trimethylnon-2-enyl)succinate	410-720-0	141847-13-4	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
607-327-00-3	2-(2-iodoethyl)-1,3-propanediol diacetate	411-780-0	127047-77-2	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)36-61		
607-328-00-9	methyl 4-bromomethyl-3-methoxybenzoate	410-310-1	70264-94-7	Xi; R38-41 R43 N; R50-53	Xi; N R: 38-41-43-50/53 S: (2-)26-36/37/39- 60-61		
607-329-00-4	reaction mass of: sodium 2-(C ₁₂₋₁₈ - <i>n</i> -alkyl)amino-1,4-butandioate; sodium 2-octadecenyl-amino-1,4-butandioate	411-250-9	—	R43	Xi R: 43 S: (2-)24-26-37/39		
607-330-00-X	(S)-2,3-dihydro-1H-indole-2-carboxylic acid	410-860-2	79815-20-6	Repr. Cat. 3; R62 Xn; R48/22 R43	Xn R: 43-48/22-62 S: (2-)22-25-26-36/37		
607-331-00-5	reaction mass of: bis(2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-1,10-decanedioate; 1,8-bis[(2,2,6,6-tetramethyl-4-((2,2,6,6-tetramethyl-1-octyloxypiperidin-4-yl)-decan-1,10-dioyl)piperidin-1-yl)oxy]octane	406-750-9	—	R53	R: 53 S: 23-61		
607-332-00-0	cyclopentyl chloroformate	411-460-0	50715-28-1	R10 T; R23 Xn; R22-48/ 22 Xi; R41 R43	T R: 10-22-23-41-43- 48/22 S: (1/2-)26-36/37/39- 45		
607-333-00-6	reaction mass of: dodecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate; tetradecyl N-(2,2,6,6-tetramethylpiperidin-4-yl)- β -alaninate	405-670-1	—	Xn; R22-48/ 22 C; R34 N; R50-53	C; N R: 22-34-48/22-50/ 53 S: (1/2-)26-36/37/39- 45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-334-00-1	ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate	405-880-3	100501-62-0	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
607-335-00-7	methyl (R)-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate	406-250-0	72619-32-0	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
607-336-00-2	4-methyl-8-methylenetricyclo[3.3.1.1 ^{3,7}]dec-2-yl acetate	406-560-6	122760-85-4	Xi; R38 R43 N; R51-53	Xi; N R: 38-43-51/53 S: (2-)36/37-61		
607-337-00-8	di-tert-(C ₁₂₋₁₄)-alkylammonium 2-benzothiazolylthiosuccinate	406-052-4	125078-60-6	R10 Xn; R22 Xi; R38-41 N; R51-53	Xn; N R: 10-22-38-41-51/ 53 S: (2-)26-37/39-61		
607-338-00-3	2-methylpropyl 2-hydroxy-2-methylbut-3-enoate	406-235-9	72531-53-4	Xi; R36/38	Xi R: 36/38 S: (2-)26-37		
607-339-00-9	2,3,4,5-tetrachlorobenzoylchloride	406-760-3	42221-52-3	Xn; R22 C; R34 R43	C R: 22-34-43 S: (1/2-)26-36/37/39-45		
607-340-00-4	1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate	406-990-4	—	N; R51-53	N R: 51/53 S: 61		
607-341-00-X	(9S)-9-amino-9-deoxyerythromycin	406-790-7	26116-56-3	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
607-342-00-5	4-chlorobutyl veratrate	410-950-1	69788-75-6	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
607-343-00-0	4,7-methanooctahydro-1H-indene-diyldimethyl bis(2-carboxybenzoate)	407-410-2	—	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-344-00-6	reaction mass of: 3-(N-(3-dimethylaminopropyl)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid; N-[dimethyl-3-(C ₄₋₈ -perfluoroalkylsulfonamido)propylammonium propionate; 3-(N-(3-dimethyl-propylammonium)-(C ₄₋₈)perfluoroalkylsulfonamido)propionic acid propionate	407-810-7	—	Xn; R48/22	Xn R: 48/22 S: (2-)21-22-36/37		
607-345-00-1	potassium 2-(2,4-dichlorophenoxy)-(R)-propionate	413-580-9	113963-87-4	Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43 S: (2-)24-26-37/39		
607-346-00-7	3-icosyl-4-henicosylidene-2-oxetanone	401-210-9	83708-14-9	R53	R: 53 S: 61		
607-347-00-2	sodium (R)-2-(2,4-dichlorophenoxy)propionate	413-340-3	119299-10-4	Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43 S: (2-)22-26-36/37/39		
607-348-00-8	magnesium bis((R)-2-(2,4-dichlorophenoxy)propionate)	413-360-2	—	Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43 S: (2-)22-26-36/37/39		
607-349-00-3	mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate	411-270-8	—	R52-53	R: 52/53 S: 61		
607-350-00-9	bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane	412-060-9	136210-32-7	R43 R52-53	Xi R: 43-52/53 S: (2-)36/37-61		
607-351-00-4	methyl O-(4-amino-3,5-dichloro-6-fluoropyridin-2-yloxy)acetate	407-550-4	69184-17-4	N; R51-53	N R: 51/53 S: 20/21-61		
607-352-00-X	4,4'-oxydiphthalic anhydride	412-830-4	1823-59-2	R52-53	R: 52/53 S: 61		
607-353-00-5	reaction mass of: ethyl <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>endo</i> -2-carboxylate; ethyl <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane- <i>exo</i> -2-carboxylate	407-520-0	80657-64-3	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
607-354-00-0	ethyl 2-cyclohexylpropionate	412-280-5	2511-00-4	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-355-00-6	p-tolyl 4-chlorobenzoate	411-530-0	15024-10-9	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
607-356-00-1	ethyl trans-2,2,6-trimethylcyclohexanecarboxylate	412-540-8	—	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
607-357-00-7	reaction mass of: trans-4-acetoxy-4-methyl-2-propyl-tetrahydro-2H-pyran; cis-4-acetoxy-4-methyl-2-propyl-tetrahydro-2H-pyran	412-450-9	131766-73-9	R43	Xi R: 43 S: (2-)24-37		
607-358-00-2	(1S,3S,5R,6R)-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate	412-670-5	54275-93-3	R42	Xn R: 42 S: (2-)22		
607-359-00-8	(1S,4R,6R,7R)-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate	412-800-0	76109-32-5	R42	Xn R: 42 S: (2-)22		
607-360-00-3	sodium 3-acetoacetyl-amino-4-methoxytolyl-6-sulfonate	411-680-7	133167-77-8	R43	Xi R: 43 S: (2-)24-37		
607-361-00-9	methyl (R)-2-(4-hydroxyphenoxy)propionate	411-950-4	96562-58-2	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
607-362-00-4	reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate	413-500-2	—	Xi; R38-41 N; R51-53	Xi; N R: 38-41-51/53 S: (2-)26-37/39-61		
607-363-00-X	methyl-3-methoxyacrylate	412-900-4	5788-17-0	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-364-00-5	3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxas-indacen-2,6-dione	413-330-9	134724-55-3	R53	R: 53 S: 61		
607-365-00-0	2-(2-amino-1,3-thiazol-4-yl)-(Z)-2-methoxyiminoacetyl chloride hydrochloride	410-620-7	119154-86-8	Xn; R22 C; R34 R43	C R: 22-34-43 S: (1/2-)22-26-36/37/ 39-45		
607-366-00-6	3,5-dimethylbenzoyl chloride	413-010-9	6613-44-1	C; R34 R43	C R: 34-43 S: (1/2-)26-36/37/39- 45		
607-367-00-1	potassium bis(N-carboxymethyl)-N-methyl-glycinato-(2-)N,O,O,N-ferrate-(1-) monohydrate	411-640-9	153352-59-1	Xn; R22	Xn R: 22 S: (2-)37		
607-368-00-7	1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5-carbomethoxyethylthio-1H-1,2,4-triazole	411-650-3	110895-43-7	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)37-38-45-60- 61		
607-369-00-2	reaction mass of: <i>trans</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; <i>cis</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid	411-660-8	147027-04-1	Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43 S: (2-)22-24-26-37/39		
607-370-00-8	2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-dimethylethyl)-4-methylphenol	412-210-3	41620-33-1	N; R50-53	N R: 50/53 S: 60-61		
607-371-00-3	3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2H)isindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate	413-410-3	88150-62-3	R53	R: 53 S: 61		
607-372-00-9	ethoxylated bis phenol A di-(norbornene carboxylate)	412-410-0	—	R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-373-00-4	(±) tetrahydrofurfuryl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	414-200-4	119738-06-6	Muta. Cat. 3; R68 Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xn; R22-48/ 22 N; R50-53	T; N R: 61-22-48/22-62- 68-50/53 S: 53-45-60-61		E
607-374-00-X	5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride	417-220-1	37441-29-5	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-36/37-61		
607-375-00-5	reaction mass of: <i>cis</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin; <i>trans</i> -4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin	421-960-0	90035-08-8	T+; R26/27/ 28 T; R48/23/ 24/25 N; R50-53	T+; N R: 26/27/28-48/23/ 24/25-50/53 S: (1/2-)28-36/37/39- 45-60-61		
607-376-00-0	benzyl 2,4-dibromobutanoate	420-710-8	23085-60-1	Repr. Cat. 3; R62 Xi; R38 R43 N; R50-53	Xn; N R: 38-43-62-50/53 S: (2-)23-36/37-41- 60-61		
607-377-00-6	<i>trans</i> -4-cyclohexyl-L-proline monohydrochloride	419-160-1	90657-55-9	Repr. Cat. 3; R62 Xn; R22 Xi; R38-41 R43	Xn R: 22-38-41-43-62 S: (2-)22-26-36/37/39		
607-378-00-1	ammonium (<i>Z</i>)- α -methoxyimino-2-furylacetate	405-990-1	97148-39-5	F; R11	F R: 11 S: (2-)22-43		
607-379-00-7	reaction mass of: 2-[N-(2-hydroxyethyl)stearamido]ethyl stearate; sodium [bis[2-(stearoyloxy)ethyl]amino]methylsulfonate; sodium [bis(2-hydroxyethyl)amino]methylsulfonate; N,N-bis(2-hydroxyethyl)stearamide	401-230-8		R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-380-00-2	reaction mass of: ammonium-1,2-bis(hexyloxycarbonyl)ethanesulfonate; ammonium-1-hexyloxycarbonyl-2-octyloxycarbonylethanesulfonate; ammonium-2-hexyloxycarbonyl-1-octyloxycarbonylethanesulfonate	407-320-3	—	Xi; R38-41 R52-53	Xi R: 38-41-52/53 S: (2-)26-37/39-61		
607-381-00-8	reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with C ₇ -alkanoic acids and 2-ethylhexanoic acid	413-710-4	—	R53	R: 53 S: 61		
607-382-00-3	2-((4-amino-2-nitrophenyl)amino)benzoic acid	411-260-3	117907-43-4	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
607-383-00-9	reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate; 2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate	415-430-8	86403-32-9	Xi; R41 R43 N; R50-53	Xi; N R: 41-43-50/53 S: (2-)24-26-37/39-60-61		
607-384-00-4	reaction mass of: esters of C ₁₄ -C ₁₅ branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid; C ₁₅ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate; C ₁₃ branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate	413-750-2	171090-93-0	R53	R: 53 S: 61		
607-385-00-X	Copolymer of vinyl-alcohol and vinyl acetate partially acetylated with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate	414-590-6	125229-74-5	N; R51-53	N R: 51/53 S: 61		
607-386-00-5	reaction mass of: tetradecanoic acid (42.5-47.5 %); poly(1-7)lactate esters of tetradecanoic acid (52.5-57.5 %)	412-580-6	174591-51-6	Xi; R38-41 R43 N; R50-53	Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61		
607-387-00-0	reaction mass of: dodecanoic acid (35-40 %); poly(1-7)lactate esters of dodecanoic acid (60-65 %)	412-590-0	58856-63-6	Xi; R38-41 R43 N; R50-53	Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61		
607-388-00-6	4-ethylamino-3-nitrobenzoic acid	412-090-2	2788-74-1	Xn; R22 R43 R52-53	Xn R: 22-43-52/53 S: (2-)22-24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-389-00-1	trisodium N,N-bis(carboxymethyl)-3-amino-2-hydroxypropionate	414-130-4	119710-96-2	Xn; R22	Xn R: 22 S: (2-)22		
607-390-00-7	1,2,3,4-tetrahydro-6-nitro-quinoxaline	414-270-6	41959-35-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-61		
607-391-00-2	dimethylcyclopropane-1,1-dicarboxylate	414-240-2	6914-71-2	R52-53	R: 52/53 S: 61		
607-392-00-8	2-phenoxyethyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-dimethyl-6-oxo-3-pyridinyl)azo)benzoate	414-260-1	88938-37-8	R53	R: 53 S: 61		
607-393-00-3	3-(cis-1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid	415-750-8	106447-44-3	R43	Xi R: 43 S: (2-)22-24-37		
607-394-00-9	5-methylpyrazine-2-carboxylic acid	413-260-9	5521-55-1	Xi; R41	Xi R: 41 S: (2-)26-39		
607-395-00-4	reaction mass of: sodium 1-tridecyl-4-allyl-(2 or 3)-sulfobutanoate; sodium 1-dodecyl-4-allyl-(2 or 3)-sulfobutanoate	410-230-7	—	C; R34 R43 N; R51-53	C; N R: 34-43-51/53 S: (1/2-)26-36/37/39-45-61		
607-396-00-X	bis(1,2,2,6,6-pentamethyl-4-piperidinyl) 2-(4-methoxybenzylidene)malonate	414-840-4	147783-69-5	N; R50-53	N R: 50/53 S: 22-60-61		
607-397-00-5	reaction mass of: Ca salicylates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca phenates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated); Ca sulfurized phenates (branched C ₁₀₋₁₄ and C ₁₈₋₃₀ alkylated)	415-930-6	—	R43	Xi R: 43 S: (2-)36/37		
607-398-00-0	ethyl N-(5-chloro-3-(4-(diethylamino)-2-methylphenylimino)-4-methyl-6-oxo-1,4-cyclohexadienyl)carbamate	414-820-5	125630-94-6	N; R50-53	N R: 50/53 S: 60-61		
607-399-00-6	2,2-dimethyl 3-methyl-3-butenyl propanoate	415-610-6	104468-21-5	Xi; R38 R52-53	Xi R: 38-52/53 S: (2-)37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-400-00-X	methyl 3-[[[dibutylamino]thioxomethyl]thio]propanoate	414-400-1	32750-89-3	N; R50-53	N R: 50/53 S: 60-61		
607-401-00-5	ethyl 3-hydroxy-5-oxo-3-cyclohexene-1-carboxylate	414-450-4	88805-65-6	Xi; R38-41 R43	Xi R: 38-41-43 S: (2-)24-26-37/39		
607-402-00-0	methyl N-(phenoxy-carbonyl)-L-valinate	414-500-5	153441-77-1	R52-53	R: 52/53 S: 61		
607-403-00-6	reaction mass of: bis(1S,2S,4S)-(1-benzyl-4-tert-butoxycarbonylamido-2-hydroxy-5-phenyl)pentylammonium succinate; isopropyl alcohol	414-810-0	—	Xn; R48/22 Xi; R41 N; R50-53	Xn; N R: 41-48/22-50/53 S: (2-)22-26-36/39-60-61		
607-404-00-1	reaction mass of: ((Z)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid; di-((E)-3,7-dimethyl-2,6-octadienyl) butandioate; di-((Z)-3,7-dimethyl-2,6-octadienyl) butandioate; (Z)-3,7-dimethyl-2,6-octadienyl butandioate; ((E)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid	415-190-4	—	R43	Xi R: 43 S: (2-)24-37		
607-405-00-7	2-hexyldecyl-p-hydroxybenzoate	415-380-7	148348-12-3	N; R51-53	N R: 51/53 S: 61		
607-406-00-2	potassium 2,5-dichlorobenzoate	415-700-5	184637-62-5	Xn; R22 Xi; R41	Xn R: 22-41 S: (2-)26-39		
607-407-00-8	ethyl 2-carboxy-3-(2-thienyl)propionate	415-680-8	143468-96-6	Xi; R38-41 R43	Xi R: 38-41-43 S: (2-)24-26-37/39		
607-408-00-3	potassium N-(4-fluorophenyl)glycinate	415-710-1	184637-63-6	Xn; R48/22 Xi; R41 R43 R52-53	Xn R: 41-43-48/22-52/53 S: (2-)22-26-36/37/39-61		
607-409-00-9	reaction mass of: (3R)-[1S-(1 α , 2 α , 6 β -((2S)-2-methyl-1-oxobutoxy)-8 α)]hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid; inert biomass from <i>Aspergillus terreus</i>	415-840-7	—	R43 R52-53	Xi R: 43-52/53 S: (2-)36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-410-00-4	mono[2-(dimethylamino)ethyl]monohydrogen-2-(hexadec-2-enyl)butanedioate and/or mono[2-(dimethylamino)ethyl]monohydrogen-3-(hexadec-2-enyl)butanedioate	415-880-5	779343-34-9	Xi; R38-41 R43 N; R50-53	Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61		
607-411-00-X	oxiranemethanol, 4-methylbenzene-sulfonate, (S)-	417-210-7	70987-78-9	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xi; R41 R43 N; R51-53	T; N R: 45-41-43-68-51/ 53 S: 53-45-61		
607-412-00-5	ethyl 2-(1-cyanocyclohexyl)acetate	415-970-4	133481-10-4	Xn; R22-48/ 22 R52-53	Xn R: 22-48/22-52/53 S: (2-)36/37-61		
607-413-00-0	trans-4-phenyl-L-proline	416-020-1	96314-26-0	Repr. Cat. 3; R62 R43	Xn R: 43-62 S: (2-)22-36/37		
607-414-00-6	tris(2-ethylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tribenzoate	402-070-1	88122-99-0	R53	R: 53 S: 61		
607-415-00-1	poly-(methyl methacrylate)-co-(butylmethacrylate)-co-(4-acryloxybutyl-isopropenyl- α , α -dimethylbenzyl carbamate)-co-(maleicanhydride)	419-590-1	—	F; R11 R43	F; Xi R: 11-43 S: (2-)24-37-43		
607-416-00-7	4-(2-carboxymethylthio)ethoxy-1-hydroxy-5-isobutyloxycarbonylamino-N-(3-dodecyloxypropyl)-2-naphthamide	420-730-7	—	N; R50-53	N R: 50/53 S: 60-61		
607-418-00-8	2-ethylhexyl 4-aminobenzoate	420-170-3	26218-04-2	N; R50-53	N R: 50/53 S: 60-61		
607-419-00-3	(3'-carboxymethyl-5-(2-(3-ethyl-3H-benzothiazol-2-ylidene)-1-methyl-ethylidene)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinyliden-3-yl)-acetic acid	422-240-9	166596-68-5	Xi; R41 R43	Xi R: 41-43 S: (2-)26-36/37/39		
607-420-00-9	2,2-bis(hydroxymethyl)butanoic acid	424-090-1	10097-02-6	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-421-00-4	cypermethrin <i>cis/trans</i> +/- 40/60; (<i>RS</i>)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	257-842-9	52315-07-8	Xn; R20/22 Xi; R37 N; R50-53	Xn; N R: 20/22-37-50/53 S: (2-)24-36/37/39-60-61		
607-422-00-X	α -cypermethrin	257-842-9	67375-30-8	T; R25 Xn; R48/22 Xi; R37 N; R50-53	T; N R: 25-37-48/22-50/53 S: (2-)36/37/39-45-60-61		
607-423-00-5	esters of mecoprop and of mecoprop-P	—	—	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)13-36/37-60-61		A
607-424-00-0	trifloxystrobin (ISO); (<i>E,E</i>)- α -methoxyimino-[2-[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester	—	141517-21-7	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-46-60-61		
607-425-00-6	metalaxyl (ISO); methyl- <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(methoxyacetyl)-DL-alaninate	260-979-7	57837-19-1	Xn; R22 R43 R52-53	Xn R: 22-43-52/53 S: (2-)13-24-37-46-61		
607-426-00-1	1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1] n-pentyl-isopentylphthalate; [2] di-n-pentyl phthalate; [3] diisopentylphthalate [4]	284-032-2 [1] - [2] 205-017-9 [3] 210-088-4 [4]	84777-06-0 [1] - [2] 131-18-0 [3] 605-50-5 [4]	Repr. Cat. 2; R60-61 N; R50	T; N R: 60-61-50 S: 53-45-61		
607-427-00-7	bromoxynil heptanoate (ISO); 2,6-dibromo-4-cyanophenyl heptanoate	260-300-4	56634-95-8	Repr. Cat. 3; R63 Xn; R20/22 R43 N; R50-53	Xn; N R: 20/22-43-63-50/53 S: (2-)36/37-46-60-61		
607-430-00-3	BBP; benzyl butyl phthalate	201-622-7	85-68-7	Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50-53	T; N R: 61-62-50/53 S: 53-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-431-00-9	prallethrin (ISO); ETOC; 2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	245-387-9	23031-36-9	T; R23 Xn; R22 N; R50-53	T; N R: 22-23-50/53 S: (1/2-)45-60-61		
607-432-00-4	S-metolachlor; reaction mass of (S)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (80-100 %); [1] (R)-2-chloro-N-(2-ethyl-6-methyl-phenyl)-N-(2-methoxy-1-methyl-ethyl)-acetamide (0-20 %) [2]	- [1] - [2]	87392-12-9 [1] 178961-20-1 [2]	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
607-433-00-X	cypermethrin <i>cis/trans</i> +/- 80/20; (RS)- α -cyano-3-phenoxybenzyl (1RS; 3RS; 1RS, 3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	257-842-9	52315-07-8	Xn; R22 Xi; R37/38 R43 N; R50-53	Xn; N R: 22-37/38-43-50/ 53 S: (2-)36/37/39-60-61		
607-434-00-5	mecoprop-P [1] and its salts; (R)-2-(4-chloro-2-methylphenoxy)propionic acid	240-539-0	16484-77-8	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)13-26-37/39-46-61		
607-435-00-0	2S-isopropyl-5R-methyl-1R-cyclohexyl 2,2-dihydroxyacetate	416-810-6	111969-64-3	Xn; R48/22 Xi; R41 N; R51-53	Xn; N R: 41-48/22-51/53 S: (2-)22-26-36/39-61		
607-436-00-6	2-hydroxy-3-(2-ethyl-4-methylimidazolyl)propyl neodecanoate	417-350-9	—	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-28-37/39-60-61		
607-437-00-1	3-(4-aminophenyl)-2-cyano-2-propenoic acid	417-480-6	252977-62-1	R43	Xi R: 43 S: (2-)22-24-37		
607-438-00-7	methyl-2-[(aminosulfonyl)methyl]benzoate	419-010-5	112941-26-1	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)22-26		
607-439-00-2	methyl tetrahydro-2-furancarboxylate	420-670-1	37443-42-8	Xi; R41	Xi R: 41 S: (2-)26-39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-440-00-8	methyl 2-aminosulfonyl-6-(trifluoromethyl)pyridine-3-carboxylate	421-220-7	144740-59-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
607-441-00-3	3-[3-(2-dodecyloxy-5-methylphenylcarbonyl)-4-hydroxy-1-naphthylthio]propionic acid	421-490-6	167684-63-1	R53	R: 53 S: 57-61		
607-442-00-9	benzyl [hydroxy-(4-phenylbutyl)phosphinyl] acetate	416-050-5	87460-09-1	Xi; R41	Xi R: 41 S: (2-)26-36/39		
607-443-00-4	bis(2,4-di-tert-butyl-6-methylphenyl)ethyl phosphate	416-140-4	145650-60-8	R53	R: 53 S: 61		
607-444-00-X	reaction mass of: <i>cis</i> -1,4-dimethylcyclohexyl dibenzoate; <i>trans</i> -1,4-dimethylcyclohexyl dibenzoate	416-230-3	35541-81-2	R53	R: 53 S: 61		
607-445-00-5	Iron (III) tris(4-methylbenzenesulfonate)	420-960-8	77214-82-5	Xi; R41	Xi R: 41 S: (2-)24-26-39		
607-446-00-0	methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate	416-240-8	155522-12-6	R43 R53	Xi R: 43-53 S: (2-)22-24-37-61		
607-447-00-6	sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate	416-370-5	156738-27-1	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
607-448-00-1	2,3,5,6-tetrafluorobenzoic acid	416-800-1	652-18-6	Xi; R38-41	Xi R: 38-41 S: (2-)22-26-37/39		
607-449-00-7	reaction mass of: 4,4',4''-[(2,4,6-trioxo-1,3,5(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i>)-triazine-1,3,5-triyl)tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)iminocarbonyloxy-2,1-ethanediy(ethyl)amino]]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate]; 4,4',4'',4'''-[[5,5'-[carbonylbis(imino(1,5,5-trimethyl-3,1-cyclohexanediy)methylene)]-2,4,6-trioxo-1,3,5(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i>)-triazine-1,1',3,3'-tetrayl]tetrakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediy)iminocarbonyloxy-2,1-ethanediy(ethyl)amino]]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl)naphthalenesulfonate]	417-080-1	—	E; R2 R43 N; R50-53	E; Xi; N R: 2-43-50/53 S: (2-)24-37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-450-00-2	2-mercaptobenzothiazolyl-(Z)-(2-aminothiazol-4-yl)-2-(tert-butoxycarbonyl) isopropoxyiminoacetate	419-040-9	89604-92-2	R53	R: 53 S: 61		
607-451-00-8	4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonaphth-6-ylazo)phenylcarbonylamino]benzenesulfonic acid, sodium salt	417-640-5	161935-19-9	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
607-453-00-9	4-benzyl-2,6-dihydroxy-4-aza-heptylene bis(2,2-dimethyloctanoate)	418-100-1	172964-15-7	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
607-454-00-4	reaction mass of: <i>trans</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid; <i>cis</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid	418-170-3	116193-72-7	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)25-26-39-61		
607-455-00-X	1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethyl-propylamino)-anthraquinone-2-sulfonic acid, sodium/lithiumsalt	419-520-8	172890-93-6	R43	Xi R: 43 S: (2-)22-24-37		
607-456-00-5	3-amino-4-chlorobenzoic acid, hexadecyl ester	419-700-6	143269-74-3	N; R51-53	N R: 51/53 S: 61		
607-457-00-0	tetrasodium dihydrogen 1,1"-dihydroxy-8,8"-[p-phenylbis(imino-{6-[4-(2-aminoethyl)piperazin-1-yl]}-1,3,5-triazine-4,2-diyl-imino))bis(2,2'-azonaphthalene-1',3,6-trisulfonate)	420-350-1	172277-97-3	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
607-458-00-6	reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate; 2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate; 2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenyleneoxy]ethanol]]	420-850-1	—	N; R51-53	N R: 51/53 S: 61		
607-459-00-1	isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino}benzoate	418-930-4	—	R53	R: 53 S: 61		
607-460-00-7	3-tridecyloxy-propyl-ammonium 9-octadecenoate	418-990-1	778577-53-0	Xn; R48/22 Xi; R36/38 N; R50-53	Xn; N R: 36/38-48/22-50/53 S: (2-)23-26-37/39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-461-00-2	reaction mass of: pentasodium 2-[4-{3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino]-benzene-1,4-disulfonate; pentasodium 2-[4-{3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino]-benzene-1,4-disulfonate	421-160-1	—	R52-53	R: 52/53 S: 61		
607-462-00-8	reaction mass of: 1-hexyl acetate; 2-methyl-1-pentyl acetate; 3-methyl-1-pentyl acetate; 4-methyl-1-pentyl acetate; other mixed linear and branched C ₆ -alkyl acetates	421-230-1	88230-35-7	N; R51-53	N R: 51/53 S: 61		
607-463-00-3	3-(phenothiazin-10-yl)propionic acid	421-260-5	362-03-8	N; R51-53	N R: 51/53 S: 24/25-61		
607-464-00-9	reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid; 5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid	421-280-4		R52-53	R: 52/53 S: 61		
607-465-00-4	tris(2-hydroxyethyl)ammonium 7-[4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxy-phenylazo)naphthalene-1,3-disulfonate	421-440-3	778583-04-3	R52-53	R: 52/53 S: 61		
07-466-00-X	reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl]-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxycarbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1H-2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate	421-480-1	—	N; R51-53	N R: 51/53 S: 37/39-61		
607-467-00-5	1,1,3,3-tetrabutyl-1,3-ditinoxidicaprlylate	419-430-9	56533-00-7	Xn; R21/22-48/22 C; R34 N; R50-53	C; N R: 21/22-34-48/22-50/53 S: (1/2-)26-36/37/39-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-468-00-0	reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate; tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate	419-450-8	—	R43	Xi R: 43 S: (2-)22-24-37		
607-469-00-6	disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate	419-460-2	120029-06-3	R52-53	R: 52/53 S: 61		
607-470-00-1	potassium sodium 6,13-dichloro-3,10-bis{2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate	414-100-0	154336-20-6	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)39-22-26-61		
607-472-00-2	ammonium iron(III) trimethylenediaminetetraacetate hemihydrate	400-660-3	111687-36-6	N; R51-53	N R: 51/53 S: 61		
607-474-00-3	(4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid	410-430-4	117573-89-4	R53	R: 53 S: 61		
607-475-00-9	reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1)	412-940-2	148878-18-6	R43	Xi R: 43 S: (2-)22-24-37		
607-476-00-4	trisodium N,N-bis(carboxymethyl)-β-alanine	414-070-9	129050-62-0	C; R34 R52-53	C R: 34-52/53 S: (1/2-)26-36/37/39-45-61		
607-478-00-5	tetramethylammonium hydrogen phthalate	416-900-5	79723-02-7	T; R25 Xn; R48/22 N; R50	T; N R: 25-48/22-50 S: (1/2-)25-36-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-479-00-0	hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate	418-550-9	168689-49-4	R53	R: 53 S: 61		
607-480-00-6	1,2-benzenedicarboxylic acid; di-C ₇₋₁₁ -branched and linear alkylesters	271-084-6	68515-42-4	Repr. Cat. 2; R61 Repr. Cat. 3; R62	T R: 61-62 S: 53-45		
607-487-00-4	reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate	402-660-9	—	Repr. Cat. 2; R61 R52-53	T R: 61-52/53 S: 53-45-61		
607-488-00-X	ethyl (2-acetylamino-5-fluoro-4-isothiocyanatophenoxy)acetate	414-210-9	147379-38-2	N; R50-53	N R: 50/53 S: 60-61		
607-489-00-5	reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate; 2-ethylhexyl epoxyoleate; 2-ethylhexyl diepoxylinoleate; 2-ethylhexyl triepoxylinolenate	414-890-7	71302-79-9	R43	Xi R: 43 S: (2-)24-37		
607-490-00-0	N-[2-hydroxy-3-(C ₁₂₋₁₆ -alkyloxy)propyl]-N-methyl glycinate	415-060-7	—	Xi; R41 R43	Xi R: 41-43 S: (2-)24-26-37/39		
607-492-00-1	2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate	415-490-5	141773-73-1	N; R51-53	N R: 51/53 S: 61		
607-493-00-7	methyl (3aR,4R,7aR)-2-methyl-4-(1S,2R,3-triacetoxypropyl)-3a,7a-dihydro-4H-pyrano[3,4-d]oxazole-6-carboxylate	415-670-3	78850-37-0	Xi; R41	Xi R: 41 S: (2-)26-39		
607-494-00-2	bis(2-ethylhexyl)octylphosphonate	417-170-0	52894-02-7	N; R50-53	N R: 50/53 S: 60-61		
607-495-00-8	sodium 4-sulfophenyl-6-((1-oxononyl)amino)hexanoate	417-550-6	168151-92-6	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-496-00-3	2,2'-methylenebis(4,6-di- <i>tert</i> -butyl-phenyl)-2-ethylhexyl phosphite	418-310-3	126050-54-2	R53	R: 53 S: 61		
607-497-00-9	cerium oxide isostearate	419-760-3	—	R53	R: 53 S: 61		
607-498-00-4	(<i>E</i>)-3,7-dimethyl-2,6-octadienylhexadecanoate	421-370-3	3681-73-0	Xi; R38 R53	Xi R: 38-53 S: (2-)37-61		
607-499-00-X	bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediyl-bis(2-hexadecenylsuccinate)	421-660-1	—	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61		
607-500-00-3	calcium 2,2-bis[(5-tetrapropylene-2-hydroxy)phenyl]ethanoate	421-670-4	—	Xi; R38 N; R50-53	Xi; N R: 38-50/53 S: (2-)37-60-61		
607-501-00-9	reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	421-820-9	192268-65-8	R53	R: 53 S: 61		
607-502-00-4	(<i>N</i> -benzyl- <i>N,N,N</i> -tributyl)ammonium 4-dodecylbenzenesulfonate	422-200-0	178277-55-9	C; R34 Xn; R22 N; R51-53	C; N R: 22-34-51/53 S: (1/2-)26-36/37/39-45-61		
607-503-00-X	2,4,6-tri- <i>n</i> -propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorane	422-210-5	68957-94-8	C; R34	C R: 34 S: (1/2-)26-36/37/39-45		
607-505-00-0	pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonato-ethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate	422-930-1		R52-53	R: 52/53 S: 22-61		
607-506-00-6	reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1 <i>H</i> -pyrazol-4-yl)azo)-5-methyl)benzenesulfonate; disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1 <i>H</i> -pyrazol-4-yl)azo)-5-methyl)benzenesulfonate	422-970-8		N; R51-53	N R: 51/53 S: 22-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-507-00-1	potassium,sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonato-phenylazo]-benzenesulfonate	422-980-2	187026-95-5	Xi; R41	Xi R: 41 S: (2-)22-26-39		
607-508-00-7	disodium 3,3'-[iminobis[sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylene-sulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)]	423-110-4	—	Xi; R41	Xi R: 41 S: (2-)22-26-39		
607-512-00-9	trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl]phenylazo]benzenesulfonate	423-970-0	182926-43-8	R52-53	R: 52/53 S: 22-61		
607-513-00-4	reaction mass of: Trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid sodium salt; 5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid	423-200-3	—	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)22-26-36/37/ 39-61		
607-515-00-5	reaction mass of: disodium hexyldiphenyl ether disulphonate; disodium dihexyldiphenyl ether disulphonate	429-650-7	147732-60-3	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
607-516-00-0	N,N'-bis(trifluoroacetyl)-S,S'-bis-L-homocysteine	429-670-6	105996-54-1	Xi; R41 R43	Xi R: 41-43 S: (2-)24-26-37/39		
607-517-00-6	(S)- α -(acetylthio)benzenepropanoic acid	430-300-0	76932-17-7	Xn; R22 Xi; R41 R43	Xn R: 22-41-43 S: (2-)22-26-36/37/39		
607-526-00-5	cartap (ISO); 1,3-bis(carbamoylthio)-2-(dimethylamino)propane	—	15263-53-3	N; R50-53	N R: 50/53 S: 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
607-527-00-0	reaction mass of: 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-tridecafluorooctyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heptdecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-tridecafluorooctyl)-12-(1''H,1''H,2''H,2''H-pentacosafuorotetradecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heptadecafluorodecyl)dodecanedioate; 1-(1'H,1'H,2'H,2'H-heptadecafluorodecyl)-12-(1''H,1''H,2''H,2''H-heneicosafuorododecyl)dodecanedioate	423-180-6	—	Xn; R48/22	Xn R: 48/22 S: (2-)36		
608-001-00-3	acetonitrile; cyanomethane	200-835-2	75-05-8	F; R11 Xn; R20/21/ 22 Xi; R36	F; Xn R: 11-20/21/22-36 S: (2-)16-36/37		
608-002-00-9	trichloroacetonitrile	208-885-7	545-06-2	T; R23/24/25 N; R51-53	T; N R: 23/24/25-51/53 S: (1/2-)45-61		
608-003-00-4	acrylonitrile	203-466-5	107-13-1	F; R11 Carc. Cat. 2; R45 T; R23/24/25 Xi; R37/38- 41 R43 N; R51-53	F; T; N R: 45-11-23/24/25- 37/38-41-43-51/53 S: - 53-45-61	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 %	D E
608-004-00-X	2-hydroxy-2-methylpropionitrile; 2-cyanopropan-2-ol; acetone cyanohydrin	200-909-4	75-86-5	T+; R26/27/ 28 N; R50-53	T+; N R: 26/27/28-50/53 S: (1/2-)7/9-27-45- 60-61		
608-005-00-5	n-butyronitrile	203-700-6	109-74-0	R10 ⊗ T; R23/24/25	T R: 10-23/24/25 S: (1/2-)45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
608-006-00-0	bromoxynil (ISO) 3,5-dibromo-4-hydroxybenzonnitrile; bromoxynil phenol	216-882-7	1689-84-5	Repr. Cat. 3; R63 T+; R26 T; R25 R43 N; R50-53	T+; N R: 25-26-43-63-50/ 53 S: (1/2-)27/28-36/37- 45-63-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
608-007-00-6	ioxynil (ISO) 4-hydroxy-3,5-diiodobenzonnitrile	216-881-1	1689-83-4	Repr. Cat. 3; R63 T; R23/25 Xn; R21-48/ 22 Xi; R36 N; R50-53	T; N R: 21-23/25-36-48/ 22-63-50/53 S: (1/2-)36/37-45-60- 61-63	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
608-008-00-1	chloroacetonitrile	203-467-0	107-14-2	T; R23/24/25 N; R51-53	T; N R: 23/24/25-51/53 S: (1/2-)45-61		
608-009-00-7	malononitrile	203-703-2	109-77-3	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)23-27-45-60- 61		
608-010-00-2	methacrylonitrile; 2-methyl-2-propene nitrile	204-817-5	126-98-7	F; R11 T; R23/24/25 R43	F; T R: 11-23/24/25-43 S: (1/2-)9-16-18-29- 45	T; R23/24/25: C ≥ 1 % Xn; R20/21/22: 0,2 % ≤ C < 1 % R43: C ≥ 0,2 %	D
608-011-00-8	oxalonitrile; cyanogen	207-306-5	460-19-5	F; R11 ⊗ T; R23 N; R50-53	F; T; N R: 11-23-50/53 S: (1/2-)23-45-60-61		
608-012-00-3	benzonnitrile	202-855-7	100-47-0	Xn; R21/22	Xn R: 21/22 S: (2-)23		
608-013-00-9	2-chlorobenzonnitrile	212-836-5	873-32-5	Xn; R21/22 Xi; R36	Xn R: 21/22-36 S: (2-)23		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
608-014-00-4	chlorothalonil (ISO); tetrachloroisophthalonitrile	217-588-1	1897-45-6	Carc. Cat. 3; R40 T+; R26 Xi; R41 Xi; R37 R43 N; R50-53	T+; N R: 26-37-40-41-43-50/53 S: (2-)28-36/37/39-45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
608-015-00-X	dichlobenil (ISO); 2,6-dichlorobenzonitrile	214-787-5	1194-65-6	Xn; R21 N; R51-53	Xn; N R: 21-51/53 S: (2-)36/37-61		
608-016-00-5	1,4-Dicyano-2,3,5,6-tetra-chloro-benzene	401-550-8	1897-41-2	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
608-017-00-0	bromoxynil octanoate (ISO); 2,6-dibromo-4-cyanophenyl octanoate	216-885-3	1689-99-2	Repr. Cat. 3; R63 T; R23 Xn; R22 R43 N; R50-53	T; N R: 22-23-43-63-50/53 S: (1/2-)36/37-45-63-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
608-018-00-6	ioxynil octanoate (ISO); 4-cyano-2,6-diiodophenyl octanoate	223-375-4	3861-47-0	Repr. Cat. 3; R63 T; R25 Xi; R36 R43 N; R50-53	T; N R: 25-36-43-63-50/53 S: (1/2-)26-36/37-45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
608-019-00-1	2,2'-dimethyl-2,2'-azodipropionitrile; ADZN	201-132-3	78-67-1	E; R2 F; R11 Xn; R20/22 R52-53	E; Xn R: 2-11-20/22-52/53 S: (2-)39-41-47-61		
608-021-00-2	3-(2-(diaminomethyleneamino)thiazol-4-ylmethylthio)propionitrile	403-710-2	76823-93-3	Xn; R22 R43	Xn R: 22-43 S: (2-)22-24-37		
608-022-00-8	3,7-dimethyloctanenitrile	403-620-3	40188-41-8	Xi; R38 R43 N; R51-53	Xi; N R: 38-43-51/53 S: (2-)36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
608-023-00-3	fenbuconazole (ISO) 4-(4-chlorophenyl)-2-phenyl-2-[(1H-1,2,4-triazol-1-yl)methyl]butanenitrile	406-140-2	114369-43-6	N; R50-53	N R: 50/53 S: 60-61		
608-024-00-9	2-(4-(N-butyl-N-phenethylamino)phenyl)ethylene-1,1,2-tricarbonitrile	407-650-8	97460-76-9	R53	R: 53 S: 61		
608-025-00-4	2-nitro-4,5-bis(benzyloxy)phenylacetonitrile	410-970-0	117568-27-1	R53	R: 53 S: 61		
608-026-00-X	3-cyano-3,5,5-trimethylcyclohexanone	411-490-4	7027-11-4	Xn; R22-48/22 R43 R52-53	Xn R: 22-43-48/22-52/53 S: (2-)36/37-61		
608-027-00-5	reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(2-ethylphenyl)-2,2-dimethylpropanenitrile; 3-(3-ethylphenyl)-2,2-dimethylpropanenitrile	412-660-0	—	N; R51-53	N R: 51/53 S: 61		
608-028-00-0	4-(2-cyano-3-phenylamino-acryloyloxymethyl)-cyclohexylmethyl 2-cyano-3-phenylamino)-acrylate	413-510-7	147374-67-2	Xn; R48/20/21 R43 N; R51-53	Xn; N R: 43-48/20/21-51/53 S: (2-)36/37-61		
608-029-00-6	1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarbonitrile	411-990-2	68612-94-2	R43	Xi R: 43 S: (2-)24-37		
608-030-00-1	N-acetyl-N-[5-cyano-3-(2-dibutylamino-4-phenylthiazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl]benzamide	412-340-0	147741-93-3	N; R50-53	N R: 50/53 S: 60-61		
608-031-00-7	2-benzyl-2-methyl-3-butenitrile	407-870-4	97384-48-0	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
608-033-00-8	N-butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarboximide	407-970-8	75511-91-0	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
608-034-00-3	chlorfenapyr; 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile	—	122453-73-0	T; R23 Xn; R22 N; R50-53	T; N R: 22-23-50/53 S: (1/2-)13-36/37-45-60-61		
608-035-00-9	(±)-α-[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile	419-290-9	—	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
608-036-00-4	3-(2-{4-[2-(4-cyanophenyl)vinyl]phenyl}vinyl)benzotrile	419-060-8	79026-02-1	R53	R: 53 S: 61		
608-037-00-X	reaction mass of: (E)-2,12-tridecadiennitrile; (E)-3,12-tridecadiennitrile; (Z)-3,12-tridecadiennitrile	422-190-8		N; R50-53	N R: 50/53 S: 60-61		
608-038-00-5	2,2,4-trimethyl-4-phenyl-butane-nitrile	422-580-8	75490-39-0	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
608-039-00-0	2-phenylhexanenitrile	423-460-8	3508-98-3	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)23-60-61		
608-040-00-6	4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-1H-pyrazole-3-carbonitrile)	423-490-1	130755-46-3	N; R50-53	N R: 50/53 S: 60-61		
608-041-00-1	4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ene-3-yl)methyl)(1,1'-biphenyl)-2-carbonitrile	423-500-4	138401-24-8	N; R50-53	N R: 50/53 S: 60-61		
608-043-00-2	3-(cis-3-hexenyloxy)propanenitril	415-220-6	142653-61-0	T; R23 Xn; R22 N; R50-53	T; N R: 22-23-50/53 S: (1/2-)13-36/37-45-60-61		
608-065-00-2	salts of bromoxynil with the exception of those specified elsewhere in this Annex	—	—	Repr. Cat. 3; R63 T+; R26 T; R25 R43 N; R50-53	T+; N R: 25-26-43-50/53 S: (1/2-)27/28-36/37-45-63-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
608-066-00-8	salts of ioxynil with the exception of those specified elsewhere in this Annex	—	—	Repr. Cat. 3; R63 T; R23/25 Xn; R21-48/ 22 Xi; R36 N; R50-53	T; N R: 21-23/25-36-48/ 22-63-50/53 S: (1/2-)36/37-45-63- 60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	A
609-001-00-6	1-nitropropane	203-544-9	108-03-2	R10 Xn; R20/21/ 22	Xn R: 10-20/21/22 S: (2-)9	Xn; R20/21/22: C ≥ 5 %	
609-002-00-1	2-nitropropane	201-209-1	79-46-9	R10 Carc. Cat. 2; R45 Xn; R20/22	T R: 45-10-20/22 S: 53-45		E
609-003-00-7	nitrobenzene	202-716-0	98-95-3	Carc. Cat. 3; R40 Repr. Cat. 3; R62 T; R23/24/ 25-48/23/24 N; R51-53	T; N R: 23/24/25-40-48/ 23/24-51/53-62 S: (1/2-)28-36/37-45- 61		
609-004-00-2	dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4]	246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4]	25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4]	T+; R26/27/ 28 R33 N; R50-53	T+; N R: 26/27/28-33-50/ 53 S: (1/2-)28-36/37-45- 60-61		
609-005-00-8	1,3,5-trinitrobenzene	202-752-7	99-35-4	E; R2 [⊗] T+; R26/27/ 28 R33 N; R50-53	E; T+; N R: 2-26/27/28-33-50/ 53 S: (1/2-)35-45-60-61		
609-006-00-3	4-nitrotoluene	202-808-0	99-99-0	T; R23/24/25 R33 N; R51-53	T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-37-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-007-00-9	2,4-dinitrotoluene; dinitrotoluene, technical grade; [1] dinitrotoluene [2]	204-450-0 [1] 246-836-1 [2]	121-14-2 [1] 25321-14-6 [2]	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53	T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61		E
609-008-00-4	2,4,6-trinitrotoluene; TNT	204-289-6	118-96-7	E; R2 T; R23/24/25 R33 N; R51-53	E; T; N R: 2-23/24/25-33-51/ 53 S: (1/2-)35-45-61		
609-009-00-X	2,4,6-trinitrophenol; picric acid	201-865-9	88-89-1	E; R2 [⊗] R4 T; R23/24/25	E; T R: 2-4-23/24/25 S: (1/2-)28-35-37-45		
609-010-00-5	salts of picric acid	—	—	E; R3 T; R23/24/25	E; T R: 3-23/24/25 S: (1/2-)28-35-37-45		A
609-011-00-0	2,4,6-trinitroanisole	—	606-35-9	E; R2 Xn; R20/21/ 22 N; R51-53	E; Xn; N R: 2-20/21/22-51/53 S: (2-)35-61		
609-012-00-6	2,4,6-trinitro- <i>m</i> -cresol	210-027-1	602-99-3	E; R2 R4 Xn; R20/21/ 22	E; Xn R: 2-4-20/21/22 S: (2-)35		
609-013-00-1	2,4,6-trinitro- <i>m</i> -xylene	211-187-5	632-92-8	E; R2 Xn; R20/21/ 22 R33	E; Xn R: 2-20/21/22-33 S: (2-)35		
609-015-00-2	4-nitrophenol; <i>p</i> -nitrophenol	202-811-7	100-02-7	Xn; R20/21/ 22 R33	Xn R: 20/21/22-33 S: (2-)28		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-016-00-8	dinitrophenol (reaction mass of isomers); [1] 2,4(or 2,6)-dinitrophenol [2]	247-096-2 [1] 275-732-9 [2]	25550-58-7 [1] 71629-74-8 [2]	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-37-45-60- 61		
609-018-00-9	2,4,6-trinitroresorcinol; styphnic acid	201-436-6	82-71-3	E; R2 [⊗] R4 Xn; R20/21/ 22	E; Xn R: 2-4-20/21/22 S: (2-)35		
609-019-00-4	lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate	239-290-0	15245-44-0	E; R3 Repr. Cat. 1; R61 Repr. Cat. 3; R62 Xn; R20/22 R33 N; R50-53	E; T; N R: 61-3-20/22-33-50/ 53-62 S: 53-45-60-61	E 1	
609-020-00-X	DNOC (ISO); 4,6-dinitro- <i>o</i> -cresol	208-601-1	534-52-1	Muta. Cat. 3; R68 T+; R26/27/ 28 Xi; R38-41 R43 R44 N; R50-53	T+; N R: 26/27/28-38-41- 43-44-50/53-68 S: (1/2-)36/37-45-60- 61		
609-021-00-5	sodium salt of DNOC; sodium 4,6-dinitro- <i>o</i> -cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro- <i>o</i> -cresolate [2]	219-007-7 [1] [2]	2312-76-7 [1] 5787-96-2 [2]	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/ 53 S: (1/2-)13-45-60-61		
609-022-00-0	ammonium salt of DNOC; ammonium 4,6-dinitro- <i>o</i> -tolyl oxide	221-037-0	2980-64-5	T+; R26/27/ 28 R33 N; R50-53	T+; N R: 26/27/28-33-50/ 53 S: (1/2-)13-28-45-60- 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-023-00-6	dinocap (ISO)	254-408-0	39300-45-3	Repr. Cat. 2; R61 Xn; R20-48/ 22 Xi; R38 R43 N; R50-53	T; N R: 61-20-22-38-43- 48/22-50/53 S: 53-45-60-61		E
609-024-00-1	binapacryl (ISO); 2-sec-butyl-4,6-dinitrophenyl-3-methylcrotonate	207-612-9	485-31-4	Repr. Cat. 2; R61 Xn; R21/22 N; R50-53	T; N R: 61-21/22-50/53 S: 53-45-60-61		E
609-025-00-7	dinoseb (ISO); 6-sec-butyl-2,4-dinitrophenol	201-861-7	88-85-7	R44 T; R24/25 Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xi; R36 N; R50-53	T; N R: 61-62-24/25-36- 44-50/53 S: 53-45-60-61		E
609-026-00-2	salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex	—	—	R44 Repr. Cat. 2; R61 Repr. Cat. 3; R62 T; R24/25 Xi; R36 N; R50-53	T; N R: 61-62-24/25-36- 44-50/53 S: 53-45-60-61		AE
609-027-00-8	dinocton; reaction mass of isomers: methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate	—	63919-26-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
609-028-00-3	dinex (ISO); 2-cyclohexyl-4,6-dinitrophenol	205-042-5	131-89-5	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		
609-029-00-9	salts and esters of dinex	—	—	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-030-00-4	dinoterb (ISO); 2-tert-butyl-4,6-dinitrophenol	215-813-8	1420-07-1	Repr. Cat. 2; R61 T+; R28 T; R24 R44 N; R50-53	T+; N R: 61-24-28-44-50/ 53 S: 53-45-60-61		E
609-031-00-X	salts and esters of dinoterb	—	—	Repr. Cat. 2; R61 T+; R28 T; R24 N; R50-53	T+; N R: 61-24-28-50/53 S: 45-53-60-61		AE
609-032-00-5	bromofenoxim (ISO); 3,5-dibromo-4-hydroxybenzaldehyde-O-(2,4-dinitrophenyl)- oxime	236-129-6	13181-17-4	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)25-60-61		
609-033-00-0	dinosam (ISO); 2-(1-methylbutyl)-4,6-dinitrophenol	—	4097-36-3	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		
609-034-00-6	salts and esters of dinosam	—	—	T; R23/24/25 N; R50-53	T; N R: 23/24/25-50/53 S: (1/2-)13-45-60-61		A
609-035-00-1	nitroethane	201-188-9	79-24-3	R10 Xn; R20/22	Xn R: 10-20/22 S: (2-)9-25-41	Xn; R20/22: C ≥ 12,5 %	
609-036-00-7	nitromethane	200-876-6	75-52-5	R5-10 Xn; R22	Xn R: 5-10-22 S: (2-)41	Xn; R22: C ≥ 12,5 %	
609-037-00-2	5-nitroacenaphthene	210-025-0	602-87-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		
609-038-00-8	2-nitronaphthalene	209-474-5	581-89-5	Carc. Cat. 2; R45 N; R51-53	T; N R: 45-51/53 S: 53-45-61		
609-039-00-3	4-nitrobiphenyl	202-204-7	92-93-3	Carc. Cat. 2; R45 N; R51-53	T; N R: 45-51/53 S: 53-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-040-00-9	nitrofen (ISO); 2,4-dichlorophenyl 4-nitrophenyl ether	217-406-0	1836-75-5	Carc. Cat. 2; R45 Repr. Cat. 2; R61 Xn; R22 N; R50-53	T; N R: 45-61-22-50/53 S: 53-45-60-61		E
609-041-00-4	2,4-dinitrophenol	200-087-7	51-28-5	T; R23/24/25 R33 N; R50	T; N R: 23/24/25-33-50 S: (1/2-)28-37-45-61		
609-042-00-X	pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylydine	254-938-2	40487-42-1	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-29-37-60-61		
609-043-00-5	quintozene (ISO); pentachloronitrobenzene	201-435-0	82-68-8	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)13-24-37-60-61		
609-044-00-0	tecnazene (ISO); 1,2,4,5-tetrachloro-3-nitrobenzene	204-178-2	117-18-0	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
609-045-00-6	reaction mass of: 4,6-dinitro-2-(3-octyl)phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate; dinocron-6	—	8069-76-9	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
609-046-00-1	trifluralin (ISO) (containing < 0.5 ppm NPDA); α,α,α -trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine (containing < 0.5 ppm NPDA); 2,6-dinitro-N,N-dipropyl-4-trifluoromethylaniline (containing < 0.5 ppm NPDA); N,N-dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0.5 ppm NPDA)	216-428-8	1582-09-8	Xi; R36 R43 N; R50-53	Xi; N R: 36-43-50/53 S: (2-)24-37-60-61		
609-047-00-7	2-nitroanisole	202-052-1	91-23-6	Carc. Cat. 2; R45 Xn; R22	T R: 45-22 S: 53-45		E
609-048-00-2	sodium 3-nitrobenzenesulphonate	204-857-3	127-68-4	Xi; R36 R43	Xi R: 36-43 S: (2-)24-26-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-049-00-8	2,6-dinitrotoluene	210-106-0	606-20-2	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 R52-53	T R: 45-23/24/25-48/ 22-62-68-52/53 S: 53-45-61		E
609-050-00-3	2,3-dinitrotoluene	210-013-5	602-01-7	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R50-53	T; N R: 45-23/24/25-48/ 22-62-68-50/53 S: 53-45-60-61		E
609-051-00-9	3,4-dinitrotoluene	210-222-1	610-39-9	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53	T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61		E
609-052-00-4	3,5-dinitrotoluene	210-566-2	618-85-9	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 R52-53	T R: 45-23/24/25-48/ 22-62-68-52/53 S: 53-45-61		E
609-053-00-X	hydrazine-trinitromethane	414-850-9	—	E; R3 O; R8 Carc. Cat. 2; R45 T; R23/25 R43	E; T R: 45-3-8-23/25-43 S: 53-45		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-054-00-5	2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5]	200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] [5]	66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] [5]	T; R23/24/25 R33 N; R51-53	T; N R: 23/24/25-33-51 S: (1/2-)28-37-45-61		
609-055-00-0	2,5-dinitrotoluene	210-581-4	619-15-8	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Repr. Cat. 3; R62 T; R23/24/25 Xn; R48/22 N; R51-53	T; N R: 45-23/24/25-48/ 22-62-68-51/53 S: 53-45-61		E
609-056-00-6	2,2-dibromo-2-nitroethanol	412-380-9	69094-18-4	E; R2 Carc. Cat. 3; R40 Xn; R22-48/ 22 C; R35 R43 N; R50-53	E; C; N R: 2-22-35-40-43-48/ 22-50/53 S: (1/2-)23-26-36/37/ 39-45-60-61	Xn; R22: C ≥ 10 % C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
609-057-00-1	3-chloro-2,4-difluoronitrobenzene	411-980-8	3847-58-3	Xn; R22 C; R34 R43 N; R50-53	C; N R: 22-34-43-50/53 S: (1/2-)22-26-28-36/ 37/39-45-60-61		
609-058-00-7	2-nitro-2-phenyl-1,3-propanediol	410-360-4	5428-02-4	T; R39-48/25 Xn; R21/22 Xi; R41 R43 N; R51-53	T; N R: 21/22-39-41-43- 48/25-51/53 S: 53-45-61		
609-059-00-2	2-chloro-6-(ethylamino)-4-nitrophenol	411-440-1	131657-78-8	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)22-24-37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-060-00-8	4-[(3-hydroxypropyl)amino]-3-nitrophenol	406-305-9	92952-81-3	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
609-061-00-3	(E,Z)-4-chlorophenyl(cyclopropyl)ketone O-(4-nitrophenylmethyl)oxime	406-100-4	94097-88-8	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
609-062-00-9	2-bromo-2-nitropropanol	407-030-7	24403-04-1	T; R24 Xn; R22-48/22 C; R34 R43 N; R50-53	T; N R: 22-24-34-43-48/ 22-50/53 S: (1/2-)26-36/37/39-45-60-61		
609-063-00-4	2-[(4-chloro-2-nitrophenyl)amino]ethanol	413-280-8	59320-13-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-61		
609-064-00-X	mesotrione (ISO); 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione	—	104206-82-8	N; R50-53	N R: 50/53 S: 60-61		
609-065-00-5	2-nitrotoluene	201-853-3	88-72-2	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 Xn; R22 N; R51-53	T; N R: 45-46-22-62-51/ 53 S: 53-45-61		E
609-066-00-0	lithium sodium 3-amino-10-{4-(10-amino-6,13-dichloro-4,11-disulfonatobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-3-ylamino)-6-[methyl(2-sulfonato-ethyl)amino]-1,3,5-triazin-2-ylamino)-6,13-dichlorobenzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate	418-870-9	154212-58-5	Xn; R20/21/ 22-68/20/ 21/22	Xn R: 20/21/22-68/20/ 21/22 S: (2-)36/37		
609-067-00-6	sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfo-phenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine	416-280-6	156769-97-0	R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
609-068-00-1	musk xylene; 5- <i>tert</i> -butyl-2,4,6-trinitro- <i>m</i> -xylene	201-329-4	81-15-2	E; R2 Carc. Cat. 3; R40 N; R50-53	E; Xn; N R: 2-40-50/53 S: (2-)36/37-46-60-61		
609-070-00-2	1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene	415-580-4	130841-23-5	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)36/37/39-60-61		
609-071-00-8	reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine; 2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol	423-520-3	156137-33-6	R43	Xi R: 43 S: (2-)22-24-37		
610-001-00-3	trichloronitromethane; chloropicrin	200-930-9	76-06-2	Xn; R22 T+; R26 Xi; R36/37/38	T+ R: 22-26-36/37/38 S: (1/2-)36/37-38-45		
610-002-00-9	1,1-dichloro-1-nitroethane	209-854-0	594-72-9	T; R23/24/25	T R: 23/24/25 S: (1/2-)26-45		
610-003-00-4	chlorodinitrobenzene	—	—	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/53 S: (1/2-)28-36/37-45-60-61		C
610-004-00-X	2-chloro-1,3,5-trinitrobenzene	201-864-3	88-88-0	E; R2 T+; R26/27/28 N; R50-53	E; T+; N R: 2-26/27/28-50/53 S: (1/2-)28-36/37-45-60-61		
610-005-00-5	1-chloro-4-nitrobenzene	202-809-6	100-00-5	Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 N; R51-53	T; N R: 23/24/25-40-48/20/21/22-68-51/53 S: (1/2-)28-36/37-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
610-006-00-0	chloronitroanilines with the exception of those specified elsewhere in this Annex	—	—	T+; R26/27/28 R33 N; R51-53	T+; N R: 26/27/28-33-51/53 S: (1/2-)28-36/37-45-61		A C
610-007-00-6	1-chloro-1-nitropropane	209-990-0	600-25-9	Xn; R20/22	Xn R: 20/22 S: (2-)	Xn; R20/22: C ≥ 5 %	
610-008-00-1	2,6-dichloro-4-nitroanisole	403-350-6	17742-69-7	T; R25 N; R51-53	T; N R: 25-51/53 S: (1/2-)36/37-45-61		
610-009-00-7	2-chloro-4-nitroaniline	204-502-2	121-87-9	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-24-61		
610-010-00-2	2-bromo-1-(2-furyl)-2-nitroethylene	406-110-9	35950-52-8	Xn; R22-48/22 C; R34 R43 N; R50-53	C; N R: 22-34-43-48/22-50/53 S: (1/2-)22-26-36/37/39-45-60-61		
611-001-00-6	azobenzene	203-102-5	103-33-3	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R20/22-48/22 N; R50-53	T; N R: 45-20/22-48/22-68-50/53 S: 53-45-60-61		E
611-002-00-1	azoxybenzene	207-802-1	495-48-7	Xn; R20/22	Xn R: 20/22 S: (2-)28		
611-003-00-7	fenaminsulf (ISO); sodium 4-dimethylaminobenzenediazosulphonate	205-419-4	140-56-7	T; R25 Xn; R21 R52-53	T R: 21-25-52/53 S: (1/2-)36/37-45-61		
611-004-00-2	methyl-ONN-azoxymethyl acetate; methyl azoxy methyl acetate	209-765-7	592-62-1	Carc. Cat. 2; R45 Repr. Cat. 2; R61	T R: 45-61 S: 53-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-005-00-8	disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl]azo]salicylato(4-)} cuprate(2-); CI Direct Brown 95	240-221-1	16071-86-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		
611-006-00-3	4- <i>o</i> -tolylazo- <i>o</i> -toluidine; 4-amino-2',3-dimethylazobenzene; fast garnet GBC base; AAT; <i>o</i> -aminoazotoluene	202-591-2	97-56-3	Carc. Cat. 2; R45 R43	T R: 45-43 S: 53-45		
611-007-00-9	tricyclazole (ISO); 5-methyl-1,2,4-triazolo(3,4- <i>b</i>)benzo-1,3-thiazole	255-559-5	41814-78-2	Xn; R22	Xn R: 22 S: (2-)		
611-008-00-4	4-aminoazobenzene; 4-phenylazoaniline	200-453-6	60-09-3	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
611-009-00-X	sodium (1-(5-(4-(4-anilino-3-sulphophenylazo)-2-methyl-5-methylsulphonamidophenylazo)-4-hydroxy-2-oxido-3-(phenylazo)phenylazo)-5-nitro-4-sulphonato-2-naphtholato)iron (II)	401-220-3	—	Xn; R20 R52-53	Xn R: 20-52/53 S: (2-)61		
611-010-00-5	2'-(2-cyano-4,6-dinitrophenylazo)-5'-(<i>N,N</i> -dipropylamino) propionanilide	403-010-7	106359-94-8	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
611-011-00-0	<i>N,N,N',N'</i> -tetramethyl-3,3'-(propylenebis(iminocarbonyl-4,1-phenylenazo(1,6-dihydro-2-hydroxy-4-methyl-6-oxopyridine-3,1-diyli)))di(propylammonium) dilactate	403-340-1	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
611-012-00-6	reaction mass of 2,2-iminodiethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and 2-methylaminoethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and <i>N,N</i> -diethylpropane-1,3-diamine 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate	403-410-1	114565-65-0	R43	Xi R: 43 S: (2-)22-24-26-37		
611-013-00-1	trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-methyl-4-(2-methoxy-4-(3-sulfonatophenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate	403-650-7	117409-78-6	E; R2 N; R51-53	E; N R: 2-51/53 S: (2-)35-61		
611-014-00-7	(tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatosilben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide	404-250-5	115099-55-3	R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-015-00-2	tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-(sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate	404-320-5	116889-78-2	R43	Xi R: 43 S: (2-)22-24-37		
611-016-00-8	reaction mass of 1,1'-((dihydroxyphenylene)bis(azo-3,1-phenylenazo(1-(3-dimethylaminopropyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyll)))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-dimethylaminopropyl)-5-(3-((4-(1-(3-dimethylaminopropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or2,6 or3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridyl)pyridinium dichloride	404-540-1	—	R43	Xi R: 43 S: (2-)22-24-37		
611-017-00-3	2-(4-(diethylaminopropylcarbamoyl)phenylazo)-3-oxo-N-(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide	404-910-2	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
611-018-00-9	tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate	405-130-5	—	R43	Xi R: 43 S: (2-)24-37		
611-019-00-4	tetralithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate	405-150-4	106028-58-4	R43	Xi R: 43 S: (2-)24-37		
611-020-00-X	tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate	405-170-3	116340-05-7	T; R25 R43 R52-53	T R: 25-43-52/53 S: (1/2-)22-24-37-45-61		
611-021-00-5	2-(4-(4-cyano-3-methylisothiazol-5-ylazo)-N-ethyl-3-methylanilino)ethyl acetate	405-480-9	—	Xn; R22-48/22 Xi; R38 R53	Xn R: 22-38-48/22-53 S: (2-)22-36/37-61		
611-022-00-0	4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate	404-980-4	—	E; R2 T; R23/25 Xn; R21-48/22 Xi; R41 R43 N; R50/53	E; T; N R: 2-21-23/25-41-43-48/22-50/53 S: (1/2-)3-12-26-35-36/37/39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-023-00-6	disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo) naphthalene-2-sulfonate	404-600-7	—	R43	X R: 43 S: (2-)22-24-37		
611-024-00-1	Benzidine based azo dyes; 4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex	—	—	Carc. Cat. 2; R45	T R: 45 S: 53-45		A
611-025-00-7	disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate; C.I. Direct Black 38	217-710-3	1937-37-7	Carc. Cat. 2; R45 Repr. Cat. 3; R63	T R: 45-63 S: 53-45		
611-026-00-2	tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate]; C.I. Direct Blue 6	220-012-1	2602-46-2	Carc. Cat. 2; R45 Repr. Cat. 3; R63	T R: 45-63 S: 53-45		
611-027-00-8	disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-amino-naphthalene-1-sulphonate); C.I. Direct Red 28	209-358-4	573-58-0	Carc. Cat. 2; R45 Repr. Cat. 3; R63	T R: 45-63 S: 53-45		
611-028-00-3	C,C'-azodi(formamide)	204-650-8	123-77-3	R42 R44 ⊗	Xn R: 42-44 S: (2-)22-24-37		
611-029-00-9	o-dianisidine based azo dyes; 4,4'-diarylazo-3,3'-dimethoxybiphenyl dyes with the exception of those mentioned elsewhere in this Annex	—	—	Carc. Cat. 2; R45	T R: 45 S: 53-45		A H
611-030-00-4	o-tolidine based dyes; 4,4'-diarylazo-3,3'-dimethylbiphenyl dyes, with the exception of those mentioned elsewhere in this Annex	—	—	Carc. Cat. 2; R45	T R: 45 S: 53-45		A H
611-031-00-X	4,4'-(4-iminocyclohexa-2,5-dienylidenemethylene)dianiline hydrochloride; C.I. Basic Red 9	209-321-2	569-61-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		
611-032-00-5	1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1	219-603-7	2475-45-8	Carc. Cat. 2; R45 Xi; R38-41 R43	T R: 45-38-41-43 S: 53-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-033-00-0	hexasodium [4,4"-azoxybis(2,2'-disulfonatostilbene-4,4'-diy-lazo)]-bis[5'-sulfonatobenzene-2,2'- diolato-O(2),O(2),N(1)]-copper(II)	400-020-3	82027-60-9	N; R51-53	N R: 51/53 S: 61		
611-034-00-6	N-(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenylacetamide	402-430-8	105076-77-5	R53	R: 53 S: 61		
611-035-00-1	tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate	403-660-1	107246-80-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
611-036-00-7	2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)-N-methyl-m-toluidino)ethyl acetate	405-440-0	—	R43	Xi R: 43 S: (2-)22-24-37		
611-037-00-2	3(or 5)-(4-(N-benzyl-N-ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate	406-055-0	124584-00-5	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)22-24-26-37/ 39-61		
611-038-00-8	trisodium 1-hydroxynaphthalene-2-azo-4'(5',5"-dimethylbiphenyl)-4"-azo(4"-phenylsulfonyloxybenzene)- 2',2",4-trisulfonate	406-820-9	—	Xi; R36	Xi R: 36 S: (2-)25-26		
611-039-00-3	7-(((4,6-dichloro-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-(4-((2-sulfoxy)ethyl)sulfonyl)phenylazo)naphthalene-2-sulfonic acid	407-050-6	117715-57-8	R43	Xi R: 43 S: (2-)22-24-37		
611-040-00-9	3-(5-acetylamino-4-(4-[4,6-bis(3-diethylaminopropylamino)-1,3,5-triazin-2-ylamino]phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalenesulfonic acid	407-670-7	115099-58-6	N; R50-53	N R: 50/53 S: 60-61		
611-041-00-4	2-[[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]-N-(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)-3-oxobutanamide	407-680-1	98809-11-1	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61		
611-042-00-X	trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate	411-770-6	136213-71-3	R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-043-00-5	<p>reaction mass of: trisodium N(1')-N(2):N(1'')-N(2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate;</p> <p>trisodium N(1')-N(2):N(1'')-N(2'')-η-6,6''-bis[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3''-disulfonatobis(naphthalene-2,1'-azobenzene-1,2'-diolato-O(1),O(2'))-chromate (2:1:1)</p>	402-850-1	—	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
611-044-00-0	<p>reaction mass of: <i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate (1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C₁₂-C₁₄)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-)</p>	403-720-7	117527-94-3	N; R51-53	N R: 51/53 S: 61		
611-045-00-6	2-[4-[N-(4-acetoxybutyl)-N-ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene	404-830-8	—	R53	R: 53 S: 61		
611-046-00-1	4,4'-diamino-2-methylazobenzene	407-590-2	43151-99-1	T; R25 Xn; R48/22 R43 N; R50-53	T; N R: 25-43-48/22-50/53 S: (1/2-)22-28-36/37-45-60-61		
611-047-00-7	<p>reaction mass of: 2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;</p> <p>2-[[4-[N-ethyl-N-(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)</p>	407-890-3	111381-11-4	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-048-00-2	reaction mass of: 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole; 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)	407-900-6	111381-12-5	R53	R: 53 S: 61		
611-049-00-8	reaction mass of 7-[4-(3-diethylaminopropylamino)-6-(3-diethylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phenylazophenylazo)-naphthalene-2-sulfonate, acetic acid, lactic acid (2:1:1)	408-000-6	118658-98-3	Xn; R48/22 R43 R52-53	Xn R: 43-48/22-52/53 S: (2-)22-36/37-61		
611-051-00-9	2-(4-(N-ethyl-N-(2-hydroxy)ethyl)amino-2-methylphenyl)azo-6-methoxy-3-methyl-benzothiazolium chloride	411-110-7	136213-74-6	N; R50-53	N R: 50/53 S: 60-61		
611-052-00-4	monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalensulfonate], iron complex	400-720-9	—	R52-53	R: 52/53 S: 61		
611-053-00-X	2,2'-azobis[2-methylpropionamide] dihydrochloride	221-070-0	2997-92-4	Xn; R22 R43	Xn R: 22-43 S: (2-)24-37		
611-055-00-0	C.I. Disperse Yellow 3; N-[4-[(2-hydroxy-5-methylphenyl)azo]phenyl]acetamide	220-600-8	2832-40-8	Carc. Cat. 3; R40 R43	Xn R: 40-43 S: (2-)22-36/37-46		
611-056-00-6	C.I. Solvent Yellow 14; 1-phenylazo-2-naphthol	212-668-2	842-07-9	Carc. Cat. 3; R40 Muta. Cat. 3; R68 R43 R53	Xn R: 40-43-53-68 S: (2-)22-36/37-46-61		
611-057-00-1	6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile	400-340-3	85136-74-9	Carc. Cat. 2; R45 R53	T R: 45-53 S: 53-45-61		
611-058-00-7	(6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methylethyl) ammonium] formate	402-060-7	108225-03-2	Carc. Cat. 2; R45 Xi; R41 N; R51-53	T; N R: 45-41-51/53 S: 53-45-61		
611-059-00-2	octasodium 2-(6-(4-chloro-6-(3-(N-methyl-N-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate	412-960-1	148878-21-1	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)22-24-26-37/ 39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-060-00-8	reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalic acid	413-180-4	187285-15-0	Xi; R41	Xi R: 41 S: (2-)22-26-39		
611-061-00-3	disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonatophenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate	412-530-3	—	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
611-062-00-9	octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo)naphthalene-1,5-disulfonate	413-550-5	—	Xi; R38-41	Xi R: 38-41 S: (2-)22-26-37/39		
611-063-00-4	trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4''-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3'',1'''-tetraolato-O,O',O'',O''']copper(II)	413-590-3	164058-22-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		
611-064-00-X	4-(3,4-dichlorophenylazo)-2,6-di-sec-butyl-phenol	410-600-8	124719-26-2	Xn; R48/22 Xi; R38 N; R50-53	Xn; N R: 38-48/22-50/53 S: (2-)23-25-36/37-60-61		
611-065-00-5	4-(4-nitrophenylazo)-2,6-di-sec-butyl-phenol	410-610-2	111850-24-9	Xn; R48/22 Xi; R36/38 R43 N; R50-53	Xn; N R: 36/38-43-48/22-50/53 S: (2-)23-26-36/37-60-61		
611-066-00-0	tetrasodium 5-[4-chloro-6-(N-ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate	411-540-5	130201-57-9	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)22-24-26-37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-067-00-6	reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl) ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate; bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl) ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate	406-910-8	—	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)26-36/39-61		
611-068-00-1	tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate	400-690-7	85665-98-1	N; R51-53	N R: 51/53 S: 61		
611-069-00-7	N,N-di-[poly(oxyethylene)-co-poly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienyl)azo]-3-methylaniline	413-380-1	—	N; R51-53	N R: 51/53 S: 61		
611-070-00-2	reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-); trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-)	405-665-4	—	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
611-071-00-8	tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate	406-073-9	131013-81-5	T; R25 R52-53	T R: 25-52/53 S: (1/2-)37-45-61		
611-072-00-3	2,4-bis[2,2'-[2-(N,N-dimethylamino)ethyloxycarbonyl]phenylazo]-1,3-dihydroxybenzene, dihydrochloride	407-010-8	118208-02-9	Xn; R22 Xi; R41 N; R51-53	Xn; N R: 22-41-51/53 S: (2-)26-39-61		
611-073-00-9	dimethyl 3,3'-(N-(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino)dipropionate	407-310-9	122630-55-1	R53	R: 53 S: 61		
611-074-00-4	reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato) copper(II); sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II)	407-100-7	—	R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-075-00-X	reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazonaphthalene-2,7-disulfonate; tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazonaphthalene-2,7-disulfonate (2:1)	406-000-0	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
611-076-00-5	3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole	406-280-4	117584-16-4	N; R50-53	N R: 50/53 S: 60-61		
611-077-00-0	dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2, O4, O4',-3,3'-[3,3'-dihydroxy-1:2-κ-2-O3, O3'-biphenyl-4,4'-ylenebisazo-1:2-(N3,N4-η:N3',N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-)	407-230-4	126637-70-5	Xn; R22 R43	Xn R: 22-43 S: (2-)22-24-37		
611-078-00-6	(2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper (II) acetate lactate	407-240-9	159604-94-1	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
611-079-00-1	disodium 7-[4-chloro-6-(N-ethyl-o-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate	410-390-8	147703-64-8	Xi; R41	Xi R: 41 S: (2-)22-26-39		
611-080-00-7	sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate	410-150-2	147703-65-9	R43	Xi R: 43 S: (2-)22-24-37		
611-081-00-2	tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(N1,N7-N)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II)	411-470-5	141048-13-7	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
611-082-00-8	reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-); pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-)]	407-570-3	—	N; R51-53	N R: 51/53 S: 61		
611-083-00-3	reaction mass of: 2-[N-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate; 2-[N-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-m-toluidino]ethyl acetate (1:1)	411-560-4	—	T; R48/25 R43 N; R51-53	T; N R: 43-48/25-51/53 S: (1/2-)22-36/37-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-084-00-9	reaction mass of: N-(4-chlorophenyl)-4-(2,5-dichloro-4-(dimethylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide; N-(4-chlorophenyl)-4-(2,5-dichloro-4-(methylsulfamoyl)phenylazo)-3-hydroxy-2-naphthalenecarboxamide	412-550-2	—	R53	R: 53 S: 61		
611-085-00-4	reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine; 3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine	411-880-4	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
611-086-00-X	monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate	411-360-7	—	R52-53	R: 52/53 S: 61		
611-087-00-5	reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxyl-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-phenoxyethane; 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethoxy-2-(ethylphenol)	411-710-9	—	R53	R: 53 S: 61		
611-088-00-0	reaction mass of: trilithium 4-amino-3-((4-((4-((2-amino-4-hydroxyphenyl)azo)phenyl)amino)-3-sulfofenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate; trilithium 4-amino-3-((4-((4-((4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfofenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate	411-890-9	—	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)22-26-39-61		
611-089-00-6	2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methyl-benzothiazolium methylsulfate	411-100-2	136213-73-5	Xn; R48/22 R43 N; R50-53	Xn; N R: 43-48/22-50/53 S: (2-)22-36/37-60-61		
611-090-00-1	2,5-dibutoxy-4-(morpholin-4-yl)benzenediazonium 4-methylbenzenesulfonate	413-290-2	93672-52-7	F; R11 Xn; R22 Xi; R41 R43 R52-53	F; Xn R: 11-22-41-43-52/53 S: (2-)12-22-24-26-37/39-47-61		
611-091-00-7	sodium (1.0-1.95)/lithium (0.05-1) 5-((5-((5-chloro-6-fluoropyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethylsulfonate	413-470-0	134595-59-8	R43	Xi R: 43 S: (2-)22-24/25-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-092-00-2	<i>tert</i> -(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-dimethyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-methyl-5-hydroxy-(1 <i>H</i>)pyrazol-1-yl)benzenesulfonamidato)chromate	413-210-6	—	N; R51-53	N R: 51/53 S: 61		
611-093-00-8	sodium 2-(4-(4-fluoro-6-(2-sulfo-ethylamino)-[1,3,5]triazin-2-ylamino)-2-ureido-phenylazo)-5-(4-sulfo-phenylazo)benzene-1-sulfonate	410-770-3	146177-84-6	R43	Xi R: 43 S: (2-)22-24-37		
611-094-00-3	reaction mass of: 2-[2-acetylamino-4-[N,N-bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-5,6-dichloro-1,3-benzothiazole; 2-[2-acetylamino-4-[N,N-bis[2-ethoxy-carbonyloxy]ethyl]amino]phenylazo]-6,7-dichloro-1,3-benzotriazole (1:1)	411-600-0	143145-93-1	R53	R: 53 S: 61		
611-095-00-9	hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diyl]]]bis[3-carboxypyridinium] dihydroxide	412-240-7	89797-03-5	N; R51-53	N R: 51/53 S: 22-61		
611-096-00-4	methyl N-[3-acetylamino)-4-(2-cyano-4-nitrophenylazo)phenyl]-N-[(1-methoxy)acetyl]glycinate	413-040-2	149850-30-6	R43	Xi R: 43 S: (2-)22-24-37		
611-097-00-X	reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -(5-amino-sulfonyl-2-hydroxyphenylazo)benzene and: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -[4-(4-nitro-2-sulfo-phenylamino)phenylazo]benzene (<i>n</i> =2,5,6)	414-150-3	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
611-098-00-5	tetrakis(tetramethylammonium) 3,3'-(6-(2-hydroxyethylamino) 1,3,5-triazine-2,4-diyl)bisimino(2-methyl-4,1-phenyleneazo) bisnaphthalene-1,5-disulfonate	405-950-3	131013-83-7	T; R25 R52-53	T R: 25-52/53 S: (1/2-)37-45-61		
611-099-00-0	(methylenebis(4,1-phenylenazo(1-(3-(dimethylamino)propyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl)))-1,1'-dipyridinium dichloride dihydrochloride	401-500-5	118658-99-4	Carc. Cat. 2; R45 N; R51-53	T; N R: 45-51/53 S: 53-45-61		
611-100-00-4	potassium sodium 3,3'-(3(or4)-methyl-1,2-phenylenebis(imino(6-chloro)-1,3,5-triazine-4,2-diylimino(2-acetamido-5-methoxy)-4,1-phenylenazo)dinaphthalene-1,5-disulfonate	403-810-6	140876-13-7	Xi; R41	Xi R: 41 S: (2-)26-39		
611-101-00-X	2'-(4-chloro-3-cyano-5-formyl-2-thienyl)azo-5'-diethylaminoacetanilide	405-200-5	104366-25-8	R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-103-00-0	trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II)	407-110-1	—	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61		
611-104-00-6	reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo)phenolato)ferrate(1-); trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-); disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylene-diazo)dibzenesulfonate	406-870-1	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
611-105-00-1	sodium 4-(4-chloro-6-(N-ethylanilino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1H-pyrazol-4-ylazo)benzenesulfonate	407-800-2	136213-75-7	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
611-106-00-7	hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[p-phenylenebis(imino(6-chloro-1,3,5-triazine-4,2-diy)imino)]dinaphthalene-2-sulfonate	410-180-6	157627-99-1	Xi; R41	Xi R: 41 S: (2-)26-39		
611-107-00-2	potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate	412-490-7	—	R43	Xi R: 43 S: (2-)22-24-37		
611-108-00-8	disodium 5-((4-((4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate	413-600-6	6527-62-4	R52-53	R: 52/53 S: 61		
611-109-00-3	Reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1)	407-710-3	—	N; R51-53	N R: 51/53 S: 61		
611-110-00-9	tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene	408-210-8	124605-82-9	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-28-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-111-00-4	disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-(sulfooxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-)	414-230-8	—	R43	Xi R: 43 S: (2-)22-24-37		
611-112-00-X	tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfonatonaphthalen-2-ylazo)naphthalene-2,7-disulfonate	413-070-6	—	R43	Xi R: 43 S: (2-)22-24-37		
611-113-00-5	lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino)benzoato(2-)))(2-(((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-)	414-280-0	149626-00-6	N; R51-53	N R: 51/53 S: 24/25-61		
611-114-00-0	lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3H-pyrazol-3-onato(2-)))(3-(((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1H-pyrazol-4-yl)azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-)	414-250-7	149564-66-9	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)22-26-39-61		
611-115-00-6	trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-)	414-290-5	149564-65-8	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
611-116-00-1	reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate; trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate	414-620-8	—	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
611-117-00-7	1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt	415-100-3	149850-29-3	R43	Xi R: 43 S: (2-)22-24-37		
611-118-00-2	sodium 1,2-bis[4-[4-(4-sulfophenylazo)-2-sulfophenylazo]-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt	413-990-8		R43	Xi R: 43 S: (2-)22-24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-119-00-8	tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxynaphthalene-2,7-disulfonate	415-400-4	148878-22-2	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
611-120-00-3	5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonic acid sodium salt	418-340-7	157707-94-3	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)22-26-39-61		
611-121-00-9	Main component 6 (isomer): asym. 1:2 Cr(III)-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol; Main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol	417-280-9	30785-74-1	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
611-122-00-4	hexasodium (di[N-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfo-anilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](di-sulfo)-phthalocyaninato)nickel	417-250-5	151436-99-6	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
611-123-00-X	3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyldiethylammonium lactate	424-310-4	178452-66-9	Xi; R41	Xi R: 41 S: (2-)26-39		
611-124-00-5	reaction mass of: pentasodium 5-amino-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate; pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate; tetrasodium 5-amino-3-[5-{4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate	424-320-9		Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
611-125-00-0	reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethen-sulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex; Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex	423-940-7	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-126-00-6	2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3H-imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride	424-120-1	174514-06-8	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
611-127-00-1	pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonato-phenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate	423-790-2	—	R5 Xi; R41 R43 R52-53	Xi R: 5-41-43-52/53 S: (2-)22-26-36/37/ 39-41-61		
611-128-00-7	N,N'-bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonicacid-5-hydroxynapht-4-ylamino]-1,3,5-triazin-2-yl}-N-(2-hydroxyethyl)ethane-1,2-diamine, sodium salt	419-500-9	171599-85-2	Xi; R41 R43	Xi R: 41-43 S: (2-)22-24-26-37/39		
611-129-00-2	reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo]benzoic acid; 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid	418-230-9	163879-69-4	E; R2 Repr. Cat. 3; R62 Xn; R48/22 R43 N; R51-53	E; Xn; N R: 2-43-48/22-62-51/ 53 S: (2-)26-35-36/37-61		
611-130-00-8	tetra-ammonium 2-[6-[7-(2-carboxylato-phenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate	418-520-5	183130-96-3	Xi; R36 N; R50-53	Xi; N R: 36-50/53 S: (2-)26-39-60-61		
611-131-00-3	2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one	420-580-2	151798-26-4	Repr. Cat. 2; R61 R53	T R: 61-53 S: 53-45-61		
611-132-00-9	pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonylamino]-5'-nitro-3,3'-disulfonatophthalene-2-azobenzene-1,2'-diolato}chromate (III)	419-210-2	178452-71-6	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
611-133-00-4	Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt	419-260-5	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)26-39-61		
611-134-00-X	trisodium 2-{α[2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenediazino}-4-sulfonatobenzoate, copper complex	423-770-3	—	Xi; R41 N; R51-53	Xi; N R: 41-51/53 S: (2-)22-26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
611-135-00-5	Reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfoxy)ethyl)sulfonyl]]benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative,mixed potassium/sodium salt	424-250-9	—	Xi; R41 R52-53	Xi R: 41-52/53 S: (2-)26-39-61		
611-136-00-0	2-{4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatonaphth-7-ylamino]-1,3,5-triazin-2-ylamino}-2-aminopropyl formate	424-260-3	—	Repr. Cat. 3; R62 Xi; R41 N; R51-53	Xn; N R: 41-62-51/53 S: (2-)22-26-36/37/ 39-61		
611-137-00-6	6-tert-butyl-7-chloro-3-tridecyl-7,7a-dihydro-1H-pyrazolo [5,1-c]-1,2,4-triazole	419-870-1	159038-16-1	R53	R: 53 S: 61		
611-138-00-1	2-(4-aminophenyl)-6-tert-butyl-1H-pyrazolo[1,5-b][1,2,4]triazole	415-910-7	152828-25-6	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
611-140-00-2	azafenidin (ISO) 2-(2,4-dichloro-5-prop-2-ynyloxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2H)-one	—	68049-83-2	Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xn; R48/22 N; R50-53	T; N R: 61-48/22-62-50/ 53 S: 53-45-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	E
612-001-00-9	mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	F+; R12 Xn; R20 Xi; R37/38-41	F+; Xn R: 12-20-37/38-41 S: (2-)16-26-39	Xn; R20: C ≥ 5 % Xi; R37/38-41: C ≥ 5 % Xi; R36: 0,5 % ≤ C < 5 %	5
612-001-01-6	mono-methylamine ... %; [1] di-methylamine ... %; [2] tri-methylamine ... % [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	F+; R12 Xn; R20/22 C; R34	F+; C R: 12-20/22-34 S: (1/2-)3-16-26-29-36/37/39-45	Xn; R20/22: C ≥ 15 % C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	B
612-002-00-4	ethylamine	200-834-7	75-04-7	F+; R12 Xi; R36/37	F+; Xi R: 12-36/37 S: (2-)16-26-29		
612-003-00-X	diethylamine	203-716-3	109-89-7	F; R11 Xn; R20/21/ 22 C; R35	F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29-36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-004-00-5	triethylamine	204-469-4	121-44-8	F; R11 Xn; R20/21/ 22 C; R35	F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29- 36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
612-005-00-0	butylamine	203-699-2	109-73-9	F; R11 Xn; R20/21/ 22 C; R35	F; C R: 11-20/21/22-35 S: (1/2-)3-16-26-29- 36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
612-006-00-6	ethylenediamine; 1,2-diaminoethane	203-468-6	107-15-3	R10 Xn; R21/22 C; R34 R42/43	C R: 10-21/22-34-42/ 43 S: (1/2-)23-26-36/37/ 39-45	C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 %	
612-007-00-1	2-aminopropane; isopropylamine	200-860-9	75-31-0	F+; R12 Xi; R36/37/ 38	F+; Xi R: 12-36/37/38 S: (2-)16-26-29		
612-008-00-7	aniline	200-539-3	62-53-3	Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R41 R43 N; R50	T; N R: 23/24/25-40-41- 43-48/23/24/25-68- 50 S: (1/2-)26-27-36/37/ 39-45-46-61-63	T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 1 % ≤ C < 25 % T; R48/23/24/25: C ≥ 1 % Xn; R48/20/21/22: 0,2 % ≤ C < 1 %	
612-009-00-2	salts of aniline	—	—	Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R41 R43 N; R50	T; N R: 23/24/25-40-41- 43-48/23/24/25-68- 50 S: (1/2-)26-27-36/37/ 39-45-61-63	T; R23/24/25: C ≥ 25 % Xn; R20/21/22: 1 % ≤ C < 25 % T; R48/23/24/25: C ≥ 1 % Xn; R48/20/21/22: 0,2 % ≤ C < 1 %	A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-010-00-8	chloroanilines, with exception of those specified elsewhere in this Annex	—	—	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61		C
612-011-00-3	4-nitrosoaniline	211-535-6	659-49-4	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)25-28		
612-012-00-9	<i>o</i> -nitroaniline; [1] <i>m</i> -nitroaniline; [2] <i>p</i> -nitroaniline [3]	201-855-4 [1] 202-729-1 [2] 202-810-1 [3]	88-74-4 [1] 99-09-2 [2] 100-01-6 [3]	T; R23/24/25 R33 R52-53	T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61		C
612-013-00-4	3-aminobenzene sulphonic acid; metanilic acid	204-473-6	121-47-1	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)25-28		
612-014-00-X	sulphanilic acid; 4-aminobenzenesulphonic acid	204-482-5	121-57-3	Xi; R36/38 R43	Xi R: 36/38-43 S: (2-)24-37		
612-015-00-5	<i>N</i> -methylaniline	202-870-9	100-61-8	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61		
612-016-00-0	<i>N,N</i> -dimethylaniline	204-493-5	121-69-7	Carc. Cat. 3; R40 T; R23/24/25 N; R51-53	T; N R: 23/24/25-40-51/ 53 S: (1/2-)28-36/37-45- 61		
612-017-00-6	<i>N</i> -methyl- <i>N</i> ,2,4,6-tetranitroaniline; tetryl	207-531-9	479-45-8	E; R2 [⊗] T; R23/24/25 R33	E; T R: 2-23/24/25-33 S: (1/2-)35-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-018-00-1	bis(2,4,6-trinitrophenyl)amine; hexyl	205-037-8	131-73-7	E; R2 [⊗] T+; R26/27/ 28 R33 N; R51-53	E; T+; N R: 2-26/27/28-33-51/ 53 S: (1/2-)35-36-45-61		
612-019-00-7	dipicrylamine, ammonium salt	220-639-0	2844-92-0	E [⊗] R1 T+; R26/27/ 28 R33 N; R51-53	E; T+; N R: 1-26/27/28-33-51/ 53 S: (1/2-)28-36/37-45- 61		
612-020-00-2	1-naphthylamine	205-138-7	134-32-7	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)24-61		
612-022-00-3	2-naphthylamine	202-080-4	91-59-8	Carc. Cat. 1; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61	Carc. Cat. 1; R45: C ≥ 0,01 %	E
612-023-00-9	phenylhydrazine; [1] phenylhydrazinium chloride; [2] phenylhydrazine hydrochloride; [3] phenylhydrazinium sulphate (2:1) [4]	202-873-5 [1] 200-444-7 [2] 248-259-0 [3] 257-622-2 [4]	100-63-0 [1] 59-88-1 [2] 27140-08-5 [3] 52033-74-6 [4]	Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/ 25-48/23/ 24/25 Xi; R36/38 R43 N; R50	T; N R: 45-23/24/25-36/ 38-43-48/23/24/25- 68-50 S: 53-45-61		E
612-024-00-4	<i>m</i> -toluidine; 3-aminotoluene	203-583-1	108-44-1	T; R23/24/25 R33 N; R50	T; N R: 23/24/25-33-50 S: (1/2-)28-36/37-45- 61		
612-025-00-X	nitrotoluidines, with the exception of those specified elsewhere in this Annex	—	—	T; R23/24/25 R33 N; R51-53	T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-36/37-45- 61		C

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-026-00-5	diphenylamine	204-539-4	122-39-4	T; R23/24/25 R33 N; R50-53	T; N R: 23/24/25-33-50/ 53 S: (1/2-)28-36/37-45- 60-61		
612-027-00-0	xylydines with the exception of those specified elsewhere in this Annex; dimethyl anilines with the exception of those specified elsewhere in this Annex	—	—	T; R23/24/25 R33 N; R51-53	T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-36/37-45- 61		C
612-028-00-6	<i>p</i> -phenylenediamine	203-404-7	106-50-3	T; R23/24/25 Xi; R36 R43 N; R50-53	T+; N R: 23/24/25-36-43- 50/53 S: (1/2-)28-36/37-45- 60-61		
612-029-00-1	benzene-1,4-diamine dihydrochloride; <i>p</i> -phenylenediamine dihydrochloride	210-834-9	624-18-0	T; R23/24/25 Xi; R36 R43 N; R50-53	T; N R: 23/24/25-36-43- 50/53 S: (1/2-)28-36/37-45- 60-61		
612-030-00-7	2-methyl- <i>p</i> -phenylenediamine sulphate [1]	210-431-8 [1] 228-871-4 [2]	615-50-9 [1] 6369-59-1 [2]	T; R25 Xn; R20/21 R43 N; R51-53	T; N R: 20/21-25-43-51/ 53 S: (1/2-)24-37-45-61		
612-031-00-2	<i>N,N</i> -dimethylbenzene-1,3-diamine; [1] 4-amino- <i>N,N</i> -dimethylaniline; 3-amino- <i>N,N'</i> -dimethylaniline [2]	220-623-3 [1] 202-807-5 [2]	2836-04-6 [1] 99-98-9 [2]	T; R23/24/25	T R: 23/24/25 S: (1/2-)28-45		C
612-032-00-8	<i>N,N,N',N'</i> -tetramethyl- <i>p</i> -phenylenediamine	202-831-6	100-22-1	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)28		
612-033-00-3	2-aminophenol	202-431-1	95-55-6	Xn; R20/22 Muta. Cat. 3; R68	Xn R: 20/22-68 S: (2-)28-36/37		
612-034-00-9	2-amino-4,6-dinitrophenol; picramic acid	202-544-6	96-91-3	E; R1 ⊗ Xn; R20/21/ 22 R52-53	E; Xn R: 1-20/21/22-52/53 S: (2-)35-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-035-00-4	2-methoxyaniline; <i>o</i> -anisidine	201-963-1	90-04-0	Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/25	T R: 45-23/24/25-68 S: 53-45		E
612-036-00-X	3,3'-dimethoxybenzidine; <i>o</i> -dianisidine	204-355-4	119-90-4	Carc. Cat. 2; R45 Xn; R22	T R: 45-22 S: 53-45		E
612-037-00-5	salts of 3,3'-dimethoxybenzidine; salts of <i>o</i> -dianisidine	—	—	Carc. Cat. 2; R45 Xn; R22	T R: 45-22 S: 53-45		AE
612-038-00-0	2-nitro- <i>p</i> -anisidine; 4-methoxy-2-nitroaniline	202-547-2	96-96-8	T+; R26/27/ 28 R33 R52-53	T+ R: 26/27/28-33-52/ 53 S: (1/2-)28-36/37-45- 61		
612-039-00-6	2-ethoxyaniline; <i>o</i> -phenetidine	202-356-4	94-70-2	T; R23/24/25 R33	T R: 23/24/25-33 S: (1/2-)28-36/37-45		
612-040-00-1	2,4-dinitroaniline	202-553-5	97-02-9	T+; R26/27/ 28 R33 N; R51-53	T+; N R: 26/27/28-33-51/ 53 S: (1/2-)28-36/37-45- 61		
612-041-00-7	4,4'-bi- <i>o</i> -toluidine	204-358-0	119-93-7	Carc. Cat. 2; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61		E
612-042-00-2	benzidine; 1,1'-biphenyl-4,4'-diamine; 4,4'-diaminobiphenyl; biphenyl-4,4'-ylenediamine	202-199-1	92-87-5	Carc. Cat. 1; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61	Carc. Cat. 1; R45: C ≥ 0,01 %	E
612-043-00-8	<i>N,N'</i> -dimethylbenzidine	—	2810-74-4	Xn; R20/21/ 22	Xn R: 20/21/22 S: (2-)22-36		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-044-00-3	N,N'-diacetylbenzidine	210-338-2	613-35-4	Xn; R20/21/22	Xn R: 20/21/22 S: (2-)22-36		
612-046-00-4	allylamine	203-463-9	107-11-9	F; R11 T; R23/24/25 N; R51-53	F; T; N R: 11-23/24/25-51/53 S: (1/2-)9-16-24/25-45-61		
612-047-00-X	benzylamine	202-854-1	100-46-9	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-36/37/39-45		
612-048-00-5	dipropylamine	205-565-9	142-84-7	F; R11 Xn; R20/21/22 C; R35	F; C R: 11-20/21/22-35 S: (1/2-)16-26-36/37/39-45	C; R35: C ≥ 10 % C; R34: 5 % ≤ C < 10 % Xi; R36/37/38: 1 % ≤ C < 5 %	
612-049-00-0	di-n-butylamine; [1] di-sec-butylamine [2]	203-921-8 [1] 210-937-9 [2]	111-92-2 [1] 626-23-3 [2]	R10 Xn; R20/21/22	Xn R: 10-20/21/22 S: (2-)		
612-050-00-6	cyclohexylamine	203-629-0	108-91-8	R10 Xn; R21/22 C; R34	C R: 10-21/22-34 S: (1/2-)36/37/39-45	C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 %	
612-051-00-1	4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline	202-974-4	101-77-9	Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R39/23/24/25 Xn; R48/20/21/22 R43 N; R51-53	T; N R: 45-39/23/24/25-43-48/20/21/22-68-51/53 S: 53-45-61	E	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-052-00-7	(S)- <i>sec</i> -butylamine; (S)-2-aminobutane; [1] (R)- <i>sec</i> -butylamine; (R)-2-aminobutane; [2] <i>sec</i> -butylamine; 2-aminobutane [3]	208-164-7 [1] 236-232-6 [2] 237-732-7 [3]	513-49-5 [1] 13250-12-9 [2] 13952-84-6 [3]	F; R11 Xn; R20/22 C; R35 N; R50	F; C; N R: 11-20/22-35-50 S: (1/2-)9-16-26-28- 36/37/39-45-61		C
612-053-00-2	N-ethylaniline	203-135-5	103-69-5	T; R23/24/25 R33	T R: 23/24/25-33 S: (1/2-)28-37-45		
612-054-00-8	N,N-diethylaniline	202-088-8	91-66-7	T; R23/24/25 R33 N; R51-53	T; N R: 23/24/25-33-51/ 53 S: (1/2-)28-37-45-61	T; R23/24/25: C ≥ 5 % Xn; R20/21/22: 1 % ≤ C < 5 %	
612-055-00-3	N-methyl- <i>o</i> -toluidine; [1] N-methyl- <i>m</i> -toluidine; [2] N-methyl- <i>p</i> -toluidine [3]	210-260-9 [1] 211-795-0 [2] 210-769-6 [3]	611-21-2 [1] 696-44-6 [2] 623-08-5 [3]	T; R23/24/25 R33 R52-53	T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61		C
612-056-00-9	N,N-dimethyl- <i>p</i> -toluidine; [1] N,N-dimethyl- <i>m</i> -toluidine; [2] N,N-dimethyl- <i>o</i> -toluidine [3]	202-805-4 [1] 204-495-6 [2] 210-199-8 [3]	99-97-8 [1] 121-72-2 [2] 609-72-3 [3]	T; R23/24/25 R33 R52-53	T R: 23/24/25-33-52/ 53 S: (1/2-)28-36/37-45- 61	T; R23/24/25: C ≥ 5 % Xn; R20/21/22: 1 % ≤ C < 5 %	C
612-057-00-4	piperazine	203-808-3	110-85-0	C; R34 R42/43 R52-53	C R: 34-42/43-52/53 S: (1/2-)22-26-36/37/ 39-45-61		
612-058-00-X	2,2'-iminodiethylamine; diethylenetriamine	203-865-4	111-40-0	Xn; R21/22 C; R34 R43	C R: 21/22-34-43 S: (1/2-)26-36/37/39- 45		
612-059-00-5	3,6-diazaoctanethylenediamin; triethylenetetramine	203-950-6	112-24-3	Xn; R21 C; R34 R43 R52-53	C R: 21-34-43-52/53 S: (1/2-)26-36/37/39- 45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-060-00-0	3,6,9-triazaundecamethylenediamine; tetraethylenepentamine	203-986-2	112-57-2	Xn; R21/22 C; R34 R43 N; R51-53	C; N R: 21/22-34-43-51/ 53 S: (1/2-)26-36/37/39- 45-61		
612-061-00-6	3-aminopropyldimethylamine; N,N-dimethyl-1,3-diaminopropane	203-680-9	109-55-7	R10 Xn; R22 C; R34 R43	C R: 10-22-34-43 S: (1/2-)26-36/37/39- 45		
612-062-00-1	3-aminopropyldiethylamine; N,N-diethyl-1,3-diaminopropane	203-236-4	104-78-9	R10 Xn; R21/22 C; R34 R43	C R: 10-21/22-34-43 S: (1/2-)26-36/37/39- 45		
612-063-00-7	3,3'-iminodi(propylamine); dipropylenetriamine	200-261-2	56-18-8	T+; R26 T; R24 Xn; R22 C; R35 R43	T+; C R: 22-24-26-35-43 S: (1/2-)26-28-36/37/ 39-45		
612-064-00-2	3,6,9,12-tetra-azatetradecamethylenediamine; pentachylenhexamine	223-775-9	4067-16-7	C; R34 R43 N; R50-53	C; N R: 34-43-50/53 S: (1/2-)26-36/37/39- 45-60-61		
612-065-00-8	polyethylenepolyamines with the exception of those specified elsewhere in this Annex	—	—	Xn; R21/22 C; R34 R43 N; R50-53	C; N R: 21/22-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61		
612-066-00-3	dicyclohexylamine	202-980-7	101-83-7	Xn; R22 C; R34 N; R50-53	C; N R: 22-34-50/53 S: (1/2-)26-36/37/39- 45-60-61	C; R34: C ≥ 10 % Xi; R36/38: 2 % ≤ C < 10 %	
612-067-00-9	3-aminomethyl-3,5,5-trimethylcyclohexylamine	220-666-8	2855-13-2	Xn; R21/22 C; R34 R43 R52-53	C R: 21/22-34-43-52/ 53 S: (1/2-)26-36/37/39- 45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-068-00-4	3,3'-dichlorobenzidine; 3,3'-dichlorobiphenyl-4,4'-ylenediamine	202-109-0	91-94-1	Carc. Cat. 2; R45 Xn; R21 R43 N; R50-53	T; N R: 45-21-43-50/53 S: 53-45-60-61		E
612-069-00-X	salts of 3,3'-dichlorobenzidine; salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine	— — —	— — —	Carc. Cat. 2; R45 Xn; R21 R43 N; R50-53	T; N R: 45-21-43-50/53 S: 53-45-60-61		AE
612-070-00-5	salts of benzidine [208-519-6 208-520-1 244-236-4 252-984-8	531-85-1 531-86-2 21136-70-9 36341-27-2	Carc. Cat. 1; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		AE
612-071-00-0	salts of 2-naphthylamine	209-030-0 210-313-6	553-00-4 612-52-2	Carc. Cat. 1; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61		AE
612-072-00-6	biphenyl-4-ylamine; xenylamine; 4-aminobiphenyl	202-177-1	92-67-1	Carc. Cat. 1; R45 Xn; R22	T R: 45-22 S: 53-45		E
612-073-00-1	salts of biphenyl-4-ylamine; salts of xenylamine; salts of 4-aminobiphenyl	—	—	Carc. Cat. 1; R45 Xn; R22	T R: 45-22 S: 53-45		AE
612-074-00-7	benzyl dimethylamine	203-149-1	103-83-3	R10 Xn; R20/21/ 22 C; R34 R52-53	C R: 10-20/21/22-34- 52/53 S: (1/2-)26-36-45-61		
612-075-00-2	2-aminoethyl dimethylamine; 2-dimethylaminoethylamine	203-541-2	108-00-9	F; R11 Xn; R21/22 C; R35	F; C R: 11-21/22-35 S: (1/2-)16-23-26-28- 36-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-076-00-8	ethyldimethylamine	209-940-8	598-56-1	F+; R12 [⊗] Xn; R20/22 C; R34	F+; C R: 12-20/22-34 S: (1/2-)3-16-26-36-45		
612-077-00-3	dimethylnitrosoamine; N-nitrosodimethylamine	200-549-8	62-75-9	Carc. Cat. 2; R45 T+; R26 T; R25-48/25 N; R51-53	T+; N R: 45-25-26-48/25-51/53 S: 53-45-61	Carc. Cat. 2; R45: C ≥ 0,001 %	E
612-078-00-9	2,2'-dichloro-4,4'-methylenedianiline; 4,4'-methylene bis(2-chloroaniline)	202-918-9	101-14-4	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		E
612-079-00-4	salts of 2,2'-dichloro-4,4'-methylenedianiline; salts of 4,4'-methylenebis(2-chloroaniline)	—	—	Carc. Cat. 2; R45 Xn; R22 N; R50-53	T; N R: 45-22-50/53 S: 53-45-60-61		AE
612-080-00-X	4-amino-N,N-diethylaniline; N,N-diethyl-p-phenylendiamine	202-214-1	93-05-0	T; R25 C; R34	T R: 25-34 S: (1/2-)26-36-45		
612-081-00-5	salts of 4,4'-bi-o-tolidine; salts of 3,3'-dimethylbenzidine; salts of o-tolidine	210-322-5 265-294-7 277-985-0	612-82-8 64969-36-4 74753-18-7	Carc. Cat. 2; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61		AE
612-082-00-0	thiourea; thiocarbamide	200-543-5	62-56-6	Carc. Cat. 3; R40 Repr. Cat. 3; R63 Xn; R22 N; R51-53	Xn; N R: 22-40-51/53-63 S: (2-)36/37-61		
612-083-00-6	1-methyl-3-nitro-1-nitrosoguanidine	200-730-1	70-25-7	Carc. Cat. 2; R45 Xn; R20 Xi; R36/38 N; R51-53	T; N R: 45-20-36/38-51/53 S: 53-45-61	Carc. Cat. 2; R45: C ≥ 0,01 %	E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-084-00-1	dapsone; 4,4'-diamino diphenyl sulfone	201-248-4	80-08-0	Xn; R22	Xn R: 22 S: (2-)22		
612-085-00-7	4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	Carc. Cat. 2; R45 Xn; R22 R43 N; R50-53	T; N R: 45-22-43-50/53 S: 53-45-60-61		E
612-086-00-2	amitraz (ISO); N,N-bis(2,4-xylyliminomethyl) methylamine	251-375-4	33089-61-1	Xn; R22-48/ 22 R43 N; R50-53	Xn; N R: 22-43-48/22-50/ 53 S: (2-)22-24-60-36/ 37-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
612-087-00-8	guazatine (ISO)		108173-90-6	T+; R26 Xn; R21/22 Xi; R37/38- 41 N; R50-53	T+; N R: 21/22-26-37/38- 41-50/53 S: (1/2-)26-28-36/37/ 39-38-45-46-60-61- 63		
612-088-00-3	simazine (ISO); 6-chloro-N,N'-diethyl-1,3,5-triazine-2,4-diamine	204-535-2	122-34-9	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-46-60-61		
612-089-00-9	1,5-naphthylenediamine	218-817-8	2243-62-1	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		
612-090-00-4	2,2'-(nitrosoimino)bisethanol	214-237-4	1116-54-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		
612-091-00-X	o-toluidine; 2-aminotoluene	202-429-0	95-53-4	Carc. Cat. 2; R45 T; R23/25 Xi; R36 N; R50	T; N R: 45-23/25-36-50 S: 53-45-61		E
612-092-00-5	N,N'-(2,2-dimethylpropylidene)hexamethylenediamine	401-660-6	1000-78-8	Xi; R38 R43	Xi R: 38-43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-093-00-0	3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline	401-790-3	104147-32-2	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24/25-26-57-60-61		
612-094-00-6	4-(2-chloro-4-trifluoromethyl)phenoxy-2-fluoroaniline hydrochloride	402-190-4	—	T; R48/25 Xn; R22-48/20 Xi; R41 R43 N; R50-53	T; N R: 22-41-43-48/20-48/25-50/53 S: (1/2-)26-36/37/39-45-60-61		
612-095-00-1	benzyl-2-hydroxydodecyldimethylammonium benzoate	402-610-6	113694-52-3	C; R34 Xn; R22 N; R50-53	C; N R: 22-34-50/53 S: (1/2-)26-28-36/37/39-45-60-61		
612-096-00-7	4,4'-carbonimidoylbis[N,N-dimethylaniline]	207-762-5	492-80-8	Carc. Cat. 3; R40 Xn; R22 Xi; R36 N; R51-53	Xn; N R: 22-36-40-51/53 S: (2-)36/37-61		
612-097-00-2	salts of 4,4'-carbonimidoylbis[N,N-dimethylaniline]	—	—	Carc. Cat. 3; R40 Xn; R22 Xi; R36 N; R51-53	Xn; N R: 22-36-40-51/53 S: (2-)36/37-61		A
612-098-00-8	nitrosodipropylamine	210-698-0	621-64-7	Carc. Cat. 2; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61	Carc. Cat. 2; R45: C ≥ 0,001 %	E
612-099-00-3	4-methyl- <i>m</i> -phenylenediamine; 2,4-toluenediamine	202-453-1	95-80-7	Carc. Cat. 2; R45 T; R25 Xn; R21 Xi; R36 R43 N; R51-53	T; N R: 45-21-25-36-43-51/53 S: 53-45-61		E

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-100-00-7	propylenediamine	201-155-9	78-90-0	R10 Xn; R21/22 C; R35	C R: 10-21/22-35 S: (1/2-)26-37/39-45		
612-101-00-2	methenamine; hexamethylenetetramine	202-905-8	100-97-0	F; R11 R42/43	F; Xn R: 11-42/43 S: (2-)16-22-24-37		
612-102-00-8	N,N-bis(3-aminopropyl)methylamine	203-336-8	105-83-9	T; R23/24 Xn; R22 C; R34	T R: 22-23/24-34 S: (1/2-)26-36/37/39-45		
612-103-00-3	N,N,N',N'-tetramethylethylenediamine	203-744-6	110-18-9	F; R11 Xn; R20/22 C; R34	F; C R: 11-20/22-34 S: (1/2-)16-26-36/37/39-45		
612-104-00-9	hexamethylenediamine	204-679-6	124-09-4	Xn; R21/22 Xi; R37 C; R34	C R: 21/22-34-37 S: (1/2-)22-26-36/37/39-45		
612-105-00-4	2-piperazin-1-ylethylamine	205-411-0	140-31-8	Xn; R21/22 C; R34 R43 R52-53	C R: 21/22-34-43-52/53 S: (1/2-)26-36/37/39-45-61		
612-106-00-X	2,6-diethylaniline	209-445-7	579-66-8	Xn; R22	Xn R: 22 S: (2-)23-24		
612-107-00-5	1-phenylethylamine; [1] DL- α -methylbenzylamine [2]	202-706-6 [1] 210-545-8 [2]	98-84-0 [1] 618-36-0 [2]	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-28-36/37/39-45		
612-108-00-0	3-aminopropyltriethoxysilane	213-048-4	919-30-2	Xn; R22 C; R34	C R: 22-34 S: (1/2-)26-36/37/39-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-109-00-6	bis(2-dimethylaminoethyl)(methyl)amine	221-201-1	3030-47-5	T; R24 Xn; R22 C; R34	T R: 22-24-34 S: (1/2-)26-36/37/39-45		
612-110-00-1	2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	229-962-1	6864-37-5	T; R23/24 Xn; R22 C; R35 N; R51-53	T; C; N R: 22-23/24-35-51/53 S: (1/2-)26-36/37/39-45-61		
612-111-00-7	2-methyl- <i>m</i> -phenylenediamine; 2,6-toluenediamine	212-513-9	823-40-5	Muta. Cat. 3; R68 Xn; R21/22 R43 N; R51-53	Xn; N R: 21/22-43-51/53-68 S: (2-)24-36/37-61		
612-112-00-2	<i>p</i> -anisidine; 4-methoxyaniline	203-254-2	104-94-9	T+; R26/27/ 28 R33 N; R50	T+; N R: 26/27/28-33-50 S: (1/2-)28-36/37-45-61		
612-113-00-8	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	403-240-8	106264-79-3	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
612-114-00-3	<i>R,R</i> -2-hydroxy-5-(1-hydroxy-2-(4-phenylbut-2-ylamino)ethyl)benzamide hydrogen 2,3-bis(benzoyloxy)succinate	404-390-7	—	F; R11 R43 R52-53	F; Xi R: 11-43-52/53 S: (2-)24-37-61		
612-115-00-9	dimethyldioctadecylammonium hydrogen sulfate	404-050-8	123312-54-9	Xi; R36 R53	Xi R: 36-53 S: (2-)26-39-61		
612-116-00-4	C ₈₋₁₈ alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate	404-690-8	68132-19-4	T; R23 C; R34 R43 N; R50-53	T; N R: 23-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
612-117-00-X	C ₁₂₋₁₄ - <i>tert</i> -alkylamine, methylphosphonic acid salt	404-750-3	119415-07-5	Xn; R22 C; R34 N; R51-53	C; N R: 22-34-51/53 S: (1/2-)26-28-36/37/39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-118-00-5	A reaction mass of: (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2H-benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide	405-080-4	—	Xi; R41 N; R50-53	X; N R: 41-50/53 S: (2-)22-26-39-60-61		
612-119-00-0	benzyldimethyloctadecylammonium 3-nitrobenzenesulfonate	405-330-2	—	Xi; R38-41 N; R50-53	Xi; N R: 38-41-50/53 S: (2-)26-37/39-60-61		
612-120-00-6	acлонifen (ISO); 2-chloro-6-nitro-3-phenoxyaniline	277-704-1	74070-46-5	N; R50-53	N R: 50/53 S: 60-61		
612-121-00-1	amines, polyethylenepoly-; HEPA	268-626-9	68131-73-7	Xn; R21/22 C; R34 R43 N; R50-53	C; N R: 21/22-34-43-50/ 53 S: (1/2-)26-36/37/39- 45-60-61		
612-122-00-7	hydroxylamine	232-259-2	7803-49-8	R5 [⊗] Xn; R22-48/ 22 Xi; R37/38- 41 R43 N; R50	Xn; N R: 5-22-37/38-41-43- 48/22-50 S: (2-)22-26-36/37/ 39-61		
612-123-00-2	hydroxylammonium chloride; hydroxylamine hydrochloride; [1] bis(hydroxylammonium) sulphate; hydroxylamine sulphate (2:1); [2] hydroxylammonium hydrogensulphate; hydroxylamine sulphate (1:1) [3]	226-798-2 [1] 233-118-8 [2] 233-154-4 [3]	5470-11-1 [1] 10039-54-0 [2] 10046-00-1 [3]	⊗ Xn; R22- 48/22 Xi; R36/38 R43 N; R50	Xn; N R: 22-36/38-43-48/ 22-50 S: (2-)22-24-37-61		
612-124-00-8	N,N,N-trimethylanilinium chloride	205-319-0	138-24-9	T; R24/25	T R: 24/25 S: (1/2-)25-39-45-53		
612-125-00-3	2-methyl-p-phenylenediamine; 2,5-toluenediamine	202-442-1	95-70-5	T; R25 Xn; R20/21 R43 N; R51-53	T; N R: 20/21-25-43-51/ 53 S: (1/2-)24-37-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-126-00-9	toluene-2,4-diammonium sulphate; 4-methyl-m-phenylenediamine sulfat	265-697-8	65321-67-7	Carc. Cat. 2; R45 T; R25 Xn; R21 Xi; R36 R43 N; R51-53	T; N R: 45-21-25-36-43-51/53 S: 53-45-61		E
612-127-00-4	3-aminophenol	209-711-2	591-27-5	Xn; R20/22 N; R51-53	Xn; N R: 20/22-51/53 S: (2-)28-61		
612-128-00-X	4-aminophenol	204-616-2	123-30-8	Muta. Cat. 3; R68 Xn; R20/22 N; R50-53	Xn; N R: 20/22-50/53-68 S: (2-)28-36/37-60-61		
612-129-00-5	diisopropylamine	203-558-5	108-18-9	F; R11 Xn; R20/22 C; R34	F; C R: 11-20/22-34 S: (1/2-)16-26-36/37/39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
612-130-00-0	2,6-diamino-3,5-diethyltoluene; 4,6-diethyl-2-methyl-1,3-benzenediamine; [1] 2,4-diamino-3,5-diethyltoluene; 2,4-diethyl-6-methyl-1,3-benzenediamine; [2] diethylmethylbenzenediamine [3]	218-255-3 [1] 218-256-9 [2] 270-877-4 [3]	2095-01-4 [1] 2095-02-5 [2] 68479-98-1 [3]	Xn; R21/22-48/22 Xi; R36 N; R50-53	Xn; N R: 21/22-36-48/22-50/53 S: (2-)26-28-36/37/39-60-61		C
612-131-00-6	didecyldimethylammonium chloride	230-525-2	7173-51-5	Xn; R22 C; R34	C R: 22-34 S: (2-)26-36/37/39-45		
612-132-00-1	N,N'-diphenyl-p-phenylenediamine; N,N'-diphenyl-1,4-benzenediamine	200-806-4	74-31-7	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
612-133-00-7	(4-ammonio- <i>m</i> -tolyl)ethyl(2-hydroxyethyl)ammonium sulphate; 4-(N-ethyl-N-2-hydroxyethyl)-2-methylphenylenediamine sulphate	247-162-0	25646-77-9	T; R25 Xn; R48/22 R43 N; R50-53	T; N R: 25-43-48/22-50/53 S: (1/2-)24-37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-134-00-2	N-(2-(4-amino-N-ethyl-m-toluidino)ethyl)methanesulphamide sesquisulphate; 4-(N-ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate	247-161-5	25646-71-3	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
612-135-00-8	N-2-naphthylaniline; N-phenyl-2-naphthylamine	205-223-9	135-88-6	Carc. Cat. 3; R40 Xi; R36/38 R43 N; R51-53	Xn; N R: 36/38-40-43-51/ 53 S: (2-)26-36/37-61		
612-136-00-3	N-isopropyl-N'-phenyl-p-phenylenediamine	202-969-7	101-72-4	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61	R43: C ≥ 0,1 %	
612-137-00-9	4-chloroaniline	203-401-0	106-47-8	Carc. Cat. 2; R45 T; R23/24/25 R43 N; R50-53	T; N R: 45-23/24/25-43- 50/53 S: 53-45-60-61		E
612-138-00-4	furalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(2-furylcarbonyl)-DL-alaninate	260-875-1	57646-30-7	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)36/37/39-61		
612-139-00-X	mefenacet (ISO); 2-(benzothiazol-2-yloxy)-N-methyl-N-phenylacetamide	277-328-8	73250-68-7	N; R51-53	N R: 51/53 S: 61		
612-140-00-5	quaternary ammonium compounds, benzyl-C ₈₋₁₈ -alkyldimethyl, chlorides	264-151-6	63449-41-2	Xn; R21/22 C; R34 N; R50	C; N R: 21/22-34-50 S: (2-)36/37/39-45-61		
612-141-00-0	4,4'-methylenebis(2-ethylaniline); 4,4'-methylenebis(2-ethylbenzeneamine)	243-420-1	19900-65-3	Carc. Cat. 3; R40 Xn; R22 N; R50-53	Xn; N R: 22-40-50/53 S: (2-)36/37-60-61		
612-142-00-6	biphenyl-2-ylamine	201-990-9	90-41-5	Carc. Cat. 3; R40 Xn; R22 R52-53	Xn R: 22-40-52/53 S: (2-)36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-143-00-1	N ⁵ ,N ⁵ -diethyltoluene-2,5-diamine monohydrochloride; 4-diethylamino-2-methylaniline monohydrochloride	218-130-3	2051-79-8	T; R25 Xi; R36 R43 N; R50-53	T; N R: 25-36-43-50/53 S: (1/2-)24-26-37-45-60-61		
612-144-00-7	flumetralin (ISO); N-(2-chloro-6-fluorobenzyl)-N-ethyl- α,α,α -trifluoro-2,6-dinitro- <i>p</i> -toluidine	—	62924-70-3	Xi; R36/38 R43 N; R50-53	Xi; N R: 36/38-43-50/53 S: (2-)36/37-60-61		
612-145-00-2	<i>o</i> -phenylenediamine	202-430-6	95-54-5	Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R25 Xn; R20/21 Xi; R36 R43 N; R50-53	T; N R: 20/21-25-36-40-43-50/53-68 S: (1/2-)28-36/37-45-60-61		
612-146-00-8	<i>o</i> -phenylenediamine dihydrochloride	210-418-7	615-28-1	Carc. Cat. 3; R40 Muta. Cat. 3; R68 T; R25 Xn; R20/21 Xi; R36 R43 N; R50-53	T; N R: 20/21-25-36-40-43-50/53-68 S: (1/2-)28-36/37-45-60-61		
612-147-00-3	<i>m</i> -phenylenediamine	203-584-7	108-45-2	Muta. Cat. 3; R68 T; R23/24/25 Xi; R36 R43 N; R50-53	T; N R: 23/24/25-36-43-50/53-68 S: (1/2-)28-36/37-45-60-61		
612-148-00-9	<i>m</i> -phenylenediamine dihydrochloride	208-790-0	541-69-5	Muta. Cat. 3; R68 T; R23/24/25 Xi; R36 R43 N; R50-53	T; N R: 23/24/25-36-43-50/53-68 S: (1/2-)28-36/37-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-149-00-4	1,3-diphenylguanidine	203-002-1	102-06-7	Repr. Cat. 3; R62 Xn; R22 Xi; R36/37/ 38 N; R51-53	Xn; N R: 22-36/37/38-51/ 53-62 S: (2-)26-36/37/39-61		
612-150-00-X	spiroxamine (ISO); 8- <i>tert</i> -butyl-1,4-dioxaspiro[4.5]decan-2-ylmethyl(ethyl)(propyl)amine	—	118134-30-8	Xn; R20/21/ 22 Xi; R38 R43 N; R50-53	Xn; N R: 20/21/22-38-43- 50/53 S: (2-)36/37/39-46- 60-61		
612-151-00-5	diaminotoluene, technical product - reaction mass of [2] and [3]; methyl-phenylenediamine; [1] 4-methyl- <i>m</i> -phenylene diamine; [2] 2-methyl- <i>m</i> -phenylene diamine [3]	246-910-3 [1] 202-453-1 [2] 212-513-9 [3]	25376-45-8 [1] 95-80-7 [2] 823-40-5 [3]	Carc. Cat. 2; R45 T; R25 Xn; R20/21 Xi; R36 R43 N; R51-53	T; N R: 45-20/21-25-36- 43-51/53 S: 53-45-61		E
612-152-00-0	<i>N,N</i> -diethyl- <i>N',N'</i> -dimethylpropan-1,3-diyl-diamine	406-610-7	62478-82-4	R10 Xn; R20/22- 48/20 C; R35 R52-53	C R: 10-20/22-35-48/ 20-52/53 S: (1/2-)26-28-36/37/ 39-45-61		
612-153-00-6	4-[<i>N</i> -ethyl- <i>N</i> -(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride	407-020-2	132885-85-9	Xn; R22 R43 R52-53	Xn R: 22-43-52/53 S: (2-)22-24-37-61		
612-154-00-1	6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzo-2-oxofuran-7,9'-(9 <i>H</i>)]-xanthene]	410-890-6	95235-29-3	R53	R: 53 S: 61		
612-155-00-7	2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methylspiro(isobenzo-3-oxofuran)-1-(1 <i>H</i>)-9'-xanthene	411-730-8	93071-94-4	R53	R: 53 S: 61		
612-156-00-2	reaction mass of: trihexadecylmethylammonium chloride; dihexadecyldimethylammonium chloride	405-620-9	—	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-157-00-8	(Z)-1-benzo[b]thien-2-ylethanone oxime hydrochloride	410-780-8	—	Xn; R22-48/22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-48/22-51/53 S: (2-)22-26-36/37/39-61		
612-158-00-3	reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) C ₁₂ -alkyl group is branched; 4-dodecylsalicylaldoxime	410-820-4	—	R53	R: 53 S: 61		
612-159-00-9	Reaction products of: trimethylhexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[(C ₁₀ -C ₁₆ -alkyloxy)methyl]oxirane derivatives) and p-toluene-sulfonic acid	410-880-1	—	Xn; R22 C; R34 N; R50-53	C; N R: 22-34-50/53 S: (1/2-)23-26-36/37/39-45-60-61		
612-160-00-4	p-toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3]	203-403-1 [1] 208-740-8 [2] 208-741-3 [3]	106-49-0 [1] 540-23-8 [2] 540-25-0 [3]	Carc. Cat. 3; R40 T; R23/24/25 Xi; R36 R43 N; R50	T; N R: 23/24/25-36-40-43-50 S: (1/2-)28-36/37-45-61		
612-161-00-X	2,6-xylidine; 2,6-dimethylaniline	201-758-7	87-62-7	Carc. Cat. 3; R40 Xn; R20/21/22 Xi; R37/38 N; R51-53	Xn; N R: 20/21/22-37/38-40-51/53 S: (2-)23-25-36/37-61		
612-162-00-5	dimethyldioctadecylammonium chloride; DODMAC	203-508-2	107-64-2	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)24-26-39-46-60-61		
612-163-00-0	metalaxyl-M (ISO); mefenoxam; (R)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]propionic acid methyl ester	—	70630-17-0	Xn; R22 Xi; R41	Xn R: 22-41 S: (2-)26-39-46		
612-164-00-6	2-butyl-2-ethyl-1,5-diaminopentane	412-700-7	137605-95-9	Xn; R21/22-48/22 C; R34 R43 R52-53	C R: 21/22-34-43-48/22-52/53 S: (1/2-)26-36/37/39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-165-00-1	<i>N,N'</i> -diphenyl- <i>N,N'</i> -bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine	413-810-8	65181-78-4	N; R51-53	N R: 51/53 S: 61		
612-166-00-7	reaction mass of: <i>cis</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1); <i>trans</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1)	411-830-1	114765-88-7	Xi; R41 R43 R52-53	Xi R: 41-43-52/53 S: (2-)24-26-37/39-61		
612-167-00-2	5-acetyl-3-amino-10,11-dihydro-5 <i>H</i> -dibenz[<i>b,f</i>]azepine-hydrochloride	410-490-1	—	Xn; R22-48/22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-48/22-51/53 S: (2-)22-26-36/37/39-61		
612-168-00-8	3,5-dichloro-2,6-difluoropyridine-4-amine	220-630-1	2840-00-8	Xn; R21/22 N; R51-53	Xn; N R: 21/22-51/53 S: (2-)36/37-61		
612-170-00-9	4-chlorophenyl cyclopropyl ketone <i>O</i> -(4-aminobenzyl)oxime	405-260-2	—	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
612-171-00-4	<i>N,N,N',N'</i> -tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane	410-060-3	130728-76-6	Muta. Cat. 3; R68 R43 N; R51-53	Xn; N R: 43-68-51/53 S: (2-)36/37-61		
612-172-00-X	4,4'-methylenebis(<i>N,N'</i> -dimethylcyclohexanamine	412-840-9	13474-64-1	Xn; R22-48/22 C; R35 R52-53	C R: 22-35-48/22-52/53 S: (1/2-)26-36/37/39-45-61		
612-173-00-5	lithium 1-amino-4-(4- <i>tert</i> -butylanilino)anthraquinone-2-sulfonate	411-140-0	125328-86-1	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)22-26-36/37/39-61		
612-174-00-0	4,4-dimethoxybutylamine	407-690-6	19060-15-2	Xn; R22 C; R34 R43 R52-53	C R: 22-34-43-52/53 S: (1/2-)26-36/37/39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-175-00-6	2-(O-aminooxy)ethylamine dihydrochloride	412-310-7	37866-45-8	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
612-176-00-1	Polymer of 1,3-dibromopropane and N,N-diethyl-N',N'-dimethyl-1,3-propanediamine	410-570-6	143747-73-3	N; R50-53	N R: 50/53 S: 60-61		
612-177-00-7	2-naphthylamino-6-sulfomethylamide	412-120-4	104295-55-8	Xn; R48/22 R43 N; R51-53	Xn; N R: 43-48/22-51/53 S: (2-)22-36/37-61		
612-178-00-2	1,4,7,10-tetraazacyclododecane disulfate	412-080-8	112193-77-8	Xn; R22 Xi; R37-41 R52-53	Xn R: 22-37-41-52/53 S: (2-)26-36/37/39-61		
612-179-00-8	1-(2-propenyl)pyridinium chloride	412-740-5	25965-81-5	Xn; R22 R43	Xn R: 22-43 S: (2-)24-37		
612-180-00-3	3-aminobenzylamine	412-230-2	4403-70-7	Xn; R22 C; R34 N; R51-53	C; N R: 22-34-51/53 S: (1/2-)22-26-36/37/ 39-45-61		
612-181-00-9	2-phenylthioaniline	413-030-8	1134-94-7	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
612-182-00-4	1-ethyl-1-methylmorpholinium bromide	418-210-1	65756-41-4	Muta. Cat. 3; R68	Xn R: 68 S: (2-)36/37		
612-183-00-X	1-ethyl-1-methylpyrrolidinium bromide	418-200-5	69227-51-6	Muta. Cat. 3; R68	Xn R: 68 S: (2-)36/37		
612-184-00-5	6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3H),9-(9H)-xanthen]-3-one	403-830-5	89331-94-2	R52-53	R: 52/53 S: 61		
612-185-00-0	1-[3-[4-((heptadecafluorononyl)oxy)-benzamido]propyl]-N,N,N-trimethylammonium iodide	407-400-8	59493-72-0	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-186-00-6	bis(N-(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate	406-770-8	149057-64-7	Xn; R48/22 Xi; R41 R43 N; R50-53	Xn; N R: 41-43-48/22-50/53 S: (2-)22-26-36/37/39-60-61		
612-187-00-1	2,3,4-trifluoroaniline	407-170-9	3862-73-5	Xn; R21/22-48/22 Xi; R38-41 N; R51-53	Xn; N R: 21/22-38-41-48/22-51/53 S: (2-)23-26-36/37/39-61		
612-188-00-7	4,4'-(9H-fluoren-9-ylidene)bis(2-chloroaniline)	407-560-9	107934-68-9	N; R51-53	N R: 51/53 S: 61		
612-189-00-2	4-amino-2-(aminomethyl)phenol dihydrochloride	412-510-4	135043-64-0	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)22-24-37-60-61		
612-190-00-8	4,4'-methylenebis(2-isopropyl-6-methylaniline)	415-150-6	16298-38-7	Xn; R48/22 N; R51-53	Xn; N R: 48/22-51/53 S: (2-)36-61		
612-191-00-3	Polymer of allylamine hydrochloride	415-050-2	71550-12-4	Xn; R22 R43	Xn R: 22-43 S: (2-)36/37		
612-192-00-9	2-isopropyl-4-(N-methyl)aminomethylthiazole	414-800-6	154212-60-9	Xn; R21/22 Xi; R38-41 N; R51-53	Xn; N R: 21/22-38-41-51/53 S: (2-)26-36/37/39-61		
612-193-00-4	3-methylaminomethylphenylamine	414-570-7	18759-96-1	Xn; R21/22 C; R34 R43 N; R50-53	C; N R: 21/22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
612-194-00-X	2-hydroxy-3-[(2-hydroxyethyl)-[2-(1-oxotetradecyl)amino]ethyl]amino]-N,N,N-trimethyl-1-propanammonium chloride	414-670-0	141890-30-4	Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-50/53 S: (2-)26-39-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-195-00-5	bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedi-sulfonate	415-210-1	160236-81-7	Xn; R20/22 Xi; R41 N; R50-53	Xn; N R: 20/22-41-50/53 S: (2-)26-36/39-60-61		
612-196-00-0	4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2]	202-441-6 [1] 221-627-8 [2]	95-69-2 [1] 3165-93-3 [2]	Carc. Cat. 2; R45 Muta. Cat. 3; R68 T; R23/24/25 N; R50-53	T; N R: 45-23/24/25-68- 50/53 S: 53-45-60-61		E
612-197-00-6	2,4,5-trimethylaniline; [1] 2,4,5-trimethylaniline hydrochloride [2]	205-282-0 [1] [2]	137-17-7 [1] 21436-97-5 [2]	Carc. Cat. 2; R45 T; R23/24/25 N; R51-53	T; N R: 45-23/24/25-51/ 53 S: 53-45-61		E
612-198-00-1	4,4'-thiodianiline and its salts	205-370-9	139-65-1	Carc. Cat. 2; R45 Xn; R22 N; R51-53	T; N R: 45-22-51/53 S: 53-45-61		E
612-199-00-7	4,4'-oxydianiline and its salts; <i>p</i> -aminophenyl ether	202-977-0	101-80-4	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T; R23/24/25 N; R51-53	T; N R: 45-46-23/24/25- 62-51/53 S: 53-45-61		E
612-200-00-0	2,4-diaminoanisole; 4-methoxy- <i>m</i> -phenylenediamine; [1] 2,4-diaminoanisole sulphate [2]	210-406-1 [1] 254-323-9 [2]	615-05-4 [1] 39156-41-7 [2]	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R22 N; R51-53	T; N R: 45-22-68-51/53 S: 53-45-61		E
612-201-00-6	<i>N,N,N',N'</i> -tetramethyl-4,4'-methylenedianiline	202-959-2	101-61-1	Carc. Cat. 2; R45 N; R50-53	T; N R: 45-50/53 S: 53-45-60-61		
612-202-00-1	3,4-dichloroaniline	202-448-4	95-76-1	T; R23/24/25 Xi; R41 R43 N; R50-53	T; N R: 23/24/25-41-43- 50/53 S: (1/2-)26-36/37/39- 45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-204-00-2	C.I. Basic Violet 3; 4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride	208-953-6	548-62-9	Carc. Cat. 3; R40 Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-40-41-50/53 S: (2-)26-36/37/39-46-60-61		
612-205-00-8	C.I. Basic Violet 3 with ≥ 0.1 % of Michler's ketone (EC no. 202-027-5)	208-953-6	548-62-9	Carc. Cat. 2; R45 Xn; R22 Xi; R41 N; R50-53	T; N R: 45-22-41-50/53 S: 53-45-60-61		E
612-206-00-3	famoxadone (ISO); 3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione	—	131807-57-3	Xn; R48/22 N; R50-53	Xn; N R: 48/22-50/53 S: (2-)46-60-61		
612-207-00-9	4-ethoxyaniline; <i>p</i> -phenetidine	205-855-5	156-43-4	Muta. Cat. 3; R68 Xn; R20/21/ 22 Xi; R36 R43	Xn R: 20/21/22-36-43-68 S: (2-)36/37-46		
612-209-00-X	6-methoxy- <i>m</i> -toluidine; <i>p</i> -cresidine	204-419-1	120-71-8	Carc. Cat. 2; R45 Xn; R22	T R: 45-22 S: 53-45		E
612-210-00-5	5-nitro- <i>o</i> -toluidine; [1] 5-nitro- <i>o</i> -toluidine hydrochloride [2]	202-765-8 [1] 256-960-8 [2]	99-55-8 [1] 51085-52-0 [2]	Carc. Cat. 3; R40 T; R23/24/25 R52-53	T R: 23/24/25-40-52/ 53 S: (1/2-)36/37-45-61		
612-211-00-0	N-[(benzotriazole-1-yl)methyl]-4-carboxybenzenesulfonamide	416-470-9	170292-97-4	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
612-212-00-6	2,6-dichloro-4-trifluoromethylaniline	416-430-0	24279-39-8	Xn; R20/22 Xi; R38 R43 N; R50-53	Xn; N R: 20/22-38-43-50/ 53 S: (2-)24-37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
612-213-00-1	isobutylidene-(2-(2-isopropyl-4,4-dimethyloxazolidine-3-yl)-1,1-dimethylethyl)amine	419-850-2	148348-13-4	C; R34 R52-53	C R: 34-52/53 S: (1/2-)23-26-36/37/ 39-45-61		
612-214-00-7	4-(2,2-diphenylethenyl)-N,N-di-phenylbenzenamine	421-390-2	89114-90-9	R53	R: 53 S: 61		
612-215-00-2	3-chloro-2-(isopropylthio)aniline	421-700-6	179104-32-6	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
612-217-00-3	1-methoxy-2-propylamine	422-550-4	37143-54-7	F; R11 C; R34 Xn; R22 R52-53	F; C R: 11-22-34-52/53 S: (1/2-)9-26-36/37/ 39-45-61		
613-001-00-1	ethyleneimine; aziridine	205-793-9	151-56-4	F; R11 Carc. Cat. 2; R45 Muta. Cat. 2; R46 T+; R26/27/ 28 C; R34 N; R51-53	F; T+; N R: 45-46-11-26/27/ 28-34-51/53 S: 53-45-61		D E
613-002-00-7	pyridine	203-809-9	110-86-1	F; R11 Xn; R20/21/ 22	F; Xn R: 11-20/21/22 S: (2-)26-28	Xn; R20/21/22: C ≥ 5 %	
613-003-00-2	1,2,3,4-tetranitrocarbazole	—	6202-15-9	E [⊗] R1 Xn; R20/21/ 22	E; Xn R: 1-20/21/22 S: (2-)35		
613-004-00-8	crimidine (ISO); 2-chloro-6-methylpyrimidin-4-yl dimethylamine	208-622-6	535-89-7	T+; R28	T+ R: 28 S: (1/2-)36/37-45		
613-007-00-4	desmetryne (ISO); 6-isopropylamino-2-methylamino-4-methylthio-1,3,5-triazine	213-800-1	1014-69-3	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-008-00-X	dazomet (ISO); tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione	208-576-7	533-74-4	Xn; R22 Xi; R36 N; R50-53	Xn; N R: 22-36-50/53 S: (2-)15-22-24-60-61		
613-009-00-5	2,4,6-trichloro-1,3,5-triazine; cyanuric chloride	203-614-9	108-77-0	R14 T+; R26 Xn; R22 C; R34 R43	T+; R: 14-22-26-34-43 S: (1/2-)26-28-36/37/ 39-45-46-63	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
613-010-00-0	ametryn (ISO); 2-ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine	212-634-7	834-12-8	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)36-60-61		
613-011-00-6	amitrole (ISO); 1,2,4-triazol-3-ylamine	200-521-5	61-82-5	Repr. Cat. 3; R63 Xn; R48/22 N; R51-53	Xn; N R: 48/22-63-51/53 S: (2-)13-36/37-61		
613-012-00-1	bentazone (ISO); 3-isopropyl-2,1,3-benzothiadiazine-4-one-2,2-dioxide	246-585-8	25057-89-0	Xn; R22 Xi; R36 R43 R52-53	Xn R: 22-36-43-52/53 S: (2-)24-37-61		
613-013-00-7	cyanazine (ISO); 2-(4-chloro-6-ethylamino-1,3,5-triazine-2-ylamino)-2-methylpropionitrile	244-544-9	21725-46-2	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)37-60-61		
613-014-00-2	ethoxyquin (ISO); 6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline	202-075-7	91-53-2	Xn; R22	Xn R: 22 S: (2-)24		
613-015-00-8	fenazaflor (ISO); phenyl 5,6-dichloro-2-trifluoromethylbenzimidazole-1-carboxylate	238-134-9	14255-88-0	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
613-016-00-3	fuberidazole (ISO); 2-(2-furyl)benzimidazole	223-404-0	3878-19-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-60-61		
613-017-00-9	bis (8-hydroxyquinolinium) sulphate	205-137-1	134-31-6	Xn; R22	Xn R: 22 S: (2-)36		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-018-00-4	morfamquat (ISO); 1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridilium ion	—	7411-47-4	Xn; R22 Xi; R36/37/38 R52-53	Xn R: 22-36/37/38-52/53 S: (2-)22-36-61		
613-019-00-X	thioquinox (ISO); 2-thio-1,3-dithiolo(4,5,b)quinoxaline	202-272-8	93-75-4	Xn; R22	Xn R: 22 S: (2-)24		
613-020-00-5	tridemorph (ISO); 2,6-dimethyl-4-tridecylmorpholine	246-347-3	24602-86-6	Repr. Cat. 2; R61 Xn; R20/22 Xi; R38 N; R50-53	T; N R: 61-20/22-38-50/53 S: 53-45-60-61		E
613-021-00-0	dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile	222-098-6	3347-22-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24-60-61		
613-022-00-6	pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex	—	—	Xn; R20/21/22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61		A
613-023-00-1	2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1R-[1 α [S*(Z)],3 β]]-chrysanthemate; pyrethrin I	204-455-8	121-21-1	Xn; R20/21/22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61		
613-024-00-7	2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[1R-[1 α [S*(Z)](3 β)]-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; pyrethrin II	204-462-6	121-29-9	Xn; R20/21/22 N; R50-53	Xn; N R: 20/21/22-50/53 S: (2-)13-60-61		
613-025-00-2	cinerin I; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate	246-948-0	25402-06-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-026-00-8	cinerin II; 3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate	204-454-2	121-20-0	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-027-00-3	piperidine	203-813-0	110-89-4	F; R11 T; R23/24 C; R34	F; T R: 11-23/24-34 S: (1/2-)16-26-27-45	T; R23/24: C \geq 5 % Xn; R20/21: 1 % \leq C < 5 % C; R34: C \geq 5 % Xi; R36/38: 1 % \leq C < 5 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-028-00-9	morpholine	203-815-1	110-91-8	R10 Xn; R20/21/ 22 C; R34	C R: 10-20/21/22-34 S: (1/2-)23-36-45	C; R34: C ≥ 10 % Xi; R36/38: 1 % ≤ C < 10 %	
613-029-00-4	dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid	220-487-5	2782-57-2	O; R8 Xn; R22 R31 Xi; R36/37 N; R50-53	O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61		
613-030-00-X	troclosene potassium; [1] troclosene sodium [2]	218-828-8 [1] 220-767-7 [2]	2244-21-5 [1] 2893-78-9 [2]	O; R8 [⊗] Xn; R22 R31 Xi; R36/37 N; R50-53	O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61	Xn; R22: C ≥ 10 % Xi; R36/37: C ≥ 10 % R31: C ≥ 10 %	
613-030-01-7	troclosene sodium, dihydrate	220-767-7	51580-86-0	Xn; R22 R31 Xi; R36/37 N; R50-53	Xn; N R: 22-31-36/37-50/ 53 S: (2-)8-26-41-60-61		
613-031-00-5	symclosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetrion	201-782-8	87-90-1	O; R8 Xn; R22 Xi; R36/37 R31 N; R50-53	O; Xn; N R: 8-22-31-36/37-50/ 53 S: (2-)8-26-41-60-61		
613-032-00-0	methyl-2,3,5,6-tetrachloro-4-pyridylsulphone; 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine	236-035-5	13108-52-6	Xn; R21/22 Xi; R36 R43	Xn R: 21/22-36-43 S: (2-)26-28		
613-033-00-6	2-methylaziridine; propyleneimine	200-878-7	75-55-8	F; R11 Carc. Cat. 2; R45 T+; R26/27/ 28 Xi; R41 N; R51-53	F; T+; N R: 45-11-26/27/28- 41-51/53 S: 53-45-61	Carc. Cat. 2; R45: C ≥ 0,01 %	E
613-034-00-1	1,2-dimethylimidazole	217-101-2	1739-84-0	Xn; R22 Xi; R38-41	Xn R: 22-38-41 S: (2-)24-26		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-035-00-7	1-methylimidazole	210-484-7	616-47-7	Xn; R21/22 C; R34	C R: 21/22-34 S: (1/2-)26-36-45		
613-036-00-2	2-methylpyridine; 2-picoline	203-643-7	109-06-8	R10 Xn; R20/21/ 22 Xi; R36/37	Xn R: 10-20/21/22-36/ 37 S: (2-)26-36		
613-037-00-8	4-methylpyridine; 4-picoline	203-626-4	108-89-4	R10 T; R24 Xn; R20/22 Xi; R36/37/ 38	T R: 10-20/22-24-36/ 37/38 S: (1/2-)26-36-45		
613-038-00-3	6-phenyl-1,3,5-triazine-2,4-diyl diamine; 6-phenyl-1,3,5-triazine-2,4-diamine; benzoguanamine	202-095-6	91-76-9	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
613-039-00-9	ethylene thiourea; imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9	96-45-7	Repr. Cat. 2; R61 Xn; R22	T R: 61-22 S: 53-45		E
613-040-00-4	azaconazole (ISO); 1-[[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl]-1H- 1,2,4-triazole	262-102-3	60207-31-0	Xn; R22	Xn R: 22 S: (2-)46		
613-041-00-X	morpholine-4-carbonyl chloride	239-213-0	15159-40-7	R14 Carc. Cat. 3; R40 Xi; R36/38	Xn R: 14-36/38-40 S: (2-)26-30-36-38		
613-042-00-5	imazalil (ISO); 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	252-615-0	35554-44-0	Xn; R20/22 Xi; R41 N; R50-53	Xn; N R: 20/22-41-50/53 S: (2-)26-39-60-61		
613-043-00-0	imazalil sulphate (ISO) powder; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazo- lium hydrogen sulphate [2]	261-351-5 [1] 281-291-3 [2]	58594-72-2 [1] 83918-57-4 [2]	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24/25-37-46- 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-043-01-8	imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1H-imidazo- lium hydrogen sulphate [2]	261-351-5 [1] 281-291-3 [2]	58594-72-2 [1] 83918-57-4 [2]	Xn; R22 C; R34 R43 N; R50-53	C; N R: 22-34-43-50/53 S: (2-)26-36/37/39- 45-60-61	C; R34: C ≥ 50 % Xi; R38: 30 % ≤ C < 50 % Xi; R41: 15 % ≤ C < 50 % Xi; R36: 5 % ≤ C < 15 %	
613-044-00-6	captan (ISO); 1,2,3,6-tetrahydro-N-(trichloromethylthio)phthalimide	205-087-0	133-06-2	Carc. Cat. 3; R40 T; R23 Xi; R41 R43 N; R50	T; N R: 23-40-41-43-50 S: (1/2-)26-29-36/37/ 39-45-61		
613-045-00-1	folpet (ISO); N-(trichloromethylthio)phthalimide	205-088-6	133-07-3	Carc. Cat. 3; R40 Xn; R20 Xi; R36 R43 N; R50	Xn; N R: 20-36-40-43-50 S: (2-)36/37-46-61		
613-046-00-7	captafol (ISO); 1,2,3,6-tetrahydro-N-(1,1,2,2-tetrachloroethylthio)phthali- mide	219-363-3	2425-06-1	Carc. Cat. 2; R45 R43 N; R50-53	T; N R: 45-43-50/53 S: 53-45-60-61		
613-047-00-2	1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarba- mate; dimetilan (ISO)	211-420-0	644-64-4	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)36/37-45-60- 61		
613-048-00-8	carbendazim (ISO); methyl benzimidazol-2-ylcarbamate	234-232-0	10605-21-7	Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 N; R50-53	T; N R: 46-60-61-50/53 S: 53-45-60-61		
613-049-00-3	benomyl (ISO); methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate	241-775-7	17804-35-2	Muta. Cat. 2; R46 Repr. Cat. 2; R60-61 Xi; R37/38 R43 N; R50-53	T; N R: 46-60-61-37/38- 43-50/53 S: 53-45-60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-050-00-9	carbadox (INN); methyl 3-(quinoxalin-2-ylmethylene)carbazate 1,4-dioxide; 2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide	229-879-0	6804-07-5	F; R11 Carc. Cat. 2; R45 Xn; R22	F; T R: 45-11-22 S: 53-45		E
613-051-00-4	molinate (ISO); S-ethyl 1-perhydroazepinecarbothioate; S-ethyl perhydroazepine-1-carbothioate	218-661-0	2212-67-1	Carc. Cat. 3; R40 Repr. Cat. 3; R62 Xn; R20/ 2248/22 R43 N; R50-53	Xn; N R: 20/22-40-43-48/ 22-62-50/53 S: (2-)36/37-46-60-61	N; R50-53: C ≥ 0,25 % N; R51-53: 0,025 % ≤ C < 0,25 % R52-53: 0,0025 % ≤ C < 0,025 %	
613-052-00-X	trifenmorph (ISO); 4-tritylmorpholine	215-812-2	1420-06-0	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-053-00-5	anilazine (ISO); 2-chloro-N-(4,6-dichloro-1,3,5-triazin-2-yl)aniline	202-910-5	101-05-3	Xi; R36/38 N; R50-53	Xi; N R: 36/38-50/53 S: (2-)22-60-61		
613-054-00-0	thiabendazol (ISO); 2-(thiazole-4-yl)benzimidazole	205-725-8	148-79-8	N; R50-53	N R: 50/53 S: 60-61		
613-056-00-1	1,2-dimethyl-3,5-diphenylpyrazolium methylsulphate; difenzoquat methyl sulfate	256-152-5	43222-48-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-057-00-7	dodemorph (ISO); 4-cyclododecyl-2,6-dimethylmorpholine	216-474-9	1593-77-7	Xi; R36/37/ 38 N; R51-53	Xi; N R: 36/37/38-51/53 S: (2-)26-61		
613-058-00-2	permethrin (ISO); m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	258-067-9	52645-53-1	Xn; R20/22 R43 N; R50-53	Xn; N R: 20/22-43-50/53 S: (2-)13-24-36/37/ 39-60-61	N; R50-53: C ≥ 0,025 % N; R51-53: 0,0025 % ≤ C < 0,025 % R52-53: 0,00025 % ≤ C < 0,0025 %	
613-059-00-8	profluralin (ISO); N-(cyclopropylmethyl)-a,a,a-trifluoro-2,6-dinitro-N-propyl-p-toluidine	247-656-6	26399-36-0	Xi; R36 N; R50-53	Xi; N R: 36-50/53 S: (2-)60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-060-00-3	resmethrin (ISO); 5-benzyl-3-furylmethyl (±)-cis-trans-chrysanthemate	233-940-7	10453-86-8	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60/61		
613-061-00-9	6-(1α,5αβ,8αβ,9-pentahydroxy-7β-isopropyl-2β,5β,8β-trimethylperhydro-8ba,9-epoxy-5,8-ethanocyclopenta[1,2-b]indenyloxy)pyrrole-2-carboxylate; ryania	239-732-2	15662-33-6	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
613-062-00-4	sabadilla (ISO); veratrine	—	8051-02-3	Xi; R36/37/ 38	Xi R: 36/37/38 S: (2-)36/37/39		
613-063-00-X	secbumeton (ISO); 2-sec-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine	247-554-1	26259-45-0	Xn; R22 Xi; R36 N; R50-53	Xn; N R: 22-36-50/53 S: (2-)60-61		
613-064-00-5	5-(3,6,9-trioxa-2-undecyloxy)benzo(d)-1,3-dioxolane; sesamex	—	51-14-9	Xn; R22	Xn R: 22 S: (2-)		
613-065-00-0	simetryn (ISO); 2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine	213-801-7	1014-70-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-066-00-6	terbumeton (ISO); 2-tert-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine	251-637-8	33693-04-8	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-067-00-1	propazine (ISO); 2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine	205-359-9	139-40-2	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		
613-068-00-7	atrazine (ISO); 2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine	217-617-8	1912-24-9	Xn; R48/22 R43 N; R50-53	Xn; N R: 43-48/22-50/53 S: (2-)36/37-60-61		
613-069-00-2	ε-caprolactam	203-313-2	105-60-2	Xn; R20/22 Xi; R36/37/ 38	Xn R: 20/22-36/37/38 S: (2-)		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-070-00-8	propylenethiourea	—	2122-19-2	Repr. Cat. 3; R63 Xn; R22 R52-53	Xn R: 22-52/53-63 S: (2-)36/37-46-61		
613-071-00-3	2-fluoro-5-trifluoromethylpyridine	400-290-2	69045-82-5	R10 R43 R52-53	Xi R: 10-43-52/53 S: (2-)24-37-61		
613-072-00-9	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	401-280-0	91273-04-0	C; R34 R43 N; R51-53	C; N R: 34-43-51/53 S: (1/2-)26-28-36/37/ 39-45-61		
613-073-00-4	N,N-dimethyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-ylphenylsulphonyl)ethylamine	401-410-6	10357-99-0	Xn; R48/22 R43 N; R51-53	Xn; N R: 43-48/22-51/53 S: (2-)24-37-61		
613-074-00-X	3-(3-methylpent-3-yl)isoxazol-5-ylamine	401-460-9	82560-06-3	T; R23/25 Xi; R41 R52-53	T R: 23/25-41-52/53 S: (1/2-)22-26-36/37/ 39-45-61		
613-075-00-5	1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione	401-570-7	89415-87-2	O; R8 T; R23 C; R34 Xn; R22 R43 N; R50	O; T; N R: 8-22-23-34-43-50 S: (1/2-)8-26-36/37/ 39-45-61		
613-076-00-0	3-chloro-5-trifluoromethyl-2-pyridylamine	401-670-0	79456-26-1	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
613-077-00-6	reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine	401-940-8	—	Xn; R22 Xi; R36 N; R51-53	Xn; N R: 22-36-51/53 S: (2-)22-26-61		
613-078-00-1	N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine	401-990-0	106990-43-6	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-079-00-7	4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers	402-520-7	—	Xn; R21/22 Xi; R38 R43 N; R50-53	Xn; N R: 21/22-38-43-50/ 53 S: (2-)36/37-60-61		
613-080-00-2	3-(bis(2-ethylhexyl)aminomethyl)benzothiazole-2(3H)-thione	402-540-6	105254-85-1	C; R34 R43 N; R50-53	C; N R: 34-43-50/53 S: (1/2-)26-28-36/37/ 39-45-60-61		
613-081-00-8	1-butyl-2-methylpyridinium bromide	402-680-8	26576-84-1	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
613-082-00-3	2-methyl-1-pentylpyridinium bromide	402-690-2	—	Xn; R21/22 R52-53	Xn R: 21/22-52/53 S: (2-)36/37-61		
613-083-00-9	2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl)phenylsulfonyl)ethyldimethylammonium formate	402-120-2	—	C; R34 Xn; R48/22 R43 N; R50-53	C; N R: 34-43-48/22-50/ 53 S: (1/2-)24-26-28-37/ 39-45-60-61		
613-084-00-4	2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulphonyl)ethyldimethylammonium hydrogen phosphonate	402-490-5	106359-93-7	Xi; R36 N; R50-53	Xi; N R: 36-50/53 S: (2-)26-60-61		
613-085-00-X	reaction mass of 1,1'-(methylenebis(4,1-phenylene))dipyrrole-2,5-dione and N-(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2H-2-furylidenamino)benzyl)phenyl)pyrrole-2,5-dione	401-970-1	—	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
613-086-00-5	caffeine	200-362-1	58-08-2	Xn; R22	Xn R: 22 S: (2-)		
613-087-00-0	tetrahydrothiophene	203-728-9	110-01-0	F; R11 Xn; R20/21/ 22 Xi; R36/38 R52-53	F; Xn R: 11-20/21/22-36/ 38-52/53 S: (2-)16-23-36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-088-00-6	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	220-120-9	2634-33-5	Xn; R22 Xi; R38-41 R43 N; R50	Xn; N R: 22-38-41-43-50 S: (2-)24-26-37/39-61	R43: C ≥ 0,05 %	
613-089-00-1	diquat dibromide; [1] diquat dichloride; [2] 6,7-dihydrodipyrido[1,2-α:2',1'-c]pyrazinediylum dihydroxide [3]	201-579-4 [1] 223-714-6 [2] 301-467-6 [3]	85-00-7 [1] 4032-26-2 [2] 94021-76-8 [3]	T+; R26 T; R48/25 Xn; R22 Xi; R36/37/38 R43 N; R50-53	T+; N R: 22-26-36/37/38-43-48/25-50/53 S: (1/2-)28-36/37/39-45-60-61		
613-090-00-7	paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride; [1] paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2]	217-615-7 [1] 218-196-3 [2]	1910-42-5 [1] 2074-50-2 [2]	T+; R26 T; R24/25-48/25 Xi; R36/37/38 N; R50-53	T+; N R: 24/25-26-36/37/38-48/25-50/53 S: (1/2-)22-28-36/37/39-45-60-61		
613-091-00-2	morfamquat dichloride; [1] morfamquat sulfate [2]	225-062-8 [1] [2]	4636-83-3 [1] 29873-36-7 [2]	Xn; R22 Xi; R36/37/38 R52-53	Xn R: 22-36/37/38-52/53 S: (2-)22-36-61		
613-092-00-8	1,10-phenanthroline	200-629-2	66-71-7	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)45-60-61		
613-093-00-3	hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate	400-050-7	85153-92-0	R42/43	Xn R: 42/43 S: (2-)22-24-37		
613-094-00-9	4-methoxy-N,6-dimethyl-1,3,5-triazin-2-ylamine	401-360-5	5248-39-5	Xn; R22-48/22	Xn R: 22-48/22 S: (2-)22-36		
613-095-00-4	sodium 3-(2H-benzotriazol-2-yl)-5-sec-butyl-4-hydroxybenzenesulfonate	403-080-9	92484-48-5	Xi; R41	Xi R: 41 S: (2-)26-39		
613-096-00-X	2-amino-6-ethoxy-4-methylamino-1,3,5-triazine	403-580-7	62096-63-3	Xn; R22	Xn R: 22 S: (2-)		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-097-00-5	7-amino-3-((5-carboxymethyl-4-methyl-1,3-thiazol-2-ylthio)methyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid	403-690-5	111298-82-9	R42/43 R52-53	Xn R: 42/43-52/53 S: (2-)22-24-37-61		
613-098-00-0	N-(n-octyl)-2-pyrrolidone	403-700-8	2687-94-7	C; R34 N; R51-53	C; N R: 34-51/53 S: (1/2-)23-26-36/37/ 39-45		
613-099-00-6	1-dodecyl-2-pyrrolidone	403-730-1	2687-96-9	C; R34 R43 N; R50-53	C; N R: 34-43-50/53 S: (1/2-)26-36/37/39- 45-60-61		
613-100-00-X	2,9-bis(3-(diethylamino)propylsulfamoyl)quino(2,3-b)acridine-7,14-dione	404-230-6	—	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
613-101-00-5	N-tert-pentyl-2-benzothiazolesulfenamide	404-380-2	110799-28-5	R43 R52-53	Xi R: 43-52/53 S: (2-)36/37-61		
613-102-00-0	dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine	404-200-2	110488-70-5	N; R51-53	N R: 51/53 S: 61		
613-103-00-6	sodium 5-n-butylbenzotriazole	404-450-2	118685-34-0	Xn; R22 C; R34 R43 N; R51-53	C; N R: 22-34-43-51/53 S: (1/2-)26-36/37/39- 45-61		
613-104-00-1	5-tert-butyl-3-isoxazolylamine hydrochloride	404-840-2	—	Xn; R22-48/ 22 Xi; R41 R52-53	Xn R: 22-41-48/22-52/ 53 S: (2-)26-36/39-61		
613-105-00-7	hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate)	405-160-9	124537-30-0	T; R25 R43 R52-53	T R: 25-43-52/53 S: (1/2-)24-37-45-61		
613-106-00-2	tetrapotassium 2-(4-(5-(1-(2,5-disulfonatophenyl)-3-ethoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidene)-3-ethoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzene-1,4-disulfonate	405-240-3	—	R43	Xi R: 43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-107-00-8	hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-(N-cyanoethyl-N-(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)dibenzene-1,4-disulfonate	405-280-1	76508-02-6	Xi; R36	Xi R: 36 S: (2-)26		
613-108-00-3	benzothiazole-2-thiol	205-736-8	149-30-4	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
613-109-00-9	bis(piperidinothiocarbonyl) disulphide	202-328-1	94-37-1	Xi; R36/37/ 38 R43	Xi R: 36/37/38-43 S: (2-)24-26-37		
613-110-00-4	dimepiperate (ISO); S-(1-methyl-1-phenylethyl) piperidine-1-carbothioate	262-784-2	61432-55-1	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
613-111-00-X	1,2,4-triazole	206-022-9	288-88-0	Repr. Cat. 3; R63 Xn; R22 Xi; R36	Xn R: 22-36-63 S: (2-)36/37		
613-112-00-5	octhilinone (ISO); 2-octyl-2H-isothiazol-3-one	247-761-7	26530-20-1	T; R23/24 Xn; R22 C; R34 R43 N; R50-53	T; N R: 22-23/24-34-43- 50/53 S: (1/2-)26-36/37/39- 45-60-61	R43: C ≥ 0,05 %	
613-113-00-0	2-(morpholinothio)benzothiazole	203-052-4	102-77-2	Xi; R36/38 R43 N; R51-53	Xi; N R: 36/38-43-51/53 S: (2-)24-26-37-61		
613-114-00-6	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol; 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	225-208-0	4719-04-4	Xn; R22 R43	Xn R: 22-43 S: (2-)24-37	R43: C ≥ 0,1 %	
613-115-00-1	hymexazol (ISO); 3-hydroxy-5-methylisoxazole	233-000-6	10004-44-1	Xn; R22 Xi; R41 R52-53	Xn R: 22-41-52/53 S: (2-)26-39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-116-00-7	tolyfluamid (ISO); dichloro-N-[(dimethylamino)sulphonyl]fluoro-N-(p-tolyl) methanesulphenamide	211-986-9	731-27-1	T; R23 Xn; R48/20 Xi; R36/37/ 38 R43 N; R50-53	T; N R: 23-36/37/38-43- 48/20-50/53 S: (1/2-)24-26-37-38- 45-60-61		
613-117-00-2	diniconazole (ISO); (E)-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-dimethylethyl)- 1H-1,2,4-triazol-1-ethanol; (E)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1H-1,2,4- triazol-1-yl)pent-1-en-3-ol	—	76714-88-0	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-118-00-8	flubenzimine (ISO); N-[3-phenyl-4,5-bis[(trifluoromethyl)imino]thiazolidin-2-ylidene]aniline;	253-703-1	37893-02-0	Xi; R36 N; R50-53	Xi; N R: 36-50/53 S: (2-)26-60-61		
613-119-00-3	(benzothiazol-2-ylthio)methyl thiocyanate; TCMTB	244-445-0	21564-17-0	T+; R26 Xn; R22 Xi; R36/38 R43 N; R50-53	T+; N R: 22-26-36/38-43- 50/53 S: (1/2-)28-36/37-38- 45-60-61		
613-120-00-9	bioesmethrin; (5-bezylfur-3-yl)methyl(1R)-trans-2,2-dimethyl-3-(2-methyl- propenyl)cyclopropanecarboxylate	249-014-0	28434-01-7	N; R50-53	N R: 50/53 S: 60-61		
613-121-00-4	chlorsulfuron (ISO); 2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino] carbonyl]benzenesulphonamide;	265-268-5	64902-72-3	N; R50-53	N R: 50/53 S: 60-61		
613-122-00-X	diclobutrazole (ISO); (R*, R*)-(±)-β-[(2,4-dichlorophenyl)methyl]-α-(1,1-dimethyle- thyl)-1H-1,2,4-triazole-1-ethanol; (2RS, 3RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1H-1,2,4- triazol-1-yl)pentan-3-ol	—	75736-33-3	Xi; R36 N; R51-53	Xi; N R: 36-51/53 S: (2-)26-61		
613-123-00-5	5,6-dihydro-3H-imidazo[2,1-c]-1,2,4-dithiazole-3-thione; etem	251-684-4	33813-20-6	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-124-00-0	fenpropimorph (ISO); <i>cis</i> -4-[3-(<i>p</i> - <i>tert</i> -butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine	266-719-9	67564-91-4	Repr. Cat. 3; R63 Xn; R22 Xi; R38 N; R51-53	Xn; N R: 22-38-63-51/53 S: (2-)36/37-46-61		
613-125-00-6	hexythiazox (ISO); <i>trans</i> -5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-oxo-3-thiazolidine-carboxamide	—	78587-05-0	N; R50-53	N R: 50/53 S: 60-61		
613-126-00-1	imazapyr (ISO); 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1 <i>H</i> -imidazol-2-yl]-3-pyridine carboxylate	—	81334-34-1	Xi; R36 R52-53	Xi R: 36-52/53 S: (2-)26-61		
613-127-00-7	1,1-dimethylpiperidinium chloride; mepiquat chloride	246-147-6	24307-26-4	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
613-128-00-2	prochloraz (ISO); <i>N</i> -propyl- <i>N</i> -[2-(2,4,6-trichlorophenoxy)ethyl]-1 <i>H</i> -imidazole-1-carboxamide;	266-994-5	67747-09-5	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
613-129-00-8	metamitron (ISO); 4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one	255-349-3	41394-05-2	Xn; R22 N; R50	Xn; N R: 22-50 S: (2-)61		
613-131-00-9	pyroquilon (ISO); 1,2,5,6-tetrahydropyrrolo[3,2,1- <i>ij</i>]quinolin-4-one	—	57369-32-1	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
613-132-00-4	hexazinone (ISO); 3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione;	257-074-4	51235-04-2	Xn; R22 Xi; R36 N; R50-53	Xn; N R: 22-36-50/53 S: (2-)60-61		
613-133-00-X	etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole	219-991-8	2593-15-9	Carc. Cat. 3; R40 T; R23 Xn; R21/22 N; R50-53	T; N R: 21/22-23-40-50/ 53 S: (1/2-)36/37-38-45- 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-134-00-5	myclobutanil (ISO); 2-(4-chlorophenyl)-2-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)hexanenit- rile	—	88671-89-0	Repr. Cat. 3; R63 Xn; R22 Xi; R36 N; R51-53	Xn; N R: 22-36-51/53-63 S: (2-)36/37-46-61		
613-135-00-0	di(benzothiazol-2-yl) disulphide	204-424-9	120-78-5	R31 R43 N; R50-53	Xi; N R: 31-43-50/53 S: (2-)36/37-60-61		
613-136-00-6	N-cyclohexylbenzothiazole-2-sulphenamide	202-411-2	95-33-0	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
613-137-00-1	methabenzthiazuron (ISO); 1-(1,3-benzothiazol-2-yl)1,3-dimethylurea	242-505-0	18691-97-9	N; R50-53	N R: 50/53 S: 60-61		
613-138-00-7	quinoxifen (ISO); 5,7-dichloro-4-(4-fluorophenoxy)quinoline	—	124495-18-7	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-46-60- 61		
613-139-00-2	metsulfuron-methyl; 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfa- moyl) benzoic acid	—	74223-64-6	N; R50-53	N R: 50/53 S: 60-61		
613-140-00-8	cycloheximide (ISO); 4-((2 <i>R</i>)-2-[(1 <i>S</i> ,3 <i>S</i> ,5 <i>S</i>)-3,5-dimethyl-2-oxocyclohexyl]-2-hydr- oxyethyl)piperidine-2,6-dione	200-636-0	66-81-9	Muta. Cat. 3; R68 Repr. Cat. 2; R61 T+; R28 N; R51-53	T+; N R: 61-28-51/53-68 S: 53-45-61		E
613-141-00-3	1,4-diamino-2-(2-butyltetrazol-5-yl)-3-cyanoanthraquinone	401-470-3	93686-63-6	R53	R: 53 S: 61		
613-142-00-9	<i>trans</i> -N-methyl-2-styryl-[4'-aminomethine-(1-acetyl-1-(2- methoxyphenyl)acetamido)]pyridinium acetate	405-860-4	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)22-24-37-61		
613-143-00-4	1-(3-phenylpropyl)-2-methylpyridinium bromide	405-930-4	10551-42-5	Xn; R22 Xi; R36 R52-53	Xn R: 22-36-52/53 S: (2-)26-36/37-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-144-00-X	Reaction products of: poly(vinyl acetate), partially hydrolyzed, with (E)-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate	406-460-2	125139-08-4	R52-53	R: 52/53 S: 61		
613-145-00-5	(S)-3-benzyloxycarbonyl-1,2,3,4-tetrahydro-isoquinolinium 4-methylbenzenesulfonate	406-960-0	77497-97-3	N; R51-53	N R: 51/53 S: 61		
613-146-00-0	N-ethyl-N-methylpiperidinium iodide	407-780-5	4186-71-4	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)22-61		
613-147-00-6	4-[2-(1-methyl-2-(4-morpholinyl)ethoxy)ethyl]morpholine	407-940-4	111681-72-2	Xi; R41	Xi R: 41 S: (2-)26-39		
613-148-00-1	tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthrachinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane	411-240-4	143683-23-2	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24/25-37-61		
613-149-00-7	pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one	405-700-3	96489-71-3	T; R23/25 N; R50-53	T; N R: 23/25-50/53 S: (1/2-)36/37-45-60-61		
613-150-00-2	2,2'-[3,3'-(piperazine-1,4-diyl)dipropyl]bis(1H-benzimidazo[2,1-b]benzo[l,m,n][3,8]phenanthroline-1,3,6-trione	406-295-6	—	R53	R: 53 S: 61		
613-151-00-8	1-(3-mesyloxy-5-trityloxymethyl-2-D-threofuryl)thymine	406-360-9	104218-44-2	R53	R: 53 S: 61		
613-152-00-3	phenyl N-(4,6-dimethoxypyrimidin-2-yl)carbamate	406-600-2	89392-03-0	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
613-153-00-9	2,3,5-trichloropyridine	407-270-2	16063-70-0	R52-53	R: 52/53 S: 61		
613-154-00-4	2-amino-4-chloro-6-methoxypyrimidine	410-050-9	5734-64-5	Xn; R22	Xn R: 22 S: (2-)22		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-155-00-X	5-chloro-2,3-difluoropyridine	410-090-7	89402-43-7	R10 Xn; R22 R52-53	Xn R: 10-22-52/53 S: (2-)23-36-61		
613-156-00-5	2-butyl-4-chloro-5-formylimidazole	410-260-0	83857-96-9	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
613-157-00-0	2,4-diamino-5-methoxymethylpyrimidine	410-330-0	54236-98-5	Xn; R22-48/ 22 Xi; R36	Xn R: 22-36-48/22 S: (2-)22-26-36		
613-158-00-6	2,3-dichloro-5-trifluoromethyl-pyridine	410-340-5	69045-84-7	Xn; R20/22 Xi; R41 R43 N; R51-53	Xn; N R: 20/22-41-43-51/ 53 S: (2-)24-26-37/39-61		
613-159-00-1	fenazaquin (ISO); 4-[2-[4-(1,1-dimethylethyl)phenyl]-ethoxy]quinazoline	410-580-0	120928-09-8	T; R25 Xn; R20 N; R50-53	T; N R: 20-25-50/53 S: (1/2-)37-45-60-61		
613-160-00-7	(1S)-2-methyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide	411-000-9	125224-62-6	R43	Xi R: 43 S: (2-)24-37		
613-163-00-3	azimsulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2H-tetrazol-5-yl)pyrazol-5-ylsulfonyl]urea	—	120162-55-2	N; R50-53	N R: 50/53 S: 60-61		
613-164-00-9	flufenacet (ISO); N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide	—	142459-58-3	Xn; R22-48/ 22 R43 N; R50-53	Xn; N R: 22-43-48/22-50/ 53 S: (2-)13-24-37-60-61		
613-165-00-4	flupyrsulfuron-methyl-sodium (ISO); methyl 2-[[[(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfonyl]-6-trifluoromethyl]nicotinate, monosodium salt	—	144740-54-5	N; R50-53	N R: 50/53 S: 60-61		
613-166-00-X	flumioxazin (ISO); N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboxamide	—	103361-09-7	Repr. Cat. 2; R61 N; R50-53	T; N R: 61-50/53 S: 53-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	—	55965-84-9	T; R23/24/25 C; R34 R43 N; R50-53	T; N R: 23/24/25-34-43-50/53 S: (2-)26-28-36/37/39-45-60-61	C; R34: C ≥ 0,6 % Xi; R36/38: 0,06 % ≤ C < 0,6 % R43: C ≥ 0,0015 %	
613-168-00-0	1-vinyl-2-pyrrolidone	201-800-4	88-12-0	Carc. Cat. 3; R40 Xn; R20/21/ 22-48/20 Xi; R37-41	Xn R: 20/21/22-37-40-41-48/20 S: (2-)26-36/37/39		D
613-169-00-6	9-vinylcarbazole	216-055-0	1484-13-5	Muta. Cat. 3; R68 Xn; R21/22 Xi; R38 R43 N; R50-53	Xn; N R: 21/22-38-43-50/ 53-68 S: 22-23-36/37-60-61		
613-170-00-1	2,2-ethylmethylthiazolidine	404-500-3	694-64-4	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61		
613-171-00-7	hexaconazole (ISO); (RS)-2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)hexan-2-ol	413-050-7	79983-71-4	Xn; R22 R43 N; R51-53	Xn; N R: 22-43-51/53 S: (2-)24-37-61		
613-172-00-2	5-chloro-1,3-dihydro-2H-indol-2-one	412-200-9	17630-75-0	Repr. Cat. 3; R62 Xn; R22 R43 R52-53	Xn R: 22-43-62-52/53 S: (2-)22-36/37-61		
613-173-00-8	fluquinconazole (ISO); 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4-(3H)-one	411-960-9	136426-54-5	T; R23/25-48/25 Xn; R21 Xi; R38 N; R50-53	T; N R: 21-23/25-38-48/ 25-50/53 S: (1/2-)36/37/39-38-45-60-61		
613-174-00-3	(±) 2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroether	407-760-6	112281-77-3	Carc. Cat. 3; R40 Xn; R20/22 N; R51-53	Xn; N R: 20/22-40-51/53 S: (2-)36/37-41-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-175-00-9	epoxiconazole (ISO); (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane	406-850-2	133855-98-8	Carc. Cat. 3; R40 Repr. Cat. 3; R62 Repr. Cat. 3; R63 N; R51-53	Xn; N R: 40-62-63-51/53 S: (2-)36/37-46-61		
613-176-00-4	2-methyl-2-azabicyclo[2.2.1]heptane	404-810-9	4524-95-2	R10 Xn; R21/22-48/20 C; R34	C R: 10-21/22-34-48/20 S: (1/2-)16-26-36/37/39-45		
613-177-00-X	8-amino-7-methylquinoline	412-760-4	5470-82-6	Xn; R21/22 R43 N; R51-53	Xn; N R: 21/22-43-51/53 S: (2-)36/37-61		
613-178-00-5	4-ethyl-2-methyl-2-isopentyl-1,3-oxazolidine	410-470-2	137796-06-6	C; R34 R43	C R: 34-43 S: (1/2-)7/8-26-36/37/39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
613-179-00-0	lithium 3-oxo-1,2(2H)-benzisothiazol-2-ide	411-690-1	111337-53-2	Xn; R22 C; R34 R43 N; R51-53	C; N R: 22-34-43-51/53 S: (1/2-)26-36/37/39-45-61		
613-180-00-6	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide	407-430-1	3741-80-8	N; R50-53	N R: 50/53 S: 60-61		
613-181-00-1	5,5-dimethyl-perhydro-pyrimidin-2-one α-(4-trifluoromethylstyryl)-α-(4-trifluoromethyl)cinnamylidenehydrazone	405-090-9	67485-29-4	T; R48/25 Xn; R22 Xi; R36 N; R50-53	T; N R: 22-36-48/25-50/53 S: (1/2-)22-26-36/37-45-60-61		
613-182-00-7	1-(1-naphthylmethyl)quinolinium chloride	406-220-7	65322-65-8	Carc. Cat. 3; R40 Muta. Cat. 3; R68 Xn; R22 Xi; R38-41 R52-53	Xn R: 22-38-40-41-52/53-68 S: (2-)22-26-36/37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-183-00-2	reaction mass of: 5-(N-methylperfluorooctylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one; 5-(N-methylperfluoroheptylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one	413-640-4	—	Xn; R48/22 N; R50-53	Xn; N R: 48/22-50/53 S: (2-)36-60-61		
613-184-00-8	nitritotriethyleneammonio propane-2-ol 2-ethylhexanoate	413-670-8	—	Xi; R36 R43	Xi R: 36-43 S: (2-)24-26-37		
613-185-00-3	2,3,5,6-tetrahydro-2-methyl-2H-cyclopenta[d]-1,2-thiazol-3-one	407-630-9	82633-79-2	T; R25 Xi; R41 R43 N; R50-53	T; N R: 25-41-43-50/53 S: (1/2-)22-26-36/37/ 39-45-60-61		
613-186-00-9	(2R,3R)-3-((R)-1-(tert-butyl dimethylsiloxy)ethyl)-4-oxoazetidin-2-yl acetate	408-050-9	76855-69-1	Xi; R36 R43 N; R51-53	Xi; N R: 36-43-51/53 S: (2-)24-26-37-61		
613-188-00-X	1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone	411-500-7	116256-11-2	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)22-24-26-37/ 39-61		
613-189-00-5	1,4,7,10-tetrakis(p-toluensulfonyl)-1,4,7,10-tetraazacyclododecane	414-030-0	52667-88-6	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
613-190-00-0	disodium 1-amino-4-(2-(5-chloro-6-fluoro-pyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate	414-040-5	149530-93-8	Xn; R22 R43	Xn R: 22-43 S: (2-)22-24-37		
613-191-00-6	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	Repr. Cat. 2; R60 C; R34 N; R50-53	T; N R: 60-34-50/53 S: 53-45-60-61		
613-193-00-7	pentakis[3-(dimethylammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetramethyl-4,8-diazoniaundecane-1,11-diyl disulfamoyl)di[phthalocyaninecopper(II)]] heptalactate	414-930-3	—	N; R51-53	N R: 51/53 S: 61		
613-194-00-2	6,13-dichloro-3,10-bis[2-[4-fluoro-6-(2-sulfophenylamino)-1,3,5-triazin-2-ylamino]propylamino]benzo[5,6][1,4]oxazino[2,3-b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt	418-000-8	163062-28-0	Xi; R41	Xi R: 41 S: (2-)22-26-39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-195-00-8	2,2-(1,4-phenylene)bis((4 <i>H</i> -3,1-benzoxazine-4-one)	418-280-1	18600-59-4	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
613-196-00-3	5-[[[4-chloro-6-[[2-[[[4-fluoro-6-[[5-hydroxy-6-[(4-methoxy-2-sulphophenyl)azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methylethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphtalene-2,7-disulfonic acid, sodium salt	418-380-5	168113-78-8	Xi; R41	Xi R: 41 S: (2-)26-39		
613-197-00-9	reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine; 2,4,6-tri(methylcarbamoyl)-1,3,5-triazine; [(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine; [(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine	420-390-1	187547-46-2	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
613-199-00-X	reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione; reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazin-1-yl]-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-triazine-2,4,6-trione	421-550-1	—	Carc. Cat. 2; R45 Repr. Cat. 2; R61 R43 R52-53	T R: 45-61-43-52/53 S: 53-45-61		
613-200-00-3	Reaction product of: copper, (29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)-, chlorosulfuric acid and 3-(2-sulfoxyethylsulfonyl)aniline, sodium salts	420-980-7	—	Xi; R41	Xi R: 41 S: (2-)22-26-39		
613-201-00-9	(<i>R</i>)-5-bromo-3-(1-methyl-2-pyrrolidinyl methyl)-1 <i>H</i> -indole	422-390-5	143322-57-0	Repr. Cat. 3; R62 T; R39-48/25 Xn; R20/22 Xi; R41 R43 N; R50-53	T; N R: 20/22-39-41-43-48/25-62-50/53 S: (1/2-)53-45-60-61		
613-202-00-4	pymetrozine (ISO); (<i>E</i>)-4,5-dihydro-6-methyl-4-(3-pyridylmethyleneamino)-1,2,4-triazin-3(2 <i>H</i>)-one	—	123312-89-0	Carc. Cat. 3; R40 R52-53	Xn R: 40-52/53 S: (2-)36/37-61		
613-203-00-X	pyraflufen-ethyl; [1] pyraflufen [2]	[1] [2]	129630-19-9 [1] 129630-17-7 [2]	N; R50-53	N R: 50/53 S: 60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-204-00-5	oxadiargyl (ISO); 3-[2,4-dichloro-5-(2-propynyloxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one; 5- <i>tert</i> -butyl-3-[2,4-dichloro-5-(prop-2-ynyloxy)phenyl]-1,3,4-oxadiazol-2(3H)-one	254-637-6	39807-15-3	Repr. Cat. 3; R63 Xn; R48/22 N; R50-53	Xn; N R: 48/22-63-50/53 S: (2-)36/37-46-60-61		
613-205-00-0	propiconazole (ISO); (±)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1 <i>H</i> -1,2,4-triazole	262-104-4	60207-90-1	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)36/37-46-60-61		
613-206-00-6	fenamidone (ISO); (<i>S</i>)-5-methyl-2-methylthio-5-phenyl-3-phenylamino-3,5-dihydroimidazol-4-one	—	161326-34-7	N; R50-53	N R: 50/53 S: 60-61		
613-208-00-7	imazamox (ISO); (<i>RS</i>)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methoxymethylnicotinic acid	—	114311-32-9	N; R50-53	N R: 50/53 S: 60-61		
613-209-00-2	<i>cis</i> -1-(3-chloropropyl)-2,6-dimethyl-piperidin hydrochloride	417-430-3	63645-17-0	T; R25 Xn; R48/22 R43 N; R51-53	T; N R: 25-43-48/22-51/ 53 S: (1/2-)22-36/37-45- 61		
613-210-00-8	2-(3-chloropropyl)-2,5,5-trimethyl-1,3-dioxane	417-650-1	88128-57-8	Xn; R48/22 R52-53	Xn R: 48/22-52/53 S: (2-)23-25-36-61		
613-211-00-3	<i>N</i> -methyl-4-(<i>p</i> -formylstyryl)pyridinium methylsulfate	418-240-3	74401-04-0	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
613-212-00-9	4-[4-(2-ethylhexyloxy)phenyl](1,4-thiazinane-1,1-dioxide)	418-320-8	133467-41-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-60-61		
613-213-00-4	<i>cis</i> -1-benzoyl-4-[(4-methylsulfonyl)oxy]- <i>L</i> -proline	416-040-0	120807-02-5	R52-53	R: 52/53 S: 61		
613-214-00-X	<i>N,N</i> -di- <i>n</i> -butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolylidene)-1,3-dioxindan-5-carboxamide	416-260-7	147613-95-4	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-215-00-5	2-chloromethyl-3,4-dimethoxy-pyridinium chloride	416-440-5	72830-09-2	Xn; R21/22-48/22 Xi; R38-41 R43 N; R51-53	Xn; N R: 21/22-38-41-43-48/22-51/53 S: (2-)26-36/37/39-61		
613-216-00-0	6- <i>tert</i> -butyl-7-(6-diethylamino-2-methyl-3-pyridylimino)-3-(3-methylphenyl)pyrazolo[3,2-c][1,2,4]triazole	416-490-8	162208-01-7	N; R50-53	N R: 50/53 S: 60-61		
613-217-00-6	4-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]-1-[2-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]ethyl]-2,2,6,6-tetramethylpiperidine	416-770-1	73754-27-5	R53	R: 53 S: 61		
613-218-00-1	6-hydroxyindole	417-020-4	2380-86-1	Xn; R22 Xi; R41 R43 N; R51-53	Xn; N R: 22-41-43-51/53 S: (2-)24-26-37/39-61		
613-219-00-7	7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydrooxazole	417-140-7	79185-77-6	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)37-61		
613-220-00-2	trans-(4 <i>S</i> ,6 <i>S</i>)-5,6-dihydro-6-methyl-4 <i>H</i> -thieno[2,3- <i>b</i>]thiopyran-4-ol, 7,7-dioxide	417-290-3	147086-81-5	Xn; R22	Xn R: 22 S: (2-)36		
613-221-00-8	2-chloro-5-methyl-pyridine	418-050-0	18368-64-4	Xn; R21/22 Xi; R38 R52-53	Xn R: 21/22-38-52/53 S: (2-)23-25-36/37-61		
613-222-00-3	4-(1-oxo-2-propenyl)-morpholine	418-140-1	5117-12-4	Xn; R22-48/22 Xi; R41 R43	Xn R: 22-41-43-48/22 S: (2-)23-26-36/37/39		
613-223-00-9	<i>N</i> -isopropyl-3-(4-fluorophenyl)-1 <i>H</i> -indole	418-790-4	93957-49-4	R53	R: 53 S: 61		
613-224-00-4	2,5-dimercaptomethyl-1,4-dithiane	419-770-8	136122-15-1	Xn; R22 C; R34 R43 N; R50-53	C; N R: 22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
613-225-00-X	reaction mass of:[2-(anthraquinon-1-ylamino)-6-[(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine; 2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine.	421-290-9	—	Xn; R48/22 R53	Xn R: 48/22-53 S: (2-)22-36-61		
613-226-00-5	1-(2-(ethyl(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride	420-950-3	163831-67-2	Xi; R41 N; R50-53	Xi; N R: 41-50/53 S: (2-)26-39-60-61		
613-227-00-0	(±)-[(R*,R*) and (R*,S*)]-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran	419-600-2	99199-90-3	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-28-36/37-61		
613-228-00-6	(±)-(R*,S*)-6-fluoro-3,4-dihydro-2-oxiranyl-2H-1-benzopyran	419-630-6	793669-26-8	N; R51-53	N R: 51/53 S: 24-61		
613-230-00-7	florasulam (ISO); 2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c]; pyrimidine-2-sulfonilide	—	145701-23-1	N; R50-53	N R: 50/53 S: 60-61		
613-233-00-3	4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane	423-230-7	56552-15-9	Xi; R41	Xi R: 41 S: (2-)26-39		
614-001-00-4	nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine	200-193-3	54-11-5	T+; R27 T; R25 N; R51-53	T+; N R: 25-27-51/53 S: (1/2-)36/37-45-61		
614-002-00-X	salts of nicotine	—	—	T+; R26/27/ 28 N; R51-53	T+; N R: 26/27/28-51/53 S: (1/2-)13-28-45-61		A
614-003-00-5	strychnine	200-319-7	57-24-9	T+; R27/28 N; R50-53	T+; N R: 27/28-50/53 S: (1/2-)36/37-45-60-61		
614-004-00-0	salts of strychnine	—	—	T+; R26/28 N; R50-53	T+; N R: 26/28-50/53 S: (1/2-)13-28-45-60-61		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
614-005-00-6	colchicine	200-598-5	64-86-8	T+; R26/28	T+ R: 26/28 S: (1/2-)13-45		
614-006-00-1	brucine; 2,3-dimethoxystrychnine	206-614-7	357-57-3	T+; R26/28 R52-53	T+ R: 26/28-52/53 S: (1/2-)13-45-61		
614-007-00-7	brucine sulphate; [1] brucine nitrate; [2] Strychnidin-10-one, 2,3-dimethoxy-, mono[(R)-1-methylheptyl 1,2-benzenedicarboxylate]; [3] Strychnidin-10-one, 2,3-dimethoxy-, compd. with (S)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1) [4]	225-432-9 [1] 227-317-9 [2] 269-439-5 [3] 269-710-8 [4]	4845-99-2 [1] 5786-97-0 [2] 68239-26-9 [3] 68310-42-9 [4]	T+; R26/28 R52-53	T+ R: 26/28-52/53 S: (1/2-)13-45-61		A
614-008-00-2	aconitine	206-121-7	302-27-2	T+; R26/28	T+ R: 26/28 S: (1/2-)24-45		
614-009-00-8	salts of aconitine	—	—	T+; R26/28	T+ R: 26/28 S: (1/2-)24-45		A
614-010-00-3	atropine	200-104-8	51-55-8	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		
614-011-00-9	salts of atropine	—	—	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		A
614-012-00-4	hyoscyamine	202-933-0	101-31-5	T+; R26/28	T+ R: 26/28 S: (1/2-)24-45		
614-013-00-X	salts of hyoscyamine	—	—	T+; R26/28	T+ R: 26/28 S: (1/2-)24-45		A
614-014-00-5	hyoscine	200-090-3	51-34-3	T+; R26/27/ 28	T+ R: 26/27/28 S: (1/2-)25-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
614-015-00-0	salts of hyosine	—	—	T+; R26/27/28	T+ R: 26/27/28 S: (1/2-)25-45		A
614-016-00-6	pilocarpine	202-128-4	92-13-7	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		
614-017-00-1	salts of pilocarpine	—	—	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		A
614-018-00-7	papaverine	200-397-2	58-74-2	Xn; R22	Xn R: 22 S: (2-)22		
614-019-00-2	salts of papaverine	—	—	Xn; R22	Xn R: 22 S: (2-)22		A
614-020-00-8	physostigmine	200-332-8	57-47-6	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		
614-021-00-3	salts of physostigmine	—	—	T+; R26/28	T+ R: 26/28 S: (1/2-)25-45		A
614-022-00-9	digitoxin	200-760-5	71-63-6	T; R23/25 R33	T R: 23/25-33 S: (1/2-)45		
614-023-00-4	ephedrine	206-080-5	299-42-3	Xn; R22	Xn R: 22 S: (2-)22-25		
614-024-00-X	salts of ephedrine	—	—	Xn; R22	Xn R: 22 S: (2-)22-25		A
614-025-00-5	ouabain	211-139-3	630-60-4	T; R23/25 R33	T R: 23/25-33 S: (1/2-)45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
614-026-00-0	strophantin-K	234-239-9	11005-63-3	T; R23/25 R33	T R: 23/25-33 S: (1/2-)45		
614-027-00-6	bufa-4,20,22-trienolide, 6-(acetyloxy)-3-(β -D-glucopyranosyloxy)-8,14-dihydroxy-, (3 β , 6 β)-; red squill; scilliroside	208-077-4	507-60-8	T+; R28	T+ R: 28 S: (1/2-)36/37-45		
614-028-00-1	reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside	414-420-0	—	Xi; R41	Xi R: 41 S: (2-)26-39		
614-029-00-7	constitutional isomers of penta-O-allyl- β -D-fructofuranosyl- α -D-glucopyranoside; constitutional isomers of hexa-O-allyl- β -D-fructofuranosyl- α -D-glucopyranoside; constitutional isomers of hepta-O-allyl- β -D-fructofuranosyl- α -D-glucopyranoside	419-640-0	68784-14-5	Xn; R22	Xn R: 22 S: (2-)		
615-001-00-7	methyl isocyanate	210-866-3	624-83-9	F+; R12 [⊗] Repr. Cat. 3; R63 T+; R26 T; R24/25 R42/43 Xi; R37/38-41	F+; T+ R: 12-24/25-26-37/ 38-41-42/43-63 S: (1/2-)26-27/28-36/ 37/39-45-63		
615-002-00-2	methyl isothiocyanate	209-132-5	556-61-6	T; R23/25 C; R34 R43 N; R50-53	T; N R: 23/25-34-43-50/ 53 S: (1/2-)36/37-38-45-60-61		
615-003-00-8	thiocyanic acid	207-337-4	463-56-9	Xn; R20/21/ 22 R32 R52-53	Xn R: 20/21/22-32-52/ 53 S: (2-)13-61		
615-004-00-3	salts of thiocyanic acid	—	—	Xn; R20/21/ 22 R32 R52-53	Xn R: 20/21/22-32-52/ 53 S: (2-)13-61		A

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
615-005-00-9	4,4'-methylenediphenyl diisocyanate; diphenylmethane-4,4'-diisocyanate; [1] 2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate; [2] <i>o</i> -(<i>p</i> -isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate; [3] methylenediphenyl diisocyanate [4]	202-966-0 [1] 219-799-4 [2] 227-534-9 [3] 247-714-0 [4]	101-68-8 [1] 2536-05-2 [2] 5873-54-1 [3] 26447-40-5 [4]	Xn; R20 Xi; R36/37/ 38 R42/43	Xn R: 20-36/37/38-42/ 43 S: (1/2-)23-36/37-45	Xi; R36/37/38: C ≥ 5 % R42: C ≥ 0,1 %	C 2
615-006-00-4	2-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,4-di-isocyanate; [1] 4-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,6-di-isocyanate; [2] <i>m</i> -tolylidene diisocyanate; toluene-diisocyanate [3]	202-039-0 [1] 209-544-5 [2] 247-722-4 [3]	91-08-7 [1] 584-84-9 [2] 26471-62-5 [3]	Carc. Cat. 3; R40 T+; R26 Xi; R36/37/ 38 R42/43 R52-53	T+ R: 26-36/37/38-40- 42/43-52/53 S: (1/2-)23-36/37-45- 61	R42: C ≥ 0,1 %	C 2
615-007-00-X	1,5-naphthylene diisocyanate	221-641-4	3173-72-6	Xn; R20 Xi; R36/37/ 38 R42 R52-53	Xn R: 20-36/37/38-42- 52/53 S: (2-)26-28-38-45- 61		
615-008-00-5	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate	223-861-6	4098-71-9	T; R23 Xi; R36/37/ 38 R42/43 N; R51-53	T; N R: 23-36/37/38-42/ 43-51/53 S: (1/2-)26-28-38-45- 61	T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 %	2
615-009-00-0	4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate	225-863-2	5124-30-1	T; R23 Xi; R36/37/ 38 R42/43	T R: 23-36/37/38-42/ 43 S: (1/2-)26-28-38-45	T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 %	2
615-010-00-6	2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1] 2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2]	241-001-8 [1] 239-714-4 [2]	16938-22-0 [1] 15646-96-5 [2]	T; R23 Xi; R36/37/ 38 R42	T R: 23-36/37/38-42 S: (1/2-)26-28-38-45	T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42: C ≥ 0,5 %	C 2
615-011-00-1	hexamethylene-di-isocyanate	212-485-8	822-06-0	T; R23 Xi; R36/37/ 38 R42/43	T R: 23-36/37/38-42/ 43 S: (1/2-)26-28-38-45	T; R23: C ≥ 2 % Xn; R20: 0,5 % ≤ C < 2 % R42/43: C ≥ 0,5 %	2

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
615-012-00-7	4-isocyanatosulphonyltoluene; tosyl isocyanate	223-810-8	4083-64-1	R14 Xi; R36/37/ 38 R42	Xn R: 14-36/37/38-42 S: (2-)26-28-30	Xi; R36/37/38: C ≥ 5 %	
615-013-00-2	cyanamide; carbanonitril	206-992-3	420-04-2	T; R25 Xn; R21 Xi; R36/38 R43	T R: 21-25-36/38-43 S: (1/2-)3-22-36/37- 45		
615-014-00-8	tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacya- noferrate	—	7276-58-6	Xn; R22	Xn R: 22 S: (2-)24		
615-015-00-3	1,7,7-trimethylbicyclo(2,2,1)hept-2-yl thiocyanatoacetate; isobornyl thiocyanacetate	204-081-5	115-31-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)24/25-60-61		
615-016-00-9	potassium cyanate	209-676-3	590-28-3	Xn; R22	Xn R: 22 S: (2-)24/25		
615-017-00-4	calcium cyanamide	205-861-8	156-62-7	Xn; R22 Xi; R37-41	Xn R: 22-37-41 S: (2-)22-26-36/37/39		
615-018-00-X	2-(2-butoxyethoxy)ethyl thiocyanate	203-985-7	112-56-1	R10 T; R24/25	T R: 10-24/25 S: (1/2-)13-36/37-45		
615-019-00-5	dicyclohexylcarbodiimide	208-704-1	538-75-0	T; R24 Xn; R22 Xi; R41 R43	T R: 22-24-41-43 S: (1/2-)24-26-37/39- 45		
615-020-00-0	methylene dithiocyanate	228-652-3	6317-18-6	T+; R26 T; R25 C; R34 R43 N; R50	T+; N R: 25-26-34-43-50 S: (1/2-)26-28-36/37/ 39-45-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
615-021-00-6	1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione; TGIC	219-514-3	2451-62-9	Muta. Cat. 2; R46 T; R23/25 Xn; R48/22 Xi; R41 R43 R52-53	T R: 46-23/25-41-43-48/22-52/53 S: 53-45-61		E
615-022-00-1	methyl 3-isocyanatosulfonyl-2-thiophene-carboxylate	410-550-7	79277-18-2	E; R2 [⊗] R14 Xn; R48/22 R42/43	E; Xn R: 2-14-42/43-48/22 S: (2-)22-30-35-36/37		
615-023-00-7	2-(isocyanatosulfonylmethyl)benzoic acid methyl ester; (alt.):methyl 2-(isocyanatosulfonylmethyl)benzoate	410-900-9	83056-32-0	R10 R14 Muta. Cat. 3; R68 Xn; R20-48/ 22 Xi; R41 R42	Xn R: 10-14-20-41-42-48/22-68 S: (2-)23-26-36/37/39		
615-024-00-2	2-phenylethylisocyanate	413-080-0	1943-82-4	T; R23 Xn; R22 C; R35 R42/43 N; R51-53	T; C; N R: 22-23-35-42/43-51/53 S: (1/2-)23-26-36/37/ 39-43-45-61		
615-025-00-8	4,4'-ethylenediphenyl dicyanate	405-740-1	47073-92-7	Xn; R20/22-48/22 Xi; R41 N; R50-53	Xn; N R: 20/22-41-48/22-50/53 S: (2-)26-36/37/39-60-61		
615-026-00-3	4,4'-methylenebis(2,6-dimethylphenyl cyanate)	405-790-4	101657-77-6	R43 R52-53	Xi R: 43-52/53 S: (2-)22-24-37-61		
615-028-00-4	ethyl 2-(isocyanatosulfonyl)benzoate	410-220-2	77375-79-2	E; R2 [⊗] R14 Xn; R22-48/ 22 Xi; R41 R42/43	E; Xn R: 2-14-22-41-42/43-48/22 S: (2-)8-23-26-30-35-36/37/39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
615-029-00-X	2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane	411-280-2	—	T+; R26 Xn; R22 C; R34 R42/43 R52-53	T+ R: 22-26-34-42/43-52/53 S: (1/2-)23-26-28-36/37/39-45-61		
615-030-00-5	alkali salts, alkali earth salts and other salts of thiocyanic acid not mentioned elsewhere in this Annex	—	—	Xn; R20/21/22 R32 R52-53	Xn R: 20/21/22-32-52/53 S: (2-)13-61		A
615-031-00-0	thallium salt of thiocyanic acid	222-571-7	3535-84-0	Xn; R20/21/22 R32 N; R51-53	Xn; N R: 20/21/22-32-51/53 S: (2-)13-61		A
615-032-00-6	metal salts of thiocyanic acid not mentioned elsewhere in this Annex	—	—	Xn; R20/21/22 R32 N; R50-53	Xn; N R: 20/21/22-32-50/53 S: (2-)13-60-61		A
616-001-00-X	N,N-dimethylformamide; dimethyl formamide	200-679-5	68-12-2	Repr. Cat. 2; R61 Xn; R20/21 Xi; R36	T R: 61-20/21-36 S: 53-45		E
616-002-00-5	2-fluoroacetamide	211-363-1	640-19-7	T+; R28 T; R24	T+ R: 24-28 S: (1/2-)36/37-45		
616-003-00-0	acrylamide; prop-2-enamide	201-173-7	79-06-1	Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 3; R62 T; R25-48/ 23/24/25 Xn; R20/21 Xi; R36/38 R43	T R: 45-46-20/21-25-36/38-43-48/23/24/25-62 S: 53-45		DE

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-004-00-6	allidochlor (ISO); N,N-diallylchloroacetamide	202-270-7	93-71-0	Xn; R21/22 Xi; R36/38 N; R51-53	Xn; N R: 21/22-36/38-51/ 53 S: (2-)26-28-36/37/ 39-61		
616-005-00-1	chlorthiamid (ISO); 2,6-dichloro (thiobenzamide)	217-637-7	1918-13-4	Xn; R22	Xn R: 22 S: (2-)36		
616-006-00-7	dichlofluanid (ISO); N-dichlorofluoromethylthio-N',N'-dimethyl-N-phenylsulphamide	214-118-7	1085-98-9	Xn; R20 Xi; R36 R43 N; R50-53	Xn; N R: 20-36-43-50/53 S: (2-)24-37-60-61		
616-007-00-2	diphenamid (ISO); N,N-dimethyl-2,2-diphenylacetamide	213-482-4	957-51-7	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
616-008-00-8	propachlor (ISO); 2-chloro-N-isopropylacetanilide; α -chloro-N-isopropylacetanilide	217-638-2	1918-16-7	Xn; R22 Xi; R36 R43 N; R50-53	Xn; N R: 22-36-43-50/53 S: (2-)24-37-60-61		
616-009-00-3	propanil (ISO); 3',4'-dichloropropionanilide	211-914-6	709-98-8	Xn; R22 N; R50	Xn; N R: 22-50 S: (2-)22-61		
616-010-00-9	tosylchloramide sodium	204-854-7	127-65-1	Xn; R22 R31 C; R34 R42	C R: 22-31-34-42 S: (1/2-)7-22-26-36/ 37/39-45		
616-011-00-4	N,N-dimethylacetamide	204-826-4	127-19-5	Repr. Cat. 2; R61 Xn; R20/21	T R: 61-20/21 S: 53-45	Repr. Cat. 2; R61: C \geq 5 %	E
616-012-00-X	N-(dichlorofluoromethylthio)phthalimide; N-(fluorodichloromethylthio)phthalimide	211-952-3	719-96-0	Xi; R38	Xi R: 38 S: (2-)28		
616-013-00-5	butyraldehyde oxime	203-792-8	110-69-0	T; R24 Xn; R22 Xi; R36	T R: 22-24-36 S: (1/2-)23-36-45		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-014-00-0	2-butanone oxime; ethyl methyl ketoxime; ethyl methyl ketone oxime	202-496-6	96-29-7	Carc. Cat. 3; R40 Xn; R21 Xi; R41 R43	Xn R: 21-40-41-43 S: (2-)13-23-26-36/ 37/39		
616-015-00-6	alachlor (ISO); 2-chloro-2',6'-diethyl-N-(methoxymethyl)acetanilide	240-110-8	15972-60-8	Carc. Cat. 3; R40 Xn; R22 R43 N; R50-53	Xn; N R: 22-40-43-50/53 S: (2-)36/37-46-60-61	N; R50-53: C \geq 0,25 % N; R51-53: 0,025 % \leq C < 0,25 % R52-53: 0,0025 % \leq C < 0,025 %	
616-016-00-1	1-(3,4-dichlorophenylimino) thiosemicarbazide	—	5836-73-7	T+; R28	T+ R: 28 S: (1/2-)22-36/37-45		
616-017-00-7	cartap hydrochloride	239-309-2	15263-52-2	Xn; R21/22 N; R50-53	Xn; N R: 21/22-50/53 S: (2-)36/37-60-61		
616-018-00-2	N,N-diethyl-m-toluamide; deet	205-149-7	134-62-3	Xn; R22 Xi; R36/38 R52-53	Xn R: 22-36/38-52/53 S: (2-)61		
616-019-00-8	perfluidone (ISO); 1,1,1-trifluoro-N-(4-phenylsulphonyl-o-tolyl)methanesulpho- namide	253-718-3	37924-13-3	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)		
616-020-00-3	tebuthiuron (ISO); 1-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea	251-793-7	34014-18-1	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)37-60-61		
616-021-00-9	thiazafluron (ISO); 1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)urea	246-901-4	25366-23-8	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)60-61		
616-022-00-4	acetamide	200-473-5	60-35-5	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		
616-023-00-X	N-hexadecyl(or octadecyl)-N-hexadecyl(or octadecyl)benza- mide	401-980-6	—	Xi; R38 R43	Xi R: 38-43 S: (2-)24-37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-024-00-5	2-(4,4-dimethyl-2,5-dioxooxazolidin-1-yl)-2-chloro-5-(2-(2,4-di- <i>tert</i> -pentylphenoxy)butyramido)-4,4-dimethyl-3-oxovaleranimide	402-260-4	54942-74-4	R53	R: 53 S: 61		
616-025-00-0	valinamide	402-840-7	20108-78-5	Repr. Cat. 3; R62 Xi; R36 R43	Xn R: 36-43-62 S: (2-)26-36/37		
616-026-00-6	thioacetamide	200-541-4	62-55-5	Carc. Cat. 2; R45 Xn; R22 Xi; R36/38 R52-53	T R: 45-22-36/38-52/ 53 S: 53-45-61		E
616-027-00-1	tris(2-(2-hydroxyethoxy)ethyl)ammonium 3-acetoacetamido-4-methoxybenzenesulfonate	403-760-5	—	R43	Xi R: 43 S: (2-)24-37		
616-028-00-7	N-(4-(3-(4-cyanophenyl)ureido)-3-hydroxyphenyl)-2-(2,4-di- <i>tert</i> -pentylphenoxy)octanamide	403-790-9	108673-51-4	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
616-029-00-2	N,N'-ethylenebis(vinylsulfonylacetamide)	404-790-1	66710-66-5	Xi; R41 R43	Xi R: 41-43 S: (2-)24-26-37/39		
616-030-00-8	ethidimuron (ISO); 1-(5-ethylsulphonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea	250-010-6	30043-49-3	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
616-031-00-3	dimethachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(2-methoxyethyl)acetamide	256-625-6	50563-36-5	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)24-37-60-61		
616-032-00-9	diflufenican (ISO); N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide	—	83164-33-4	R52-53	R: 52/53 S: 61		
616-033-00-4	cyprofuram (ISO); N-(3-chlorophenyl)-N-(tetrahydro-2-oxo-3-furyl)cyclopropanecarboxamide	274-050-9	69581-33-5	T; R25 Xn; R21 N; R50-53	T; N R: 21-25-50/53 S: (1/2-)36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-034-00-X	pyracarbolid (ISO); 3,4-dihydro-6-methyl-2H-pyran-5-carboxanilide	246-419-4	24691-76-7	R52-53	R: 52/53 S: 61		
616-035-00-5	cymoxanil (ISO); 2-cyano-N-[(ethylamino)carbonyl]-2-(methoxyimino)aceta- mide	261-043-0	57966-95-7	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)36/37-60-61		
616-036-00-0	2-chloracetamide	201-174-2	79-07-2	Repr. Cat. 3; R62 T; R25 R43	T R: 25-43-62 S: (1/2-)22-36/37-45	R43: C ≥ 0,1 %	
616-037-00-6	acetochlor (ISO); 2-chloro-N-(ethoxymethyl)-N-(2-ethyl-6-methylphenyl)aceta- mide	251-899-3	34256-82-1	Xn; R20 Xi; R37/38 R43 N; R50-53	Xn; N R: 20-37/38-43-50/ 53 S: (2-)36/37-60-61		
616-038-00-1	(4-aminophenyl)-N-methylmethansulfonamide hydrochloride	406-010-5	88918-84-7	Xi; R41 R43 N; R51-53	Xi; N R: 41-43-51/53 S: (2-)24-26-37/39-61		
616-039-00-7	3',5'-dichloro-4'-ethyl-2'-hydroxypalmitanilide	406-200-8	117827-06-2	R43	Xi R: 43 S: (2-)24-37		
616-040-00-2	potassium N-(4-toluenesulfonyl)-4-toluenesulfonamide	406-650-5	97888-41-0	Xi; R41	Xi R: 41 S: (2-)26-39		
616-041-00-8	3',5'-dichloro-2-(2,4-di-tert-pentylphenoxy)-4'-ethyl-2'-hydro- xyhexananilide	406-840-8	101664-25-9	R53	R: 53 S: 61		
616-042-00-3	N-(2-(6-ethyl-7-(4-methylphenoxy)-1H-pyrazolo[1,5-b] [1,2,4]triazol-2-yl)propyl)-2-octadecyloxybenzamide	407-070-5	142859-67-4	R43 R53	Xi R: 43-53 S: (2-)22-24-37-61		
616-043-00-9	isoxaben (ISO); N-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimetho- xybenzamide	407-190-8	82558-50-7	R53	R: 53 S: 61		
616-044-00-4	N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-2-(3-pentadecyl- phenoxy)-butanamide	402-510-2	—	N; R51-53	N R: 51/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-045-00-X	2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide	405-190-2	122371-93-1	R43 R53	Xi R: 43-53 S: 2-22-24-37-61		
616-046-00-5	N-(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-di-tert-pentylphenoxy)octanamide	406-390-2	—	N; R50-53	N R: 50/53 S: 60-61		
616-047-00-0	reaction mass of: 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₆)alkylacetamide; 2,2',2'',2'''-(ethylenedinitrilotetrakis-N,N-di(C ₁₈)alkylacetamide	406-640-0	—	R43	Xi R: 43 S: (2-)24-37		
616-048-00-6	3'-trifluoromethylisobutyranilide	406-740-4	1939-27-1	Xn; R48/22 N; R51-53	Xn; N R: 48/22-51/53 S: (2-)22-36-61		
616-049-00-1	2-(2,4-bis(1,1-dimethylethyl)phenoxy)-N-(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide	408-150-2	99141-89-6	R53	R: 53 S: 61		
616-050-00-7	lufenuron (ISO); N-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenylaminocarbonyl]-2,6-difluorobenzamide	410-690-9	103055-07-8	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
616-051-00-2	reaction mass of: 2,4 -bis(N'-(4-methylphenyl)-ureido)-toluene; 2,6 -bis(N'-(4-methylphenyl)-ureido)-toluene	411-070-0	—	R53	R: 53 S: 61		
616-052-00-8	formamide	200-842-0	75-12-7	Repr. Cat. 2; R61	T R: 61 S: 53-45		
616-053-00-3	N-methylacetamide	201-182-6	79-16-3	Repr. Cat. 2; R61	T R: 61 S: 53-45		
616-054-00-9	iprodione (ISO); 3-(3,5-dichlorophenyl)-2,4-dioxo-N-isopropylimidazolidine-1-carboxamide	253-178-9	36734-19-7	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		
616-055-00-4	propyzamide (ISO); 3,5-dichloro-N-(1,1-dimethylprop-2-ynyl)benzamide	245-951-4	23950-58-5	Carc. Cat. 3; R40 N; R50-53	Xn; N R: 40-50/53 S: (2-)36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-056-00-X	N-methylformamide	204-624-6	123-39-7	Repr. Cat. 2; R61 Xn; R21	T R: 61-21 S: 53-45		E
616-057-00-5	reaction mass of: N-[3-hydroxy-2-(2-methylacryloylamino-methoxy)propoxymethyl]-2-methylacrylamide; N-[2,3-bis-(2-methylacryloylamino-methoxy)propoxymethyl]-2-methylacrylamide; methacrylamide; 2-methyl-N-(2-methylacryloylamino-methoxymethyl)-acrylamide; N-(2,3-dihydroxypropoxymethyl)-2-methylacrylamide	412-790-8	—	Carc. Cat. 2; R45 Muta. Cat. 3; R68 Xn; R48/22	T R: 45-48/22 S: 53-45		E
616-058-00-0	1,3-bis(3-methyl-2,5-dioxo-1H-pyrrolinylmethyl)benzene	412-570-1	119462-56-5	Xn; R48/22 Xi; R41 R43 N; R50-53	Xn; N R: 41-43-48/22-50/53 S: (2-)26-36/37/39-60-61		
616-059-00-6	4-((4-(diethylamino)-2-ethoxyphenyl)imino)-1,4-dihydro-1-oxo-N-propyl-2-naphthalenecarboxamide	412-650-6	121487-83-0	R53	R: 53 S: 61		
616-060-00-1	Condensation product of: 3-(7-carboxyhept-1-yl)-6-hexyl-4-cyclohexene-1,2-dicarboxylic acid with polyamines (primarily amino-ethyl-piperazine and triethylenetetramine)	413-770-1	—	Xn; R22 C; R34 R43 N; R50-53	C; N R: 22-34-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
616-061-00-7	N,N'-1,6-hexanediyldis(N-(2,2,6,6-tetramethyl-piperidin-4-yl)-formamide	413-610-0	124172-53-8	Xi; R36 R52-53	Xi R: 36-52/53 S: (2-)26-61		
616-062-00-2	N-[3-[(2-acetyloxy)ethyl](phenyl-methyl)amino]-4-methoxyphenylacetamide	411-590-8	70693-57-1	C; R34 R52-53	C R: 34-52/53 S: (1/2-)26-36/37/39-45-61		
616-063-00-8	3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin-yl)-2,5-pyrrolidindione	411-920-0	106917-30-0	T; R23 Xn; R22-48/22 C; R35 N; R50-53	T; C; N R: 22-23-35-48/22-50/53 S: (1/2-)26-28-36/37/39-45-60-61		
616-064-00-3	N-tert-butyl-3-methylpicolinamide	406-720-5	32998-95-1	R52-53	R: 52/53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-065-00-9	3'-(3-acetyl-4-hydroxyphenyl)-1,1-diethylurea	411-970-3	79881-89-3	Xn; R22-48/22	Xn R: 22-48/22 S: (2-)22-36		
616-066-00-4	5,6,12,13-tetrachloroanthra(2,1,9-def:6,5,10-d'ef)diisoquinoline-1,3,8,10(2H,9H)-tetrone	405-100-1	115662-06-1	Repr. Cat. 3; R62	Xn R: 62 S: (2-)22-36/37		
616-067-00-X	dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioximidazolidin-1-yl)-4,4-dimethyl-3-oxovaleramido)-4-chlorobenzoate	407-300-4	92683-20-0	R53	R: 53 S: 61		
616-068-00-5	potassium 4-(11-methacrylamidoundecanamido)benzenesulfonate	406-500-9	174393-75-0	R43	Xi R: 43 S: (2-)22-24-37		
616-069-00-0	1-hydroxy-5-(2-methylpropyloxycarbonylamino)-N-(3-dodecyloxypropyl)-2-naphthoamide	406-210-2	110560-22-0	R53	R: 53 S: 61		
616-070-00-6	reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea; 3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea; 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	406-530-2	—	R53	R: 53 S: 22-61		
616-071-00-1	reaction mass of: bis(N-cyclohexyl-N'-phenyleneureido)methylene; bis(N-octadecyl-N'-phenyleneureido)methylene; bis(N-dicyclohexyl-N'-phenyleneureido)methylene (1:2:1)	406-550-1	—	R43 R53	Xi R: 43-53 S: (2-)22-24-37-61		
616-072-00-7	1-(2-deoxy-5-O-trityl-β-D-threopentofuranosyl)thymine	407-120-6	55612-11-8	R53	R: 53 S: 61		
616-073-00-2	4'-ethoxy-2-benzimidazoleanilide	407-600-5	120187-29-3	Muta. Cat. 3; R68 R53	Xn R: 68-53 S: (2-)22-36/37-61		
616-074-00-8	N-butyl-2-(4-morpholinylcarbonyl)benzamide	407-730-2	104958-67-0	Xi; R36 R43 R52-53	Xi R: 36-43-52/53 S: (2-)24-26-37-61		
616-075-00-3	D, L-(N,N-diethyl-2-hydroxy-2-phenylacetamide)	408-120-9	65197-96-8	Xn; R22 Xi; R41	Xn R: 22-41 S: (2-)26-39-46		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-076-00-9	tebufenozide (ISO); N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	412-850-3	112410-23-8	N; R51-53	N R: 51/53 S: 61		
616-077-00-4	reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9- <i>def</i> : 6,5,10- <i>d'e'f'</i>]diisoquinolin-2-ylethansulfonic acid; potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i>)-anthra[2,1,9- <i>def</i> : 6,5,10- <i>d'e'f'</i>]diisoquinolin-2-ylethansulfate	411-310-4	—	Xi; R41	Xi R: 41 S: (2-)26-39		
616-078-00-X	2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]-N-(2-hydroxy-5-methyl-phenyl)hexanamide	411-330-3	104541-33-5	R53	R: 53 S: 61		
616-079-00-5	1,6-hexanediy-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl) carbamate	411-700-4	140921-24-0	R43	Xi R: 43 S: (2-)24-37		
616-080-00-0	4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl)carboxamido)ethyl)benzenesulfonamide	411-850-0	119018-29-0	R52-53	R: 52/53 S: 61		
616-081-00-6	5-bromo-8-naphtholactam	413-480-5	24856-00-6	Xn; R22 R43 N; R50-53	Xn; N R: 22-43-50/53 S: (2-)22-24-37-60-61		
616-082-00-1	N-(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4-methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide	413-200-1	129604-78-0	R43	Xi R: 43 S: (2-)24-37		
616-083-00-7	[2-[(4-nitrophenyl)amino]ethyl]urea	410-700-1	27080-42-8	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
616-084-00-2	2,4-bis[N'-(4-methylphenyl)ureido]toluene	411-790-5	—	N; R50-53	N R: 50/53 S: 60-61		
616-085-00-8	3-(2,4-dichlorophenyl)-6-fluoro-quinazoline-2,4(1 <i>H</i> ,3 <i>H</i>)-dione	412-190-6	168900-02-5	N; R50-53	N R: 50/53 S: 60-61		
616-086-00-3	2-acetylamino-6-chloro-4-[(4-diethylamino)2-methylphenyl-imino]-5-methyl-1-oxo-2,5-cyclohexadiene	412-250-1	102387-48-4	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-087-00-9	reaction mass of: 7,9,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate; 7,7,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecan-1,16-diyl-prop-2-enoate	412-260-6	52658-19-2	Xi; R36 R43 N; R51-53	Xi; N R: 36-43-51/53 S: (2-)26-36/37-61		
616-088-00-4	2-aminosulfonyl-N,N-dimethylnicotinamide	413-440-7	112006-75-4	R43 R52-53	Xi R: 43-52/53 S: (2-)24-37-61		
616-089-00-X	5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxymethyltetrahydrofuran	415-360-8	41107-56-6	Muta. Cat. 3; R68	Xn R: 68 S: (2-)22-36/37		
616-090-00-5	1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride	415-660-9	70918-74-0	T; R23/24/25 Xn; R48/22 N; R51-53	T; N R: 23/24/25-48/22-51/53 S: 53-45-61		
616-091-00-0	1,3,5-tris-[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione	423-400-0	59653-74-6	Muta. Cat. 2; R46 T; R23 Xn; R22-48/22 Xi; R41 R43	T R: 46-22-23-41-43-48/22 S: 53-45		E
616-092-00-6	Polymeric reaction product of bicyclo[2.2.1]hepta-2,5-diene, ethene, 1,4-hexadiene, 1-propene with N,N-di-2-propenyl-formamide	404-035-6	—	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
616-093-00-1	Reaction products of: aniline-terephthalaldehyde-o-toluidine condensate with maleic anhydride	406-620-1	129217-90-9	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
616-094-00-7	3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea	406-370-3	58890-25-8	R43 R53	Xi R: 43-53 S: (2-)24-37-61		
616-095-00-2	3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea	406-690-3	43136-14-7	R53	R: 53 S: 61		
616-096-00-8	N-(3-hexadecyloxy-2-hydroxyprop-1-yl)-N-(2-hydroxyethyl) palmitamide	408-110-4	110483-07-3	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-097-00-3	N,N'-1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide	411-840-6	83372-55-8	R53	R: 53 S: 61		
616-098-00-9	1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1H-1,2,4-triazole-3-carboxamide	411-750-7	119126-15-7	N; R51-53	N R: 51/53 S: 61		
616-099-00-4	2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl-N-[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide	414-170-2	135937-20-1	R53	R: 53 S: 61		
616-100-00-8	1,3-dimethyl-1,3-bis(trimethylsilyl)urea	414-180-7	10218-17-4	Xn; R22 Xi; R38	Xn R: 22-38 S: (2-)36/37		
616-101-00-3	(S)-N-tert-butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide	414-600-9	149182-72-9	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)61		
616-102-00-9	reaction mass of: α -[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]- ω -[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly-(oxyethylene-co-oxypropylene); 1,2-(or 1,3-)bis[α -(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]- ω -oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol; 1,2,3-tris[α -(3-mercaptopropanoxycarbonyl-amino)methylphenylaminocarbonyl]- ω -oxy-poly-(oxyethylene-co-oxypropylene)]propane]	415-870-0	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)36/37-61		
616-103-00-4	(S,S)-trans-4-(acetyl-amino)-5,6-dihydro-6-methyl-7,7-dioxo-4H-thieno[2,3-b]thiopyran-2-sulfonamide	415-030-3	120298-38-6	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		
616-104-00-X	benalaxyl (ISO); methyl N-(2,6-dimethylphenyl)-N-(phenylacetyl)-DL-alaninate	275-728-7	71626-11-4	N; R50-53	N R: 50/53 S: 60-61		
616-105-00-5	chlorotoluron (ISO); 3-(3-chloro- <i>p</i> -tolyl)-1,1-dimethylurea	239-592-2	15545-48-9	Carc. Cat. 3; R40 Repr. Cat. 3; R63 N; R50-53	Xn; N R: 40-63-50/53 S: (2-)26-36/37-46-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-106-00-0	phenmedipham (ISO); methyl 3-(3-methylcarbaniloyloxy)carbanilate	237-199-0	13684-63-4	N; R50-53	N R: 50/53 S: 60-61		
616-108-00-1	iodosulfuron-methyl-sodium; sodium ([[5-iodo-2-(methoxycarbonyl)phenyl]sulfonyl]carbamoyl)(4-methoxy-6-methyl-1,3,5-triazin-2-yl)azanide	—	144550-36-7	N; R50-53	N R: 50/53 S: 60-61		
616-109-00-7	sulfosulfuron (ISO); 1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2-a]pyridin-3-yl)sulfonylurea	—	141776-32-1	N; R50-53	N R: 50/53 S: 60-61		
616-110-00-2	cyclanilide (ISO); 1-(2,4-dichloroanilino-carbonyl)cyclopropanecarboxylic acid	419-150-7	113136-77-9	Xn; R22 N; R51-53	Xn; N R: 22-51/53 S: (2-)61		
616-111-00-8	fenhexamid (ISO); N-(2,3-dichlor-4-hydroxyphenyl)-1-methylcyclohexancarboxamid	422-530-5	126833-17-8	N; R51-53	N R: 51/53 S: 61		
616-112-00-3	oxasulfuron (ISO); oxetan-3-yl 2-[(4,6-dimethylpyrimidin-2-yl)-carbamoylsulfa-moyl]benzoate	—	144651-06-9	Xn; R48/22 N; R50-53	Xn; N R: 48/22-50/53 S: (2-)46-60-61		
616-113-00-9	desmedipham (ISO); ethyl 3-phenylcarbamoyloxyphenylcarbamate	237-198-5	13684-56-5	N; R50-53	N R: 50/53 S: 60-61	N; R50-53: C ≥ 2,5 % N; R51-53: 0,25 % ≤ C < 2,5 % R52-53: 0,025 % ≤ C < 0,25 %	
616-114-00-4	dodecanamide, N,N'-(9,9',10,10'-tetrahydro-9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'-diyl)bis-	418-010-2	136897-58-0	R53	R: 53 S: 22-61		
616-115-00-X	N-(3-acetyl-2-hydroxyphenyl)-4-(4-phenylbutoxy)benzamide	416-150-9	136450-06-1	R53	R: 53 S: 61		
616-116-00-5	N-(4-dimethylaminopyridinium)-3-methoxy-4-(1-methyl-5-nitroindol-3-ylmethyl)-N-(o-tolylsulfonyl)benzamidate	416-790-9	143052-96-4	R53	R: 53 S: 61		
616-117-00-0	N-[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5-diethylaminophenyl]acetamide	416-860-9	777891-21-1	Repr. Cat. 3; R62 R43 N; R50-53	Xn; N R: 43-62-50/53 S: (2-)22-36/37-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-118-00-6	N-(2',6'-dimethylphenyl)-2-piperidinecarboxamide hydrochloride	417-950-0	65797-42-4	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
616-119-00-1	2-(1-butyl-3,5-dioxo-2-phenyl-(1,2,4)-triazolidin-4-yl)-4,4-dimethyl-3-oxo-N-(2-methoxy-5-(2-(dodecyl-1-sulfonyl))propionylamino)-phenyl)-pentanamide	418-060-5	118020-93-2	R53	R: 53 S: 61		
616-120-00-7	reaction mass of: N-(3-dimethylamino-4-methyl-phenyl)-benzamide; N-(3-dimethylamino-2-methyl-phenyl)-benzamide; N-(3-dimethylamino-3-methyl-phenyl)-benzamide	420-600-1	—	Xn; R48/22 N; R51-53	Xn; N R: 48/22-51/53 S: (2-)36/37-61		
616-121-00-2	2,4-dihydroxy-N-(2-methoxyphenyl)benzamide	419-090-1	129205-19-2	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
616-123-00-3	N-[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide	414-740-0	96141-86-5	N; R50-53	N R: 50/53 S: 60-61		
616-124-00-9	lithium bis(trifluoromethylsulfonyl)imide	415-300-0	90076-65-6	T; R24/25 C; R34 R52-53	T R: 24/25-34-52/53 S: (1/2-)22-26-36/37/ 39-45-61		
616-125-00-4	3-cyano-N-(1,1-dimethylethyl)androsta-3,5-diene-17-β-carboxamide	415-730-9	151338-11-3	N; R50-53	N R: 50/53 S: 60-61		
616-127-00-5	reaction mass of: N,N'-Ethane-1,2-diylbis(decanamide); 12-Hydroxy-N-[2-[1-oxydecyl]amino]ethyl]octadecanamide; N,N'-Ethane-1,2-diylbis(12-hydroxyoctadecanamide)	430-050-2	—	R43 N; R51-53	Xi; N R: 43-51/53 S: (2-)24-37-61		
616-128-00-0	N-(2-(1-allyl-4,5-dicyanoimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide	417-530-7	123590-00-1	R53	R: 53 S: 61		
616-129-00-6	N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide	419-710-0	42774-15-2	Xn; R22 Xi; R36	Xn R: 22-36 S: (2-)22-25-26		
616-130-00-1	N-(3-(2-(4,4-dimethyl-2,5-dioxo-imidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide	421-780-2	150919-56-5	R53	R: 53 S: 61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
616-132-00-2	N-[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide	423-250-6	130016-98-7	N; R50-53	N R: 50/53 S: 60-61		
616-133-00-8	N-cyclohexyl-S,S-dioxobenzo[b]tiophene-2-carboxamide	423-990-1	149118-66-1	Xn; R22 Xi; R41 N; R50-53	Xn; N R: 22-41-50/53 S: (2-)22-26-39-60-61		
616-134-00-3	3,3'-bis(dioctyloxyphosphinothioylthio)-N,N'-oxybis(methylene)dipropionamide	401-820-5	793710-14-2	R52-53	R: 52/53 S: 61		
616-135-00-9	(3S,4aS,8aS)-2-[(2R,3S)-3-amino-2-hydroxy-4-phenylbutyl]-N-tert-butyldecahydroisoquinoline-3-carboxamide	430-230-0	136522-17-3	Xn; R22 R52-53	Xn R: 22-52/53 S: (2-)22-61		
616-142-00-7	1,3-Bis(vinylsulfonylacetamido)propane	428-350-3	93629-90-4	Muta. Cat. 3; R68 Xi; R41 R43 R52-53	Xn R: 41-43-68-52/53 S: (2-)22-26-36/37/39-61		
616-143-00-2	N,N'-dihexadecyl-N,N'-bis(2-hydroxyethyl)propanediamide	422-560-9	149591-38-8	Repr. Cat. 3; R62 Xi; R36 R53	Xn R: 36-62-53 S: (2-)26-36/37-61		
617-001-00-2	di-tert-butyl peroxide	203-733-6	110-05-4	O; R7 F; R11	O; F R: 7-11 S: (2-)3/7-14-16-36/37/39		
617-002-00-8	α,α -dimethylbenzyl hydroperoxide; cumene hydroperoxide	201-254-7	80-15-9	O; R7 T; R23 Xn; R21/22-48/20/22 C; R34 N; R51-53	O; T; N R: 7-21/22-23-34-48/20/22-51/53 S: (1/2-)3/7-14-36/37/39-45-50-61	C; R34: C \geq 10 % Xi; R37/38-41: 3 % \leq C < 10 % Xi; R36/37: 1 % \leq C < 3 %	
617-003-00-3	dilauroyl peroxide	203-326-3	105-74-8	O; R7	O R: 7 S: (2-)3/7-14-36/37/39		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
617-004-00-9	1,2,3,4-tetrahydro-1-naphthyl hydroperoxide	212-230-0	771-29-9	O; R7 Xn; R22 C; R34 N; R50-53	O; C; N R: 7-22-34-50/53 S: (1/2-)3/7-14-26-36/37/39-45-60-61	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
617-006-00-X	bis(α,α-dimethylbenzyl) peroxide	201-279-3	80-43-3	O; R7 Xi; R36/38 N; R51-53	O; Xi; N R: 7-36/38-51/53 S: (2-)3/7-14-36/37/39-61		
617-007-00-5	tert-butyl α,α-dimethylbenzyl peroxide	222-389-8	3457-61-2	O; R7 Xi; R38 N; R51-53	O; Xi; N R: 7-38-51/53 S: (2-)3/7-14-36/37/39-61		
617-008-00-0	dibenzoyl peroxide; benzoyl peroxide	202-327-6	94-36-0	E; R2 ⊗ Xi; R36 R43	E; Xi R: 2-36-43 S: (2-)3/7-14-36/37/39		
617-010-00-1	1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1] 1,1'-dioxibiscyclohexan-1-ol; [2] cyclohexylidene hydroperoxide; [3] cyclohexanone, peroxide [4]	201-091-1 [1] 219-306-2 [2] 220-279-4 [3] 235-527-7 [4]	78-18-2 [1] 2407-94-5 [2] 2699-11-8 [3] 12262-58-7 [4]	E; R2 ⊗ Xn; R22 C; R34	E; C R: 2-22-34 S: (1/2-)3/7-14-36/37/39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	C
617-012-00-2	8-p-menthyl hydroperoxide; p-menthane hydroperoxide	201-281-4	80-47-7	O; R7 C; R34 Xn; R20	O; C R: 7-20-34 S: (1/2-)3/7-14-36/37/39-45	C; R34: C ≥ 10 % Xi; R36/37/38: 5 % ≤ C < 10 %	
617-013-00-8	O,O-tert-butyl O-docosyl monoperoxyoxalate	404-300-6	116753-76-5	O; R7 N; R50-53	O; N R: 7-50/53 S: (2-)7-14-36/37/39-47-60-61		
617-014-00-3	6-(nonylamino)-6-oxo-peroxyhexanoic acid	406-680-9	104788-63-8	O; R7 Xi; R41 R43 N; R50	O; Xi; N R: 7-41-43-50 S: (2-)3/7-14-26-36/37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
617-015-00-9	bis(4-methylbenzoyl)peroxide	407-950-9	895-85-2	E; R2 O; R7 N; R50-53	E; N R: 2-7-50/53 S: (2-)7-14-36/37/39-47-60-61		
617-016-00-4	3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate	413-910-1	—	O; R7 R10 Xi; R38 N; R50-53	O; Xi; N R: 7-10-38-50/53 S: (2-)7/47-14-36/37/39-60-61		
617-017-00-X	reaction mass of: 2,2'-bis(<i>tert</i> -peroxy)- <i>p</i> -diisopropylbenzene; 2,2'-bis(<i>tert</i> -peroxy)- <i>m</i> -diisopropylbenzene	412-140-3	32144-25-5	O; R7 [⊗] R53	O R: 7-53 S: (2-)3/7-14-36/37/39-61		
617-018-00-5	reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight; 1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight	410-840-3	71566-50-2	O; R7 N; R51-53	O; N R: 7-51/53 S: (2-)3/7-14-36/37/39-61		
617-019-00-0	6-(phthalimido)peroxyhexanoic acid	410-850-8	128275-31-0	O; R7 Xi; R41 N; R50	O; Xi; N R: 7-41-50 S: (2-)3/7-14-26-36/37/39-61		
617-020-00-6	1,3-di(prop-2,2-diy)benzene bis(neodecanoylperoxide)	420-060-5	117663-11-3	R10 O; R7 N; R51-53	O; N R: 7-10-51/53 S: (2-)7-14-36/37/39-47-61		
647-001-00-8	glucosidase, β-	232-589-7	9001-22-3	R42	Xn R: 42 S: (2-)22-24-36/37		
647-002-00-3	cellulase	232-734-4	9012-54-8	R42	Xn R: 42 S: (2-)22-24-36/37		
647-003-00-9	cellobiohydrolase, exo-	253-465-9	37329-65-0	R42	Xn R: 42 S: (2-)22-24-36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
647-004-00-4	cellulases with the exception of those specified elsewhere in this Annex	—	—	R42	Xn R: 42 S: (2-)22-24-36/37		A
647-005-00-X	bromelain, juice	232-572-4	9001-00-7	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-006-00-5	ficin	232-599-1	9001-33-6	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-007-00-0	papain	232-627-2	9001-73-4	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-008-00-6	pepsin A	232-629-3	9001-75-6	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-009-00-1	rennin	232-645-0	9001-98-3	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-010-00-7	trypsin	232-650-8	9002-07-7	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-011-00-2	chymotrypsin	232-671-2	9004-07-3	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-012-00-8	subtilisin	232-752-2	9014-01-1	Xi; R37/38-41 R42	Xn R: 37/38-41-42 S: (2-)22-24-26-36/37/39		
647-013-00-3	proteinase, microbial neutral	232-966-6	9068-59-1	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
647-014-00-9	proteases with the exception of those specified elsewhere in this Annex	—	—	Xi; R36/37/38 R42	Xn R: 36/37/38-42 S: (2-)22-24-26-36/37		
647-015-00-4	amylase, α -	232-565-6	9000-90-2	R42	Xn R: 42 S: (2-)22-24-36/37		
647-016-00-X	amylases with the exception of those specified elsewhere in this Annex	—	—	R42	Xn R: 42 S: (2-)22-24-36/37		
648-001-00-0	Distillates (coal tar), benzole fraction; Light Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C ₄ to C ₁₀ and distilling in the approximate range of 80 °C to 160 °C (175°F to 320°F).]	283-482-7	84650-02-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-002-00-6	Tar oils, brown-coal; Light Oil; [The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176°F to 482°F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.]	302-674-4	94114-40-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-003-00-1	Benzol forerunnings (coal); Light Oil Redistillate, low boiling; [The distillate from coke oven light oil having an approximate distillation range below 100 °C (212°F). Composed primarily of C ₄ to C ₆ aliphatic hydrocarbons.]	266-023-5	65996-88-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-004-00-7	Distillates (coal tar), benzole fraction, BTX-rich; Light Oil Redistillate, low boiling; [A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167°F to 392°F).]	309-984-9	101896-26-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-005-00-2	Aromatic hydrocarbons, C ₆₋₁₀ , C ₈ -rich; Light Oil Redistillate, low boiling	292-697-5	90989-41-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-006-00-8	Solvent naphtha (coal), light; Light Oil Redistillate, low boiling	287-498-5	85536-17-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-007-00-3	Solvent naphtha (coal), xylene-styrene cut; Light Oil Redistillate, intermediate boiling	287-502-5	85536-20-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-008-00-9	Solvent naphtha (coal), coumarone-styrene contg.; Light Oil Redistillate, intermediate boiling	287-500-4	85536-19-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-009-00-4	Naphtha (coal), distn. residues; Light Oil Redistillate, high boiling; [The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.]	292-636-2	90641-12-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-010-00-X	Aromatic hydrocarbons, C ₈ ; Light Oil Redistillate, high boiling	292-694-9	90989-38-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-012-00-0	Aromatic hydrocarbons, C ₈₋₉ , hydrocarbon resin polymn. by-product; Light Oil Redistillate, high boiling; [A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₉ and boiling in the range of approximately 120 °C to 215 °C (248°F to 419°F).]	295-281-1	91995-20-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-013-00-6	Aromatic hydrocarbons, C ₉₋₁₂ , benzene distn.; Light Oil Redistillate, high boiling	295-551-9	92062-36-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-014-00-1	Extract residues (coal), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194°F to 320°F). It consists predominantly of benzene, toluene and xylenes.]	295-323-9	91995-61-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-015-00-7	Extract residues (coal tar), benzole fraction alk., acid ext.; Light Oil Extract Residues, low boiling; [A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C-195 °C (185°F-383°F).]	309-868-8	101316-63-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-016-00-2	Extract residues (coal), benzole fraction acid; Light Oil Extract Residues, low boiling; [An acid sludge by-product of the sulphuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.]	298-725-2	93821-38-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-017-00-8	Extract residues (coal), light oil alk., distn. overheads; Light Oil Extract Residues, low boiling; [The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oil boiling substantially below 145 °C (293°F). Composed primarily of C ₇ and C ₈ aliphatic and aromatic hydrocarbons.]	292-625-2	90641-02-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-018-00-3	Extract residues (coal), light oil alk., acid ext., indene fraction; Light Oil Extract Residues, intermediate boiling	309-867-2	101316-62-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-019-00-9	Extract residues (coal), light oil alk., indene naphtha fraction; Light Oil Extract Residues, high boiling; [The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311°F to 356°F). Composed primarily of indene, indan and trimethylbenzenes.]	292-626-8	90641-03-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-020-00-4	Solvent naphtha (coal); Light Oil Extract Residues, high boiling; [The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266°F to 410°F) Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.]	266-013-0	65996-79-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-021-00-X	Distillates (coal tar), light oils, neutral fraction; Light Oil Extract Residues, high boiling; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F). May also include unsaturated hydrocarbons such as indene and coumarone.]	309-971-8	101794-90-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-022-00-5	Distillates (coal tar), light oils, acid exts.; Light Oil Extract Residues, high boiling; [This oil is a complex mixture of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and <i>o</i> -, <i>m</i> - and <i>p</i> -cresol and boiling in the range of 140 °C to 215 °C (284°F to 419°F).]	292-609-5	90640-87-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-023-00-0	Distillates (coal tar), light oils; Carbolic Oil; [A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302°F to 410°F).]	283-483-2	84650-03-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-024-00-6	Tar oils, coal; Carbolic Oil; [The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266°F to 410°F). Composed primarily of naphthalene, alkylnaphthalenes, phenolic compounds, and aromatic nitrogen bases.]	266-016-7	65996-82-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-026-00-7	Extract residues (coal), light oil alk., acid ext.; Carbolic Oil Extract Residue; [The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkybenzenes.]	292-624-7	90641-01-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-027-00-2	Extract residues (coal), tar oil alk.; Carbolic Oil Extract Residue; [The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.]	266-021-4	65996-87-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-028-00-8	Extract oils (coal), light oil; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]	292-622-6	90640-99-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-029-00-3	Pyridine, alkyl derivs.; Crude Tar Bases; [The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302°F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.]	269-929-9	68391-11-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-030-00-9	Tar bases, coal, picoline fraction; Distillate Bases; [Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257°F 320°F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.]	295-548-2	92062-33-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-031-00-4	Tar bases, coal, lutidine fraction; Distillate Bases	293-766-2	91082-52-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-032-00-X	Extract oils (coal), tar base, collidine fraction; Distillate Bases; [The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xyloidines.]	273-077-3	68937-63-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-033-00-5	Tar bases, coal, collidine fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356°F to 367°F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.]	295-543-5	92062-28-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-034-00-0	Tar bases, coal, aniline fraction; Distillate Bases; [The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356°F to 392°F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.]	295-541-4	92062-27-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-035-00-6	Tar bases, coal, toluidine fraction; Distillate Bases	293-767-8	91082-53-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-036-00-1	Distillates (petroleum), alkene-alkyne manuf. pyrolysis oil, mixed with high-temp. coal tar, indene fraction; Redistillates; [A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320°F to 374°F).]	295-292-1	91995-31-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-037-00-7	Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374°F to 518°F). Composed primarily of substituted dinuclear aromatics.]	295-295-8	91995-35-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-038-00-2	Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate; Redistillates; [The redistillate from the fractional distillation of dephenolated and debased methylnaphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428°F to 446°F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.]	295-329-1	91995-66-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-039-00-8	Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residual oils which has a boiling range of 225 °C to 255 °C (437°F to 491°F). Composed primarily of substituted dinuclear aromatic hydrocarbons.]	310-170-0	122070-79-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-040-00-3	Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues; Redistillates; [Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464°F to 500°F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.]	310-171-6	122070-80-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-041-00-9	Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500°F to 554°F).]	309-851-5	101316-45-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-042-00-4	Distillates (coal tar), upper, fluorene-rich; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.]	284-900-0	84989-11-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-043-00-X	Creosote oil, acenaphthene fraction, acenaphthene-free; Wash Oil Redistillate; [The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkylnaphthalenes.]	292-606-9	90640-85-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-044-00-5	Distillates (coal tar), heavy oils; Heavy Anthracene Oil; [Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464°F to 752°F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.]	292-607-4	90640-86-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-045-00-0	Distillates (coal tar), upper; Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.]	266-026-1	65996-91-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-046-00-6	Anthracene oil, acid ext.; Anthracene Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617°F to 689°F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.]	295-274-3	91995-14-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-047-00-1	Distillates (coal tar); Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.]	266-027-7	65996-92-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-048-00-7	Distillates (coal tar), pitch, heavy oils; Heavy Anthracene Oil; [The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572°F to 878°F). The product may also contain heteroatoms.]	295-312-9	91995-51-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-049-00-2	Distillates (coal tar), pitch; Heavy Anthracene Oil; [The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392°F to greater than 752°F).]	309-855-7	101316-49-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-050-00-8	Distillates (coal tar), heavy oils, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662°F to 752°F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.]	295-304-5	91995-42-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-051-00-3	Distillates (coal tar), pitch, pyrene fraction; Heavy Anthracene Oil Redistillate; [The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (7160 to 770°F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.]	295-313-4	91995-52-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-052-00-9	Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated; Coal Tar Extract; [A complete combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-296-6	97926-76-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-053-00-4	Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-297-1	97926-77-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-054-00-X	Pitch; Pitch	263-072-4	61789-60-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-055-00-5	Pitch, coal tar, high-temp.; Pitch; [The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.]	266-028-2	65996-93-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-056-00-0	Pitch, coal tar, high-temp., heat-treated; Pitch; [The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176°F to 356°F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.]	310-162-7	121575-60-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-057-00-6	Pitch, coal tar, high-temp., secondary; Pitch Redistillate; [The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284°F to 392°F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.]	302-650-3	94114-13-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-058-00-1	Residues (coal tar), pitch distn.; Pitch Redistillate; [Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752°F to 846°F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.]	295-507-9	92061-94-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-059-00-7	Tar, coal, high-temp., distn. and storage residues; Coal Tar Solids Residue; [Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.]	295-535-1	92062-20-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-060-00-2	Tar, coal, storage residues; Coal Tar Solids Residue; [The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.]	293-764-1	91082-50-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-061-00-8	Tar, coal, high-temp., residues; Coal Tar Solids Residue; [Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.]	309-726-5	100684-51-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-062-00-3	Tar, coal, high-temp., high-solids; Coal Tar Solids Residue; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.]	273-615-7	68990-61-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-063-00-9	Waste solids, coal-tar pitch coking; Coal Tar Solids Residue; [The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.]	295-549-8	92062-34-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-064-00-4	Extract residues (coal), brown; Coal Tar Extract; [The residue from extraction of dried coal.]	294-285-0	91697-23-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-065-00-X	Paraffin waxes (coal), brown-coal-high-temp. tar; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-454-1	92045-71-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-066-00-5	Paraffin waxes (coal), brown-coal-high-temp. tar, hydrotreated; Coal Tar Extract; [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-455-7	92045-72-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-067-00-0	Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated; Coal Tar Extract; [A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-298-7	97926-78-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-068-00-6	Tar, coal, low-temp., distn. residues; Tar Oil, intermediate boiling; [Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572°F). Composed primarily of aromatic compounds.]	309-887-1	101316-85-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-069-00-1	Pitch, coal tar, low-temp; Pitch Residue; [A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.]	292-651-4	90669-57-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-070-00-7	Pitch, coal tar, low-temp., oxidized; Pitch Residue, oxidised; [The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158°F to 356°F). Composed primarily of a complex mixture of hydrocarbons.]	292-654-0	90669-59-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-071-00-2	Pitch, coal tar, low-temp., heat-treated; Pitch Residue, oxidised; Pitch Residue, heat-treated; [A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122°F to 284°F). Composed primarily of a complex mixture of aromatic compounds.]	292-653-5	90669-58-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-072-00-8	Distillates (coal-petroleum), condensed-ring arom; Distillates; [The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428°F to 842°F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.]	269-159-3	68188-48-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-073-00-3	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-956-6	101794-74-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-074-00-9	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-957-1	101794-75-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-075-00-4	Aromatic hydrocarbons, C ₂₀₋₂₈ , polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₂₈ and having a softening point of 100 °C to 220 °C (212°F to 428°F) according to DIN 52025.]	309-958-7	101794-76-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-076-00-X	Pitch, coal tar-petroleum; Pitch Residues; [The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140°F to 356°F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.]	269-109-0	68187-57-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-077-00-5	Phenanthrene, distn. residues; Heavy Anthracene Oil Redistillate; [Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644°F to 788°F). It consists predominantly of phenanthrene, anthracene and carbazole.]	310-169-5	122070-78-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-078-00-0	Distillates (coal tar), upper, fluorene-free; Wash Oil Redistillate; [A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.]	284-899-7	84989-10-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-079-00-6	Anthracene oil; Anthracene oil; [A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C or 400 °C (572°F to 752°F). Composed primarily of phenanthrene, anthracene and carbazole.]	292-602-7	90640-80-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-080-00-1	Residues (coal tar), creosote oil distn.; Wash Oil Redistillate; [The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518°F to 626°F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.]	295-506-3	92061-93-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-081-00-7	Tar, coal; Coal tar; [The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydro-carbons, phenolic compounds, nitrogen bases and thiophene.]	232-361-7	8007-45-2	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
648-082-00-2	Tar, coal, high-temp.; Coal tar; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.]	266-024-0	65996-89-6	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
648-083-00-8	Tar, coal, low-temp.; Coal oil; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292°F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.]	266-025-6	65996-90-9	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
648-084-00-3	Distillates (coal), coke-oven light oil, naphthalene cut; Naphthalene Oil; [The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298°F).]	285-076-5	85029-51-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-085-00-9	Distillates (coal tar), naphthalene oils; Naphthalene Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392°F to 482°F).]	283-484-8	84650-04-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-086-00-4	Distillates (coal tar), naphthalene oils, naphthalene-low; Naphthalene Oil Redistillate; [A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.]	284-898-1	84989-09-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-087-00-X	Distillates (coal tar), naphthalene oil crystn. mother liquor; Naphthalene Oil Redistillate; [A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Contains chiefly naphthalene, thionaphthene and alkyl naphthalenes.]	295-310-8	91995-49-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-088-00-5	Extract residues (coal), naphthalene oil, alk.; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.]	310-166-9	121620-47-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-089-00-0	Extract residues (coal), naphthalene oil, alk., naphthalene-low; Naphthalene Oil Extract Residue; [A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.]	310-167-4	121620-48-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-090-00-6	Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.; Naphthalene Oil Extract Residue; [The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.]	292-612-1	90640-90-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-091-00-1	Extract residues (coal), naphthalene oil alk., distn. overheads; Naphthalene Oil Extract Residue; [The distillation from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356°F to 428°F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.]	292-627-3	90641-04-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-092-00-7	Distillates (coal tar), naphthalene oils, methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437°F to 491°F).]	309-985-4	101896-27-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-093-00-2	Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction; Methylnaphthalene Oil; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455°F to 491°F).]	309-972-3	101794-91-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-094-00-8	Distillates (coal tar), naphthalene oils, acid exts.; Methylnaphthalene Oil Extract Residue; [A complex combination of hydrocarbons obtained by debasing the methylnaphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446°F to 491°F). Contains chiefly 1(2)-methylnaphthalene, naphthalene, dimethylnaphthalene and biphenyl.]	295-309-2	91995-48-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-095-00-3	Extract residues (coal), naphthalene oil alk., distn. residues; Methylnaphthalene Oil Extract Residue; [The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428°F to 572°F). Composed primarily of naphthalene, alkylnaphthalenes and aromatic nitrogen bases.]	292-628-9	90641-05-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-096-00-9	Extract oils (coal), acidic, tar-base free; Methylnaphthalene Oil Extract Residue; [The extract oil boiling in the range of approximately 220 °C to 265 °C (428°F to 509°F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.]	284-901-6	84989-12-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-097-00-4	Distillates (coal tar), benzole fraction, distn. residues; Wash Oil; [A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302°F to 572°F) or a semi-solid or solid with a melting point up to 70 °C (158°F). It is composed primarily of naphthalene and alkyl naphthalenes.]	310-165-3	121620-46-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-098-00-X	Creosote oil, acenaphthene fraction; Wash Oil; [A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464°F to 536°F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.]	292-605-3	90640-84-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-099-00-5	Creosote oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392°F to 617°F).]	263-047-8	61789-28-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-100-00-9	Creosote oil, high-boiling distillate; Wash Oil; [The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41°F).]	274-565-9	70321-79-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-101-00-4	Creosote; [The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.]	232-287-5	8001-58-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-102-00-X	Extract residues (coal), creosote oil acid; Wash Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482°F to 536°F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.]	310-189-4	122384-77-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-103-00-5	Anthracene oil, anthracene paste; Anthracene Oil Fraction; [The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.]	292-603-2	90640-81-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-104-00-0	Anthracene oil, anthracene-low; Anthracene Oil Fraction; [The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.]	292-604-8	90640-82-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-105-00-6	Residues (coal tar), anthracene oil distn.; Anthracene Oil Fraction; [The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644°F to 752°F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.]	295-505-8	92061-92-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-106-00-1	Anthracene oil, anthracene paste, anthracene fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626°F to 662°F). It contains chiefly anthracene, carbazole and phenanthrene.]	295-275-9	91995-15-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-107-00-7	Anthracene oil, anthracene paste, carbazole fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662°F to 680°F). It contains chiefly anthracene, carbazole and phenanthrene.]	295-276-4	91995-16-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-108-00-2	Anthracene oil, anthracene paste, distn. lights; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous light temperature tar and boiling in the range of approximately 290 °C to 340 °C (554°F to 644°F). It contains chiefly trinuclear aromatics and their dihydro derivatives.]	295-278-5	91995-17-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-109-00-8	Tar oils, coal, low-temp.; Tar Oil, high boiling; [A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320°F to 644°F).]	309-889-2	101316-87-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-110-00-3	Extract residues (coal), low temp. coal atar alk.; [The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.]	310-191-5	122384-78-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-111-00-9	Phenols, ammonia liquor ext.; Alkaline Extract; [The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1292°F)) destructive distillation of coal. It consists predominantly of a mixture of monohydric and dihydric phenols.]	284-881-9	84988-93-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-112-00-4	Distillates (coal tar), light oils, alk. exts.; Alkaline Extract; [The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]	292-610-0	90640-88-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-113-00-X	Extracts, coal tar oil alk.; Alkaline Extract; [The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]	266-017-2	65996-83-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-114-00-5	Distillates (coal tar), naphthalene oils, alk. exts.; Alkaline Extract; [The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxid. Composed primarily of the alkali salts of various phenolic compounds.]	292-611-6	90640-89-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-115-00-0	Extract residues (coal), tar oil alk., carbonated, limed; Crude Phenols; [The product obtained by treatment of coal tar oil alkaline extract with CO ₂ and CaO. Composed primarily of CaCO ₃ , Ca(OH) ₂ , Na ₂ CO ₃ and other organic and inorganic impurities.]	292-629-4	90641-06-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-116-00-6	Tar acids, coal, crude; Crude Phenols; [The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.]	266-019-3	65996-85-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-117-00-1	Tar acids, brown-coal, crude; Crude Phenols; [An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.]	309-888-7	101316-86-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-118-00-7	Tar acids, brown-coal gasification; Crude Phenols; [A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of C ₆₋₁₀ hydroxy aromatic phenols and their homologs.]	295-536-7	92062-22-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-119-00-2	Tar acids, distn. residues; Distillate Phenols; [A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of C ₈ through C ₁₀ with a softening point of 60 °C to 80 °C (140°F to 176°F).]	306-251-5	96690-55-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-120-00-8	Tar acids, methylphenol fraction; Distillate Phenols; [The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-892-9	84989-04-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-121-00-3	Tar acids, polyalkylphenol fraction; Distillate Phenols; [The fraction of tar acids, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437°F to 608°F). Composed primarily of polyalkylphenols.]	284-893-4	84989-05-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-122-00-9	Tar acids, xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-895-5	84989-06-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-123-00-4	Tar acids, ethylphenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]	284-891-3	84989-03-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-124-00-X	Tar acids, 3,5-xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.]	284-896-0	84989-07-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-125-00-5	Tar acids, residues, distillates, first-cut; Distillate Phenols; [The residue from the distillation in the range of 235 °C to 355 °C (481°F to 697°F) of light carbolic oil.]	270-713-1	68477-23-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-126-00-0	Tar acids, cresylic, residues; Distillate Phenols; [The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176°F). Composed primarily of polyalkylphenols, resin gums, and inorganic salts.]	271-418-0	68555-24-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-127-00-6	Phenols, C ₉₋₁₁ ; Distillate Phenols	293-435-2	91079-47-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-128-00-1	Tar acids, cresylic; Distillate Phenols; [A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). It contains chiefly phenols and pyridine bases.]	295-540-9	92062-26-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-129-00-7	Tar acids, brown-coal, C ₂ -alkylphenol fraction; Distillate Phenols; [The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392°F to 446°F). Composed primarily of <{ITA}>m-<{/ITA}> and <{ITA}>p-<{/ITA}>ethylphenol as well as cresols and xylenols.]	302-662-9	94114-29-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-130-00-2	Extract oils (coal), naphthalene oils; Acid Extract; [The aqueous extract produced by an acidic wash of alkali-washed naphthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]	292-623-1	90641-00-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-131-00-8	Tar bases, quinoline derivs.; Distillate Bases	271-020-7	68513-87-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-132-00-3	Tar bases, coal, quinoline derivs. fraction; Distillate Bases	274-560-1	70321-67-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-133-00-9	Tar bases, coal, distn. residues; Distillate Bases; [The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.]	295-544-0	92062-29-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-134-00-4	Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of a polyethylene/polypropylene mixture with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158°F to 248°F).]	309-745-9	100801-63-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-135-00-X	Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158°F to 248°F).]	309-748-5	100801-65-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-136-00-5	Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction; Heat Treatment Products; [The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158°F to 410°F).]	309-749-0	100801-66-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-137-00-0	Extract residues (coal), tar oil alk., naphthalene distn. residues; Naphthalene Oil Extract Residue; [The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.]	277-567-8	73665-18-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-138-00-6	Creosote oil, low-boiling distillate; Wash Oil; [The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100°F).]	274-566-4	70321-80-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-139-00-1	Tar acids, cresylic, sodium salts, caustic solns.; Alkaline Extract	272-361-4	68815-21-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-140-00-7	Extract oils (coal), tar base; Acid Extract; [The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.]	266-020-9	65996-86-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-141-00-2	Tar bases, coal, crude; Crude Tar Bases; [The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.]	266-018-8	65996-84-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		HJM
648-142-00-8	Residues (coal), liq. solvent extrn.; [A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.]	302-681-2	94114-46-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-143-00-3	Coal liquids, liq. solvent extrn. soln.; [The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydro-genated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.]	302-682-8	94114-47-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M
648-144-00-9	Coal liquids, liq. solvent extrn.; [The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.]	302-683-3	94114-48-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H M

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-145-00-4	Tar brown-coal; [An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivatives, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302°F to 680°F).]	309-885-0	101316-83-0	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
648-146-00-X	Tar, brown-coal, low-temp.; [A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.]	309-886-6	101316-84-1	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
648-147-00-5	Light oil (coal), coke-oven; Crude benzole; [The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1292°F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.]	266-012-5	65996-78-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-148-00-0	Distillates (coal), liq. solvent extn., primary; [The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of C ₄ through C ₁₄ .]	302-688-0	94114-52-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-149-00-6	Distillates (coal), solvent extn., hydrocracked; [Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction process and boiling in the range of approximately 30 °C to 300 °C (86°F to 572°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ through C ₁₄ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.]	302-689-6	94114-53-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-150-00-1	Naphtha (coal), solvent extn., hydrocracked; [Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C ₄ to C ₉ . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.]	302-690-1	94114-54-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-151-00-7	Gasoline, coal solvent extn., hydrocracked naphtha; [Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86°F to 356°F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of C ₄ through C ₉ .]	302-691-7	94114-55-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
648-152-00-2	Distillates (coal), solvent extn., hydrocracked middle; [Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356°F to 572°F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of C ₉ through C ₁₄ . Nitrogen, sulfur and oxygen-containing compounds are also present.]	302-692-2	94114-56-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
648-153-00-8	Distillates (coal), solvent extn., hydrocracked hydrogenated middle; [Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356°F to 536°F). Composed primarily of hydrogenated two-ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of C ₉ through C ₁₄ .]	302-693-8	94114-57-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
648-154-00-3	Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated; [Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356°F to 473°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₀ through C ₁₂ .]	302-694-3	94114-58-6	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
648-155-00-9	Fuels, diesel, coal solvent extn., hydrocracked hydrogenated; [Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392°F to 536°F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₁ through C ₁₄ .]	302-695-9	94114-59-7	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
648-156-00-4	Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low temperature (less than 700 °C (1292°F) destructive distillation of coal. Composed primarily of C ₆₋₁₀ hydrocarbons.]	292-635-7	90641-11-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H J
649-001-00-3	Extracts (petroleum), light naphthenic distillate solvent	265-102-1	64742-03-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-002-00-9	Extracts (petroleum), heavy paraffinic distillate solvent	265-103-7	64742-04-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-003-00-4	Extracts (petroleum), light paraffinic distillate solvent	265-104-2	64742-05-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-004-00-X	Extracts (petroleum), heavy naphthenic distillate solvent	265-111-0	64742-11-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-005-00-5	Extracts (petroleum), light vacuum gas oil solvent	295-341-7	91995-78-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-006-00-0	hydrocarbons C ₂₆₋₅₅ , arom-rich	307-753-7	97722-04-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-007-00-6	fatty acids, tall-oil, reaction products with iminodiethanol and boric acid	400-160-5	—	Xi; R38 N; R51-53	Xi; N R: 38-51/53 S: (2-)28-37-61		
649-008-00-1	Residues (petroleum), atm. tower; Heavy Fuel oil; [A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-045-2	64741-45-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-009-00-7	Gas oils (petroleum), heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	265-058-3	64741-57-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-010-00-2	Distillates (petroleum), heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-063-0	64741-61-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-011-00-8	Clarified oils (petroleum), catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-064-6	64741-62-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-012-00-3	Residues (petroleum), hydrocracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F).]	265-076-1	64741-75-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-013-00-9	Residues (petroleum), thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-081-9	64741-80-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-014-00-4	Distillates (petroleum), heavy thermal cracked; Heavy Fuel oil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₆ and boiling in the range of approximately 260 °C to 480 °C (500°F to 896°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-082-4	64741-81-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-015-00-X	Gas oils (petroleum), hydrotreated vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₅₀ and boiling in the range of approximately 230 °C to 600 °C (446°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-162-9	64742-59-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-016-00-5	Residues (petroleum), hydrodesulfurized atmospheric tower; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-181-2	64742-78-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-017-00-0	Gas oils (petroleum), hydrodesulfurized heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and boiling in the range of approximately 350 °C to 600 °C (662°F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-189-6	64742-86-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-018-00-6	Residues (petroleum), steam-cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C ₁₄ and boiling above approximately 260 °C (500°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	265-193-8	64742-90-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-019-00-1	Residues (petroleum), atmospheric; Heavy Fuel oil; [A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	269-777-3	68333-22-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-020-00-7	Clarified oils (petroleum), hydrodesulfurized catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]	269-782-0	68333-26-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-021-00-2	Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.]	269-783-6	68333-27-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-022-00-8	Distillates (petroleum), hydrodesulfurized heavy catalytic cracked; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₅ and boiling in the range of approximately 260 °C to 500 °C (500°F to 932°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	269-784-1	68333-28-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-023-00-3	Fuel oil, residues-straight-run gas oils, high-sulfur; Heavy Fuel oil	270-674-0	68476-32-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-024-00-9	Fuel oil, residual; Heavy Fuel oil; [The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.]	270-675-6	68476-33-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-025-00-4	Residues (petroleum), catalytic reformer fractionator residue distn.; Heavy Fuel oil; [A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750°F).]	270-792-2	68478-13-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-026-00-X	Residues (petroleum), heavy coker gas oil and vacuum gas oil; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-796-4	68478-17-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-027-00-5	Residues (petroleum), heavy coker and light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-983-0	68512-61-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-028-00-0	Residues (petroleum), light vacuum; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C ₁₃ and boiling above approximately 230 °C (446°F).]	270-984-6	68512-62-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-029-00-6	Residues (petroleum), steam-cracked light; Heavy Fuel oil; [A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than C ₇ and boiling in the range of approximately 101 °C to 555 °C (214°F to 1030°F).]	271-013-9	68513-69-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-030-00-1	Fuel oil, No 6; Heavy Fuel oil; [A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100°F) to a maximum of 9000 SUS at 37.7 °C (100°F).]	271-384-7	68553-00-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-031-00-7	Residues (petroleum), topping plant, low-sulfur; Heavy Fuel oil; [A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.]	271-763-7	68607-30-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-032-00-2	Gas oils (petroleum), heavy atmospheric; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₃₅ and boiling in the range of approximately 121 °C to 510 °C (250°F to 950°F).]	272-184-2	68783-08-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-033-00-8	Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.; Heavy Fuel oil; [A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vacuum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₀ and boiling above approximately 350 °C (662°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	272-187-9	68783-13-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-034-00-3	Distillates (petroleum), petroleum residues vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.]	273-263-4	68955-27-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-035-00-9	Residues (petroleum), steam-cracked, resinous; Heavy Fuel oil; [A complex residuum from the distillation of steam-cracked petroleum residues.]	273-272-3	68955-36-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-036-00-4	Distillates (petroleum), intermediate vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₄₂ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	274-683-0	70592-76-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-037-00-X	Distillates (petroleum), light vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₅ and boiling in the range of approximately 250 °C to 545 °C (482°F to 1013°F).]	274-684-6	70592-77-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-038-00-5	Distillates (petroleum), vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of C ₁₅ through C ₅₀ and boiling in the range of approximately 270 °C to 600 °C (518°F to 1112°F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	274-685-1	70592-78-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-039-00-0	Gas oils (petroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₁₈ to C ₄₄ and boiling in the range of approximately 304 °C to 548 °C (579°F to 1018°F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	285-555-9	85117-03-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-040-00-6	Residues (petroleum), steam-cracked, distillates; Heavy Fuel oil; [A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.]	292-657-7	90669-75-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-041-00-1	Residues (petroleum), vacuum, light; Heavy Fuel oil; [A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₄ and boiling above approximately 390 °C (734°F).]	292-658-2	90669-76-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-042-00-7	Fuel oil, heavy, high-sulfur; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cycloaliphatic hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	295-396-7	92045-14-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-043-00-2	Residues (petroleum), catalytic cracking; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₁₁ and boiling above approximately 200 °C (392°F).]	295-511-0	92061-97-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-044-00-8	Distillates (petroleum), intermediate catalytic cracked, thermally degraded; Heavy Fuel oil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428°F to 842°F). This stream is likely to contain organic sulfur compounds.]	295-990-6	92201-59-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-045-00-3	Residual oils (petroleum); Heavy Fuel oil; [A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.]	298-754-0	93821-66-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-046-00-9	Residues, steam cracked, thermally treated; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356°F).]	308-733-0	98219-64-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-047-00-4	Distillates (petroleum), hydrodesulfurized full-range middle; Heavy Fuel oil; [A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F).]	309-863-0	101316-57-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-048-00-X	Residues (petroleum), catalytic reformer fractionator; Heavy Fuel oil; [A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₅ and boiling in the range of approximately 160 °C to 400 °C (320°F to 725°F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.]	265-069-3	64741-67-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-049-00-5	Petroleum; Crude oil; [A complex combination of hydrocarbons, It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.]	232-298-5	8002-05-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-050-00-0	Distillates (petroleum), light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.]	265-051-5	64741-50-0	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-051-00-6	Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.]	265-052-0	64741-51-1	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-052-00-1	Distillates (petroleum), light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-053-6	64741-52-2	Carc. Cat. 1; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-053-00-7	Distillates (petroleum), heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-054-1	64741-53-3	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-054-00-2	Distillates (petroleum), acid-treated heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-117-3	64742-18-3	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-055-00-8	Distillates (petroleum), acid-treated light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-118-9	64742-19-4	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-056-00-3	Distillates (petroleum), acid-treated heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).]	265-119-4	64742-20-7	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-057-00-9	Distillates (petroleum), acid-treated light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-121-5	64742-21-8	Carc. Cat. 1; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-058-00-4	Distillates (petroleum), chemically neutralized heavy paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.]	265-127-8	64742-27-4	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-059-00-X	Distillates (petroleum), chemically neutralized light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C).]	265-128-3	64742-28-5	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-060-00-5	Distillates (petroleum), chemically neutralized heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-135-1	64742-34-3	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-061-00-0	Distillates (petroleum), chemically neutralized light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS a 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-136-7	64742-35-4	Carc. Cat. 1; R45	T R: 45 S: 53-45		H
649-062-00-6	Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C ₃ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C ₂ through C ₄ , predominantly C ₃ .]	270-755-0	68477-73-6	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-063-00-1	Gases (petroleum), catalytic cracker; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-756-6	68477-74-7	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-064-00-7	Gases (petroleum), catalytic cracker, C _{1,5} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₅ .]	270-757-1	68477-75-8	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-065-00-2	Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, C _{2,4} -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₆ , predominantly C ₂ through C ₄ .]	270-758-7	68477-76-9	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-066-00-8	Gases (petroleum), catalytic reformer, C _{1,4} -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₆ , predominantly C ₁ through C ₄ .]	270-760-8	68477-79-2	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-067-00-3	Gases (petroleum), C _{3,5} olefinic-paraffinic alkylation feed; Petroleum gas; [A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.]	270-765-5	68477-83-8	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-068-00-9	Gases (petroleum), C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .]	270-767-6	68477-85-0	⊗ ⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-069-00-4	Gases (petroleum), deethanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.]	270-768-1	68477-86-1	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-070-00-X	Gases (petroleum), deisobutanizer tower overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	270-769-7	68477-87-2	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-071-00-5	Gases (petroleum), depropanizer dry, propene-rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.]	270-772-3	68477-90-7	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-072-00-0	Gases (petroleum), depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	270-773-9	68477-91-8	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-073-00-6	Gases (petroleum), gas recovery plant depropanizer overheads; Petroleum gas; [A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ , predominantly propane.]	270-777-0	68477-94-1	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-074-00-1	Gases (petroleum), Girbatol unit feed; Petroleum gas; [A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	270-778-6	68477-95-2	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-075-00-7	Gases (petroleum), isomerized naphtha fractionator, C ₄ -rich, hydrogen sulfide-free; Petroleum gas	270-782-8	68477-99-6	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-076-00-2	Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-802-5	68478-21-7	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-077-00-8	Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-803-0	68478-22-8	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-078-00-3	Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-804-6	68478-24-0	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-079-00-9	Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	270-806-7	68478-26-2	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-080-00-4	Tail gas (petroleum), saturate gas plant mixed stream, C ₄ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly butane and isobutane.]	270-813-5	68478-32-0	⊗ Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-081-00-X	Tail gas (petroleum), saturate gas recovery plant, C ₁₋₂ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ , predominantly methane and ethane.]	270-814-0	68478-33-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-082-00-5	Tail gas (petroleum), vacuum residues thermal cracker; Petroleum gas; [A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-815-6	68478-34-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-083-00-0	Hydrocarbons, C _{3,4} -rich, petroleum distillate; Petroleum gas; [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₃ through C ₄ .]	270-990-9	68512-91-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-084-00-6	Gases (petroleum), full-range straight-run naphtha dehexanizer off; petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-000-8	68513-15-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-085-00-1	Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich; Petroleum gas; [A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ . It may also contain small amounts of hydrogen and hydrogen sulfide.]	271-001-3	68513-16-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-086-00-7	Gases (petroleum), light straight-run naphtha stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-002-9	68513-17-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-087-00-2	Residues (petroleum), alkylation splitter, C ₄ -rich; Petroleum gas; [A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C ₄ through C ₅ , predominantly butane and boiling in the range of approximately - 11.7 °C to 27.8 °C (11°F to 82°F).]	271-010-2	68513-66-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-088-00-8	Hydrocarbons, C ₁₋₄ ; Petroleum gas; [A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately minus 164 °C to minus 0.5 °C (-263°F to 31°F).]	271-032-2	68514-31-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-089-00-3	Hydrocarbons, C ₁₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 164 °C to - 0.5 °C (-263°F to 31°F).]	271-038-5	68514-36-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-090-00-9	Hydrocarbons, C ₁₋₃ ; Petroleum gas; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ and boiling in the range of approximately minus 164 °C to minus 42 °C (-263°F to - 44°F).]	271-259-7	68527-16-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-091-00-4	Hydrocarbons, C ₁₋₄ , debutanizer fraction; Petroleum gas	271-261-8	68527-19-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-092-00-X	Gases (petroleum), C ₁₋₅ , wet; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	271-624-0	68602-83-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-093-00-5	Hydrocarbons, C ₂₋₄ ; Petroleum gas	271-734-9	68606-25-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-094-00-0	Hydrocarbons, C ₃ ; Petroleum gas	271-735-4	68606-26-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-095-00-6	Gases (petroleum), alkylation feed; Petroleum gas; [A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	271-737-5	68606-27-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-096-00-1	Gases (petroleum), depropanizer bottoms fractionation off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.]	271-742-2	68606-34-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-097-00-7	Gases (petroleum), refinery blend; Petroleum gas; [A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-183-7	68783-07-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-098-00-2	Gases (petroleum), catalytic cracking; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	272-203-4	68783-64-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-099-00-8	Gases (petroleum), C ₂₋₄ , sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ and boiling in the range of approximately - 51 °C to - 34 °C (-60°F to - 30°F).]	272-205-5	68783-65-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-100-00-1	Gases (petroleum), crude oil fractionation off; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-871-7	68918-99-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-101-00-7	Gases (petroleum), dehexanizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-872-2	68919-00-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-102-00-2	Gases (petroleum), light straight run gasoline fractionation stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-878-5	68919-05-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-103-00-8	Gases (petroleum), naphtha unifier desulfurization stripper off; Petroleum gas; [A complex combination of hydrocarbons produced by a naphtha unifier desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-879-0	68919-06-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-104-00-3	Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.]	272-882-7	68919-09-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-105-00-9	Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the fractionation of the charge to the C ₃ -C ₄ splitter. It consists predominantly of C ₃ hydrocarbons.]	272-893-7	68919-20-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-106-00-4	Gases (petroleum), straight-run stabilizer off; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-883-2	68919-10-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-107-00-X	Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-169-3	68952-76-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-108-00-5	Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-170-9	68952-77-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-109-00-0	Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-175-6	68952-81-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-110-00-6	Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-176-1	68952-82-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-111-00-1	Gases (petroleum, light steam-cracked, butadiene conc.); Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists of hydrocarbons having a carbon number predominantly of C ₄ .]	273-265-5	68955-28-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-112-00-7	Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	273-270-2	68955-34-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-113-00-2	Hydrocarbons, C ₄ ; Petroleum gas	289-339-5	87741-01-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-114-00-8	Alkanes, C ₁₋₄ , C ₃ -rich; Petroleum gas	292-456-4	90622-55-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-115-00-3	Gases (petroleum), steam-cracker C ₃ -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (-94°F to 32°F).]	295-404-9	92045-22-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-116-00-9	Hydrocarbons, C ₄ , steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C ₄ , predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4°F to 41°F).]	295-405-4	92045-23-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-117-00-4	Petroleum gases, liquefied, sweetened, C ₄ fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C ₄ saturated and unsaturated hydrocarbons.]	295-463-0	92045-80-2	F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46	F+; T R: 12-45-46 S: 53-45		HKS
649-118-00-X	Hydrocarbons, C ₄ , 1,3-butadiene- and isobutene-free; Petroleum gas	306-004-1	95465-89-7	⊗Carc. Cat. 2; R45	T R: 45 S: 53-45		H K
649-119-00-5	Raffinates (petroleum), steam-cracked C ₄ fraction cuprous ammonium acetate extrn., C _{3,5} and C _{3,5} unsatd., butadiene-free; Petroleum gas	307-769-4	97722-19-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-120-00-0	Gases (petroleum), amine system feed; Refinery gas; [The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen, carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ may also be present.]	270-746-1	68477-65-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-121-00-6	Gases (petroleum), benzene unit hydrodesulfurizer off; Refinery gas; [Off gases produced by the benzene unit. It consists primarily of hydrogen, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ , including benzene, may also be present.]	270-747-7	68477-66-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-122-00-1	Gases (petroleum), benzene unit recycle, hydrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by recycling the gases of the benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ .]	270-748-2	68477-67-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-123-00-7	Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-749-8	68477-68-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-124-00-2	Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	270-759-2	68477-77-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-125-00-8	Gases (petroleum), C ₆₋₈ catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-761-3	68477-80-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-126-00-3	Gases (petroleum), C ₆₋₈ catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C ₆ -C ₈ feed. It consists of hydrocarbons having carbon numbers in the range of C ₁ through C ₅ and hydrogen.]	270-762-9	68477-81-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-127-00-9	Gases (petroleum), C ₆₋₈ catalytic reformer recycle, hydrogen-rich; Refinery gas	270-763-4	68477-82-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-128-00-4	Gases (petroleum), C ₂ -return stream; Refinery gas; [A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.]	270-766-0	68477-84-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-129-00-X	Gases (petroleum), dry sour, gas-concn.-unit-off; Refinery gas; [The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	270-774-4	68477-92-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-130-00-5	Gases (petroleum), gas concn. reabsorber distn.; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C ₁ through C ₃ .]	270-776-5	68477-93-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-131-00-0	Gases (petroleum), hydrogen absorber off; Refinery gas; [A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C ₂ hydrocarbons.]	270-779-1	68477-96-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-132-00-6	Gases (petroleum), hydrogen-rich; Refinery gas; [A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C ₂ hydrocarbons.]	270-780-7	68477-97-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-133-00-1	Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich; Refinery gas; [A complex combination obtained from recycled hydrotreated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-781-2	68477-98-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-134-00-7	Gases (petroleum), recycle, hydrogen-rich; Refinery gas; [A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .]	270-783-3	68478-00-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-135-00-2	Gases (petroleum), reformer make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-784-9	68478-01-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-136-00-8	Gases (petroleum), reforming hydrotreater; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	270-785-4	68478-02-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-137-00-3	Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₅ .]	270-787-5	68478-03-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-138-00-9	Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-788-0	68478-04-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-139-00-4	Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-789-6	68478-05-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-140-00-X	Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	270-805-1	68478-25-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-141-00-5	Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-807-2	68478-27-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-142-00-0	Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-808-8	68478-28-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-143-00-6	Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	270-809-3	68478-29-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-144-00-1	Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	270-810-9	68478-30-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-145-00-7	Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.]	270-999-8	68513-14-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-146-00-2	Gases (petroleum), reformer effluent high-pressure flash drum off; Refinery gas; [A complex combination produced by the high-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-003-4	68513-18-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-147-00-8	Gases (petroleum), reformer effluent low-pressure flash drum off; Refinery gas; [A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-005-5	68513-19-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-148-00-3	Gases (petroleum), oil refinery gas distn. off; Refinery gas; [A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C ₁ through C ₆ or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₂ , hydrogen, nitrogen, and carbon monoxide.]	271-258-1	68527-15-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-149-00-9	Gases (petroleum), benzene unit hydrotreater depentanizer overheads; Refinery gas; [A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ . It may contain trace amounts of benzene.]	271-623-5	68602-82-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-150-00-4	Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator; Refinery gas; [A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	271-625-6	68602-84-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-151-00-X	Petroleum products, refinery gases; Refinery gas; [A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]	271-750-6	68607-11-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-152-00-5	Gases (petroleum), hydrocracking low-pressure separator; Refinery gas; [A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	272-182-1	68783-06-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-153-00-0	Gases (petroleum), refinery; Refinery gas; [A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	272-338-9	68814-67-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-154-00-6	Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₄ .]	272-343-6	68814-90-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-155-00-1	Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ .]	272-775-5	68911-58-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-156-00-7	Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen and methane with various small amounts of nitrogen, carbon monoxide, and hydro-carbons having carbon numbers predominantly in the range of C ₂ through C ₅ .]	272-776-0	68911-59-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-157-00-2	Gases (petroleum), distillate unifier desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the unifier desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.]	272-873-8	68919-01-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-158-00-8	Gases (petroleum), fluidized catalytic cracker fractionation off; Refinery gas; [A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-874-3	68919-02-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-159-00-3	Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.]	272-875-9	68919-03-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-160-00-9	Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-876-4	68919-04-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-161-00-4	Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.]	272-880-6	68919-07-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-162-00-X	Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-881-1	68919-08-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-163-00-5	Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	272-884-8	68919-11-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-164-00-0	Gases (petroleum), unifiner stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifiner unit.]	272-885-3	68919-12-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-165-00-6	Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.]	273-173-5	68952-79-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-166-00-1	Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	273-174-0	68952-80-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-167-00-7	Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	273-269-7	68955-33-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-168-00-2	Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide, nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	273-563-5	68989-88-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-169-00-8	Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C ₁ through C ₅ .]	295-397-2	92045-15-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-170-00-3	Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₃ .]	295-398-8	92045-16-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-171-00-9	Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	295-399-3	92045-17-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-172-00-4	Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	295-400-7	92045-18-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-173-00-X	Gases (petroleum), naphtha steam cracking high-pressure residual; Refinery gas; [A complex combination obtained as a mixture of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ with which natural gas may also be mixed.]	295-401-2	92045-19-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-174-00-5	Gases (petroleum), residue visbaking off; Refinery gas; A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	295-402-8	92045-20-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-175-00-0	Foot's oil (petroleum), acid-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	300-225-7	93924-31-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-176-00-6	Foot's oil (petroleum), clay-treated; Foot's oil; [A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	300-226-2	93924-32-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-177-00-1	Gases (petroleum), C ₃₋₄ ; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60°F to 30°F.)]	268-629-5	68131-75-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-178-00-7	Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber; Petroleum gas; [The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .]	269-617-2	68307-98-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-179-00-2	Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons from the fractionation stabilization products from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₁ through C ₄ .]	269-618-8	68307-99-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-180-00-8	Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-619-3	68308-00-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-181-00-3	Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-620-9	68308-01-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-182-00-9	Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-630-3	68308-10-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-183-00-4	Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-623-5	68308-03-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-184-00-X	Tail gas (petroleum), gas recovery plant; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-624-0	68308-04-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-185-00-5	Tail gas (petroleum), gas recovery plant deethanizer; Petroleum gas; [A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbon having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-625-6	68308-05-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-186-00-0	Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-626-1	68308-06-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-187-00-6	Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-627-7	68308-07-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-188-00-1	Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	269-629-8	68308-09-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-189-00-7	Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-631-9	68308-11-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-190-00-2	Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₆ .]	269-632-4	68308-12-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-191-00-8	Gases (petroleum), catalytic cracked overheads; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ and boiling in the range of approximately - 48 °C to 32 °C (-54°F to 90°F).]	270-071-2	68409-99-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-193-00-9	Alkanes, C ₁₋₂ ; Petroleum gas	270-651-5	68475-57-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-194-00-4	Alkanes, C ₂₋₃ ; Petroleum gas	270-652-0	68475-58-1	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-195-00-X	Alkanes, C ₃₋₄ ; Petroleum gas	270-653-6	68475-59-2	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-196-00-5	Alkanes, C ₄₋₅ ; Petroleum gas	270-654-1	68475-60-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-197-00-0	Fuel gases; Petroleum gas; [A combination of light gases. It consists predominantly of hydrogen and/or low molecular weight hydrocarbons.]	270-667-2	68476-26-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-198-00-6	Fuel gases, crude oil of distillates; Petroleum gas; [A complex combination of light gases produced by distillation of crude oil and by catalytic reforming of naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ and boiling in the range of approximately - 217 °C to - 12 °C (- 423°F to 10°F).]	270-670-9	68476-29-9	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-199-00-1	Hydrocarbons, C ₃₋₄ ; Petroleum gas	270-681-9	68476-40-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-200-00-5	Hydrocarbons, C ₄₋₅ ; Petroleum gas	270-682-4	68476-42-6	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-201-00-0	Hydrocarbons, C ₂₋₄ , C ₃ -rich; Petroleum gas	270-689-2	68476-49-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-202-00-6	Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (- 40 °F to 176 °F).]	270-704-2	68476-85-7	F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46	F+; T R: 12-45-46 S: 53-45		HKS
649-203-00-1	Petroleum gases, liquefied, sweetened; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately - 40 °C to 80 °C (-40 °F to 176 °F).]	270-705-8	68476-86-8	F+; R12 Carc. Cat. 1; R45 Muta. Cat. 2; R46	F+; T R: 12-45-46 S: 45-53		HKS
649-204-00-7	Gases (petroleum), C ₃₋₄ , isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₄ , predominantly isobutane.]	270-724-1	68477-33-8	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-205-00-2	Distillates (petroleum), C ₃₋₆ , piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C ₃ through C ₆ . It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly piperylenes.]	270-726-2	68477-35-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-206-00-8	Gases (petroleum), butane splitter overheads; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₄ .]	270-750-3	68477-69-0	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-207-00-3	Gases (petroleum), C ₂ ; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.]	270-751-9	68477-70-3	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-208-00-9	Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, C ₄ -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly C ₄ .]	270-752-4	68477-71-4	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-209-00-4	Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, C ₃₋₅ -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₅ .]	270-754-5	68477-72-5	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K
649-210-00-X	Tail gas (petroleum), isomerized naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₄ .]	269-628-2	68308-08-7	⊗Carc. Cat. 1; R45 Muta. Cat. 2; R46	T R: 45-46 S: 53-45		H K

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-211-00-5	Foots oil (petroleum), carbon-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-126-0	97862-76-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-212-00-0	Distillates (petroleum), sweetened middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-088-7	64741-86-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-213-00-6	Gas oils (petroleum), solvent-refined; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-092-9	64741-90-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-214-00-1	Distillates (petroleum), solvent-refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-093-4	64741-91-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-215-00-7	Gas oils (petroleum), acid-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-112-6	64742-12-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-216-00-2	Distillates (petroleum), acid-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).]	265-113-1	64742-13-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-217-00-8	Distillates (petroleum), acid-treated light; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-114-7	64742-14-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-218-00-3	Gas oils (petroleum), chemically neutralized; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-129-9	64742-29-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-219-00-9	Distillates (petroleum), chemically neutralized middle; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₀ and boiling in the range of approximately 205 °C to 345 °C (401°F to 653°F).]	265-130-4	64742-30-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-220-00-4	Distillates (petroleum), clay-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 150 °C to 345 °C (302°F to 653°F).]	265-139-3	64742-38-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-221-00-X	Distillates (petroleum), hydrotreated middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-148-2	64742-46-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-222-00-5	Gas oils (petroleum), hydrodesulfurized; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₅ and boiling in the range of approximately 230 °C to 400 °C (446°F to 752°F).]	265-182-8	64742-79-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-223-00-0	Distillates (petroleum), hydrodesulfurized middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	265-183-3	64742-80-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-224-00-6	Fuels, diesel; Gasoil — unspecified; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₀ and boiling in the range of approximately 163 °C to 357 °C (325°F to 675°F).]	269-822-7	68334-30-5	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H N
649-225-00-1	Fuel oil, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F) to a maximum of 37,9 SUS at 37,7 °C (100°F).]	270-671-4	68476-30-2	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
649-226-00-7	Fuel oil, No 4; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100°F) to a maximum of 125 SUS at 37,7 °C (100°F).]	270-673-5	68476-31-3	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-227-00-2	Fuels, diesel, No 2; Gasoil — unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100°F).]	270-676-1	68476-34-6	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
649-228-00-8	Distillates (petroleum), catalytic reformer fractionator residue, high-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 343 °C to 399 °C (650°F to 750°F).]	270-719-4	68477-29-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-229-00-3	Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling; Gasoil — unspecified; [A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550°F to 700°F).]	270-721-5	68477-30-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-230-00-9	Distillates (petroleum), catalytic reformer fractionator residue, low-boiling; Gasoil — unspecified; [The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550°F).]	270-722-0	68477-31-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-231-00-4	Distillates (petroleum), highly refined middle; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₀ .]	292-615-8	90640-93-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-232-00-X	Distillates (petroleum) catalytic reformer, heavy arom. conc.; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₆ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).]	295-294-2	91995-34-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-233-00-5	Gas oils, paraffinic; Gasoil — unspecified; [A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374°F to 594°F).]	300-227-8	93924-33-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-234-00-0	Naphtha (petroleum), solvent-refined hydrodesulfurized heavy; Gasoil — unspecified	307-035-3	97488-96-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-235-00-6	Hydrocarbons, C ₁₆₋₂₀ , hydrotreated middle distillate, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 290 °C to 350 °C (554°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).]	307-659-6	97675-85-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-236-00-1	Hydrocarbons, C ₁₂₋₂₀ , hydrotreated paraffinic, distn. lights; Gasoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₀ and boiling in the range of approximately 230 °C to 350 °C (446°F to 662°F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212°F).]	307-660-1	97675-86-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-237-00-7	Hydrocarbons, C ₁₁₋₁₇ , solvent-extd. light naphthenic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 2.2 cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 200 °C to 300 °C (392°F to 572°F).]	307-757-9	97722-08-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-238-00-2	Gas oils, hydrotreated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₇ and boiling in the range of approximately 330 °C to 340 °C (626°F to 644°F).]	308-128-1	97862-78-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-239-00-8	Distillates (petroleum), carbon-treated light paraffinic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₈ .]	309-667-5	100683-97-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-240-00-3	Distillates (petroleum), intermediate paraffinic, carbon-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	309-668-0	100683-98-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-241-00-9	Distillates (petroleum), intermediate paraffinic, clay-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	309-669-6	100683-99-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-242-00-4	Alkanes, C ₁₂₋₂₆ -branched and linear	292-454-3	90622-53-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-243-00-X	Lubricating greases; Grease; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₅₀ . May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.]	278-011-7	74869-21-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-244-00-5	Slack wax (petroleum); Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	265-165-5	64742-61-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-245-00-0	Slack wax (petroleum), acid-treated; Slack wax; [A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	292-659-8	90669-77-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-246-00-6	Slack wax (petroleum), clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	292-660-3	90669-78-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-247-00-1	Slack wax (petroleum), hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	295-523-6	92062-09-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-248-00-7	Slack wax (petroleum), low-melting; Slack wax; [A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-524-1	92062-10-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-249-00-2	Slack wax (petroleum), low-melting, hydrotreated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	295-525-7	92062-11-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-250-00-8	Slack wax (petroleum), low-melting, carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-155-9	97863-04-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-251-00-3	Slack wax (petroleum), low-melting, clay-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-156-4	97863-05-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-252-00-9	Slack wax (petroleum), low-melting, silicic acid-treated; Slack wax; [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-158-5	97863-06-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-253-00-4	Slack wax (petroleum), carbon-treated; Slack wax; [A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.]	309-723-9	100684-49-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-254-00-X	Petrolatum; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .]	232-373-2	8009-03-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-255-00-5	Petrolatum (petroleum), oxidized; Petrolatum; [A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.]	265-206-7	64743-01-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-256-00-0	Petrolatum (petroleum), alumina-treated; Petrolatum; [A complex combination of hydrocarbons obtained when petrolatum is treated with Al ₂ O ₃ to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₅ .]	285-098-5	85029-74-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-257-00-6	Petrolatum (petroleum), hydrotreated; Petrolatum; [A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	295-459-9	92045-77-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-258-00-1	Petrolatum (petroleum), carbon-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	308-149-6	97862-97-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-259-00-7	Petrolatum (petroleum), silicic acid-treated; Petrolatum; [A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C ₂₀ .]	308-150-1	97862-98-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-260-00-2	Petrolatum (petroleum), clay-treated; Petrolatum; [A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than C ₂₅ .]	309-706-6	100684-33-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H N
649-261-00-8	Gasoline, natural; Low boiling point naphtha; [A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 20 °C to 120 °C (-4°F to 248°F).]	232-349-1	8006-61-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-262-00-3	Naphtha; Low boiling point naphtha; [Refined, partly refined, or unrefined petroleum products by the distillation of natural gas. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).]	232-443-2	8030-30-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-263-00-9	Ligroine; Low boiling point naphtha; [A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58°F to 275°F).]	232-453-7	8032-32-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-264-00-4	Naphtha (petroleum), heavy straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-041-0	64741-41-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-265-00-X	Naphtha (petroleum), full-range straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 220 °C (-4°F to 428°F).]	265-042-6	64741-42-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-266-00-5	Naphtha (petroleum), light straight-run; Low boiling point naphtha; [A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).]	265-046-8	64741-46-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-267-00-0	Solvent naphtha (petroleum), light aliph.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 35 °C to 160 °C (95°F to 320°F).]	265-192-2	64742-89-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-268-00-6	Distillates (petroleum), straight-run light; Low boiling point naphtha; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₇ and boiling in the range of approximately - 88 °C to 99 °C (- 127°F to 210°F).]	270-077-5	68410-05-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-269-00-1	Gasoline, vapor-recovery; Low boiling point naphtha; [A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 196 °C (-4°F to 384°F).]	271-025-4	68514-15-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-270-00-7	Gasoline, straight-run, topping-plant; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97°F to 380°F).]	271-727-0	68606-11-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-271-00-2	Naphtha (petroleum), unsweetened; Low boiling point naphtha; [A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 0 °C to 230 °C (25°F to 446°F).]	272-186-3	68783-12-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-272-00-8	Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads; Low boiling point naphtha; [A complex combination of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ .]	272-931-2	68921-08-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-273-00-3	Naphtha (petroleum), heavy straight run, arom.-contg.; Low boiling point naphtha; [A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).]	309-945-6	101631-20-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-274-00-9	Naphtha (petroleum), full-range alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consist of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).]	265-066-7	64741-64-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-275-00-4	Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ to C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 150 °C to 220 °C (302°F to 428°F).]	265-067-2	64741-65-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-276-00-X	Naphtha (petroleum), light alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of aproximately 90 °C to 160 °C (194°F to 320°F).]	265-068-8	64741-66-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-277-00-5	Naphtha (petroleum), isomerization; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic C ₄ through C ₆ hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.]	265-073-5	64741-70-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-278-00-0	Naphtha (petroleum), solvent-refined light; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).]	265-086-6	64741-84-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-279-00-6	Naphtha (petroleum), solvent-refined heavy; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-095-5	64741-92-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-280-00-1	Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ .]	270-088-5	68410-71-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-281-00-7	Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ .]	270-349-3	68425-35-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-282-00-2	Naphtha (petroleum), full-range alkylate, butane-contg.; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ with some butanes and boiling in the range of approximately 35 °C to 200 °C (95°F to 428°F).]	271-267-0	68527-27-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-283-00-8	Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydrotreated; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydrotreated light distillate from steam-cracked naphtha.]	295-315-5	91995-53-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-284-00-3	Naphtha (petroleum), C ₄₋₁₂ butane-alkylate, isooctane-rich; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ , rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95°F to 410°F).]	295-430-0	92045-49-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-285-00-9	Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201°F to 210°F).]	295-436-3	92045-55-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-286-00-4	Naphtha (petroleum), isomerization, C ₆ -fraction; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140°F to 151°F).]	295-440-5	92045-58-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-287-00-X	Hydrocarbons, C ₆₋₇ , naphtha-cracking, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 70 °C to 100 °C (158°F to 212°F).]	295-446-8	92045-64-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-288-00-5	Hydrocarbons, C ₆ -rich, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149°F to 158°F).]	309-871-4	101316-67-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-289-00-0	Naphtha (petroleum), heavy catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F). It contains a relatively large proportion of unsaturated hydrocarbons.]	265-055-7	64741-54-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-290-00-6	Naphtha (petroleum), light catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). It contains a relatively large proportion of unsaturated hydrocarbons.]	265-056-2	64741-55-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-291-00-1	Hydrocarbons, C ₃₋₁₁ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₁₁ and boiling in a range approximately up to 204 °C (400°F).]	270-686-6	68476-46-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-292-00-7	Naphtha (petroleum), catalytic cracked light distd.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁ through C ₅ .]	272-185-8	68783-09-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-293-00-2	Distillates (petroleum), naphtha steam cracking-derived, hydrotreated light arom.; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predom-inantly of aromatic hydrocarbons.]	295-311-3	91995-50-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-294-00-8	Naphtha (petroleum), heavy catalytic cracked, sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 60 °C to 200 °C (140°F to 392°F).]	295-431-6	92045-50-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-295-00-3	Naphtha (petroleum), light catalytic cracked sweetened; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approximately 35 °C to 210 °C (95°F to 410°F).]	295-441-0	92045-59-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-296-00-9	Hydrocarbons, C ₈₋₁₂ , catalytic-cracking, chem. neutralized; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₈ through C ₁₂ and boiling in the range of approximately 130 °C to 210 °C (266°F to 410°F).]	295-794-0	92128-94-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-297-00-4	Hydrocarbons, C ₈₋₁₂ , catalytic cracker distillates; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists pre-dominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ and boiling in the range of approximately 140 °C to 210 °C (284°F to 410°F).]	309-974-4	101794-97-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-298-00-X	Hydrocarbons, C ₈₋₁₂ , catalytic cracking, chem. neutralized, sweetened; Low boiling point cat-cracked naphtha	309-987-5	101896-28-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-299-00-5	Naphtha (petroleum), light catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.]	265-065-1	64741-63-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-300-00-9	Naphtha (petroleum), heavy catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-070-9	64741-68-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-301-00-4	Distillates (petroleum), catalytic reformed depentanizer; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 63 °C - 57°F to 145°F.)]	270-660-4	68475-79-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-302-00-X	Hydrocarbons, C ₂₋₆ , C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha	270-687-1	68476-47-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-303-00-5	Residues (petroleum), C ₆₋₈ catalytic reformer; Low boiling point cat-reformed naphtha; [A complex residuum from the catalytic reforming of C ₆₋₈ feed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	270-794-3	68478-15-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-304-00-0	Naphtha (petroleum), light catalytic reformed, arom.-free; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 35 °C to 120 °C (95°F to 248°F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.]	270-993-5	68513-03-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-305-00-6	Distillates (petroleum), catalytic reformed straight-run naphtha overheads; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	271-008-1	68513-63-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-306-00-1	Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80°F to 410°F).]	271-058-4	68514-79-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-307-00-7	Naphtha (petroleum, full-range reformed); Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).]	272-895-8	68919-37-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-308-00-2	Naphtha (petroleum), catalytic reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 220 °C (90°F to 430°F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol.% or more benzene.]	273-271-8	68955-35-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-309-00-8	Distillates (petroleum), catalytic reformed hydrotreated light, C ₈₋₁₂ arom. fraction; Low boiling point cat-reformed naphtha; [A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 160 °C to 180 °C (320°F to 356°F).]	285-509-8	85116-58-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-310-00-3	Aromatic hydrocarbons, C ₈ , catalytic reforming-derived; Low boiling point cat-reformed naphtha	295-279-0	91995-18-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-311-00-9	Aromatic hydrocarbons, C ₇₋₁₂ , C ₈ -rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ (primarily C ₈) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266°F to 392°F).]	297-401-8	93571-75-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-312-00-4	Gasoline, C ₅₋₁₁ , high-octane stabilized reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 45 °C to 185 °C (113°F to 365°F).]	297-458-9	93572-29-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-313-00-X	Hydrocarbons, C ₇₋₁₂ , C _{>9} -arom.-rich, reforming heavy fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 120 °C to 210 °C (248°F to 380°F) and C ₉ and higher aromatic hydrocarbons.]	297-465-7	93572-35-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-314-00-5	Hydrocarbons, C ₅₋₁₁ , nonaroms.-rich, reforming light fraction; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 35 °C to 125 °C (94°F to 257°F), benzene and toluene.]	297-466-2	93572-36-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-315-00-0	Foots oil (petroleum), silicic acid-treated; Foots oil; [A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than C ₁₂ .]	308-127-6	97862-77-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-316-00-6	Naphtha (petroleum), light thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₈ and boiling in the range of approximately minus 10 °C to 130 °C (14°F to 266°F).]	265-075-6	64741-74-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-317-00-1	Naphtha (petroleum), heavy thermal cracked; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 220 °C (148°F to 428°F).]	265-085-0	64741-83-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-318-00-7	Distillates (petroleum), heavy arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of C ₅ . This stream may contain benzene.]	267-563-4	67891-79-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-319-00-2	Distillates (petroleum), light arom.; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of C ₅ -C ₇ aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of C ₅ . This stream may contain benzene.]	267-565-5	67891-80-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-320-00-8	Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending; Low boiling point thermally cracked naphtha; [The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of C ₉ and boiling at approximately 204 °C (400°F).]	270-344-6	68425-29-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-321-00-3	Aromatic hydrocarbons, C ₆₋₈ , naphtha-raffinate pyrolyzate-derived; Low boiling point thermally cracked naphtha; A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1500°F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ , including benzene.]	270-658-3	68475-70-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-322-00-9	Distillates (petroleum), thermal cracked naphtha and gas oil; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of C ₅ and boiling in the range of approximately 33 °C to 60 °C (91°F to 140°F).]	271-631-9	68603-00-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-323-00-4	Distillates (petroleum), thermal cracked naphtha and gas oil, C ₅ -dimer-contg.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of C ₅ with some dimerized C ₅ olefins and boiling in the range of approximately 33 °C to 184 °C (91°F to 363°F).]	271-632-4	68603-01-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-324-00-X	Distillates (petroleum), thermal cracked naphtha and gas oil, extractive; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88°F to 104°F).]	271-634-5	68603-03-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-325-00-5	Distillates (petroleum), light thermal cracked, debutanized arom.; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.]	273-266-0	68955-29-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-326-00-0	Naphtha (petroleum), light thermal cracked, sweetened; Low boiling point thermally cracked naphtha; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68°F to 212°F).]	295-447-3	92045-65-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-327-00-6	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₃ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-150-3	64742-48-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-328-00-1	Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-151-9	64742-49-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-329-00-7	Naphtha (petroleum), hydrodesulfurized light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-178-6	64742-73-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-330-00-2	Naphtha (petroleum), hydrodesulfurized heavy; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-185-4	64742-82-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-331-00-8	Distillates (petroleum), hydrotreated middle, intermediate boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₀ and boiling in the range of approximately 127 °C to 188 °C (262°F to 370°F).]	270-092-7	68410-96-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-332-00-3	Distillates (petroleum), light distillate hydrotreating process, low-boiling; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₉ and boiling in the range of approximately 3 °C to 194 °C (37°F to 382°F).]	270-093-2	68410-97-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-333-00-9	Distillates (petroleum), hydrotreated heavy naphtha, deisohexanizer overheads; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 49 °C to 68 °C (-57°F to 155°F).]	270-094-8	68410-98-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-334-00-4	Solvent naphtha (petroleum), light arom., hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).]	270-988-8	68512-78-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-335-00-X	Naphtha (petroleum), hydrodesulfurized thermal cracked light; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 195 °C (73°F to 383°F).]	285-511-9	85116-60-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-336-00-5	Naphtha (petroleum), hydrotreated light, cycloalkane-contg.; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	285-512-4	85116-61-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-337-00-0	Naphtha (petroleum), heavy steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha	295-432-1	92045-51-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-338-00-6	Naphtha (petroleum), hydrodesulfurized full-range; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 250 °C (86°F to 482°F).]	295-433-7	92045-52-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-339-00-1	Naphtha (petroleum), hydrotreated light steam-cracked; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₁ and boiling in the range of approximately 35 °C to 190 °C (95°F to 374°F).]	295-438-4	92045-57-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-340-00-7	Hydrocarbons, C ₄₋₁₂ , naphtha-cracking, hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 30 °C to 230 °C (86°F to 446°F).]	295-443-1	92045-61-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-341-00-2	Solvent naphtha (petroleum), hydrotreated light naphthenic; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₇ and boiling in the range of approximately 73 °C to 85 °C (163°F to 185°F).]	295-529-9	92062-15-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-342-00-8	Naphtha (petroleum), light steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ and boiling in the range of approximately 50 °C to 200 °C (122°F to 392°F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulphur and oxygenated compounds.]	296-942-7	93165-55-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-343-00-3	Hydrocarbons, C ₆₋₁₁ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-852-0	93763-33-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-344-00-9	Hydrocarbons, C ₉₋₁₂ , hydrotreated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-853-6	93763-34-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-345-00-4	Stoddard solvent; Low boiling point naphtha — unspecified; [A colourless, refined petroleum distillate that is free from rancid or objectionable odors and that boils in a range of approximately 300°F to 400°F.]	232-489-3	8052-41-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-346-00-X	Natural gas condensates (petroleum); Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of C ₂ to C ₂₀ . It is a liquid at atmospheric temperature and pressure.]	265-047-3	64741-47-5	Carc. Cat. 2; R4 Xn; R65	T R: 45-65 S: 53-45		H P
649-347-00-5	Natural gas (petroleum), raw liq. mix; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of C ₂ through C ₈ .]	265-048-9	64741-48-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-348-00-0	Naphtha (petroleum), light hydrocracked; Low boiling naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₀ , and boiling in the range of approximately minus 20 °C to 180 °C (-4°F to 356°F).]	265-071-4	64741-69-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-349-00-6	Naphtha (petroleum), heavy hydrocracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ , and boiling in the range of approximately 65 °C to 230 °C (148°F to 446°F).]	265-079-8	64741-78-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-350-00-1	Naphtha (petroleum), sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately minus 10 °C to 230 °C (14°F to 446°F).]	265-089-2	64741-87-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-351-00-7	Naphtha (petroleum), acid-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 230 °C (194°F to 446°F).]	265-115-2	64742-15-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-352-00-2	Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₂ and boiling in the range of approximately 65 °C to 230 °C (149°F to 446°F).]	265-122-0	64742-22-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-353-00-8	Naphtha (petroleum), chemically neutralized light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F).]	265-123-6	64742-23-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-354-00-3	Naphtha (petroleum), catalytic dewaxed; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ and boiling in the range of approximately 35 °C to 230 °C (95°F to 446°F).]	265-170-2	64742-66-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-355-00-9	Naphtha (petroleum), light steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately minus 20 °C to 190 °C (-4°F to 374°F). This stream is likely to contain 10 vol. % or more benzene.]	265-187-5	64742-83-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-356-00-4	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₀ and boiling in the range of approximately 135 °C to 210 °C (275°F to 410°F).]	265-199-0	64742-95-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-357-00-X	Aromatic hydrocarbons, C ₆₋₁₀ , acid-treated, neutralized; Low boiling point naphtha — unspecified	268-618-5	68131-49-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-358-00-5	Distillates (petroleum), C ₃₋₅ , 2-methyl-2-butene-rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ , predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₃ through C ₅ , predominantly 2-methyl-2-butene.]	270-725-7	68477-34-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-359-00-0	Distillates (petroleum), polymd. steam-cracked petroleum distillates, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .]	270-735-1	68477-50-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-360-00-6	Distillates (petroleum), steam-cracked, C ₅₋₁₂ fraction; Low boiling point naphtha — unspecified; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₁₂ .]	270-736-7	68477-53-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-361-00-1	Distillates (petroleum), steam-cracked, C ₅₋₁₀ fraction, mixed with light steam-cracked petroleum naphtha C ₅ fraction; Low boiling point naphtha — unspecified	270-738-8	68477-55-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-362-00-7	Extracts (petroleum), cold-acid, C ₄₋₆ ; Low boiling point naphtha — unspecified; [A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₆ , predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .]	270-741-4	68477-61-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-363-00-2	Distillates (petroleum), depentanizer overheads; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-771-8	68477-89-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-364-00-8	Residues (petroleum), butane splitter bottoms; Low boiling point naphtha — unspecified; [A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-791-7	68478-12-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-365-00-3	Residual oils (petroleum), deisobutanizer tower; Low boiling point naphtha — unspecified; [A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ .]	270-795-9	68478-16-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-366-00-9	Naphtha (petroleum), full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₅ and boiling in the range of approximately 43 °C to 250 °C (110°F to 500°F).]	270-991-4	68513-02-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-367-00-4	Naphtha (petroleum), steam-cracked middle arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 130 °C to 220 °C (266°F to 428°F).]	271-138-9	68516-20-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-368-00-X	Naphtha (petroleum), clay-treated full-range straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₁ and boiling in the range of approximately - 20 °C to 220 °C (-4°F to 429°F).]	271-262-3	68527-21-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-369-00-5	Naphtha (petroleum), clay-treated light straight-run; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities, present. It consists of hydro-carbons having carbon numbers predominantly in the range of C ₇ through C ₁₀ and boiling in the range of approximately 93 °C to 180 °C (200°F to 356°F).]	271-263-9	68527-22-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-370-00-0	Naphtha (petroleum), light steam-cracked arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₉ and boiling in the range of approximately 110 °C to 165 °C (230°F to 329°F).]	271-264-4	68527-23-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-371-00-6	Naphtha (petroleum), light steam-cracked, debenzenized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₁₂ and boiling in the range of approximately 80 °C to 218 °C (176°F to 424°F).]	271-266-5	68527-26-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-372-00-1	Naphtha (petroleum), arom.-contg.; Low boiling point naphtha — unspecified	271-635-0	68603-08-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-373-00-7	Gasoline, pyrolysis, debutanizer bottoms; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than C ₅ .]	271-726-5	68606-10-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-374-00-2	Naphtha (petroleum), light, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₆ and boiling in the range of approximately - 20 °C to 100 °C (-4°F to 212°F).]	272-206-0	68783-66-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-375-00-8	Natural gas condensates; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₈ .]	272-896-3	68919-39-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H J
649-376-00-3	Distillates (petroleum), naphtha unifiner stripper; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons produced by stripping the products from the naphtha unifiner. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C ₂ through C ₆ .]	272-932-8	68921-09-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-377-00-9	Naphtha (petroleum), catalytic reformed light, arom.-free fraction; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of C ₅ to C ₈ and boiling in the range of approximately 66 °C to 121 °C (151°F to 250°F).]	285-510-3	85116-59-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-378-00-4	Gasoline; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C ₃ and boiling in the range of 30 °C to 260 °C (86°F to 500°F).]	289-220-8	86290-81-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-379-00-X	Aromatic hydrocarbons, C ₇₋₈ , dealkylation products, distn. residues; Low boiling point naphtha — unspecified	292-698-0	90989-42-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-380-00-5	Hydrocarbons, C ₄₋₆ , depentanizer lights, arom. hydrotreater; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the depentanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₆ , predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77°F to 104°F).]	295-298-4	91995-38-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-381-00-0	Distillates (petroleum), heat-soaked steam-cracked naphtha, C ₅ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₄ through C ₆ , predominantly C ₅ .]	295-302-4	91995-41-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-382-00-6	Extracts (petroleum), catalytic reformed light naphtha solvent; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₈ and boiling in the range of approximately 100 °C to 200 °C (212°F to 392°F).]	295-331-2	91995-68-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-383-00-1	Naphtha (petroleum), hydrodesulfurized light, dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C ₇ paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194°F to 212°F).]	295-434-2	92045-53-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-384-00-7	Naphtha (petroleum), light, C ₅ -rich, sweetened; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₄ through C ₅ , predominantly C ₅ , and boiling in the range of approximately minus 10 °C to 35 °C (14°F to 95°F).]	295-442-6	92045-60-8	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-385-00-2	Hydrocarbons, C ₈₋₁₁ , naphtha-cracking, toluene cut; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₁ and boiling in the range of approximately 130 °C to 205 °C (266°F to 401°F).]	295-444-7	92045-62-0	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-386-00-8	Hydrocarbons, C ₄₋₁₁ , naphtha-cracking, arom.-free; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C ₄ through C ₁₁ and boiling in the range of approximately 30 °C to 205 °C (86°F to 401°F).]	295-445-2	92045-63-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-387-00-3	Naphtha (petroleum), light heat-soaked, steam-cracked; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon numbers predominantly in the range of C ₄ through C ₆ and boiling in the range of approximately 0 °C to 80 °C (32°F to 176°F).]	296-028-8	92201-97-3	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-388-00-9	Distillates (petroleum), C ₆ -rich; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of C ₅ through C ₇ , rich in C ₆ , and boiling in the range of approximately 60 °C to 70 °C (140°F to 158°F).]	296-903-4	93165-19-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-389-00-4	Gasoline, pyrolysis, hydrogenated; Low boiling point naphtha-unspecified; [A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68°F to 392°F).]	302-639-3	94114-03-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-390-00-X	Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction, polymd., distn. lights; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the polymerized C ₈ through C ₁₂ fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .]	305-750-5	95009-23-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-391-00-5	Extracts (petroleum) heavy naphtha solvent, clay-treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₈ and boiling in the range of approximately 80 °C to 180 °C (175°F to 356°F).]	308-261-5	97926-43-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-392-00-0	Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 95 °C to 200 °C (203°F to 392°F).]	308-713-1	98219-46-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-393-00-6	Naphtha (petroleum), light steam-cracked, thermally treated; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₆ and boiling in the range of approximately 35 °C to 80 °C (95°F to 176°F).]	308-714-7	98219-47-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-394-00-1	Distillates (petroleum), C ₇₋₉ , C ₈ -rich, hydrodesulfurized dearomatized; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₇ through C ₉ , predominantly C ₈ paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248°F to 266°F).]	309-862-5	101316-56-7	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-395-00-7	Hydrocarbons, C ₆₋₈ , hydrogenated sorption-dearomatized, toluene raffination; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₈ and boiling in the range of approximately 80 °C to 135 °C (176°F to 275°F).]	309-870-9	101316-66-9	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-396-00-2	Naphtha (petroleum), hydrodesulfurized full-range coker; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ to C ₁₁ and boiling in the range of approximately 23 °C to 196 °C (73°F to 385°F).]	309-879-8	101316-76-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-397-00-8	Naphtha (petroleum), sweetened light; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₅ through C ₈ and boiling in the range of approximately 20 °C to 130 °C (68°F to 266°F).]	309-976-5	101795-01-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-398-00-3	Hydrocarbons, C ₃₋₆ , C ₅ -rich, steam-cracked naphtha; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C ₃ through C ₆ , predominantly C ₅ .]	310-012-0	102110-14-5	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-399-00-9	Hydrocarbons, C ₅ -rich, dicyclopentadiene-contg.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by distillation of the products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers of C ₅ and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86°F to 338°F).]	310-013-6	102110-15-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-400-00-2	Residues (petroleum), steam-cracked light, arom.; Low boiling point naphtha — unspecified; [A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than C ₅ . It consists predominantly of aromatic hydrocarbons having carbon numbers greater than C ₅ and boiling above approximately 40 °C (104°F).]	310-057-6	102110-55-4	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-401-00-8	Hydrocarbons, C ≥ 5, C ₅₋₆ -rich; Low boiling point naphtha — unspecified	270-690-8	68476-50-6	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-402-00-3	Hydrocarbons, C ₅ -rich; Low boiling point naphtha — unspecified	270-695-5	68476-55-1	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-403-00-9	Aromatic hydrocarbons, C ₈₋₁₀ ; Low boiling point naphtha — unspecified	292-695-4	90989-39-2	Carc. Cat. 2; R45 Xn; R65	T R: 45-65 S: 53-45		H P
649-404-00-4	Kerosine (petroleum); Straight run kerosine; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (320°F to 554°F).]	232-366-4	8008-20-6	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-405-00-X	Solvent naphtha (petroleum), medium aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₂ and boiling in the range of approximately 140 °C to 220 °C (284°F to 428°F).]	265-191-7	64742-88-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-406-00-5	Solvent naphtha (petroleum) heavy aliph.; Straight run kerosine; [A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₆ and boiling in the range of approximately 190 °C to 290 °C (374°F to 554°F).]	265-200-4	64742-96-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-407-00-0	Kerosine (petroleum), straight-run wide-cut; Straight run kerosine; [A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158°F to 428°F).]	295-418-5	92045-37-9	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-408-00-6	Distillates (petroleum), steam-cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₆ and boiling in the range of approximately 90 °C to 290 °C (190°F to 554°F).]	265-194-3	64742-91-2	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-409-00-1	Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₈₋₁₀ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of C ₈ through C ₁₀ and boiling in the range of approximately 129 °C to 194 °C (264°F to 382°F).]	270-728-3	68477-39-4	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-410-00-7	Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C ₁₀₋₁₂ fraction; Cracked kerosine; [A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₁₀ through C ₁₂ .]	270-729-9	68477-40-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-411-00-2	Distillates (petroleum), steam-cracked, C ₈₋₁₂ fraction; Cracked kerosine; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₂ .]	270-737-2	68477-54-3	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-412-00-8	Kerosine (petroleum), hydrodesulfurized thermal cracked; Cracked kerosine; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of C ₈ to C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (284°F to 541°F).]	285-507-7	85116-55-8	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-413-00-3	Aromatic hydrocarbons, C _{≥10} , steam-cracking, hydrotreated; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than C ₁₀ and boiling in the range of approximately 150 °C to 320 °C (302°F to 608°F).]	292-621-0	90640-98-5	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-414-00-9	Naphtha (petroleum), steam-cracked, hydrotreated, C ₉₋₁₀ -arom.-rich; Cracked kerosine; [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C ₉ through C ₁₀ and boiling in the range of approximately 140 °C to 200 °C (284°F to 392°F).]	292-637-8	90641-13-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-415-00-4	Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-866-7	101316-61-4	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-416-00-X	Distillates (petroleum), catalytic cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-938-8	101631-13-4	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-417-00-5	Solvent naphtha (petroleum), hydrocracked heavy arom.; Cracked kerosine; [A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 235 °C to 290 °C (455°F to 554°F).]	309-881-9	101316-80-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-418-00-0	Distillates (petroleum), steam-cracked heavy tar light; Cracked kerosine; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212°F to 482°F).]	309-940-9	101631-15-6	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-419-00-6	Distillates (petroleum), alkylate; Kerosine — unspecified; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C ₃ through C ₅ . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₁₇ and boiling in the range of approximately 205 °C to 320 °C (401°F to 608°F).]	265-074-0	64741-73-7	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-420-00-1	Extracts (petroleum), heavy naphtha solvent; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ through C ₁₂ and boiling in the range of approximately 90 °C to 220 °C (194°F to 428°F).]	265-099-7	64741-98-6	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-421-00-7	Distillates (petroleum), chemically neutralized light; Kerosine — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-132-5	64742-31-0	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-422-00-2	Distillates (petroleum), hydrotreated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-149-8	64742-47-8	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-423-00-8	Kerosine (petroleum), hydrodesulfurized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150 °C to 290 °C (302°F to 554°F).]	265-184-9	64742-81-0	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-424-00-3	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 165 °C to 290 °C (330°F to 554°F).]	265-198-5	64742-94-5	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-425-00-9	Naphtha (petroleum), heavy coker; Kerosine — unspecified; [A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₁₅ and boiling in the range of approximately 157 °C to 288 °C (315°F to 550°F).]	269-778-9	68333-23-3	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-426-00-4	Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction; Kerosine — unspecified; [A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₇ to C ₁₃ and boiling in the range of approximately 98 °C to 218 °C (208°F to 424°F).]	285-508-2	85116-57-0	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-427-00-X	Kerosine (petroleum), sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of 130 °C to 290 °C (266°F to 554°F).]	294-799-5	91770-15-9	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-428-00-5	Kerosine (petroleum), solvent-refined sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302°F to 500°F).]	295-416-4	92045-36-8	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-429-00-0	Hydrocarbons, C ₉₋₁₆ , hydrotreated, dearomatized; Kerosine — unspecified; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]	297-854-1	93763-35-0	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-430-00-6	Kerosine (petroleum), solvent-refined hydrodesulfurized; Kerosine — unspecified	307-033-2	97488-94-3	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-431-00-1	Distillates (petroleum), hydrodesulfurized full-range middle coker; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₈ through C ₁₆ and boiling in the range of approximately 120 °C to 283 °C (248°F to 541°F).]	309-864-6	101316-58-9	Xn; R65	Xn R: 65 S: (2-)23-24-62		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-432-00-7	Solvent naphtha (petroleum), hydrodesulfurized heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 180 °C to 240 °C (356°F to 464°F).]	309-882-4	101316-81-8	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-433-00-2	Solvent naphtha (petroleum), hydrodesulfurized medium; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₃ and boiling in the range of approximately 175 °C to 220 °C (347°F to 428°F).]	309-884-5	101316-82-9	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-434-00-8	Kerosine (petroleum), hydrotreated; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkyl-benzenes having carbon numbers predominantly in the range of C ₁₂ through C ₁₆ and boiling in the range of approximately 230 °C to 270 °C (446°F to 518°F).]	309-944-0	101631-19-0	Xn; R65	Xn R: 65 S: (2-)23-24-62		H
649-435-00-3	Distillates (petroleum), light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.]	265-060-4	64741-59-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-436-00-9	Distillates (petroleum), intermediate catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ through C ₃₀ and boiling in the range of approximately 205 °C to 450 °C (401°F to 842°F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.]	265-062-5	64741-60-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-437-00-4	Distillates (petroleum), light hydrocracked; Cracked gasoil; [A complex combination of hydrocarbons from distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ and boiling in the range of approximately 160 °C to 320 °C (320°F to 608°F).]	265-078-2	64741-77-1	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
649-438-00-X	Distillates (petroleum), light thermal cracked; Cracked gasoil; [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₂₂ and boiling in the range of approximately 160 °C to 370 °C (320°F to 698°F).]	265-084-5	64741-82-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-439-00-5	Distillates (petroleum), hydrodesulfurized light catalytic cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₂₅ and boiling in the range of approximately 150 °C to 400 °C (302°F to 752°F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.]	269-781-5	68333-25-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-440-00-0	Distillates (petroleum), light steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ through C ₁₈ .]	270-662-5	68475-80-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-441-00-6	Distillates (petroleum), cracked steam-cracked petroleum distillates; Cracked gasoil; [A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₀ to low molecular weight polymers.]	270-727-8	68477-38-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-442-00-1	Gas oils (petroleum), steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C ₉ and boiling in the range of from approximately 205 °C to 400 °C (400°F to 752°F).]	271-260-2	68527-18-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-443-00-7	Distillates (petroleum), hydrodesulfurized thermal cracked middle; Cracked gasoil; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₁ to C ₂₅ and boiling in the range of approximately 205 °C to 400 °C (401°F to 752°F).]	285-505-6	85116-53-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-444-00-2	Gas oils (petroleum), thermal-cracked, hydrodesulfurized; Cracked gasoil	295-411-7	92045-29-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-445-00-8	Residues (petroleum), hydrogenated steam-cracked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32°F to 662°F).]	295-514-7	92062-00-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-446-00-3	Residues (petroleum), steam-cracked naphtha distn.; Cracked gasoil; [A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297°F to 572°F) and produces a finished oil having a viscosity of 18cSt at 50 °C.]	295-517-3	92062-04-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-447-00-9	Distillates (petroleum), light catalytic cracked, thermally degraded; Cracked gasoil; [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374°F to 644°F). This stream is likely to contain organic sulfur compounds.]	295-991-1	92201-60-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-448-00-4	Residues (petroleum), steam-cracked heat-soaked naphtha; Cracked gasoil; [A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302°F to 662°F).]	297-905-8	93763-85-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-449-00-X	Hydrocarbons, C ₁₆₋₂₀ , solvent-dewaxed hydrocracked paraffinic distn. residue; Cracked gasoil; [A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₂₀ and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).]	307-662-2	97675-88-2	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		H
649-450-00-5	Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized; Cracked gasoil; [A complex combination of hydrocarbons obtained by catalytic dehydrosulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₀ and boiling in the range of approximately 270 °C to 370 °C (518°F to 698°F).]	308-278-8	97926-59-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-451-00-0	Distillates (petroleum), hydrodesulfurized middle coker; Cracked gasoil; [A complex combination of hydrocarbons by fractionation from hydrodesulfurised coker distillate stocks. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₂₁ and boiling in the range of approximately 200 °C to 360 °C (392°F to 680°F).]	309-865-1	101316-59-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H
649-452-00-6	Distillates (petroleum), heavy steam-cracked; Cracked gasoil; [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482°F to 752°F).]	309-939-3	101631-14-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-453-00-1	Distillates (petroleum), heavy hydrocracked; Baseoil — unspecified; [A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of C ₁₅ -C ₃₉ and boiling in the range of approximately 260 °C to 600 °C (500°F to 1112°F).]	265-077-7	64741-76-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-454-00-7	Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).]	265-090-8	64741-88-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-455-00-2	Distillates (petroleum), solvent-refined light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-091-3	64741-89-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-456-00-8	Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the solvent soluble fraction from C ₃ -C ₄ solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-096-0	64741-95-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-457-00-3	Distillates (petroleum), solvent-refined heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt a 40 °C). It contains relatively few normal paraffins.]	265-097-6	64741-96-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-458-00-9	Distillates (petroleum), solvent-refined light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-098-1	64741-97-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-459-00-4	Residual oils (petroleum,) solvent-refined; Baseoil — unspecified; [A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-101-6	64742-01-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-460-00-X	Distillates (petroleum), clay-treated paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-137-2	64742-36-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-461-00-5	Distillates (petroleum), clay-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-138-8	64742-37-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-462-00-0	Residual oils (petroleum), clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydro-carbons having carbon numbers predominantly higher than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-143-5	64742-41-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-463-00-6	Distillates (petroleum), clay-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-146-1	64742-44-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-464-00-1	Distillates (petroleum), clay-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-147-7	64742-45-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-465-00-7	Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-155-0	64742-52-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-466-00-2	Distillates (petroleum), hydrotreated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-156-6	64742-53-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-467-00-8	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-157-1	64742-54-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-468-00-3	Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	265-158-7	64742-55-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-469-00-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-159-2	64742-56-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-470-00-4	Residual oils (petroleum), hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-160-8	64742-57-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-471-00-X	Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and boiling above approximately 400 °C (752°F).]	265-166-0	64742-62-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-472-00-5	Distillates (petroleum), solvent-dewaxed heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of not less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-167-6	64742-63-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-473-00-0	Distillates (petroleum), solvent-dewaxed light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-168-1	64742-64-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-474-00-6	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity not less than 100 SUS at 100°F (19cSt at 40 °C).]	265-169-7	64742-65-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-475-00-1	Naphthenic oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-172-3	64742-68-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-476-00-7	Naphthenic oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-173-9	64742-69-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-477-00-2	Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C).]	265-174-4	64742-70-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-478-00-8	Paraffin oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C).]	265-176-5	64742-71-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-479-00-3	Naphthenic oils (petroleum), complex dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removing straight chain paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of at least 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-179-1	64742-75-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-480-00-9	Naphthenic oils (petroleum), complex dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	265-180-7	64742-76-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-481-00-4	Lubricating oils (petroleum), C ₂₀₋₅₀ , hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-736-3	72623-85-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-482-00-X	Lubricating oils (petroleum), C ₁₅₋₃₀ , hydrotreated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-737-9	72623-86-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-483-00-5	Lubricating oils (petroleum), C ₂₀₋₅₀ , hydrotreated neutral oil-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]	276-738-4	72623-87-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-484-00-0	Lubricating oils; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C ₁₅ through C ₅₀ .]	278-012-2	74869-22-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-485-00-6	Distillates (petroleum), complex dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	292-613-7	90640-91-8	Carc. Cat. 2; R45	T R: 4 S: 53-45		H L
649-486-00-1	Distillates (petroleum), complex dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₂ through C ₃₀ and produces a finished oil with a viscosity of less than 100 SUS at 100°F (19cSt at 40 °C). It contains relatively few normal paraffins.]	292-614-2	90640-92-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-487-00-7	Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	292-616-3	90640-94-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-488-00-2	Hydrocarbons, C ₂₀₋₅₀ , solvent dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	292-617-9	90640-95-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-489-00-8	Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .]	292-618-4	90640-96-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-490-00-3	Distillates (petroleum), solvent dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ .]	292-620-5	90640-97-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-491-00-9	Residual oils (petroleum), hydrotreated solvent dewaxed; Baseoil — unspecified	292-656-1	90669-74-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-492-00-4	Residual oils (petroleum), catalytic dewaxed; Baseoil — unspecified	294-843-3	91770-57-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-493-00-X	Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₅ through C ₃₉ and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.]	295-300-3	91995-39-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-494-00-5	Distillates (petroleum), dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₂₉ and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.]	295-301-9	91995-40-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-495-00-0	Distillates (petroleum), hydrocracked solvent-refined, dewaxed; Baseoil — unspecified; [A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.]	295-306-6	91995-45-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-496-00-6	Distillates (petroleum), solvent-refined light naphthenic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.]	295-316-0	91995-54-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-497-00-1	Lubricating oils (petroleum), C ₁₇₋₃₅ , solvent-extd., dewaxed, hydrotreated; Baseoil — unspecified	295-423-2	92045-42-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-498-00-7	Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined; Baseoil — unspecified	295-424-8	92045-43-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-499-00-2	Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716°F).]	295-499-7	92061-86-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-500-00-6	Paraffin oils (petroleum), solvent-refined dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.]	295-810-6	92129-09-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-501-00-1	Lubricating oils (petroleum), base oils, paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100°F (23cSt at 40 °C).]	297-474-6	93572-43-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-502-00-7	Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed; Baseoil — unspecified	297-857-8	93763-38-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-503-00-2	Hydrocarbons, C ₂₀₋₅₀ , residual oil hydrogenation vacuum distillate; Baseoil — unspecified	300-257-1	93924-61-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-504-00-8	Distillates (petroleum), solvent-refined hydrotreated heavy, hydrogenated; Baseoil — unspecified	305-588-5	94733-08-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-505-00-3	Distillates (petroleum), solvent-refined hydrocracked light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).]	305-589-0	94733-09-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-506-00-9	Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrocracked distillate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).]	305-594-8	94733-15-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-507-00-4	Lubricating oils (petroleum), C ₁₈₋₄₀ , solvent-dewaxed hydrogenated raffinate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₄₀ and boiling in the range of approximately 370 °C to 550 °C (698°F to 1022°F).]	305-595-3	94733-16-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-508-00-X	Hydrocarbons, C ₁₃₋₃₀ , arom.-rich, solvent-extd. naphthenic distillate; Baseoil — unspecified	305-971-7	95371-04-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-509-00-5	Hydrocarbons, C ₁₆₋₃₂ , arom. rich, solvent-extd. naphthenic distillate; Baseoil — unspecified	305-972-2	95371-05-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-510-00-0	Hydrocarbons, C ₃₇₋₆₈ , dewaxed deasphalted hydrotreated vacuum distn. residues; Baseoil — unspecified	305-974-3	95371-07-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-511-00-6	Hydrocarbons, C ₃₇₋₆₅ , hydrotreated deasphalted vacuum distn. residues; Baseoil — unspecified	305-975-9	95371-08-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-512-00-1	Distillates (petroleum), hydrocracked solvent-refined light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₈ through C ₂₇ and boiling in the range of approximately 370 °C to 450 °C (698°F to 842°F).]	307-010-7	97488-73-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-513-00-7	Distillates (petroleum), solvent-refined hydrogenated heavy; Baseoil — unspecified; [A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₉ through C ₄₀ and boiling in the range of approximately 390 °C to 550 °C (734°F to 1022°F).]	307-011-2	97488-74-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-514-00-2	Lubricating oils (petroleum), C ₁₈₋₂₇ , hydrocracked solvent-dewaxed; Baseoil — unspecified	307-034-8	97488-95-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-515-00-8	Hydrocarbons, C ₁₇₋₃₀ , hydrotreated solvent-deasphalted atm. distn. residue, distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₀ and boiling in the range of approximately 300 °C to 400 °C (572°F to 752°F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212°F).]	307-661-7	97675-87-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-516-00-3	Hydrocarbons, C ₁₇₋₄₀ , hydrotreated solvent-deasphalted distn. residue, vacuum distn. lights; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₄₀ and boiling in the range of approximately 300 °C to 500 °C (592°F to 932°F).]	307-755-8	97722-06-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-517-00-9	Hydrocarbons, C ₁₃₋₂₇ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₂₇ and boiling in the range of approximately 240 °C to 400 °C (464°F to 752°F).]	307-758-4	97722-09-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-518-00-4	Hydrocarbons, C ₁₄₋₂₉ , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104°F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₄ through C ₂₉ and boiling in the range of approximately 250 °C to 425 °C (482°F to 797°F).]	307-760-5	97722-10-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-519-00-X	Hydrocarbons, C ₂₇₋₄₂ , dearomatized; Baseoil — unspecified	308-131-8	97862-81-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-520-00-5	Hydrocarbons, C ₁₇₋₃₀ , hydrotreated distillates, distn. lights; Baseoil — unspecified	308-132-3	97862-82-3	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-521-00-0	Hydrocarbons, C ₂₇₋₄₅ , naphthenic vacuum distn.; Baseoil — unspecified	308-133-9	97862-83-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-522-00-6	Hydrocarbons, C ₂₇₋₄₅ , dearomatized; Baseoil — unspecified	308-287-7	97926-68-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-523-00-1	Hydrocarbons, C ₂₀₋₅₈ , hydrotreated; Baseoil — unspecified	308-289-8	97926-70-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-524-00-7	Hydrocarbons, C ₂₇₋₄₂ , naphthenic; Baseoil — unspecified	308-290-3	97926-71-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-525-00-2	Residual oils (petroleum), carbon-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.]	309-710-8	100684-37-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-526-00-8	Residual oils (petroleum), clay-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.]	309-711-3	100684-38-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-527-00-3	Lubricating oils (petroleum), C _{>25} , solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C ₂₅ and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212°F).]	309-874-0	101316-69-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-528-00-9	Lubricating oils (petroleum), C ₁₇₋₃₂ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₃₂ and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104°F).]	309-875-6	101316-70-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-529-00-4	Lubricating oils (petroleum), C ₂₀₋₃₅ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₃₅ and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104°F).]	309-876-1	101316-71-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-530-00-X	Lubricating oils (petroleum), C ₂₄₋₅₀ , solvent-extd., dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₄ through C ₅₀ and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104°F).]	309-877-7	101316-72-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-531-00-5	Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.; Distillate aromatic extract (treated); [An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.]	272-175-3	68783-00-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-532-00-0	Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	272-180-0	68783-04-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-533-00-6	Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.]	272-342-0	68814-89-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-534-00-1	Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100°F).]	292-631-5	90641-07-9	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-535-00-7	Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₂₁ through C ₃₃ and boiling in the range of approximately 350 °C to 480 °C (662°F to 896°F).]	292-632-0	90641-08-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-536-00-2	Extracts (petroleum), light paraffinic distillate solvent, hydro-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₇ through C ₂₆ and boiling in the range of approximately 280 °C to 400 °C (536°F to 752°F).]	292-633-6	90641-09-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-537-00-8	Extracts (petroleum), hydrotreated light paraffinic distillate solvent; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₆ .]	295-335-4	91995-73-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-538-00-3	Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₃₀ . This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]	295-338-0	91995-75-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-539-00-9	Extracts (petroleum), light paraffinic distillate solvent, acid-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	295-339-6	91995-76-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-540-00-4	Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₄₀ and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.]	295-340-1	91995-77-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-541-00-X	Extracts (petroleum), light vacuum gas oil solvent, hydro-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	295-342-2	91995-79-8	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-542-00-5	Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ . This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.]	296-437-1	92704-08-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-543-00-0	Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.]	297-827-4	93763-10-1	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-544-00-6	Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C ₁₅ through C ₅₀ and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.]	297-829-5	93763-11-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-545-00-1	Extracts (petroleum), light paraffinic distillate solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	309-672-2	100684-02-4	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-546-00-7	Extracts (petroleum), light paraffinic distillate solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₆ through C ₃₂ .]	309-673-8	100684-03-5	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-547-00-2	Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	309-674-3	100684-04-6	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-548-00-8	Extracts (petroleum), light vacuum gas oil solvent, clay-treated; Distillate aromatic extract (treated); [A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C ₁₃ through C ₃₀ .]	309-675-9	100684-05-7	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
649-549-00-3	Foots oil (petroleum); Foots oil; [A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of C ₂₀ through C ₅₀ .]	265-171-8	64742-67-2	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
649-550-00-9	Foots oil (petroleum), hydrotreated; Foots oil	295-394-6	92045-12-0	Carc. Cat. 2; R45	T R: 45 S: 53-45		H L
650-002-00-6	turpentine, oil	232-350-7	8006-64-2	R10 Xn; R20/21/ 22-65 Xi; R36/38 R43 N; R51-53	Xn; N R: 10-20/21/22-36/ 38-43-51/53-65 S: (2-)36/37-46-61-62		
650-003-00-1	fenson (ISO); 4-chlorophenyl benzenesulphonate;	201-274-6	80-38-6	Xn; R22 Xi; R36 N; R51-53	Xn; N R: 22-36-51/53 S: (2-)24-26-61		
650-004-00-7	norbormide (ISO); 5-(α -hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene) bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide	213-589-6	991-42-4	Xn; R22	Xn R: 22 S: (2-)		
650-005-00-2	(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4-b]furo[2,3-h]chromen-6-one, rotenone	201-501-9	83-79-4	T; R25 Xi; R36/37/ 38 N; R50-53	T; N R: 25-36/37/38-50/ 53 S: (1/2-)22-24/25-36- 45-60-61		
650-006-00-8	benquinox (ISO); <i>p</i> -benzoquinone 1-benzoylhydrazone 4-oxime	207-807-9	495-73-8	T; R25 Xn; R21	T R: 21-25 S: (1/2-)36/37-45		
650-007-00-3	chlordimeform (ISO); N ₂ -(4-chloro- <i>o</i> -tolyl)-N ₁ ,N ₁ -dimethylformamidine	228-200-5	6164-98-3	Carc. Cat. 3; R40 Xn; R21/22 N; R50-53	Xn; N R: 21/22-40-50/53 S: (2-)22-36/37-60-61		
650-008-00-9	drazoxolon (ISO); 4-(2-chlorophenylhydrazone)-3-methyl-5-isoxazolone	227-197-8	5707-69-7	T; R25 N; R50-53	T; N R: 25-50/53 S: (1/2-)22-24-36/37- 45-60-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
650-009-00-4	chlordimeform hydrochloride; N ^r -(4-chloro- <i>o</i> -tolyl)-N,N-dimethylformamide monohydrochloride; N ² -(4-chloro- <i>o</i> -tolyl)-N ¹ ,N ¹ -dimethylformamide hydrochloride	243-269-1	19750-95-9	Carc. Cat. 3; R40 Xn; R22 N; R50-53	Xn; N R: 22-40-50/53 S: (2-)22-36/37-60-61		
650-010-00-X	benzyl violet 4B; α-[4-(4-dimethylamino-α-[4-[ethyl(3-sodiumsulphonatobenzyl)amino] phenyl]benzylidene)cyclohexa-2,5-dienylidene(ethyl)ammonio]toluene-3-sulphonate	216-901-9	1694-09-3	Carc. Cat. 3; R40	Xn R: 40 S: (2-)36/37		
650-012-00-0	erionite	—	12510-42-8	Carc. Cat. 1; R45	T R: 45 S: 53-45		
650-013-00-6	asbestos	— — — — — — —	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5	Carc. Cat. 1; R45 T; R48/23	T R: 45-48/23 S: 53-45		E
650-014-00-1	diethyl 2,4-dihydroxycyclodisiloxane-2,4-diylbis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate	401-770-4	—	C; R34 Xn; R22	C R: 22-34 S: (1/2-)26-36/37/39-45		
650-015-00-7	rosin; colophony	232-475-7 232-484-6 277-299-1	8050-09-7 8052-10-6 73138-82-6	R43	Xi R: 43 S: (2-)24-37		
650-016-00-2	Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content greater than 18 % by weight]	—	—	Carc. Cat. 3; R40 Xi; R38	Xn R: 38-40 S: (2-)36/37		AQR
650-017-00-8	Refractory Ceramic Fibres; Special Purpose Fibres, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18 % by weight]	—	—	Carc. Cat. 2; R49 Xi; R38	T R: 49-38 S: 53-45		A R

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
650-018-00-3	reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid	406-230-1	—	R10 Carc. Cat. 3; R40 C; R34 Xn; R20 R43 N; R50-53	C; N R: 10-20-34-40-43-50/53 S: (1/2-)26-36/37/39-45-60-61		
650-031-00-4	bis(4-hydroxy-N-methylanilinium) sulphate	200-237-1	55-55-0	Xn; R22-48/22 R43 N; R50-53	Xn; N R: 22-43-48/22-50/53 S: (2-)36/37-46-60-61		
650-032-00-X	cyproconazole (ISO); (2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol	—	94361-06-5	Repr. Cat. 3; R63 Xn; R22 N; R50-53	Xn; N R: 22-50/53-63 S: (2-)36/37-60-61		
650-033-00-5	(S)- α -cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate; esfenvalerate	—	66230-04-4	T; R23/25 R43 N; R50-53	T; N R: 23/25-43-50/53 S: (1/2-)24-36/37/39-45-60-61		
650-041-00-9	triasulfuron (ISO); 1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea	—	82097-50-5	N; R50-53	N R: 50/53 S: 60-61		
650-042-00-4	reaction product of: polyethylene-polyamine-(C ₁₆ -C ₁₈)-alkylamides with monothio-(C ₂)-alkyl phosphonates	417-450-2	—	Xi; R36/38 R43 R52-53	Xi R: 36/38-43-52/53 S: (2-)24-26-37-61		
650-043-00-X	reaction product of: 3,5-bis- <i>tert</i> -butylsalicylic acid and aluminiumsulfate	420-310-3	—	Xn; R22 N; R50-53	Xn; N R: 22-50/53 S: (2-)22-56-60-61		
650-044-00-5	mixed linear and branched C ₁₄₋₁₅ alcohols ethoxylated, reaction product with epichlorohydrin	420-480-9	158570-99-1	Xi; R38 R43 N; R50-53	Xi; N R: 38-43-50/53 S: (2-)24-37-60-61		
650-045-00-0	reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra-n-propanolate	417-110-3	—	F; R11 Xi; R38-41 N; R51-53	F; Xi; N R: 11-38-41-51/53 S: (2-)9-16-26-37/39-61		

Index-Nr.	Internationale chemische Bezeichnung	EG-Nr.	CAS-Nr.	Einstufung	Kennzeichnung	Konzentrationsgrenzen	Anmerkungen
650-046-00-6	di(tetramethylammonium)(29H,31H-phthalocyanin-N29, N30,N31,N32)disulfonamide disulfonate, cuprate(2-)complex, derivatives	416-180-2	12222-04-7	Xn; R22-48/22 N; R51-53	Xn; N R: 22-48/22-51/53 S: (2-)22-36-61		
650-047-00-1	dibenzylphenylsulfonium hexafluoroantimonate	417-760-8	134164-24-2	T; R48/25 Xn; R22 Xi; R41 R43 N; R51-53	T; N R: 22-41-43-48/25-51/53 S: (1/2-)22-26-36/37/39-45-61		
650-048-00-7	reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid	420-070-1	—	O; R7 Xn; R20/21/22 C; R35 N; R50	O; C; N R: 7-20/21/22-35-50 S: (1/2-)3/7-14-26-36/37/39-45-61		
650-049-00-2	2-alkoxyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl	417-960-5	—	Xi; R38-41 R43 N; R50-53	Xi; N R: 38-41-43-50/53 S: (2-)24-26-37/39-60-61		
650-050-00-8	reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydro-cinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate; 1,3-butanediol bis[3-(3'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers; 1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers	423-600-8	—	N; R51-53	N R: 51/53 S: 61		
650-055-00-5	silver sodium zirconium hydrogenphosphate	422-570-3	155925-27-2	N; R50-53	N R: 50/53 S: 60-61		

ANHANG VII

Tabelle für die Umwandlung einer Einstufung gemäß Richtlinie 67/548/EWG in eine Einstufung gemäß dieser Verordnung

Anhang VII enthält eine Tabelle, die die Umwandlung der Einstufung eines Stoffes oder Gemisches nach der Richtlinie 67/548/EWG oder der Richtlinie 1999/45/EG in die entsprechende Einstufung gemäß dieser Verordnung erleichtern soll. Wenn Daten für einen Stoff oder ein Gemisch zur Verfügung stehen, wird eine Bewertung gemäß den Artikeln 9 bis 13 der vorliegenden Verordnung durchgeführt.

1. Umwandlungstabelle

Die verwendeten Codes sind in Anhang VI Tabelle 1.1 und Abschnitt 1.1.2.2. erläutert

Tabelle 1.1

Umwandlung der Einstufungen gemäß der Richtlinie 67/548/EWG in Einstufungen gemäß dieser Verordnung

Einstufung gemäß Richtlinie 67/548/EWG	Aggregatzustand des Stoffes, falls relevant	Einstufung gemäß dieser Verordnung		Hinweise
		Gefahrenklasse und -kategorie	Gefahrenhinweise	
E; R2		Keine direkte Umwandlung möglich.		
E; R3		Keine direkte Umwandlung möglich.		
O; R7		Org. Perox. CD	H242	
		Org. Perox. EF	H242	
O; R8	gasförmig	Oxid. Gas 1	H270	
O; R8	flüssig, fest	Keine direkte Umwandlung möglich.		
O; R9	flüssig	Oxid. Fl. 1	H271	
O; R9	fest	Oxid. Festst. 1	H271	
R10	flüssig	Keine direkte Umwandlung möglich. Ordnungsgemäße Umwandlung von R10, flüssig, ergibt: — Entz. Fl. 1, H224, wenn der Flammpunkt bei < 23 °C und der Siedebeginn bei ≤ 35 °C liegt; — Entz. Fl. 2, H225, wenn der Flammpunkt bei < 23 °C und der Siedebeginn bei > 35 °C liegt; — Entz. Fl. 3, H226, wenn der Flammpunkt bei ≥ 23 °C liegt.		
F; R11	flüssig	Keine direkte Umwandlung möglich. Ordnungsgemäße Umwandlung von F; R11, flüssig, ergibt: — Entz. Fl. 1, H224, wenn der Siedebeginn bei ≤ 35 °C liegt; — Entz. Fl. 2, H225, wenn der Siedebeginn bei > 35 °C liegt.		
F; R11	fest	Keine direkte Umwandlung möglich.		
F+; R12	gasförmig	Keine direkte Umwandlung möglich. Ordnungsgemäße Umwandlung von F+; R12, gasförmig, ergibt entz. Gas 1, H220, oder entz. Gas 2, H221.		
F+; R12	flüssig	Entz. Fl. 1	H224	
F+; R12	flüssig	Selbstzers. CD	H242	
		Selbstzers. EF	H242	
		Selbstzers. G	keine	
F; R15		Keine Umwandlung möglich.		
F; R17	flüssig	Pyr. Fl. 1	H250	
F; R17	fest	Pyr. Festst. 1	H250	

Einstufung gemäß Richtlinie 67/548/EWG	Aggregatzustand des Stoffes, falls relevant	Einstufung gemäß dieser Verordnung		Hinweise
		Gefahrenklasse und -kategorie	Gefahrenhinweise	
Xn; R20	gasförmig	Akut Tox. 4	H332	(1)
Xn; R20	Dämpfe	Akut Tox. 4	H332	(1)
Xn; R20	Stäube/Nebel	Akut Tox. 4	H332	
Xn; R21		Akut Tox. 4	H312	(1)
Xn; R22		Akut Tox. 4	H302	(1)
T; R23	gasförmig	Akut Tox. 3	H331	(1)
T; R23	Dampf	Akut Tox. 2	H330	
T; R23	Stäube/Nebel	Akut Tox. 3	H331	(1)
T; R24		Akut Tox. 3	H311	(1)
T; R25		Akut Tox. 3	H301	(1)
T+; R26	gasförmig	Akut Tox. 2	H330	(1)
T+; R26	Dampf	Akut Tox. 1	H330	
T+; R26	Stäube/Nebel	Akut Tox. 2	H330	(1)
T+; R27		Akut Tox. 1	H310	
T+; R28		Akut Tox. 2	H300	(1)
R33		STOT wdh. 2	H373	(3)
C; R34		Hautätz. 1B	H314	(2)
C; R35		Hautätz. 1A	H314	
Xi; R36		Augenreiz. 2	H319	
Xi; R37		STOT einm. 3	H335	
Xi; R38		Hautreiz. 2	H315	
T; R39/23		STOT einm. 1	H370	(3)
T; R39/24		STOT einm. 1	H370	(3)
T; R39/25		STOT einm. 1	H370	(3)
T+; R39/26		STOT einm. 1	H370	(3)
T+; R39/27		STOT einm. 1	H370	(3)
T+; R39/28		STOT einm. 1	H370	(3)
Xi; R41		Augenschäd. 1	H318	
R42		Sens. Atemw. 1	H334	
R43		Sens. Haut 1	H317	
Xn; R48/20		STOT wdh. 2	H373	(3)
Xn; R48/21		STOT wdh. 2	H373	(3)
Xn; R48/22		STOT wdh. 2	H373	(3)
T; R48/23		STOT wdh. 1	H372	(3)
T; R48/24		STOT wdh. 1	H372	(3)
T; R48/25		STOT wdh. 1	H372	(3)

Einstufung gemäß Richtlinie 67/548/EWG	Aggregatzustand des Stoffes, falls relevant	Einstufung gemäß dieser Verordnung		Hinweise
		Gefahrenklasse und -kategorie	Gefahrenhinweise	
R64		Lakt.	H362	
Xn; R65		Asp. 1	H304	
R67		STOT einm. 3	H336	
Xn; R68/20		STOT einm. 2	H371	(3)
Xn; R68/21		STOT einm. 2	H371	(3)
Xn; R68/22		STOT einm. 2	H371	(3)
Karz. Kat. 1; R45		Karz. 1A	H350	
Karz. Kat. 2; R45		Karz. 1B	H350	
Karz. Kat. 1; R49		Karz. 1A	H350i	
Karz. Kat. 2; R49		Karz. 1B	H350i	
Karz. Kat. 3; R40		Karz. 2	H351	
Muta. Kat. 2; R46		Muta. 1B	H340	
Muta. Kat. 3; R68		Muta. 2	H341	
Repr. Kat. 1; R60		Repr. 1A	H360F	(4)
Repr. Kat. 2; R60		Repr. 1B	H360F	(4)
Repr. Kat. 1; R61		Repr. 1A	H360D	(4)
Repr. Kat. 2; R61		Repr. 1B	H360D	(4)
Repr. Kat. 3; R62		Repr. 2	H361f	(4)
Repr. Kat. 3; R63		Repr. 2	H361d	(4)
Repr. Kat. 1; R60 — 61		Repr. 1A	H360FD	
Repr. Kat. 1; R60 Repr. Kat. 2; R61		Repr. 1A	H360FD	
Repr. Kat. 2; R60 Repr. Kat. 1; R61		Repr. 1A	H360FD	
Repr. Kat. 2; R60 — 61		Repr. 1B	H360FD	
Repr. Kat. 3; R62 — 63		Repr. 2	H361fd	
Repr. Kat. 1; R60 Repr. Kat. 3; R63		Repr. 1A	H360Fd	
Repr. Kat. 2; R60 Repr. Kat. 3; R63		Repr. 1B	H360Fd	
Repr. Kat. 1; R61 Repr. Kat. 3; R62		Repr. 1A	H360Df	
Repr. Kat. 2; R61 Repr. Kat. 3; R62		Repr. 1B	H360Df	
N; R50		Aqu. akut	H400	
N; R50-53		Aqu. akut 1 Aqu. chron. 1	H400 H410	
N; R51-53		Aqu. chron. 2	H411	
R52-53		Aqu. chron. 3	H412	

Einstufung gemäß Richtlinie 67/548/EWG	Aggregatzustand des Stoffes, falls relevant	Einstufung gemäß dieser Verordnung		Hinweise
		Gefahrenklasse und -kategorie	Gefahrenhinweise	
R53		Aqu. chron. 4	H413	
N; R59		Ozon	EUH059	

Hinweis 1

Für diese Klassen kann die empfohlene Mindesteinstufung gemäß Anhang VI Abschnitt 1.2.1.1 verwendet werden. Es können Daten oder sonstige Informationen zur Verfügung gestellt werden, aus denen hervorgeht, dass eine Neueinstufung in eine strengere Kategorie erforderlich ist.

Hinweis 2

Es wird empfohlen, in Kategorie 1B einzustufen, auch wenn in bestimmten Fällen 1C zutreffen kann. Ein Rückgriff auf Originaldaten erlaubt es nicht unbedingt, zwischen Kategorie 1B oder Kategorie 1C zu differenzieren, da der Expositionszeitraum gemäß der Verordnung (EG) Nr. 440/2008 in der Regel bis zu 4 Stunden beträgt. Wenn sich jedoch Daten aus Prüfungen ergeben, die — wie in der Verordnung (EG) Nr. 440/2008 vorgesehen — einem Stufenkonzept folgen, sollte künftig die Kategorie 1C in Betracht gezogen werden.

Hinweis 3

Der Gefahrenhinweis könnte durch den Expositionsweg ergänzt werden, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht.

Hinweis 4

Die Gefahrenhinweise H360 und H361 zeigen an, dass aufgrund von beiden reproduktionstoxischen Eigenschaften (Wirkungen auf die Fruchtbarkeit und auf die Entwicklung) allgemeiner Anlass zu Besorgnis besteht: „Kann/Kann vermutlich die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen“. Den Einstufungskriterien (Anhang I Abschnitt 3.7.) zufolge kann der allgemeine Gefahrenhinweis ersetzt werden durch den Gefahrenhinweis, der nur die Eigenschaft anzeigt, aufgrund deren Anlass zu Besorgnis besteht, falls entweder die Wirkungen auf die Fruchtbarkeit oder die Wirkungen auf die Entwicklung nachweislich nicht relevant sind.

Tabelle 1.2

Umwandlung der R-Sätze gemäß der Richtlinie 67/548/EWG in ergänzende Kennzeichnungsanforderungen gemäß dieser Verordnung

Richtlinie 67/548/EWG	Diese Verordnung
R1	EUH001
R6	EUH006
R14	EUH014
R18	EUH018
R19	EUH019
R44	EUH044
R29	EUH029
R31	EUH031
R32	EUH032
R66	EUH066
R39-41	EUH070